



Organisers



Funding



*International Symposium
FloraMac2010*

*23-25 September 2010
Ponta Delgada, Azores, Portugal*



*International Symposium
FloraMac2010*

*23-25 September 2010
Ponta Delgada, Azores, Portugal*

Rosalina Gabriel, moderator

09:00 Session conference

Global warming threaten the biodiversity in Canary Islands

Martín Esquivel JL

09:30 Oral presentations

The nineteenth century and the botanical exploration of Madeira

Gomes da Conceição AH & Menezes de Sequeira M

Noxious invader or biomass resource? The case of *Pittosporum undulatum* in the Azores islands

Lourenço P, Medeiros V, Gil A & Silva L

Outdoor growth of *Haematococcus pluvialis* for astaxanthin production in the Azores

Xavier ED, Furnas J, Azevedo JM, Mota G, Teves L & Neto AI

10:30 Poster Session / Coffee break

57. Plant diversity in the city of La Laguna (Tenerife)

García-Gallo A, Pérez-Vargas I & Wildpret W

58. Essential oil chemical variability of *Myrtus communis* L collected in the mainland Portugal and Santa Maria (Azores)

Lima AS, Bahcevandziev K, Barroso JG, Pedro LG & Figueiredo AC

59. Triterpenes from the latex of *Euphorbia azorica*

Lima E & Medeiros J

60. Triterpenoids from *Euphorbia stygiana*

Lima E & Medeiros J

61. *Hypericum foliosum* Aiton. An Azorean endemic plant with anti-acetylcholinesterase properties

Rainha N, Arruda M, Teixeira T, Rosa JS, Barreto M, Lima E & Baptista J

62. Inhibition of acetylcholinesterase by *Hedychium gardnerianum* essential oils from S. Miguel (Azores)

Arruda M, Rainha N, Medeiros J, Viana H, Rosa JS & Barreto MC

63. Polyphenols and antioxidant activity in macroalgae from Azores

Anjos MC, Medeiros J, Neto AI & Barreto MC

64. Screening for acetylcholinesterase inhibitors in Azores Macroalgae

Medeiros J, Arruda M, Anjos MC & Barreto MC

65. Cytotoxicity of *Hedychium gardnerianum* extracts against HeLa tumour cell line

Nunes R & Barreto MC

66. Search for biological activities in plants from Macaronesia against *Pseudaletia unipuncta* (Lepidoptera: Noctuidae)

Teixeira T, Rosa JS, Mascarenhas C, Oliveira L, Barreto MC & Medeiros J

67. Search for insecticidal activity of *Hypericum undulatum* Schousb. Ex Willd. and *Hypericum foliosum* Aiton against *Aphis fabae* and *Myzus persicae* (Homoptera: Aphididae)

Saraiva J, Teixeira T, Rainha N, Mendes R, Baptista J, Lima E, Garcia P, Soares AO & Rosa JS

68. Ethnobotanical study of the Fajã da Ovelha (Madeira, Portugal)

Ramos L, Frazão-Moreira A & Menezes de Sequeira M



Organisers

CCPA Centro de Conservação e Protecção do Ambiente
CIBIO Centro de Investigação em Biodiversidade e Recursos Genéticos, Pólo Açores

Organizing Committee

Universidade dos Açores

Luís Silva • Mónica Moura • Graciete Maciel • Ana Isabel Neto • Rosalina Gabriel

Universidade da Madeira

Miguel Sequeira

Jardin Botánico Canario “Viera y Clavijo” – Unidad Asociada CSIC

Juli Caujapé Castells

Instituto Nacional de Investigação e Desenvolvimento Agrário

Isildo Gomes • Samuel Gomes

Natural History Museum

Mark Carine • Fred Rumsey

Harvard University, Department of Organismic and Evolutionary Biology

Hanno Schäfer

Instituto de Investigação Científica Tropical

Maria Romeiras

Keynote speakers

David Bramwell

José Luis Martín Esquível

José María Fernández-Palacios

Juli Caujapé Castells

Ricardo Haroun

Robert J Whittaker

CONTENTS

SYMPOSIUM PRESENTATION	9
GENERAL PROGRAM	11
PROGRAM	13
PHYLOGENETICS & BIOGEOGRAPHY	13
ECOLOGY & CONSERVATION	17
ETHNOBOTANY & PLANT RESOURCES	21
ABSTRACTS	23
PHYLOGENETICS & BIOGEOGRAPHY	25
ORAL PRESENTATIONS	25
POSTER PRESENTATIONS	37
ECOLOGY & CONSERVATION	49
ORAL PRESENTATIONS	49
POSTER PRESENTATIONS	61
ETHNOBOTANY & PLANT RESOURCES	77
ORAL PRESENTATIONS	77
POSTER PRESENTATIONS	81
INDEX OF AUTHORS	89



Polyphenols and antioxidant activity in macroalgae from Azores

Anjos^{*1,2} MC, Medeiros³ J, Neto² A & Barreto^{1,3} MC

¹ DCTD, 9501-801 Ponta Delgada, Portugal (mcarolinanjos@gmail.com; barreto@uac.pt)

² DB, 9501-801 Ponta Delgada, Portugal (aneto@uac.pt)

³ CIRN, 9501-801 Ponta Delgada, Portugal (joanamedeiros_6@hotmail.com)

Polyphenolic content and antioxidant activity of macroalgae *Osmundea pinnatifida*, *Fucus spiralis*, *Gelidium microdon*, *Ulva compressa*, and *Cystoseira abies-marina*, collected at the seacoast of the island of São Miguel Azores, were correlated. Their assessment was made respectively by the Folin-Ciocalteu and the ferric chloride and DPPH reducing power tests. The results indicated that methane extracts contained the higher values of polyphenols, highlighting *Fucus spiralis* and *Cystoseira abies-marina*. Dichloromethane extracts showed levels of polyphenols in general lower than the methanolics and higher than those of hexane. Regarding the ferric chloride test, the results of most methanol extracts followed the same pattern as the concentration of polyphenols, especially by the high reducing capacity of *Fucus spiralis* followed by *Cystoseira abies-marina*. For the DPPH test, these two extracts once again stood out, although the hexane extracts of these two algae also showed a significant reducing power. Thus, the polyphenols seem to be primarily responsible for the reducing power at least of the methanol extracts of these algae, however there are other less polar molecules with antioxidant activity, as can be inferred by the significant reducing power of hexane extracts of *Fucus spiralis*, *Cystoseira abies-marina* and those of dichloromethane of *Osmundea pinnatifida* and *Cystoseira abies-marina*.

Keywords: antioxidant activity, polyphenols, macroalgae.

Screening for acetylcholinesterase inhibitors in Azores Macroalgae

Medeiros^{*1} J, Arruda^{2,3} M, Anjos^{2,4} MC & Barreto^{1,2} MC

¹ CIRN, 9500-801 Ponta Delgada, Portugal (joanamedeiros_6@hotmail.com)

² Department of Technological Sciences and Development, Azores University, 9500-801 Ponta Delgada, Portugal (miguelarruda84@gmail.com ; barreto@uac.pt)

³ Centre of Biomedicine, 9501-801, Ponta Delgada, Portugal

⁴ Department of Biology, University of Azores, 9500 Ponta Delgada, Portugal (mcarolinanjos@gmail.com)

The development of drugs for the treatment of the cognitive deficits of Alzheimer's disease (AD) has focused on agents which counteract loss in cholinergic activities. These symptoms of AD have been successfully treated with acetylcholinesterase (AChE) inhibitors. Ellman's microplate assay was used to screen five species of macroalgae collected along the coast of S. Miguel island (Azores) for their *in vitro* anti-AChE activity. Methanol (ME), hexane (HE) and dichloromethane (DCM) extracts were prepared from *Ulva compressa*, *Gelidium microdon*, *Osmundea pinnatifida*, *Fucus spiralis* and *Cystoseira abies-marina*. Overall, the best anti-AChE activity results were obtained for the HE extracts (except for *O. Pinnatifida* and *G. microdon*), followed by the DCM and ME extracts. Maximum anti-AChE activity, expressed as IC₅₀ (extract concentration needed to produce 50% of AChE inhibition) was found in *C. abies-marina* and *U. compressa* (HE) fractions, with the lowest IC₅₀ values (20 µg/mL and 100 µg/mL, respectively) which are comparable to the value for quercetin, a known AChE inhibitor (IC₅₀=140 µg/mL). Some macroalgae are used as food since they are not poisonous and usually have soft tissues and as such have many indirect medicinal effects. To confirm this, further purification and identification of the active compound is needed.

Keywords: Alzheimer disease, cholinesterase inhibitors, algae.