

USE OF BIOGENIC SULFIDE FOR THE SYNTHESIS OF CuS NANOCRYSTALS AND NANOCOMPOSITES.

J. PINTO DA COSTA¹, A. V. GIRÃO², J. P. LOURENÇO³, O. C. MONTEIRO⁴, T. TRINDADE², M. C. COSTA^{1,*}

¹ Centro de Ciências do Mar, CCMar, Faculdade de Ciências e de Tecnologia, Campus de Gambelas, 8005-139 Faro, Portugal.

¹ Centro de Investigação em Materiais Cerâmicos e Compósitos, CICECO, Campus Universitário de Santiago, 3810-193 Aveiro, Portugal.

³ Centro de Investigação em Química do Algarve, CIQA, Faculdade de Ciências e de Tecnologia, Campus de Gambelas, 8005-139 Faro, Portugal

⁴ Centro de Química e Bioquímica, CQB, Faculdade de Ciências Universidade de Lisboa, Campo Grande, 1749-016, Lisboa, Portugal.

*Corresponding author: mcorada@ualg.pt, +351 289 800 900, Ext.: 7634.

Abstract

During the metabolism of organic matter (CH₂O), sulfate-reducing bacteria (SRB) use sulfate as the terminal electron acceptor, resulting in the production of H₂S. This biologically generated sulfide, in the presence of metal ions, can be used for metal precipitation (Bhagat et al., 2004). The use of SRB in bioremediation processes, namely, in the reduction of high-content sulfate and metal effluents, is well documented (Costa and Duarte, 2005; Garcia et al., 2001). Nevertheless, the process generates an excess of sulfide and the elimination of the sulfide in excess and disposal of the metal sulfides produced are also problems that need to be carefully addressed. Copper monosulfide (CuS) has gained considerable attention in material science due to its excellent potential in catalysis (Mallick et al., 2007), optical functionality (Liz-Marzan, 2006) and electronic functionalities (Kamat, 2002). Moreover, copper monosulfide shows metallic conductivity and transforms into superconductor at 1.6 K, exhibiting fast-ion conduction at high temperature (Yang and Xiang, 2005). In this work, we aimed for the valorization of these bioremediation by-products and have successfully used the biogenic sulfide produced by SRB for the production of well defined CuS nanocrystals (covellite) with a mean size of ~3.5 nm. We also showed that the use of TiO₂ and SiO₂ as substrates resulted in the respective composite materials. Considering the growing interest of CuS nanoparticles in processes such as photocatalysis (Li et al., 2010; Stroyuk et al., 2004) and the simplicity of the process presented, this is a convenient route for the biological synthesis of functional materials with potential interest.

References

- Bhagat, M., Burgess, J.E., Antunes, A.P.M., Whiteley, C.G. and Duncan, J.R., 2004. Precipitation of mixed metal residues from wastewater utilising biogenic sulphide. *Minerals Engineering*, 17(7-8): 925-932.
- Costa, M.C. and Duarte, J.C., 2005. Bioremediation of acid mine drainage using acidic soil and organic wastes for promoting sulphate-reducing bacteria activity on a column reactor. *Water Air Soil Poll*, 165(1-4): 325-345.
- Garcia, C., Moreno, D.A., Ballester, A., Blazquez, M.L. and Gonzalez, F., 2001. Bioremediation of an industrial acid mine water by metal-tolerant sulphate-reducing bacteria. *Minerals Engineering*, 14(9): 997-1008.
- Kamat, P.V., 2002. Photophysical, photochemical and photocatalytic aspects of metal nanoparticles. *Journal of Physical Chemistry B*, 106(32): 7729-7744.
- Li, F., Wu, J.F., Qin, Q.H., Li, Z. and Huang, X.T., 2010. Controllable synthesis, optical and photocatalytic properties of CuS nanomaterials with hierarchical structures. *Powder Technol*, 198(2): 267-274.
- Liz-Marzan, L.M., 2006. Tailoring surface plasmons through the morphology and assembly of metal nanoparticles. *Langmuir*, 22(1): 32-41.
- Mallick, K., Witcomb, M.J. and Scurrall, M.S., 2007. Self assembly of the metal nanoparticles: Formation of the highly oriented, core-shell type, bimetallic gold-silver film. *J Nanopart Res*, 9(2): 323-330.
- Stroyuk, A.L., Raevskaya, A.E., Kuchmii, S.Y. and Kryukov, A.I., 2004. Catalytic activity of CuS nanoparticles in hydrosulfide ions air oxidation. *J Mol Catal a-Chem*, 212(1-2): 259-265.
- Yang, Y.J. and Xiang, J.W., 2005. Template-free synthesis of CuS nanorods with a simple aqueous reaction at ambient conditions. *Appl Phys a-Mater*, 81(7): 1351-1353.