



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Zhen-Yu Zhang
✉ zhenyu.zhang@kuleuven.be

†These authors have contributed equally to
this work and share first authorship

‡These authors have contributed equally to
this work and share last authorship

RECEIVED 13 May 2024
ACCEPTED 23 May 2024
PUBLISHED 03 June 2024

CITATION

Melgarejo JD, Van Eijgen J, Wei D, Maestre GE,
Al-Aswad LA, Liao C-T, Mena LJ, Vanassche T,
Janssens S, Verhamme P, Van Keer K,
Stalmans I and Zhang Z-Y (2024)
Corrigendum: Progression of functional and
structural glaucomatous damage in relation to
diurnal and nocturnal dips in mean arterial
pressure.
Front. Cardiovasc. Med. 11:1432035.
doi: 10.3389/fcvm.2024.1432035

COPYRIGHT

© 2024 Melgarejo, Van Eijgen, Wei, Maestre,
Al-Aswad, Liao, Mena, Vanassche, Janssens,
Verhamme, Van Keer, Stalmans and Zhang.
This is an open-access article distributed
under the terms of the [Creative Commons
Attribution License \(CC BY\)](#). The use,
distribution or reproduction in other forums is
permitted, provided the original author(s) and
the copyright owner(s) are credited and that
the original publication in this journal is cited,
in accordance with accepted academic
practice. No use, distribution or reproduction
is permitted which does not comply with
these terms.

Corrigendum: Progression of functional and structural glaucomatous damage in relation to diurnal and nocturnal dips in mean arterial pressure

Jesus D. Melgarejo^{1,2†}, Jan Van Eijgen^{3,4†}, Dongmei Wei¹, Gladys E. Maestre^{2,5,6,7}, Lama A. Al-Aswad⁸, Chia-Te Liao¹, Luis J. Mena⁹, Thomas Vanassche¹⁰, Stefan Janssens¹¹, Peter Verhamme¹⁰, Karel Van Keer^{3,4‡}, Ingeborg Stalmans^{3,4‡} and Zhen-Yu Zhang^{1*‡}

¹Research Unit Hypertension and Cardiovascular Epidemiology, KU Leuven Department of Cardiovascular Sciences, Studies Coordinating Centre, Katholieke Universiteit Leuven, Leuven, Belgium, ²Laboratory of Neurosciences, Faculty of Medicine, University of Zulia, Maracaibo, Venezuela, ³Department of Ophthalmology, University Hospitals UZ Leuven, Leuven, Belgium, ⁴Research Group of Ophthalmology, Department of Neurosciences, Katholieke Universiteit Leuven, Leuven, Belgium, ⁵Rio Grande Valley Alzheimer's Disease Resource Center for Minority Aging Research (RGV AD-RCMAR), University of Texas Rio Grande Valley, Brownsville, TX, United States, ⁶School of Medicine, Institute for Neuroscience, University of Texas Rio Grande Valley, Harlingen, TX, United States, ⁷Department of Human Genetics, School of Medicine, University of Texas Rio Grande Valley, Brownsville, TX, United States, ⁸Department of Ophthalmology, New York University (NYU) Grossman School of Medicine, NYU Langone Health, New York, NY, United States, ⁹Department of Informatics, Universidad Politécnica de Sinaloa, Mazatlán, Mexico, ¹⁰KU Leuven Department of Cardiovascular Sciences, Centre for Molecular and Vascular Biology, Katholieke Universiteit Leuven, Leuven, Belgium, ¹¹Division of Cardiology, Department of Internal Medicine, University Hospitals UZ Leuven, Leuven, Belgium

KEYWORDS

ambulatory blood pressure monitoring (ABPM), diurnal MAP profile, nocturnal hypotension, glaucoma progression, primary open-angle glaucoma

A Corrigendum on

Progression of functional and structural glaucomatous damage in relation to diurnal and nocturnal dips in mean arterial pressure

By Melgarejo JD, Van Eijgen J, Wei D, Maestre GE, Al-Aswad LA, Liao C-T, Mena LJ, Vanassche T, Janssens S, Verhamme P, Van Keer K, Stalmans I and Zhang Z-Y. (2022). *Front. Cardiovasc. Med.* 9. doi: 10.3389/fcvm.2022.1024044

In the published article, two author names were incorrectly written as Jan V. Eijgen and Karel V. Keer. The correct spelling is Jan Van Eijgen and Karel Van Keer. The abbreviated form is therefore JVE and KVK instead of JE and KK in the Author Contributions statement.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.