



Global estimates on the number of people blind or visually impaired by cataract: a meta-analysis from 2000 to 2020

Pesudovs, K., Lansingh, V. C., Kempen, J. H., Tapply, I., Fernandes, A. G., Cicinelli, M. V., Arrigo, A., Leveziel, N., Resnikoff, S., Taylor, H. R., Sedighi, T., Flaxman, S., Bikbov, M. M., Braithwaite, T., Bron, A., Cheng, C.-Y., Del monte, M. A., Ehrlich, J. R., Ellwein, L. B., ... Steinmetz, J. D. (2024). Global estimates on the number of people blind or visually impaired by cataract: a meta-analysis from 2000 to 2020. *EYE*, 38(11), 2156-2172. <https://doi.org/10.1038/s41433-024-02961-1>

[Link to publication record in Ulster University Research Portal](#)

Published in:
EYE

Publication Status:
Published (in print/issue): 01/08/2024

DOI:
[10.1038/s41433-024-02961-1](https://doi.org/10.1038/s41433-024-02961-1)

Document Version
Publisher's PDF, also known as Version of record

Document Licence:
CC BY

General rights

The copyright and moral rights to the output are retained by the output author(s), unless otherwise stated by the document licence.

Unless otherwise stated, users are permitted to download a copy of the output for personal study or non-commercial research and are permitted to freely distribute the URL of the output. They are not permitted to alter, reproduce, distribute or make any commercial use of the output without obtaining the permission of the author(s).

If the document is licenced under Creative Commons, the rights of users of the documents can be found at <https://creativecommons.org/share-your-work/ccllicenses/>.

Take down policy

The Research Portal is Ulster University's institutional repository that provides access to Ulster's research outputs. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact pure-support@ulster.ac.uk

ARTICLE OPEN



Global estimates on the number of people blind or visually impaired by cataract: a meta-analysis from 2000 to 2020

Vision Loss Expert Group of the Global Burden of Disease Study* and GBD 2019 Blindness and Vision Impairment Collaborators*

© The Author(s) 2024, corrected publication 2024

BACKGROUND: To estimate global and regional trends from 2000 to 2020 of the number of persons visually impaired by cataract and their proportion of the total number of vision-impaired individuals.

METHODS: A systematic review and meta-analysis of published population studies and gray literature from 2000 to 2020 was carried out to estimate global and regional trends. We developed prevalence estimates based on modeled distance visual impairment and blindness due to cataract, producing location-, year-, age-, and sex-specific estimates of moderate to severe vision impairment (MSVI presenting visual acuity $<6/18$, $\geq 3/60$) and blindness (presenting visual acuity $<3/60$). Estimates are age-standardized using the GBD standard population.

RESULTS: In 2020, among overall (all ages) 43.3 million blind and 295 million with MSVI, 17.0 million (39.6%) people were blind and 83.5 million (28.3%) had MSVI due to cataract blind 60% female, MSVI 59% female. From 1990 to 2020, the count of persons blind (MSVI) due to cataract increased by 29.7%(93.1%) whereas the age-standardized global prevalence of cataract-related blindness improved by -27.5% and MSVI increased by 7.2%. The contribution of cataract to the age-standardized prevalence of blindness exceeded the global figure only in South Asia (62.9%) and Southeast Asia and Oceania (47.9%).

CONCLUSIONS: The number of people blind and with MSVI due to cataract has risen over the past 30 years, despite a decrease in the age-standardized prevalence of cataract. This indicates that cataract treatment programs have been beneficial, but population growth and aging have outpaced their impact. Growing numbers of cataract blind indicate that more, better-directed, resources are needed to increase global capacity for cataract surgery.

Eye (2024) 38:2156–2172; <https://doi.org/10.1038/s41433-024-02961-1>

INTRODUCTION

For 2020, the Global Burden of Disease (GBD) Study reported that cataract remained the leading cause of blindness, with approximately 15.2 million cases [95% Uncertainty Interval (UI): 12.7–18.0] that comprised 45% of global blindness [1]. Cataract also remained the second leading cause of moderate and severe vision impairment (MSVI), with 78.8 million (95% UI: 67.2–91.4) people, which comprised 39% of global MSVI. In spite of global advocacy efforts, such as the VISION 2020 Right to Sight program undertaken by the World Health Organization and International Agency of the Prevention Blindness, and an increase in cataract surgical rates (the number of cataract surgeries per million population) reported across the world, the progress made against cataract has revealed substantial inequality and inequity, with lower-to-middle income countries (LMICs) shouldering the greater burden and having poorer visual outcomes than high-income countries [2–4].

The majority of cataracts are age-related nuclear cataracts, which typically cause vision loss in the sixth decade or later [5–7]. Cataracts, part of the spectrum of diabetic eye disease, are also increasing due to a global epidemic of diabetes, with diabetics more likely to develop cataracts and more quickly lose their vision to cataract compared to people without diabetes [5, 8, 9].

Surgery is the only treatment for cataract, during which an artificial intraocular lens replaces the damaged lens. Cataract surgery is extremely efficacious in terms of restoring sight, and multiple studies have demonstrated its cost-effectiveness, which appears to increase over time [10–12]. In 2015, the International Council of Ophthalmology estimated that globally, there were 14 ophthalmologists performing cataract surgery per million population, but that ranges from less than 1 cataract surgeon per million in low-income countries to as high as 32 in high-income countries, further revealing the global inequity in access to eye care [13]. Age-related cataract exposes another persistent inequity in universal eye health coverage—men are 1.7 times more likely to undergo cataract surgery than women, and even in high-income countries, women are more likely to wait longer for surgery and experience poorer outcomes [14]. This gender inequity is partially due to the fact that women live longer than men, although sociocultural barriers are also at play. Based on the 2015 GBD Vision Loss Expert Group data, if women had the same access to cataract surgery as men, the blindness burden of cataract could decrease by 11%. However, women, in fact, need more access to surgery than men, to address the gender inequity [14]. Gender differences in cataract burden for 2020 have yet to be analyzed.

With the publication of 2020 GBD vision loss data, there is a need to explore further the global and regional trends in cataract

*Lists of authors and their affiliations appear at the end of the paper.

burden since 1990 and better understand the regional and gender inequities of cataract burden. The objective of this article is to provide updated estimates of the global burden of vision loss due to cataract, disaggregated by sex and region, for the period from 2000 to 2020 covered by Global Vision 2020. This is done using the best available ophthalmic epidemiological database, the Global Vision Database which is a comprehensive, continuously updated, online database of ophthalmic epidemiological data curated by the Vision Loss Expert Group (VLEG) [15–17]. Additionally, we assess progress against the goals set out in 'Towards universal eye health: global action plan 2014–2019 of the World 60 Health Assembly (2013) [18]. This Global Action Plan set a target to reduce the prevalence of avoidable blindness by 25% from 2010 to 2019.

METHODS

The VLEG have maintained, and progressively updated a systematic review of population-based studies of vision impairment and blindness published between Jan 1, 1980, and Oct 1, 2018, including gray literature sources. Data from this systematic review were combined with data from the repository of Rapid Assessment of Avoidable Blindness (RAAB) studies, and data contributed by the GBD obtained from the US National Health and Nutrition Examination survey and the WHO Study on Global Ageing and Adult Health. Detailed methods are published elsewhere [17, 19], and briefly described herein.

In total, the systematic review identified 137 studies, and the VLEG extracted data from 70 studies in 2010, and a further 67 studies in 2014–18 [16]. Studies were primarily national and subnational cross-sectional surveys. The VLEG commissioned the preparation of 5-year age-disaggregated data from the RAAB repository [20]. Studies were included if they met these criteria: population-representative and visual acuity measured using a test chart that could be mapped to Snellen fractions. Studies using self-reported vision loss were excluded. We used the International Classification of Diseases 11th edition criteria for vision loss, as recommended by the WHO, which categorizes people according to presenting better-eye visual acuity. The classification defines moderate vision loss as better eye visual acuity of 6/60 or better but worse than 6/18, severe vision loss as a visual acuity of 3/60 or better but worse than 6/60, and blindness as visual acuity of worse than 3/60 or less than 10° visual field around central fixation.

Data were stratified into datasets including so-called vision-loss envelopes (as per Flaxman et al. [16]) for all-cause mild, moderate, and severe vision loss, and blindness. Data were input into a mixed-effects meta-regression tool developed by the Institute for Health Metrics and Evaluation (IHME) called MR-BRT (meta regression; Bayesian; regularized; trimmed) [21]. Presenting vision impairment defined each level of severity. Prevalence data for under-corrected refractive error were extracted where available, and otherwise calculated by subtracting best-corrected vision impairment from presenting vision impairment for each level of severity in studies that reported both measures for a given location, sex, age group, and year. Other causes were quantified as part of the best-corrected estimates of vision impairment at each level of severity. Minimum age for inclusion of data was defined as 20 years for cataract.

We generated location, year, age, and sex-specific estimates of MSVI and blindness using Disease Modeling Meta-Regression (Dismod-MR) 2.1; [19] the data processing steps are described elsewhere [17]. In brief, Dismod-MR 2.1 models were run for all vision impairment strata (moderate, severe, blindness) regardless of cause and, separately, for MSVI and blindness for each modeled cause of vision impairment. Then, models of MSVI due to cataract were split into moderate and severe estimates using the ratio of overall prevalence in the all-cause moderate presenting vision impairment and severe presenting vision impairment models. Next, prevalence estimates for cataract were stratified by severity were scaled to the models of all-cause prevalence by severity. This produced final estimates by age, sex, year, and location for cataract vision impairment stratified by severity. We age-standardized our estimates using the GBD standard population [22]. Data on blindness and MSVI due to AMD were presented by seven super-regions (Southeast Asia/East Asia/Oceania, Central Europe/Eastern Europe/Central Asia, High-income, Latin America and Caribbean, North Africa and Middle East, South Asia, and Sub-Saharan Africa) and globally. Data on other causes of vision impairment and blindness will be presented in separate publications.

The funder of the study had no role in study design, data collection, data analysis, data interpretation, or writing of the report. The corresponding author had full access to all the data in the study and had final responsibility for the decision to submit for publication.

RESULTS

In 2020, 17.01 million (all ages, 95% uncertainty interval (UI) 14.40–19.93) people were blind due to cataract (Table 1). This breaks down by gender as 6.78 million (95% UI 5.73–7.98) men and 10.22 million (95% UI 8.76–11.96) women blind from cataract (Table 2). The majority of these are over 50 years of age with 15.17 million (95% UI 12.70–18.00) so affected (Table 1). Of these, 5.96 million (95% UI 4.98–7.11) men and 9.22 million (95% UI 7.73–10.88) women are blind from cataract (Table 2).

Overall, 83.48 million (95% UI 71.76–96.98) people are estimated to have MSVI from cataract (Table 1). Of these 34.59 million (95% UI 29.69–39.95) are men, and 48.89 million (95% UI 42.05–56.06) are women (Table 3). Again, the majority are over 50 years of age, 78.79 million (95% UI 67.20–91.40) people, 32.41 million (95% UI 27.55–37.74) men and 46.38 million (95% UI 39.66–53.66) women suffer from MSVI due to cataract (Tables 1 and 3).

Cataract caused 39.55% (95% UI: 33.48, 46.34%) of all blindness in 2020 worldwide. Regionally, the highest proportion of cataract-related blindness was found in South Asia (53.20 [95% UI: 45.00, 62.11%]) and Southeast Asia, East Asia, and Oceania (41.82% [95% UI: 35.30, 49.38]) (Table 1). The regions with the lowest proportion of all cataract-related blindness of all blind individuals were High Income Countries (16.82% [UI: 13.66, 20.60]), and Central Europe, Eastern Europe, and Central Asia (20.53% [95% UI: 16.50, 25.15]). Cataract caused 28.30% (95% UI: 24.32, 32.54) of all cases with MSVI in 2020 worldwide. Southeast Asia, East Asia, and Oceania (34.00 [29.32–39.00%] [95% UI: 29.32, 39.00]), and South Asia (29.87% [95% UI: 25.64, 34.83]) were regions with the highest percentage of cataract-related MSVI of all visually impaired individuals (Table 1).

In 2020, the global age-standardized prevalence of cataract-related blindness in those aged ≥ 50 years was 0.84% (95% UI: 0.70, 0.99) and for cataract-related MSVI was 1.01% (95% UI: 0.87, 1.15) (Table 1). The variation of crude prevalence with age is shown in Fig. 1. The regions with the highest age-standardized prevalence of cataract-related blindness were South Asia (2.23% [95% UI: 1.89, 2.61]) and Sub-Saharan Africa (1.49% [95% UI: 1.24, 1.78]). The lowest age-standardized prevalence of cataract blindness in 2020 was in the regions of High Income Countries (0.09% [95% UI: 0.07, 0.11]) and Central Europe, Eastern Europe, and Central Asia (0.19% [95% UI: 0.15, 0.23]). The regions with the highest age-standardized prevalence of cataract-related MSVI in 2020 were South Asia (2.15% [95% UI: 1.85, 2.49]), and North Africa and the Middle East (1.33% [95% UI: 1.13, 1.55]). The lowest figures were found in high-income countries (0.35% [95% UI: 0.30, 0.40]) and Central Europe, Eastern Europe, and Central Asia (0.49% [95% UI: 0.41, 0.58]) (Table 1). The variation in these results by gender across the regions are shown in Tables 2 and 3.

Between 2000 and 2020, the global percentage change in age-standardized prevalence of cataract-related blindness among adults ≥ 50 years decreased by 27.54% (95% UI: –27.68, –27.39), among males by –31.78% (95% UI: –31.91, –31.64) and by 24.82% in females (95% UI: –24.97, –24.68) (Table 4). However, the absolute number of cases (unadjusted for age) increased by 29.72% (95% UI: 29.46, 29.98), in males 25.65% (95% CI 25.39, 25.92) and in females 32.49% (95% CI: 32.23, 32.75). An especially large reduction in the age-standardized prevalence of cataract-related blindness amongst adults aged ≥ 50 years (both sexes) was found in Southeast Asia, East Asia and Oceania (–42.99% [95% UI: –43.10, –42.88]), North Africa and Middle East (–39.97% [95% UI: –40.13, –39.81]) and South Asia (–36.53% [95% UI: –36.65,

Table 1. Number of people of all ages (mean [95% UI]) with blindness (presenting visual acuity <3/60) or MSVI (presenting visual acuity <6/18, $\geq 3/60$) due to Cataract, the age-standardized prevalence (% in people aged ≥ 50 years (mean [95% UI]), and the percentage of all blindness or MSVI attributed to Cataract in people aged ≥ 50 years (95% UI) in world regions in 2020.

World Region	2020, total population ('000 s)	Blindness due to Cataract in 2020			MSVI due to Cataract in 2020			Percentage of Cataract MSVI in 2020 (≥ 50 years)
		Number of people ('000 s) with blindness in 2020 (all ages)	Age-standardized prevalence of Cataract blindness in 2020 (aged ≥ 50 years)	Percentage of all Cataract blindness in 2020 (≥ 50 years)	Number of people ('000 s) with MSVI in 2020 (all ages)	Age-standardized prevalence of Cataract MSVI in people ≥ 50 years aged in 2020		
Global	7,890,000	17,005 (14,395–19,926)	0.84 (0.70–0.99)	39.55 (33.48–46.34)	83,475(71,758–95,983)	4.34 (3.71–5.02)	28.30 (24.32–32.54)	
Southeast Asia, East Asia, and Oceania	2,192,710	6305 (5322–7445)	0.97 (0.81–1.15)	41.82 (35.30–49.38)	28,238 (24,354–32,390)	4.71 (4.04–5.41)	34.00 (29.32–39.00)	
Central Europe, Eastern Europe, and Central Asia	417,291	291 (234–356)	0.19 (0.15–0.23)	20.53 (16.50–25.15)	3172(2620–3733)	2.13 (1.75–2.52)	17.64 (14.57–20.76)	
High-income	1,087,856	505(410–619)	0.09 (0.07–0.11)	16.82 (13.66–20.60)	8214 (6955–9574)	1.46 (1.22–1.71)	26.44 (22.39–30.82)	
Latin America and Caribbean	601,551	1101 (910–1320)	0.78 (0.64–0.95)	30.11 (24.90–36.10)	4658 (3935–5391)	3.39 (2.85–3.96)	19.03 (16.07–22.02)	
North Africa and Middle East	631,727	844 (676–1037)	0.91 (0.71–1.14)	27.31 (21.88–33.57)	5399 (4573–6303)	5.81 (4.92–6.80)	24.73 (20.94–28.87)	
South Asia	1,841,435	6352 (5373–74169)	2.23 (1.89–2.61)	53.20 (45.00–62.11)	28,744 (24,674–33,511)	9.46 (8.11–10.93)	29.87 (25.64–34.83)	
Sub-Saharan Africa	1,114,806	1604 (1358–1857)	1.49 (1.24–1.78)	31.56 (26.71–36.53)	5047 (4342–5781)	5.14 (4.40–5.93)	24.69 (21.24–28.28)	

Table 2. Number of males and females with blindness (presenting visual acuity <3/60), and the age-standardized prevalence (% [95% UI]) of blindness due to Cataract (all ages and people aged ≥50 years) in 2020.

World Region	Total number of Cataract blindness and aged-standardized Cataract blindness in 2020 (all ages)				Total number of Cataract blindness and aged-standardized Cataract blindness in people aged 50+ years in 2020			
	Total Population (000 s)	Number of males(000 s) with blindness in 2020	Number of females (000 s) with Cataract blindness in 2020	Age standardized prevalence of blindness in males in 2020	Number of males(000 s) (50+ years) with Cataract blindness in 2020	Number of females(000 s) (50+ years) with Cataract blindness in 2020	Age standardized prevalence of blindness in males in 2020	Age standardized prevalence of blindness in females in 2020
Global	7,890,000	6781 (5733–7978)	10,224 (8671–11,956)	0.18 (0.15–0.21)	5957 (4978–7110)	9217 (7728–10,884)	0.73 (0.61–0.87)	0.93 (0.78–1.09)
Southeast Asia, East Asia, and Oceania	2,192,710	2297 (1929–2722)	4007 (3394–4714)	0.18 (0.16–0.22)	1966 (1626–2360)	3577 (2990–4235)	0.73 (0.61–0.88)	1.16 (0.97–1.38)
Central Europe, Eastern Europe, and Central Asia	417,291	102(81–124)	188 (152–232)	0.04 (0.04–0.05)	88 (70–111)	177 (142–220)	0.17 (0.14–0.22)	0.20 (0.16–0.24)
High-income	1,087,856	221(178–267)	284 (231–351)	0.02 (0.02–0.03)	196 (157–241)	260 (209–325)	0.09 (0.07–0.11)	0.08 (0.07–0.11)
Latin America and Caribbean	601,551	483 (397–579)	617 (512–738)	0.18 (0.15–0.22)	433 (353–529)	571 (469–691)	0.76 (0.62–0.93)	0.80 (0.66–0.97)
North Africa and Middle East	631,727	314 (249–389)	529 (424–648)	0.16 (0.13–0.20)	276 (214–350)	478 (378–595)	0.69 (0.54–0.86)	1.11 (0.88–1.37)
South Asia	1,841,435	2706 (2293–3166)	3646 (3087–4262)	0.45 (0.38–0.52)	2497 (2096–2939)	3414 (2883–4026)	1.95 (1.65–2.27)	2.48 (2.10–2.90)
Sub-Saharan Africa	1,114,806	655 (555–762)	949 (801–1097)	0.33 (0.27–0.38)	498 (415–605)	737 (615–885)	1.32 (1.09–1.59)	1.63 (1.36–1.94)

Table 3. Number of males and females with Cataract MSVI, and the age-standardized prevalence (% [95% uncertainty intervals (UIs)]) of Cataract MSVI (all ages and people aged ≥ 50 years) in 2020.

World Region	Total population (000 s)	Total number of Cataract MSVI and aged-standardized Cataract MSVI in 2020 (all ages)				Total number of Cataract MSVI and aged-standardized Cataract MSVI in people aged 50+ years in 2020				Age standardized prevalence of MSVI in females in 2020
		Number of males(000 s) with Cataract MSVI in 2020	Number of females ('000 s) with Cataract MSVI in 2020	Age standardized prevalence of MSVI in males in 2020	Age standardized prevalence of MSVI in females in 2020	Number of males('000 s) (50+ years) with Cataract MSVI in 2020	Number of females('000 s) (50+ years) with Cataract MSVI in 2020	Age standardized prevalence of MSVI in males in 2020	Age standardized prevalence of MSVI in females in 2020	
Global	7,890,000	34,585 (29,694–39,953)	48,889 (42,051–56,064)	0.92 (0.79–1.05)	1.08 (0.93–1.24)	32,410 (27,550–37,744)	46,375 (39,663–53,662)	3.96 (3.38–4.59)	4.67 (3.99–5.40)	
Southeast Asia, East Asia, and Oceania	2,192,710	11,351(9749–13,032)	16,887 (14,577–19,432)	0.94 (0.81–1.07)	1.20 (1.04–1.37)	10,676 (9,096–12,387)	16,164 (13,880–18,651)	4.06 (3.47–4.67)	5.24 (4.51–6.00)	
Central Europe, Eastern Europe, and Central Asia	417,291	978 (805–1157)	2194 (1806–2599)	0.42 (0.35–0.49)	0.53 (0.44–0.63)	922(750–1101)	2123 (1740–2524)	1.80 (1.48–2.13)	2.31 (1.90–2.74)	
High-income	1,087,856	2985(2525–3485)	5228 (4431–6107)	0.31 (0.26–0.36)	0.38 (0.32–0.43)	2811 (2349–3306)	5071 (4278–5945)	1.27 (1.06–1.48)	1.59 (1.34–1.87)	
Latin America and Caribbean	601,551	2057 (1739–2390)	2600 (2202–3008)	0.78 (0.66–0.91)	0.79 (0.67–0.92)	1915 (1599–2242)	2434 (2045–2847)	3.38 (2.83–3.95)	3.40 (2.86–3.99)	
North Africa and Middle East	631,727	2405 (2034–2811)	2993 (2539–3482)	1.22 (1.03–1.43)	1.43 (1.22–1.67)	2229(1868–2644)	2795 (2354–3288)	5.35 (4.52–6.30)	6.27 (5.29–7.32)	
South Asia	1,841,435	12,732 (10,878–14,943)	16,011 (13,766–18,590)	1.98 (1.71–2.30)	2.32 (2.00–2.67)	12,017 (10,208–14,116)	15,187 (12,989–17,698)	8.71 (7.46–10.12)	10.19 (8.74–11.74)	
Sub-Saharan Africa	1,1148,06	2073 (1780–2398)	2973 (2565–3392)	1.10 (0.95–1.27)	1.29 (1.11–1.47)	1837 (1562–2147)	2599 (2219–3020)	4.76 (4.08–5.52)	5.47 (4.69–6.29)	




Fig. 1 Crude prevalence of Blindness and MSVI due to cataract in 2020 globally by age.

–36.41]), with a modest reduction in high-income countries (–6.86% [95% UI: –7.10, –6.62]) (Table 4). The greatest percentage increases in absolute number of cases were in Latin America and the Caribbean 71.25% (95% UI 70.86, 71.64) and in high income countries 49.30 (95% UI 48.92, 49.69). Only Central Europe, Eastern Europe, and Central Asia showed a reduction in the caseload (–4.40% [95% UI –4.66, –4.14]).

Between 2000 and 2020, the global percentage change in age-standardized prevalence of cataract MSVI among adults (≥ 50 years) increased (7.17% [95% UI: 6.98, 7.36]), among males (4.70% [95% UI 4.52, 4.89]) and females (8.94% [95% UI: 8.75, 9.13]) (Table 5). However, the absolute number of cases increased by 93.11% (95% UI: 92.75, 93.46), in males 93.69% (95% CI 93.32, 94.05) and in females 92.70% (95% CI: 92.36, 93.04). Sub-Saharan Africa (2.29% [95%UI 2.12, 2.47]) and Southeast Asia, East Asia and Oceania 1.96% [95%UI 1.78, 2.13]) were the only world regions where a substantial increase in the age-standardized prevalence of cataract MSVI was observed with notable decreases in South Asia (–5.53 [95% UI: –5.69, –5.37]) and Latin America and Caribbean (–4.83% [95% UI: –5.01, –4.65]). The increase in the absolute number of cataract MSVI cases was greatest in Southeast Asia, East Asia, and Oceania (115.21% [95%UI 114.83, 115.58]), and least in Central Europe, Eastern Europe, and Central Asia (38.18% [95% UI 37.87, 38.49]) (Table 5).

DISCUSSION

Cataract, the world's leading cause of blindness, remains one of the greatest opportunities in global health to make impactful and cost-effective contributions. Cataract surgery is safe and highly effective with both higher and lower technology approaches (e.g., phacemulsification or extracapsular techniques respectively), and can be provided relatively inexpensively [23]. As a surgical condition, it requires a system able to provide one-at-a-time clinical care, like most causes of blindness and visual impairment. There are various eye service delivery models that can be used to address the cataract burden. However, it makes sense to combine it in a system with other ophthalmic services, ethically addressing other issues that will come to the attention of the service as well as providing a more professional-friendly work environment to retain capable eye care professionals (ophthalmologists, optometrists, eye nurses and others).

As an endemic condition, the ideal approach to the problem is to develop sufficient capacity and health system functionality to make ophthalmic surgery widely available worldwide. Given the relatively low level of infrastructure and consumables required for quality surgery, government health systems are well positioned to address this issue for the economically poorest persons. While funding limitations may constrain their systems' scale [24], cataract surgery has considerable economic and quality of life benefits compared to its cost [10], which can offset the investment. Moreover, several health systems in different locations have demonstrated that self-sustaining services can be provided at costs most patients are willing to pay while also generating surpluses to provide service to the very poor [25, 26]. Such "cross-subsidizing" systems have made a large contribution to alleviating cataract blindness in much of the world, although these require a dominant service provider e.g. Aravind Eye Care System in South India. Systems for eye care should contemplate the value of "patient financial contribution" for cataract surgery as much as possible; offering universal free or highly subsidized surgery may unnecessarily leave that health care financing resource at the table. In addition, surgical campaigns have been used extensively to deal with "backlogs" in cataract blindness; these are ideal for unreached/remotely areas where development is unlikely to reach the cataract blind on a reasonable time scale without interfering with the ultimate solution of local capacity development. Our data demonstrate that these sorts of efforts have been fruitful in reducing the per capita levels of cataract blindness over the last 20 years over much of the world. Indeed, the World Health Assembly Global Action Plan target of a 25% reduction from 2010 to 2019 in avoidable vision impairment (WHA 66.3 24/5/2013) was met for cataract blindness (from an age-adjusted prevalence perspective) [18].

However, the successes have not kept pace with the impact of population growth and aging, with the result that the number of cataract blind is substantially increasing. Cataract also remains the leading cause of blindness despite these improvements and its favorable treatability. Thus, further investment in sustainable health systems able to provide quality cataract surgeries is likely to provide very substantial societal and economic net benefits. Because development is a long-term proposition, sustained commitment will be needed, whether through committed

Table 4. Percentage change in crude prevalence of Cataract blindness (presenting visual acuity <3/60) in adults age 50 years and older between 2000 and 2020 by world super region.

World Region	Crude Prevalence			Number of Cases ('000 s)						Age standardized prevalence		
	Male (%; 95% UI)	Female (%; 95% UI)	Both (%; 95% UI)	Male (%; 95% UI)	Female (%; 95% UI)	Both (%; 95% UI)	Male (%; 95% UI)	Female (%; 95% UI)	Both (%; 95% UI)	Male (%; 95% UI)	Female (%; 95% UI)	Both (%; 95% UI)
Global	-28.75 (-28.90-28.61)	-24.58 (-24.73-24.43)	-26.30 (-26.45-26.15)	25.65 (25.39-25.92)	32.49 (32.23-32.75)	29.72 (29.46-29.98)	-31.78 (-31.91-31.64)	-24.82 (-24.97-24.68)	-27.54 (-27.68-27.39)	71.25 (70.86-71.64)	-18.39 (-18.57-18.20)	-20.83 (-21.01-20.66)
High-income	7.88 (7.61-8.16)	2.58 (2.30-2.85)	4.51 (4.24-4.78)	58.76 (58.36-59.16)	42.88 (42.50-43.26)	49.30 (48.92-49.69)	-6.69 (-6.93-6.46)	-7.16 (-7.40-6.91)	-6.86 (-7.10-6.62)	71.25 (70.86-71.64)	-18.39 (-18.57-18.20)	-20.83 (-21.01-20.66)
Central Europe, Eastern Europe, and Central Asia	-19.82 (-20.04-19.60)	-25.74 (-25.94-25.55)	-24.23 (-24.44-24.02)	4.00 (3.72-4.29)	-8.13 (-8.38-7.89)	-4.40 (-4.66-4.14)	-26.60 (-26.79-26.41)	-31.03 (-31.21-30.85)	-30.14 (-30.33-29.96)	71.25 (70.86-71.64)	-18.39 (-18.57-18.20)	-20.83 (-21.01-20.66)
Latin America and Caribbean	-19.70 (-19.89-19.51)	-10.77 (-10.97-10.57)	-14.83 (-15.02-14.64)	58.24 (57.87-58.62)	82.64 (82.23-83.05)	71.25 (70.86-71.64)	-23.99 (-24.16-23.81)	-18.39 (-18.57-18.20)	-20.83 (-21.01-20.66)	71.25 (70.86-71.64)	-18.39 (-18.57-18.20)	-20.83 (-21.01-20.66)
North Africa and Middle East	-45.07 (-45.23-44.92)	-39.04 (-39.20-38.88)	-41.39 (-41.55-41.23)	14.12 (13.80-14.44)	26.84 (26.51-27.18)	21.87 (21.54-22.19)	-41.99 (-42.15-41.83)	-39.64 (-39.80-39.49)	-39.97 (-40.13-39.81)	21.87 (21.54-22.19)	-39.64 (-39.80-39.49)	-39.97 (-40.13-39.81)
South Asia	-30.68 (-30.81-30.54)	-32.04 (-32.17-31.90)	-31.10 (-31.23-30.96)	30.83 (30.57-31.09)	37.40 (37.13-37.67)	34.55 (34.28-34.81)	-34.95 (-35.06-34.83)	-38.63 (-38.74-38.52)	-36.53 (-36.65-36.41)	34.55 (34.28-34.81)	-38.63 (-38.74-38.52)	-36.53 (-36.65-36.41)
Southeast Asia, East Asia, and Oceania	-41.72 (-41.84-41.59)	-38.94 (-39.06-38.82)	-39.73 (-39.85-39.61)	15.24 (14.99-15.49)	24.55 (24.30-24.80)	21.08 (20.83-21.33)	-46.86 (-46.97-46.75)	-40.55 (-40.67-40.44)	-42.99 (-43.10-42.88)	21.08 (20.83-21.33)	-40.55 (-40.67-40.44)	-42.99 (-43.10-42.88)
Sub-Saharan Africa	-29.68 (-29.84-29.52)	-28.83 (-28.98-28.68)	-28.74 (-28.90-28.59)	24.41 (24.13-24.68)	38.07 (37.77-38.36)	32.21 (31.92-32.50)	-25.87 (-26.03-25.71)	-24.19 (-24.34-24.03)	-24.93 (-25.08-24.77)	32.21 (31.92-32.50)	-25.87 (-26.03-25.71)	-24.93 (-25.08-24.77)

Table 5. Percentage change in crude prevalence of Cataract MSVI (presenting visual acuity <6/18, ≥3/60) and in adults aged 50 years and older between 2000 and 2020 by world super region.

World Region	Crude prevalence			Number of cases ('000 s)			Age standardized prevalence		
	Male (%; 95% UI)	Female (%; 95% UI)	Both (%; 95% UI)	Male (%; 95% UI)	Female (%; 95% UI)	Both (%; 95% UI)	Male (%; 95% UI)	Female (%; 95% UI)	Both (%; 95% UI)
Global	9.82 (9.61–10.03)	9.70 (9.50–9.89)	9.72 (9.52–9.92)	93.69 (93.32–94.05)	92.70 (92.36–93.04)	93.11 (92.75–93.46)	4.70 (4.52–4.89)	8.94 (8.75–9.13)	7.17 (6.98–7.36)
High-income	20.98 (20.74–21.23)	9.66 (9.44–9.88)	12.62 (12.40–12.84)	78.04 (77.67–78.40)	52.75 (52.45–53.05)	60.90 (60.58–61.21)	1.56 (1.36–1.76)	0.02 (–0.18–0.21)	–0.48 (–0.67––0.28)
Central Europe, Eastern Europe, and Central Asia	12.39 (12.13–12.66)	9.21 (8.96–9.46)	9.52 (9.27–9.77)	45.79 (45.45–46.13)	35.12 (34.81–35.42)	38.18 (37.87–38.49)	0.96 (0.74–1.17)	1.33 (1.11–1.55)	0.46 (0.24–0.68)
Latin America and Caribbean	–0.64 (–0.83––0.44)	2.41 (2.22–2.61)	1.11 (0.91–1.31)	95.81 (95.42–96.19)	109.62 (109.21–110.02)	103.30 (102.91–103.70)	–5.59 (–5.77––5.41)	–4.22 (–4.40––4.04)	–4.83 (–5.01––4.65)
North Africa and Middle East	–6.92 (–7.11––6.73)	–3.43 (–3.62––3.24)	–5.00 (–5.19––4.81)	93.39 (92.99–93.78)	100.96 (100.57–101.35)	97.53 (97.14–97.92)	–1.03 (–1.22––0.84)	–2.89 (–3.07––2.71)	–1.92 (–2.10––1.73)
South Asia	0.83 (0.64–1.02)	–3.41 (–3.59––3.23)	–1.14 (–1.33––0.96)	90.29 (89.93–90.65)	95.27 (94.91–95.63)	93.04 (92.68–93.40)	–3.46 (–3.63––3.29)	–7.64 (–7.80––7.48)	–5.53 (–5.69––5.37)
Southeast Asia, East Asia, and Oceania	8.65 (8.45–8.85)	5.62 (5.43–5.80)	7.12 (6.93–7.31)	114.84 (114.44–115.24)	115.45 (115.07–115.83)	115.21 (114.83–115.58)	–0.70 (–0.87––0.53)	3.53 (3.36–3.70)	1.96 (1.78–2.13)
Sub-Saharan Africa	–6.04 (–6.22––5.87)	–0.15 (–0.33–0.03)	–2.29 (–2.47––2.11)	66.22 (65.91–66.53)	93.70 (93.35–94.04)	81.29 (80.96–81.62)	–0.60 (–0.78––0.43)	4.70 (4.52–4.88)	2.29 (2.12–2.47)

funders (e.g., government or charity programs) or self-sustaining organizations (private non-profit or social enterprise systems, or government systems allowing cost recovery).

While our data demonstrate a notable improvement in blindness (worse than 20/400 visual acuity), we did not see a similar decrease in MSVI (worse than 20/60 to 20/400) which also is associated with substantial disability/economic impact [27, 28]. Indeed, MSVI became more prevalent and nearly doubled in the number of cases. This pattern suggests successful targeting of the most severely impaired cases, albeit at the neglect of the less severely impaired. However, MSVI also needs to be targeted to alleviate visual disability and its socioeconomic impacts [27, 28]. Indeed, research into willingness to pay for cataract surgery suggests that people in the MSVI range (e.g., younger people otherwise capable of employment) may be more willing to pay for cataract surgery than more severe “blind” persons [26]. Expansion of the indications for cataract surgery may be needed to accomplish improvements in cataract MSVI also [29].

The WHO criteria score blindness and visual impairment based on the vision in the better eye. Following this logic, it would seem sensible in an economically constrained environment to focus on operating one eye. However, second eye surgeries also have important benefits to vision, visual ability and well-being [30, 31], and has been shown to have very high cost-effectiveness (cost per quality-adjusted life year gained) and a favorable cost-effectiveness in an evidence-based review [32, 33]. In addition, second eye surgery provides insurance that vision could continue in the event something happened to the first eye for persons in locations with poor service access. Binocular vision is important for activities requiring depth perception, falls prevention, increases contrast sensitivity and provides better binocular visual acuity than single eye surgery alone [31]. Because case finding of second eye cataracts and second eye operations have less marginal cost for bilateral cases than first eye cataracts [34], it is desirable to operate second eyes as well. Persons also may be more willing to pay for a cataract surgery after seeing the result of first eye cataract surgery [33]. Second eye cataract surgeries generally should be made available to patients in cataract programs, especially if patients are willing to pay some or all of the cost.

While improvements in cataract blindness were observed over the last 20 years, huge disparities in the prevalence remain between low- and high-income regions. South Asia has the highest number of cataract blind and by far the highest prevalence, a significant focus in this super region has the greatest potential for improvement. However, other poor regions (e.g., Sub-Saharan Africa) which are expected to see a growth in the elderly population in coming years and have a very high prevalence of cataract blindness amongst the elderly needing aggressive efforts to develop an eye care system capable of handling the volume of cataract surgery and other eye care services which can be forecast to be needed. Given the very low number of ophthalmologists and other eye care professionals in these areas, the time is now to strengthen and expand both training and systems for eye care delivery [34].

Our results demonstrated again that women are disproportionately represented amongst the cataract blind and visually impaired, and that the inequity is widening. The extent of this difference varies across the globe, but is generally consistent. The difference might reflect differences in family willingness to pay for male and female surgery [35]. Differences in acceptance of surgery between males and females could be another explanation. However, acceptance of clinical services tends to be higher among women than men in high income settings. Notably, female survival is generally longer than male survival which might be associated with a higher burden of age-related cataract even if service utilization were equal. Baruwala et al found that five years’ access to free cataract screening and low-cost high quality cataract surgery was associated with equalization in willingness to pay for cataract surgery across males and females [36]. Improving cataract surgery

quality, community knowledge of the benefits of cataract surgery, and reducing barriers to surgical access likely are among the core strategies that need to be implemented in order to overcome the male-female gap in cataract surgery utilization. Without foregoing the promotion of cataract surgery among males, who also need to increase cataract surgery utilization, female surgery promoters and other strategies to increase female use of cataract surgery also could be helpful to reduce the disproportionately higher female cataract blindness and visual impairment burden.

The impact of the COVID-19 pandemic on cataract blindness is unclear at this time. Emerging evidence that service delivery was adversely affected during the emergency phase of the pandemic may drive the cataract burden up [37]. This may be offset by global decreases in life expectancy from the disease and its sequelae [37]. These impacts may not be visible for several years, but are likely to be overwhelmed by existing trajectories of population growth and ageing.

In summary, as the population grows and ages while coverage of cataract surgery remains incomplete, immense numbers of people remain blind and vision impaired from cataract. These numbers are expected to continue growing markedly as the population increases and ages worldwide, especially in the least developed countries with young but rapidly aging populations and high cataract blindness/MSVI prevalence. While much has been achieved by initiatives to tackle cataract blindness, much more needs to be done to provide cataract surgery to those in need. Programs for delivering cataract to the vision impaired should not only target the blind, but also those with MSVI who also substantially benefit from treatment and appear to be under-targeted. High quality service provision is essential for inciting demand for cataract surgery, and thus is a key issue along with increasing the number of surgeries. Ophthalmologist training, which takes a long time, needs to be developed urgently in areas of insufficient coverage. Eye care systems in which ophthalmologists can operate successfully and other eye care professionals can work successfully also are very important. While all regions with substantial numbers of cataract blind need increased services, females especially need to access cataract surgery more. Culturally appropriate efforts to promote female cataract surgery are an important piece of what needs to be done. Globally, immense increases in resource mobilization for treating cataract are required. All sources of healthcare financing need to be tapped to develop sustainable eye care systems able to tackle the cataract problem with high quality surgery.

SUMMARY

What was known before

Globally, in 2020, 17.0 million people were blind and nearly 83.5 million were visually impaired by cataract.

What this study adds

The contribution of cataract to blindness and moderate and severe vision impairment (MSVI) by region and the change in this contribution between 2000 and 2020. The change in global age-standardized prevalence of cataract-related blindness and MSVI between 2000 and 2020 and the differences by sex and region.

DATA AVAILABILITY

Data sources for the Global Vision Database are listed at the following weblink <http://www.anglia.ac.uk/verigbd>. Fully disaggregated data is not available publicly due to data sharing agreements with some principal investigators yet requests for summary data can be made to the corresponding author.

REFERENCES

- GBD 2019 Blindness and Vision Impairment Collaborators; Vision Loss Expert Group of the Global Burden of Disease Study. Causes of blindness and vision impairment in 2020 and trends over 30 years, and prevalence of avoidable blindness in relation to VISION 2020: the Right to Sight: an analysis for the Global Burden of Disease Study. *Lancet Glob Health*. 2021;9:e144–e160.
- Wang W, Yan W, Fotis K, Prasad NM, Lansingh VC, Taylor HR, et al. Cataract surgical rate and socioeconomic: a global study. *Invest Ophthalmol Vis Sci*. 2016;57:5872–81.
- Lou L, Wang J, Xu P, Ye X, Ye J. Socioeconomic disparity in global burden of cataract: an analysis for 2013 with time trends since 1990. *Am J Ophthalmol*. 2017;180:91–96.
- Wang W, Yan W, Müller A, He M. A global view on output and outcomes of cataract surgery with national indices of socioeconomic development. *Invest Ophthalmol Vis Sci*. 2017;58:3669–76.
- Lim JC, Caballero Arredondo M, Braakhuis AJ, Donaldson PJ. Vitamin C and the lens: new insights into delaying the onset of cataract. *Nutrients*. 2020;12:3142.
- Hodge WG, Whitcher JP, Satariano W. Risk factors for age-related cataracts. *Epidemiol Rev*. 1995;17:336–46.
- Age Related Eye Disease Group. Risk factors associated with age-related nuclear and cortical cataract: a case-control study in the Age-Related Eye Disease Study, AREDS Report No. *Ophthalmology*. 2001;108:1400–8.
- Klein BE, Klein RE, Moss SE. Incidence of cataract surgery in the Wisconsin Epidemiologic Study of Diabetic Retinopathy. *Am J Ophthalmol*. 1995;119:295–300.
- Caird FI, Garrett CJ. Progression and regression of diabetic retinopathy. *Proc R Soc Med*. 1962;55:477–9.
- Lansingh VC, Carter MJ, Martens M. Global cost-effectiveness of cataract surgery. *Ophthalmology*. 2007;114:1670–8.
- Lansingh VC, Carter MJ. Use of global visual acuity data in a time trade-off approach to calculate the cost utility of cataract surgery. *Arch Ophthalmol*. 2009;127:1183–93.
- Brown GC, Brown MM, Busbee BG. Cost-utility analysis of cataract surgery in the United States for the year 2018. *J Cataract Refract Surg*. 2019;45:927–38.
- Resnikoff S, Lansingh VC, Washburn L, Felch W, Gauthier TM, Taylor HR, et al. Estimated number of ophthalmologists worldwide (International Council of Ophthalmology update): will we meet the needs? *Br J Ophthalmol*. 2020;104:588–92.
- Lou L, Ye X, Xu P, Wang J, Xu Y, Jin K, et al. Association of sex with the global burden of cataract. *JAMA Ophthalmol*. 2018;136:116–21.
- Bourne RRA, Flaxman SR, Braithwaite T. Magnitude, temporal trends, and projections of the global prevalence of blindness and distance and near vision impairment: a systematic review and meta-analysis. *Lancet Glob Health*. 2017;5:e888–e897.
- Flaxman SR, Bourne RRA, Resnikoff S. Global causes of blindness and distance vision impairment 1990–2020: a systematic review and meta-analysis. *Lancet Glob Health*. 2017;5:e1221–e1234.
- Steinmetz JD, Bourne RA, Briant PS, Flaxman SR, Taylor HRB, Jonas JB, et al. GBD 2019 Blindness and Vision Impairment Collaborators; Vision Loss Expert Group of the Global Burden of Disease Study. Causes of blindness and vision impairment in 2020 and trends over 30 years, and prevalence of avoidable blindness in relation to VISION 2020: the Right to Sight: an analysis for the Global Burden of Disease Study. *Lancet Glob Health*. 2021;9:e144–e160. [https://doi.org/10.1016/S2214-109X\(20\)30489-7](https://doi.org/10.1016/S2214-109X(20)30489-7).
- WHO. Universal eye health: a global action plan 2014–2019. World Health Organization; Geneva: 2013. <https://www.who.int/publications/i/item/universal-eye-health-a-global-action-plan-2014-2019>.
- James SL, Abate D, Hassan Abate K, Abay SM, Abbafati C, Abbasi N, et al. GBD 2017 Disease and Injury Incidence and Prevalence Collaborators. Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet*. 2018;392:1789–858. [https://doi.org/10.1016/S0140-4906736\(18\)32279-7](https://doi.org/10.1016/S0140-4906736(18)32279-7)
- RAAB Repository. 2023. <http://raabdata.info>. accessed 1 February 2023.
- Vos T, Lim SS, Abbafati C, Abbas KM, Abbasi M, Abbasifard M, et al. GBD 2019 Diseases, Injuries, and Impairments Collaborators. Global burden of 359 diseases, injuries, and impairments, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. *Lancet*. 2020;396:1204–22. [https://doi.org/10.1016/S0140-6736\(20\)30925-9](https://doi.org/10.1016/S0140-6736(20)30925-9).
- Vollset SE, Goren E, Yuan C-W, Cao J, Smith A, Hsiao T, et al. Fertility, mortality, migration, and population scenarios for 195 countries and territories from 2017 to 2100: a forecasting analysis for the Global Burden of Disease Study. *Lancet*. 2020;396:1285–306. [https://doi.org/10.1016/S0140-4956736\(20\)30677-2](https://doi.org/10.1016/S0140-4956736(20)30677-2)
- Powe NR, Schein OD, Gieser SC, Tielsch JM, Luthra R, Javitt J, et al. Synthesis of the literature on visual acuity and complications following cataract extraction with intraocular lens implantation. Cataract Patient Outcome Research Team. *Arch Ophthalmol*. 1994;112:239–52. <https://doi.org/10.1001/archophth.1994.01090140115033>.
- Muralikrishnan R, Venkatesh R, Prajna NV, Frick KD. Economic cost of cataract surgery procedures in an established eye care centre in Southern India. *Ophthalmic Epidemiol*. 2004;11:369–80. <https://doi.org/10.1080/09286580490888762>.
- Le HG, Ehrlich JR, Venkatesh R, Srinivasan A, Kolli A, Haripriya A, et al. A Sustainable Model For Delivering High-Quality, Efficient Cataract Surgery In Southern India. *Health Aff*. 2016;35:1783–90. <https://doi.org/10.1377/hlthaff.2016.0562>.
- He M, Chan V, Barua E, Gilbert D, Frick KD, Congdon N. Willingness to pay for cataract surgery in rural Southern China. *Ophthalmology*. 2007;114:411–6. <https://doi.org/10.1016/j.ophtha.2006.09.012>.
- Lundstrom M, Behndig A, Kugelberg M, Montan P, Stenevi U, Pesudovs K. The outcome of cataract surgery measured with the Catquest-9SF. *Acta Ophthalmol*. 2011;89:718–23. <https://doi.org/10.1111/j.1755-3768.2009.01801.x>.
- Marques AP, Ramke J, Cairns J, Butt T, Zhang JH, Jones I, et al. The economics of vision impairment and its leading causes: A systematic review. *EClinicalMedicine*. 2022;46:101354. <https://doi.org/10.1016/j.eclinm.2022.101354>.
- Vashist P, Senjam SS, Gupta V, Gupta N, Kumar A. Definition of blindness under National Programme for Control of Blindness: Do we need to revise it? *Indian J Ophthalmol*. 2017;65:92–96. https://doi.org/10.4103/ijo.IJO_869_16.
- Shekhawat NS, Stock MV, Baze EF, Daly MK, Vollman DE, Lawrence MG, et al. Impact of First Eye versus Second Eye Cataract Surgery on Visual Function and Quality of Life. *Ophthalmology*. 2017;124:1496–503. <https://doi.org/10.1016/j.ophtha.2017.04.014>.
- Gothwal VK, Wright TA, Lamoureux EL, Khadka J, McAlinden C, Pesudovs K. Improvements in visual ability with first-eye, second-eye, and bilateral cataract surgery measured with the visual symptoms and quality of life questionnaire. *J Cataract Refract Surg*. 2011;37:1208–16. <https://doi.org/10.1016/j.jcrs.2011.01.028>.
- Busbee BG, Brown MM, Brown GC, Sharma S. Cost-utility analysis of cataract surgery in the second eye. *Ophthalmology*. 2003;110:2310–7. [https://doi.org/10.1016/S0161-6420\(03\)00796-6](https://doi.org/10.1016/S0161-6420(03)00796-6).
- Frampton G, Harris P, Cooper K, Lotery A, Shepherd J. The clinical effectiveness and cost-effectiveness of second-eye cataract surgery: a systematic review and economic evaluation. *Health Technol Assess*. 2014;18:1–205. <https://doi.org/10.3310/hta18680>.
- Dean WH, Buchan JC, Gichuhi S, Faal H, Mpyet C, Resnikoff S, et al. Ophthalmology training in sub-Saharan Africa: a scoping review. *Eye*. 2021;35:1066–83. <https://doi.org/10.1038/s41433-020-01335-7>.
- Ibrahim N, Ramke J, Pozo-Martin F, Gilbert CE. Willingness to pay for cataract surgery is much lower than actual costs in Zamfara state, northern Nigeria. *Ophthalmic Epidemiol*. 2018;25:227–33. <https://doi.org/10.1080/09286586.2017.1408845>.
- Barua E, Tzu J, Congdon N, He M, Frick KD. Reversal in gender valuations of cataract surgery after the implementation of free screening and low-priced high-quality surgery in a rural population of southern China. *Ophthalmic Epidemiol*. 2008;15:99–104. <https://doi.org/10.1080/09286580801999118>.
- Ung L, Jonas JB, Lietman TM, Chodosh J. COVID-19 and the Unfinished Agenda of VISION 2020. *Am J Ophthalmol*. 2021;224:30–35. <https://doi.org/10.1016/j.ajo.2020.11.016>.

AUTHOR CONTRIBUTIONS

Please see Appendix for more detailed information about individual author contributions to the research, divided into the following categories: managing the overall research enterprise; writing the first draft of the manuscript; primary responsibility for applying analytical methods to produce estimates; primary responsibility for seeking, cataloguing, extracting, or cleaning data; designing or coding figures and tables; providing data or critical feedback on data sources; developing methods or computational machinery; providing critical feedback on methods or results; drafting the manuscript or revising it critically for important intellectual content; and managing the estimation or publications process.

FUNDING

This study was funded by Brien Holden Vision Institute, Fondation Thea, Fred Hollows Foundation, Bill & Melinda Gates Foundation, Lions Clubs International Foundation (LCIF), Sightsavers International, and University of Heidelberg. Open Access funding enabled and organized by CAUL and its Member Institutions.

COMPETING INTERESTS

Vision Loss Expert Group of the Global Burden of Disease Study A Bron reports payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from Théa. M A Del Monte reports support for attending meetings and/or travel from the University of Michigan, and leadership or fiduciary roles in board, society, committee or advocacy groups, paid or unpaid as past president of Costenbader Society. D Friedman reports leadership or fiduciary role in other board, society, committee or advocacy group paid or unpaid with Orbis International as member of board of governors (no payment). J M Furtado reports consulting fees from Pan American Health Organization and from Lions Club International Foundation. M E Hartnett reports support for the present manuscript

(e.g., funding, provision of study materials, medical writing, article processing charges, etc.) from Michael F. Marmor, M.D. Professor of Retinal Science and Disease as endowment to support salary, grants or contracts from any entity (from National Eye Institute R01 EY017011 and National Eye Institute R01 EY015130) as partial salary support, patents planned, issued or pending (WO2015123561A2 and WO2021062169A1), and leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid with Jack McGovern Coats' Disease Foundation and as director of Women's Eye Health and Macular Society Grant Review Chair. J H Kempen reports support for the present manuscript (e.g., funding, provision of study materials, medical writing, article processing charges, etc.) from Sight for Souls and from Mass Eye and Ear Global Surgery Program (both as general support of salary), and leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid with Sight for Souls (as president). J E Kim reports consulting fees from Genentech/Roche, DORC, Nota Vision and Outlook Therapeutics (all as payment to J E Kim); participation on a Data Safety Monitoring Board or Advisory Board with Allergan, Amgen, Apellis, Bausch & Lomb, Clearside, Coherus, Novartis and Regeneron (all as participation on advisory board); leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid, with AAO, APRIS, ASRS, Macular Society and NAEVR/AEVR (all unpaid); and receipt of equipment, materials, drugs, medical writing, gifts or other services from Clearside and Genentech/Roche (both for medical writing). V C Lansingh reports consulting fees from HelpMeSee (as an employee), and support for attending meetings and/or travel from HelpMeSee (pay airfare and hotel). J Leasher reports leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid with National Eye Institute (as a member) and National Eye Health Education Program planning committee (unpaid). M Nowak reports participation on a Data Safety Monitoring Board or Advisory Board with Vision Express Co. Poland as the chairman of medical advisory board of Vision Express Co. Poland. P Ramulu reports grants or contracts from National Institute of Health and Perfuse Therapeutics, and consulting fees from Alcon and W. L. Gore. F Topouzis reports grants or contracts from Théa, Omikron, Pfizer, Alcon, Abbvie and Bayer (all paid to Institution), consulting fees from Omikron, Théa and Bausch & Lomb (all paid to Topouzis), payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from Omikron (paid to Topouzis), Abbvie and Roche (both paid to Institution), and leadership or fiduciary role in other board, society, committee or advocacy group, paid or unpaid with European Glaucoma Society (as president), Greek Glaucoma Society (as president) and Board of Governors, World Glaucoma Association (all unpaid). **GBD 2019 Blindness and Vision Impairment Collaborators** N S Bayileyn reports participation on a Data Safety Monitoring Board or Advisory Board with Jimma University, and leadership or fiduciary roles in board, society, committee or advocacy groups, paid or unpaid with Jimma University as a discipline committee member; outside the submitted work. S Bhaskar reports grants or contracts from the Japan Society for the Promotion of Science (JSPS), JSPS International Fellowship, Japanese Ministry of Education, Culture, Sports, Science and Technology (MEXT), the Australian Academy of Science, Grant-in-Aid for Scientific Research (KAKENHI); leadership or fiduciary roles in board, society, committee or advocacy groups, paid or unpaid with Rotary District 9675 as the District Chair of Diversity, Equity, and Inclusion; the Global Health & Migration Hub Community and the Global Health Hub Germany (Berlin, Germany) as the Chair and Manager; PLOS One, BMC Neurology, Frontiers In Neurology, Frontiers in Stroke, Frontiers in Public Health and BMC Medical Research Methodology as an Editorial Board Member; and with the College of Reviewers, Canadian Institutes of Health Research (CIHR), and the Government of Canada as a Member; outside the submitted work. X Dai reports support for the present manuscript from the Institute for Health Metrics and Evaluation and the University of Washington. M Cenderadewi reports grants or contracts from James Cook University (International Research Training Program Scholarship for doctoral study), and support for attending meetings and travel from James Cook University; all outside the submitted work. M Foschi reports consulting fees from Roche; payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from Sanofi, Merck, and Novartis; support for attending meetings and travel from Novartis and Roche; leadership or fiduciary roles in board, society, committee or advocacy groups, paid or unpaid with MSBase as a scientific leadership board member, and Cochrane Review Group for Multiple Sclerosis and other rare diseases of the CNS as a member; all outside the submitted work. F Ghassemi reports support for the present manuscript from medical writing. B N G Goultart reports stock or stock options with Bristol Myers-Squibb and Pfizer; outside the submitted work. V B Gupta reports grants or contracts from the National Health and Medical Research Council (NHMRC); outside the submitted work. S Hallaj reports support for the present manuscript from the National Institute of Health, Bridge to AI common fund (grant number: OT2 OD032644). I M Ilic reports support for the present manuscript from the Ministry of Education, Science and Technological development, Republic of Serbia (project No 175042, 2011-2023). S Islam reports support for the present manuscript from the National Health and Medical Research Council (NHMRC) Investigator Grant and the Heart Foundation Vanguard Grant. J H Kempen reports support for the present

manuscript from Sight for Souls and Mass Eye and Ear Global Surgery Program; and leadership or fiduciary roles in board, society, committee or advocacy groups, paid or unpaid with Sight for Souls as the President. K Krishan reports other non-financial support from the UGC Centre of Advanced Study, CAS II, awarded to the Department of Anthropology, Panjab University (Chandigarh, India); outside the submitted work. O P Kurmi reports grants or contracts from the British Council India paid to Coventry University; outside the submitted work. V C Lansingh reports consulting fees from HelpMeSee, and financial support for attending meetings and travel from HelpMeSee; outside the submitted work. J L Leasher leadership or fiduciary roles in board, society, committee or advocacy groups, unpaid with the National Eye Institute as a member and the National Eye Health Education Program as a planning committee member; outside the submitted work. M Lee reports support for the present manuscript from the Ministry of Education of the Republic of Korea, and the National Research Foundation of Korea (NRF-2021R111A4A01057428) and Bio-convergence Technology Education Program through the Korea Institute for Advancement Technology (KIAT) funded by the Ministry of Trade, Industry and Energy (No. P0017805). C McAlinden reports grants or contracts from the Welsh Government on the following study: Feasibility of an alternative pathway for hospital referrals from Diabetic Eye Screening Wales (DESW) for people suspected with sight-threatening diabetic eye disease (diabetic maculopathy). No funds will be received from the author's institution or personally related to this study. Any work conducted as part of this study is as an unpaid collaborator; consulting fees from Acufocus (Irvine, California, USA), Atia Vision (Campbell, California, USA), Bausch and Lomb (Bridgewater, New Jersey, USA), BVI / PhysiOL (Liège, Belgium), Coopervision (Pleasanton, California, USA), Cutting Edge (Labège, France), Fudan University (Fudan, China), Hoya (Frankfurt, Germany), Knowledge Gate Group (Copenhagen, Denmark), Johnson & Johnson Surgical Vision (Santa Ana, California, USA), Keio University (Tokyo, Japan), Ludwig-Maximilians-University (München, Germany), Medevise Consulting SAS (Strasbourg, France), Novartis (Basel, Switzerland), Ophtec BV (Groningen, The Netherlands), Sun Yat-sen University (Guangzhou, China), SightGlass vision (Menlo Park, California, USA), Science in Vision (Bend, Oregon, USA), SpyGlass (Aliso Viejo, California, USA), Targomed GmbH (Bruchsal, Germany), University of São Paulo (São Paulo, Brazil), and Vold Vision (Arkansas, USA); payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from Scope (Crawley, UK), Bausch and Lomb (Bridgewater, New Jersey, USA), and Thea pharmaceuticals (Clemont-Ferrand, France); support for attending meetings and/or travel from Royal College of Ophthalmologists (London, UK), Scope (Crawley, UK), Portuguese Society of Ophthalmology (Portugal), British Society of Refractive surgery (BSRS), Thea pharmaceuticals (Clemont-Ferrand, France), Bausch and Lomb (Bridgewater, New Jersey, USA); leadership or fiduciary roles in board, society, committee or advocacy groups, paid or unpaid with the British Society of Refractive Surgery (BSRS) as an unpaid council member, and the Royal College of Ophthalmologists (London, UK) as an unpaid PROM advisor; other financial interests from the Quality of Vision (QoV) Questionnaire tool, the Orthokeratology and Contact Lens Quality of Life Questionnaire (OCL-QoL), and paid peer reviews for Research Square; outside the submitted work. S Nargus reports receipt of equipment, materials, drugs, medical writing, gifts or other services from Medical writing services; outside the submitted work. Y L Samodra and J H V Ticoalu report other financial or non-financial interests as co-founders of Benang Merah Research Center; outside the submitted work. J A Singh reports consulting fees from AstraZeneca, Crealta/Horizon, Medisys, Fidia, PK Med, Two labs Inc., Adept Field Solutions, Clinical Care options, Clearview healthcare partners, Putnam associates, Focus forward, Navigant consulting, Spherix, MediQ, Jupiter Life Science, UBM LLC, Trio Health, Medscape, WebMD, Practice Point communications, and the National Institutes of Health and the American College of Rheumatology; payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from the speaker's bureau of Simply Speaking; support for attending meetings from OMERACT as a member of the steering committee; participation on an Advisory Committee with the FDA Arthritis Advisory Committee; leadership or fiduciary roles in board, society, committee or advocacy groups, paid or unpaid as a past steering committee member of the OMERACT, an international organization that develops measures for clinical trials and receives arms length funding from 12 pharmaceutical companies, Co-Chair of the Veterans Affairs Rheumatology Field Advisory Committee, and the editor and Director of the UAB Cochrane Musculoskeletal Group Satellite Center on Network Meta-analysis; stock or stock options in Atai Life Sciences, Kintara Therapeutics, Intelligent Biosolutions, Acumen Pharmaceutical, TPT Global Tech, Vaxart Pharmaceuticals, Atyu Biopharma, Adaptimmune Therapeutics, GeoVax Labs, Pieris Pharmaceuticals, EnzoLytics Inc., Seres Therapeutics, Tonix Pharmaceuticals Holding Corp., and Charlotte's Web Holdings, Inc, as well as previously owned stock options in Amarin, Viking and Moderna Pharmaceuticals; outside the submitted work. E Skiadaresi reports consulting fees from Bayer (Leverkusen, Germany), Novartis (Basel, Switzerland), Roche (Basel, Switzerland), Medevise Consulting SAS (Strasbourg, France); payment or honoraria for lectures, presentations, speakers bureaus, manuscript writing or educational events from Bayer (Leverkusen, Germany), Novartis (Basel, Switzerland),

Roche ((Basel, Switzerland); support for attending meetings and travel from Bayer (Leverkusen, Germany), Novartis (Basel, Switzerland), Roche ((Basel, Switzerland); leadership or fiduciary roles in board, society, committee or advocacy groups, unpaid with the ATHENA Trial Steering Committee as the Chair; all outside the submitted work. J D Steinmetz reports support for the present manuscript from the Bill and Melinda Gates Foundation (IHME funding for GBD analyses). M Zielińska reports other financial interests as an AstraZeneca employee; outside the submitted work. The authors declare no competing interests.

ADDITIONAL INFORMATION

Supplementary information The online version contains supplementary material available at <https://doi.org/10.1038/s41433-024-02961-1>.

Correspondence and requests for materials should be addressed to Konrad Pesudovs.

Reprints and permission information is available at <http://www.nature.com/reprints>

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2024, corrected publication 2024

VISION LOSS EXPERT GROUP OF THE GLOBAL BURDEN OF DISEASE STUDY

Konrad Pesudovs¹, Van Charles Lansingh^{2,3,4}, John H. Kempen^{5,6,7,8}, Ian Tappay⁹, Arthur G. Fernandes^{10,11}, Maria Vittoria Cicinelli^{12,13}, Alessandro Arrigo¹⁴, Nicolas Leveziel^{15,16}, Serge Resnikoff^{17,18}, Hugh R. Taylor¹⁹, Tabassom Sedighi²⁰, Seth Flaxman^{21,50,4}, Mukkharrem M. Bikbov²², Tasanee Braithwaite^{23,24}, Alain Bron²⁵, Ching-Yu Cheng^{26,27}, Monte A. Del Monte^{28,29}, Joshua R. Ehrlich^{30,31}, Leon B. Ellwein³², David Friedman³³, João M. Furtado³⁴, Gus Gazzard³⁵, Ronnie George³⁶, M. Elizabeth Hartnett³⁷, Jost B. Jonas³⁸, Rim Kahloun³⁹, Moncef Khairallah⁴⁰, Rohit C. Khanna^{41,42,43,44}, Janet Leasher⁴⁵, Julie-Anne Little⁴⁶, Vinay Nangia⁴⁷, Michal Nowak⁴⁸, Tunde Peto⁴⁹, Pradeep Ramulu⁵⁰, Fotis Topouzis⁵¹, Mitiadis Tsilimbaris⁵², Ya Xing Wang⁵³, Ningli Wang⁵⁴ and Rupert Bourne^{20,50,3}

¹Medicine & Health, University of New South Wales, Sydney, NSW, Australia. ²HelpMeSee, Instituto Mexicano de Oftalmología, Santiago de Querétaro, Mexico. ³University of Miami, Gables, USA. ⁴University of Utah, Salt Lake City, USA. ⁵Department of Ophthalmology, Massachusetts Eye and Ear/Shepens Eye Research Institute/Harvard Medical School, Boston, MA, USA. ⁶Eye Unit, MyungSung Christian Medical Center (MCM) Comprehensive Specialized Hospital and MyungSun Medical College, Addis Ababa, Ethiopia. ⁷Department of Ophthalmology, Addis Ababa University, Addis Ababa, Ethiopia. ⁸Sight for Souls, Bellevue, WA, USA. ⁹Addenbrooke's Hospital, Cambridge, UK. ¹⁰Federal University of Sao Paulo, Sao Paulo, SP, Brazil. ¹¹University of Calgary, Calgary, AB, Canada. ¹²School of Medicine, Vita-Salute San Raffaele University, Milan, Italy. ¹³Department of Ophthalmology, IRCCS San Raffaele Scientific Institute, Milan, Italy. ¹⁴IRCCS San Raffaele Scientific Institute, Vita-Salute University, Milan, Italy. ¹⁵University of Poitiers, Poitiers, France. ¹⁶CHU de Poitiers, Poitiers, France. ¹⁷Brien Holden Vision Institute, Sydney, NSW, Australia. ¹⁸School of Optometry and Vision Sciences, Faculty of Medicine, University of New South Wales, Sydney, NSW, Australia. ¹⁹School of Population and Global Health, University of Melbourne, Carlton, VIC, Australia. ²⁰Vision and Eye Research Institute, Anglia Ruskin University, Cambridge, UK. ²¹Department of Computer Science, University of Oxford, Oxford, UK. ²²Ufa Eye Research Institute, Ufa, Russia. ²³School of Life Course and Population Sciences, King's College London, London, UK. ²⁴The Medical Eye Unit, Guy's and St Thomas' NHS Foundation Trust, London, UK. ²⁵University Hospital, Dijon, France. ²⁶National University of Singapore, Singapore. ²⁷Singapore Eye Research Institute, Singapore, Singapore. ²⁸University of Michigan, Ann Arbor, USA. ²⁹Kellogg Eye Center, Ann Arbor, USA. ³⁰Institute for Social Research, University of Michigan, Ann Arbor, USA. ³¹Department of Ophthalmology and Visual Sciences, University of Michigan, Ann Arbor, USA. ³²National Eye Institute, Bethesda, MD, USA. ³³Mass Eye and Ear, Harvard Medical School, Boston, USA. ³⁴Ribeirão Preto Medical School, University of São Paulo, São Paulo, Brazil. ³⁵Institute of Ophthalmology UCL & NIHR Biomedical Research Centre, London, UK. ³⁶Sankara Nethralaya, Medical Research Foundation, Chennai 600006, India. ³⁷Stanford University, Stanford, USA. ³⁸Department of Ophthalmology, Medical Faculty Mannheim, Heidelberg University, Heidelberg, Germany. ³⁹Associated Ophthalmologists of Monastir, Monastir, Tunisia. ⁴⁰Fattouma Bourguiba University Hospital, University of Monastir, Monastir, Tunisia. ⁴¹Allen Foster Community Eye Health Research Centre, Gullapalli Pratibha Rao International Centre for Advancement of Rural Eye care, L.V. Prasad Eye Institute, Hyderabad, India. ⁴²Brien Holden Eye Research Centre, L.V. Prasad Eye Institute, Banjara Hills, Hyderabad, India. ⁴³School of Optometry and Vision Science, University of New South Wales, Sydney, Australia. ⁴⁴University of Rochester, School of Medicine and Dentistry, Rochester, NY, USA. ⁴⁵Nova Southeastern University College for Optometry, Fort Lauderdale, Florida, USA. ⁴⁶Ulster University, Coleraine, UK. ⁴⁷Suraj Eye Institute, Nagpur, India. ⁴⁸Institute of Optics and Optometry, University of Social Science, 121 Gdanska str, Lodz 90-519, Poland. ⁴⁹Centre for Public Health, Queens University Belfast, Northern Ireland, Belfast, UK. ⁵⁰John Hopkins Wilmer Eye Institute, Baltimore, USA. ⁵¹1st Department of Ophthalmology, Medical School, Aristotle University of Thessaloniki, Ahepa Hospital, Thessaloniki, Greece. ⁵²University of Crete Medical School, Gifirakia, Greece. ⁵³Beijing Institute of Ophthalmology, Beijing Tongren Hospital, Capital Medical University, Beijing Ophthalmology and Visual Sciences Key Laboratory, Beijing, China. ⁵⁴Beijing Institute of Ophthalmology, Beijing Tongren Eye Center, Beijing Tongren Hospital, Capital Medical University, Beijing, China

GBD 2019 BLINDNESS AND VISION IMPAIRMENT COLLABORATORS

Konrad Pesudovs⁵⁵, Van Charles Lansingh^{56,57}, John H. Kempen^{58,59}, Ian Tappay⁶⁰, Arthur G. Fernandes⁶¹, Maria Vittoria Cicinelli⁶², Alessandro Arrigo⁶³, Nicolas Leveziel^{64,65}, Paul Svitil Briant⁶⁶, Theo Vos^{66,67}, Serge Resnikoff^{17,55}, Hugh R. Taylor¹⁹, Tabassom Sedighi²⁰, Seth Flaxman^{21,68}, Yohannes Habtegiorgis Abate⁶⁹, Mohammad Abdollahi^{70,71}, Mozhan Abdollahi⁷², Ayele Mamo Abebe⁷³, Olumide Abiodun⁷⁴, Richard Gyan Aboagye⁷⁵, Woldu Aberhe Abbra⁷⁶, Hasan Abualruz⁷⁷, Hiwa Abubaker Ali⁷⁸, Eman Abu-Gharbieh⁷⁹, Salahdein Aburuz^{80,81}, Tadele Girum Girum Adal⁸², Mesafint Molla Adane⁸³, Isaac Yeboah Addo^{84,85}, Qorinah Estiningtyas Sakilah Adnani⁸⁶, Muhammad Sohail Afzal⁸⁷, Shahin Aghamiri⁸⁸, Bright Opoku Ahinkorah⁸⁹, Aqeel Ahmad⁹⁰, Sajjad Ahmad^{91,92}, Ali Ahmadi^{93,94}, Ayman Ahmed^{95,96}, Haroon Ahmed⁹⁷, Ahmad Samir Alfaar^{98,99}, Abid Ali¹⁰⁰, Syed Shujait Shujait Ali¹⁰¹, Awais Altaf¹⁰², Hubert Amu¹⁰³, Sofia Androudi¹⁰⁴, Rodrigo Anguita^{105,106}, Abhishek Anil^{107,108}, Saeid Anvari¹⁰⁹, Anayochukwu Edward Anyasodor¹¹⁰, Francis Appiah^{111,112}, Jalal Arabloo¹¹³, Mosab Arafat¹¹⁴, Damelash Areda^{115,116}, Reza Arefnezhad¹¹⁷, Brhane Berhe Aregawi¹¹⁸, Akeza Awealom Asgedom¹¹⁹, Tahira Ashraf¹²⁰, Seyyed Shamsadin Athari¹²¹, Bantalem Tilaye Tilaye Atinafu¹²², Maha Moh'd Wahbi Atout¹²³, Alok Atreya¹²⁴, Haleh Ayatollahi^{113,125}, Ahmed Y. Azzam^{126,127}, Hassan Babamohamadi¹²⁸, Sara Bagherieh¹²⁹,

Yogesh Bahurupi¹³⁰, Atif Amin Baig¹³¹, Biswajit Banik^{132,133}, Mainak Bardhan¹³⁴, Saurav Basu¹³⁵, Kavita Batra¹³⁶, Nebiyou Simegnew Bayileyegn¹³⁷, Fatemeh Bazvand¹³⁸, Addisu Shunu Beyene^{139,140}, Devidas S. Bhagat¹⁴¹, Akshaya Srikanth Bhagavathula¹⁴², Pankaj Bhardwaj^{143,144}, Sonu Bhaskar^{145,146}, Jasvinder Singh Bhatti¹⁴⁷, Mukharram Bikbov¹⁴⁸, Niloufar Bineshfar¹⁴⁹, Marina G. Birck^{150,151}, Veera R. Bitra¹⁵², Tasanee Braithwaite^{153,154}, Katrin Burkart^{66,67}, Yasser Bustanji^{155,156}, Zahid A. Butt^{157,158}, Florentino Luciano Caetano dos Santos¹⁵⁹, Luis Alberto Cámara^{160,161}, Vera L. A. Carneiro^{162,163}, Muthia Cenderadewi^{164,165}, Eeshwar K. Chandrasekar¹⁶⁶, Vijay Kumar Chattu^{167,168}, Nitin Chitranshi¹⁶⁹, Hitesh Chopra¹⁷⁰, Dinh-Toi Chu¹⁷¹, Kaleb Coberly⁶⁶, João M. Coelho¹⁷², Natália Cruz-Martins^{173,174}, Omid Dadras^{175,176}, Xiaochen Dai^{66,67}, Subasish Das¹⁷⁷, Ana Maria Dascalu^{178,179}, Mohsen Dashti¹⁸⁰, Maedeh Dastmardi^{181,182}, Berecha Hundessa Demessa¹⁸³, Biniyam Demisse¹⁸⁴, Diriba Dereje¹⁸⁵, Awoke Masrie Asrat Derese¹⁴⁰, Nikolaos Dervenis^{186,187}, Vinoth Gnana Chellaiyan Devanbu¹⁸⁸, Thanh Chi Do¹⁸⁹, Thao Huynh Phuong Do¹⁹⁰, Francisco Winter dos Santos Figueiredo¹⁹¹, Arkadiusz Marian Dziedzic¹⁹², Hisham Atan Edinur¹⁹³, Ferry Efendi¹⁹⁴, Joshua R. Ehrlich^{195,196}, Michael Ekholuenetale^{197,198}, Temitope Cyrus Ekundayo¹⁹⁹, Iman El Sayed²⁰⁰, Muhammed Elhadi²⁰¹, Mohammad Hassan Emamian²⁰², Mehdi Emamverdi²⁰³, Azin Etemadimanesh²⁰⁴, Adeniyi Francis Fagbamigbe^{197,205}, Ayesha Fahim²⁰⁶, Hossein Farrokhpour^{207,208}, Ali Fatehizadeh²⁰⁹, Alireza Feizkhal²¹⁰, Lorenzo Ferro Desideri²¹¹, Getahun Fetensa²¹², Florian Fischer²¹³, Ali Forouhari^{214,215}, Matteo Foschi^{216,217}, Kayode Raphael Fowobaje^{197,218}, Abhay Motiramji Gaidhane²¹⁹, Aravind P. Gandhi²²⁰, Miglas W. W. Gebregergis²²¹, Mesfin Gebrehiwot²²², Brhane Gebremariam^{223,224}, Urge Gerema²²⁵, Fariba Ghassemi²²⁶, Sherief Ghozy²²⁷, Mahaveer Gupta²²⁸, Pouya Goleij^{229,230}, Bárbara Niegia Garcia Goulart²³¹, Shi-Yang Guan²³², Zewdie Gudisa²³³, Sapna Gupta²³⁴, Veer Bala Gupta²³⁵, Vivek Kumar Gupta²³⁶, Arvin Haj-Mirzaian^{237,238}, Aram Halimi²³⁹, Shahin Hallaj^{240,241}, Samer Hamidi²⁴², Mehdi Harorani²⁴³, Hamidreza Hasani²⁴⁴, Demisu Zembaba Heyi²⁴⁵, Nguyen Quoc Hoan²⁴⁶, Ramesh Holla²⁴⁷, Sung Hwi Hong^{248,249}, Mehdi Hosseinzadeh^{250,251}, Chengxi Hu²⁵², John J. Huang²⁵³, Hong-Han Huynh²⁵⁴, Segun Emmanuel Ibitoye²⁵⁵, Irena M. Ilic²⁵⁶, Mustapha Immurana²⁵⁷, Md. Rabiul Islam²⁵⁸, Sheikh Mohammed Shariful Islam^{259,260}, Chidozie C. D. Iwu²⁶¹, Louis Jacob^{262,263}, Ammar Abdulrahman Jairoun^{264,265}, Manthan Dilipkumar Janodia²⁶⁶, Shubha Jayaram²⁶⁷, Har Ashish Jindal²⁶⁸, Mohammad Jokar^{269,270}, Nitin Joseph²⁷¹, Charity Ehimwenma Joshua²⁷², Vidya Kadashetti²⁷³, Laleh R. Kalankesh²⁷⁴, Rohollah Kalhor^{275,276}, Sagarika Kamath²⁷⁷, Himal Kandel^{278,279}, Rami S. Kantar^{280,281}, Ibraheem M. Karaye^{282,283}, Hengameh Kasraei^{284,285}, Soujanya Kaup²⁸⁶, Navjot Kaur²⁸⁷, Rimple Jeet Kaur¹⁰⁷, Gbenga A. Kayode^{288,289}, Yousef Saleh Khader²⁹⁰, Himanshu Khajuria²⁹¹, Rovshan Khalilov^{292,293}, Mahalaqua Nazli Khatib²⁹⁴, Adnan Kisa^{295,296}, Soewarta Kosen²⁹⁷, Ai Koyanagi²⁹⁸, Kewal Krishan²⁹⁹, Mukhtar Kulimbet^{300,301}, Nithin Kumar²⁷¹, Om P. Kurmi^{302,303}, Chandrakant Lahariya^{304,305}, Tuo Lan³⁰⁶, Iván Landires^{307,308}, Janet L. Leasher³⁰⁹, Munjae Lee^{310,311}, Seung Won Lee³¹², Wei-Chen Lee³¹³, Stephen S. Lim^{66,67}, Julie-Anne Little³¹⁴, Preetam Bhalchandra Mahajan³¹⁵, Sandeep B. Maharaj^{316,317}, Alireza Mahmoudi²²⁶, Razzagh Mahmoudi³¹⁸, Kashish Malhotra³¹⁹, Tauqeer Hussain Mallhi³²⁰, Vahid Mansouri³²¹, Emmanuel Manu¹⁰³, Roy Rillera Marzo^{322,323}, Andrea Maugeri³²⁴, Colm McAlinden^{325,326}, Wondwosen Mebratu^{327,328}, Tesfahun Mekene Meto³²⁹, Yang Meng³³⁰, Abera M. Mersha¹⁸⁴, Tomislav Mestrovic^{66,331}, Le Huu Nhat Minh^{332,333}, Awoke Misganaw^{67,334}, Manish Mishra³³⁵, Sanjeev Misra³³⁶, Nouh Saad Mohamed^{337,338}, Soheil Mohammadi²⁰⁷, Mustapha Mohammed^{339,340}, Hoda Mojiri-forushani³⁴¹, Ali H. Mokdad^{66,67}, Hossein Molavi Vardanjani³⁴², Mohammad Ali Moni³⁴³, Fateme Montazeri^{344,345}, Maryam Moradi¹⁸¹, Rohith Motappa²⁷¹, Parsa Mousavi³⁴⁴, Admir Mulita³⁴⁶, Christopher J. L. Murray^{66,67}, Ganesh R. Naik^{347,348}, Gurudatta Naik³⁴⁹, Shumaila Nargus^{131,131}, Zuhair S. Natto^{350,351}, Biswa Prakash Nayak²⁹¹, Mohammad Negareh^{352,353}, Hadush Negash³⁵⁴, Dang H. Nguyen^{355,356}, Phat Tuan Nguyen³⁵⁷, Van Thanh Nguyen³⁵⁸, Robina Khan Niazi³⁵⁹, Osaretin Christabel Okonji³⁶⁰, Andrew T. Olagunju^{361,362}, Matthew Idowu Olatubi³⁶³, Michal Ordak³⁶⁴, Uchechukwu Levi Osuagwu^{365,366}, Nikita Ostavnov³⁶⁷, Mayowa O. Owolabi^{368,369}, Jagadish Rao Padubidri³⁷⁰, Ashok Pandey^{371,372}, Georgios D. Panos^{373,374}, Shahina Pardhan²⁰, Seoyeon Park³⁷⁵, Jay Patel^{376,377}, Shrikant Pawar³⁷⁸, Prince Peprah³⁷⁹, Ionela-Roxana Petcu³⁸⁰, Alireza Peyman²¹⁴, Hoang Tran Pham³⁸¹, Mohsen Pourazizi²¹⁴, Nguyen Khoi Quan³⁸², Fakher Rahim^{383,384}, Vafa Rahimi-Movaghar³⁸⁵, Mohammad Hifz Ur Rahman³⁸⁶, Sathish Rajaa³⁸⁷, Shakti Kumar Ramasamy³⁸⁸, Premkumar Ramasubramani³⁸⁹, Shubham Ranjan³⁹⁰, Mohammad-Mahdi Rashidi^{344,391}, Rama Shankar Rath³⁹², Annisa Utami Rauf³⁹³, Salman Rawaf^{394,395}, Amirmasoud Rayati Damavandi³⁹⁶, Elrashdy Moustafa Mohamed Redwan^{397,398}, Priyanka Roy³⁹⁹, Koushik Roy Pramanik⁴⁰⁰, Zahra Saadatian^{401,402}, Siamak Sabour⁹⁴, Basema Saddik⁴⁰³, Umar Saeed^{404,405}, Sare Safi^{406,407}, Sher Zaman Safi^{408,409}, Amene Saghazadeh⁴¹⁰, Fatemeh Saheb Sharif-Askari⁴¹¹, Amirhossein Sahebkar^{412,413}, Mohammad Ali Sahraian⁴¹⁴, Joseph W. Sakshaug^{415,416}, Mohamed A. Saleh^{417,418}, Sara Samadzadeh^{419,420}, Yoseph Leonardo Samodra^{421,421}, Vijaya Paul Samuel⁴²², Abdallah M. Samy^{423,424}, Aswini Saravanan^{425,426}, Siddharthan Selvaraj⁴²⁷, Farbod Semnani⁴²⁸, Sabyasachi Senapati⁴²⁹, Yashendra Sethi⁴³⁰, Seyed Arsalan Seyedi⁴³¹, Allen Seylani⁴³², Amira A. Shaheen⁴³³, Samiah Shahid^{434,435}, Moyad Jamal Shahwan⁴³⁶, Masood Ali Shaikh⁴³⁷, Sunder Sham⁴³⁸, Muhammad Aaqib Shamim¹⁰⁷, Mohammed Shannawaz⁴³⁹, Bereket Beyene Shashamo¹⁸⁴, Maryam Shayan^{440,441}, Aminu Shittu⁴⁴², Ivy Shiue^{443,444}, K. M. Shivakumar⁴⁴⁵, Seyed Afshin Shorofi^{446,447}, Migbar Mekonnen Sibhat⁴⁴⁸, Emmanuel Edwar Siddig^{449,450}, Juan Carlos Silva⁴⁵¹, Jasvinder A. Singh^{452,453}, Paramdeep Singh⁴⁵⁴, Eirini Skiadaresi⁴⁵⁵, Yonatan Solomon⁴⁵⁶, Raúl A. R. C. Sousa⁴⁵⁷, Chandrashekhar T. Sreeramareddy⁴⁵⁸, Vladimir I. Starodubov⁴⁵⁹, Mohana Devi Subramanian⁴⁶⁰, Sri Susanty⁴⁶¹, Seyed Mohammad Tabatabaei^{462,463}, Birhan Tsegaw Taye¹²², Gebrehiwot Teklay⁴⁶⁴, Mohamad-Hani Tamsah⁴⁶⁵, Dufera Rikitu Terefa^{466,467}, Jansje Henny Vera Ticoalu⁴⁶⁸, Temesgen Mohammed Tuma⁴⁶⁹, Aristidis Tsatsakis⁴⁷⁰, Guesh Mebrahtom Tsegay⁴⁷¹, Munkhtuya Tumurkhuu⁴⁷², Biruk Shalmeno Tusa⁴⁷³, Sree Sudha Ty⁴⁷⁴, Chukwudi S. Ubah^{475,476}, Muhammad Umair^{87,477}, Tungki Pratama Umar⁴⁷⁸, Rohollah Valizadeh⁴⁷⁹, Jef Van den Eynde⁴⁸⁰, Stephanie Louise Watson Watson²⁷⁸, Tewodros Eshete Wonde⁴⁸¹, Guadie Sharew Wondimagegn^{482,483}, Hong Xiao^{484,485}, Yao Yao^{486,487}, Iman Yazdani Nia⁴⁸⁸, Arzu Yiğit⁴⁸⁹, Yazachew Yismaw^{490,491}, Dong Keon Yon⁴⁹², Naohiro Yonemoto^{493,494}, Yuyi You^{169,278}, Chuanhua Yu⁴⁹⁵, Mikhail Sergeevich Zastrozhin^{496,497}, Hanqing Zhao⁴⁹⁸, Makan Ziafati⁴⁹⁹, Magdalena Zielińska⁵⁰⁰, Yossef Teshome Zikarg⁵⁰¹, Mohammad Zoladi⁵⁰², Jaimie D. Steinmetz^{66,503,504} and Rupert Bourne^{20,503}

⁵⁵School of Optometry and Vision Science, University of New South Wales, Sydney, NSW, Australia. ⁵⁶Chief Medical Office, HelpMeSee, New York, NY, USA. ⁵⁷Mexican Institute of Ophthalmology, Queretaro, Mexico. ⁵⁸Department of Ophthalmology, Harvard University, Boston, MA, USA. ⁵⁹Eye Unit, MyungSung Medical College, Addis Ababa, Ethiopia. ⁶⁰Department of Ophthalmology, Cambridge University Hospitals, Cambridge, UK. ⁶¹Department of Ophthalmology and Visual Sciences, Federal University of São Paulo, Sao

Paulo, Brazil. ⁶²Department of Ophthalmology, San Raffaele Scientific Institute, Milano, Italy. ⁶³Scientific Institute San Raffaele Hospital, Vita-Salute University, Milan, Italy. ⁶⁴Ophthalmology Department, CHU de Poitiers (Poitiers University Hospital), Poitiers, France. ⁶⁵Unité 1084, National Institute of Health and Medical Research (INSERM), Poitiers, France. ⁶⁶Institute for Health Metrics and Evaluation, University of Washington, Seattle, WA, USA. ⁶⁷Department of Health Metrics Sciences, School of Medicine, University of Washington, Seattle, WA, USA. ⁶⁸Department of Mathematics, Imperial College London, London, UK. ⁶⁹Department of Clinical Governance and Quality Improvement, Aleta Wondo Hospital, Aleta Wondo, Ethiopia. ⁷⁰The Institute of Pharmaceutical Sciences (TIPS), Tehran University of Medical Sciences, Tehran, Iran. ⁷¹School of Pharmacy, Tehran University of Medical Sciences, Tehran, Iran. ⁷²School of Medicine, Shiraz University of Medical Sciences, Shiraz, Iran. ⁷³Pediatrics Nursing Department, Debre Berhan University, Debre Berhan, Ethiopia. ⁷⁴Department of Community Medicine, Babcock University, Ilishan-Remo, Nigeria. ⁷⁵Department of Family and Community Health, University of Health and Allied Sciences, Ho, Ghana. ⁷⁶Department of Adult Health Nursing, Aksum University, Aksum, Ethiopia. ⁷⁷Department of Nursing, Al Zaytoonah University of Jordan, Amman, Jordan. ⁷⁸Department of Banking and Finance, University of Human Development, Sulaymaniyah, Iraq. ⁷⁹Clinical Sciences Department, University of Sharjah, Sharjah, United Arab Emirates. ⁸⁰Department of Therapeutics, United Arab Emirates University, Al Ain, United Arab Emirates. ⁸¹College of Pharmacy, University of Jordan, Amman, Jordan. ⁸²Department of Public Health, Wolkite University, Wolkite, Ethiopia. ⁸³College of Medicine and Health Sciences, Bahir Dar University, Bahir Dar, Ethiopia. ⁸⁴Centre for Social Research in Health, University of New South Wales, Sydney, NSW, Australia. ⁸⁵Quality and Systems Performance Unit, Cancer Institute NSW, Sydney, NSW, Australia. ⁸⁶Faculty of Medicine, Universitas Padjadjaran (Padjadjaran University), Bandung, Indonesia. ⁸⁷Department of Life Sciences, University of Management and Technology, Lahore, Pakistan. ⁸⁸Department of Biotechnology, Shahid Beheshti University of Medical Sciences, Tehran, Iran. ⁸⁹School of Public Health, University of Technology Sydney, Sydney, NSW, Australia. ⁹⁰Department of Medical Biochemistry, Shaqra University, Shaqra, Saudi Arabia. ⁹¹Department of Health and Biological Sciences, Abasyn University, Peshawar, Pakistan. ⁹²Department of Natural Sciences, Labanese American University, Beirut, Lebanon. ⁹³Department of Epidemiology and Biostatistics, Shahrekord University of Medical Sciences, Shahrekord, Iran. ⁹⁴Department of Epidemiology, Shahid Beheshti University of Medical Sciences, Tehran, Iran. ⁹⁵Institute of Endemic Diseases, University of Khartoum, Khartoum, Sudan. ⁹⁶Swiss Tropical and Public Health Institute, University of Basel, Basel, Switzerland. ⁹⁷Department of Biosciences, COMSATS Institute of Information Technology, Islamabad, Pakistan. ⁹⁸Department of Ophthalmology, University of Leipzig Medical Center, Leipzig, Germany. ⁹⁹Department of Ophthalmology, Charité Universitätsmedizin Berlin (Charité Medical University Berlin), Berlin, Germany. ¹⁰⁰Department of Zoology, Abdul Wali Khan University Mardan, Mardan, Pakistan. ¹⁰¹Center for Biotechnology and Microbiology, University of SWAT, Swat, Pakistan. ¹⁰²Centre for Research in Molecular Medicine, Institute of Molecular Biology and Biotechnology, Lahore, Pakistan. ¹⁰³Department of Population and Behavioural Sciences, University of Health and Allied Sciences, Ho, Ghana. ¹⁰⁴Department of Medicine, University of Thessaly, Volos, Greece. ¹⁰⁵Department of Ophthalmology, Inselspital, Bern, Switzerland. ¹⁰⁶Department of Vitreoretinal, Moorfields Eye Hospital, London, UK. ¹⁰⁷Department of Pharmacology, All India Institute of Medical Sciences, Jodhpur, India. ¹⁰⁸All India Institute of Medical Sciences, Bhubaneswar, India. ¹⁰⁹Regenerative Medicine, Organ Procurement and Transplantation Multi-disciplinary Center, Guilan University of Medical Sciences, Rasht, Iran. ¹¹⁰School of Dentistry and Medical Sciences, Charles Sturt University, Orange, NSW, Australia. ¹¹¹Department of Social Sciences, Berekum College of Education, Berekum, Ghana. ¹¹²School of Public Health, Kwame Nkrumah University of Science and Technology, Kumasi, Ghana. ¹¹³Health Management and Economics Research Center, Iran University of Medical Sciences, Tehran, Iran. ¹¹⁴College of Pharmacy, Al Ain University, Abu Dhabi, United Arab Emirates. ¹¹⁵College of Art and Science, Ottawa University, Surprise, AZ, USA. ¹¹⁶School of Life Sciences, Arizona State University, Tempe, AZ, USA. ¹¹⁷Department of Anatomy, Shiraz University of Medical Sciences, Shiraz, Iran. ¹¹⁸College of Medicine and Health Sciences, Adigrat University, Adigrat, Ethiopia. ¹¹⁹Department of Environmental Health, Mekelle University, Mekelle, Ethiopia. ¹²⁰University Institute of Radiological Sciences and Medical Imaging Technology, The University of Lahore, Lahore, Pakistan. ¹²¹Department of Immunology, Zanjan University of Medical Sciences, Zanjan, Iran. ¹²²School of Nursing and Midwifery, Debre Berhan University, Debre Berhan, Ethiopia. ¹²³Faculty of Nursing, Philadelphia University, Amman, Jordan. ¹²⁴Department of Forensic Medicine, Lumbini Medical College, Palpa, Nepal. ¹²⁵Department of Health Information Management, Iran University of Medical Sciences, Tehran, Iran. ¹²⁶Department of Neurovascular Research, Nested Knowledge, Inc, Saint Paul, MN, USA. ¹²⁷Faculty of Medicine, October 6 University, 6th of October City, Egypt. ¹²⁸Department of Nursing, Semnan University of Medical Sciences and Health Services, Semnan, Iran. ¹²⁹School of Medicine, Isfahan University of Medical Sciences, Isfahan, Iran. ¹³⁰Department of Community Medicine and Family Medicine, All India Institute of Medical Sciences, Rishikesh, India. ¹³¹University Institute of Public Health, The University of Lahore, Lahore, Pakistan. ¹³²Institute of Health and Wellbeing (IHW), Federation University Australia, Melbourne, VC, Australia. ¹³³Manna Institute, University of New England, Armidale, NSW, Australia. ¹³⁴Miami Cancer Institute, Baptist Health South Florida, Miami, FL, USA. ¹³⁵Department of Academics, Indian Institute of Public Health, Gurgaon, India. ¹³⁶Department of Medical Education, University of Nevada, Las Vegas, Las Vegas, NV, USA. ¹³⁷Department of Surgery, Jimma University, Jimma, Ethiopia. ¹³⁸Farabi Eye Hospital, Tehran University of Medical Sciences, Tehran, Iran. ¹³⁹School of Medicine and Public Health, University of Newcastle, Newcastle, NSW, Australia. ¹⁴⁰School of Public Health, Haramaya University, Harar, Ethiopia. ¹⁴¹Department of Forensic Chemistry, Government Institute of Forensic Science, Aurangabad, Aurangabad, India. ¹⁴²Department of Public Health, North Dakota State University, Fargo, ND, USA. ¹⁴³Department of Community Medicine and Family Medicine, All India Institute of Medical Sciences, Jodhpur, India. ¹⁴⁴School of Public Health, All India Institute of Medical Sciences, Jodhpur, India. ¹⁴⁵Global Health Neurology Lab, NSW Brain Clot Bank, Sydney, NSW, Australia. ¹⁴⁶Department of Neurology and Neurophysiology, South West Sydney Local Health District and Liverpool Hospital, Sydney, NSW, Australia. ¹⁴⁷Human Genetics and Molecular Medicine, Central University of Punjab, Bathinda, India. ¹⁴⁸Epidemiology Department, Ufa Eye Research Institute, Ufa, Russia. ¹⁴⁹Department of Ophthalmology, Shahid Beheshti University of Medical Sciences, Tehran, Iran. ¹⁵⁰Department of Medicine, Division of Clinical Epidemiology, McGill University, Montreal, QC, Canada. ¹⁵¹Centre for Outcomes Research and Evaluation, Research Institute of the McGill University Health Centre, Montreal, QC, Canada. ¹⁵²Faculty of Health Sciences, University of Botswana, Gaborone, Botswana. ¹⁵³Ophthalmology Department, Moorfields Eye Hospital NHS Foundation Trust, London, UK. ¹⁵⁴International Centre for Eye Health, London School of Hygiene & Tropical Medicine, London, UK. ¹⁵⁵Department of Biopharmaceutics and Clinical Pharmacy, The University of Jordan, Amman, Jordan. ¹⁵⁶Department of Basic Biomedical Sciences, University of Sharjah, Sharjah, United Arab Emirates. ¹⁵⁷School of Public Health and Health Systems, University of Waterloo, Waterloo, ON, Canada. ¹⁵⁸Al Shifa School of Public Health, Al Shifa Trust Eye Hospital, Rawalpindi, Pakistan. ¹⁵⁹Harvard Business School, Harvard University, Boston, MA, USA. ¹⁶⁰Internal Medicine Department, Hospital Italiano de Buenos Aires (Italian Hospital of Buenos Aires), Buenos Aires, Argentina. ¹⁶¹Board of Directors, Argentine Society of Medicine, Buenos Aires, Argentina. ¹⁶²School of Sciences, University of Minho, Braga, Portugal. ¹⁶³Association of Licensed Optometry Professionals, Linda-a-Velha, Portugal. ¹⁶⁴College of Public Health, Medical and Veterinary Sciences, James Cook University, Townsville, Australia. ¹⁶⁵Public Health Department, University of Mataram, Mataram, Indonesia. ¹⁶⁶Department of Anesthesiology and Perioperative Medicine, University of Rochester, Rochester, NY, USA. ¹⁶⁷Temerty Faculty of Medicine, University of Toronto, Toronto, ON, Canada. ¹⁶⁸Saveetha Dental College, Saveetha University, Chennai, India. ¹⁶⁹Macquarie Medical School, Macquarie University, Sydney, NSW, Australia. ¹⁷⁰Chitkara College of Pharmacy, Chitkara University, Punjab, India. ¹⁷¹Center for Biomedicine and Community Health, VNU-International School, Hanoi, Viet Nam. ¹⁷²University Hospital Center of Porto, University of Porto, Porto, Portugal. ¹⁷³Therapeutic and Diagnostic Technologies, Cooperativa de Ensino Superior Politécnico e Universitário (Polytechnic and University Higher Education Cooperative), Gandra, Portugal. ¹⁷⁴Institute for Research and Innovation in Health, University of Porto, Porto, Portugal. ¹⁷⁵Department of Addiction Medicine, Haukland University Hospital, Bergen, Norway. ¹⁷⁶Department of Global Public Health and Primary Care, University of Bergen, Bergen, Norway. ¹⁷⁷Ingram School of Engineering, Texas State University, San Marcos, TX, USA. ¹⁷⁸Ophthalmology Department, Carol Davila University of Medicine and Pharmacy, Bucharest, Romania. ¹⁷⁹Ophthalmology Department, Emergency University Hospital Bucharest, Bucuresti, Romania. ¹⁸⁰Department of Radiology, Tabriz University of Medical Sciences, Tabriz, Iran. ¹⁸¹Iran University of Medical Sciences, Tehran, Iran. ¹⁸²Tehran University of Medical Science, Tehran University of Medical Sciences, Tehran, Iran. ¹⁸³USAID-JSI, Jimma University, Addis Ababa, Ethiopia. ¹⁸⁴Department of Nursing, Arba Minch University, Arba Minch, Ethiopia. ¹⁸⁵Department of Biomedical Sciences, Jimma University, Jimma, Ethiopia. ¹⁸⁶St Paul's Eye Unit, Royal Liverpool University Hospital, Liverpool, UK. ¹⁸⁷Department of Ophthalmology, Aristotle University of Thessaloniki, Thessaloniki, Greece. ¹⁸⁸Department of Community Medicine, Chettinad Hospital and Research Institute, Chennai, India. ¹⁸⁹Department of Medicine, Pham Ngoc Thach University of Medicine, Ho Chi Minh City, Viet Nam. ¹⁹⁰Department of Medicine, Can Tho University of Medicine and Pharmacy, Can Tho, Viet Nam. ¹⁹¹Epidemiology and Data Analysis Laboratory, University Center FMABC, Santo André, Brazil. ¹⁹²Department of Conservative Dentistry with Endodontics, Medical University of Silesia, Katowice, Poland. ¹⁹³School of Health Sciences, Universiti Sains Malaysia (University of Science Malaysia), Kubang Kerian, Malaysia. ¹⁹⁴Advanced Nursing Department, Universitas Airlangga, Surabaya, Indonesia. ¹⁹⁵Department of Ophthalmology and Visual Sciences, University of Michigan, Ann Arbor, GA, USA. ¹⁹⁶Institute for Health Care Policy and Innovation, University of Michigan, Ann Arbor, MI, USA. ¹⁹⁷Department of Epidemiology and Medical Statistics, University of Ibadan, Ibadan, Nigeria. ¹⁹⁸Faculty of Public Health, University of Ibadan, Ibadan, Nigeria. ¹⁹⁹Department of Biological Sciences, University of Medical Sciences, Ondo, Ondo, Nigeria. ²⁰⁰Biomedical Informatics and Medical Statistics Department, Alexandria University, Alexandria, Egypt. ²⁰¹Faculty of Medicine, University of Tripoli, Tripoli, Libya. ²⁰²Ophthalmic Epidemiology Research Center, Shahroud University of Medical Sciences, Shahroud, Iran. ²⁰³Department of Ophthalmology, University of California Los Angeles, Los Angeles, CA, USA. ²⁰⁴Department of Physical Medicine and Rehabilitation, Johns Hopkins University, Baltimore, MD, USA. ²⁰⁵Research Centre for Healthcare and Community, Coventry University, Coventry, UK. ²⁰⁶Department of Oral Biology, The University of Lahore, Lahore, Pakistan. ²⁰⁷School of Medicine, Tehran University of Medical Sciences, Tehran, Iran. ²⁰⁸Endocrinology and Metabolism Research Institute, Non-Communicable Diseases Research

Center (NCDRC), Tehran, Iran. ²⁰⁹Department of Environmental Health Engineering, Isfahan University of Medical Sciences, Isfahan, Iran. ²¹⁰Department of Social Medicine and Epidemiology, Guilan University of Medical Sciences, Rasht, Iran. ²¹¹University Eye Clinic, University of Genoa, Genoa, Italy. ²¹²Department of Nursing, Wollega University, Nekemte, Ethiopia. ²¹³Institute of Public Health, Charité Universitätsmedizin Berlin (Charité Medical University Berlin), Berlin, Germany. ²¹⁴Department of Ophthalmology, Isfahan University of Medical Sciences, Isfahan, Iran. ²¹⁵Emergency Department, Isfahan University of Medical Sciences, Isfahan, Iran. ²¹⁶Department of Biotechnological and Applied Clinical Sciences (DISCAB), Multiple Sclerosis Research Center, L'Aquila, Italy. ²¹⁷Department of Neuroscience, Multiple Sclerosis Research Center, Ravenna, Italy. ²¹⁸Child Survival Unit, Centre for African Newborn Health and Nutrition, Ibadan, Nigeria. ²¹⁹Department of Community Medicine, Datta Meghe Institute of Medical Sciences, Wardha, India. ²²⁰Department of Community Medicine, ESIC Medical College & Hospital, Hyderabad, India. ²²¹Department of Midwifery, Adigrat University, Adigrat, Ethiopia. ²²²Department of Environmental Health, Wollo University, Dessie, Ethiopia. ²²³Department of Health, Policy Research Institute, Mekelle, Ethiopia. ²²⁴Simon Fraser University, Mekelle, Ethiopia. ²²⁵Department of Public Health, Jimma University, Jimma, Ethiopia. ²²⁶Department of Ophthalmology, Tehran University of Medical Sciences, Tehran, Iran. ²²⁷Department of Radiology, Mayo Clinic, Rochester, MN, USA. ²²⁸Health Systems and Policy Research Department, Indian Institute of Public Health, Gandhinagar, India. ²²⁹Department of Genetics, Sana Institute of Higher Education, Sari, Iran. ²³⁰Universal Scientific Education and Research Network (USERN), Kermanshah University of Medical Sciences, Kermanshah, Iran. ²³¹Postgraduate Program in Epidemiology, Federal University of Rio Grande do Sul, Porto Alegre, Brazil. ²³²Department of Epidemiology and Biostatistics, Anhui Medical University, Hefei, China. ²³³Department of Anesthesia, Mada Walabu University, Goba, Ethiopia. ²³⁴Toxicology Department, Shriram Institute for Industrial Research, Delhi, India. ²³⁵School of Medicine, Deakin University, Geelong, VIC, Australia. ²³⁶Faculty of Medicine Health and Human Sciences, Macquarie University, Sydney, NSW, Australia. ²³⁷Department of Radiology, Massachusetts General Hospital, Boston, MA, USA. ²³⁸Obesity Research Center, Shahid Beheshti University of Medical Sciences, Tehran, Iran. ²³⁹Research Institute for Endocrine Sciences, Shahid Beheshti University of Medical Sciences, Tehran, Iran. ²⁴⁰Department of Ophthalmology, Thomas Jefferson University, Philadelphia, PA, USA. ²⁴¹Department of Ophthalmology, University of California San Diego, La Jolla, CA, USA. ²⁴²School of Health and Environmental Studies, Hamdan Bin Mohammed Smart University, Dubai, United Arab Emirates. ²⁴³Department of Nursing, Arak University of Medical Sciences, Arak, Iran. ²⁴⁴Department of Ophthalmology, Iran University of Medical Sciences, Karaj, Iran. ²⁴⁵Department of Public Health, Mada Walabu University, Goba, Ethiopia. ²⁴⁶School of Dentistry, Hanoi Medical University, Hanoi, Viet Nam. ²⁴⁷Kasturba Medical College, Mangalore, Manipal Academy of Higher Education, Manipal, India. ²⁴⁸Department of Pediatrics, Yonsei University College of Medicine, Seoul, South Korea. ²⁴⁹Research Department, Electronic Medical Records for the Developing World, York, UK. ²⁵⁰Institute of Research and Development, Duy Tan University, Da Nang, Viet Nam. ²⁵¹Department of Computer Science, University of Human Development, Sulaymaniyah, Iraq. ²⁵²Department of Psychology, Tsinghua University, Beijing, China. ²⁵³Department of Ophthalmology and Visual Science, Yale University, New Haven, CT, USA. ²⁵⁴School of Biotechnology, Tan Tao University, Long An, Viet Nam. ²⁵⁵Department of Health Promotion and Education, University of Ibadan, Ibadan, Nigeria. ²⁵⁶Faculty of Medicine, University of Belgrade, Belgrade, Serbia. ²⁵⁷Institute of Health Research, University of Health and Allied Sciences, Ho, Ghana. ²⁵⁸Department of Pharmacy, University of Asia Pacific, Dhaka, Bangladesh. ²⁵⁹Institute for Physical Activity and Nutrition, Deakin University, Burwood, VIC, Australia. ²⁶⁰Sydney Medical School, University of Sydney, Sydney, NSW, Australia. ²⁶¹School of Health Systems and Public Health, University of Pretoria, Pretoria, South Africa. ²⁶²Research and Development Unit, Biomedical Research Networking Center for Mental Health Network (CiberSAM), Sant Boi de Llobregat, Spain. ²⁶³Faculty of Medicine, University of Versailles Saint-Quentin-en-Yvelines, Montigny-le Bretonneux, France. ²⁶⁴Department of Clinical Pharmacy, University of Science Malaysia, Penang, Malaysia. ²⁶⁵Department of Health and Safety, United Arab Emirates University, Dubai, United Arab Emirates. ²⁶⁶Manipal College of Pharmaceutical Sciences, Manipal Academy of Higher Education, Manipal, India. ²⁶⁷Department of Biochemistry, Government Medical College, Mysuru, India. ²⁶⁸National Health System Resource Centre, Ministry of Health & Family Welfare, New Delhi, India. ²⁶⁹Zoonoses Research Center, Islamic Azad University, Karaj, Iran. ²⁷⁰Department of Clinical Sciences, Jahrom University of Medical Sciences, Jahrom, Iran. ²⁷¹Department of Community Medicine, Manipal Academy of Higher Education, Mangalore, India. ²⁷²Department of Economics, National Open University, Benin City, Nigeria. ²⁷³Department of Oral and Maxillofacial Pathology, Krishna Vishwa Vidyapeeth (Deemed to be University), Karad, India. ²⁷⁴Social Determinants of Health Research Center, Gonabad University of Medical Sciences, Gonabad, Iran. ²⁷⁵Institute for Prevention of Non-communicable Diseases, Qazvin University of Medical Sciences, Qazvin, Iran. ²⁷⁶Health Services Management Department, Qazvin University of Medical Sciences, Qazvin, Iran. ²⁷⁷Manipal Institute of Management, Manipal Academy of Higher Education, Manipal, India. ²⁷⁸Save Sight Institute, University of Sydney, Sydney, NSW, Australia. ²⁷⁹Sydney Eye Hospital, South Eastern Sydney Local Health District, Sydney, NSW, Australia. ²⁸⁰The Hansjörg Wyss Department of Plastic and Reconstructive Surgery, Nab'a Al-Hayat Foundation for Medical Sciences and Health Care, New York, NY, USA. ²⁸¹Department of Cleft Lip and Palate Surgery, Global Smile Foundation, Norwood, MA, USA. ²⁸²School of Health Professions and Human Services, Hofstra University, Hempstead, NY, USA. ²⁸³Department of Anesthesiology, Montefiore Medical Center, Bronx, NY, USA. ²⁸⁴Eye Research Center, Iran University of Medical Sciences, Tehran, Iran. ²⁸⁵Health Policy Research Center, Shiraz University of Medical Sciences, Shiraz, Iran. ²⁸⁶Department of Ophthalmology, Yenepoya Medical College, Mangalore, India. ²⁸⁷Department of ENT, Dr. B. R. Ambedkar State Institute of Medical Sciences (AIMS), Mohali, India. ²⁸⁸International Research Center of Excellence, Institute of Human Virology, Nigeria, Abuja, Nigeria. ²⁸⁹Julius Centre for Health Sciences and Primary Care, Utrecht University, Utrecht, Netherlands. ²⁹⁰Department of Public Health, Jordan University of Science and Technology, Irbid, Jordan. ²⁹¹Amity Institute of Forensic Sciences, Amity University, Noida, India. ²⁹²Department of Biophysics and Biochemistry, Baku State University, Baku, Azerbaijan. ²⁹³Azerbaijan State University of Economics (UNEC), Baku, Azerbaijan. ²⁹⁴Global Consortium for Public Health Research, Datta Meghe Institute of Higher Education and Research, Wardha, India. ²⁹⁵School of Health Sciences, Kristiania University College, Oslo, Norway. ²⁹⁶Department of International Health and Sustainable Development, Tulane University, New Orleans, LA, USA. ²⁹⁷Independent Consultant, Jakarta, Indonesia. ²⁹⁸San Juan de Dios Sanitary Park, Barcelona, Spain. ²⁹⁹Department of Anthropology, Panjab University, Chandigarh, India. ³⁰⁰Department of Health Research, Almaty, Kazakhstan. ³⁰¹Atchabarov Scientific Research Institute of Fundamental and Applied Medicine, Kazakh National Medical University, Almaty, Kazakhstan. ³⁰²Faculty of Health and Life Sciences, Coventry University, Coventry, UK. ³⁰³Department of Medicine, McMaster University, Hamilton, ON, Canada. ³⁰⁴Department of Health Policy and Strategy, Foundation for People-centric Health Systems, New Delhi, India. ³⁰⁵SD Gupta School of Public Health, Indian Institute of Health Management Research University, Jaipur, India. ³⁰⁶Department of Surgery, Washington University in St. Louis, Saint Louis, MO, USA. ³⁰⁷Unit of Genetics and Public Health, Institute of Medical Sciences, Las Tablas, Panama. ³⁰⁸Ministry of Health, Herrera, Panama. ³⁰⁹College of Optometry, Nova Southeastern University, Fort Lauderdale, FL, USA. ³¹⁰Department of Medical Humanities and Social Medicine, Ajou University School of Medicine, Suwon, South Korea. ³¹¹Medial Research Collaborating Center, Ajou University Medical Center, Suwon, South Korea. ³¹²Department of Precision Medicine, Sungkyunkwan University, Suwon-si, South Korea. ³¹³Department of Internal Medicine, University of Texas, Galveston, TX, USA. ³¹⁴School of Biomedical Sciences, Coleraine, UK. ³¹⁵Department of Community Medicine, Jawaharlal Institute of Postgraduate Medical Education and Research, Karaikal, India. ³¹⁶School of Pharmacy, University of the West Indies, St. Augustine, Trinidad and Tobago. ³¹⁷Fellow, Planetary Health Alliance, Boston, MA, USA. ³¹⁸Department of Food Hygiene and Safety, Qazvin University of Medical Sciences, Qazvin, Iran. ³¹⁹Department of Internal Medicine, Dayanand Medical College and Hospital, Ludhiana, India. ³²⁰Department of Clinical Pharmacy, Jouf University, Sakaka, Saudi Arabia. ³²¹Digestive Diseases Research Institute, Tehran University of Medical Sciences, Tehran, Iran. ³²²Department of Public Health, Management and Science University, Shah Alam, Malaysia. ³²³Jeffrey Cheah School of Medicine and Health Sciences, Monash University, Subang Jaya, Malaysia. ³²⁴Department of GF Ingrassia, University of Catania, Catania, Italy. ³²⁵Department of Ophthalmology, Princess of Wales Hospital, Wales, UK. ³²⁶School of Optometry and Vision Sciences, Cardiff University, Cardiff, UK. ³²⁷Department of Epidemiology and Biostatistics, Wollo University, Dessie, Ethiopia. ³²⁸Department of Research, Performance Monitoring and Accountability 2020-Ethiopia, Addis Ababa, Ethiopia. ³²⁹Department of Public Health, Arba Minch University, Arba Minch, Ethiopia. ³³⁰Eye Center, Wuhan University, Wuhan, China. ³³¹University Centre Varazdin, University North, Varazdin, Croatia. ³³²International Ph.D. Program in Medicine, Taipei Medical University, Taipei, Taiwan. ³³³Research Center for Artificial Intelligence in Medicine, Taipei Medical University, Taipei, Taiwan. ³³⁴National Data Management Center for Health, Ethiopian Public Health Institute, Addis Ababa, Ethiopia. ³³⁵Department of Biomedical Sciences, Mercer University School of Medicine, Macon, GA, USA. ³³⁶Department of Surgical Oncology, All India Institute of Medical Sciences, Jodhpur, India. ³³⁷Molecular Biology Unit, Sirius Training and Research Centre, Khartoum, Sudan. ³³⁸Bio-Statistical and Molecular Biology Department, Sirius Training and Research Centre, Khartoum, Sudan. ³³⁹Department of Clinical Pharmacy and Pharmacy Practice, Ahmadu Bello University, Zaria, Nigeria. ³⁴⁰School of Pharmaceutical Sciences, Universiti Sains Malaysia (University of Science Malaysia), Penang, Malaysia. ³⁴¹Department of Pharmacology, Abadan School of Medical Sciences, Abadan, Iran. ³⁴²Department of Biostatistics, Shiraz University of Medical Sciences, Shiraz, Iran. ³⁴³School of Health & Rehabilitation Sciences, The University of Queensland, Brisbane, QLD, Australia. ³⁴⁴Non-communicable Diseases Research Center, Tehran University of Medical Sciences, Tehran, Iran. ³⁴⁵School of Medicine, Shahid Beheshti University of Medical Sciences, Tehran, Iran. ³⁴⁶Department of Medicine, Democritus University of Thrace, Alexandroupolis, Greece. ³⁴⁷College of Medicine and Public Health, Flinders University, Adelaide, Australia. ³⁴⁸Department of Engineering, Western Sydney University, Sydney, NSW, Australia. ³⁴⁹Comprehensive Cancer Center, University of Alabama at Birmingham, Birmingham, AL, USA. ³⁵⁰Department of Dental Public Health, King Abdulaziz University, Jeddah, Saudi Arabia. ³⁵¹Department of Health Policy and Oral Epidemiology, Harvard University, Boston, MA, USA. ³⁵²Independent Consultant, Tehran, Iran. ³⁵³Department of Internal Medicine, Ardabil University of Medical Science, Ardabil, Iran. ³⁵⁴Department of Medical Laboratory Sciences, Adigrat University, Adigrat, Ethiopia. ³⁵⁵Division of Cardiology, Massachusetts General Hospital, Boston, MA, USA. ³⁵⁶Department of Medical Engineering, University of South Florida, Tampa, FL, USA. ³⁵⁷Department of Surgery, Danang Family

Hospital, Danang, Viet Nam. ³⁵⁸Department of General Medicine, University of Medicine and Pharmacy at Ho Chi Minh City, Ho Chi Minh City, Viet Nam. ³⁵⁹International Islamic University Islamabad, Islamabad, Pakistan. ³⁶⁰School of Pharmacy, University of the Western Cape, Cape Town, South Africa. ³⁶¹Department of Psychiatry and Behavioural Neurosciences, McMaster University, Hamilton, ON, Canada. ³⁶²Department of Psychiatry, University of Lagos, Lagos, Nigeria. ³⁶³Department of Nursing Science, Bowen University, Iwo, Nigeria. ³⁶⁴Department of Pharmacotherapy and Pharmaceutical Care, Medical University of Warsaw, Warsaw, Poland. ³⁶⁵School of Medicine, Western Sydney University, Campbelltown, NSW, Australia. ³⁶⁶Department of Optometry and Vision Science, University of KwaZulu-Natal, KwaZulu-Natal, South Africa. ³⁶⁷Laboratory of Public Health Indicators Analysis and Health Digitalization, Moscow Institute of Physics and Technology, Dolgoprudny, Russia. ³⁶⁸Department of Medicine, University of Ibadan, Ibadan, Nigeria. ³⁶⁹Department of Medicine, University College Hospital, Ibadan, Ibadan, Nigeria. ³⁷⁰Department of Forensic Medicine and Toxicology, Kasturba Medical College, Mangalore, Mangalore, India. ³⁷¹Research Department, Nepal Health Research Council, Kathmandu, Nepal. ³⁷²Research Department, Public Health Research Society Nepal, Kathmandu, Nepal. ³⁷³Department of Ophthalmology, Nottingham University Hospitals, QMC Campus, Nottingham, UK. ³⁷⁴Division of Ophthalmology & Visual Sciences, University of Nottingham, Nottingham, UK. ³⁷⁵Yonsei University College of Medicine, Seodaemun-gu, South Korea. ³⁷⁶Global Health Governance Programme, University of Edinburgh, Edinburgh, UK. ³⁷⁷School of Dentistry, University of Leeds, Leeds, UK. ³⁷⁸Department of Genetics, Yale University, New Haven, CT, USA. ³⁷⁹Centre for Primary Health Care and Equity, University of New South Wales, Kensington, Australia. ³⁸⁰Department of Statistics and Econometrics, Bucharest University of Economic Studies, Bucharest, Romania. ³⁸¹School of Medicine, Pham Ngoc Thach University of Medicine, Ho Chi Minh City, Viet Nam. ³⁸²College of Health Sciences, VinUniversity, Hanoi, Viet Nam. ³⁸³Department of Health Sciences, Cihan University Sulaimaniya, Sulaymaniyah, Iraq. ³⁸⁴Cihan University Sulaimaniya Research Center (CUSRC), Sulaymaniyah, Iraq. ³⁸⁵Sina Trauma and Surgery Research Center, Tehran University of Medical Sciences, Tehran, Iran. ³⁸⁶Manipal TATA Medical College, Manipal Academy of Higher Education, Manipal, India. ³⁸⁷Department of Community Medicine, Employees' State Insurance Model Hospital, Chennai, India. ³⁸⁸Department of Radiology, Stanford University, Stanford, CA, USA. ³⁸⁹Department of Community Medicine, Mahatma Gandhi Medical College and Research Institute, Puducherry, India. ³⁹⁰School of Humanities and Social Sciences, Indian Institute of Technology Mandi, Mandi, India. ³⁹¹Social Determinants of Health Research Center, Shahid Beheshti University of Medical Sciences, Tehran, Iran. ³⁹²Department of Community Medicine and Family Medicine, All India Institute of Medical Sciences, Gorakhpur, Gorakhpur, India. ³⁹³Department of Health Behaviour, Environment, and Social Medicine, Gadjah Mada University, Yogyakarta, Indonesia. ³⁹⁴Department of Primary Care and Public Health, Imperial College London, London, UK. ³⁹⁵Academic Public Health England, Public Health England, London, UK. ³⁹⁶Department of Medicine, Tehran University of Medical Sciences, Tehran, Iran. ³⁹⁷Department Biological Sciences, King Abdulaziz University, Jeddah, Egypt. ³⁹⁸Department of Protein Research, Research and Academic Institution, Alexandria, Egypt. ³⁹⁹Department of Labour, Directorate of Factories, Government of West Bengal, Kolkata, India. ⁴⁰⁰Department of Biostatistics and Epidemiology, International Institute for Population Sciences, Mumbai, India. ⁴⁰¹Faculty of Medicine, Gonabad University of Medical Sciences, Gonabad, Iran. ⁴⁰²Infectious Diseases Research Center, Gonabad University of Medical Sciences, gonabad, Iran. ⁴⁰³Sharjah Institute for Medical Research, University of Sharjah, Sharjah, United Arab Emirates. ⁴⁰⁴Multidisciplinary Laboratory Foundation University School of Health Sciences (FUSH), Foundation University, Islamabad, Pakistan. ⁴⁰⁵International Center of Medical Sciences Research (ICMSR), Islamabad, Pakistan. ⁴⁰⁶Ophthalmic Epidemiology Research Center, Shahid Beheshti University of Medical Sciences, Tehran, Iran. ⁴⁰⁷Ophthalmic Research Center, Shahid Beheshti University of Medical Sciences, Tehran, Iran. ⁴⁰⁸Faculty of Medicine, Bioscience and Nursing, MAHSA University, Selangor, Malaysia. ⁴⁰⁹Interdisciplinary Research Centre in Biomedical Materials (IRCBM), COMSATS Institute of Information Technology, Lahore, Pakistan. ⁴¹⁰Research Center for Immunodeficiencies, Tehran University of Medical Sciences, Tehran, Iran. ⁴¹¹Sharjah Institute of Medical Sciences, University of Sharjah, Sharjah, United Arab Emirates. ⁴¹²Applied Biomedical Research Center, Mashhad University of Medical Sciences, Mashhad, Iran. ⁴¹³Biotechnology Research Center, Mashhad University of Medical Sciences, Mashhad, Iran. ⁴¹⁴Multiple Sclerosis Research Center, Tehran University of Medical Sciences, Tehran, Iran. ⁴¹⁵Ludwig Maximilian University of Munich, Munich, Germany. ⁴¹⁶Institute for Employment Research, Nuremberg, Germany. ⁴¹⁷College of Medicine, University of Sharjah, Sharjah, United Arab Emirates. ⁴¹⁸Faculty of Pharmacy, Mansoura University, Mansoura, Egypt. ⁴¹⁹Department of Neurology, Charité Universitätsmedizin Berlin (Charité Medical University Berlin), Berlin, Germany. ⁴²⁰Department of Neurology, University of Southern Denmark, Odense, Denmark. ⁴²¹School of Public Health, Taipei Medical University, Taipei, Taiwan. ⁴²²Department of Anatomy, Ras Al Khaimah Medical and Health Sciences University, Ras Al Khaimah, United Arab Emirates. ⁴²³Department of Entomology, Ain Shams University, Cairo, Egypt. ⁴²⁴Medical Ain Shams Research Institute (MASRI), Ain Shams University, Cairo, Egypt. ⁴²⁵Department of Pharmacology and Research, All India Institute of Medical Sciences, Jodhpur, India. ⁴²⁶Indira Gandhi Medical College and Research Institute, Puducherry, India. ⁴²⁷Faculty of Dentistry, AIMST University, Bedong, Malaysia. ⁴²⁸Faculty of Medicine, Tehran University of Medical Sciences, Tehran, Iran. ⁴²⁹Department of Human Genetics and Molecular Medicine, Central University of Punjab, Bathinda, India. ⁴³⁰Department of Medicine and Surgery, Government Doon Medical College, Dehradun, India. ⁴³¹Endocrinology and Metabolism Research Center (EMRC), Tehran University of Medical Sciences, Tehran, Iran. ⁴³²National Heart, Lung, and Blood Institute, National Institute of Health, Rockville, MD, USA. ⁴³³Public Health Division, An-Najah National University, Nablus, Palestine. ⁴³⁴Institute of Molecular Biology and Biotechnology (IMBB), The University of Lahore, Lahore, Pakistan. ⁴³⁵Research Centre for Health Sciences (RCHS), The University of Lahore, Lahore, Pakistan. ⁴³⁶Department of Clinical Sciences, Al-Quds University, Ajman, United Arab Emirates. ⁴³⁷Independent Consultant, Karachi, Pakistan. ⁴³⁸Department of Pathology and Laboratory Medicine, Northwell Health, New York City, NY, USA. ⁴³⁹Amity Institute of Public Health, Amity University, Noida, India. ⁴⁴⁰Department of Ophthalmology, Harvard Medical School, Boston, MA, USA. ⁴⁴¹Ophthalmic Research Center (ORC), Shahid Beheshti University of Medical Sciences, Tehran, Iran. ⁴⁴²Department of Veterinary Public Health and Preventive Medicine, Usmanu Danfodiyo University, Sokoto, Sokoto, Nigeria. ⁴⁴³Center for Environmental and Respiratory Health Research, University of Oulu, Oulu, Finland. ⁴⁴⁴National Institute of Environmental Health Sciences, National Health Research Institutes, Miaoli, Taiwan. ⁴⁴⁵Department of Public Health Dentistry, Krishna Vishwa Vidyapeeth (Deemed to be University), Karad, India. ⁴⁴⁶Department of Medical-Surgical Nursing, Mazandaran University of Medical Sciences, Sari, Iran. ⁴⁴⁷Department of Nursing and Health Sciences, Flinders University, Adelaide, SA, Australia. ⁴⁴⁸Department of Pediatrics and Child Health Nursing, Dilla University, Dilla, Ethiopia. ⁴⁴⁹Unit of Basic Medical Sciences, University of Khartoum, Khartoum, Sudan. ⁴⁵⁰Department of Medical Microbiology and Infectious Diseases, Erasmus University, Rotterdam, Netherlands. ⁴⁵¹Family, Health Promotion, and Life Course Department, Pan American Health Organization, Bogota, Colombia. ⁴⁵²School of Medicine, University of Alabama at Birmingham, Birmingham, AL, USA. ⁴⁵³Department of Medicine Service, US Department of Veterans Affairs (VA), Birmingham, AL, USA. ⁴⁵⁴Department of Radiodiagnosis, All India Institute of Medical Sciences, Bathinda, India. ⁴⁵⁵Department of Ophthalmology, Hywel Dda University Health Board, Llanelli, UK. ⁴⁵⁶Department of Nursing, Dire Dawa University, Dire Dawa, Ethiopia. ⁴⁵⁷Directive Board, Associação de Profissionais Licenciados de Optometria (Association of Licensed Optometry Professionals), Linda-a-Velha, Portugal. ⁴⁵⁸Division of Community Medicine, International Medical University, Kuala Lumpur, Malaysia. ⁴⁵⁹Federal Research Institute for Health Organization and Informatics of the Ministry of Health (FRIHOI), Moscow, Russia. ⁴⁶⁰Soonchunhyang University, Vision Research Foundation, Cheonan-si, South Korea. ⁴⁶¹Nursing Professional Education Study Program, University Halu Oleo, Kendari, Indonesia. ⁴⁶²Department of Medical Informatics, Mashhad University of Medical Sciences, Mashhad, Iran. ⁴⁶³Clinical Research Development Unit, Mashhad University of Medical Sciences, Mashhad, Iran. ⁴⁶⁴Department of Clinical Pharmacy, Mekelle University, Mekelle, Ethiopia. ⁴⁶⁵Pediatric Intensive Care Unit, King Saud University, Riyadh, Saudi Arabia. ⁴⁶⁶Outpatient Department, Wollega University, Bedele town, Ethiopia. ⁴⁶⁷Department of Public Health, Wollega University, Nekemte, Ethiopia. ⁴⁶⁸Faculty of Public Health, Universitas Sam Ratulangi, Manado, Indonesia. ⁴⁶⁹Department of Public Health, Arba Minch College of Health Sciences, Arba Minch, Ethiopia. ⁴⁷⁰Department of Medicine, University of Crete, Heraklion, Greece. ⁴⁷¹Department of Nursing, Aksum University, Aksum, Ethiopia. ⁴⁷²Department of Physiology, East Carolina University, Greenville, NC, USA. ⁴⁷³Department of Epidemiology and Biostatistics, Haramaya University, Harar, Ethiopia. ⁴⁷⁴Department of Pharmacology, All India Institute of Medical Sciences, Deoghar, India. ⁴⁷⁵Department of Public Health, East Carolina University, Greenville, NC, USA. ⁴⁷⁶College of Public Health, Temple University, Philadelphia, PA, USA. ⁴⁷⁷Medical Genomics Research Department, King Abdullah International Medical Research Center, Riyadh, Saudi Arabia. ⁴⁷⁸Division of Surgery and Interventional Science, University College London, London, UK. ⁴⁷⁹Urmia University of Medical Sciences, Urmia, Iran. ⁴⁸⁰Department of Cardiovascular Sciences, Katholieke Universiteit Leuven (University of Leuven), Leuven, Belgium. ⁴⁸¹Department of Public Health, Debre Markos University, Debre Markos, Ethiopia. ⁴⁸²Department of Ophthalmology Research, Queen Mamohato Memorial Hospital, Maseru, Lesotho. ⁴⁸³Ophthalmology Unit, Bahir Dar University, Bahirdar, Ethiopia. ⁴⁸⁴School of Public Health, Zhejiang University, Zhejiang, China. ⁴⁸⁵Department of Public Health Science, Fred Hutchinson Cancer Research Center, Seattle, WA, USA. ⁴⁸⁶China Center for Health Development Studies, Peking University, Beijing, China. ⁴⁸⁷Center for the Study of Aging and Human Development, Duke University, Durham, NC, USA. ⁴⁸⁸The Russell H. Morgan Department of Radiology and Radiological Science, Johns Hopkins University, Baltimore, MD, USA. ⁴⁸⁹Department of Health Management, Süleyman Demirel Üniversitesi (Süleyman Demirel University), Isparta, Türkiye. ⁴⁹⁰Department of Pharmacology, Bahir Dar University, Bahir Dar, Ethiopia. ⁴⁹¹Pharmacy Department, Alkan Health Science, Business and Technology College, Bahir Dar, Ethiopia. ⁴⁹²Department of Pediatrics, Kyung Hee University, Seoul, South Korea. ⁴⁹³Department of Neuropsychopharmacology, National Center of Neurology and Psychiatry, Kodaira, Japan. ⁴⁹⁴Department of Public Health, Juntendo University, Tokyo, Japan. ⁴⁹⁵Department of Epidemiology and Biostatistics, Wuhan University, Wuhan, China. ⁴⁹⁶Department of Bioengineering and Therapeutic Sciences, University of California San Francisco, San Francisco, CA, USA. ⁴⁹⁷Addictology Department, Russian Medical Academy of Continuous Professional Education, Moscow, Russia. ⁴⁹⁸College of Traditional Chinese Medicine, Hebei University, Baoding, China. ⁴⁹⁹Department of Ophthalmology, Iran University of Medical Sciences, Tehran, Iran. ⁵⁰⁰Department of Biochemistry and Pharmacogenomics, Medical University

of Warsaw, Warsaw, Poland. ⁵⁰¹Department of Anatomy, Addis Ababa University, Addis Ababa, Ethiopia. ⁵⁰²Department of Nursing, Yasuj University of Medical Sciences, Yasuj, Iran. ⁵⁰³These authors contributed equally: Jaimie D. Steinmetz, Rupert Bourne. ⁵⁰⁴These authors jointly supervised this work: Seth Flaxman, Jaimie D. Steinmetz.
✉ email: k.pesudovs@unsw.edu.au