

Serdica J. Computing **6** (2012), 385–400

Serdica
Journal of Computing

Bulgarian Academy of Sciences
Institute of Mathematics and Informatics

A MIXED INTEGER QUADRATIC PROGRAMMING MODEL FOR THE LOW AUTOCORRELATION BINARY SEQUENCE PROBLEM*

Jozef Kratica

ABSTRACT. In this paper the low autocorrelation binary sequence problem (LABSP) is modeled as a mixed integer quadratic programming (MIQP) problem and proof of the model's validity is given. Since the MIQP model is semidefinite, general optimization solvers can be used, and converge in a finite number of iterations. The experimental results show that IQP solvers, based on this MIQP formulation, are capable of optimally solving general/skew-symmetric LABSP instances of up to 30/51 elements in a moderate time.

1. Introduction. The low autocorrelation binary sequence problem (LABSP) is a very hard combinatorial optimization problem with a quite simple formulation. The mathematical formulation of LABSP is based on a binary

ACM Computing Classification System (1998): G.1.6, I.2.8.

Key words: Integer programming, Quadratic programming, low autocorrelation binary sequence problem.

*This research was partially supported by the Serbian Ministry of Education and Science under projects 174010 and 174033.

sequence s of the length n . Let $s \in \{-1, 1\}^n$, i.e., s is represented by (s_1, s_2, \dots, s_n) , where $s_i \in \{-1, 1\}$ for $1 \leq i \leq n$. Each sequence s is associated with the value of its energy function, which is defined as follows:

$$(1) \quad \begin{aligned} E(s) &= \sum_{k=1}^{n-1} C_k^2(s), \text{ where} \\ C_k(s) &= \sum_{i=1}^{n-k} s_i s_{i+k} \end{aligned}$$

Then, the low autocorrelation problem for binary sequences with length n , can be formulated as finding a sequence s of the length n whose energy function is as low as possible. The second measure of the quality of the sequence s is a merit factor

$$(2) \quad F(s) = \frac{n^2}{2E(s)},$$

defined by Bernasconi in [2]. Mathematically, LABSP can be formulated as $\max_{s \in \{-1, 1\}^n} F(s)$. Both formulations are equivalent, and either of them can be used when it is convenient.

As can be seen from (1), the objective function has degree four and decision variables are integer. Therefore, the existing LABSP formulation cannot be solved by any existing general optimization programming package, since they are able to solve:

- global optimization models, where decision variables have real values;
- integer linear programming models;
- semidefinite quadratic programming models.

In order to enable the use of existing state-of-the-art integer optimization packages for solving LABSP, it is reformulated as a semidefinite mixed integer quadratic programming problem in Section 3, together with the proof of the equivalence of the two models.

One subset of the low autocorrelation binary sequences that has gained much attention in the search of LABSP are so-called skew-symmetric sequences. They are sequences with the odd length n , fulfilling the condition (3):

$$(3) \quad s_{m+i} = (-1)^i \cdot s_{m-i}, \quad 1 \leq i \leq m-1,$$

where $m = \frac{n+1}{2}$. Since for the sequences with the odd values of k , $C_k(s) = 0$ and because the search space is 2^{m-1} times smaller, the running time of the methods dealing only with the skew-symmetric sequences is several times shorter, compared to the general case. Although the asymptotic value of $F(s)$ obtained for these sequences is the same as for the general case, the true global optimum is not skew-symmetric for many values of n (for LABSP with $n = 19, 23, 25, \dots$, the global optima are not skew-symmetric).

The rest of the paper is organized as follows. In Section 2, previous work on LABSP is presented. A new mixed integer quadratic programming (MIQP) model is given in Section 3, together with proof of its correctness. Section 4 contains computational results of two state-of-the-art integer linear and quadratic solvers based on the proposed MIQP formulation. Section 5 contains conclusions and directions to future work.

2. Previous work. LABSP has been deeply studied since the 1960s by the communities of both physics and artificial intelligence. There are two reasons behind this interest:

- It arises in many diverse areas, including statistical mechanics and configuration state analysis [2], calibration of surface profile metrology tools [1], satellite and space applications [9], digital signal processing [19], etc.;
- LABSP is also a significant challenge to exact and/or heuristic applications, since it is known that the problem has “bit-flip” neighborhood structure of combinatorial landscapes [6, 7]. With this type of neighborhood, it is extremely steep around the optimum, which is sometimes referred to as “golf hole” landscapes, and it poses a very difficult optimization problem. In this case, small changes in argument values usually cause a drastic difference in objective value. For example, alteration of only one bit in the binary sequence s can affect an objective value change by several tens of percents. For these reasons LABSP is also listed in the CSPLIB library as problem 005.

Although Golay in [10] estimated that $\lim_{n \rightarrow \infty} F(s) = 12.32$, it is not good enough, because for the dimensions between 21 and 60 the merit factor varies from $F(s) = 5.627$ for $n = 23$ to $F(s) = 9.85$ for $n = 27$, which is obviously far from the estimated limit 12.32.

The state-of-the-art exact method given in [15, 16] is based on exhaustive search and it solves the problem optimally up to $n = 60$. The experimental research was carried out for several days on a multiprocessor cluster of 160 CPUs. It is the largest dimension with a known optimal solution.

A detailed description of all metaheuristic approaches for solving LABSP is out of this paper's scope, so only several successful applications are mentioned:

- A hybrid evolutionary approach described in [3] combines the evolutionary search described in [17] and the Kerningham-Lin heuristic defined in [13]. This evolutionary approach uses a specific termination criterion based on statistical analysis of known optimal solutions and their asymptotic behavior.
- In [5], the authors presents a constraint programming approach hybridized with local search algorithms incorporated into the tabu search program framework. The initial configuration is randomly generated, and in each iteration the best move in the neighborhood of the current solution is selected. The tabu component maintains a fixed length tabu list in order to avoid flipping a recently considered variable. It also uses an aspiration criterion to overwrite the tabu status when the move would lead to the best solution found so far. The restarting component of the approach simply re-initializes the search from a random configuration, whenever the best configuration found so far has not been improved upon the predefined number of iterations. Computational experiments show that the presented tabu search algorithm quickly finds solutions for the instances up to $n = 32$ (in a few seconds or less), and finds solutions in reasonable time for the remaining instances. Moreover, it finds the optimal LABSP sequences for the values up to $n = 48$ and it is about 8 to 55 times faster than the previous local search approach presented in the literature.
- In [20], Greedy Randomized Adaptive Search Procedures (GRASP) are applied to tackle the LABSP problem. Using greedy solutions as starting points for local search will usually lead to suboptimal solutions, since a greedy starting solution is less likely to be in the basin of the attraction of a global optimum. To avoid producing the same solution in each iteration, a list of best candidates, called the restricted candidate list, is constructed according to their greedy function values. One of the best solutions but not necessarily the top candidate is selected randomly from that list. After

finding the local optima, $n/10$ random positions in the sequence s are flipped several times, in order to generate a new set of initial sequences for the next iteration. Afterward, a steepest descent local search procedure was applied, that moves the solution to the best sequence in the neighborhood until a local optimum is reached. In order to test the algorithm on larger instances, the method is also adapted to explore skew-symmetric solutions.

- A detailed analysis of different stand-alone local search strategies is given in [8]. This analysis is later used in embedding the best local search strategy within other metaheuristic approaches. The results indicate that the pure evolutionary algorithm cannot cope with the complexity of the problem and the assistance of the local-search operators is required to provide optimal or suboptimal results being consistent. As a best choice for solving LABSP, a memetic algorithm endowed with a tabu search local searcher is proposed, and that approach consistently finds optimal sequences in considerably less time than the approaches previously reported in the literature.
- Another metaheuristic method for solving LABSP, based on the stochastic local search (SLS), is presented in [12]. In-depth analysis of LABSP fitness landscape and the white-box visualization get insights on how SLS can be effective and lead to a slightly better strategy.
- A local search algorithm described in [18] uses a quite different strategy compared to previous local search approaches. It is based on the randomized form of backtracking. In that way, the optimization problem is reduced to a series of constraint satisfaction problems which are solved iteratively, with decreasing upper bounds of the given objective function. Experimental results indicate that the algorithm is time consuming. For example, the average running time for $n = 40$ is over 1000 seconds.
- An electromagnetism-like approach (EM) for solving the low autocorrelation binary sequence problem (LABSP) is applied in [14]. Movement based on the attraction-repulsion mechanisms combined with the proposed scaling technique directs the EM to the promising search regions. Fast implementation of the local search procedure additionally improves the efficiency of the overall EM system.

3. A new MIQP formulation. As has been stated previously, the MIQP formulation presented in this section is the first attempt, to the author's knowledge, to modify the LABSP mathematical formulation to be possibly solved by existing optimization packages. Moreover, when the problem is formulated as semidefinite MIQP, it is later possible to use the principles of semidefinite programming to possibly design an exact method for LABSP.

Since optimization packages allow better treatment for binary decision variables compared to integer decision variables, and $s_i \in \{-1, 1\}$, it is convenient to translate it to the binary decision variable $x_i \in \{0, 1\}$ by simple scaling

$$(4) \quad s_i = 2 \cdot x_i - 1$$

or equivalently

$$(5) \quad x_i = \frac{s_i + 1}{2}$$

Let the other decision variables be defined as follows:

$$(6) \quad y_{ik} = x_i \cdot x_{i+k}$$

and

$$(7) \quad z_k = C_k(s)$$

Then, the mixed integer quadratic programming (MIQP) formulation is:

$$(8) \quad \min \sum_{k=1}^{n-1} z_k^2$$

s.t.

$$(9) \quad -z_k + 4 \cdot \sum_{i=1}^{n-k} y_{ik} - 2 \cdot \sum_{i=1}^{n-k} x_i - 2 \sum_{i=1}^{n-k} x_{i+k} = k - n \quad k = 1, \dots, n-1$$

$$(10) \quad y_{ik} \leq \frac{1}{2}x_i + \frac{1}{2}x_{i+k} \quad k = 1, \dots, n-1, i = 1, \dots, n-k$$

$$(11) \quad y_{ik} \geq x_i + x_{i+k} - 1 \quad k = 1, \dots, n-1, i = 1, \dots, n-k$$

$$(12) \quad x_i, y_{ik} \in \{0, 1\}, z_k \in [-n, n] \quad k = 1, \dots, n-1, i = 1, \dots, n-k$$

As it can be seen, there are n real variables, $\frac{n \cdot (n+1)}{2}$ binary variables and $n^2 - 1$ constraints. Now, we can define $Obj_{MIQP}(x, y, z) = \sum_{k=1}^{n-1} z_k^2$ subject to (9)–(12).

Let us show that the solution of this MIQP formulation is the solution of the LABSP.

Lemma 1. *Let s be a sequence from $\{-1, 1\}^n$. Then there exists a solution (x, y, z) of the system (9)–(12) such that $Obj_{MIQP}(x, y, z)$ is not more than $E(s)$.*

Proof. Let the decision variables (x, y, z) be defined as (5)–(7). We will prove that this vector satisfies the system (9)–(12) and $Obj_{MIQP}(x, y, z) \leq E(s)$.

Constraints (12) are satisfied by definitions of the decision variables (5)–(7).

If $x_i = x_{i+k} = 1$ then $y_{ik} = x_i \cdot x_{i+k} = 1 = \frac{1}{2}x_i + \frac{1}{2}x_{i+k} = \frac{1}{2} + \frac{1}{2}$. If $x_i = 0$ or $x_{i+k} = 0$ (or both are equal to 0) then $y_{ik} = x_i \cdot x_{i+k} = 0$, while $\frac{1}{2}x_i + \frac{1}{2}x_{i+k} \geq 0$, since decision variables x are non-negative. Therefore, in both cases $y_{ik} \leq \frac{1}{2}x_i + \frac{1}{2}x_{i+k}$ holds, implying that constraints (10) are satisfied.

Similarly, if $x_i = x_{i+k} = 1$ then $y_{ik} = x_i \cdot x_{i+k} = 1 = x_i + x_{i+k} - 1 = 1$. If $x_i = 0$ or $x_{i+k} = 0$ (or both are equal to 0) then $y_{ik} = x_i \cdot x_{i+k} = 0$, while $x_i + x_{i+k} - 1 \leq 0$, since decision variables x are at most one. Therefore, in both cases $y_{ik} \geq x_i + x_{i+k} - 1$ holds, implying that constraints (11) are satisfied.

Using the definitions of the decision variables given in (4)–(7) we have z_k

$$= C_k(s) = \sum_{i=1}^{n-k} s_i \cdot s_{i+k} = \sum_{i=1}^{n-k} (2 \cdot x_i - 1) \cdot (2 \cdot x_{i+k} - 1) =$$

$$= \sum_{i=1}^{n-k} (4 \cdot x_i \cdot x_{i+k} - 2 \cdot x_i - 2 \cdot x_{i+k} + 1) = 4 \cdot \sum_{i=1}^{n-k} x_i \cdot x_{i+k} - 2 \cdot \sum_{i=1}^{n-k} x_i$$

$$- 2 \cdot \sum_{i=1}^{n-k} x_{i+k} + \sum_{i=1}^{n-k} 1 = 4 \cdot \sum_{i=1}^{n-k} y_{ik} - 2 \cdot \sum_{i=1}^{n-k} x_i - 2 \cdot \sum_{i=1}^{n-k} x_{i+k} + n - k.$$

Therefore,

$$z_k = 4 \cdot \sum_{i=1}^{n-k} y_{ik} - 2 \cdot \sum_{i=1}^{n-k} x_i - 2 \cdot \sum_{i=1}^{n-k} x_{i+k} + n - k, \text{ which is equal as constraint (9).}$$

It can be seen that by (7) $z_k = C_k(s)$ holds. Then $\sum_{k=1}^{n-1} z_k^2 = \sum_{k=1}^{n-1} C_k(s)^2 = E(s)$. We have one solution (x, y, z) with the objective function value equals to $E(s)$, therefore $Obj_{MIQP}(x, y, z) \leq E(s)$. \square

Lemma 2. *Let (x, y, z) be a solution to (9)–(12). Then there exists a sequence s such that $E(s)$ is not more than $Obj_{MIQP}(x, y, z, u)$.*

Proof. The first step is to prove that constraints (10) and (11) on binary decision variables y_{ik} , x_i and x_k are equivalent as $y_{ik} = x_i \cdot x_{i+k}$. Actually, (10) implies that if $y_{ik} = 1$ then because of the binary nature of the decision variables x , $x_i = x_{i+k} = 1$ must be satisfied. On the other hand, (11) implies that if $y_{ik} = 0$ then $x_i + x_{i+k} \leq 1$ so either one of them (or both x_i and x_{i+k}) must be equal to zero. Similarly, in the other direction, when $x_i = x_{i+k} = 1$ by (11) must be $y_{ik} = 1$, and when $x_i = 0$ or $x_{i+k} = 0$, constraint (10) implies $y_{ik} = 0$.

Let the sequence s be defined by (4). Then, as in the Proof of Lemma 1,

$$C_k(s) = \sum_{i=1}^{n-k} s_i \cdot s_{i+k} = \sum_{i=1}^{n-k} (2 \cdot x_i - 1) \cdot (2 \cdot x_{i+k} - 1) =$$

$$= \sum_{i=1}^{n-k} (4 \cdot x_i \cdot x_{i+k} - 2 \cdot x_i - 2 \cdot x_{i+k} + 1) = 4 \cdot \sum_{i=1}^{n-k} x_i \cdot x_{i+k} - 2 \cdot \sum_{i=1}^{n-k} x_i$$

$$- 2 \cdot \sum_{i=1}^{n-k} x_{i+k} + \sum_{i=1}^{n-k} 1 = 4 \cdot \sum_{i=1}^{n-k} y_{ik} - 2 \cdot \sum_{i=1}^{n-k} x_i - 2 \cdot \sum_{i=1}^{n-k} x_{i+k} + n - k. \text{ From constraint (9)}$$

it follows that $C_k(s) = z_k$, so $E(s) = \sum_{k=1}^{n-1} C_k^2(s) = \sum_{k=1}^{n-1} z_k^2 = Obj_{MIQP}(x, y, z)$. \square

Theorem 1. *Sequence s has minimal energy $E(s)$ if and only if there is an optimal solution (x, y, z) of (8)–(12).*

Proof. The direction (\Rightarrow) can be easily deduced from Lemma 1. The other direction (\Leftarrow) directly follows from Lemma 2. \square

Note that the objective function (8) is obviously semidefinite, since it is the sum of squares, so integer quadratic programming packages can be used, and they converge in a finite number of iterations.

It is obvious that for the skew-symmetric LABSP, for decision variables, the constraint (3) is stated as:

$$(13) \quad x_{m+i} = \begin{cases} x_{m-i}, & i \text{ is even} \\ 1 - x_{m-i}, & i \text{ is odd} \end{cases}$$

Therefore, the MIQP formulation for skew-symmetric LABSP is (8)-(13).

4. Experimental results. In order to illustrate the ability of the presented MIQP model for LABSP, a number of experimental testings are provided. The MIQP model is tested on two state-of-the-art integer linear and quadratic programming solvers: CPLEX [4] version 12.1 and Gurobi [11] version 4.0. All computation experiments are executed on a single core of Quad Core 2.5 GHz PC computer with 4 GB RAM.

Table 1 presents the results of CPLEX and Gurobi solvers using the proposed MIQP model on LABSP instances with $3 \leq n \leq 30$. In the first column the dimension n is given. The next two columns contain the optimal energy $E(s)$ and merit factor $F(s)$ for the given dimension. The last two columns contain total running times needed to obtain and verify the optimal solution of CPLEX and Gurobi solver, respectively.

Table 2 displays the results of CPLEX and Gurobi solvers using the proposed MIQP model on skew-symmetric LABSP instances with $3 \leq n \leq 51$, presented in the same way as in Table 1.

As can be seen from Table 1, both solvers are able to obtain optimal solutions for general LABSP instances up to $n = 30$ in moderate time. Although the obtained results are encouraging, this approach is not capable of obtaining new and unknown optimal solutions for dimensions $n > 60$.

However, for skew-symmetric LABSP instances optimal solutions are obtained for dimensions up to $n = 51$. For some of the instances, to the author's knowledge, this is the first report of skew-symmetric optimal results in the literature.

In order to obtain some insights for metaheuristic performance for solving LABSP, results of several such approaches, mentioned in Section 2, are presented

Table 1. CPLEX and Gurobi results on general LABSP instances

n	Opt		$CPLEX$	$Gurobi$
	$E(s)$	$F(s)$	$t[sec]$	$t[sec]$
3	1	4.500000	< 0.001	< 0.01
4	2	4.000000	0.015	< 0.01
5	2	6.250000	0.015	0.02
6	7	2.571429	0.023	0.02
7	3	8.166667	0.031	0.01
8	8	4.000000	0.078	0.05
9	12	3.375000	0.187	0.13
10	13	3.846154	0.406	0.20
11	5	12.100000	0.468	0.19
12	10	7.200000	0.968	0.48
13	6	14.083333	1.406	0.55
14	19	5.157895	4.265	4.39
15	15	7.500000	6.296	6.52
16	24	5.333333	16.843	15.44
17	32	4.515625	32.734	32.98
18	25	6.480000	39.031	38.31
19	29	6.224138	101.52	74.75
20	26	7.692308	123.14	92.52
21	26	8.480769	207.86	187.03
22	39	6.205128	526.31	420.27
23	47	5.627660	1119.4	1151.6
24	36	8.000000	1434.8	1060.8
25	36	8.680556	2367.6	2001.8
26	45	7.511111	4005.6	3807.6
27	37	9.851351	6376.5	4527.0
28	50	7.840000	12207	11249
29	62	6.782258	27022	27967
30	59	7.627119	30220	41405

Table 2. CPLEX and Gurobi results on skew-symmetric LABSP instances

n	Opt		$CPLEX$	$Gurobi$
	$E(s)$	$F(s)$	$t[sec]$	$t[sec]$
3	1	4.500000	< 0.001	< 0.01
5	2	6.250000	< 0.001	0.020
7	3	8.166667	0.015	< 0.01
9	12	3.375	0.046	0.03
11	5	12.1	0.015	0.01
13	6	14.083333	0.015	0.06
15	15	7.5	0.421	0.19
17	32	4.515625	0.953	0.58
19	33	5.469697	1.500	0.83
21	26	8.480769	2.953	1.41
23	51	5.186275	7.343	4.36
25	52	6.009615	11.718	13.11
27	37	9.851351	19.437	22.30
29	62	6.782258	62.593	42.42
31	79	6.082278	86.765	98.72
33	88	6.1875	167.69	440.23
35	89	6.882022	369.63	298.39
37	106	6.457547	644.63	1037.0
39	99	7.681818	1099.0	1627.1
41	108	7.782407	2215.1	2080.5
43	109	8.481651	3411.3	4333.3
45	118	8.580508	5309.9	7900.1
47	135	8.181481	10810	14322
49	136	8.827206	22839	28111
51	153	8.5	42443	56709

in Tables 3-5. Note that direct comparison of exact and metaheuristic approaches are not fair, since the second approach is not able to verify the optimality of the solution, even if it has reached the optimal solution, which is not always the case. In that sense, the exact method is not only able to verify the optimality of the

Table 3. Metaheuristic results on LABSP instances with $21 \leq n \leq 40$

n	Opt		LS [5]	EM [14]
	$E(s)$	$F(s)$	$t[sec]$	$t[sec]$
21	26	8.480769	0.23	0.086
22	39	6.205128	0.02	0.026
23	47	5.627660	0.12	0.193
24	36	8.000000	0.17	0.252
25	36	8.680556	0.62	0.888
26	45	7.511111	0.23	1.641
27	37	9.851351	1.77	0.969
28	50	7.840000	0.96	1.160
29	62	6.782258	1.24	3.715
30	59	7.627119	3.08	1.712
31	67	7.171642	2.59	2.634
32	64	8.000000	6.47	2.733
33	64	8.507813	17.8	4.416
34	65	8.892308	14.8	6.957
35	73	8.390411	44.85	1.843
36	82	7.902439	53.21	2.445
37	86	7.959302	78.92	6.409
38	87	8.298851	147.17	2.601
39	99	7.681818	138.99	7.837
40	108	7.407407	260.11	9.413

solution, but much of its running time is used for verification of the solutions's optimality, although it can be already reached. Additionally, a direct comparison can not be performed, since CPLEX and Gurobi are general quadratic integer programming solvers, and all mentioned metaheuristic methods are not general et all, but implemented and applied specially for LABSP.

Tables 3–5 display the results of metaheuristic approaches on LABSP instances with $21 \leq n \leq 40$, $41 \leq n \leq 48$ and $49 \leq n \leq 60$, respectively. Since all proposed methods reached all optimal values, for each method only running time needed for reaching an optimal solution, is presented.

Table 4. Metaheuristic results on LABSP instances with $40 \leq n \leq 48$

n	Opt		LS [5]	MA_{TS} [8]	$GRASP$ [20]
	$E(s)$	$F(s)$	$t[sec]$	$t[sec]$	$t[sec]$
40	108	7.407407	260.11	5.65	18
41	108	7.782407	460.26	20.02	25
42	101	8.732673	466.73	10.1	20
43	109	8.481651	1600.63	53.32	34
44	122	7.934426	764.66	21.23	107
45	118	8.580508	1103.48	21.26	121
46	131	8.076336	703.32	7.34	144
47	135	8.181481	1005.03	13.28	221
48	140	8.228571	964.13	54.51	230

Table 5. Metaheuristic results on LABSP instances with $49 \leq n \leq 60$

n	Opt		EA [3]	MA_{TS} [8]	$GRASP$ [20]
	$E(s)$	$F(s)$	$t[sec]$	$t[sec]$	$t[sec]$
49	136	8.827206	1440	1440	443
50	153	8.169935	2160	1500	600
51	153	8.500000	2880	1560	1334
52	166	8.144600	4320	1620	1665
53	170	8.261800	6120	1680	2255
54	175	8.331400	8640	1740	2492
55	171	8.845000	12600	1800	3731
56	192	8.166700	18000	1860	3654
57	188	8.640900	47520	1920	4530
58	197	8.538100	35280	1980	4818
59	205	8.490200	50040	2040	4420
60	218	8.256900	72000	2100	6260

As can be seen from the data in Tables 3–5, all metaheuristic approaches reach optimal solutions in moderate time. Although, all these methods are not

capable of verifying optimality of solution, but only indication that optimal solution value is reached. These values are provided as results of the exact method from [15, 16].

5. Conclusions. This paper is devoted to the low autocorrelation binary sequence problem. A mixed integer quadratic programming formulation is presented for the first time. Also, the correctness of the MIQP formulation is proved. The numbers of variables and constraints are relatively small, compared to the dimension of the problem.

Numerical results show that CPLEX and Gurobi implementations based on this MIQP formulation are capable of solving LABSP optimally up to $n = 30$. Moreover, for skew-symmetric LABSP instances, optimal solutions up to $n = 51$ are given, which are, to the author's knowledge, the first optimal results known in the literature.

As a direction for future work, it would be desirable to investigate the application of some exact methods using the proposed MIQP formulation. Another path for future research can be solving similar problems and testing on parallel computers.

REFERENCES

- [1] BARBER S. K., P. SOLDATE, E. H. ANDERSON, R. CAMBIE, W. R. MCKINNEY, P. Z. TAKACS, D. L. VORONOV, V. V. YASHCHUK. Development of pseudorandom binary arrays for calibration of surface profile metrology tools. *Journal of Vacuum Science and Technology B: Microelectronics and Nanometer Structures*, **27** (2009), No 6, 3213–3219.
- [2] BERNASCONI J. Low autocorrelation binary sequences: statistical mechanics and configuration state analysis. *Journal Physique*, **48** (1987), 559–567.
- [3] BRGLEZ F., X. Y. LI, M. F. STALLMAN, B. MILITZER. Reliable cost prediction for finding optimal solutions to labs problem: Evolutionary and alternative algorithms. In: Proceedings of The Fifth International Workshop on Frontiers in Evolutionary Algorithms, Cary, NC, USA 2003, 26–30.
- [4] CPLEX solver. IBM-ILOG company. <http://www.ibm.com>

- [5] DOTU I., P. V. HENTENRYCK. A note on low autocorrelation binary sequences. *Lecture Notes in Computer Science*, Vol. **4204**, Springer, 2006, 685–689.
- [6] EREMEEV A. V., C. R. REEVES. Non-parametric estimation of properties of combinatorial landscapes. *Lecture notes on Computer Science*, Vol. **2279**, Springer, 2002, 31–40.
- [7] FERREIRA F., J. FONTANARI, P. STADLER. Landscape statistics of the low autocorrelated binary string problem. *Journal of Physics A: Mathematical and General*, **33** (2000), 8635–8647.
- [8] GALLARDO J. E., C. COTTA, A. J. FERNANDEZ. Finding low autocorrelation binary sequences with memetic algorithms. *Applied Soft Computing*, **9** (2009), No 4, 1252–1262.
- [9] GARELLO R., N. BOUJNAH, Y. JIA. Design of binary sequences and matrices for space applications. In: *Proceedings of the 2009 International Workshop on Satellite and Space Communications – IWSSC’09*, art. no. 5286416, 2009, 88–91.
- [10] GOLAY M. J. E. The merit factor of long low autocorrelation binary sequences. *IEEE Transactions on Information Theory*, **28** (1982), 543–549.
- [11] Gurobi Optimizer. Gurobi Optimization comp. <http://www.gurobi.com/>
- [12] HALIM S., R. H. C. YAP, F. HALIM. Engineering stochastic local search for the low autocorrelation binary sequence problem. *Lecture Notes in Computer Science*, Vol. **5202**, Springer, 2008, 640–645.
- [13] KERNIGHAN B. W., S. LIN. An efficient heuristic procedure for partitioning graphs. *Bell System Technical Journal*, 1970, 291–307.
- [14] KRATICA J. An electromagnetism-like approach for solving the low autocorrelation binary sequence problem. *International Journal of Computers, Communication and Control*, **7** (2012), No 4, 687–694.
- [15] MERTENS S. Exhaustive search for low-autocorrelation binary sequences. *Journal of Physics A: Mathematical and General*, **29** (1996), 473–481.

- [16] MERTENS S., H. BAUKE. Ground states of the bernasconi model with open boundary conditions. <http://odysseus.nat.uni-magdeburg.de/~mertens/bernasconi/open.dat>
- [17] MILITZER B., M. ZAMPARELLI, D. BEULE. Evolutionary search for low autocorrelated binary sequences. *IEEE Transactions on Evolutionary Computation*, **2** (1998), 34–39.
- [18] PRESTWICH S. Exploiting relaxation in local search for LABS. *Annals of Operations Research*, **156** (2007), 129–141.
- [19] UKIL A. Low autocorrelation binary sequences: Number theory-based analysis for minimum energy level, Barker codes. *Digital Signal Processing*, **20** (2010), No 2, 483–495.
- [20] WANG H., S. WANG. GRASP for Low Autocorrelated Binary Sequences. *Lecture Notes in Computer Science*, Vol. **6215**, Springer, 2010, 252–257.

Jozef Kratica

Mathematical Institute

Serbian Academy of Sciences and Arts

Kneza Mihaila 36/III, 11000 Belgrade, Serbia

e-mail: jkratica@mi.sanu.ac.rs

Received April 16, 2012

Final Accepted July 7, 2012