

## Structural and energetic factors in designing a perfect nano-porous sorbent for hydrogen storage

Bogdan Kuchta

University of Missouri-Columbia and Université de Provence

Lucyna Firlej

Université Montpellier 2 and University of Missouri

Raina Cepel

Carlos Wexler, Peter Pfeifer

University of Missouri-Columbia

Carbons are one of several promising groups of materials for hydrogen storage by adsorption. However, the heat of hydrogen physisorption in such materials is low, in the range of about 4-8 kJ/mol which limits the total amount of hydrogen adsorbed at  $P = 100$  bar to  $\sim 2$  wt% at room temperature and about  $\sim 10$  wt% at 77 K. To get better storage capacity, the adsorbing surfaces must be modified, either by substitution of some atoms in the all-carbon skeleton by other elements, or by doping/intercalation with other species. Here we analyze the variation of interaction energy between a molecule of hydrogen and graphene-based sorbents prepared as hypothetical modifications of the graphene layer. In particular, we show that partial substitution of carbons (for example, by boron) modifies both the symmetry of the energy landscape and strength of hydrogen physisorption. The effect of substituent extends over several sites of graphene lattice making the surface more heterogeneous.

This material is based on work supported by the U.S. Department of Energy under Award No. DE-FG02-07ER46411.