

Implementing Norms that Govern Non-Dialogical Actions

Viviane Torres da Silva*

Departamento de Sistemas Informáticos y Programación – UCM, Spain, Madrid
viviane@fdi.ucm.es

Abstract. The governance of open multi-agent systems is particular important since those systems are composed by heterogeneous, autonomous and independently designed agents. Such governance is usually provided by the establishment of norms that regulate the actions of agents. Although there are several approaches that formally describe norms, there are still few of them that propose their implementation. In additions, only one that provides support for implementing norms deals with non-dialogical actions since the others only deal with dialogical actions, i.e., actions that provide the interchange of messages between agents. In this paper we propose the implementation of norms that govern non-dialogical actions by extending one of the approaches that regulate dialogical ones. Non-dialogical actions are not related to the interactions between agents but to tasks executed by agents that characterize, for instance, the access to resources, their commitment to play roles or their movement into environments and organizations.

Keywords: norm, governance of multi-agent system, non-dialogical action, implementation of norm

1 Introduction

The governance of open multi-agent systems copes with the heterogeneity, autonomy and diversity of interests among agents that can work towards similar or different ends [8] by establishing norms. The set of system norms defines actions that agents are prohibited, permitted or obligated to do [1,11].

Several works have been proposed in order to define the theoretical aspects of norms [3,5], to formally define those norms [2,4], and to implement them [6,7,8,9,12]. In this paper we focus on the implementation of norms. Our goal is to present an approach where dialogical and non-dialogical norms can be described and regulated. Non-dialogical actions are not related to the interactions between agents but to tasks executed by agents that characterize, for instance, the access to resources, their commitment to play roles or their movement in environments and organizations. From the set of analyzed proposals for implementing norms, the only approach that considers non-dialogical actions is [12]. Although, it presents some issues on the verification and enforcement of norms, it does not demonstrate how they should be

* Research supported by Comunidad de Madrid S-0505/TIC-407 and MEC-SP TIC2003-01000.

implemented. Other approaches such as [6,7,8,9] deal with e-Institutions and, thus, consider illocutions as the only action performed in such systems.

Our approach extends the work presented in [7] with the notion of non-dialogical actions proposed in [12]. A normative language is presented in [7] to describe illocutions (dialogical actions) that might be dependent on temporal constraints or the occurrence of events. We have extended the normative language in order to be possible to specify non-dialogical norms that state obligations, permissions or prohibition over the execution of actions of agents' plans (as proposed in [12]) and of object methods. Similar to the approach presented in [7], we have also used Jess¹ to implement the governance mechanism that regulates the behavior of agents. The mechanism activates norms and fires violations (Jess rules) according to the executed (dialogical or non-dialogical) actions (Jess facts).

The paper is organized as follows. Section 2 describes the example we are using to illustrate our approach. Section 3 intends to clearly present the difference between dialogical and non-dialogical actions. Section 4 points out the main concepts of the extended normative language and Section 5 describes the implementation of the governance engine in Jess. Section 6 concludes our work.

2 Applied Example

In order to exemplify our approach, we have defined a set of six norms that govern a simplified version of a soccer game. The soccer game is composed of agents playing one of the three available roles: referee, coach and player (kicker or goalkeeper). The responsibilities of a referee in a soccer game are: to start the game, stop it, check the players' equipments and punish the players. The available punishments are: to show a yellow card, send off a player, and declare a penalty. The possible actions of a player during a game are: kick the ball and get the ball with hands. The coach role is limited to substitute players. Besides those actions, all agents are able to move and, therefore, enter and leave the game field. The six norms that regulate our simple soccer game are the following:

Norm 1: *The referee must check the players' equipments before star the game.*

Norm 2: *A coach cannot substitute more than three players in the same game.*

Norm 3: *Players cannot leave the game field during the game.*

Norm 4: *The referee must send off a player after (s)he has done a second caution in the same match.* In this simplified version of the soccer game, there is only one situation that characterizes a caution; a player leaving the game field before the referee has stopped it. At the first caution, the agent receives a yellow card.

Norm 5: *Kickers cannot get the ball.*

Norm 6: *The referee must declare a penalty if kicker gets the ball.*

¹ Jess is a rule-based system. <http://www.jessrules.com/>

3 Dialogical x Non-Dialogical Actions

Non-dialogical actions are the ones not related to interactions between agents. Not all actions executed by agents in multi-agent systems provide support for sending and receiving messages between them [12]. There are actions that modify the environment (for example, updating the state of a resource) that do not characterize a message being sent to or received from another agent. In the soccer game example, the actions of kicking the ball or getting it are non-dialogical actions. In addition, actions that modify the position of an agent in an environment do not characterize a dialogical action either. The actions of entering or leaving the game field are not dialogical ones.

Some actions can be defined as a dialogical or a non-dialogical one, depending on how the problem is modeled. In the soccer game, to start a game and to stop it was considered dialogical actions. Agents receive a message informing about the state of the game. The dialogical actions of the soccer game example are: to start the game, stop it, punish player, declare penalty and show the yellow card. The non-dialogical ones are: enter in the game field, leave it, get the ball, kick the ball, substitute a player and check the player's equipment.

4 Describing Norms

Since our intention is to contribute to the work presented in [6], we extend the BNF normative language to represent non-dialogical actions and to describe conditions and time situations that are defined by those non-dialogical actions. In addition, the specification of dialogical actions already presented in the previous normative language was extended in order to be possible to describe messages attributes stated in the FIPA ACL language².

4.1 Specifying Non-Dialogical Actions

The original BNF description of the normative language defines norms as the composition of a *deontic* concept (characterizing obligation, prohibition or permission) and an action followed by a temporal situation and a *if* condition, when pertinent. In such definition, actions are limited to utterance of illocutions.

In our proposed extension, the *action* concept was generalized to also describe non-dialogical ones. Non-dialogical actions define the entities whose behavior is being restricted and the actions that are being regulated. Due to the way the *entity* concept was defined, a non-dialogical norm can be applied to all agents in the system, to a group of agents, to agents playing a given role or even to a unique agent.

```
<norm> ::= <deontic_concept> '(' <action> ')'  
| <deontic_concept> '(' <action><temporal_situation> ')'  
| <deontic_concept> '(' <action> IF <if_condition> ')'  
| <deontic_concept> '(' <action> <temporal_situation> IF <if_condition> ')'  
<deontic_concept> ::= OBLIGED | FORBIDDEN | PERMITTED
```

² <http://www.fipa.org/repository/aclspecs.html>

4 Viviane Torres da Silva*

```
<action> ::= <non_dialogical_action> | <dialogical_action>
<non_dialogical_action> ::= <entity> 'EXECUTE' <exec>
<entity> ::= <agent> ':' <role> | <role> | <agent> | <group> | 'ALL'
```

In this paper we are limiting non-dialogical actions to the execution of an object/class method or to the execution of the action of an agent plan [12]. Non-dialogical norms that regulate the access to resources specify the entities that have restricted access to execute the methods of the resource. Non-dialogical norms that regulate (non-dialogical) actions not related to the access to resources describe entities that have restricted access to the execution of an action of a plan.

```
<exec> ::= <objectORclass> '.' <method> '(' <parameters> ')' '(' <contract> ')'
| <plan> ':' <action> '(' <parameters> ')' '(' <contract> ')'
...!the parameters and the contract can be omitted
```

In [12], the authors affirm that non-dialogical actions can be described as abstract actions that are not in the set of actions defined by the agents or in the set of methods of the classes. Agents must translate the actions and methods to be executed into more abstract ones. With the aim to help agents in such transformation, we propose the use of contracts. A contract is used to formally describe the behavior of the actions/methods while specifying its invariants, pre and post-conditions [10]. We do not impose any language to be used to describe the terms of a contracts.

```
<contract> ::= <pre> ';' <post> ';' <inv>
| ... !pre, post and inv concepts can be omitted
<pre> ::= <expression> | <expression> <opl> <pre> | <expression> ',' <pre>
... !pre, post and inv are similarly defined
<opl> ::= 'AND' | 'OR' | 'XOR' | 'NOR' | ...
```

Such extensions make possible to describe, for instance, norms that regulates the execution of an action while describing the parameters required for its execution and the contract that defines it. The extensions enable, for example, the definition of *norm 2*. The norm states that a coach cannot substitute more than three players in the same game. The coach cannot execute an action that substitutes players if the number of substitutions is already 3.

```
FORBIDDEN ( coach EXECUTE managingTeam:SubstitutePlayer (outPlayer,inPlayer,team)
( team.coach = coach; team.substitutions = team.substitutions@pre+1,
team.playersInField->excludes(outPlayer),
team.playersInField->includes(inPlayer); )
IF team.substitutions >= 3 )
```

The action governed by *norm 1* is also a non-dialogical action and states that the referee must check the players' equipment before start the game. The action of checking the equipment is a non-dialogical action since the referee needs not to interact with the player but with its equipment. On the other hand, the action of starting a game is a dialogical action modeled as a message from the referee to everybody in the game (as presented in Section 4.4).

```
OBLIGED ( referee EXECUTE managingGame:checkEquipment (players)
BEFORE ( UTTER(game; si; INFORM(;referee;[;gameStart;];;);)) )
```

4.2 Extending the Temporal Situations

The *temporal situation* concept specified in the normative language is used to describe the period of valid (or active) norms. Norms can be activated or deactivated due to the execution of an (dialogical or non-dialogical) action, to the change in the state of an object or an agent, to the occurrence of a deadline, and to the combination of such possibilities. In the previous normative languages the authors only consider the execution of dialogical actions and the occurrence of a deadline as temporal situations. The normative language was extended to contemplate the activation and deactivation of norms due to the execution of non-dialogical actions, to the change in the state of an object or an agent (without specifying the action that was responsible for that) and to the combination of the above mentioned factors (as specified in the *situation* concept).

```
<temporal_situation> ::= BEFORE <situation> | AFTER <situation>
| BETWEEN '(' <situation> ',' <situation> ')'
```

The extensions enable, for example, the definition of *norm 3* that states that players cannot leave the game between its initial and its interruption, as shown below.

```
FORBIDDEN ( player EXECUTE moving:LeaveField ()
            ( agent.position@pre=inField; agent.position<>inField; )
  BETWEEN ( UTTER(game; si; INFORM(;referee;[;gameStart;;;;;]),
            UTTER(game; si; INFORM(;referee;[;gameStopped;;;;;])) ) )
```

Another norm that makes use of temporal situation is *norm 4*. It states that the referee must send off a player after he receives a second caution in the same match. If player leaves the field of play and it has already been shown a yellow card, the referee must send him(her) off. Note that such *norm 4* is conditioned to the execution of an action governed by *norm 3*.

```
OBLIGED ( UTTER(game;si;CAUTION(;referee;kicker[;sentOff;;;;;movingLeaveField]))
  AFTER ( player EXECUTE moving:LeaveField()
            ( agent.position@pre=inField;agent.position<>inField; )
    BETWEEN ( UTTER(game; si; INFORM(;referee;[;gameStart;;;;;]),
              UTTER(game; si; INFORM(;referee;[;gameStopped;;;;;])) ) )
  IF player.yellowCard = true )
```

4.3 Extending the IF Condition

The *if condition* defined in the original normative language is used to introduce conditions over variables, agents' observable attributes or executed dialogical actions. Therefore, by using such language it is not possible to describe *norm 6* since it is conditioned to the execution of a non-dialogical action. Our proposed extension makes possible to specify a condition related to an executed non-dialogical action or to a fired norm.

```
<if_condition> ::= <cond_expression> | NOT '(' <cond_expression> ')'  
<cond_expression> ::= <condition> | NOT <condition>  
| <condition> ',' <if_condition> | NOT <condition> ',' <if_condition>  
<condition> ::= <action> | <deontic_concept> '(' <action> ') ' | ...
```

6 Viviane Torres da Silva*

Norm 6 defines that the referee must declare a penalty if a kicker gets the ball. The non-dialogical action of getting the ball is the *if condition* of *norm 6* and can be described as follows.

```
OBLIGED (UTTER(game; si; PENALTY(;referee;kickerTeam;
[;penalty;;;;;ballTouch])) IF kicker EXECUTE play:getBall)
```

4.4 Extending Dialogical Actions

In [7], the authors represent the execution of dialogical actions by the identification of the action (not carried out yet) of submitting an illocution. In their point of view, an illocution is an information that carries a message to be sent by an agent playing a role to another agent playing another role. The *illocution* concept was extended to be possible to omit the agents that send and receive the messages. Not always will be possible to specify the agents that will send and receive the messages while describing the norms. Sometimes only the roles that those agents will be playing can be identified. Moreover, the roles of the sender and receiver can also be omitted. It may be the case that no matter the one is sending a message or no matter the one is receiving it, the norm must be obeyed.

```
<dialogical_action> ::= 'UTTER(' <scene> ';' <state> ';' <illocution> ')'
| 'UTTERED(' <scene> ';' <state> ';' <illocution> ')'
<illocution> ::= <perf>'(' <sender> ';' <role> ';' <receiver> ';' <role> '[' <msg> ']' )'
|...!it is possible to omit the senders, receivers and also their roles
```

Since a message can be sent to several agents, the *receiver* concept was also extended to make possible to describe the group of agents that will be the receivers of the message.

```
<sender> ::= <agent>
<receiver> ::= <agent> | <group>
```

By using the extensions provided above for illocution, it is possible to model *norms 1* (Section 4.1), *4* (Section 4.2) and *6* (Section 4.3) that omit the agent identification that is playing the referee role. In such cases, it is not important to identify the agent but only the role that the agent is playing. *Norm 1* also omits the receiver and its role to characterize that the message is being broadcasted. *Norm 4* identifies the role of the receiver but does not identify the agent playing the role since the message to be send does not depend on the agent. Moreover, *norm 6* does not identify the receiver agent but the receiver *team* that will be punished.

4.5 Specifying Messages

The *message* concept has not been specified in the previous version of the normative language. We propose to specify such concept since it may be necessary to provide some characteristics of the messages while describing the norms. The *message* concept was extended according to the parameters defined by an ACL message.

```
<msg> ::= <conversation_id> ';' <contents> ';' <language_encoding> ';'
'<ontology_protocol> ';' <reply_by> ';' <reply_to> ';' <reply_with> ';' <in_reply_to>
```

|...it is possible to omit any parameter.

While describing *norms 4* and *6* we have used the extended *message* concept. When a referee penalizes a player it is important to inform such player why he/she is receiving such punishment. In order to provide such information we have used the `<in_reply_to>` parameter.

5 Implementing Norms

Once we have seen how norms can be described, we need to demonstrate how they are implemented. Similar to the approach presented in [7], we have also used Jess to implement the governance mechanism. Jess is a rule-based system that maintains a collection of facts in its knowledge base. Jess was chosen due three main reasons: (i) it provides interfaces to programs in Java (the multi-agent systems) that can use the knowledge base and declarative rules; (ii) it is possible to dynamically change the set of rules defined in Jess during the execution of Java programs and (iii) it facilitates the extensions we are proposing since the original implementation was also done in Jess.

The use of Jess makes possible to describe facts and rules that are fired according to the stated facts. In our approach, facts are agents' observable attributes, (dialogical and non-dialogical) actions executed by the agents, the norms activated by the rules, and the information about norm violations. The rules are fired according to the executed actions or observable attributes and can activate norms or assert violations.

5.1 The Use of Jess

In Jess, facts are described based on templates that specify the structure of the facts. We have defined a template to define agents' observable attributes and three templates to describe actions: one for describe dialogical actions and two for describing the two different kinds of non-dialogical actions contemplated in the paper (method calling and execution of the action of an agent plan). Besides, we have also described nine templates for describing each of the three norm kinds (obliged, permitted and forbidden) associated with the three different actions (message, method calling and plan execution). In addition, one template was defined for being used to describe norm violations. Such template points out the norm that was violated and the facts that have violated the norm. The two examples below illustrate templates to describe an obligation norm to execute the action of a plan and a violation.

```
(deftemplate OBLIGED-non-dialogical-action-plan
  (slot entity)(slot role)(slot plan) (slot action) (slot attribs (type String))
  (slot contract-pre (type String)) (slot contract-post (type String))
  (slot contract-inv (type String)) (slot beliefUpdated (type String))
  (slot condition (type String)))

(deftemplate VIOLATION (slot norm-violated) (multislot action-done))
```

Rules are composed by two parts. The left-hand side of the rule describes patterns of facts that need to be inserted in the knowledge base in order to fire the rule. The right-hand side defines facts that will be upload to the knowledge based if the rule is

5.4 Before the Occurrence of a Fact

Obligations for executing an action X before the occurrence of a fact W are verified testing if X has been executed before W occurs. For governing such norms three rules are defined: rule (i) asserts the obligation for execute X; rule (ii) retracts the obligation if X has been executed and W occurs; and rule (iii) asserts a violation if W occurs but X has not been executed (what can be verified by the existence of the obligation).

Permissions for executing an action X before the occurrence of W are verified testing if X is executed after W. In such case, the execution of X is not permitted. These norms are governed by three rules: rule (i) asserts the permission for execute X; rule (ii) retracts the permission if W occurs; and rule (iii) asserts a violation if W occurs and X is executed.

Prohibitions for executing an action X before the occurrence of an action W are verified testing if X is executed and W has not occurred. Such norms are also governed by three rules: rule (i) asserts the prohibition; rule (ii) retracts the prohibition if W occurs; and rule (iii) asserts a violation if X is executed and W has not occurred (what can be verified by the existence of the prohibition).

Norm 1 is a good example for illustrate the implementation of norms that govern the actions that must be executed before another one. Since the norm defines that a referee is *obliged* to check the equipment of the players *before* starting the game, three rules was defined to govern such norm. Rule (i) stated the obligation. Rule (ii) retracts the obligation if the referee has checked the player equipment when the game starts. Rule (iii) asserts a violation if the game has been started and the obligation still holds informing that the referee has not checked the equipment. The obligation governs a non-dialogical action that must be executed after a dialogical action.

```
(defrule obliged:CheckEquipment ;(rule i)
=>(assert (OBLIGED-non-dialogical-action-plan (entity referee)(plan managingGame)
(action checkEquipment)(attribs players)
(condition "BEFORE UTTER(game; s1;INFORM(;referee;; [;gameStart;;;;;]))"))))

(defrule retract:CheckEquipment ;(rule ii)
(non-dialogical-action-plan (entity referee)(plan managingGame)
(action checkEquipment)(attribs players))
(dialogical-action (scene game)(state si)(performative inform)(sRole referee)
(message "gameStart"))
?obliged <- (OBLIGED-non-dialogical-action-plan (ntity referee)
(plan managingGame)(action checkEquipment)(attribs players)
(condition "BEFORE UTTER(game; s1;INFORM(;referee;; [;gameStart;;;;;]))"))
=> (retract ?obliged))

(defrule violation:CheckEquipment ;(rule iii)
?fact <- (dialogical-action (scene game)(state si)(performative inform)
(sRole referee)(message "gameStart"))
?obliged <- (OBLIGED-non-dialogical-action-plan (ntity referee)
(plan managingGame)(action checkEquipment)(attribs players)
(condition "BEFORE UTTER(game; s1;INFORM(;referee;; [;gameStart;;;;;]))"))
=> (assert (VIOLATION (norm-violated (fact-id ?obliged))
(action-done (fact-id ?fact))))))
```

5.5 After the Occurrence of W or If W occurs

Obligations for executing an action X after the occurrence of Y (or if Y occurs) cannot be governed since it is not possible to affirm that the execution of X will never occur after the execution of Y. It is not possible to state a rule that fires a violation for such norm since the action X can be executed anytime after Y has occurred. In order to govern such norms it is necessary to state any temporal situation limiting the time for the execution of X after Y has occurred. The temporal concept *between* should be used instead of *after* or *if* for governing such obligations. Norms 4 and 6 are example of norms that should be implemented by using *between*, as depicted in Section 5.6.

Permissions for executing X after the occurrence of Y can be governed by two rules: rule (i) assert the permission if Y occurs; and rule (ii) asserts a violation if X is executed but Y has not occurred yet.

The governance of prohibitions for executing X after the occurrence of Y is the opposite of the governance of the related permission. Such governance is also characterized by two rules: rule (i) asserts the prohibition if Y occurs; and rule (ii) asserts a violation if X is executed after Y has occurred or if Y is true.

In order to exemplify a norm that use the *if condition* we refer to *norm 2*. This norm defines that the coach cannot execute an action that substitutes players if the number of substitutions is equal or greater than 3. The prohibition governs a non-dialogical action that is condition to the state of an object.

```
(defrule forbidden:PlayerSubstitution ;(rule i)
(attribute-value (objectORagent team)(attribute substitutions)(value 3))
=> (assert (FORBIDDEN-non-dialogical-action-plan (role coach)(plan managingTeam)
(action substitutePlayer)(attribs outPlayer,inPlayer,team)
(contract-pre "team.coach=coach")
(contract-post "team.substitutions=team.substitutions@pre+1,
team.playersInField->excludes(outPlayer),
team.playersInField->includes(inPlayer)" )))

(defrule violation:PlayerSubstitution ;(rule ii)
?fact1 <- (non-dialogical-action-plan (role coach)(plan managingTeam)
(action substitutePlayer))
?fact2 <- (attribute-value (objectORagent team)(attribute substitutions))
?forbidden <- (FORBIDDEN-non-dialogical-action-plan (role coach)(plan managingTeam)
(action substitutePlayer)(attribs outPlayer,inPlayer,team)
(contract-pre "team.coach=coach")
(contract-post "team.substitutions = team.substitutions@pre+1,
team.playersInField->excludes(outPlayer),
team.playersInField->includes(inPlayer)"))
=> (if (>= (fact-slot-value ?fact 2) 3 ) then
(assert (VIOLATION (action-done ?fact1 ?fact2)
(norm-violated ?forbidden))) )
```

5.6 Between Y and W

A norm that states an obligation for executing an action X after the occurrence of Y and before the execution of W is governed by three rules: rule (i) asserts the obligation for execute X if Y occurs; rule (ii) retracts the obligation if X is executed and if W occurs; and rule (iii) asserts a violation if W occurs but X has not been executed.

The permission for executing X between the occurrence of Y and W is governed by the following four rules: rule (i) asserts the permission for execute X if Y occurs; rule (ii) retracts the permission if W occurs; rule (iii) asserts a violation if W occurs and X is executed; and rule (iv) asserts a violation if X is executed but Y has not occurred yet (i.e., if the permission for executing X has not been fired yet).

Prohibitions for executing X between the occurrence of Y and W are governed by three rules: rule (i) asserts the prohibition if Y occurs; rule (ii) retracts the prohibition if W occurs; and rule (iii) asserts a violation if X is executed, Y has occurred but W has not occurred, that is equal to say if X is executed and the prohibitions is still activated. Note that the rules that govern both prohibitions and permissions while using the temporal concept *between* are the combination of the rules used to govern such norms using the *after* and *before* temporal concepts.

The use of *between* can be exemplified by *norm 3*. It states that the player is forbidden to leave the field between the beginning and the end of the game. The norm defines a prohibition to execute a non-dialogical action limited by the execution of two dialogical actions. Rule (i) asserts the prohibition if the first dialogical action is executed, rule (ii) retracts the prohibition if the second dialogical action is executed and rule (iii) declares a violation if the non-dialogical action is executed during while it is being prohibited.

```
(defrule forbidden:LeaveFiled      ;(rule i)
(dialogical-action (scene game)(state si)(performative inform)(sRole referee)
 (message "gameStart"))
=> (assert (FORBIDDEN-non-dialogical-action-plan (role player)(plan moving)
 (action leaveField)(contract-pre agent.position@pre=inField)
 (contract-post agent.position!=inField )))

(defrule retract:LeaveFiled      ;(rule ii)
(dialogical-action (scene game)(state si)(performative inform)(sRole referee)
 (message "gameStop"))
?forbidden <- (FORBIDDEN-non-dialogical-action-plan (role player)(plan moving)
 (action leaveField)(contract-pre agent.position@pre=inField)
 (contract-post agent.position!=inField ))
=> (retract ?forbidden))

(defrule violation:LeaveFiled      ;(rule iii)
(dialogical-action (scene game)(state si)(performative inform)(sRole referee)
 (message "gameStart"))
?forbidden <- (FORBIDDEN-non-dialogical-action-plan (role player)(plan moving)
 (action leaveField)(contract-pre agent.position@pre=inField)
 (contract-post agent.position!=inField ))
?fact <- (non-dialogical-action-plan (role player)(plan moving)(action leaveField)
 (contract-pre agent.position@pre=inField)
 (contract-post agent.position!=inField ))
=> (assert (VIOLATION (norm-violated (fact-id ?forbidden)
 (action-done (fact-id ?fact))))))
```

Sections 5.3 and 5.5 point out that some obligations over the execution of a norm that cannot be governed. Since obligations need not to be fulfilled immediately after they were declared, it is necessary to inform the period during while the agents are being obligated to execute the action in order to govern them. *Norms 6* and *4* are very good examples of such obligations. *Norm 6*, for instance, defines that the referee must declare a penalty if a kicker gets the ball. However, this norm does not define how much time does the referee has to fulfill its obligation. Therefore, it is not possible to affirm that the obligation was not fulfilled since it can be at any time. In order to properly regulate such norm it is needed to provide a limit till when this obligation

must be fulfilled. *Norms 6* was adapted to inform that the referee has 1 minute to declare the penalty after the kicker has gotten the ball.

```
OBLIGED ( UTTER(game; si; PENALTY(;referee;kickerTeam;[;penalty;;;;;ballTouch]))
  BETWEEN (kicker EXECUTE play:getBall, 1 MINUTES OF kicker EXECUTE play:getBall))
```

6 Conclusion

This paper proposes the implementation of norms³ that govern dialogical and non-dialogical actions by using Jess. Our normative language makes possible the specification of non-dialogical norms that govern actions not related to messages being sent or received. As illustrated by the example, the specification of those kinds of norms is very important for governing multi-agent systems. In addition, we have also presented how to implement in Jess the rules that regulate several possible norms taking into account the three *deontic* concepts, the proposed temporal situations and if conditions. Our proposal was designed to receive information about the executed actions and observable attributes and to activate norms or assert violations of norms.

Although the current version does not contemplate sanctions and awards, it can be easily extended in order to do so. The sanctions should be provided when the related violations are fired. The awards should be supplied when the norms are retracted and no violation of such norms has been fired.

References

1. Boella, G.; van der Torre, L.: Regulative and Constitutive Norms in Normative Multi-Agent Systems. In Proceeding of 9th Int. Conference on the Principles of Knowledge Representation and Reasoning. California (2004).
2. Artikis, A., Kamara, L., Pitt, J., Sergot, M.: A Protocol for Resource Sharing in Norm-Governed Ad Hoc Networks. Volume 3476 of LNCS. Springer-Verlag (2005)
3. Broersen, J., Dignum, F., Dignum, V. and Meyer, J. Designing a deontic logic of deadlines. In 7th Int. Workshop of Deontic Logic in Computer Science (2004)43-56.
4. Cranefield, S.: A Rule Language for Modelling and Monitoring Social Expectations in Multi-Agent Systems. Technical Report 2005/01, Univ. of Otago (2005)
5. Dignum, F., Broersen, J., Dignum, V., and Meyer, J. Meeting the deadline: Why, when and how. In 3rd Int. Workshop on Formal Approaches to Agent-Based Systems, (2004)30-40.
6. García-Camino, A., Rodríguez-Aguilar, J, Sierra, C, Vasconcelos, W. Norm-Oriented Programming of Electronic Institutions: A Rule-based. In Proc of the 5th Int. Joint Conf. on Autonomous Agents and Multiagent Systems, ACM Press (2006) 670-672
7. García-Camino, A., Noriega, P., Rodríguez-Aguilar, J.A.: Implementing Norms in Electronic Institutions. In: Proc. of the 4th Int. Joint Conf. on Autonomous Agents and Multi Agent Systems AAMAS'04, ACM Press (2005) 667-673.
8. López, F.: Social Power and Norms: Impact on agent behavior. PhD thesis, Univ. of Southampton (2003)

³ The full normative language described in the paper and the Jess program used to illustrate our approach are available at <http://maude.sip.ucm.es/~viviane/products.html>.

9. López, F, Luck, M. and d'Inverno, M. Constraining autonomy through norms. In Proc. of the 1st Int Joint Conf. on Autonomous Agents and Multi Agent Systems(2002) 674-681
10. Meyer, B. Object-Oriented Software Construction Prentice Hall, second edition (1997)
11. Singh, M.: An Ontology for Commitments in Multiagent Systems: Toward a Unification of Normative Concepts. *Artificial Intelligence and Law* v. 7 (1) (1999) 97-113.
12. Vázquez-Salceda, J., Aldewereld, H., Dignum, F.: Implementing Norms in Multiagent Systems. LNAI 3187. Springer-Verlag (2004) 313 - 327