

Symposium on Theoretical Aspects of Computer Science 2008 (Bordeaux), pp. 657-668
www.stacs-conf.org

DESIGN BY MEASURE AND CONQUER A FASTER EXACT ALGORITHM FOR DOMINATING SET

JOHAN M. M. VAN ROOIJ AND HANS L. BODLAENDER

Institute of Information and Computing Sciences, Utrecht University,
P.O.Box 80.089, 3508 TB Utrecht, The Netherlands
E-mail address: jmmrooij@cs.uu.nl
E-mail address, Hans L. Bodlaender: hansb@cs.uu.nl
URL: <http://www.cs.uu.nl>

ABSTRACT. The *measure and conquer* approach has proven to be a powerful tool to *analyse* exact algorithms for combinatorial problems, like DOMINATING SET and INDEPENDENT SET. In this paper, we propose to use measure and conquer also as a tool in the *design* of algorithms. In an iterative process, we can obtain a series of *branch and reduce* algorithms. A mathematical analysis of an algorithm in the series with measure and conquer results in a quasiconvex programming problem. The solution by computer to this problem not only gives a bound on the running time, but also can give a new reduction rule, thus giving a new, possibly faster algorithm. This makes *design by measure and conquer* a form of *computer aided algorithm design*.

When we apply the methodology to a SET COVER modelling of the DOMINATING SET problem, we obtain the currently fastest known exact algorithms for DOMINATING SET: an algorithm that uses $O(1.5134^n)$ time and polynomial space, and an algorithm that uses $O(1.5063^n)$ time.

1. Introduction

The design of fast exponential time algorithms for finding exact solutions to NP-hard problems such as INDEPENDENT SET and DOMINATING SET has been a topic for research for over 30 years, see e.g., the results on INDEPENDENT SET in the 1970s by Tarjan and Trojanowski [18, 19]. A number of different techniques have been used for these and other exponential time algorithms [5, 21, 22].

An important paradigm for the design of exact algorithms is *branch and reduce*, pioneered in 1960 by Davis and Putnam [1]. Typically, in a branch and reduce algorithm,

1998 ACM Subject Classification: F.2.2. [Analysis of Algorithms and Problem Complexity]: Non-numerical Algorithms and Problems—computations on discrete structures; G.2.2. [Discrete Mathematics]: Graph Theory—graph algorithms; I.2.2. [Artificial Intelligence]: Automatic Programming—automatic analysis of algorithms.

Key words and phrases: exact algorithms, exponential time algorithms, branch and reduce, measure and conquer, dominating set, computer aided algorithm design.



© Johan M. M. van Rooij and Hans L. Bodlaender
Creative Commons Attribution-NoDerivs License

a collection of reduction rules and branching rules are given. Each reduction rule simplifies the instance to an equivalent, simpler instance. If no rule applies, the branching rules generate a collection of two or more instances, on which the algorithm recurses.

An important recent development in the analysis of branch and reduce algorithms is *measure and conquer*, which has been introduced by Fomin, Grandoni and Kratsch [4]. The measure and conquer approach helps to obtain good upper bounds on the running time of branch and reduce algorithms, often improving upon the currently best known bounds for exact algorithms. It has been used successfully on DOMINATING SET [4], INDEPENDENT SET [6], DOMINATING CLIQUE [15], the number of minimal dominating sets [9], CONNECTED DOMINATING SET [7], MINIMUM INDEPENDENT DOMINATING SET [12], and possibly others.

In this paper, we show that the measure and conquer approach can not only be used for the *analysis* of exact algorithms, but also for the *design* of such algorithms. More specifically, measure and conquer uses a non-standard size measure for instances. This measure is based on weight vectors, which are computed by solving a quasiconvex programming problem. Analysis of the solution of this quasiconvex program yields not only an upper bound to the running time of the algorithm, but also shows where we should improve the algorithm. This can lead to a new rule, which we add to the branch and reduce algorithm.

We apply this *design by measure and conquer* methodology to a SET COVER modelling of the DOMINATING SET problem, identical to the setting in which measure and conquer was first introduced. If we start with the trivial algorithm, then, we can obtain in a number of steps the original algorithm of Fomin et al. [4], but with additional steps, we obtain a faster algorithm, using $O(1.5134^n)$ time and polynomial space, with a variant that uses exponential memory and $O(1.5063^n)$ time. We also show that at this point we cannot improve this measure and conquer computed running time, unless we choose a different measure or change the branching rules.

While for several classic combinatorial problems, the first non-trivial exact algorithms date many years ago, for the DOMINATING SET problem, the first algorithms with running time $O^*(c^n)$ with $c < 2$ are from 2004, with three independent papers: by Fomin et al. [10], by Randerath and Schiermeyer [16], and by Grandoni [13]. The so far fastest algorithm for DOMINATING SET was found in 2005 by Fomin, Grandoni, and Kratsch [4]: this algorithm uses $O(1.5260^n)$ time and polynomial space, or $O(1.5137^n)$ time and exponential space.

2. Preliminaries

Given a collection of non-empty sets \mathcal{S} , a *set cover* of \mathcal{S} is a subset $\mathcal{C} \subseteq \mathcal{S}$ such that every element in any of the sets in \mathcal{S} occurs in some set in \mathcal{C} . In the SET COVER problem we are given a collection \mathcal{S} and are asked to compute a set cover of minimum cardinality.

The universe $\mathcal{U}_{\mathcal{S}}$ of a SET COVER problem instance is the set of all elements in any set in \mathcal{S} ; $\mathcal{U}_{\mathcal{S}} = \bigcup_{S \in \mathcal{S}} S$. The frequency $f(e)$ of an element $e \in \mathcal{U}_{\mathcal{S}}$ is the number of sets in \mathcal{S} in which this element occurs. Let $\mathcal{S}(e) = \{S \in \mathcal{S} \mid e \in S\}$ be the set of sets in \mathcal{S} in which the element e occurs. We define a connected component \mathcal{C} in a SET COVER problem instance \mathcal{S} in a natural way: a minimal non-empty subset $\mathcal{C} \subseteq \mathcal{S}$ for which all elements in the sets in \mathcal{C} occur only in sets contained in \mathcal{C} . The dimension $d_{\mathcal{S}}$ of a SET COVER problem instance is the sum of the number of sets in \mathcal{S} and the number of elements in $\mathcal{U}_{\mathcal{S}}$; $d_{\mathcal{S}} = |\mathcal{S}| + |\mathcal{U}_{\mathcal{S}}|$.

Let $G = (V, E)$ be an undirected graph. A subset $D \subseteq V$ of nodes is called a *dominating set* if every node $v \in V$ is either in D or adjacent to some node in D . The DOMINATING SET problem is to compute for a given graph G a dominating set of minimum cardinality.

We can reduce the minimum dominating set problem to the SET COVER problem by introducing a set for each node of G which contains the node itself and its neighbours; $\mathcal{S} := \{N[v] \mid v \in V\}$. Thus we can solve a DOMINATING SET problem on a graph of n nodes by a minimum set cover algorithm running on an instance of dimension $d = 2n$.

Both problems are long known to be NP-complete [11, 14], which motivates the search for fast exponential time algorithms.

3. A Faster Exact Algorithm for Dominating Set

In this section, we give our new algorithm for DOMINATING SET. The algorithm is an improvement to the algorithm by Fomin et al. [4]; it is obtained from this algorithm by adding some additional reduction rules. These rules were derived using the design by measure and conquer approach, see Section 4. After introducing our algorithm, we recall the necessary background of the measure and conquer method [4].

3.1. The Algorithm

Our algorithm for the DOMINATING SET problem uses the SET COVER modelling of DOMINATING SET shown in Section 2. It is a branch and reduce algorithm on this modelling consisting of four simple reduction rules, one base case for the recursion and a branching rule. See Algorithm 1.

For a given problem instance we first apply the following reduction rules:

- (1) *Base case.* If all sets in the instance are of size at most two then finding a minimum set cover is equivalent to finding a maximum matching in a graph. Introduce a node for each element and an edge for each set of size two. Now the maximum matching joined with some sets containing the unmatched nodes form a minimum set cover. This matching can be computed in polynomial time [2].
- (2) *Splitting connected components.* If the instance contains multiple connected components, compute the minimum set cover in each connected component separately.
- (3) *Subset rule.* If the instance contains sets S_1, S_2 with $S_1 \subseteq S_2$, then we remove S_1 from the instance. Namely, in each minimum set cover that contains S_1 , we can replace S_1 by S_2 and obtain a minimum set cover without S_1 .
- (4) *Subsumption rule.* If the set of sets $S(e')$ in which an element e' occurs is a subset of the set of sets $S(e)$ in which another element e occurs, we remove the element e . For any set cover, covering e' also covers e .
- (5) *Unique element or singleton rule.* If any set of size one remains in the instance after application of the previous rules, we add this set to the set cover. For the element in this set must occur uniquely in this set, otherwise it would have been a subset of another set and have been removed by rule 3.
- (6) *Avoiding unnecessary branchings based on frequency two elements.* For any set S in the problem instance let r_2 be the number of frequency two elements it contains. Let m be the number of elements in the union of sets containing the other occurrences of these frequency two elements, excluding any element already in S . If for any set S : $m < r_2$ then include S in the set cover.

This rule is correct since if we would branch on S and include it in the set cover we would cover $|S|$ elements with one set. If the set cover does not use S , it must use all sets containing the other occurrence of the frequency two elements, since they have

become unique elements now. Notice that by Rule 4 all other occurrences of the frequency two elements must be in different sets and thus we would cover $|S| + m$ elements with r_2 sets. So if $m < r_2$ the first case can be preferred over the second: we can just add S to the cover and have $r_2 - 1 \leq m$ sets left to cover at least this much elements.

For the branching rule, we select a set of maximum cardinality and create two subproblems by either including it in the minimum set cover and removing all newly covered elements from the problem instance or removing it.

Algorithm 1 Algorithm Designed by Measure and Conquer

```

MSC( $\mathcal{S}$ ) = {
  if  $\max\{|S| \mid S \in \mathcal{S}\} \leq 2$  then
    return minimum set cover of  $\mathcal{S}$  by computing a matching
  else if  $\exists \mathcal{C} \subseteq \mathcal{S} : \mathcal{C} \notin \{\emptyset, \mathcal{S}\}, \{S(e) \mid e \in S, S \in \mathcal{C}\} = \mathcal{C}$  then
    return  $\text{MSC}(\mathcal{C}) + \text{MSC}(\mathcal{S} \setminus \mathcal{C})$ 
  else if  $\exists S, S' \in \mathcal{S} : S \neq S', S \subseteq S'$  then
    return  $\text{MSC}(\mathcal{S} \setminus \{S\})$ 
  else if  $\exists e, e' \in \mathcal{U}_{\mathcal{S}} : e \neq e', S(e) \supseteq S(e')$  then
     $S' = \text{MSC}(\{S \setminus \{e\} \mid S \in \mathcal{S}\})$ 
    return  $\{S \cup \{e\} \mid S \in S', S \cup \{e\} \in \mathcal{S}\} \cup \{S \mid S \in S', S \cup \{e\} \notin \mathcal{S}\}$ 
  else if  $\exists \{e\} \in \mathcal{S}$  then
    return  $\{\{e\}\} \cup \text{MSC}(\mathcal{S} \setminus \{\{e\}\})$ 
  else if  $\exists S : |\bigcup\{S' \setminus S \mid e \in S, f(e) = 2, S' \in \mathcal{S}(e)\}| < |\{e \in S \mid f(e) = 2\}|$  then
    return  $S \cup \text{MSC}(\{S' \setminus S \mid S' \in \mathcal{S} \setminus \{S\}\})$ 
  else
    Let  $S := \text{argmax}_{S' \in \mathcal{S}}(|S'|)$ 
     $\mathcal{P} = \{\text{MSC}(\mathcal{S} \setminus \{S\}), S \cup \text{MSC}(\{S' \setminus S \mid S' \in \mathcal{S} \setminus \{S\}\})\}$ 
    return  $\text{argmin}_{P \in \mathcal{P}}(|P|)$ 
  end if
}
```

3.2. Running time analysis by Measure and Conquer

The basic idea of *measure and conquer* is the usage of a non-standard measure for the complexity of a problem instance in combination with an extensive subcase analysis. In the case of SET COVER, we give weights to set sizes and element frequencies, and sum these weights over all items and sets. We enumerate many subcases in which the algorithm can branch and derive recurrence relations for each of these cases in terms of these weights. Finally we obtain a large numerical optimisation problem which computes the weights corresponding to the smallest solution to all recurrence relations, giving an upper bound on the running time of our algorithm. This analysis is similar to [4].

We let $v_i, w_i \in [0, 1]$ be the weight of an element of frequency i and a set of size i respectively, and set our *variable measure of complexity* $k_{\mathcal{S}}$ to:

$$k_{\mathcal{S}} = \sum_{S \in \mathcal{S}} w_{|S|} + \sum_{e \in \mathcal{U}_{\mathcal{S}}} v_{f(e)} \quad \text{notice : } k_{\mathcal{S}} \leq d_{\mathcal{S}}$$

Sets of different sizes and elements of different frequencies contribute equally to the dimension of the instance, but now larger sets and higher frequency elements can contribute more to the measured complexity of the instance. Furthermore we set $v_i = w_i = 0, i \in \{0, 1\}$ since all frequency one elements and size one sets are removed by the reduction rules. For later use we introduce quantities representing the reduction in problem complexity when the size of a set or the frequency of an element is reduced by one. For technical reasons, these quantities must be non-negative.

$$\Delta w_i = w_i - w_{i-1} \quad \Delta v_i = v_i - v_{i-1} \quad \forall i \geq 1 : \Delta v_i, \Delta w_i \geq 0$$

The next step will be to derive recurrence relations representing problem instances the algorithm branches on. Let $N(k)$ be the number of subproblems generated in order to solve a problem of measured complexity k . And let Δk_{in} (include S) and Δk_{out} (discard S) be the difference in measured complexity of both subproblems compared to the problem instance we branch on. Finally let $|S| = \sum_{i=2}^{\infty} r_i$, where r_i the number of elements in S of frequency i .

If we add S to the set cover, S is removed together with all its elements. This results in a reduction in size of $w_{|S|} + \sum_{i=2}^{\infty} r_i v_i$. Because of the removal of these elements, other sets are reduced in size; this leads to an additional complexity reduction of at least $\min_{j \leq |S|} \{\Delta w_j\} \sum_{i=2}^{\infty} (i-1) r_i$. To keep the formula (and the next) linear, we set $\min_{j \leq |S|} \{\Delta w_j\} = \Delta w_{|S|}$ and keep the formula correctly modelling the algorithm by introducing the following constraints on the weights:

$$\forall i \geq 2 : \Delta w_i \leq \Delta w_{i-1}$$

One can show that including these in the numerical optimisation problem does not change the solution, as it gives the same weights. The constraints help to considerably speed up this optimisation process.

If we discard S , we also remove it from the problem instance, and hence all its elements are reduced in frequency by one. So we have a complexity reduction of $w_{|S|} + \sum_{i=2}^{\infty} r_i \Delta v_i$. Besides this reduction, the sets which contain the second occurrences of any frequency two element are included in the set cover. Notice that these must be different sets due to reduction Rule 4. Because of Rule 6 we know that at least r_2 other elements must be in these sets as well, and these also must occur somewhere else in the instance, hence even more sets are reduced in size. Summation leads to an additional size reduction of $r_2(v_2 + w_2 + \Delta w_{|S|})$. Here we also use Rule 2 to make sure that not all these frequency two elements occur in the same set, because in that case all considered sets form a connected component of at most five sets which thus can be solved in $O(1)$ time.

This leads to the following set of recurrence relations: $\forall 3 \leq |S| = \sum_{i=2}^{\infty} r_i$:

$$N(k) \leq N(k - \Delta k_{out}) + N(k - \Delta k_{in})$$

where

$$\begin{aligned} \Delta k_{out} &= w_{|S|} + \sum_{i=2}^{\infty} r_i \Delta v_i + r_2(v_2 + w_2 + \Delta w_{|S|}) \\ \Delta k_{in} &= w_{|S|} + \sum_{i=2}^{\infty} r_i v_i + \Delta w_{|S|} \sum_{i=2}^{\infty} (i-1) r_i \end{aligned}$$

We make the problem finite by setting for some large enough p all $v_i = w_i = 1$ for $i \geq p$, and only consider the subcases $|S| = \sum_{i=2}^p r_i + r_{>p}$, where $r_{>p} = \sum_{i=p+1}^{\infty} r_i$. Now

we have a finite set of recurrences which model our algorithm since the recurrences for the cases where $|S| > p + 1$ are dominated by those where $|S| = p + 1$. The best value for p follows from the optimisation, for if chosen too small the now constant recurrences (weights equal 1) will dominate all others in the optimum, and if chosen too large the extra v_i and w_i are optimised to 1 (and the optimisation problem was unnecessarily hard). Here p equals 7.

A solution to this set of recurrence relations will be of the form $N(k) = \alpha^k$, where α is the smallest solution of the set of inequalities:

$$\alpha^k \leq \alpha^{k-\Delta k_{out}} + \alpha^{k-\Delta k_{in}}$$

Since $k \leq d$ where d the dimension of the problem, we know that the algorithm will have a running time of $O((\alpha + \epsilon)^d)$, for any $\epsilon > 0$:

$$O(\text{poly}(d)N(k)) = O(\text{poly}(d)\alpha^k) \leq O(\text{poly}(d)\alpha^d) \leq O((\alpha + \epsilon)^d)$$

From here on we let ϵ be the error in the upward decimal rounding of α .

So for any given vector $\vec{v} = (0, v_2, v_3, v_4, \dots)$ and $\vec{w} = (0, w_2, w_3, w_4, \dots)$ we can now compute the running time measured with these weights. As a result we have obtained a numerical optimisation problem: choose the best weights so that the upper bound on the running time is minimal.

The numerical solution to this problem can be found in the last cell of Table 1, resulting in an upper bound on the running time of the algorithm of $O(1.2302^d)$:

3.3. Quasiconvex programming

The sort of numerical optimisation problems arising from measure and conquer analyses are *quasiconvex programs*, named after the kind of function we are optimising: a *quasiconvex function*, which is a function with convex level sets $\{\vec{x} \mid q(x) \leq \lambda\}$.

To our knowledge there are currently two different techniques in use to solve these quasiconvex programs: randomised search, and Eppstein's *smooth quasiconvex programming* algorithm [3]. We have implemented a variant of the second technique; for details see [20].

3.4. Results

As discussed, we have now obtained the following result.

Theorem 3.1. *Algorithm 1 solves a SET COVER problem instance of dimension d in $O(1.2302^d)$ time and polynomial space.* ■

Using the minimum set cover modelling of DOMINATING SET this results in:

Corollary 3.2. *There exists an algorithm that solves the DOMINATING SET problem in $O(1.5134^n)$ time and polynomial space.* ■

We can further reduce the time complexity of the algorithm at the cost of exponential space. This can be done by dynamic programming; the algorithm keeps track of all solutions to subproblems solved and if the same subproblem turns up more than once it is looked up. Notice that querying and storing the subproblems can be implemented in polynomial time.

We compute the new time complexity based on [8, 17] and obtain:

Theorem 3.3. *Algorithm 1, modified as above, solves a SET COVER problem of dimension d in $O(1.2273^d)$ time and space.* ■

Corollary 3.4. *There exists an algorithm that solves the DOMINATING SET problem in $O(1.5063^n)$ time and space.* ■

4. Design by Measure and Conquer

The beauty of our algorithm lies in the fact that it has been designed using a form of *computer aided algorithm design* which we call *design by measure and conquer*. Given a variable measure of complexity as in the analysis in Section 3.2 and a set of branching rules, all polynomial time computable reduction rules relative to this measure and branching rules follow by the method. We start with a trivial branch and reduce algorithm, i.e. one without any reduction rules and only consisting of the branching rule and a trivial base case (if the problem is empty, return \emptyset). Next we exhaustively apply an improvement step, which comes up with a new reduction rule and hence a possibly faster algorithm. This changes the algorithm analysis technique measure and conquer into a technique for algorithm design.

Thus, this gives a very nice process, where a human invents additional reduction rules, and the computational power of our computer does the extensive measure and conquer analysis and points to all possible points of direct improvement. This combination has proven to be successful as we see from the results of Section 3. While constructing our algorithm, the previously fastest algorithm for DOMINATING SET by Fomin et al. [4] has been obtained as an intermediate step. It has now been improved up to a point where we need to either change the branching rule (or add new branching rules) or modify the measure and conquer analysis, i.e. use a different variable measure or perform a more elaborate subcase analysis. See Table 1 for information on the analysis and added rules for all algorithms, from the starting trivial algorithm without any reduction rules till we obtain Algorithm 1.

4.1. A Single Iteration: improving the previously fastest algorithm

We now demonstrate how the improvement step works, by giving one such improvement as elaborate example, namely an improvement we can make when we start with the algorithm by Fomin et al. [4]. This step is marked with a star in Table 1. First we perform a measure and conquer analysis on the current algorithm giving us the optimal instantiation of the variable measure, and an upper bound on the running time of the algorithm. Next we examine the quasiconvex function we have just optimised.

The quasiconvex function has the following form:

$$q(\vec{v}, \vec{w}) = \max_{c \in \mathcal{C}} q_c(\vec{v}, \vec{w}) = \max_{c \in \mathcal{C}} \left\{ \alpha \in \mathbb{R}_{>0} \mid 1 = \alpha^{-\Delta k_{out}^c} + \alpha^{-\Delta k_{in}^c} \right\}$$

where \mathcal{C} is the set of all possible instances the algorithm can branch on and $\Delta k_{in}^c, \Delta k_{out}^c$ are the differences in measured complexity between the generated subproblems and branching subcase c .

Each one of the functions q_c is quasiconvex (see [3]), i.e. it has convex level sets. The situation is very similar to finding the point x of minimum maximum distance to a set of points P in N dimensional space: only a few points in P have distance to x tight to this maximum, and moving away from x always results in at least one of these distances to increase. If one such tight point is moved or removed, this directly influences the optimum x and the minimum maximum distance.

We now consider the eight cases that are tight to the value of the quasiconvex function q in the optimum. These are:

$$\begin{aligned} |S| = r_2 = 3, \quad |S| = r_3 = 3, \quad |S| = r_4 = 3, \quad |S| = r_5 = 4 \\ |S| = r_6 = 4, \quad |S| = r_6 = 5, \quad |S| = r_7 = 5, \quad |S| = r_7 = 6 \end{aligned}$$

Now, if we can formulate a reduction rule that either further reduces the size of any subproblem generated in these cases, or removes any of these cases completely, then we lower the value of the corresponding q_c , or remove this q_c respectively, resulting in a new optimum corresponding to a faster running time.

We take the simplest case for improvement; $|S|$ as small as possible, and with as low frequency elements as possible. This corresponds to an instance with:

$$S = \{1, 2, 3\} \quad \text{existing next to:} \quad \{1, 2, 4\}, \{3, 4\}$$

We emphasize that this is not an entire instance, but just a fragment of an instance containing the set S used for branching and the collection of sets in which the elements from S also occur. In an instance corresponding to this subcase the element 4 can be of frequency two or higher, but all sets are of size three or smaller.

We note that we do not need to branch on this particular subcase: elements 1 and 2 occur in exactly the same sets, and thus if a set cover covers one of these, the other is covered as well. We generalise this and formulate the subsumption rule (Rule 4 of Algorithm 1). Now we have a new algorithm, for which we can adjust the measure and conquer analysis, and repeat this process.

4.2. The Process Halts

Above, we discussed how to perform one step of the design by measure and conquer process. For a complete overview of the construction of Algorithm 1 see Table 1, with the relevant data for each improvement step. Note from Table 1 that after each new step, the example worst case instance part is no longer a valid worst case for the next step. As a result, at each step either some subcases are removed by using a larger smallest set S or by removing small sets or elements (setting $v_1 = 0$ or $w_1 = 0$), or the size reduction in the formula for Δk_{out} is increased. After each step we refactored the reduction rules and removed possible superfluous ones. We have not included the formula for Δk_{in} in this table, since it does not change except that $r_1 \neq 0$ in early stages.

It appears that we must use a different approach to obtain a faster algorithm. Considered the following problem:

Problem 4.1. Given a SET COVER instance \mathcal{S} and a set $S \in \mathcal{S}$ with the properties:

- (1) Non of the reduction rules of Algorithm 1 apply to \mathcal{S} .
- (2) All sets in \mathcal{S} have cardinality at most three; $|S| = 3$.
- (3) Every element $e \in S$ has frequency two.

Question: Does there exist a minimum set cover of \mathcal{S} containing S ?

Proposition 4.2. *Problem 4.1 is NP-complete.*

Proposition 4.2 implies that we cannot formulate a polynomial time reduction rule that removes the current simplest worst case of our algorithm by deciding on whether S is in a minimum set cover or not, unless $P = NP$.

Latest new reduction rule current formula for $\Delta^{k_{out}}$ subcases considered weights vectors \vec{v} and \vec{w}	Running times for SET COVER and DOMINATING SET instance part of the simplest worst case; S – other occurrences of elements of S
Trivial algorithm $w_{ S } + \sum_{i=1}^{\infty} r_i \Delta v_i$ $1 \leq S = \sum_{i=1}^p r_i + r_{>p} \leq p + 1 = 3$ $\vec{v} = (0.8808, 0.9901, \dots)$	$O(1.4519^d) \quad O(2.1080^n)$ $\{1\} - \emptyset$ $\vec{w} = (0.9782, \dots)$
Stop when all sets of size one $w_{ S } + \sum_{i=1}^{\infty} r_i \Delta v_i$ $2 \leq S = \sum_{i=1}^p r_i + r_{>p} \leq p + 1 = 4$ $\vec{v} = (0.7289, 0.9638, 0.9964, \dots)$	$O(1.3380^d) \quad O(1.7902^n)$ $\{1, 2\} - \emptyset$ $\vec{w} = (0.4615, 0.9229, \dots)$
Include all frequency one elements $w_{ S } + \sum_{i=2}^{\infty} r_i \Delta v_i + \delta_{r_2 > 0} w_1 + \delta_{ S =r_2=2} \Delta w_2$ $2 \leq S = \sum_{i=2}^p r_i + r_{>p} \leq p + 1 = 5$ $\vec{v} = (0, 0.4818, 0.8357, 0.9636, \dots)$	$O(1.2978^d) \quad O(1.6842^n)$ $\{1, 2\} - \{1, 2\}$ $\vec{w} = (0.4240, 0.8480, 0.9676, \dots)$
Subset rule $w_{ S } + \sum_{i=2}^{\infty} r_i \Delta v_i + \delta_{r_2 > 0} (w_2 + v_2) + \delta_{ S =r_2=2} \Delta w_2$ $2 \leq S = \sum_{i=2}^p r_i + r_{>p} \leq p + 1 = 7$ $\vec{v} = (0, 0.3900, 0.7992, 0.9318, 0.9808, \dots)$	$O(1.2665^d) \quad O(1.6038^n)$ $\{1, 2\} - \{1, 3\}, \{1, 4\}, \{2, 3\}, \{2, 4\}$ $\vec{w} = (0, 0.6973, 0.9093, 0.9800, \dots)$
Compute matching for size two sets* $w_{ S } + \sum_{i=2}^{\infty} r_i \Delta v_i + \delta_{r_2 > 0} (w_2 + v_2) + \delta_{ S =3, r_2 \geq 2} (\Delta w_3 + \delta_{r_2=3} w_2) + \delta_{ S =r_2=4} w_4$ $3 \leq S = \sum_{i=2}^p r_i + r_{>p} \leq p + 1 = 7$ $\vec{v} = (0, 0.3978, 0.7650, 0.9263, 0.9842, \dots)$	$O(1.2352^d) \quad O(1.5258^n)$ $\{1, 2, 3\} - \{1, 2, 4\}, \{3, 4\}$ $\vec{w} = (0, 0.3787, 0.7575, 0.9103, 0.9763, \dots)$
Subsumption rule $w_{ S } + \sum_{i=2}^{\infty} r_i \Delta v_i + \delta_{r_2 > 0} (r_2 w_2 + v_2) + \delta_{ S =r_2=3} \Delta v_3$ $3 \leq S = \sum_{i=2}^p r_i + r_{>p} \leq p + 1 = 7$ $\vec{v} = (0, 0.3545, 0.7455, 0.9203, 0.9818, \dots)$	$O(1.2339^d) \quad O(1.5223^n)$ $\{1, 2, 3\} - \{1, 4\}, \{2, 4\}, \{3, 4\}$ $\vec{w} = (0, 0.3755, 0.7510, 0.9061, 0.9745, \dots)$
Avoid unnecessary branchings $w_{ S } + \sum_{i=2}^{\infty} r_i \Delta v_i + r_2 (w_2 + v_2) + \delta_{r_2 > 1} (r_2 - 1) \Delta w_{ S }$ $3 \leq S = \sum_{i=2}^p r_i + r_{>p} \leq p + 1 = 8$ $\vec{v} = (0, 0.269912, 0.689810, 0.892666, 0.965849, 0.992140, \dots)$ $\vec{w} = (0, 0.376088, 0.752176, 0.907558, 0.974394, 0.999212, \dots)$	$O(1.2313^d) \quad O(1.5160^n)$ $\{1, 2, 3\} - \{1, 4\}, \{2, 5\}, \{3, 6\}$
Connected components (final) $w_{ S } + \sum_{i=2}^{\infty} r_i \Delta v_i + r_2 (w_2 + v_2 + \Delta w_{ S })$ $3 \leq S = \sum_{i=2}^p r_i + r_{>p} \leq p + 1 = 8$ $\vec{v} = (0, 0.219478, 0.671386, 0.876555, 0.956850, 0.988195, \dots)$ $\vec{w} = (0, 0.375418, 0.750835, 0.905768, 0.971965, 0.998158, \dots)$	$O(1.2302^d) \quad O(1.5134^n)$ $\{1, 2, 3\} - \{1, 4\}, \{2, 5\}, \{3, 6\}$

* Algorithm by Fomin, Grandoni and Kratsch [4].

Table 1: The iterations of the design by measure and conquer process.

We can construct similar NP-complete problems for all other worst cases of Algorithm 1. Therefore Algorithm 1 is optimal in some sense: we cannot straightforwardly improve it by performing another iteration. In order to obtain a faster branch and reduce algorithm using polynomial time reduction rules with a smaller measure and conquer proved time bound, it is necessary to either change the variable measure, the branching rule(s), or perform a more extensive subcase analysis.

Very recently, we pursued the last option with little result. We tried to further subdivide the frequency two elements in the branch set depending on the size of the set containing their second occurrence (two or larger) and if this is a set of size two, on the frequency of the other element in this set. This resulted in a set of very technical reduction rules and a small speedup for the case where we use only polynomial space. This speedup, however, was almost completely lost when using exponential space because some of the weights involved became almost zero.

5. Conclusion and Further Research

In this paper, we have given the currently fastest exact algorithm for the DOMINATING SET problem. Besides setting the current record for this central graph theoretic problem, we also have shown that measure and conquer can be used as a tool for the design of algorithms.

We have shown that there exists a strong relation between the chosen variable measure, the branching rule(s) and the reduction rules of a measure and conquer based algorithm. We intend to further investigate this relation and examine to what point we can deduce not only reduction rules, but also branching rules from the given measure.

We plan to apply the *design by measure and conquer* method to a number of other combinatorial problems, and hope and expect that in a number of cases, such a computer aided algorithm design will give further improvements to the best known exact algorithms for these problems.

In this paper, we observe that measure and conquer can be used as a form of *computer aided algorithm design*. Another intriguing question is whether we can automate some additional steps in the design process, e.g., can we automatically obtain reduction rules from the solution of the quasiconvex program?

References

- [1] M. David and H. Putnam. A computing procedure for quantification theory. *J. ACM*, 7:201–215, 1960.
- [2] J. Edmonds. Paths, trees, and flowers. *Canad. J. Math.*, 17:445–467, 1965.
- [3] D. Eppstein. Quasiconvex analysis of backtracking algorithms. In *Proceedings of the 15th Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2004*, pages 781–790, 2004.
- [4] F. V. Fomin, F. Grandoni, and D. Kratsch. Measure and conquer: Domination — a case study. In *Proceedings of the 32nd International Colloquium on Automata, Languages and Programming, ICALP 2005*, pages 191–203. Springer Verlag, Lecture Notes in Computer Science, vol. 3580, 2005.
- [5] F. V. Fomin, F. Grandoni, and D. Kratsch. Some new techniques in design and analysis of exact (exponential) algorithms. *Bulletin of the EATCS*, 87:47–77, 2005.
- [6] F. V. Fomin, F. Grandoni, and D. Kratsch. Measure and conquer: a simple $O(2^{0.288n})$ independent set algorithm. In *Proceedings of the 16th Annual ACM-SIAM Symposium on Discrete Algorithms, SODA 2006*, pages 18–25, 2006.

- [7] F. V. Fomin, F. Grandoni, and D. Kratsch. Solving connected dominating set faster than 2^n . In S. Arun-Kumar and N. Garg, editors, *Proceedings 26th International Conference on Foundations of Software Technology and Theoretical Computer Science, FSTTCS 2006*, pages 152–163. Springer Verlag, Lecture Notes in Computer Science, vol. 4337, 2006.
- [8] F. V. Fomin, F. Grandoni, and D. Kratsch. A measure & conquer approach for the analysis of exact algorithms. Technical Report 359, Department of Informatics, University of Bergen, Bergen, Norway, 2007.
- [9] F. V. Fomin, F. Grandoni, A. Pyatkin, and A. A. Stepanov. Bounding the number of minimal dominating sets: a measure and conquer approach. In *Proceedings 16th International Symposium on Algorithms and Computation, ISAAC 2005*, pages 192–203. Springer Verlag, Lecture Notes in Computer Science, vol. 3827, 2005.
- [10] F. V. Fomin, D. Kratsch, and G. J. Woeginger. Exact (exponential) algorithms for the dominating set problem. In J. Hromkovič, M. Nagl, and B. Westfechtel, editors, *Proceedings 30th International Workshop on Graph-Theoretic Concepts in Computer Science WG'04*, page 245=256. Springer Verlag, Lecture Notes in Computer Science, vol. 3353, 2004.
- [11] M. R. Garey and D. S. Johnson. *Computers and Intractability, A Guide to the Theory of NP-Completeness*. W.H. Freeman and Company, New York, 1979.
- [12] S. Gaspers and M. Liedloff. A branch-and-reduce algorithm for finding a minimum independent dominating set in graphs. In F. V. Fomin, editor, *Proceedings 32nd International Workshop on Graph-Theoretic Concepts in Computer Science WG'06*, pages 78–89. Springer Verlag, Lecture Notes in Computer Science, vol. 4271, 2006.
- [13] F. Grandoni. A note on the complexity of minimum dominating set. *J. Disc. Alg.*, 4:209–214, 2006.
- [14] R. M. Karp. Reducibility among combinatorial problems. In R. E. Miller and J. W. Thatcher, editors, *Complexity of Computer Computations*, pages 85 – 104. Plenum Press, 1972.
- [15] D. Kratsch and M. Liedloff. An exact algorithm for the minimum dominating clique problem. In H. L. Bodlaender and M. A. Langston, editors, *Proceedings 2nd International Workshop on Parameterized and Exact Computation, IWPEC 2006*, pages 128–139. Springer Verlag, Lecture Notes in Computer Science, vol. 4169, 2006.
- [16] B. Randerath and I. Schiermeyer. Exact algorithms for minimum dominating set. Technical Report zaik2005-501, Universität zu Köln, Cologne, Germany, 2005.
- [17] J. M. Robson. Algorithms for maximum independent sets. *J. Algorithms*, 7:425–440, 1986.
- [18] R. E. Tarjan. Finding a maximum clique. Technical report, Department of Computer Science, Cornell University, Ithaca, NY, 1972.
- [19] R. E. Tarjan and A. Trojanowski. Finding a maximum independent set. *SIAM J. Comput.*, 6:537–546, 1977.
- [20] J. M. M. van Rooij. Design by measure and conquer: An $O(1.5086^n)$ algorithm for minimum dominating set and similar problems. Master's thesis, Institute for Information and Computing Sciences, Utrecht University, 2006.
- [21] G. J. Woeginger. Exact algorithms for NP-hard problems: A survey. In *Combinatorial Optimization: "Eureka, you shrink"*, pages 185–207, Berlin, 2003. Springer Lecture Notes in Computer Science, vol. 2570.
- [22] G. J. Woeginger. Space and time complexity of exact algorithms: some open problems (invited talk). In R. G. Downey and M. R. Fellows, editors, *Proceedings 1st International Workshop on Parameterized and Exact Computation, IWPEC 2004*, pages 281–290, Berlin, 2004. Springer Lecture Notes in Computer Science, vol. 3162.

