

New Results on Quantum Property Testing*

Sourav Chakraborty¹, Eldar Fischer², Arie Matsliah³, and Ronald de Wolf³

1 Chennai Mathematical Institute, Chennai, India.

sourav@cmi.ac.in

2 Computer Science Faculty, Israel Institute of Technology (Technion).

eldar@cs.technion.ac.il

3 Centrum Wiskunde & Informatica, Amsterdam.

{ariem,rdeewolf}@cwi.nl

Abstract

We present several new examples of speed-ups obtainable by quantum algorithms in the context of property testing.

First, motivated by sampling algorithms, we consider probability distributions given in the form of an oracle $f : [n] \rightarrow [m]$. Here the probability $\mathcal{P}_f(j)$ of an outcome $j \in [m]$ is the fraction of its domain that f maps to j . We give quantum algorithms for testing whether two such distributions are identical or ϵ -far in L_1 -norm. Recently, Bravyi, Hassidim, and Harrow [11] showed that if \mathcal{P}_f and \mathcal{P}_g are both unknown (i.e., given by oracles f and g), then this testing can be done in roughly \sqrt{m} quantum queries to the functions. We consider the case where the second distribution is known, and show that testing can be done with roughly $m^{1/3}$ quantum queries, which we prove to be essentially optimal. In contrast, it is known that classical testing algorithms need about $m^{2/3}$ queries in the unknown-unknown case and about \sqrt{m} queries in the known-unknown case. Based on this result, we also reduce the query complexity of graph isomorphism testers with quantum oracle access.

While those examples provide polynomial quantum speed-ups, our third example gives a much larger improvement (constant quantum queries vs polynomial classical queries) for the problem of testing periodicity, based on Shor's algorithm and a modification of a classical lower bound by Lachish and Newman [27]. This provides an alternative to a recent constant-vs-polynomial speed-up due to Aaronson [1].

Digital Object Identifier 10.4230/LIPIcs.FSTTCS.2010.145

1 Introduction

Since the early 1990s, a number of *quantum* algorithms have been discovered that have much better query complexity than their best classical counterparts [15, 31, 22, 4, 16, 5]. Around the same time, the area of *property testing* gained prominence [9, 20, 18, 29]. Here the aim is to design algorithms that can efficiently test whether a given very large piece of data satisfies some specific property, or is “far” from having that property.

Buhrman et al. [12] combined these two strands, exhibiting various testing problems where quantum testers are much more efficient than classical testers. There has been some recent subsequent work on quantum property testing, such as the work of Friedl et al. [19] on testing hidden group properties, Atici and Servedio [6] on testing juntas, Inui and Le Gall [25]

* This work was partially supported by an ERC-2007-StG grant number 202405-2 and by an ISF grant number 1101/06 and was also partially supported by a Vidi grant from the Netherlands Organization for Scientific Research (NWO), and by the European Commission under the Integrated Project Qubit Applications (QAP) funded by the IST directorate as Contract Number 015848.



© Sourav Chakraborty, Eldar Fischer, Arie Matsliah and Ronald de Wolf;
licensed under Creative Commons License NC-ND

IARCS Int'l Conference on Foundations of Software Technology and Theoretical Computer Science (FSTTCS 2010).
Editors: Kamal Lodaya, Meena Mahajan; pp. 145–156



Leibniz International Proceedings in Informatics

Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany

on testing group solvability, Childs and Liu [14] on testing bipartiteness and expansion, Aaronson [1] on “Fourier checking”, and Bravyi, Hassidim, and Harrow [11] on testing distributions.

In this paper we continue this line of research, coming up with a number of new examples where quantum testers substantially improve upon their classical counterparts. It should be noted that we do not invent new quantum algorithms here—rather, we use known quantum algorithms as subroutines in otherwise *classical* testing algorithms.

1.1 Distribution Testing

How many samples are needed to determine whether two distributions are identical or have L_1 -distance more than ϵ ? This is a fundamental problem in statistical hypothesis testing and also arises in other subjects like property testing and machine learning.

We use the notation $[n] = \{1, 2, 3, \dots, n\}$. For a function $f : [n] \rightarrow [m]$, we denote by \mathcal{P}_f the distribution over $[m]$ in which the weight $\mathcal{P}_f(j)$ of every $j \in [m]$ is proportional to the number of elements $i \in [n]$ that are mapped to j . We use this form of representation for distributions in order to allow *queries*. Namely, we assume that the function $f : [n] \rightarrow [m]$ is accessible by an oracle of the form $|x\rangle|b\rangle \mapsto |x\rangle|b \oplus f(x)\rangle$, where x is a log n -bit string, b and $f(x)$ are log m -bit strings and \oplus is bitwise addition modulo two. Note that a classical random sample according to a distribution \mathcal{P}_f can be simply obtained by picking $i \in [n]$ uniformly at random and evaluating $f(i)$. In fact, a classical algorithm cannot make a better use of the oracle, since the actual labels of the domain $[n]$ are irrelevant.

We say that the distribution \mathcal{P}_f is *known* (or *explicit*) if the function f is given explicitly, and hence all probabilities $\mathcal{P}_f(j)$ can be computed. \mathcal{P}_f is *unknown* (or *black-box*) if we only have oracle access to the function f , and no additional information about f is given. Two distributions $\mathcal{P}_f, \mathcal{P}_g$ defined by functions $f, g : [n] \rightarrow [m]$ are ϵ -far if the L_1 -distance between them is at least ϵ , i.e., $\|\mathcal{P}_f - \mathcal{P}_g\|_1 = \sum_{j=1}^m |\mathcal{P}_f(j) - \mathcal{P}_g(j)| \geq \epsilon$. Note that $f = g$ implies $\mathcal{P}_f = \mathcal{P}_g$ but not vice versa (for instance, permuting f leaves \mathcal{P}_f invariant). Two problems of testing distributions can be formally stated as follows:

- **unknown-unknown case.** Given n, m, ϵ and oracle access to $f, g : [n] \rightarrow [m]$, how many queries to f and g are required in order to determine whether the distributions \mathcal{P}_f and \mathcal{P}_g are identical or ϵ -far?
- **known-unknown case.** Given n, m, ϵ , oracle access to $f : [n] \rightarrow [m]$ and a known distribution \mathcal{P}_g (defined by an explicitly given function $g : [n] \rightarrow [m]$), how many queries to f are required to determine whether \mathcal{P}_f and \mathcal{P}_g are identical or ϵ -far?

If only *classical* queries are allowed (where querying the distribution means asking for a random sample), the answers to these problems are well known. For the unknown-unknown case Batu, Fortnow, Rubinfeld, Smith, and White [8] proved an upper bound of $\tilde{O}(m^{2/3})$ on the query complexity, and Valiant [32] proved a matching (up to polylogarithmic factors) lower bound. For the known-unknown case, Goldreich and Ron [21] showed a lower bound of $\Omega(\sqrt{m})$ queries and Batu, Fischer, Fortnow, Rubinfeld, Smith, and White [7] proved a nearly tight upper bound of $\tilde{O}(\sqrt{m})$ queries.¹

¹ These classical lower bounds are stated in terms of number of samples rather than number of queries, but it is not hard to see that they hold in both models. In fact, the \sqrt{m} classical query lower bound for the known-unknown case follows by the same argument as the quantum lower bound.

1.1.1 Testing with Quantum Queries

Allowing quantum queries for accessing distributions, Bravyi, Hassidim, and Harrow [11] recently showed that the L_1 -distance between two unknown distributions can actually be estimated up to small error with only $O(\sqrt{m})$ queries. Their result implies an $O(\sqrt{m})$ upper bound on the quantum query complexity for the unknown-unknown testing problem defined above. In this paper we consider the known-unknown case, and prove nearly tight bounds on its quantum query complexity.

► **Theorem 1.** *Given n, m, ϵ , oracle access to $f : [n] \rightarrow [m]$ and a known distribution \mathcal{P}_g (defined by an explicitly given function $g : [n] \rightarrow [m]$), the quantum query complexity of determining whether \mathcal{P}_f and \mathcal{P}_g are identical or ϵ -far is $O\left(\frac{m^{1/3} \log^2 m \log \log m}{\epsilon^5}\right) = m^{1/3} \cdot \text{poly}\left(\frac{1}{\epsilon}, \log m\right)$.*

We prove Theorem 1 in two parts. First, in Section 3.1, we prove that with $O\left(\frac{m^{1/3}}{\epsilon^2}\right)$ quantum queries it is possible to test whether a black-box distribution \mathcal{P}_f (defined by some $f : [n] \rightarrow [m]$) is ϵ -close to uniform. We actually prove that this can be even done *tolerantly* in a sense, meaning that a distribution that is close to uniform in the L_∞ norm is accepted with high probability (see Theorem 10 for the formal statement). Then, in Section 3.2, we use the bucketing technique (see Section 2.1) to reduce the task of testing closeness to a known distribution to testing uniformity.

We stress that the main difference between the classical algorithm of [7] and ours is that in [7] they check the “uniformity” of the unknown distribution in every bucket by approximating the corresponding L_2 norms of the conditional distributions. It is not clear if one can gain anything (in the quantum case) using the same strategy, since we are not aware of any quantum procedure that can approximate the L_2 norm of a distribution with less than \sqrt{m} queries. Hence, we reduce the main problem *directly* to the problem of testing uniformity. For this reduction to work, the uniformity tester has to be tolerant in the sense mentioned above (see Section 3.2 for details).

A different quantum uniformity tester was recently discovered (independently) in [11]. We note that our version has the advantages of being tolerant, which is crucial for the application above, and it has only polynomial dependence on ϵ (instead of exponential), which is essentially optimal.

1.1.2 Quantum Lower Bounds

Known quantum query lower bounds for the collision problem [2, 3, 26] imply that in both known-unknown and unknown-unknown cases roughly $m^{1/3}$ quantum queries are required. In fact, the lower bound applies even for testing uniformity (proof omitted from this extended abstract):

► **Theorem 2.** *Given n, m, ϵ and oracle access to $f : [n] \rightarrow [m]$, the quantum query complexity of determining whether \mathcal{P}_f is uniform or ϵ -far from uniform is $\Omega(m^{1/3})$.*

The main remaining open problem is to tighten the bounds on the quantum query complexity for the unknown-unknown case. It would be very interesting if this case could also be tested using roughly $m^{1/3}$ quantum queries. In fact the easiest way to do this (just reconstructing both unknown distributions up to small error) will not work—it requires $\Omega(m/\log m)$ quantum queries.

1.2 Graph Isomorphism Testing

Fischer and Matsliah [17] studied the problem of testing graph isomorphism in the dense-graph model, where the graphs are represented by their adjacency matrices, and querying the graph corresponds to reading a single entry from its adjacency matrix. The goal in isomorphism testing is to determine, with high probability, whether two graphs G and H are isomorphic or ϵ -far from being isomorphic, making as few queries as possible. (The graphs are ϵ -far from being isomorphic if at least an ϵ -fraction of the entries in their adjacency matrices need to be modified in order to make them isomorphic.)

In [17] two models were considered:

- **unknown-unknown case.** Both G and H are unknown, and they can only be accessed by querying their adjacency matrices.
- **known-unknown case.** The graph H is known (given in advance to the tester), and the graph G is unknown (can only be accessed by querying its adjacency matrix).

As usual, in both models the query complexity is the worst-case number of queries needed to test whether the graphs are isomorphic. [17] give nearly tight bounds of $\Theta(\sqrt{|V|})$ on the (classical) query complexity in the known-unknown model. For the unknown-unknown model they prove an upper bound of $\tilde{O}(|V|^{5/4})$ and a lower bound of $\Omega(|V|)$ on the query complexity.

Allowing quantum queries², we can use our aforementioned results to prove the following query-complexity bounds for testing graph isomorphism (proof omitted from this extended abstract):

► **Theorem 3.** *The quantum query complexity of testing graph isomorphism in the known-unknown case is $\tilde{\Theta}(|V|^{1/3})$, and in the unknown-unknown case it is between $\Omega(|V|^{1/3})$ and $\tilde{\Theta}(|V|^{7/6})$.*

1.3 Periodicity Testing

The quantum testers mentioned above obtain polynomial speed-ups over their classical counterparts, and that is the best one can hope to obtain for these problems. The paper by Buhrman et al. [12], which first studied quantum property testing, actually provides two super-polynomial separations between quantum and classical testers: a constant-vs- $\log n$ separation based on the Bernstein-Vazirani algorithm, and a (roughly) $\log n$ -vs- \sqrt{n} separation based on Simon’s algorithm. They posed as an open problem whether there exists a constant-vs- n separation. Recently, in an attempt to construct oracles to separate BQP from the Polynomial Hierarchy, Aaronson [1] analyzed the problem of “Fourier checking”: roughly, the input consists of two m -bit Boolean functions f and g , such that g is either strongly or weakly correlated with the Fourier transform of f (i.e., $g(x) = \text{sign}(\hat{f}(x))$ either for most x or for roughly half of the x). He proved that quantum algorithms can decide this with $O(1)$ queries while classical algorithms need $\Omega(2^{m/4})$ queries. Viewed as a testing problem on an input of length $n = 2 \cdot 2^m$ bits, this is the first constant-vs-polynomial separation between quantum and classical testers.

In Section 4 we obtain another separation that is (roughly) constant-vs- $n^{1/4}$. Our testing problem is reverse-engineered from the periodicity problem solved by Shor’s famous factoring algorithm [30]. Suppose we are given a function $f : [n] \rightarrow [m]$, which we can query in the

² A quantum query to the adjacency matrix of a graph G can be of the form $|i, j\rangle|b\rangle \mapsto |i, j\rangle|b \oplus G(i, j)\rangle$, where $G(i, j)$ is the (i, j) -th entry of the adjacency matrix of G and \oplus is addition modulo two.

usual way. We call f *1-1- p -periodic* if the function is injective on $[p]$ and repeats afterwards. Equivalently:

$$f(i) = f(j) \text{ iff } i = j \bmod p.$$

Note that we need $m \geq p$ to make this possible. In fact, for simplicity we will assume $m \geq n$. Let \mathcal{P}_p be the set of functions $f : [n] \rightarrow [m]$ that are 1-1- p -periodic, and $\mathcal{P}_{q,r} = \cup_{p=q}^r \mathcal{P}_p$. The 1-1-PERIODICITY TESTING problem, with parameters $q \leq r$ and small fixed constant ϵ , is as follows:

given an f which is either in $\mathcal{P}_{q,r}$ or ϵ -far from $\mathcal{P}_{q,r}$, find out which is the case.

Note that for a given p it is easy to test whether f is p -periodic or ϵ -far from it: choose an $i \in [p]$ uniformly at random, and test whether $f(i) = f(i + kp)$ for a random positive integer k . If f is p -periodic then these values will be the same, but if f is ϵ -far from p -periodic then we will detect this with constant probability. However, $r - q + 1$ different values of p are possible in $\mathcal{P}_{q,r}$, and we will see below that we cannot efficiently test all of them—at least not in the classical case. In the *quantum* case, however, we can.

► **Theorem 4.** *There is a quantum tester for $\mathcal{P}_{\sqrt{n}/4, \sqrt{n}/2}$ using $O(1)$ queries (and $\text{polylog}(n)$ time), while for every even integer $r \in [2, n/2)$, every classical tester for $\mathcal{P}_{r/2, r}$ makes $\Omega(\sqrt{r/\log r \log n})$ queries. In particular, testing $\mathcal{P}_{\sqrt{n}/4, \sqrt{n}/2}$ requires $\Omega(n^{1/4}/\log n)$ classical queries.*

The quantum upper bound is obtained by a small modification of Shor's algorithm: use Shor to find the period (if there is one) and then test this purported period with another $O(1)$ queries.³ The classical lower is based on ideas from Lachish and Newman [27], who proved classical testing lower bounds for more general periodicity-testing problems. However, while we follow their general outline, we need to modify their proof since it specifically applies to functions with range $\{0, 1\}$, which is different from our 1-1 case. The requirement of being 1-1 within each period is crucial for the upper bound—quantum algorithms need about \sqrt{n} queries to find the period of functions with range $\{0, 1\}$. While our separation is slightly weaker than Aaronson's separation for Fourier checking (our classical lower bound is $n^{1/4}/\log n$ instead $n^{1/4}$), the problem of periodicity testing is arguably more natural, and it may have more applications than Fourier checking.

2 Preliminaries

For any distribution \mathcal{P} on $[m]$ we denote by $\mathcal{P}(j)$ the probability mass of $j \in [m]$ and for any $M \subseteq [m]$ we denote by $\mathcal{P}(M)$ the sum $\sum_{j \in M} \mathcal{P}(j)$. For a function $f : [n] \rightarrow [m]$, we denote by \mathcal{P}_f the distribution over $[m]$ in which the weight $\mathcal{P}_f(j)$ of every $j \in [m]$ is proportional to the number of elements $i \in [n]$ that are mapped to j . Formally, for all $j \in [m]$ we define $\mathcal{P}_f(j) \triangleq \Pr_{i \sim U}[f(i) = j] = \frac{|f^{-1}(j)|}{n}$, where U is the uniform distribution on $[n]$, that is $U(i) = 1/n$ for all $i \in [n]$. Whenever the domain is clear from context (and may be something other than $[n]$), we also use U to denote the uniform distribution on that domain.

³ After a first version of this paper was written, Pranab Sen pointed out to us that the ingredients for our quantum upper bound are already present in work of Hales and Hallgren [24], and in Hales's PhD thesis [23]. However, as also pointed out in the introduction of [19], their results are not stated in the context of property testing. Moreover, no classical lower bounds are proved there; to the best of our knowledge, our lower bound is new.

Let $\|\cdot\|_1$ and $\|\cdot\|_\infty$ stand for L_1 -norm and L_∞ -norm respectively. Two distributions $\mathcal{P}_f, \mathcal{P}_g$ defined by functions $f, g : [n] \rightarrow [m]$ are ϵ -far if the L_1 -distance between them is at least ϵ . Namely, \mathcal{P}_f is ϵ -far from \mathcal{P}_g if $\|\mathcal{P}_f - \mathcal{P}_g\|_1 = \sum_{j=1}^m |\mathcal{P}_f(j) - \mathcal{P}_g(j)| \geq \epsilon$.

2.1 Bucketing

Bucketing is a general tool, introduced in [8, 7], that decomposes any explicitly given distribution into a collection of distributions that are almost uniform. In this section we recall the bucketing technique and the lemmas (from [8, 7]) that we will need for our proofs.

► **Definition 5.** Given a distribution \mathcal{P} over $[m]$, and $M \subseteq [m]$ such that $\mathcal{P}(M) > 0$, the restriction $\mathcal{P}|_M$ is a distribution over M with $\mathcal{P}|_M(i) = \mathcal{P}(i)/\mathcal{P}(M)$.

Given a partition $\mathcal{M} = \{M_0, M_1, \dots, M_k\}$ of $[m]$, we denote by $\mathcal{P}_{\langle \mathcal{M} \rangle}$ the distribution over $\{0\} \cup [k]$ in which $\mathcal{P}_{\langle \mathcal{M} \rangle}(i) = \mathcal{P}(M_i)$.

Given an explicit distribution \mathcal{P} over $[m]$, $\text{Bucket}(\mathcal{P}, [m], \epsilon)$ is a procedure that generates a partition $\{M_0, M_1, \dots, M_k\}$ of the domain $[m]$, where $k = \frac{2 \log m}{\log(1+\epsilon)}$. This partition satisfies the following conditions:

- $M_0 = \{j \in [m] \mid \mathcal{P}(j) < \frac{1}{m \log m}\};$
- for all $i \in [k]$, $M_i = \left\{j \in [m] \mid \frac{(1+\epsilon)^{i-1}}{m \log m} \leq \mathcal{P}(j) < \frac{(1+\epsilon)^i}{m \log m}\right\}.$

► **Lemma 6** ([7]). *Let \mathcal{P} be a distribution over $[m]$ and let $\{M_0, M_1, \dots, M_k\} \leftarrow \text{Bucket}(\mathcal{P}, [m], \epsilon)$. Then (i) $\mathcal{P}(M_0) \leq 1/\log m$; (ii) for all $i \in [k]$, $\|\mathcal{P}|_{M_i} - U|_{M_i}\|_1 \leq \epsilon$.*

► **Lemma 7** ([7]). *Let $\mathcal{P}, \mathcal{P}'$ be two distributions over $[m]$ and let $\mathcal{M} = \{M_0, M_1, \dots, M_k\}$ be a partition of $[m]$. If $\|\mathcal{P}|_{M_i} - \mathcal{P}'|_{M_i}\|_1 \leq \epsilon_1$ for every $i \in [k]$ and if in addition $\|\mathcal{P}_{\langle \mathcal{M} \rangle} - \mathcal{P}'_{\langle \mathcal{M} \rangle}\|_1 \leq \epsilon_2$, then $\|\mathcal{P} - \mathcal{P}'\|_1 \leq \epsilon_1 + \epsilon_2$.*

► **Corollary 8.** *Let $\mathcal{P}, \mathcal{P}'$ be two distributions over $[m]$ and let $\mathcal{M} = \{M_0, M_1, \dots, M_k\}$ be a partition of $[m]$. If $\|\mathcal{P}|_{M_i} - \mathcal{P}'|_{M_i}\|_1 \leq \epsilon_1$ for every $i \in [k]$ such that $\mathcal{P}(M_i) \geq \epsilon_3/k$, and if in addition $\|\mathcal{P}_{\langle \mathcal{M} \rangle} - \mathcal{P}'_{\langle \mathcal{M} \rangle}\|_1 \leq \epsilon_2$, then $\|\mathcal{P} - \mathcal{P}'\|_1 \leq 2(\epsilon_1 + \epsilon_2 + \epsilon_3)$.*

2.2 Quantum Queries and Approximate Counting

Since we only use specific quantum procedures as a black-box in otherwise classical algorithms, we will not explain the model of quantum query algorithms in much detail (see [28, 13] for that). Suffice it to say that the function f is assumed to be accessible by the oracle unitary transformation O_f , which acts on a $(\log n + \log m)$ -qubit space by sending the basis vector $|x\rangle|b\rangle$ to $|x\rangle|b \oplus f(x)\rangle$ where \oplus is bitwise addition modulo two.

The following lemma allows us to estimate the size of the pre-image of a set $S \subseteq [m]$ under f . It follows easily from the work of Brassard, Høyer, Mosca, and Tapp [10, Theorem 13].

► **Lemma 9.** *For every $\delta \in [0, 1]$, for every oracle O_f for the function $f : [n] \rightarrow [m]$, and for every set $S \subseteq [m]$, there is a quantum algorithm $\text{QEstimate}(f, S, \delta)$ that makes $O(m^{1/3}/\delta)$ queries to f and, with probability at least $5/6$, outputs an estimate p' to $p = \mathcal{P}_f(S) = |f^{-1}(S)|/n$ such that $|p' - p| \leq \frac{\delta \sqrt{p}}{m^{1/3}} + \frac{\delta^2}{m^{2/3}}$.*

3 Proof of Theorem 1

3.1 Testing Uniformity Tolerantly

Given $\epsilon > 0$ and oracle access to a function $f : [n] \rightarrow [m]$, our task is to distinguish the case $\|\mathcal{P}_f - U\|_1 \geq \epsilon$ from the case $\|\mathcal{P}_f - U\|_\infty \leq \epsilon/4m$. Note that this is a stronger condition

than the one required for the usual testing task, where the goal is to distinguish the case $\|\mathcal{P}_f - U\|_1 \geq \epsilon$ from $\|\mathcal{P}_f - U\|_\infty = \|\mathcal{P}_f - U\|_1 = 0$.

► **Theorem 10.** *There is a quantum testing algorithm (Algorithm 1, below) that given $\epsilon > 0$ and oracle access to a function $f : [n] \rightarrow [m]$ makes $O(\frac{m^{1/3}}{\epsilon^2})$ quantum queries and with probability at least $2/3$ outputs REJECT if $\|\mathcal{P}_f - U\|_1 \geq \epsilon$, and ACCEPT if $\|\mathcal{P}_f - U\|_\infty \leq \epsilon/4m$.*

Algorithm 1 (Tests closeness to the uniform distribution.)

```

pick a set  $T \subseteq [n]$  of  $t = m^{1/3}$  indices uniformly at random
query  $f$  on all indices in  $T$ ; set  $S \leftarrow \{f(i) \mid i \in T\}$ 
if  $f(i) = f(j)$  for some  $i, j \in T$ ,  $i \neq j$  (or equivalently,  $|S| < t$ ) then
    REJECT
end if
 $p' \leftarrow \text{QEstimate}(f, S, \delta)$ , with  $\delta \triangleq \frac{\epsilon^2}{320}$ 
if  $|p' - \frac{t}{m}| \leq 32\delta \frac{t}{m}$  then
    ACCEPT
else
    REJECT
end if

```

We need the following corollary for the actual application of Theorem 10:

► **Corollary 11.** *There is an “amplified” version of Algorithm 1 that given $\epsilon > 0$ and oracle access to a function $f : [n] \rightarrow [m]$ makes $O(\frac{m^{1/3} \log \log m}{\epsilon^2})$ quantum queries and with probability at least $1 - \frac{1}{\log^2 m}$ outputs REJECT if $\|\mathcal{P}_f - U\|_1 \geq \epsilon$, and ACCEPT if $\|\mathcal{P}_f - U\|_\infty \leq \epsilon/4m$.*

of Theorem 10. Notice that Algorithm 1 makes only $O(\frac{m^{1/3}}{\epsilon^2})$ queries: $t = m^{1/3}$ classical queries are made initially, and the call to QEstimate requires additional $O(m^{1/3}/\delta) = O(\frac{m^{1/3}}{\epsilon^2})$ queries.

Now we show that Algorithm 1 satisfies the correctness conditions in Theorem 10. Let $V \subseteq [m]$ denote the multi-set of values $\{f(x) \mid x \in T\}$ (unlike S , the multi-set V may contain some element of $[m]$ more than once). If $\|\mathcal{P}_f - U\|_\infty \leq \epsilon/4m$ then $\mathcal{P}_f(V) \leq (1 + \frac{\epsilon}{4})t/m$, and hence

$$p(t; m) \triangleq \Pr[\text{the elements in } V \text{ are distinct}] \geq \left(1 - \frac{(1 + \frac{\epsilon}{4})t}{m}\right)^t \geq 1 - \frac{(1 + \frac{\epsilon}{4})t^2}{m} > 1 - o(1).$$

Thus if $\|\mathcal{P}_f - U\|_\infty \leq \epsilon/4m$ then with probability at least $1 - o(1)$, the tester does not discover any collision. If, on the other hand, $\|\mathcal{P}_f - U\|_1 \geq \epsilon$ and a collision is discovered, then the tester outputs REJECT, as expected. Hence the following lemma suffices for completing the proof of Theorem 10.

► **Lemma 12.** *Conditioned on the event that all elements in V are distinct, we have*

- *if $\|\mathcal{P}_f - U\|_\infty \leq \epsilon/4m$ then $\Pr\left[|\mathcal{P}_f(V) - t/m| \leq \frac{3\epsilon^2 t}{32m}\right] \geq 1 - o(1)$;*
- *if $\|\mathcal{P}_f - U\|_1 \geq \epsilon$ then $\Pr\left[|\mathcal{P}_f(V) - t/m| > \frac{3\epsilon^2 t}{16m}\right] \geq 1 - o(1)$.*

We omit the proof of Lemma 12 from this extended abstract. Assuming Lemma 12, we first prove Theorem 10. Set $p \triangleq \mathcal{P}_f(V)$, and recall that $t/m = 1/m^{2/3}$.

If $\|\mathcal{P}_f - U\|_\infty \leq \epsilon/4m$ then with probability at least $1 - o(1)$ the elements in V are distinct and also $|p - 1/m^{2/3}| \leq \frac{30\delta}{m^{2/3}}$. In this case, by Lemma 9, with probability at least $5/6$ the estimate p' computed by QEstimate satisfies $|p - p'| \leq \frac{\delta\sqrt{p}}{m^{1/3}} + \frac{\delta^2}{m^{2/3}} \leq \frac{\delta\sqrt{(1+30\delta)/m^{2/3}}}{m^{1/3}} + \frac{\delta^2}{m^{2/3}} \leq \frac{2\delta}{m^{2/3}}$, and by the triangle inequality $|p' - \frac{t}{m}| \leq 32\delta\frac{t}{m}$. Hence the overall probability that Algorithm 1 outputs ACCEPT is at least $5/6 - o(1) > 2/3$.

If $\|\mathcal{P}_f - U\|_1 \geq \epsilon$, then either Algorithm 1 discovers a collision and outputs REJECT, or otherwise, $|p - 1/m^{2/3}| > \frac{60\delta}{m^{2/3}}$ with probability $1 - o(1)$. In the latter case, we make the following case distinction.

- **Case $p \leq 10/m^{2/3}$:** By Lemma 9, with probability at least $5/6$ the estimate p' of QEstimate satisfies $|p - p'| \leq \frac{\delta\sqrt{p}}{m^{1/3}} + \frac{\delta^2}{m^{2/3}} < \frac{10\delta}{m^{2/3}}$. Then by the triangle inequality, $|p' - \frac{t}{m}| > \frac{60\delta}{m^{2/3}} - \frac{10\delta}{m^{2/3}} > 32\delta\frac{t}{m}$.
- **Case $p > 10/m^{2/3}$:** In this case it is sufficient to prove that with probability at least $5/6$, $p' \geq p/2$ (which clearly implies $|p' - \frac{t}{m}| > 32\delta\frac{t}{m}$). This follows again by Lemma 9, since $p > 10/m^{2/3}$ implies $\frac{\delta\sqrt{p}}{m^{1/3}} + \frac{\delta^2}{m^{2/3}} \leq p/2$.

So the overall probability that Algorithm 1 outputs REJECT is at least $5/6 - o(1) > 2/3$. ◀

3.2 Testing Closeness to a Known Distribution

In this section we prove Theorem 1 based on Theorem 10. Let \mathcal{P}_f be an unknown distribution and let \mathcal{P}_g be a known distribution, defined by $f, g : [n] \rightarrow [m]$ respectively. We show that for any $\epsilon > 0$, Algorithm 2 makes $O(\frac{m^{1/3} \log^2 m \log \log m}{\epsilon^5})$ queries and distinguishes the case $\|\mathcal{P}_f - \mathcal{P}_g\|_1 = 0$ from the case $\|\mathcal{P}_f - \mathcal{P}_g\|_1 > 5\epsilon$ with probability $\geq 2/3$, satisfying the requirements of Theorem 1.

Algorithm 2 (Tests closeness to a known distribution.)

- 1: let $\mathcal{M} \triangleq \{M_0, \dots, M_k\} \leftarrow \text{Bucket}(\mathcal{P}_g, [m], \frac{\epsilon}{4})$ for $k = \frac{2 \log m}{\log(1+\epsilon/4)}$
 - 2: **for** $i = 1$ to k **do**
 - 3: **if** $\mathcal{P}_g(M_i) \geq \epsilon/k$ **then**
 - 4: **if** $\|(\mathcal{P}_f)_{|M_i} - U_{|M_i}\|_1 \geq \epsilon$ (check using the amplified version of Algorithm 1 from Corollary 11) **then**
 - 5: REJECT
 - 6: **end if**
 - 7: **end if**
 - 8: **end for**
 - 9: **if** $\|(\mathcal{P}_f)_{\langle \mathcal{M} \rangle} - (\mathcal{P}_g)_{\langle \mathcal{M} \rangle}\|_1 > \epsilon/4$ (check classically with $O(\sqrt{k}) = O(\log m)$ queries [7]) **then**
 - 10: REJECT
 - 11: **end if**
 - 12: ACCEPT
-

Observe that no queries are made by Algorithm 2 itself, and the total number of queries made by calls to Algorithm 1 is bounded by $k \cdot O(\frac{k}{\epsilon} \cdot \frac{m^{1/3} \log \log m}{\epsilon^2}) + O(\sqrt{k}) = O(\frac{m^{1/3} \log^2 m \log \log m}{\epsilon^5})$.⁴ In addition, the failure probability of Algorithm 1 is at most

⁴ The additional factor of $\frac{k}{\epsilon}$ is for executing Algorithm 1 on the conditional distributions $(\mathcal{P}_f)_{|M_i}$, with $\mathcal{P}_f(M_i) \geq \frac{\epsilon}{k}$.

$1/\log^2 m \ll 1/k$, so we can assume that with high probability none of its executions failed.

For any $i \in [k]$ and any $x \in M_i$, by the definition of the buckets $\frac{(1+\epsilon/4)^{i-1}}{m \log m} \leq \mathcal{P}_g(x) \leq \frac{(1+\epsilon/4)^i}{m \log m}$. Thus, for any $i \in [k]$ and $x \in M_i$, $(1 - \frac{\epsilon}{4})/|M_i| < 1/(1 + \frac{\epsilon}{4})|M_i| < (\mathcal{P}_g)_{|M_i}(x) < (1 + \frac{\epsilon}{4})/|M_i|$, or equivalently for any $i \in [k]$ we have $\|(\mathcal{P}_g)_{|M_i} - U_{|M_i}\|_\infty \leq \frac{\epsilon}{4|M_i|}$. This means that if $\|\mathcal{P}_f - \mathcal{P}_g\|_1 = 0$ then

1. for any $i \in [k]$, $\|(\mathcal{P}_f)_{|M_i} - U_{|M_i}\|_\infty \leq \frac{\epsilon}{4|M_i|}$ and thus the tester never outputs REJECT in Line 5 (since we assumed that Algorithm 1 did not err in any of its executions).
2. $\|(\mathcal{P}_f)_{\langle \mathcal{M} \rangle} - (\mathcal{P}_g)_{\langle \mathcal{M} \rangle}\|_1 = 0$, and hence the tester does not output REJECT in Line 10 either.

On the other hand, if $\|\mathcal{P}_f - \mathcal{P}_g\|_1 > 5\epsilon$ then by Corollary 8 either $|(\mathcal{P}_f)_{\langle \mathcal{M} \rangle} - (\mathcal{P}_g)_{\langle \mathcal{M} \rangle}| > \epsilon/4$ or there is at least one $i \in [k]$ for which $\mathcal{P}_f(M_i) \geq \epsilon/k$ and $\|(\mathcal{P}_f)_{|M_i} - (\mathcal{P}_g)_{|M_i}\|_1 > 5\epsilon/4$ (otherwise $\|\mathcal{P}_f - \mathcal{P}_g\|_1$ must be smaller than $2(5\epsilon/4 + \epsilon/4 + \epsilon) = 5\epsilon$). In the first case the tester will reject in Line 10. In the second case the tester will reject in Line 5 as $\|(\mathcal{P}_f)_{|M_i} - (\mathcal{P}_g)_{|M_i}\|_1 > 5\epsilon/4$ implies (by the triangle inequality) $\|(\mathcal{P}_f)_{|M_i} - U_{|M_i}\|_1 > \epsilon$, since $\|(\mathcal{P}_g)_{|M_i} - U_{|M_i}\|_1 < \epsilon/4$ by Lemma 6.

4 Proof of Theorem 4

4.1 Quantum Upper Bound

The quantum tester is very simple, and completely based on existing ideas. First, run a variant of Shor’s algorithm to find the period of f (if there is one), using $O(1)$ queries. Second, test whether the purported period is indeed the period, using another $O(1)$ queries as described above. Accept iff the latter test accepts.

For the sake of completeness we sketch here how Shor’s algorithm can be used to find the unknown period p of an f that is promised to be 1-1- p -periodic for some value of $p \leq \sqrt{n}/2$. Here is the algorithm:

1. First prepare the 2-register quantum state $\frac{1}{\sqrt{n}} \sum_{i \in [n]} |i\rangle|0\rangle$
2. Query f once (in superposition), giving $\frac{1}{\sqrt{n}} \sum_{i \in [n]} |i\rangle|f(i)\rangle$
3. Measure the second register, which gives some $f(s)$ for $s \in [p]$ and collapses the first register to the i having the same f -value: $\frac{1}{\sqrt{\lfloor n/p \rfloor}} \sum_{i \in [n], i=s \bmod p} |i\rangle|f(i)\rangle$
4. Do a quantum Fourier transform on the first register and measure.

Some analysis shows that with high probability the measurement gives an i such that $\left| \frac{i}{n} - \frac{c}{p} \right| < \frac{1}{2n}$, where c is a random (essentially uniform) integer in $[p]$. Using continued fraction expansion, we can then calculate the unknown fraction c/p from the known fraction i/n .⁵

⁵ Two distinct fractions each with denominator $\leq \sqrt{n}/2$ are $\geq 4/n$ apart. Hence there is only one fraction with denominator at most $\sqrt{n}/2$ within distance $2/n$ from the known fraction i/n . This unique fraction can only be c/p , and CFE efficiently finds it for us. Note that we do not obtain c and p separately, but just their ratio given as a numerator and a denominator in lowest terms. If c and p were coprime that would be enough, but that need not happen with high probability.

5. Doing the above 4 steps k times gives fractions $c_1/p, \dots, c_k/p$, each given as a numerator and a denominator (in lowest terms). Each of the k denominators divides p , and if k is a sufficiently large constant then with high probability (over the c_i 's), their least common multiple is p .

4.2 Classical Lower Bound

We saw above that quantum computers can efficiently test 1-1-PERIODICITY $\mathcal{P}_{\sqrt{n}/4, \sqrt{n}/2}$. Here we will show that this is not the case for classical testers: those need roughly \sqrt{r} queries for 1-1-periodicity testing $\mathcal{P}_{r/2, r}$, in particular roughly $n^{1/4}$ queries for $r = \sqrt{n}/2$. Our proof follows along the lines of Lachish and Newman [27]. However, since their proof applies to functions with range 0/1 that need not satisfy the 1-1 property, some modifications are needed.

Fix a sufficiently large even integer $r < n/2$. We will use Yao's principle, proving a lower bound for *deterministic* query testers with error probability $\leq 1/3$ in distinguishing two distributions, one on negative instances and one on positive instances. First, the "negative" distribution \mathcal{D}_N is uniform on all $f : [n] \rightarrow [m]$ that are ϵ -far from $\mathcal{P}_{r/2, r}$. Second, the "positive" distribution \mathcal{D}_P chooses a *prime* period $p \in [r/2, r]$ uniformly, then chooses a 1-1 function $[p] \rightarrow [m]$ uniformly (equivalently, chooses a sequence of p distinct elements from $[m]$), and then completes f by repeating this period until the domain $[n]$ is "full". Note that the last period will not be completed if $p \nmid n$.

Suppose $q = o(\sqrt{r/\log r \log n})$ is the number of queries of our deterministic tester. Fix a set $Q = \{i_1, \dots, i_q\} \subseteq [n]$ of q queries. Let $f(Q) \in [m]^q$ denote the concatenated answers $f(i_1), \dots, f(i_q)$. We prove two lemmas, one for the negative and one for the positive distribution, showing $f(Q)$ to be close to uniformly distributed in both cases. Both the proofs are omitted from this extended abstract.

► **Lemma 13.** *For all $\eta \in [m]^q$, we have $\Pr_{\mathcal{D}_N}[f(Q) = \eta] = (1 \pm o(1))m^{-q}$.*

► **Lemma 14.** *There exists an event B such that $\Pr_{\mathcal{D}_P}[B] = o(1)$, and for all $\eta \in [m]^q$ with distinct coordinates, we have $\Pr_{\mathcal{D}_P}[f(Q) = \eta \mid \bar{B}] = (1 \pm o(1))m^{-q}$.*

Since $(1 - o(1))m^q$ of all $\eta \in [m]^q$ have distinct coordinates, their weight under \mathcal{D}_P sums to $1 - o(1)$, and the other possible η comprise only a $o(1)$ -fraction of the overall weight. The query-answers $f(Q)$ are the only access the algorithm has to the input. Hence the previous two lemmas imply that an algorithm with $o(\sqrt{r/\log r \log n})$ queries cannot distinguish \mathcal{D}_P and \mathcal{D}_N with probability better than $1/2 + o(1)$. This establishes the claimed classical lower bound.

5 Summary and Open Problems

In this paper we studied and compared the quantum and classical query complexities of a number of testing problems. The first problem is deciding whether two probability distributions on a set $[m]$ are equal or ϵ -far. Our main result is a quantum tester for the case where one of the two distributions is known (i.e., given explicitly) while the other is unknown and represented by a function that can be queried. Our tester uses roughly $m^{1/3}$ queries to the function, which is essentially optimal. It would be very interesting to extend this quantum upper bound to the case where *both* distributions are unknown. Such a quantum tester would show that the known-unknown and unknown-unknown cases have the same complexity in the quantum world. In contrast, they are known to have different complexities

in the classical world: about $m^{1/2}$ queries for the known-unknown case and about $m^{2/3}$ queries for the unknown-unknown case. The classical counterparts of these tasks play an important role in many problems related to property testing. We already mentioned one example, the graph isomorphism problem, where distribution testers are used as a black-box. We hope that the quantum analogues developed here and in [11] will find similar use.

The second testing problem is deciding whether a given function $f : [n] \rightarrow [m]$ is periodic or far from periodic. For the specific version of the problem that we considered (where in the first case the period is at most about \sqrt{n} , and the function is injective within each period), we proved that quantum testers need only a constant number of queries (using Shor's algorithm), while classical algorithms need about $n^{1/4}$ queries. Both this result and Aaronson's recent result on "Fourier checking" [1] contrast with the constant-vs- $\log n$ and $\log n$ -vs- \sqrt{n} separations obtained by Buhrman et al. [12] for other testing problems, but still leave open their question: is there a testing problem where the separation is "maximal", in the sense that quantum testers need only $O(1)$ queries while classical testers need $\Omega(n)$?

Acknowledgements We thank Avinatan Hassidim, Harry Buhrman and Prahladh Harsha for useful discussions, Frederic Magniez for a reference to [19], Pranab Sen for a reference to [24, 23], and Scott Aaronson for pointing out that his Fourier checking result in [1] was the first constant-vs-polynomial quantum speed-up in property testing.

References

- 1 S. Aaronson. BQP and the Polynomial Hierarchy. In *Proceedings of 42nd ACM STOC*, 2010. arXiv:0910.4698.
- 2 S. Aaronson and Y. Shi. Quantum lower bounds for the collision and the element distinctness problems. *Journal of the ACM*, 51(4):595–605, 2004.
- 3 A. Ambainis. Polynomial degree and lower bounds in quantum complexity: Collision and element distinctness with small range. *Theory of Computing*, 1(1):37–46, 2005. quant-ph/0305179.
- 4 A. Ambainis. Quantum walk algorithm for element distinctness. *SIAM Journal on Computing*, 37(1):210–239, 2007. Earlier version in FOCS'04. quant-ph/0311001.
- 5 A. Ambainis, A. Childs, B. Reichardt, R. Špalek, and S. Zhang. Any AND-OR formula of size n can be evaluated in time $N^{1/2+o(1)}$ on a quantum computer. In *Proceedings of 48th IEEE FOCS*, 2007.
- 6 A. Atici and R. Servedio. Quantum algorithms for learning and testing juntas. *Quantum Information Processing*, 6(5):323–348, 2009.
- 7 T. Batu, L. Fortnow, E. Fischer, R. Kumar, R. Rubinfeld, and P. White. Testing random variables for independence and identity. In *Proceedings of 42nd IEEE FOCS*, pages 442–451, 2001.
- 8 T. Batu, L. Fortnow, R. Rubinfeld, W. D. Smith, and P. White. Testing that distributions are close. In *Proceedings of 41st IEEE FOCS*, pages 259–269, 2000.
- 9 M. Blum, M. Luby, and R. Rubinfeld. Self-testing/correcting with applications to numerical problems. *Journal of Computer and System Sciences*, 47(3):549–595, 1993. Earlier version in STOC'90.
- 10 G. Brassard, P. Høyer, M. Mosca, and A. Tapp. Quantum amplitude amplification and estimation. In *Quantum Computation and Quantum Information: A Millennium Volume*, volume 305 of *AMS Contemporary Mathematics Series*, pages 53–74. 2002. quant-ph/0005055.
- 11 S. Bravyi, A. Hassidim, and A. Harrow. Quantum algorithms for testing properties of distributions. In *Proceedings of 27th Annual Symposium on Theoretical Aspects of Computer Science (STACS'2010)*, 2010. abs/0907.3920.

- 12 H. Buhrman, L. Fortnow, I. Newman, and H. Röhrig. Quantum property testing. In *Proceedings of 14th ACM-SIAM SODA*, pages 480–488, 2003. quant-ph/0201117.
- 13 H. Buhrman and R. de Wolf. Complexity measures and decision tree complexity: A survey. *Theoretical Computer Science*, 288(1):21–43, 2002.
- 14 A. Childs and Y-K. Liu. Quantum algorithms for testing bipartiteness and expansion of bounded-degree graphs. Manuscript, Oct 22, 2009.
- 15 D. Deutsch and R. Jozsa. Rapid solution of problems by quantum computation. In *Proceedings of the Royal Society of London*, volume A439, pages 553–558, 1992.
- 16 E. Farhi, J. Goldstone, and S. Gutmann. A quantum algorithm for the Hamiltonian NAND tree. *Theory of Computing*, 4(1):169–190, 2008. quant-ph/0702144.
- 17 E. Fischer and A. Matsliah. Testing graph isomorphism. *SIAM Journal on Computing*, 38(1):207–225, 2008.
- 18 Eldar Fischer. The art of uninformed decisions. *Bulletin of the EATCS*, 75:97, 2001.
- 19 K. Friedl, F. Magniez, M. Santha, and P. Sen. Quantum testers for hidden group properties. *Fundamenta Informaticae*, 91(2):325–340, 2009. Earlier version in MFCS’03.
- 20 O. Goldreich, S. Goldwasser, and D. Ron. Property testing and its connection to learning and approximation. *Journal of the ACM*, 45(4):653–750, 1998.
- 21 O. Goldreich and D. Ron. On testing expansion in bounded-degree graphs. *Electronic Colloquium on Computational Complexity (ECCC)*, 7(20), 2000.
- 22 L. K. Grover. A fast quantum mechanical algorithm for database search. In *Proceedings of 28th ACM STOC*, pages 212–219, 1996. quant-ph/9605043.
- 23 L. Hales. *The Quantum Fourier Transform and Extensions of the Abelian Hidden Subgroup Problem*. PhD thesis, University of California, Berkeley, 2002. quant-ph/0212002.
- 24 L. Hales and S. Hallgren. An improved quantum Fourier transform algorithm and applications. In *Proceedings of 41st IEEE FOCS*, pages 515–525, 2000.
- 25 Y. Inui and F. Le Gall. Quantum property testing of group solvability. In *Proceedings of 8th LATIN*, pages 772–783, 2008.
- 26 S. Kutin. Quantum lower bound for the collision problem with small range. *Theory of Computing*, 1(1):29–36, 2005. quant-ph/0304162.
- 27 O. Lachish and I. Newman. Testing periodicity. *Algorithmica*, 2009. Earlier version appeared in RANDOM’05.
- 28 M. A. Nielsen and I. L. Chuang. *Quantum Computation and Quantum Information*. Cambridge University Press, 2000.
- 29 D. Ron. Property testing: A learning theory perspective. *Foundations and Trends in Machine Learning*, 1(3):307–402, 2008.
- 30 P. W. Shor. Polynomial-time algorithms for prime factorization and discrete logarithms on a quantum computer. *SIAM Journal on Computing*, 26(5):1484–1509, 1997. Earlier version in FOCS’94. quant-ph/9508027.
- 31 D. Simon. On the power of quantum computation. *SIAM Journal on Computing*, 26(5):1474–1483, 1997. Earlier version in FOCS’94.
- 32 P. Valiant. Testing symmetric properties of distributions. In *Proceedings of 40th ACM STOC*, pages 383–392, 2008.