

Extending Abramsky's Lazy Lambda Calculus: (Non)-Conservativity of Embeddings

Manfred Schmidt-Schauß¹, Elena Machkasova², and David Sabel¹

¹ Goethe-Universität, Frankfurt, Germany

`schauss,sabel@ki.informatik.uni-frankfurt.de`

² Division of Science and Mathematics, University of Minnesota, Morris, U.S.A.

`elenam@morris.umn.edu`

Abstract

Our motivation is the question whether the lazy lambda calculus, a pure lambda calculus with the leftmost outermost rewriting strategy, considered under observational semantics, or extensions thereof, are an adequate model for semantic equivalences in real-world purely functional programming languages, in particular for a pure core language of Haskell. We explore several extensions of the lazy lambda calculus: addition of a seq-operator, addition of data constructors and case-expressions, and their combination, focusing on conservativity of these extensions. In addition to untyped calculi, we study their monomorphically and polymorphically typed versions. For most of the extensions we obtain non-conservativity which we prove by providing counter-examples. However, we prove conservativity of the extension by data constructors and case in the monomorphically typed scenario.

1998 ACM Subject Classification F.3.2 Semantics of Programming Languages, F.4.1 Mathematical Logic, F.4.2 Grammars and Other Rewriting Systems

Keywords and phrases lazy lambda calculus, contextual semantics, conservativity

Digital Object Identifier 10.4230/LIPIcs.RTA.2013.239

1 Introduction

We are interested in reasoning about the semantics of lazy functional programming languages such as Haskell [11], in particular in semantical equivalences of expressions and, as a more general issue, in correctness of program translations and transformations. As a notion of expression equivalence in a calculus, we employ *contextual equivalence* which identifies expressions iff they cannot be distinguished when observing convergence to WHNFs in any surrounding context. Contextual equivalence is coarser than the (syntactical) conversion equality, and provides a more useful language model due to its maximal set of equivalences.

However, complexity of a language makes analyses and reasoning hard, so it is advantageous to find conceptually simpler sublanguages which also permit reasoning about equivalences in the superlanguage. As a starting point we may use the pure core language, say L_{Hcore}^α , of Haskell [12], which is a Hindley-Milner polymorphically typed call-by-need lambda calculus extended by data constructors, case-expressions, `seq` for strict evaluation and `letrec` to model recursive bindings and sharing. The semantics of such extended lambda calculi have been analyzed in several papers [20, 9, 10, 19, 18].

However, even this language has a rich syntax and thus one may ask whether there are simpler and/or smaller languages which can be used to reason about (parts of) Haskell. The issue of transferring the equivalence question is as follows: given two expressions s_1, s_2 in a calculus L , in which cases is it possible to decide the semantic equivalence $s_1 \sim s_2$



© Manfred Schmidt-Schauß, Elena Machkasova, and David Sabel;
licensed under Creative Commons License CC-BY

24th International Conference on Rewriting Techniques and Applications (RTA'13).

Editor: Femke van Raamsdonk; pp. 239–254

Leibniz International Proceedings in Informatics




Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany



by transferring the equivalence question for s_1, s_2 into a smaller or conceptually simpler language L_{simple} , using the proof methods in L_{simple} ? There are three (standard) types of transfer steps: (i) from a typed language L^τ into its untyped language L (which may be larger). Since we use contextual equivalence, in general $s_1 \sim_L s_2$ implies $s_1 \sim_{L^\tau} s_2$ for equally typeable expressions s_1, s_2 , and thus this is a valid transfer, however, some equivalences may be lost. (ii) from a language L into a sublanguage L_{sub} by the removal of a syntactic construction possibility. Since now all expressions of L_{sub} are also L -expressions, the desired implication $s_1 \sim_L s_2 \implies s_1 \sim_{L^\tau} s_2$ exactly corresponds to conservativity of the inclusion w.r.t. equivalence. (iii) transferring the question to an isomorphic language L' .

We consider four calculi in this paper: Abramsky's lazy lambda calculus AL and its extensions $\text{AL}_{\text{seq}}, \text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}$ with seq , with case and constructors, and the combination of the two extensions, resp. We also consider variants of these calculi with monomorphic (τ -superscript) and polymorphic (α -superscript) types. We analyze whether natural embeddings between the calculi are conservative w.r.t. contextual equivalence in the calculi. Our results can be depicted as follows, where *Yes/No* indicates a conservative (non-conservative, resp.) embedding, and *Open* indicates that the question is still unresolved.



A common pattern is that the removal of seq makes the embeddings non-conservative. A powerful commonly used proof technique in all the calculi under consideration is based on Howe's method [6, 7], which shows that contextual equivalence coincides with *applicative bisimilarity* which equates expressions if they cannot be distinguished by first evaluating them, then applying their results to arguments, and then using this experiment co-inductively. Our improvement, which is valid since the languages are deterministic, is a so-called *AP_i-context lemma*, which means that expressions are equivalent iff their termination behavior is identical when applying them in all possible ways to finitely many arbitrary arguments.

Our results are of help for equivalence reasoning in L_{Hcore}^α considering implication chains for the justification of equivalences. The first one starts with transferring to the untyped core-language L_{Hcore} , then removing the syntactic construct letrec (and changing call-by-need to call-by-name), justified in [17, 18], arriving at $\text{AL}_{\text{cc,seq}}$. Then our results and counterexamples for the four untyped calculi come into play, where the conclusion is that further transfer steps appear impossible, in particular that AL [1] cannot be justified as equivalence checking calculus via this implication chain. The second implication chain takes another potential route: the first step is monomorphising the core language, then removing the letrec , adding Fix , and again changing the reduction strategy to call-by-name, arriving at the calculus $\text{AL}_{\text{cc,seq}}^\tau$. We believe that both implications of equivalence are correct, but a formal proof is future work. Then, for the calculi $\text{AL}_{\text{cc}}^\tau$, $\text{AL}_{\text{seq}}^\tau$, AL^τ , we got negative as well as positive results. A further step could then be omitting the monomorphic types as well, which gives a valid implication chain from $\text{AL}_{\text{cc,seq}}^\tau$ to $\text{AL}_{\text{seq}}^\tau$ and to AL_{seq} , but again there is no justification for AL and AL^τ as equivalence checking calculi for L_{Hcore}^α . Thus our results show that calculus for the transfer is $\text{AL}_{\text{cc,seq}}$, and under the correctness assumptions above, also $\text{AL}_{\text{cc,seq}}^\tau$, $\text{AL}_{\text{seq}}^\tau$, and AL_{seq} . Focusing on the direct relation between the minimal calculi compared with L_{Hcore}^α , and taking into account our counterexamples in the paper, $\text{AL}_{\text{cc}}^\tau$ and AL_{cc} are ruled out by examples s_7, s_8 . However, it is still possible that AL or AL^τ can be used as equivalence checking calculi L_{Hcore}^α (although there are very few nontrivial equivalences there), which is strongly related to the open problem of whether there exist Böhm-like trees for AL (see Problem 18 in [22]).

Related Work. Our approach follows the general setup laid out e.g. in [4, 16] which consider the questions of relative expressivity between programming languages. In difference to [4], we use applicative bisimilarity and the AP_i -context lemma as a proof technique, and explore different calculi extensions. The closest work to ours is [13] that shows, in particular, that the extension of a monomorphically typed PCF with sum and product types and with Girard/Reynolds polymorphic types is conservative. They also show that extending PCF with a “convergence tester” by second-order polymorphic types is conservative. However, they do not (dis-)prove conservativity of adding the convergence tester to PCF and also do not consider an untyped case, or the pure lambda calculus.

Adding `seq` to call-by-need/call-by-name functional languages is investigated in several papers (e.g. [4, 5, 8]). For the lazy lambda calculus and its extension by `seq` an example in [4] can be adapted to show non-conservativity (see Theorem 4.3). It is well-known that in full Haskell `seq` makes a difference: The usual free theorems [23] break under the addition of `seq` [8], and the monad laws do not hold for the IO-monad if the first argument of `seq` is allowed to be of an IO-type [14]. [18, 19] provide a counterexample showing non-conservativity of adding `seq` to the lazy lambda calculus with data-constructors and case expressions.

Research on calculi extensions with case and constructors also including studies of untyped calculi is [2, 3, 21]. In [2] the addition of case and constructors to a basic calculus is explored. However, that calculus significantly differs from our ones in several points, e.g. it permits full η -reduction. [3] and [21] study an extension of a lambda calculus with surjective pairs. However, these works are incomparable to our approach since they use an axiomatic approach to equality instead of a rewriting and observational one.

Structure of the paper. In Sect. 2 we introduce a common notion for program calculi together with the notion of contextual equivalence. In Sect. 3 we briefly introduce the lazy lambda calculus AL and its three extensions AL_{cc} , AL_{seq} , $\text{AL}_{\text{cc,seq}}$. Conservativity of embeddings between the untyped calculi is refuted in Sect. 4. In Sect. 5 the monomorphically typed variants of the calculi are investigated. Sect. 6 presents the analysis of polymorphically typed calculi. We conclude in Sect. 7. Due to space reasons not all proofs are given, but they can be found in the technical report [15].

2 Preliminaries

We define our notion of a program calculus in an abstract way:

► **Definition 2.1.** A *typed deterministic program calculus* (TDPC) is a tuple $(\mathcal{E}, \mathcal{C}, \rightarrow_D, \mathcal{A}, \mathcal{T})$ where \mathcal{E} is the (nonempty) set of *expressions*, such that every $s \in \mathcal{E}$ has a type $T \in \mathcal{T}$. We write \mathcal{E}_T for the expressions of type T , and assume $\mathcal{E}_T \neq \emptyset$. We also assume that \mathcal{E} can be divided into *closed* and *open* expressions, where \mathcal{E}^c denotes the set of closed expressions. We use s, t, r, a, b, d to denote expressions and x, y, z, u to denote variables. \mathcal{C} is the set of *contexts*, such that every $C \in \mathcal{C}$ is a function $C : \mathcal{E}_T \rightarrow \mathcal{E}_{T'}$ where $T, T' \in \mathcal{T}$. With $\mathcal{C}_{T, T'}$ we denote the contexts that are functions from \mathcal{E}_T to $\mathcal{E}_{T'}$. We assume that \mathcal{C} contains the identity function for every type $T \in \mathcal{T}$, and that \mathcal{C} is closed under composition, i.e. iff $C_1 \in \mathcal{C}_{T_2, T_3}$ and $C_2 \in \mathcal{C}_{T_1, T_2}$ then also $(C_1 \circ C_2) \in \mathcal{C}_{T_1, T_3}$. We denote the application of contexts C to an expression $s \in \mathcal{E}$ by $C[s]$. The *standard reduction relation* $\rightarrow_D \subseteq (\mathcal{E} \times \mathcal{E})$ must be: (i) deterministic: $s_1 \rightarrow_D s_2$ and $s_1 \rightarrow_D s_3$ implies $s_2 = s_3$, where $=$ is syntactical equivalence (which usually also identifies α -equivalent expressions); (ii) type preserving: $s_1 \rightarrow_D s_2$ implies that s_1 and s_2 are of the same type; (iii) closedness-preserving: if s_1 is closed and $s_1 \rightarrow_D s_2$, then s_2 is closed. The set $\mathcal{A} \subseteq \mathcal{E}$ are the *answers* of the calculus, which are usually irreducible values or specific kinds of normal forms. We use v to range over answers.

An untyped calculus can also be presented as a typed one, by adding a single type called “expression”. However, we simply write $(\mathcal{E}, \mathcal{C}, \rightarrow_D, \mathcal{A})$ for such a calculus.

We denote the transitive-reflexive closure of \rightarrow_D by $\xrightarrow{*}_D$, and \xrightarrow{n}_D with $n \in \mathbb{N}_0$ means n reductions. We define the notions of convergence, contextual approximation, and contextual equivalence in a general way. Expressions are contextually equal if they have the same termination behavior in any surrounding context. This makes contextual equivalence a strong equality, since the contexts of the language have a high discrimination power. For instance, it is not necessary to add additional tests, such as checking whether evaluation of both expressions terminates with the same values, since different values can be distinguished by contexts.

► **Definition 2.2.** Let $D = (\mathcal{E}, \mathcal{C}, \rightarrow, \mathcal{A}, \mathcal{T})$ be a TDPC. An expression $s \in \mathcal{E}$ *converges* if there exists $v \in \mathcal{A}$ such that $s \xrightarrow{*}_D v$. We then write $s \downarrow_D v$, or just $s \downarrow_D$ if the value v is not of interest. If $s \downarrow_D$ does not hold, then we say s *diverges* and write $s \uparrow_D$. *Contextual preorder* \leq_D and *contextual equivalence* \sim_D are defined by:

$$\begin{aligned} \text{For } s_1, s_2 \in \mathcal{E}_T: \quad s_1 \leq_D s_2 & \quad \text{iff} \quad \forall T' \in \mathcal{T}, C \in \mathcal{C}_{T, T'} : C[s_1] \downarrow_D \implies C[s_2] \downarrow_D \\ \text{For } s_1, s_2 \in \mathcal{E}_T: \quad s_1 \sim_D s_2 & \quad \text{iff} \quad s_1 \leq_D s_2 \text{ and } s_2 \leq_D s_1 \end{aligned}$$

A *program transformation* ξ is a binary relation on D -expressions, such that for all $s_1 \xi s_2$ the expressions s_1 and s_2 are of the same type. ξ is *correct* if for all expressions $s_1 \xi s_2$ the equivalence $s_1 \sim_D s_2$ holds.

By straightforward arguments one can prove that contextual preorder is a precongruence, and contextual equivalence is a congruence.

► **Definition 2.3.** Let $D = (\mathcal{E}, \mathcal{C}, \rightarrow_D, \mathcal{A}, \mathcal{T})$ and $D' = (\mathcal{E}', \mathcal{C}', \rightarrow_{D'}, \mathcal{A}', \mathcal{T}')$ be TDPCs. A *translation* $\zeta : D \rightarrow D'$ consists of mappings $\zeta : \mathcal{E} \rightarrow \mathcal{E}'$, $\zeta : \mathcal{C} \rightarrow \mathcal{C}'$, such that ζ maps the identity function \mathcal{C} to the identity function in \mathcal{C}' , and $\zeta(s)$ is closed iff s is closed.

- ζ is *convergence equivalent (ce)* if $s \downarrow_D \iff \zeta(s) \downarrow_{D'}$ for all $s \in \mathcal{E}$.
- ζ is *compositional up to observation (cuo)*, if for all $C \in \mathcal{C}$ and all $s \in \mathcal{E}$ such that $C[s]$ is typed: $\zeta(C[s]) \downarrow_{D'} \iff \zeta(C)[\zeta(s)] \downarrow_{D'}$.
- ζ is *observationally correct (oc)* if it is (ce) and (cuo).
- ζ is *adequate* if for all expressions s, t : $\zeta(s) \leq_{D'} \zeta(t) \implies s \leq_D t$.
- ζ is *fully abstract* if for all expressions s, t : $\zeta(s) \leq_{D'} \zeta(t) \iff s \leq_D t$.
- ζ is an isomorphism if ζ is fully abstract and acts as a bijection on the equivalence classes from \mathcal{E} / \sim_D to $\mathcal{E}' / \sim_{D'}$.

We say D' is an *extension* of D iff $\mathcal{T} \subseteq \mathcal{T}'$, $\mathcal{E}_T \subseteq \mathcal{E}'_T$ for any type $T \in \mathcal{T}$, $\mathcal{C}_{T, T'} \subseteq \mathcal{C}'_{T, T'}$ for all types $T, T' \in \mathcal{T}$, $\mathcal{A} = \mathcal{A}' \cap \mathcal{E}$ and $\rightarrow_D \subseteq \rightarrow_{D'}$ s.t. for all $e_1 \in \mathcal{E}$ with $e_1 \rightarrow_{D'} e_2$ always $e_2 \in \mathcal{E}$ (and thus $e_1 \rightarrow_D e_2$). Given D and an extension D' , the *natural embedding* of D into D' is the identity translation of \mathcal{E}_T into \mathcal{E}'_T and $\mathcal{C}_{T, T'}$ into $\mathcal{C}'_{T, T'}$ for all types $T, T' \in \mathcal{T}$. A natural embedding is *conservative* iff it is a fully abstract translation.

Note that a natural embedding is always convergence equivalent and compositional, which implies that it is always adequate (see [16]).

3 Untyped Lazy Lambda Calculi and Their Properties

In this section we briefly introduce four variants of the lazy lambda calculus [1] as instances of untyped TDPCs: the pure calculus **AL**, its extension by **seq**, called **AL_{seq}**, its extension

- (β) $((\lambda x.s) t) \rightarrow s[t/x]$
 (seq) $(\text{seq } v t) \rightarrow t$ if v is an answer
 (case) $\text{case}_{K_i} (c_{K_i,j} \vec{s}) (p_1 \rightarrow t_1) \dots ((c_{K_i,j} \vec{y}) \rightarrow t_j) \dots (p_{|K_i|} \rightarrow t_{|K_i|}) \rightarrow t_j[\vec{s}/\vec{y}]$
 (fix) $(\text{Fix } s) \rightarrow s (\text{Fix } s)$

■ **Figure 1** Call-by-name reduction rules.

by data constructors and **case**, called AL_{cc} , and finally its extension by **seq** as well as data constructors and **case**, called $\text{AL}_{\text{cc,seq}}$.

► **Definition 3.1** (Lazy Lambda Calculus AL). AL is the (untyped) *lazy lambda calculus* [1]. We define the components of AL according to Definition 2.1.

Expressions \mathcal{E} are the set of expressions of the usual (untyped) lambda calculus, defined by the grammar $r, s, t \in \mathcal{L}_{\text{AL}} ::= x \mid (s t) \mid \lambda x.s$. We identify α -equivalent expressions as syntactically equal according to Definition 2.1. The only reduction rule is β -reduction (see Fig. 1). An *AL-context* is defined as an expression in which one subexpression is replaced by the context hole $[\cdot]$. *AL-reduction contexts* R are defined by the grammar $R := [\cdot] \mid (R s)$, and the standard reduction in the sense of Definition 2.1 is the normal order reduction \rightarrow_{AL} which applies beta-reduction in a reduction context, i.e. $R[(\lambda x.s) t] \rightarrow_{\text{AL}} R[s[t/x]]$. The answers \mathcal{A} are all (also open) abstractions, which are also called *weak head normal forms (WHNF)*.

► **Definition 3.2** (AL_{seq}). AL_{seq} is the lazy lambda calculus extended by **seq**, i.e. expressions are defined by $r, s, t \in \mathcal{L}_{\text{AL}_{\text{seq}}} ::= x \mid (s t) \mid \lambda x.s \mid \text{seq } s t$. Answers are all abstractions (WHNFs). AL_{seq} -reduction contexts R are defined by the grammar $R := [\cdot] \mid (R s) \mid \text{seq } R t$, and a normal order reduction is $R[s] \rightarrow_{\text{AL}_{\text{seq}}} R[t]$, whenever $s \xrightarrow{\beta} t$ or $s \xrightarrow{\text{seq}} t$ (see Fig. 1).

► **Definition 3.3** (AL_{cc}). AL_{cc} extends AL by **case** and data constructors. There is a finite nonempty set of type constructors K_1, \dots, K_n , where for every K_i there are pairwise disjoint finite nonempty sets of data constructors $\{c_{K_i,1}, \dots, c_{K_i,|K_i|}\}$. Every constructor has a fixed *arity* (a non-negative integer) denoted by $\text{ar}(K_i)$ or $\text{ar}(c_{K_i,j})$, resp. Examples are a type constructor *Bool* (of arity 0) with data constructors **True** and **False** (both of arity 0), as well as lists with a type constructor *List* (of arity 1) and data constructors **Nil** (of arity 0) and **Cons** (of arity 2). For the *constructor application* $(c_{K_i,j} s_1 \dots s_{\text{ar}(c_{K_i,j})})$, we use $(c_{K_i,j} \vec{s})$ as an abbreviation, and write $t[\vec{s}/\vec{x}]$ for the parallel substitution $t[s_1/x_1, \dots, s_{\text{ar}(c_{K_i,j})}/x_{\text{ar}(c_{K_i,j})}]$. The grammar $r, s, t \in \mathcal{L}_{\text{AL}_{\text{cc}}} ::= x \mid (s t) \mid \lambda x.s \mid (c_{K_i,j} \vec{s}) \mid (\text{case}_{K_i} s (c_{K_i,1} \vec{x} \rightarrow s_{i,1}) \dots (c_{K_i,|K_i|} \vec{x} \rightarrow s_{i,|K_i|}))$ defines expressions of AL_{cc} . We use an abbreviation $\text{case}_K s \text{alts}$ if the alternatives of the **case** do not matter. The AL_{cc} -reduction contexts R are defined as $R := [\cdot] \mid (R s) \mid \text{case}_{K_i} R \text{alts}$. A normal order reduction is $R[s] \rightarrow_{\text{AL}_{\text{cc}}} R[t]$, where $s \xrightarrow{\beta} t$ or $s \xrightarrow{\text{case}} t$ (see Fig. 1, where p_i mean patterns $(c_{K_i,i} \vec{x})$ in **case**-expressions). Answers in AL_{cc} are $\lambda x.s$ and $(c_{K_i} \vec{s})$, also called WHNFs.

► **Definition 3.4** ($\text{AL}_{\text{cc,seq}}$). The calculus $\text{AL}_{\text{cc,seq}}$ combines the syntax and reduction rules of AL_{seq} and AL_{cc} with the obvious notion of normal order reduction $\rightarrow_{\text{AL}_{\text{cc,seq}}}$ applying (β), (seq), and (case) (see Fig. 1) in reduction contexts.

We will write $\lambda x_1.x_2, \dots, x_n.t$ instead of $\lambda x_1.\lambda x_2.\dots.\lambda x_n.t$. We use the following abbreviations for specific closed lambda expressions:

$$\begin{aligned} id &= \lambda x.x & \omega &= \lambda x.(x x) & \Omega &= (\omega \omega) \\ Y &= \lambda f.((\lambda x.f (x x)) (\lambda x.f (x x))) & \top &= (Y (\lambda x.y.x)) \end{aligned}$$

$$\begin{aligned}
(\text{caseapp}) \quad & ((\text{case}_K t_0 (p_1 \rightarrow t_1) \dots (p_n \rightarrow t_n)) r) \\
& \rightarrow (\text{case}_K t_0 (p_1 \rightarrow (t_1 r)) \dots (p_n \rightarrow (t_n r))) \\
(\text{casecase}) \quad & (\text{case}_K (\text{case}_{K'} t_0 (p_1 \rightarrow t_1) \dots (p_n \rightarrow t_n)) (q_1 \rightarrow r_1) \dots (q_m \rightarrow r_m)) \\
& \rightarrow (\text{case}_{K'} t_0 (p_1 \rightarrow (\text{case}_K t_1 (q_1 \rightarrow r_1) \dots (q_m \rightarrow r_m))) \\
& \quad \dots \\
& \quad (p_n \rightarrow (\text{case}_K t_n (q_1 \rightarrow r_1) \dots (q_m \rightarrow r_m)))) \\
(\text{seqseq}) \quad & (\text{seq} (\text{seq} s_1 s_2) s_3) \rightarrow (\text{seq} s_1 (\text{seq} s_2 s_3)) \\
(\text{seqapp}) \quad & ((\text{seq} s_1 s_2) s_3) \rightarrow (\text{seq} s_1 (s_2 s_3)) \\
(\text{seqcase}) \quad & (\text{seq} (\text{case}_K t_0 (p_1 \rightarrow t_1) \dots (p_n \rightarrow t_n)) r) \\
& \rightarrow (\text{case}_K t_0 (p_1 \rightarrow (\text{seq} t_1 r)) \dots (p_n \rightarrow (\text{seq} t_n r))) \\
(\text{caseseq}) \quad & (\text{case}_K (\text{seq} s_1 s_2) \text{alts}) \rightarrow (\text{seq} s_1 (\text{case}_K s_2 \text{alts}))
\end{aligned}$$

■ **Figure 2** case- and seq-simplifications.

It is not too hard to show that all closed diverging expressions are contextually equal. Thus we will use the symbol \perp to denote a representative of the equivalence class of closed diverging expressions, e.g. one such expression is Ω .

► **Remark.** Note that contextual equivalence in all our calculi always distinguishes different values. For instance, different constructors can always be distinguished by choosing case-expressions as contexts such that one constructor is mapped to a value while the other one is mapped to Ω . Different abstractions are distinguished by applying them to arguments. Different variables x, y are always contextually different: The context $C := (\lambda x, y. [\cdot]) \text{ id } \Omega$ distinguishes them, since $C[x]$ converges, while $C[y]$ diverges.

We now show correctness of program transformations. The *simplifications* for the calculi $\text{AL}_{\text{seq}}, \text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}$ are defined in Fig. 2, s.t. each simplification is defined in all calculi where the constructs exist. In [15] we prove:

► **Theorem 3.5.** *For $D \in \{\text{AL}, \text{AL}_{\text{seq}}, \text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}\}$ the reductions of the corresponding calculus (Fig. 1) and the simplifications (Fig. 2) are correct program transformations, regardless of the context they are applied in.*

Contextual equivalence of open expressions can be proven by closing them using additional lambda binders. One direction of the following lemma is obvious, since \sim_D is a congruence. The other direction can be proven by using applicative bisimilarity (see [15]).

► **Lemma 3.6.** *For $D \in \{\text{AL}, \text{AL}_{\text{seq}}, \text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}\}$ and D -expressions s, t with $FV(s) \cup FV(t) \subseteq \{x_1, \dots, x_n\}$: $s \sim_D t \iff \lambda x_1, \dots, x_n. s \sim_D \lambda x_1, \dots, x_n. t$.*

Correctness of β -reduction implies that a restricted use of η -expansion is correct:

► **Proposition 3.7.** *For every $D \in \{\text{AL}, \text{AL}_{\text{seq}}, \text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}\}$ the transformation η is correct for all abstractions, i.e. $s \sim_D \lambda z. s z$, if s is an abstraction.*

► **Definition 3.8.** We use B_k^m as an abbreviation for a “bot-alternative” of the k^{th} data constructor of type constructor K_m i.e. $B_k^m := (c_{K_m, k} \vec{x} \rightarrow \perp)$. Let v be any closed abstraction (for $\text{AL}, \text{AL}_{\text{seq}}$) or be any closed abstraction or constructor application $(c_{K_m, j} \vec{s})$ (for in $\text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}$), respectively.

Approximation contexts AP_i ($i \in \mathbb{N}_0$) are defined for $\text{AL}, \text{AL}_{\text{seq}}, \text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}$ as follows:

$$\text{For } \text{AL}, \text{AL}_{\text{seq}}: \quad AP_0 ::= [\cdot] \quad AP_{i+1} ::= (AP_i v) \mid (AP_i \perp)$$

$$\text{For } \text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}: \quad AP_0 ::= [\cdot] \quad AP_{i+1} ::= (AP_i v) \mid (AP_i \perp) \\ \mid \text{case}_{K_m} AP_i B_1^m \dots B_{j-1}^m (c_{K_m, j} \vec{x} \rightarrow x_k) B_{j+1}^m \dots B_n^m$$

$$\begin{aligned}
s_1 &:= \lambda x.x (\lambda y.x \top \perp y) \top & s_2 &:= \lambda x.x (x \top \perp) \top \\
t_1(s) &:= \lambda x.x (x s) & t_2(s) &:= \lambda x.x \lambda z.x s z \\
&& & \text{where } s \text{ is an expression with } FV(s) \subseteq \{x\} \\
s_3 &:= \lambda x,y.x (y (y (x id))) & s_4 &:= \lambda x,y.x (y \lambda z.y (x id) z) \\
s_5 &:= \lambda x,y.(x (x y)) (x (x y)) & s_6 &:= \lambda x,y.((x (x y)) (x \lambda z.x y z)) \\
s_7 &:= \lambda x.\text{case}_{Bool} (x \perp) (\text{True} \rightarrow \text{True}) (\text{False} \rightarrow \perp) \\
s_8 &:= \lambda x.\text{case}_{Bool} (x \lambda y.\perp) (\text{True} \rightarrow \text{True}) (\text{False} \rightarrow \perp)
\end{aligned}$$

■ **Figure 3** The untyped counterexample expressions.

The following result known as a context lemma is proven in the technical report [15]. However, we outline the ideas of the proof: Howe’s method [6, 7] implies that contextual approximation coincides with applicative similarity in all four calculi. Applicative similarity (in $\text{AL}, \text{AL}_{\text{seq}}$) means that s_2 can simulate s_1 if and only if in case s_1 reduces to an abstraction v_1 , then s_2 reduces to an abstraction v_2 and for every argument r : $v_2 r$ can simulate $v_1 r$. This recursive definition is meant to be co-inductive. For deriving the context lemma below, two more steps are necessary: First show that, instead of applying v_i to argument r , the definition is unchanged, if s_i is applied to argument r and reduction is then performed for $s_i r$. The second step is to show that the co-inductive definition is equivalent to an inductive definition, using Kleene’s fixpoint theorem.

► **Theorem 3.9** (AP_i -Context-Lemma). *For $D \in \{\text{AL}, \text{AL}_{\text{seq}}, \text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}\}$ and closed D -expressions s, t holds:*

$$s \leq_D t \text{ iff for all } i \text{ and all approximation contexts } AP_i: AP_i[s] \downarrow_D \implies AP_i[t] \downarrow_D$$

We provide a criterion to prove contextual equivalence of expressions, which is used in later sections. Its proof can be found in [15].

► **Theorem 3.10.** *For $D \in \{\text{AL}, \text{AL}_{\text{seq}}, \text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}\}$ closed D -expressions s and t are contextually equivalent if there exists $i \in \mathbb{N}_0$ such that*

1. $AP_j[s] \downarrow_D \iff AP_j[t] \downarrow_D$ for all $0 \leq j < i$ and all AP_j -contexts.
2. $AP_i[s] \sim_D AP_i[t]$ for all AP_i -contexts.

For all four calculi *applicative contexts* are defined by $A ::= [\cdot] \mid (A s)$. The following proposition allows systematic case-distinctions for expressions (proved in [15]).

► **Proposition 3.11.** *Let $D \in \{\text{AL}, \text{AL}_{\text{seq}}, \text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}\}$. For every D -expression s one of the following equations holds: 1. $s \sim_D \perp$; 2. $s \sim_D v$ where v is an answer; 3. $s \sim_D A[x]$ where x is a free variable and A is an applicative D -context; 4. $s \sim_D \text{seq } A[x] t'$ where x is a free variable and A is an applicative D -context, for $D \in \{\text{AL}_{\text{seq}}, \text{AL}_{\text{cc,seq}}\}$; or 5. $s \sim_D \text{case}_K A[x]$ alts where x is a free variable and A is an applicative D -context, for $D \in \{\text{AL}_{\text{cc}}, \text{AL}_{\text{cc,seq}}\}$.*

4 Relations between the Untyped Calculi

This section shows the non-conservativity of embeddings of the four untyped lazy calculi. These negative results show that the syntactically less expressive calculi are not sufficiently expressive and are thus unstable under extensions. Expressions used in our counterexamples are defined in Fig. 3. We also prove equations necessary for the examples:

► **Lemma 4.1.** *For all expressions s : $\top \sim_{\text{AL}} \lambda x.\top$ and $\top s \sim_{\text{AL}} \top$.*

Proof. $\top s \sim_{\text{AL}} \top$ follows from correctness of β (Theorem 3.5), since $\top s \xrightarrow{\beta,*} \lambda x.\lambda z.(\lambda x.\lambda z.(x x)) (\lambda x.\lambda z.(x x)) \xleftarrow{\beta,*} \top$. For $\top \sim_{\text{AL}} \lambda x.\top$ we use Theorem 3.10 (for $i = 1$): $\top \downarrow_D, \lambda x.\top \downarrow_D$, and $(\lambda x.\top) r \xrightarrow{\beta} \top \sim_D (\top r)$ for any r . \blacktriangleleft

► **Theorem 4.2.** *The following equalities hold for the expressions in Fig. 3: 1. If $s[id/x] \not\sim_{\text{AL}} \perp$ then $t_1(s) \sim_{\text{AL}} t_2(s)$. 2. $s_1 \sim_{\text{AL}} s_2$. 3. $s_3 \sim_{\text{AL}} s_4$. 4. $s_5 \sim_{\text{AL}_{\text{seq}}} s_6$. 5. $s_7 \sim_{\text{AL}_{\text{cc}}} s_8$.*

Proof. 1. We use Theorem 3.10 (for $i = 1$). For the empty context we have $t_1(s) \downarrow_{\text{AL}}$ and $t_2(s) \downarrow_{\text{AL}}$. Now we consider the case $(t_1 b)$ and $(t_2 b)$ where b is a closed abstraction or \perp . We make a case distinction on the argument b according to Proposition 3.11. By easy computations $(t_1 b) \sim_{\text{AL}} (t_2 b)$ if $b = \perp$, $b = \lambda x.\perp$, or $b = \lambda x_1.\lambda x_2.t$. For $b := \lambda x.x$, two β -reductions show that $t_1 \lambda x.x \sim_{\text{AL}} s[id/x]$, and that $t_2 \lambda x.x \sim_{\text{AL}} \lambda z.s[id/x] z$. Since $s[id/x] \not\sim_{\text{AL}} \perp$, it is equivalent to an abstraction, and Proposition 3.7 shows contextual equivalence of the two expressions. Now let $b := \lambda u.u t_1 \dots t_n$ with $n \geq 1$. If $(b s[b/x]) \not\sim_{\text{AL}} \perp$, then there exists a closed abstraction $\lambda w.s'$ such that $(\lambda w.s') \sim_{\text{AL}} (b s[b/x])$. By Proposition 3.7 we can transform: $(t_1 b) \sim_{\text{AL}} b (b s[b/x]) \sim_{\text{AL}} b \lambda w.s' \sim_{\text{AL}} b \lambda z.(\lambda w.s') z \sim_{\text{AL}} b \lambda z.(b s[b/x] z) \sim_{\text{AL}} t_2 b$. In the case $(b s[b/x]) \sim_{\text{AL}} \perp$, evaluation of $(\lambda u.u t_1 \dots t_n) \perp$ and $(\lambda u.u t_1 \dots t_n) (\lambda y.\perp)$ results in \perp .

2. We use Theorem 3.10 (for $i = 1$). Since $s_1 \downarrow_{\text{AL}}$ and $s_2 \downarrow_{\text{AL}}$, we only consider the cases $(s_1 b)$ and $(s_2 b)$ where b is a closed abstraction or \perp . We use Proposition 3.11 for a case distinction on b . It is easy to verify that $s_1 b \sim_{\text{AL}} s_2 b$ for $b = \perp$, $b = \lambda z.\perp$, and $b = \lambda z.z$. For $b := \lambda z.(z u_1 \dots u_n)$ where $n \geq 1$, we have $(s_1 b) \sim_{\text{AL}} b (\lambda y.\top) \top$ and $(s_2 b) \sim_{\text{AL}} b \top \top$, and by Lemma 4.1 also $(s_1 b) \sim_{\text{AL}} (s_2 b)$.

3. We use Theorem 3.10 (for $i = 2$). Since $s_j \downarrow_{\text{AL}}$ and $(s_j b) \downarrow_{\text{AL}}$ for $j = 3, 4$ we need to consider the cases $(s_3 b d)$ and $(s_4 b d)$ where b, d are closed abstractions or \perp . We use Proposition 3.11 for case distinction on d . If $d = \perp$, or $d = \lambda x.\perp$, then $s_3 b d \sim_{\text{AL}} s_4 b d$. If $d := \lambda x.x$, then item 1 shows that $\lambda x.x (x id) \sim_{\text{AL}} \lambda x.x \lambda z.(x id) z$. Correctness of β implies that $b (b id) \sim_{\text{AL}} b \lambda z.(b id) z$, and thus $s_3 b d \sim_{\text{AL}} b (b id) \sim_{\text{AL}} b \lambda z.(b id) z \sim_{\text{AL}} s_4 b d$. If $d := \lambda x_1.\lambda x_2.t$, then $s_3 b d \sim_{\text{AL}} b (d (\lambda x_2.t[(b id)/x_1])) \xrightarrow{\eta} b (d \lambda.z (\lambda x_2.t[(b id)/x_1]) z) \sim_{\text{AL}} s_4 b d$, where η is correct by Proposition 3.7. If $d := \lambda u.u t_1 \dots t_n$ with $n \geq 1$ and $(d (b id)) \not\sim_{\text{AL}} \perp$, it is equivalent to an abstraction, and η is correct, hence equivalence holds in this case. Otherwise, if $(d (b id)) \sim_{\text{AL}} \perp$, then $(b (d \perp)) \sim_{\text{AL}} (b (d \lambda x.\perp))$ since $(d \perp) \sim_{\text{AL}} \perp \sim_{\text{AL}} (d \lambda x.\perp)$.

4. We use Theorem 3.10 (for $i = 2$). We have $s_j \downarrow_{\text{AL}_{\text{seq}}}$ and $(s_j b) \downarrow_{\text{AL}_{\text{seq}}}$ for any b for $j = 5, 6$. Now we consider the cases $(s_5 b d)$ and $(s_6 b d)$ where b, d are closed abstractions or \perp . We make a case distinction on b using Proposition 3.11. The cases $b = \perp$, $b = \lambda x.\perp$, and $b = \lambda u.u$ are easy to verify. If $b = \lambda u.v.b'$ then the subexpression $(b d)$ is contextually equivalent to $\lambda v.b'[d/u]$. Thus, η -expansion for $(b d)$ is correct which shows $s_5 b d \sim_{\text{AL}_{\text{seq}}} s_6 b d$. For the other case we distinguish whether $(b d) \sim_{\text{AL}_{\text{seq}}} \perp$ holds. If $(b d) \not\sim_{\text{AL}_{\text{seq}}} \perp$ then η is correct, which shows that $s_5 b d \sim_{\text{AL}_{\text{seq}}} s_6 b d$. If $(b d) \sim_{\text{AL}_{\text{seq}}} \perp$, then we have to check more cases: If $b = \lambda u.\text{seq } (u t_1 \dots) r$ or $b = \lambda u.\text{seq } u r$, then $(b (b d)) \sim_{\text{AL}_{\text{seq}}} \perp$, and $s_5 b d$ is equivalent to $s_6 b d$. If $b = \lambda u.u t_1 \dots$, then $(b (b d))$ becomes \perp in both expressions, which shows $(s_5 b d) \sim_{\text{AL}_{\text{seq}}} \perp \sim_{\text{AL}_{\text{seq}}} (s_6 b d)$.

5. We use Theorem 3.10. Since $s_7 \downarrow_{\text{AL}_{\text{cc}}}$, $s_8 \downarrow_{\text{AL}_{\text{cc}}}$, and $\text{case } s_7 \dots \sim_{\text{AL}_{\text{cc}}} \perp \sim_{\text{AL}_{\text{cc}}} \text{case } s_8 \dots$, it is sufficient to show $(s_7 b) \sim_{\text{AL}_{\text{cc}}} (s_8 b)$ where b is a closed abstraction, a constructor application, or \perp . If $b = \perp$ then the equivalence holds. Otherwise, we inspect the cases of a normal-order reduction for $b y$ for some free variable y : If $b y \downarrow_{\text{AL}_{\text{cc}}} \text{True}$ (or $b y \downarrow_{\text{AL}_{\text{cc}}} \text{False}$, resp.) then $(b \perp)$ and $(b \lambda x.\perp)$ also converge with True (or False , resp.), which shows that $(s_7 b) \sim_{\text{AL}_{\text{cc}}} (s_8 b)$. If evaluation of $b y$ stops with $R[y]$ for some

reduction context R , then $(s_7 b)$ evaluates to $\mathbf{case}_{Bool} R[\perp] alts$ which is equivalent to \perp , and $(s_8 b)$ evaluates to $\mathbf{case}_{Bool} R[\lambda x.\perp] alts$. We consider cases of R : If $R = [\cdot]$ then $(s_8 b) \sim_{AL_{cc}} \perp$. If $R = R'[[\cdot] r]$ then $(s_8 b)$ evaluates to $\mathbf{case}_{Bool} R'[\perp] alts$ which is equivalent to \perp . Finally, if $R = R'[\mathbf{case}_K [\cdot] alts']$ then $(s_8 b) \sim_{AL_{cc}} \perp$. If $(b y)$ converges with $c_{K_{i,j}} t_1 \dots t_n$ for some constructor $c_{K_{i,k}}$ not of type $Bool$ then $(b \perp)$ converges to $c_{K_{i,j}} t'_1 \dots t'_n$ and $(b \lambda x.\perp)$ converges to $c_{K_{i,j}} t''_1 \dots t''_n$. However, in this case $(s_7 b) \sim_{AL_{cc}} \perp \sim_{AL_{cc}} (s_8 b)$. \blacktriangleleft

Now we obtain non-conservativity for all embeddings between the four calculi as follows:

► **Theorem 4.3.** *The natural embeddings of AL in AL_{seq} , AL in $AL_{cc,seq}$, AL in AL_{cc} , AL_{seq} in $AL_{cc,seq}$, and AL_{cc} in $AL_{cc,seq}$ are not conservative.*

Proof. AL in AL_{seq} and AL in $AL_{cc,seq}$: The proof uses the expressions s_1, s_2 which are adapted from the example of [4, Proposition 3.15]. Theorem 4.2, item 2 shows that $s_1 \sim_{AL} s_2$. The context $C := ([\cdot] \lambda z.\mathbf{seq} z id)$ distinguishes s_1, s_2 in $AL_{seq}, AL_{cc,seq}$, since $C[s_1] \downarrow_D$ while $C[s_2] \uparrow_D$ for $D \in \{AL_{seq}, AL_{cc,seq}\}$.

Another counterexample uses the expressions $t_1(s), t_2(s)$ with $s = (x ((x id) (x id)))$: Since $s[id/x] \sim_{AL} id$, Theorem 4.2, item 1 shows $t_1(s) \sim_{AL} t_2(s)$. However, the context $C := ([\cdot] \lambda y.\mathbf{seq} y \omega)$ distinguishes $t_1(s)$ and $t_2(s)$ in AL_{seq} and $AL_{cc,seq}$.

AL in AL_{cc} : From Theorem 4.2 we have $s_3 \sim_{AL} s_4$. In AL_{cc} the context $C := [\cdot] (\lambda u.u \mathbf{True}) (\lambda u.\mathbf{case}_{Bool} u (\mathbf{True} \rightarrow \mathbf{False}) (\mathbf{False} \rightarrow id))$ distinguishes s_3 and s_4 , since $C[s_3] \sim_{AL_{cc}} \mathbf{True}$ and $C[s_4] \uparrow_{AL_{cc}}$.

AL_{seq} in $AL_{cc,seq}$: Theorem 4.2 shows $s_5 \sim_{AL_{seq}} s_6$. In $AL_{cc,seq}$ the context $C := ([\cdot] b \mathbf{True})$ with $b := \lambda u.\mathbf{case}_{Bool} u (\mathbf{True} \rightarrow \mathbf{False}) (\mathbf{False} \rightarrow id)$ distinguishes s_5 and s_6 , since $C[s_5] \xrightarrow{*}_{AL_{cc,seq}} id$, but $C[s_6] \uparrow_{AL_{cc,seq}}$.

AL_{cc} in $AL_{cc,seq}$: A counterexample for conservativity of embedding AL_{cc} into $AL_{cc,seq}$ was given in [18] which can be translated into the notations of this paper as follows: The equation $s_7 \sim_{AL_{cc}} s_8$ holds (Theorem 4.2), but for the context $C := [\cdot] \lambda u.\mathbf{seq} u \mathbf{True}$ we have $C[s_8] \downarrow_{AL_{cc,seq}} \mathbf{True}$ while $C[s_7] \uparrow_{AL_{cc,seq}}$. \blacktriangleleft

5 Monomorphically Typed Calculi and Embeddings

We now analyze embeddings among the four calculi under monomorphic typing, and therefore we add a monomorphic type system to the calculi. The counterexamples in Sect. 4 cannot be transferred to the typed calculi except for the counterexample showing non-conservativity of embedding AL_{cc} into $AL_{cc,seq}$.

Since AL with a monomorphic type system is the simply typed lambda calculus (which is too inexpressive since every expression converges) we extend all the calculi by a fixpoint combinator **Fix** as a constant to implement recursion, and by a constant **Bot** to denote a diverging expression¹. The resulting calculi are called AL^τ , AL_{seq}^τ , AL_{cc}^τ , $AL_{cc,seq}^\tau$.

The syntax for types is $T ::= o \mid T \rightarrow T \mid K(T_1, \dots, T_{arK})$, where o is the base type, and K is a type constructor. The syntax for expressions is as in the base calculi, but extended by **Fix** as a family of constants of all types of the form $(T \rightarrow T) \rightarrow T$, and the constant **Bot** as a family of constants of all types. Variables have a built-in type, i.e. in an expression every variable is annotated with a monomorphic type, e.g. $\lambda x^{o \rightarrow o}.x^{o \rightarrow o}$ is an identity on functions of type $o \rightarrow o$. However, we rarely write these annotations explicitly. The type of constructors

¹ **Bot** can also be encoded using **Fix**, but for convenient representation we include the constant.

$$\begin{array}{ll}
(\text{botapp}) & (\text{Bot } s) \rightarrow \text{Bot} & (\text{botseq}) & (\text{seq Bot } s) \rightarrow \text{Bot} \\
(\text{botcase}) & (\text{case}_K \text{ Bot } \text{alts}) \rightarrow \text{Bot} & &
\end{array}$$

■ **Figure 4** The bot-simplifications.

is structured as in a polymorphic calculus: The family of constructors for one constructor c_{K_i} has a (polymorphic) type schema of the form $T_1 \rightarrow \dots \rightarrow T_n \rightarrow (K_i T'_1 \dots T'_{ar(K_i)})$, where every type-variable of $T_1 \rightarrow \dots \rightarrow T_n$ is contained in $(K_i T'_1 \dots T'_{ar(K_i)})$, and every monomorphic type of constructor c_{K_i} is an instance of this type. The types of **case** and **seq** are the monomorphic instances of the usual polymorphic types as in Haskell. We omit the standard typing rules. However, we write $s :: T$ which means that s can be typed by a (monomorphic) type T . The reduction rules are in Fig. 1, and normal order reduction \rightarrow_D for $D \in \{\text{AL}^\tau, \text{AL}_{\text{seq}}^\tau, \text{AL}_{\text{cc}}^\tau, \text{AL}_{\text{cc,seq}}^\tau\}$ applies the reduction rules in reduction contexts (defined as before). It is easy to verify that normal order reduction is deterministic, type-, and closedness-preserving. The following progress lemma holds: for every closed expression t , either $t \xrightarrow{*}_D t_0$, where t_0 is a value, or t has an infinite reduction sequence, or $t \xrightarrow{*}_D R[\text{Bot}]$, where R is a reduction context. In particular, the typing implies that case-expressions ($\text{case}_K (c \dots) \text{alts}$) are always reducible by a case-reduction.

Answers are defined as abstractions, constructor applications, and the constant **Fix**. Contextual equivalence \sim_D is defined according to Definition 2.2. We also reuse the approximation contexts, but restrict them to well-typed contexts. The AP_i -context lemma (Theorem 3.9) also holds for the typed calculi, where only equally typed expressions and well-typed contexts are taken into account.

► **Theorem 5.1.** *For $D \in \{\text{AL}^\tau, \text{AL}_{\text{seq}}^\tau, \text{AL}_{\text{cc}}^\tau, \text{AL}_{\text{cc,seq}}^\tau\}$ and closed, equally typed D -expressions s, t holds: $s \leq_D t$ iff for all i and all approximation contexts AP_i , such that $AP_i[s]$ and $AP_i[t]$ are well-typed: $AP_i[s] \downarrow_D \implies AP_i[t] \downarrow_D$.*

To lift the correctness results for program transformations into the typed calculi, we define a translation δ .

► **Definition 5.2.** Let $\delta : \text{AL}_{\text{cc,seq}}^\tau \rightarrow \text{AL}_{\text{cc,seq}}$ be the translation of an $\text{AL}_{\text{cc,seq}}^\tau$ -expression that first removes all types and then leaves all syntactical constructs as they are except for the cases $\delta(\text{Bot}) := \Omega$ and $\delta(\text{Fix}) := \lambda f.(\lambda x.f (x x)) (\lambda x.f (x x))$.

In [15] we prove adequacy of δ , which implies that reduction rules and simplifications are correct program transformations in the typed calculi.

► **Proposition 5.3.** *For equally typed $\text{AL}_{\text{cc,seq}}^\tau$ -expressions s, t it holds: $\delta(s) \sim_{\text{AL}_{\text{cc,seq}}} \delta(t)$ implies $s \sim_{\text{AL}_{\text{cc,seq}}^\tau} t$. The same holds for $\text{AL}^\tau, \text{AL}_{\text{seq}}^\tau$, and $\text{AL}_{\text{cc}}^\tau$ w.r.t. their untyped variants.*

► **Theorem 5.4.** *All reduction rules and simplifications in Figs. 1, 2, and 4 are correct program transformations in $\text{AL}^\tau, \text{AL}_{\text{cc}}^\tau, \text{AL}_{\text{seq}}^\tau$, and $\text{AL}_{\text{cc,seq}}^\tau$.*

We now show non-conservativity of embedding AL^τ in $\text{AL}_{\text{seq}}^\tau$ as well as of $\text{AL}_{\text{cc}}^\tau$ in $\text{AL}_{\text{cc,seq}}^\tau$, i.e. the addition of **seq** is not conservative. For the other embeddings, AL^τ in $\text{AL}_{\text{cc}}^\tau$ and $\text{AL}_{\text{seq}}^\tau$ in $\text{AL}_{\text{cc,seq}}^\tau$, we show conservativity. This is consistent with typability: the counterexample for AL in AL_{cc} requires an untyped context, and the counterexample for AL_{seq} in $\text{AL}_{\text{cc,seq}}$ has a self-application of an expression, which is nontypable.

5.1 Adding Seq is Not Conservative

We consider calculi AL^τ and $\text{AL}_{\text{seq}}^\tau$.

There is only one equivalence class w.r.t. contextual equivalence for closed expressions of type o : it is $\text{Bot}^o :: o$. For type $o \rightarrow o$, there are only two equivalence classes with representatives $\text{Bot}^{o \rightarrow o}$ and $\lambda x^o. \text{Bot}^o$. Note that the expression $\lambda x^o. x^o$ is equivalent to $\lambda x^o. \text{Bot}^o$, since there are no values of type o .

Our counterexample to conservativity are the following expressions s_9, s_{10} of type $((o \rightarrow o) \rightarrow (o \rightarrow o) \rightarrow (o \rightarrow o)) \rightarrow (o \rightarrow o) \rightarrow (o \rightarrow o) \rightarrow (o \rightarrow o) \rightarrow (o \rightarrow o) \rightarrow (o \rightarrow o)$:

$$s_9 := \lambda f, x, y, z. f (f x y) (f y z) \quad s_{10} := \lambda f, x, y, z. f (f x x) (f z z)$$

► **Theorem 5.5.** *The embedding of AL^τ into $\text{AL}_{\text{seq}}^\tau$ and into $\text{AL}_{\text{cc,seq}}^\tau$ is not conservative*

Proof. We use Theorem 3.10 (with $i = 1$) which also holds in the typed calculi (see [15]) and show $s_9 \sim_{\text{AL}^\tau} s_{10}$. Since $s_9 \downarrow_{\text{AL}^\tau}$ and $s_{10} \downarrow_{\text{AL}^\tau}$, we need to show $s'_9 := (s_9 b) \sim_{\text{AL}^\tau} s'_{10} := (s_{10} b)$, where b is a closed expression of type $(o \rightarrow o) \rightarrow (o \rightarrow o) \rightarrow (o \rightarrow o)$. We check the different cases for b . Due to its type b must be equivalent to one of Bot , $\lambda w. \text{Bot}$, $\lambda u, w. \text{Bot}$, $\lambda w_1, w_2, w_3. \text{Bot}$, $\lambda x, y. x$, and $\lambda x, y. y$. For the first three cases it holds: $s'_9 \sim_{\text{AL}^\tau} \lambda x, y, z. \text{Bot} \sim_{\text{AL}^\tau} s'_{10}$. If $b = \lambda w_1, w_2, w_3. \text{Bot}$ then $s'_9 \sim_{\text{AL}^\tau} \lambda x, y, z, w_3. \text{Bot} \sim_{\text{AL}^\tau} s'_{10}$. If $b = \lambda x, y. x$ then $s'_9 \sim_{\text{AL}^\tau} \lambda x, y, z. x \sim_{\text{AL}^\tau} s'_{10}$. If $b = \lambda x, y. y$ then $s'_9 \sim_{\text{AL}^\tau} \lambda x, y, z. z \sim_{\text{AL}^\tau} s'_{10}$. Non-conservativity now follows from the context $C = ([\cdot] (\lambda x, y. \text{seq } x y) (\lambda x. \text{Bot}) \text{Bot} (\lambda x. \text{Bot}))$: The expressions $C[s_9]$, $C[s_{10}]$, are typable in $\text{AL}_{\text{seq}}^\tau, \text{AL}_{\text{cc,seq}}^\tau$ and $C[s_9] \sim_D \text{Bot}$, but $C[s_{10}] \sim_D (\lambda x. \text{Bot})$ for $D \in \{\text{AL}_{\text{seq}}^\tau, \text{AL}_{\text{cc,seq}}^\tau\}$. ◀

We reuse the counterexample in the untyped case represented by expressions s_7 and s_8 , where \perp is replaced by Bot . The example becomes

$$\begin{aligned} s_{11} &:= \lambda x. \text{case}_{\text{Bool}} (x \text{ Bot}) (\text{True} \rightarrow \text{True}) (\text{False} \rightarrow \text{Bot}) \\ s_{12} &:= \lambda x. \text{case}_{\text{Bool}} (x (\lambda y. \text{Bot})) (\text{True} \rightarrow \text{True}) (\text{False} \rightarrow \text{Bot}) \end{aligned}$$

where s_{11}, s_{12} are typed as $((T \rightarrow \text{Bool}) \rightarrow \text{Bool})$ for any type T . The two expressions are equivalent in $\text{AL}_{\text{cc}}^\tau$: They are typed, and $\delta(s_{11}) \sim_{\text{AL}_{\text{cc}}^\tau} \delta(s_{12})$ (see Theorem 4.2, item 5). Thus Proposition 5.3 is applicable. However, $s_{11} \not\sim_{\text{AL}_{\text{cc,seq}}^\tau} s_{12}$, since $s_{12} b$ evaluates to True , while $s_{11} b$ diverges, where $b = \lambda u. \text{seq } u \text{ True}$.

► **Theorem 5.6.** *The embedding of $\text{AL}_{\text{cc}}^\tau$ into $\text{AL}_{\text{cc,seq}}^\tau$ is not conservative.*

5.2 Adding Case and Constructors is Conservative

We show that adding case and constructors to the monomorphically typed calculi is conservative. We give a detailed proof for embedding $\text{AL}_{\text{seq}}^\tau$ into $\text{AL}_{\text{cc,seq}}^\tau$. The proof for embedding AL^τ into $\text{AL}_{\text{cc}}^\tau$ is analogous by omitting unnecessary cases. We show that for $\text{AL}_{\text{seq}}^\tau$ -expressions s, t the embedding is fully abstract, i.e. $s \leq_{\text{AL}_{\text{seq}}^\tau} t \iff s \leq_{\text{AL}_{\text{cc,seq}}^\tau} t$. The hard part is $s \leq_{\text{AL}_{\text{seq}}^\tau} t \implies s \leq_{\text{AL}_{\text{cc,seq}}^\tau} t$. Lemma 3.6 holds in the typed calculi as well, and thus it suffices to consider closed s, t . The AP_i -context lemma (Theorem 5.1) can be used, where the arguments are closed.

The main argument concerns the following situation: There are closed equally typed $\text{AL}_{\text{seq}}^\tau$ -expressions s, t , such that $s \leq_{\text{AL}_{\text{seq}}^\tau} t$, but we assume that $s \leq_{\text{AL}_{\text{cc,seq}}^\tau} t$ does not hold. Since s, t must have a type without constructed types and since the AP_i -context lemma holds, there is an $n \geq 0$, and $v_i, i = 1, \dots, n$, that are Bot or $\text{AL}_{\text{cc,seq}}^\tau$ -values, and where all v_i are of an $\text{AL}_{\text{seq}}^\tau$ -type, such that $s v_1 \dots v_n \downarrow_{\text{AL}_{\text{cc,seq}}^\tau}$, but $t v_1 \dots v_n \uparrow_{\text{AL}_{\text{cc,seq}}^\tau}$. The goal is to show that there are $\text{AL}_{\text{seq}}^\tau$ -expressions v'_i that are Bot or $\text{AL}_{\text{seq}}^\tau$ -values, such that $s v'_1 \dots v'_n \downarrow_{\text{AL}_{\text{seq}}^\tau}$, and

$t v'_1 \dots v'_n \uparrow_{\text{AL}_{\text{seq}}^\tau}$ which refutes $s \leq_{\text{AL}_{\text{seq}}^\tau} t$ and thus leads to a contradiction. It is sufficient to show that for every $\text{AL}_{\text{cc,seq}}^\tau$ -value v and context C with $C[v] \downarrow_{\text{AL}_{\text{cc,seq}}^\tau}$, there is an $\text{AL}_{\text{seq}}^\tau$ -value v' , with $v' \leq_{\text{AL}_{\text{cc,seq}}^\tau} v$, such that $C[v'] \downarrow_{\text{AL}_{\text{cc,seq}}^\tau}$.

In order to construct the proof we define simplification transformations in our monomorphically typed calculi, whenever the appropriate constructs exist in the calculus.

► **Definition 5.7.** The *simplification rules* (caseapp), (casecase), (seqseq), (seqapp), (seqcase), (caseseq), (botapp), (botcase), and (botseq) are defined in Figs. 2 and 4, where we use the typed variants. For $D \in \{\text{AL}_{\text{cc,seq}}^\tau, \text{AL}_{\text{cc}}^\tau\}$ let \xrightarrow{Dx} denote the reduction using normal order reductions and simplification rules in a reduction context, where in case of a conflict the topmost redex is reduced. If $s \xrightarrow{Dx,*} v$ for some D -answer v , then we denote this as $s \downarrow_{Dx}$.

Let $\xrightarrow{bc\text{sf}C}$ denote the reduction in any context by (β), (case), (seq), and (fix).

The simplifications are correct in the calculi under consideration and they do not change the normal order reduction length (proven in [15]):

► **Lemma 5.8.** *In the calculi $\text{AL}_{\text{cc}}^\tau$ and $\text{AL}_{\text{cc,seq}}^\tau$: The simplification rules preserve the length of (converging) normal order reductions, i.e. let d be a simplification rule and $D \in \{\text{AL}_{\text{cc}}^\tau, \text{AL}_{\text{cc,seq}}^\tau\}$: if $s \xrightarrow{d} s'$ then $s \xrightarrow{n}_D v$, where v is a D -WHNF, if and only if $s' \xrightarrow{n}_D v'$, where v' is a D -WHNF.*

► **Lemma 5.9.** *For $D \in \{\text{AL}_{\text{cc,seq}}^\tau, \text{AL}_{\text{cc}}^\tau\}$ we have $\downarrow_D = \downarrow_{Dx}$.*

Proof. Since the simplification rules are correct in $\text{AL}_{\text{cc,seq}}^\tau$, $\text{AL}_{\text{cc}}^\tau$, $s \downarrow_{Dx}$ implies that $s \downarrow_D$. Now assume that $s \downarrow_D$. We use induction on the number of (β), (case), (seq), (fix)-reductions of s to a WHNF. If s is a WHNF, then it is irreducible w.r.t. \xrightarrow{Dx} . If s has a normal order reduction of length $n > 0$ to a WHNF, then consider a \xrightarrow{Dx} -reduction sequence $s \xrightarrow{Dx,*} s_0$, where s_0 is a D -WHNF. Lemma 5.8 and termination of the simplifications (proved in [15]) show that there are s', s'' , such that $s \xrightarrow{Dx,*} s' \rightarrow_D s''$, where $s \xrightarrow{Dx,*} s'$ consists only of simplification rules. Lemma 5.8 shows that the normal order reduction length of s'' to a WHNF is smaller than n . Now we can apply the induction hypothesis. ◀

► **Definition 5.10.** The following approximation procedure computes for every D -expression t (for $D \in \{\text{AL}_{\text{cc,seq}}^\tau, \text{AL}_{\text{cc}}^\tau\}$) and every depth i an approximating expression $\text{approx}(t, i) \leq_D t$. First a pre-approximation is computed where $\text{preapprox}(t, 0) := \text{Bot}$. If there is an infinite \xrightarrow{Dx} -reduction sequence starting with t , then $\text{preapprox}(t, i) := \text{Bot}$ for all for $i > 0$. Otherwise, let $t \xrightarrow{Dx,*} t'$ where t' is irreducible for \xrightarrow{Dx} . Let M be the multicontext derived from t' where every subexpression at depth one is a hole, such that $t' = M(t_1, \dots, t_k)$, and t_j , for $1 \leq j \leq k$, are subexpressions at depth 1. Let $t'_j = \text{preapprox}(t_j, i - 1)$ for $j = 1, \dots, k$, and define the result as $\text{preapprox}(t, i) := M(t'_1, \dots, t'_k)$.

Finally, $\text{approx}(t, i)$ is computed from $\text{preapprox}(t, i)$ by computing its normal form under the bot-simplifications in Fig. 4.

E.g. for $t = \text{seq}(\text{seq } x \text{ id}) \text{ id}$ first $t \xrightarrow{Dx,*} (\text{seq } x (\text{seq } \text{id } \text{id}))$. Replacing the subexpressions at depth 1 by Bot results in $\text{preapprox}(t, 1) = (\text{seq Bot Bot})$ which reduces to $\text{approx}(t, 1) = \text{Bot}$. Similarly, $\text{preapprox}(t, 2) = \text{approx}(t, 2) = (\text{seq } x \lambda z. \text{Bot})$.

► **Lemma 5.11.** *For $D \in \{\text{AL}_{\text{cc,seq}}^\tau, \text{AL}_{\text{cc}}^\tau\}$: $\text{approx}(t, i) \leq_D t$.*

We show a variant of the so-called subterm property for approximations:

► **Lemma 5.12.** *The approximations $\text{approx}(t, i)$ are of the same type as t and irreducible w.r.t. the simplification rules and $\xrightarrow{\text{bcsf}C}$ -irreducible. If t is an $\text{AL}_{\text{cc,seq}}^\tau$ -expression of $\text{AL}_{\text{seq}}^\tau$ -type, then $\text{approx}(t, i)$ is an $\text{AL}_{\text{seq}}^\tau$ -expression. If t is an $\text{AL}_{\text{cc}}^\tau$ -expression of AL^τ -type, then $\text{approx}(t, i)$ is an AL^τ -expression.*

Proof. The expressions $\text{approx}(t, i)$ have the same type as t . Only bot-simplifications may be possible, and these can only enable other bot-simplifications and thus, every $\text{approx}(t, i)$ is irreducible w.r.t. the simplification rules. It remains to show that $a := \text{approx}(t, i)$ must be an $\text{AL}_{\text{seq}}^\tau$ -expression (AL^τ -expression, resp.). W.l.o.g. we consider the case with seq -expressions.

Suppose that there is a subexpression in $a = \text{approx}(t, i)$ of non- $\text{AL}_{\text{seq}}^\tau$ -type. We select the subexpressions of non- $\text{AL}_{\text{seq}}^\tau$ -type that are not contained in another subexpression of non- $\text{AL}_{\text{seq}}^\tau$ -type; let s denote the one of a maximal non- $\text{AL}_{\text{seq}}^\tau$ -type among these subexpressions. Since a is closed, we obtain that s cannot be a variable, since then either there is a superterm of s that is an abstraction of non- $\text{AL}_{\text{seq}}^\tau$ -type, or a case-expression of non- $\text{AL}_{\text{seq}}^\tau$ -type. Since a is of $\text{AL}_{\text{seq}}^\tau$ -type, and s is maximal, there must be an immediate superterm s' of s which is of $\text{AL}_{\text{seq}}^\tau$ -type. We look for the structure of s' . Due to the maximality conditions, s' cannot be an abstraction, an application of the form $(s_0 s)$, a constructor application, a seq -expression of the form $(\text{seq } s_0 s)$, or a case-alternative, since then it would also have a non- $\text{AL}_{\text{seq}}^\tau$ -type. It may be an application $(s s_2)$, a seq -expression $(\text{seq } s s_2)$, or a case expression $\text{case } s \text{ alts}$.

First assume that s' is an application, then let s_0 be the leftmost and topmost non-application in s , i.e. $s' = (s_0 r_1 \dots r_n)$, and $s = (s_0 r_1 \dots r_{n-1})$, $n \geq 1$, where s_0 is not an application. The expression s_0 must be of non- $\text{AL}_{\text{seq}}^\tau$ -type. Then s_0 cannot be **Bot**, an abstraction, **Fix**, a **case**-expression, or a **seq**-expression, since otherwise the subterm $s_0 r_1$ would be reducible by (botapp), (β), (fix), (caseapp), or (seqapp). s_0 cannot be a constructor application either, due to types. Hence s' is not an application.

If s' is a case expression $\text{case}_K s \text{ alts}$, then s cannot be **Bot**, a **case**-expression, a **seq**-expression, or a constructor-application, since otherwise s would be reducible by (botcase), (casecase), (case), or (caseseq). Due to typing s cannot be an abstraction or **Fix**, and finally s' cannot be an application using the arguments above. Hence s' is not a case-expression.

If s' is a **seq**-expression $\text{seq } s s_2$, then s cannot be **Bot**, an abstraction, **Fix**, a constructor application, a **case**-expression, or a **seq**-expression, since then s' would be reducible by (botseq), (seq), (seqcase), or (seqseq). s cannot be an application either, as argued above. Hence s' cannot be **seq**-expression.

In summary, such a subexpression does not exist, i.e. $\text{approx}(t, i)$ is an $\text{AL}_{\text{seq}}^\tau$ -expression. ◀

In the following we use $s|_p$ for the subterm of s at position p , and $s[\cdot]_p$ for the expression s where the subterm at position p is replaced by a context hole.

► **Definition 5.13.** For an $\text{AL}_{\text{cc,seq}}^\tau$ -expression ($\text{AL}_{\text{cc}}^\tau$ -expression, resp.) s , a position p , and a subexpression s' such that $s|_p = s'$ the *non-R-depth* of s' at p is the number of prefixes p' of p s.t. $s[\cdot]_{p'}$ is not a reduction context.

► **Lemma 5.14.** For $D \in \{\text{AL}_{\text{cc,seq}}^\tau, \text{AL}_{\text{cc}}^\tau\}$, a D -expression t , a D -context C with $C[t] \downarrow_D$ there is some i and an approximation $\text{approx}(t, i)$ with $C[\text{approx}(t, i)] \downarrow_D$.

Proof. Let $C[t] \xrightarrow{n}_D t_0$, where t_0 is a D -WHNF. Then compute $t' := \text{approx}(t, n + 1)$. The construction of $\text{approx}(t, n + 1)$ includes (β)-, (case)-, (seq)- and (fix)-reductions and simplification rules. Let A be the set of all the simplification rules. We have $C[t] \xrightarrow{\text{bcsf}C \cup A, *} C[t'']$, where t' is t'' with subexpressions replaced by **Bot**. Since reductions and simplifications are correct, we have $C[t''] \downarrow_D$, and in particular, the number of normal order reductions of $C[t'']$ to a D -WHNF is $n' \leq n$ (proven in [15]).

The normal order reduction for $C[t']$ makes the same reduction steps as the normal order reduction of $C[t'']$ since the **Bot**-expressions placed by the approximation are in the beginning at the non-R-depth $n + 1$, and remain at non-R-depth $\geq n + 1 - j$ after j normal order reductions. Finally, they will be at non-R-depth of at least 1, hence the final D -WHNF may have **Bots** only at non-R-depth of at least 1, and so it is a WHNF. Thus $C[\text{approx}(t, n)] \downarrow_D$. ◀

► **Theorem 5.15.** *The embeddings of AL^τ in $\text{AL}_{\text{cc}}^\tau$ and of $\text{AL}_{\text{seq}}^\tau$ in $\text{AL}_{\text{cc,seq}}^\tau$ are conservative.*

Proof. We prove this for the embedding of $\text{AL}_{\text{seq}}^\tau$ in $\text{AL}_{\text{cc,seq}}^\tau$. The other case is similar. Let s, t be $\text{AL}_{\text{seq}}^\tau$ -expressions with $s \leq_{\text{AL}_{\text{seq}}^\tau} t$. We have to show that $s \leq_{\text{AL}_{\text{cc,seq}}^\tau} t$. Assume this is false. Since the AP_i -context lemma holds (Theorem 5.1) the assumption implies that there is an $n \geq 0$ and closed $\text{AL}_{\text{cc,seq}}^\tau$ -expressions b_1, \dots, b_n of $\text{AL}_{\text{seq}}^\tau$ -type which are answers or **Bot**, such that $(s \ b_1 \dots b_n) \downarrow_{\text{AL}_{\text{cc,seq}}^\tau}$ but $(t \ b_1 \dots b_n) \uparrow_{\text{AL}_{\text{cc,seq}}^\tau}$. According to Lemma 5.14, we have successively constructed the approximations b'_i of b_i of a depth depending on the length of the normal order reduction of $(s \ b_1 \dots b_n)$, such that $(s \ b'_1 \dots b'_n) \downarrow_{\text{AL}_{\text{cc,seq}}^\tau}$ but $(t \ b'_1 \dots b'_n) \uparrow_{\text{AL}_{\text{cc,seq}}^\tau}$, also using Lemma 5.11. Lemma 5.12 shows that the approximations are in the smaller calculus $\text{AL}_{\text{seq}}^\tau$, and thus also $(s \ b'_1 \dots b'_n) \downarrow_{\text{AL}_{\text{seq}}^\tau}$ but $(t \ b'_1 \dots b'_n) \uparrow_{\text{AL}_{\text{seq}}^\tau}$, which contradicts $s \leq_{\text{AL}_{\text{seq}}^\tau} t$. ◀

The same reasoning can be used to show the following result (of practical interest) for $D \in \{\text{AL}_{\text{cc}}^\tau, \text{AL}_{\text{cc,seq}}^\tau\}$: Assume that the set of type and data constructors is a fixed set in D , and that D' is an extension of D such that only new type and data constructors are added. Then D' is a conservative extension of D , since we can use the approximation technique from this section to approximate D' -values by D -values and then apply the AP_i -context lemma.

6 Polymorphically Typed Calculi

We consider polymorphically typed variants $\text{AL}^\alpha, \text{AL}_{\text{seq}}^\alpha, \text{AL}_{\text{cc}}^\alpha, \text{AL}_{\text{cc,seq}}^\alpha$ of the four calculi. We will show non-conservativity of embedding AL^α in $\text{AL}_{\text{seq}}^\alpha$ and $\text{AL}_{\text{cc}}^\alpha$ in $\text{AL}_{\text{cc,seq}}^\alpha$, but leave open the question of (non-)conservativity of embedding AL^α in $\text{AL}_{\text{cc}}^\alpha$ and $\text{AL}_{\text{seq}}^\alpha$ in $\text{AL}_{\text{cc,seq}}^\alpha$.

The expression syntax is the untyped one. The syntax for polymorphic types \bar{T} is $\bar{T} ::= V \mid \bar{T}_1 \rightarrow \bar{T}_2 \mid (K \ \bar{T}_1 \dots \bar{T}_{ar(K)})$ where V is a type variable. The constructors have predefined Hindley-Milner polymorphic types according to the usual standards. Only expressions that are Hindley-Milner polymorphically typed are permitted. Normal order reduction is defined only on monomorphic type-instances of expressions, which is a deviation from Definition 2.1.

► **Definition 6.1.** For $D \in \{\text{AL}^\alpha, \text{AL}_{\text{seq}}^\alpha, \text{AL}_{\text{cc}}^\alpha, \text{AL}_{\text{cc,seq}}^\alpha\}$ and for $s, t \in D$ of equal polymorphic type: $s \leq_D t$ iff $\rho(s) \leq_{D'} \rho(t)$ for all monomorphic type instantiations ρ , where D' is the corresponding monomorphically typed calculus. Contextual equivalence is defined by $s \sim_D t$ iff $s \leq_D t \wedge t \leq_D s$.

Since s_{11}, s_{12} (Sect. 5.1) are of polymorphic type $(a \rightarrow \text{Bool}) \rightarrow \text{Bool}$, the same arguments as for the proof of Theorem 5.6 can be applied, hence:

► **Theorem 6.2.** *The natural embedding of $\text{AL}_{\text{cc}}^\alpha$ into $\text{AL}_{\text{cc,seq}}^\alpha$ is not conservative.*

Let s_{13}, s_{14} of the polymorphic type $((\alpha \rightarrow \alpha) \rightarrow (\alpha \rightarrow \alpha) \rightarrow (\alpha \rightarrow \alpha)) \rightarrow (\alpha \rightarrow \alpha)$ be defined as: $s_{13} := \lambda x.x \text{ id } (x \ \text{Bot } \text{id})$ and $s_{14} := \lambda x.x \text{ id } (x \ (\lambda y.\text{Bot}) \text{id})$.

► **Lemma 6.3.** *For AL^τ -expressions $t = M[\text{Bot}, \dots, \text{Bot}]$, $t' = M[\lambda x.\text{Bot}, \dots, \lambda x.\text{Bot}]$, and $t \uparrow_{\text{AL}^\tau}$, $t' \downarrow_{\text{AL}^\tau}$ it holds that $M[x_1, \dots, x_n] \xrightarrow{*}_{\text{AL}^\tau} x_i$ for some i .*

Proof. This follows by observing a normal order reduction of t, t' and comparing the first use of **Bot**, or $\lambda x.\text{Bot}$, respectively. There must be a use of this argument, since otherwise the observations are identical. If it is ever used in a function position in a beta-reduction, then both expressions diverge. Hence, the only possibility is that they are returned. \blacktriangleleft

► **Theorem 6.4.** *The embedding of AL^α into $\text{AL}_{\text{seq}}^\alpha$ is not conservative. The embedding of AL^α into $\text{AL}_{\text{cc,seq}}^\alpha$ is also not conservative.*

Proof. Since $(\rho(s_{13}) (\lambda u, v.\text{seq } u v)) \uparrow_{\text{AL}^\tau}$, but $(\rho(s_{14}) (\lambda u, v.\text{seq } u v)) \downarrow_{\text{AL}^\tau}$ for $\rho = \{\alpha \mapsto o\}$, we have $s_{13} \not\sim_{\text{AL}_{\text{seq}}^\alpha} s_{14}$ as well as $s_{13} \not\sim_{\text{AL}_{\text{cc,seq}}^\alpha} s_{14}$. It remains to show that $s_{13} \sim_{\text{AL}^\alpha} s_{14}$ holds, i.e. that $\rho(s_{13}) \sim_{\text{AL}^\tau} \rho(s_{14})$ for any monomorphic type instantiation ρ of the type $((a \rightarrow a) \rightarrow (a \rightarrow a) \rightarrow (a \rightarrow a)) \rightarrow (a \rightarrow a)$. We use the AP_i -context lemma (Theorem 5.1) and assume that there is an n , a closed AL^τ -expression s , and closed arguments b_1, \dots, b_n , such that $\rho(s_{13}) s b_1 \dots b_n$ is typed in AL^τ , and $\rho(s_{13}) s b_1 \dots b_n \uparrow_{\text{AL}^\tau}$, $\rho(s_{14}) s b_1 \dots b_n \downarrow_{\text{AL}^\tau}$. By Lemma 6.3, the only possibility is that the **Bot**, and $\lambda x.\text{Bot}$ -positions are extracted. By the type preservation, and since the type of $\rho(s_{13}) s$ is the type of the **Bot**-position, it is impossible that $n > 0$, since then the type of the result is smaller than the type of the **Bot**-position. Hence $s \text{ id } (s y \text{ id}) \xrightarrow{*}_{\text{AL}^\tau} y$. But since the y occurs in the expression $(s y \text{ id})$, we also have $(s y \text{ id}) \xrightarrow{*}_{\text{AL}^\tau} y$. This implies that $(s \text{ id } y) \xrightarrow{*}_{\text{AL}^\tau} y$. But then the normal order reduction of $s x_1 x_2$ cannot apply either of its arguments x_1, x_2 , and hence must be a projection to one of the arguments, which is impossible, since it must project to both arguments. We conclude that $\rho(s_{13})$ and $\rho(s_{14})$ cannot be distinguished in all approximation contexts, and the reasoning does not depend on ρ . Hence $s_{13} \sim_{\text{AL}^\alpha} s_{14}$. \blacktriangleleft

The expressions s_{13}, s_{14} could also be used to show non-conservativity of embedding AL^τ into $\text{AL}_{\text{seq}}^\tau$. Hence there are also examples at higher types as witnesses for Theorem 5.6.

Whether adding case and constructors is conservative or not in the polymorphic case, for AL^α as well as for $\text{AL}_{\text{seq}}^\alpha$ remains an open problem.

Forgetting Types. Now we look for the translations defined as “forgetting” the types, and ask for adequacy and full abstraction, which plays now the role of conservativity. For the monomorphically typed calculi the answer is obvious: these translations are not fully abstract. For example $\lambda x^o.x^o$ is equivalent to $\lambda x^o.\perp^o$, which refutes full abstractness in all cases. For the polymorphically typed calculi, this question is non-trivial:

► **Proposition 6.5.** *The translations of AL^α into AL , $\text{AL}_{\text{cc}}^\alpha$ into AL_{cc} , and $\text{AL}_{\text{cc,seq}}^\alpha$ into $\text{AL}_{\text{cc,seq}}$ by simply forgetting the types are adequate but not fully-abstract.*

Proof. For the first case, AL^α and AL , we have $s_{13} \sim_{\text{AL}^\alpha} s_{14}$, but $(s_{13} \lambda u, v.(v (\lambda x.u))) \uparrow$ and $(s_{14} \lambda u, v.(v (\lambda x.u))) \downarrow$. For the other calculi, $\lambda x.\text{case}_{\text{Bool}} x (\text{True} \rightarrow \text{True}) (\text{False} \rightarrow \text{False})$ is equivalent to $\lambda x^{\text{Bool}}.x$, but in the untyped case, $([\cdot] \lambda z.z)$ distinguishes these expressions. \blacktriangleleft

Full abstractness of forgetting types in $\text{AL}_{\text{seq}}^\alpha$ also remains an open question.

7 Conclusion

We have shown that the semantics of the pure lazy lambda calculus changes when **seq**, or **case** and constructors, are added. Under the insight that any semantic investigation for Haskell should include the **seq**-operator, we exhibited calculus extensions that are useful for the analysis of expression equivalences that also hold in a realistic core calculus of lazy functional and typed languages. We left the rigorous analysis of the implication chain for equivalence from $\text{AL}_{\text{cc,seq}}^\tau$ to the polymorphic calculus with letrec for future research.

References

- 1 S. Abramsky. The lazy lambda calculus. In *Research Topics in Functional Programming*, pages 65–116, 1990.
- 2 A. Arbiser, A. Miquel, and A. Rios. A lambda-calculus with constructors. In *Proc. RTA 2006*, volume 4098 of *LNCS*, pages 181–196, 2006.
- 3 R. C. de Vrijer. Extending the lambda calculus with surjective pairing is conservative. In *Proc. LICS 1989*, pages 204–215, 1989.
- 4 M. Felleisen. On the expressive power of programming languages. *Sci. Comput. Programming*, 17(1–3):35–75, 1991.
- 5 S. Holdermans and J. Hage. Making "strictness" more relevant. In *Proc. PEPM 2010*, pages 121–130, 2010.
- 6 D. Howe. Equality in lazy computation systems. In *Proc. LICS 1989*, pages 198–203, 1989.
- 7 D. Howe. Proving congruence of bisimulation in functional programming languages. *Inform. and Comput.*, 124(2):103–112, 1996.
- 8 P. Johann and J. Voigtländer. The impact of seq on free theorems-based program transformations. *Fund. Inform.*, 69(1–2):63–102, 2006.
- 9 J. Maraist, M. Odersky, and P. Wadler. The call-by-need lambda calculus. *J. Funct. Programming*, 8:275–317, 1998.
- 10 A. K. D. Moran and D. Sands. Improvement in a lazy context: An operational theory for call-by-need. In *Proc. POPL 1999*, pages 43–56, 1999.
- 11 S. Peyton Jones. *Haskell 98 language and libraries: the revised report*. 2003.
- 12 S. L. Peyton Jones and A. L. M. Santos. A transformation-based optimiser for Haskell. *Sci. Comput. Programming*, 32(1–3):3–47, 1998.
- 13 J. G. Riecke and R. Subrahmanyam. Extensions to type systems can preserve operational equivalences. In *Proc. TACS 1994*, pages 76–95, 1994.
- 14 D. Sabel and M. Schmidt-Schauß. A contextual semantics for Concurrent Haskell with futures. In *Proc. PPDP 2011*, pages 101–112, 2011.
- 15 M. Schmidt-Schauß, E. Machkasova, and D. Sabel. Extending abramsky's lazy lambda calculus: (non)-conservativity of embeddings. Frank report 51, Inst. f. Informatik, Goethe-University, Frankfurt, 2013. available at <http://www.ki.informatik.uni-frankfurt.de/papers/frank>.
- 16 M. Schmidt-Schauß, J. Niehren, J. Schwinghammer, and D. Sabel. Adequacy of compositional translations for observational semantics. In *5th IFIP TCS 2008*, volume 273, pages 521–535, 2008.
- 17 M. Schmidt-Schauß, D. Sabel, and E. Machkasova. Simulation in the call-by-need lambda-calculus with letrec. In *Proc. RTA 2010*, volume 6 of *LIPICs*, pages 295–310, 2010.
- 18 M. Schmidt-Schauß, D. Sabel, and E. Machkasova. Simulation in the call-by-need lambda-calculus with letrec, case, constructors, and seq. Frank report 49, Inst. f. Informatik, Goethe-University, Frankfurt, 2012.
- 19 M. Schmidt-Schauß, M. Schütz, and D. Sabel. Safety of Nöcker's strictness analysis. *J. Funct. Programming*, 18(04):503–551, 2008.
- 20 P. Sestoft. Deriving a lazy abstract machine. *J. Funct. Programming*, 7(3):231–264, 1997.
- 21 K. Størring. Extending the extensional lambda calculus with surjective pairing is conservative. *Log. Methods Comput. Sci.*, 2(2), 2006.
- 22 TLCA. List of open problems, 2010. <http://tlca.di.unito.it/oplca/>.
- 23 P. Wadler. Theorems for free! In *Proc. FPCA 1989*, pages 347–359, 1989.