



British Geological Survey

NATURAL ENVIRONMENT RESEARCH COUNCIL



hosted by NERC Open Research Archive



www.bgs.ac.uk

Geological reasoning and the solid Earth systems model

(illustrations and edited commentary)

Vic Loudon and John Laxton

2007



Murchison House
West Mains Road
Edinburgh EH9 3LA
Tel 0131 667 1000

© NERC All rights reserved

European Geoinformatics Workshop, Edinburgh, 7 March 2007



NATURAL ENVIRONMENT RESEARCH COUNCIL

Metadata, citation and similar papers at core.ac.uk

For book layout: colour print, double-sided, landscape, bind on this edge.



To what end?



‘Do nothing in haste;
look well to each step;
and from the beginning,
think what may be the
end.’

*Edward Whymper,
Scrambles in the Alps, 1865*



2 (commentary).

Whymper's advice to mountaineers seems equally appropriate for systems developers. We might consider ontologies, databases and a general framework of information structures, as steps marking out a path to a specific objective – perhaps leading to digital availability of the core product of Geological Surveys, namely, the **lithostratigraphic map**.

But: Is that really the end we should have in view? Can it meet the potential of the semantic grid? Or do these steps come to a prickly and painful end?

It might be useful first to consider where the path is coming from.




William Smith (1769 – 1839)



Geological map of England and Wales

by William Smith
1815 (updated 1820)





3 (commentary).

In 1815, William Smith published a geological map of England and Wales – one result of his 30 years of surveying for canal construction. It is remarkably similar to today’s lithostratigraphic map at the same scale. He classified the rocks into types that he could trace laterally, based on their properties and fossil content, familiar to him from his observations in excavations, coalmines and natural outcrops. He recognised that the strata regularly occurred in the same sequence, disrupted in places by folding and faulting.

This simple model enabled him to predict the nature of the underlying rocks from the few observable exposures. His map had immediate practical value in planning and surveying routes for new canals; deciding where excavation might be most straightforward; and where suitable rock could be found to construct bridges and embankments. Many analogous uses were subsequently found. His huge achievement influenced the establishment in 1835 of the British Geological Survey. Over 150 similar organisations now exist worldwide, and lithostratigraphic maps cover the globe.



The Scottish Enlightenment (1730 – 1790)



Detail from painting of the High Street, Edinburgh by David Allan (1744-96)



4 (commentary).

As we are in Edinburgh, and many of you are not primarily geologists, it seems appropriate to point out that while Smith was preparing his earlier geological maps, the so-called Scottish Enlightenment was in full flow.

In 1775, an English visitor remarked: ‘Here I stand at what is called the Cross of Edinburgh, and can, in a few minutes, take fifty men of genius and learning by the hand.’

[The European Geoinformatics Workshop took place in the e-Science Institute, a few hundred yards from the painting’s still-recognisable buildings. The Workshop included geologists, computer scientists, geographers, space scientists and philosophers from around the globe – representatives of the Enlightenment of our time.]



David Hume (1711 – 1776)



Detail from a portrait of Hume
by Carmontelle (ca.1765)

Like causes
+ like circumstances
= > like effects

Uniform course of nature

Experience establishes
fact



5 (commentary).

Meet David Hume, a philosopher of the Scottish Enlightenment. ‘Like causes, in like circumstances’, he held, ‘will always produce like effects.’

And ... ‘the course of nature will [through time] continue uniformly the same.’

He claimed to base his arguments on experience, as only experience establishes matters of fact.

One might deduce that geological processes operate, regardless of time or place, in the same invariant manner.



James Hutton (1726 – 1797)

6



Detail from a painting by Hardie of a meeting at Sciences House, Edinburgh



6 (commentary).

Dr James Hutton was another prominent figure in this gregarious and argumentative Enlightenment. (There he is, on the far right of the picture. Also, in this contemporary painting of an actual event, are two literary gentlemen – Robert Burns and Walter Scott; Joseph Black, the chemist; and Adam Smith, the economist and author of ‘The Wealth of Nations’ – a remarkably eclectic group).

Hutton himself was in turn predominantly a physician, a businessman, and a farmer. And a geologist.



Siccar Point



7



7 (commentary).

In 1787, Hutton predicted that an interesting relationship between two bodies of rock that he had studied at obscured inland exposures, would be seen more clearly at the coast, some 30 miles away.

With his friends Playfair and Hall, he searched the coast by boat, and found his predicted relationship at Siccar Point, three miles southeast of Cockburnspath (some 40 miles east of Edinburgh on the A1).

If you approach today from the car park, note the vertical ridges of hard, grey siltstone and sandstone (the white arrow), slowly eroding as waves sweep sand and boulders across them. Note the unconformity, where the great thickness of the Old Red Sandstone (the red arrow) rests horizontally on these vertical beds.



'Hutton's unconformity'

Siccar Point, near Cockburnspath

8





8 (commentary).


Where the sand is moving now, it had also moved, and settled as the Old Red Sandstone, three or four hundred million years ago.

Playfair's famous account of their visit reveals something of Hutton's mode of thought:

'We felt ourselves necessarily carried back to the time when the schistus on which we stood lay in horizontal planes at the bottom of the sea, and where the sandstone before us was only beginning to be deposited, in the shape of sand and mud, from the waters of a superincumbent ocean. An epoch still more remote presented itself, when even the most ancient of these rocks, instead of standing upright in vertical beds, ...



Lord Playfair's comment



‘...lay in horizontal planes
at the bottom of the sea
... revolutions still more
remote appeared in the
distance of this
extraordinary
perspective.’

The mind seemed to
grow giddy by looking
so far into the abyss of
time.’



British
Geological Survey

NATURAL ENVIRONMENT RESEARCH COUNCIL



www.bgs.ac.uk

9 (commentary).

Or perhaps it was the effect of the boat
trip





The legacy of Smith and Hutton

10

Hutton 1785 – The system of the Earth (copy in Albritton, 1975, pp, 24-52)

Hutton 1795 – The Theory of the Earth (book)

Smith 1815 – Geological map of England and Wales

Geological maps can model existing geological objects

A theory of Earth systems involves geological processes

Knowledge of geological processes relates observations to the background theory

Spatial relationships can define time relationships

Geological events can be correlated in a stratigraphic time sequence



10 (commentary).

William Smith's predictive model of the layered strata of the solid Earth – objects defined by their properties and sequence – was simple, informative, and readily depicted on a map.

James Hutton imagined the circumstances in which the rocks formed, introducing the complexity of geological processes as a basis for reasoning – for informing observations by relating them to a background theory. Presumably influenced by David Hume, he seems to have viewed time as a parameter of processes, not (like many of his contemporaries) as a scale prescribed by Holy Writ. He saw the cycle of geological processes as proceeding now in the same manner, and at the same relative rates, as they had in the geological past. Thus the interaction of processes (shown by spatial relationships in their products) could establish time relationships of past geological events, potentially correlating them to processes that provide an appropriate standard surrogate for time (radioactive decay now being the popular choice).



Historical geology

11

The solid Earth systems model includes a postulated history of the configurations of objects, processes and events that created and transformed the solid Earth

By Hume's logic, that history requires **reasoning** based on imagining, studying and experimenting with analogous processes at the present day



11 (commentary).

Hutton's resulting model comprised a postulated and rudimentary history of the systems of configurations of objects, processes and events that created and transformed the solid Earth: a history that could be explained (according to **Hume's** logic) by reasoning based on imagining, studying and experimenting with analogous systems at the present day.

The reasoning could inform the surveyor's choice and form of objects shown on the geological map – essential as mapping extended to areas of more complex geology.



The map as an interpretation

The geological map does not represent the reasoning – it does represent its consequences

The choice and form of objects shown on the map is based on reasoning and interpretation – bringing wider scientific knowledge to bear



12 (commentary).

But the geological map cannot and does not represent the reasoning – it merely represents its consequences.

The choice and form of objects shown on the map is based on reasoning and interpretation – bringing wider scientific knowledge to bear.

For example, a siliceous grit directly overlying the granite from which it had been eroded would not be mapped as part of the granite, for despite their contiguity and similar properties, they result from quite different processes, far removed in time and environment




Same rocks, different interpretations

From Harrison, J.M., 1963 *in* Albritton, C.C., *The fabric of geology* p.225-232

□ Geological Society of America


1928

1958



Geologically mapped 1928

- Batholithic intrusions; granitic rocks, locally numerous inclusions of Grenville series
- Basic intrusions
- Crystalline limestone, quartzite, garnet gneiss; locally abundant intrusions of granite



Geologically mapped 1958

- Granitic rocks
- Basic rocks, mainly intrusions
- Granitized rocks, migmatites, etc.; includes some granite
- Crystalline limestone, quartzite, paragneiss; includes some granitic and granitized rocks



13 (commentary).

When the underlying theory changes, the rocks remain the same, but the map can change dramatically.

This example shows two maps of a small part of the Canadian Shield, both of the same area at the same scale. The one on the left was surveyed in 1928 when granites were seen as solidifying from liquid magma. The other in 1958, when theories of granitization postulated a process of ultrametamorphism, involving extreme conditions of long duration with movement of chemical components through an essentially solid matrix.



Active geological processes

on the North Norfolk Coast (2 miles east of Cromer)

14



Many interacting
processes

Each has a wide
range of scales

Processes involve
geosphere,
hydrosphere,
atmosphere,
biosphere



14 (commentary).

Processes, then, underpin geological interpretation – the basis of the map.

In Britain, geological processes are particularly active on the south and east coasts. In this example, many processes are at work. Waves, tides and winds are moving the beach deposits eastwards, undercutting the cliff. Material is slumping from the cliff; mud flows and small rivulets help to move the material to lower levels; the vegetation slows its disintegration. There is no single process, but many interacting processes, each operating in its own way.

Note also, that the large slumps have smaller and smaller slumps on their flanks. Each process is operating over a range of scales, determined in part by its mode of operation, in part by the configuration of the material. The interactions of processes over a range of scales have important effects on rock properties, which cannot be depicted on the conventional fixed-scale map.

The processes do not just involve rocks, but also their interactions with the hydrosphere, atmosphere, and biosphere. They are not just geological processes, they are processes of Earth-systems science.



An impact on the biosphere





15 (commentary).

Present-day geological processes affect many elements of the biosphere, not least the ones living in this house. Understanding their operation in the geological past throws light on current concerns (such as the effects of climate change) relating them to historical interpretations of present-day geological objects.

With all these issues in mind, it is desirable to extend the framework of digital mapping to a framework based on a more complete model of Earth systems.



Extending the map model

GIS procedures relate to the existing map product.

Their extension to modelling solid-Earth systems could

- Match the surveyors' reinforcement learning procedure: predict from existing knowledge, investigate, observe, reason, interpret, predict...
- Provide more complete and accessible records of evidence, reasoning and conclusions
- Throw a clearer light on geological processes at all scales, and their consequences, now and in the past
- Help us to view geological surveying as a component of the whole-Earth system



The solid Earth systems model

Is concerned with geological objects (things of interest)

- Their classification (instances and classes)
- Where they are and how they are arranged
- Their observed and interpreted properties, composition and relationships
- Their geological history: the processes and events that acted on past (conceptual) configurations of objects within a structure of spatial relationships, nested in stratigraphical time and scale-space



Geoscience knowledge management system

Priorities of Geological Surveys are changing - away from publication of maps and related documents

towards maintaining a geoscience knowledge management system of reusable elements (enabling us to record the reasoning process and its consequences at all levels of detail)

from which users can obtain specific responses to meet their specific needs – with maps seen as illustrative visualizations, not as end products




The metamodel

Geological Surveys can study only selected facets and fragments of the **solid Earth systems model**

A metamodel, or description of the model, can serve as a framework to bind the incomplete fragments together within the geoscience knowledge system

Shared ontologies in the framework can help to achieve interoperability among Earth models (geosphere, atmosphere, hydrosphere, biosphere) – a step to aid Earth-systems science in its task of understanding the past, present and future of the whole-Earth system



From Loudon and Laxton (2007) Fig. 4. An explicit framework for the information system. The metamodel describes the contents of the solid Earth systems model, providing a means of referencing them, and bringing the components into a shared framework, which relates them to appropriate ontologies, indexes and hypermedia sequences.

© Geological Society of America



20 (commentary).

Here is one tentative suggestion for the solid Earth systems metamodel. It shows the object classes, instances, properties and classification; process-models; relationships and configurations, nested within historical changes, then nested within scale-space.

Where possible, the concepts are related to generic ontologies.

The framework is traversed by hypermedia sequences: workflows setting out the surveying process, the methods of generating user-products, and recording threads of reasoning.

Indexes are a link to information held in distributed stores



The next steps



Carry forward the legacy of
geological maps

Open geology to a wider
interoperable framework



21 (commentary).

Of course, the methodologies and framework for digitised geological maps remain essential, to carry forward the huge legacy of existing records.

But surely that is not the end that we have in mind.

It must be timely to consider how the existing framework can be extended to open geology to a wider framework as part of the whole Earth system, to support new approaches to recording our knowledge of the Earth, to new business models to guide our endeavours.

These could be the next steps, ...



**“No vestige of a beginning, -
no prospect of an end” (Hutton, 1795)**





22 (commentary).

... but, as Hutton concluded, in his
Theory of the Earth:

‘The result, therefore, of our present
enquiry is, that we find no vestige
of a beginning, - no prospect of an
end.’



**British
Geological Survey**

NATURAL ENVIRONMENT RESEARCH COUNCIL



www.bgs.ac.uk

23

The End

Murchison House
West Mains Road
Edinburgh EH9 3LA
Tel 0131 667 1000

© NERC All rights reserved



 NATURAL
ENVIRONMENT
RESEARCH COUNCIL



Suggested sources for further information

The Enlightenment: Daiches, D., Jones, P., Jones, J. (editors), 1996. The Scottish Enlightenment, 1730-1790: A hotbed of genius. The Saltire Society, Edinburgh.

William Smith: Winchester, S., 2001. The Map that changed the World. Penguin Books, London.

British Geological Survey, 2006. William Smith – life and work.

<http://www.bgs.ac.uk/education/williamsmith/page2/page6.html>

The nature of geological investigation: Albritton, C.C., (editor), 1963. The fabric of geology. Freeman, Cooper & Co., Stanford.

Albritton, C.C., (editor), 1975. Philosophy of Geohistory: 1785-1970. (Benchmark Papers in Geology, volume 13.) Dowden, Hutchinson & Ross, Stroudsburg, PA.

Loudon, T.V., Laxton, J.L., 2007. Steps toward Grid-based geological survey. *Geosphere*, 3(5) 319-336. doi:10.1130/GES00095.1



Loudon, T.V., Laxton, J.L., 2007. Geological reasoning and the solid Earth systems model. European Geoinformatics Workshop, Edinburgh, UK. 7 March 2007.

Summary

Geological maps record conclusions from an interpretation based on observations, guided by (and testing) an understanding (important in its own right) of the likely evolution of historical configurations of systems of multi-resolution objects, processes and events in the solid Earth. Techniques based on digital mapping have led to more flexible presentations and to three-dimensional spatial models. We suggest that the techniques could be augmented and structured to assist geological survey organisations in recording the reasoning behind the interpretation – creating and maintaining an interoperable component of a more comprehensive model of solid Earth systems, with maps seen as illustrative visualisations rather than the end-product.