

[<<<Back to Table of Contents](#)

Geoscience after IT

Index

T. V. Loudon

British Geological Survey, West Mains Road, Edinburgh EH9 3LA, U.K.

e-mail: v.loudon@bgs.ac.uk

The page numbers refer to the original printed publication. The relevant section can be identified from the corresponding page numbers in the Table of Contents.

Postprint of article in Computers & Geosciences, 26 (3A) April 2000, pp. A139-A142

- AACR2, 67
- Abstraction. *See* Generalization
- Accession numbers, 41
- Acrobat, 38
- Activities
 - in project, 123
 - versions of data, 100
- Adjectives, 42
- Affine transformations, 55
- Algorithms, 32, 39
- Aligning ideas, 103
- Analogies
 - and reworking, 101
 - in cross-reference, 127
 - in scientific method, **93**
 - in user requirement, 107
 - mathematical, 89
- Analysis of variance, 44
- Anchor (HTML), 35
- ANSI, 34
- API, 33
- Applets, 38
- Applications program interface. *See* API
- Architecture, 77
- Archives, 65
- Arrays, 46
- Attributes, 96
- Axes (geometry), 45

- Background knowledge, 65
- Backlog. *See* Information:legacy
- Basic, 38
- Benefits of IT, **5**, 12, 32, 105
- BGS. *See* Geological survey
- Binary large objects (BLOB), 69
- Blending functions, 58
- Bottom-up approach, 76
- Brand names (quality), 105, 127
- Browsing
 - across information types, 110
 - spatial, 66
 - Web, 35
- Business
 - context of project, 129
 - definition, **22**
 - environment, 78
 - groupings, 124
 - information system, 84
 - objectives, 100
 - user requirements, 108

- C, 38
- C++, 38
- CAD, 36
- Cartography. *See* Maps
- CASE, 26, 69, 77
- Cataloging responsibilities, 125
- Catalogs, 23, 63
- Cellular radio, 34
- Changes, 99, 125
- Charging. *See* Cost recovery
- Citation index, 67
- Classification, 128
 - documents, 66
 - in database, 66
 - in quantitative analysis, 42
 - objects, 9
 - scientific method, 92
 - subject, 42
- Client/server, 34
- Cluster analysis, 49
- Communication, **33**
 - information context, 64
 - workgroup, 22
- Compilers, 32
- Compound documents, 17, 110, 118
- Computer-aided support environment. *See* CASE
- Computers
 - desktop, 16

- hardware systems, 32
 - portable, 16, 17
- Conditional statement, 37
- Configuration (spatial model), 60
- Connectivity, 11, 81
- Content, 17, 111
- Continuity (geometry), 58
- Conventional systems, 12
- Coordinate geometry, 45
- Copyright, 111, 125, 126, **130**
- CORBA, 72
- Correlation coefficient, 43
- Cost
 - recovery, 130
 - reduction, 5
- Critical path analysis (CPA), 25
- Curvature (geometry), 58, 61
- Cyberspace, 76
- Data, 2**
 - analysis, 69
 - capture, 18, 28
 - compression, 36
 - dictionaries, 66, 69, 101
 - in computer system, 32
 - management, 36
 - models, 66
 - spatial, 70
 - spatial (management), 64
 - structured, 36, 89
- Databases, 32, **68**
 - analysis, 23
 - for catalogs, 63
 - integrated system, 92
 - management systems, 63, 72
 - project, 26
 - relational, 33, 36, 63, 68
 - spatial, 113
- Datum (map projection), 56
- DBMS, *See* Databases, management systems
- Delauney triangles, 58
- Delaying, 108
- Desk studies, 27
- Dewey Decimal Classification, 67
- Diaries, 25
- Differential geometry, 61
- Digital cartography *See* Maps
- Digital library, 111
- Digital Object Identifier, 111, 126
- Direction cosines, 61
- Disclaimer, 1
- Discontinuities (spatial), 58
- Discourse, 88
- Discriminant analysis, 49
- Disintermediation, 108
- Disposition (spatial model), 60
- Dissemination, 12
- Distorted images, 56
- Diversity, 100
- DNS, 35
- Documentation, 23
- Document management, 36, 64
- DOI. *See* Digital Object Identifier
- Domain name server. *See* DNS
- Drag-and-drop, 34
- Driving forces, 76, 84, 105, 124, 130
 - user requirement, 108
- Dublin Core, 67, 111
- Edges (cartography), 51
- Editing
 - documents, 29
 - marking up, 25
- Editorial boards, 125, 129
- Electronic delivery, 130
- Electronic journals, 6, 66, 110
- Elements, (matrix), 45
- E-mail, 22, 34
- Encapsulation (objects), 72
- Enlargement (geometry), 55
- Entity-relationship diagrams, 66, **69**
 - project, 26
 - spatial metaphor, 70
 - object-oriented, 72
- Epicentre Model (POSC), 100, 115
- Evaluation, 84
 - branding, 105
 - by users, 129
 - data, 65
 - user requirement, 107
- Evidence, checking, 11
- Exchange formats, 36
- Experiment, 93
- Experimental investigation, 91
- Explanations
 - in project, 28
 - in scientific method, 92
- External representation, 88
- Faces (cartography), 51
- Factor analysis, 48
- Field geology (example), 79, 87
- Finite element methods, 58
- Firewalls, 34
- Flat files, 26, 32
- Fortran, 37
- Fourier analysis, 57
- Fractal dimension, 60
- Fractals, **58**
- Frames, 101
- Frames of reference, 48, 104
- Framework, 125
- Frequency distribution, 43
- FTP, 34
- Gantt charts, 24
- Generalization
 - conventional, 83
 - encapsulation, 72
 - in stories, 88

- in system, 78
- maps, 9
- objects, 116
- the process, 23
- user requirement, 106, 107
- Geographic information system. *See* GIS
- Geoids (map projection), 56
- Geological maps. *See* Maps
- Geological survey, 6, 68, 84, 100, 112, 127, 128
- Geometric relationships, 54
- Geometric transformations, 46
- GeoRef, 67
- Geostatistics, 60
- Gestalt, 76, 102
- GILS, 112
- GIS
 - browsing, 70
 - data management, 64
 - defining objects, 112
 - flexibility, **12**
 - generic software, 36
 - integrated system, 11, 92
 - searches, 66
- Global functions (mathematical), 58
- Global Positioning System. *See* GPS
- Globalization, 104
- GNU, 129
- GPS, 18
- Granularity, 106
- Graph theory, 25
- Graphical user interface. *See* GUI
- Graphics
 - business, 18
 - See also* Maps, Visualization
- GUI, 16
 - in computing system, 33
 - in networks, 34, 110
- Handles, 111
- Hardware, 16, 32
- Harmonic analysis, 57
- HREF, 35
- HTML, 35, 38, 105, 110
- HTTP, 19, 34, 35
- Hypermedia, 106
 - in computing system, 33
 - in generic software, 36
 - knowledge repository, 76, 124, 127
 - links, 66
 - on Web, 35
 - project document, 25
 - support for integration, 11
- Hypertext, 19, 33
- Hypertext transmission protocol. *See* HTTP
- Hypotheses, 93
 - multiple, 100
- Icons, 33
- Images, 88
- Incentives. *See* Driving forces
- Index variables, 37
- Information
 - acquisition, 64
 - base, **63**
 - communities, 129
 - definition, **2**
 - delivery, 12
 - disposal, 64, 107
 - legacy, 6, 12, 84, 107, 110
 - sharing, 8
 - system, 8, 76, 117, 126, 127, 129
 - system strategy, 129
 - types, 35, 88, 116
- Information technology. *See* IT
- Inheritance (objects), 33, 72, 97
- Instance, 33, 72
- Integration, 11
 - data, **100**
 - ideas, 104
- Integrity (database), 106
- Intellectual property rights. *See* Copyright
- Interactive computing, 22, 39, 91, 107
- Interfaces, **77**
 - computer languages, 38
 - conventional systems, 81
 - database, 63
 - in computing system, 33
 - subsystems, 123
 - user, 79. *See also* GUI
- Intermediaries, 12, 123
 - disintermediation, 129
 - publication, 64
- Internet, **33**
- Internet service providers. *See* ISP
- Interoperability, 112
- Interpreters, 32
- Intranet, 22, 25, 33
- Intrinsic properties (geometry), 61
- Intuition, 11
- Invariants, 54
- Investigation
 - design, 23
 - procedures, 9
- IP address, 35
- IPR, 108
- ISBD, 66
- ISBN, 66
- ISDN, 34
- ISO, 34
- ISP, 33
- ISSN, 66
- IT
 - background, 31
 - benefits. *See* Benefits of IT
 - definition, **1**
 - familiarization, 15
- Java, 38
- Journals. *See* Electronic journals

JSTOR, 111

Key field, 69

Keywords, 66

Knowledge, 104
 definition, 2

Knowledge bases, 6, 114

Knowledge-based investigation, 90, 103

Kriging, 60

LAN, 33

Language
 maps, 11
 nature of, **88**
 procedural, 37
 programming, 32, **36**
 reconciling ideas, 127

Learning curve, 102

Legacy information. *See* Information, legacy

Librarians, use of IT, 66

Library software, 68

Linear programming, 48

Linux, 129

LISP, 38

Local area network. *See* LAN

Log transformation, 46

Loop (in program), 37

Mainstream systems, 16, 109

Maps
 cartographic constraints, 9
 contour, 52
 digital cartography, 51
 field mapping, 45
 geological, 8, 102 *See also* Geological survey
 in project, 28
 projections, 54, 56

MARC, 67

Markup language, 36, 106
 geoscience, 91

Matrix (data table), 26

Matrix algebra, **45**

Mean, 42

Measurement, 42, 89

Measurement scales, 41

Memes, 103

Memory
 computer, 32
 episodic, 80, 88, 103
 human, 80
 procedural, 80
 semantic, 80, 103
 short-term, 80, 104
 spatial, 80

Mental images. *See* Models, conceptual

Menus, 33

Messages (objects), 72

Meta Content Framework, 116

Metadata, 83, 105, 120
 data collection, 114
 definition, **2**
 Dublin Core, 111
 examples, 23
 in systems, 77
 sharing knowledge, 125
 user requirement, 106
 vocabulary control, 82

Metainformation. *See* Metadata

Metaphors, 93, 131

Methods (objects), 72

Metric (geometry), 54

Middleware, 33, 106, 110, 112

Models
 and database, 100
 and reality, 58, 94
 business, 116
 conceptual, **9**, 53, 104, 107, 125
 data, 66, 77
 data evaluation, 64
 deterministic, 44, 94
 dynamic, 96
 dynamic, non-linear, 94
 functional, 96
 general geoscience spatial, 128
 mathematical, 42, 44, 52, 89
 process-response, 91
 project, 23, 28
 quantitative, 91
 random, 44
 refining, 93
 spatial, **52**, 126, 128
 statistical, 91
 system, 77
 world view, 77

Modems, 34

Modes of thought, 91, 118

Motif, 38

Movement sheets, 25

Multimedia, 19

Naming authorities, 111

Narratives, 87, 89, 91

Network externalities, 130

Network user interface, 34

Networks, 16

Newsgroups, 22

Normal distribution, 44, 47

Normal science, 101

Nouns, 42

Null hypothesis, 47

Object classes, 72, 82, 115
 in computing system, 33
 purpose, 9

Object Management Group (OMG), 72

Object request broker. *See* ORB

Object-oriented
 approach, 79, 96
 methods, **72**

system, 36
 Objects
 defining, 9
 digital, 111
 distributed, 33, 72
 geometrical, 89
 in computing system, 33
 in quantitative thinking, 42
 mutable, 111
 narrative, 95
 persistent, 68
 spatial, 54, 71
 tradable, 118
 OCR, 18
 Octrees, 71
 OGIS, 112
 On-line public access catalogs. *See* OPACs
 Ontologies, 114
 OPACs, 67
 Operating systems, 16, 32
 Operational definitions, 24, 65
 Optical character recognition. *See* OCR
 ORB, 33
 Ordered categories, 42
 Organization of thought, 96
 Organizational consequences of IT, 129
 Origin, (geometry), 45
 Ostensive, 91
 Outsourcing, 108, 130

 Paradigms, 83, **101**, 127
 Paradigm shift, 103
 Parametric coordinates (graphics), 61
 Participants, 123
 Pascal, 38
 Patches (surface fitting), 58
 PDF, 19, 38
 Periodic curve, 49
 Periodic functions (mathematical), 57
 Perl, 38
 Perspective transformation (geometry), 55
 Petrotechnical Open Software Corporation. *See*
 POSC
 Piecewise functions, 58
 Pixels, 51
 Placeholders, 45
 Points in polygon, 52, 64
 Polygon overlap, 64
 Polygons (GIS), 51
 Populations (statistical), 24, 43
 Portable data format. *See* PDF
 POSC, 8, 66. *See also* Epicentre Model
 Postscript, 19, 38
 Power series, 49
 Power spectrum, 57, 60
 Presentation, 17, **19**
 Principal component analysis, 47, 58
 Procedure (subroutine), 37
 Processes
 conventional, 83
 software, 32
 system, 78
 user requirement, 107
 Processors, 32
 Programs, computer. *See* Software
 Projects, 100
 activities, 26
 business aspects, **83**
 business setting, 114
 documents, 25
 in workgroup, 21
 management, 8, **24**, **27**
 user requirement, 108
 planning, 23
 redundancy, 125
 standards, 65
 Project_Gutenberg, 111
 Projection (geometry), 55
 PROLA, 110
 Protocols. *See also* Standards
 conventional, 22
 Publication
 costs, 6, 130
 scholarly, 6

 Quadtree (GIS), 71
 Quality, 105
 Quality assessment, 127
 Quality assurance, 125
 Quantitative analysis, **41**

 Random effects, 57
 Raster format, 51
 Reality (and model), 94
 Reconciling ideas, 29, 103
 Records, 32
 Redundancy, 82, 106
 data, 69
 publications, 11
 Registration of users, 130
 Regression (statistics), 47
 equations, 57
 multivariate, 48
 Rendering (graphics), 61
 Repetition. *See* Redundancy
 Repositories
 access protocol, 111
 context, 78
 conventional, 82
 databases, 32
 digital library, 111
 shared, 8, 84
 user requirement, 106
 Residuals (from trend), 57
 Reuse (objects), 78, 106
 Revolutions in science, 101
 Rich text format. *See* RTF
 Rigid-body transformations, 55
 Robust statistics, 44
 Rotation (geometry), 55

- Router, 34
- RTF, 19
- Rubber sheeting (maps), 56
- Rules-based investigation, 90, 103
- Samples
 - inhomogeneous, 49
 - map data, 10
 - project design, 24
 - spatial, 56, 95
 - statistical, 43
- Scanners, 18, 36, 51
- Scientific laws, 93
- Scientific method, 92
- Scope (system), 78
- S-curve, 102, 120
- Searches
 - engines, 35
 - for desk study, 27
 - strategy, **65**
 - user requirement, 107
- Security, 34
- Self-similarity, 59
- Semi-variogram, 60
- Servers, 16, 35
- SGML, 25, 38, 67, 111
- Shape (geometry), 61
- Shared coding scheme, 23
- Sharing
 - metadata, 11
 - knowledge, 99
- Simultaneous equations, 45
- Slopes (geometry), 58
- Social creation, 124
- Software, 32
 - development, 36
 - generic, **35**
 - open source, 129
 - subroutine libraries, 43
 - suppliers, 129
- Spatial
 - analysis, **51**
 - concepts, 89, 91
 - correlation, 12, 60
 - data, 36
 - information, conventional, 83
 - metaphor, 70
 - models, **52**
 - relationships, 54
 - transformations, 54, **55**
- Spatial Data Infrastructure, 112
- Spectral analysis, 57
- Splines, 57
- Spreadsheets, **18, 26**
 - exploratory analysis, 43
 - matrix, 45
- SQL, 38, 69
- Standard deviation, 42
- Standard General Markup Language. *See* SGML
- Standards, 127
 - benefits, **8**
 - beyond project, 52
 - communication, 19, 64
 - conventional communication, 22
 - creation, 100
 - data, 68
 - data collection, 90
 - data interchange, 54
 - definition, 23
 - GIS, 70
 - metainformation, 131
 - open, 34
 - project design, 23
 - proprietary, 34
 - protocols, 33
 - structured data, 89
 - user requirement, 107, 108
- States (objects), 72
- Statistical tests, 49
- Statistics
 - descriptive, 42
 - exploratory, 45
 - in project design, 24
 - multivariate, **46**
 - spatial, 56
- Stories
 - documents, 117
 - maps, 11
 - origin, 88
- Stretching (geometry), 55
- Structured Query Language. *See* SQL
- Style sheet, 25
- Subroutine, 37
- Subsystems, 77
- Surface fitting, 56
- Systems, **76**
 - analysis, 72, 78
 - architecture, 77
 - conventional, 81
 - design, 72
 - information system strategy, 77
 - model, 77
 - social, 104
 - trusted, 130
- Systems analysis, 8
- Systems analysts, 39
- Tables. *See* Flat files
- Tacit knowledge, 83, 87, 90
 - communication, 107
- Tag, 35
- Taxonomy. *See* Classification
 - numerical, 49
- TCP/IP, 34
- Teleconferencing, 22, 29
- Template, 8
- Text narrative
 - conventional, 83
- Theory, background, 78

Thesaurus, 67
 Time series, 56
 Top-down approach, 76
 Topics (data model), 116
 Topological relationships, 54
 Training, 16
 Transaction record, 111
 Trend-surface analysis, 57, 58

 UDC, 42, 66, 67
 Uncertainty, 43, 61
 Uniform Resource Locator. *See* URL
 UNIMARC, 67
 URL, 34, **35**, 111
 Usenet, 22, 35
 User interface, 106
 network, 110
 User requirements, **105**
 first look, 12
 geological maps, 12
 unrecognized, 8

 Variables, 42
 standardized, 43
 Variance, 42
 Variogram, 60
 Vector, 45
 Vector format, 51
 Verbs, 42
 Versions, 127
 Vertex (cartography), 51
 Video, 19
 Visualization
 and spatial search, 70
 data, 45
 data analysis, 49
 generic software, 36
 in project, 28
 multivariate analysis, 46
 spatial objects, 89
 spatial transformations, 54
 Voicemail, 22
 Voxels, 71
 VRML, 38, 112

 Wavelets, 58
 Web, 22, 104
 communication, **35**
 formats, 35
 links from literature, 126
 OPACs, 67
 spatial search, 112
 Web references
 style guides, 19
 Wide area network, 34
 WIMP, 33, 38
 Windows, 33
 Winner take all, 127
 Win-win, 127
 Wireless, 34

 Wish list, 105
 Word processing, **16**, 25
 Workgroups, 21
 World view, 77, 101
 World Wide Web. *See* Web

 XML, 38, 92, 110, 116

 Z39.50 protocol, 67, 112

