

# Case Report

# Pulmonary Phaeohyphomycosis Caused by *Phaeoacremonium* in a Kidney Transplant Recipient: Successful Treatment with Posaconazole

## Saivaralaxmi Monaganti,<sup>1</sup> Carlos A. Q. Santos,<sup>1</sup> Andrea Markwardt,<sup>2</sup> Morgan A. Pence,<sup>3</sup> and Daniel C. Brennan<sup>1</sup>

<sup>1</sup> The Department of Medicine, Washington University School of Medicine, 660 S. Euclid Avenue, Renal Division/Campus Box 8126, St. Louis, MO 63110, USA

<sup>2</sup> Barnes-Jewish Hospital, Center for Outpatient Health, 4901 Forest Park Avenue, 5th Floor, St. Louis, MO 63108, USA

<sup>3</sup> Department of Pathology & Immunology, Washington University School of Medicine, 660 S. Euclid Avenue, Campus Box 8118, St. Louis, MO 63110, USA

Correspondence should be addressed to Daniel C. Brennan; dbrennan@dom.wustl.edu

Received 18 December 2013; Revised 3 March 2014; Accepted 21 March 2014; Published 14 May 2014

Academic Editor: Samy S. Iskandar

Copyright © 2014 Saivaralaxmi Monaganti et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

We report a rare case of pulmonary phaeohyphomycosis in a 49-year-old woman 6 years after kidney transplantation. She presented with dyspnea, cough, and fatigue. Her chest CT scan revealed nodular opacities in the right upper lung. A fine needle aspirate biopsy culture yielded *Phaeoacremonium* and surgical pathology of the biopsy showed chronic inflammation. We successfully treated her with posaconazole and managed drug interactions between posaconazole and tacrolimus. This is the second reported case of biopsy-proven pulmonary infection by *Phaeoacremonium* in a kidney transplant recipient and successfully treated with posaconazole.

### 1. Background

*Phaeoacremonium* species are well known plant pathogens causing stunted growth and dieback of various woody hosts especially grapevines and have been isolated from necrotic woody tissue of Prunus species [1, 2]. *Phaeoacremonium* species are dematiaceous fungi characterized by the presence of melanin or melanin-like pigments and are widely distributed in the environment particularly in soil, wood, and decomposing plant debris. Phaeohyphomycosis is a collective term for cutaneous, subcutaneous, and systemic disease caused by dematiaceous fungi. Pulmonary phaeohyphomycosis is a rare opportunistic infection of immunocompromised hosts. A review of 34 cases of dematiaceous fungal infections in organ transplant recipients revealed an overall mortality of 57% among patients with systemic disease and 7% among those with skin, soft-tissue, or joint infections [3].

This is only the second case of biopsy-proven pulmonary infection by *Phaeoacremonium* in a kidney transplant recipient and the first report of successful treatment with posaconazole. Moreover, management of drug interactions between posaconazole and tacrolimus was successfully done, thereby preventing supratherapeutic levels of tacrolimus and avoiding kidney injury.

#### 2. Case Report

A 49-year-old Caucasian female who underwent a living related kidney transplant 6 years before presented with progressive dyspnea, cough, and fatigue over 6 months that failed to improve after the administration of several antibiotic courses. She had been on tacrolimus and prednisone for maintenance immunosuppression. She lived in a rural area, had exposure to chicken sheds and barns, and was a gardener. A chest CT scan revealed nodular opacities in the right upper lobe (Figure 1(a)), and she underwent bronchoscopy with bronchoalveolar lavage and transbronchial fine needle aspiration biopsy of the right upper lobe nodules.

*Phaeoacremonium* species grew from the biopsy culture within four days of incubation. Identification was assigned



FIGURE 1: (a) Chest CT scan before starting posaconazole showing reticulonodular opacities in the right upper lobe. (b) CT scan one month after starting posaconazole showing resolution of most of the opacities.



FIGURE 2: Graph showing serum creatinine and blood tacrolimus levels before, during, and after posaconazole treatment with tacrolimus dose adjustments.

based on macroscopic and microscopic morphology. Initially, the surface of the mold was olive in color, becoming greyishblack upon subculture. The texture was velvety, and the reverse was black. Microscopically, pigmented hyphae with tapering, funnel-shaped phialides were observed, and conidia were hyaline and oblong, forming clusters at the tip of the phialides. Macroscopic and microscopic morphology was consistent with *Phaeoacremonium* species. Surgical pathology of the biopsy showed chronic inflammation but no fungal hyphae. Culture for acid fast bacilli from the biopsy specimen was negative for mycobacteria. Culture of bronchial fluid yielded *Dactylaria constricta* and few *Mycobacterium aviumintracellulare* complex.

Given that her biopsy culture yielded *Phaeoacremonium* and showed chronic inflammation, we started oral posaconazole 200 mg QID and reduced her tacrolimus dose from 2 mg BID to 1 mg Q day. A repeat chest CT scan one month after the institution of antifungal therapy showed improvement (Figure 1(b)), and she reported reduced cough and shortness of breath. Two months after commencing treatment, we changed her posaconazole dose to 400 mg BID for greater ease of administration. She received posaconazole for 4 months and her symptoms resolved (Figure 2).

#### 3. Discussion

To et al. reported the first case of biopsy-proven Phaeoacremonium parasiticum lung infection in a kidney transplant recipient. In contrast to our case, the patient was severely immunocompromised due to chemotherapy for posttransplant lymphoproliferative disease. He showed initial improvement with voriconazole and caspofungin but succumbed after a prolonged period of neutropenic fever. Shah et al. described a case of probable Phaeoacremonium lung infection in a lung transplant recipient. The patient developed cavitary lung nodules in the native lung a few months after single lung transplantation. Biopsy of one of the nodules showed chronic inflammation with possible granulomatous lesions. Phaeoacremonium parasiticum grew only from the bronchoalveolar lavage culture but not from the biopsy culture. The patient improved after the administration of voriconazole and caspofungin [21, 26].

3

| Number | Reference                     | Species                    | Age/sex | Underlying condition                           | Clinical disease                      | Treatment   | Outcome             |
|--------|-------------------------------|----------------------------|---------|--|---------------------------------------|---|---------------------|
| 1      | Padhye et al.,<br>1998 [4]    | P. inflatipes              | 83/F    | None   | Subcutaneous infection of the foot    | Excision  | Complete<br>healing |
| 2      | Matsui et al.,<br>1999 [5]    | P. rubrigenum              | 61/F    | Rheumatoid<br>arthritis                        | Subcutaneous mass of the foot         | Excision<br>Itraconazole<br>Fluconazole                 | Recurred            |
| 3      | Kitamura et al.,<br>2000 [6]  | P. parasiticum             | 59/F    | None   | Subcutaneous nodule below the knee    | Excision  | Complete<br>healing |
| 4      | Guarro et al.,<br>2003 [7]    | P. aleophilum              | 19/M    | None   | Fistulized nodule on the ankle        | Excision (six<br>times)<br>Itraconazole                 | Cured               |
| 5      | Guarro et al.,<br>2003 [7]    | P. rubrigenum              | 55/M    | Renal transplant                               | Multiple nodules of ankle and foot    | Excision<br>Itraconazole<br>Terbinafine<br>Fluconazole  | Not resolved        |
| 6      | Llinas et al.,<br>2005 [8]    | Phaeoacremonium<br>species | 54/F    | Myelodysplastic<br>syndrome, IgA<br>deficiency | Olecranon bursitis                    | Excision<br>Itraconazole                                | Resolved            |
| 7      | Baddley et al.,<br>2006.[9]   | P. parasiticum             | 40/M    | Cardiac transplant                             | Multiple skin lesions                 | Amphotericin B,<br>Itraconazole<br>Debridement          | Died                |
| 8      | Hemashettar et al., 2006 [10] | P. krajdenii               | 41/M    | None   | Mycetoma                              | Itraconazole<br>Debridement                             | Recurred            |
| 9      | Marques et al.,<br>2006 [11]  | P. parasiticum             | 49/M    | Renal transplant                               | Draining cystic tumors on the foot    | Itraconazole<br>Amphotericin B                          | Improved            |
| 10     | Huynh et al.,<br>2007 [12]    | P. parasiticum             | 19/M    | Penetrating globe<br>injury                    | Endophthalmitis                       | Amphotericin B<br>Voriconazole                          | Improved            |
| 11     | Farina et al.,<br>2007 [13]   | P. parasiticum             | 41/M    | Kidney transplant                              | Subcutaneous nodule on the forefinger | Excision  | Resolved            |
| 12     | Baradkar et al.,<br>2009 [14] | P. parasiticum             | 26/F    | None   | Subcutaneous abscess on the forearm   | Debridement<br>Amphotericin B<br>Itraconazole           | Resolved            |
| 13     | Sun et al., 2011<br>[15]      | P. parasiticum             | 55/M    | None   | Onychomycosis                         | Diseased nail was<br>trimmed off<br>Topical sulconazole | Cured               |
| 14     | Aguilar et al.,<br>2011.[16]  | P. parasiticum             | 52/F    | Type 2 diabetes<br>hypothyroidism.             | Eumycetoma                            | Surgery (multiple<br>times),<br>Itraconazole            | Improved            |
| 15     | Baradkar et al.,<br>2011 [17] | P. infalitipes             | 30/M    | None   | Subcutaneous mass of the foot         | Debridement,<br>Amphotericin B,<br>Itraconazole         | Cured               |
| 16     | Choi et al., 2011<br>[18]     | Phaeoacremonium<br>species | 54/M    | Renal transplant                               | Subcutaneous mass on the third finger | Excision  | Resolved            |
| 17     | Mazzurco et al.,<br>2012 [19] | Phaeoacremonium<br>species | 74/M    | Rheumatoid<br>arthritis, on<br>infliximab      | Nodule on the leg                     | Excision<br>Itraconazole                                | Resolved            |
| 18     | Furudate et al.,<br>2012 [20] | P. rubrigenum              | 76/F    | Still's disease, on prednisolone               | Subcutaneous nodules on the leg       | Debridement,<br>Itraconazole<br>Arthrotomy and          | Resolved            |
| 19     | To et al., 2012<br>[21]       | P. parasiticum             | 69/M    | Diabetes mellitus                              | Right knee Pain and swelling          | drainage,<br>Itraconazole, total<br>knee replacement    | Improved            |
| 20     | Guarro et al.,<br>2006 [22]   | P. venezuelense            | 28/M    | Chronic myeloid<br>leukemia                    | Subcutaneous mycoses                  | Surgical excision                                       | Not known           |

TABLE 1: Skin and subcutaneous infection, osteomyelitis, endophthalmitis, and onychomycosis due to Phaeoacremonium species.

| Number | Reference                           | Species   | Age/sex             | Underlying condition   | Clinical disease  | Treatment                                       | Outcome                |
|--------|-------------------------------------|---|---------------------|--|---|---|------------------------|
| 21     | Heath et al.,<br>1997 [23]          | P. parasiticum                                    | 45/M                | Liver transplant   | Infective endocarditis,<br>fungemia, and skin<br>lesion | Amphotericin B,<br>fluconazole                  | Died                   |
| 22     | Wang et al.,<br>2005 [24]           | P. inflatipes                                     | 18-<br>month<br>boy | Aplastic anemia  | Fungemia  | Amphotericin B                                  | Died                   |
| 23     | Baddley et al.,<br>2006 [9]         | P. parasiticum                                    | 31/F                | Aplastic anemia  | Fungemia, skin lesions                                  | Amphotericin B                                  | Died                   |
| 24     | McNeil et al.,<br>2011 [25]         | P. parasiticum                                    | 24/M                | Chronic<br>granulomatous<br>disease, end-stage<br>kidney disease | Brain abscess   | Amphotericin B,<br>voriconazole,<br>caspofungin | Died                   |
| 25     | To et al., 2012<br>[21]             | P. parasiticum                                    | 26/M                | Renal transplant   | Cavitary lesion of lung                                 | Voriconazole<br>Caspofungin                     | Responded,<br>but died |
| 26     | Shah et al., 2013<br>[26]           | P. parasiticum                                    | 74/M                | Lung transplant  | Lung nodules of native<br>lung                          | Caspofungin<br>Voriconazole                     | Improved               |
| 27     | Larbcharoensub<br>et al., 2013 [27] | Scedosporium<br>apiospermum and<br>P. parasiticum | 49 y/o              | Renal transplant   | Multiple brain abscesses                                | Voriconazole                                    | Improved               |
| 28     | Present case                        | Phaeoacremonium species                           | 49/F                | Renal transplant   | Lung nodules  | Posaconazole                                    | Improved               |

TABLE 2: Invasive and disseminated infections due to Phaeoacremonium species.

*Phaeoacremonium* species are typically isolated from thorns, wood, and soil. Human infection can be caused by traumatic implantation or occurs in the setting of immunocompromising conditions. Twenty-seven cases of human infections with *Phaeoacremonium* species have been reported in the literature. In immunocompetent hosts, *Phaeoacremonium* has been reported to cause subcutaneous phaeohyphomycosis, osteomyelitis, endophthalmitis, and onychomycosis. Successful outcomes have been achieved with debridement and antifungals (Table 1). In immunocompromised patients, *Phaeoacremonium* causes more severe disease and has been reported to cause endocarditis, brain abscesses, cavitary lung nodules, and disseminated infections. Disseminated infections in severely immunocompromised hosts are associated with poor outcomes and death (Table 2).

The other dematiaceous fungus isolated from this patient was *Dactylaria constricta*. It grew only from culture of bronchial fluid and not from the biopsy. *Mycobacterium avium-intracellulare* complex (MAC) also grew only from the culture of bronchial fluid. Given our patient's exposure history (gardening, exposure to sheds and barns) and no growth of these organisms from the biopsy specimen, it is likely that these organisms were merely colonizers of her respiratory tract and not pathogens. Moreover, resolution of her illness without treatment for MAC suggests that it was not a pathogen.

There is no standard antifungal regimen described for *Phaeoacremonium* in the literature. Posaconazole is the most recently approved triazole with an extended spectrum of activity against a wide variety of fungi. Posaconazole was chosen over other azoles because it is well tolerated and has a favorable side effect profile and a low potential of drug

interactions compared to other azoles. Posaconazole inhibits the metabolism of calcineurin inhibitors. Failure to adjust tacrolimus dosing can result in supratherapeutic levels of tacrolimus and harm the kidney [28]. Our patient responded well to the treatment with no relapse of infection during 4 years of follow-up. Her kidney allograft continues to function well, with creatinine levels ranging between 1 and 1.3 mg/dL.

#### **Conflict of Interests**

The authors declare that there is no conflict of interests regarding the publication of this paper.

#### References

- U. Damm, L. Mostert, P. W. Crous, and P. H. Fourie, "Novel *Phaeoacremonium* species associated with necrotic wood of Prunus trees," *Persoonia*, vol. 20, pp. 87–102, 2008.
- [2] L. Mostert, J. Z. Groenewald, R. C. Summerbell et al., "Species of *Phaeoacremonium* associated with infections in humans and environmental reservoirs in infected woody plants," *Journal of Clinical Microbiology*, vol. 43, no. 4, pp. 1752–1767, 2005.
- [3] N. Singh, F. Y. Chang, T. Gayowski, and I. R. Marino, "Infections due to dematiaceous fungi in organ transplant recipients: case report and review," *Clinical Infectious Diseases*, vol. 24, no. 3, pp. 369–374, 1997.
- [4] A. A. Padhye, M. S. Davis, D. Baer, A. Reddick, K. K. Sinha, and J. Ott, "Phaeohyphomycosis caused by *Phaeoacremonium* inflatipes," *Journal of Clinical Microbiology*, vol. 36, no. 9, pp. 2763–2765, 1998.

- [5] T. Matsui, K. Nishimoto, S. Udagawa, H. Ishihara, and T. Ono, "Subcutaneous phaeohyphomycosis caused by *Phaeoacremonium rubrigenum* in an immunosuppressed patient," *Nihon Ishinkin Gakkai Zasshi*, vol. 40, no. 2, pp. 99–102, 1999.
- [6] K. Kitamura, T. Mochizuki, H. Ishizaki, and R. Fukushiro, "Phaeomycotic cyst caused by *Phaeoacremonium parasiticum*," *Nihon Ishinkin Gakkai Zasshi*, vol. 41, no. 2, pp. 89–95, 2000.
- [7] J. Guarro, S. H. Alves, J. Gené et al., "Two cases of subcutaneous infection due to *Phaeoacremonium spp*," *Journal of Clinical Microbiology*, vol. 41, no. 3, pp. 1332–1336, 2003.
- [8] L. Llinas, T. P. Olenginski, D. Bush, R. Gotoff, and V. Weber, "Osteomyelitis resulting from chronic filamentous fungus olecranon bursitis," *Journal of Clinical Rheumatology*, vol. 11, no. 5, pp. 280–282, 2005.
- [9] J. W. Baddley, L. Mostert, R. C. Summerbell, and S. A. Moser, "*Phaeoacremonium parasiticum* infections confirmed by βtubulin sequence analysis of case isolates," *Journal of Clinical Microbiology*, vol. 44, no. 6, pp. 2207–2211, 2006.
- [10] B. M. Hemashettar, B. Siddaramappa, B. S. Munjunathaswamy et al., "*Phaeoacremonium krajdenii*, a cause of white grain eumycetoma," *Journal of Clinical Microbiology*, vol. 44, no. 12, pp. 4619–4622, 2006.
- [11] S. A. Marques, R. M. P. Camargo, R. C. Summerbell et al., "Subcutaneous phaeohyphomycosis caused by *Phaeoacremonium parasiticum* in a renal transplant patient," *Medical Mycology*, vol. 44, no. 7, pp. 671–676, 2006.
- [12] T. K. Huynh, L. R. Lee, and D. Ellis, "Late-onset post-traumatic Phaeoacremonium parasiticum endophthalmitis," Clinical and Experimental Ophthalmology, vol. 35, no. 4, pp. 366–368, 2007.
- [13] C. Farina, E. Gotti, D. Mouniée, P. Boiron, and A. Goglio, "Phaeoacremonium parasiticum subcutaneous infection in a kidney-transplanted patient successfully treated by surgery," Transplant Infectious Disease, vol. 9, no. 3, pp. 253–255, 2007.
- [14] V. Baradkar, M. Mathur, and S. Kumar, "Phaeohyphomycosis of subcutaneous tissue caused by *Phaeoacremonium parasiticum*," *Indian Journal of Medical Microbiology*, vol. 27, no. 1, pp. 66–69, 2009.
- [15] P.-L. Sun and Y.-M. Ju, "Onychomycosis caused by *Phaeoacre-monium parasiticum*: first case report," *Mycoses*, vol. 54, no. 2, pp. 172–174, 2011.
- [16] A. Aguilar-Donis, E. Torres-Guerrero, R. Arenas-Guzmán et al., "Mycetoma caused by *Phaeoacremonium parasiticum*—a case confirmed with B-tubulin sequence analysis," *Mycoses*, vol. 54, no. 5, pp. e615–e618, 2011.
- [17] V. Baradkar and S. Kumar, "Subcutaneous granulomatous infection caused by *Phaeoacremonium infalitipes* on foot," *Indian Journal of Dermatology*, vol. 56, no. 2, pp. 244–245, 2011.
- [18] J. Choi, Y. Lee, H.-S. Chung et al., "Subcutaneous phaeohyphomycosis caused by *Phaeoacremonium* species in a kidney transplant patient: The first case in Korea," *Korean Journal of Laboratory Medicine*, vol. 31, no. 3, pp. 201–204, 2011.
- [19] J. D. Mazzurco, J. Ramirez, and D. P. Fivenson, "Phaeohyphomycosis caused by *Phaeoacremonium* species in a patient taking infliximab," *Journal of the American Academy of Dermatology*, vol. 66, no. 2, pp. 333–335, 2012.
- [20] S. Furudate, S. Sasai, Y. Numata et al., "Phaeohyphomycosis caused by *Phaeoacremonium rubrigenum* in an immunosuppressive patient: a case report and review of the literature," *Case Reports in Dermatology*, vol. 4, no. 2, pp. 119–124, 2012.

- [21] K. K. To, S. K. Lau, A. K. Wu et al., "Phaeoacremonium parasiticum invasive infections and airway colonization characterized by agar block smear and ITS and beta-tubulin gene sequencing," *Diagnostic Microbiology and Infectious Disease*, vol. 74, no. 2, pp. 190–197, 2012.
- [22] J. Guarro, A. M. Silvestre Jr., G. Verkley et al., "Limitations of DNA sequencing for diagnosis of a mixed infection by two fungi, *Phaeoacremonium venezuelense* and a *Plectophomella sp.*, in a transplant recipient," *Journal of Clinical Microbiology*, vol. 44, no. 11, pp. 4279–4282, 2006.
- [23] C. H. Heath, J. L. Lendrum, B. L. Wetherall, S. L. Wesselingh, and D. L. Gordon, "*Phaeoacremonium parasiticum* infective endocarditis following liver transplantation," *Clinical Infectious Diseases*, vol. 25, no. 5, pp. 1251–1252, 1997.
- [24] S.-C. Wang, P.-R. Hsueh, S.-J. Liaw et al., "Fatal fungemia due to *Phaeoacremonium inflatipes* in a child with severe aplastic anemia," *Clinical Infectious Diseases*, vol. 40, no. 7, pp. 1067– 1068, 2005.
- [25] C. J. McNeil, R. F. Luo, H. Vogel, N. Banaei, and D. Y. Ho, "Brain abscess caused by *Phaeoacremonium parasiticum* in an immunocompromised patient," *Journal of Clinical Microbiol*ogy, vol. 49, no. 3, pp. 1171–1174, 2011.
- [26] S. K. Shah, P. Parto, G. A. Lombard et al., "Probable Phaeoacremonium parasiticum as a cause of cavitary native lung nodules after single lung transplantation," *Transplant Infectious Disease*, vol. 15, no. 1, pp. E9–E13, 2013.
- [27] N. Larbcharoensub, P. Chongtrakool, C. Wirojtananugoon et al., "Treatment of a brain abscess caused by Scedosporium apiospermum and Phaeoacremonium parasiticum in a renal transplant recipient," The Southeast Asian Journal of Tropical Medicine and Public Health, vol. 44, no. 3, pp. 484–489, 2013.
- [28] A. Sansone-Parsons, G. Krishna, M. Martinho, B. Kantesaria, S. Gelone, and T. G. Mant, "Effect of oral posaconazole on the pharmacokinetics of cyclosporins and tacrolimus," *Pharmacotherapy*, vol. 27, no. 6, pp. 825–834, 2007.



The Scientific **World Journal** 



Gastroenterology Research and Practice





Journal of Diabetes Research



**Disease Markers** 



Immunology Research





Submit your manuscripts at http://www.hindawi.com





BioMed **Research International** 



Journal of Ophthalmology

Computational and Mathematical Methods in Medicine





Behavioural Neurology









Research and Treatment





Oxidative Medicine and Cellular Longevity



Stem Cells International

