

## Washington University School of Medicine Digital Commons@Becker

---

Posters

2007: Alcohol Use Across the Lifespan

---

2007

# Evidence of neighborhood influences on early adolescent alcohol use and related behavior problems

M. J. Bernard

*Washington University in St Louis*

R. J. Rose

*Indiana University - Bloomington*

R. J. Viken

*Indiana University - Bloomington*

L. Pulkkinen

*University of Jyväskylä*

J. Kaprio

*University of Helsinki*

*See next page for additional authors*

Follow this and additional works at: <http://digitalcommons.wustl.edu/guzeposter2007>

 Part of the [Medicine and Health Sciences Commons](#)

---

### Recommended Citation

Bernard, M. J.; Rose, R. J.; Viken, R. J.; Pulkkinen, L.; Kaprio, J.; and Dick, D. M., "Evidence of neighborhood influences on early adolescent alcohol use and related behavior problems" (2007). *Posters*. Paper 9 Samuel B. Guze Symposium on Alcoholism. <http://digitalcommons.wustl.edu/guzeposter2007/9>

This Poster is brought to you for free and open access by the 2007: Alcohol Use Across the Lifespan at Digital Commons@Becker. It has been accepted for inclusion in Posters by an authorized administrator of Digital Commons@Becker. For more information, please contact [engeszer@wustl.edu](mailto:engeszer@wustl.edu).

---

**Authors**

M. J. Bernard, R. J. Rose, R. J. Viken, L. Pulkkinen, J. Kaprio, and D. M. Dick

# Evidence of Neighborhood Influences on Early Adolescent Alcohol Use and Related Behavior Problems


M.J. Bernard<sup>1</sup>, R.J. Rose<sup>2</sup>, R.J. Viken<sup>2</sup>,  
L. Pulkkinen<sup>3</sup>, J. Kaprio<sup>4</sup>, & D.M. Dick<sup>1</sup>

<sup>1</sup>Washington University, St. Louis, MO <sup>2</sup>Indiana University, Bloomington, IN <sup>3</sup>University of Jyväskylä, Finland, <sup>4</sup>University of Helsinki, Finland

# Introduction

- Neighborhood influences have direct and indirect influences on many adolescent outcomes, but much of existing research on neighborhood influences has not accounted for genetic variation on the development of behavioral differences, rather, studies of each of these important sources of influence have been conducted largely in isolation
- Traditional twin design provides information about genetic and “common environmental” influence, but is unable to differentiate familial and extrafamilial environmental influences
- By studying classmate controls in addition to twins, we can compare correlations between twins and between controls to identify genetic, familial environmental, and extrafamilial environmental influences on outcome

# CLASSMATE CONTROLS OF TWINS




## Controls

Genetic strangers reared in different households

## Matched to twin on:

- Gender
- Birth cohort
- Neighborhood
- School
- Class



~935 dyads

# Methods

- Monozygotic (MZ) twins share 100% genetic variation, 100% common environment (includes family, neighborhood/school)
- Dizygotic (DZ) twins share 50% genetic variation, 100% common environment (includes family, neighborhood/school)
- Controls share no genetic variation, no family environment  
DO share neighborhood, school
- Comparisons of MZ/DZ twins yield information about genetic influence, common environment (family and neighborhood/school); control correlation yields information about extent to which neighborhood/school influences outcome

# FinnTwin12 Sample

- Population based sample of adolescent twins and gender- and age-matched classmate controls in Finland born between 1983 and 1987
- Alcohol outcome data collected by self-report at age 12
  - 918-926 twin pairs (333-337 MZ pairs and 296-299 DZ pairs) and 921-930 control pairs
- Behavior problem outcome data provided by teacher rating of age 12 twins and controls
  - 2267 twin pairs (703 MZ pairs and 1399 DZ pairs) and 2218-2220 control pairs

# Alcohol Outcomes

- Have you ever drunk alcohol? (Ever drunk alcohol)
- Have you ever drunk alcohol with your friends without adults around? (Without adults)
- Do you have any friends who use alcohol? (Friends use)
- Have you ever seen any of your friends drunk? (Seen friends drunk)
- Have you ever seen adults drunk at your own home? (Adults drunk in home)




# Behavior Problem Outcomes

- Teacher ratings on Multidimensional Peer Nomination Inventory (Pulkkinen, Kaprio, & Rose, 1999)
  - Aggression
  - Impulsivity-Hyperactivity
  - Inattention
  - Behavior Problems

# Evidence for Extrafamilial Environmental Influence

Twin and Control Correlations



# Twin and Control Correlations

	rTwin	rControl
Ever drunk alcohol	.469**	.165**
Without adults	.356**	.090**
Friends use	.333**	.131**
Seen friends drunk	.304**	.102**
Adults drunk in home	.540**	.122**
Aggression	.603**	.193**
Hyperactivity- Impulsivity	.538**	.141**
Inattention	.559**	.137**
Behavioral problems	.582**	.156**


\*\*p<.01

# Extrafamilial Environmental Influence

- Controls were significantly correlated for each of the alcohol and behavior problem outcomes
- Correlations between classmate control dyads reflect extrafamilial environmental influences (e.g., neighborhood, school, peers) as they share neither genes nor family environments
- Therefore, results suggest that extrafamilial environments do influence alcohol use and related behavior outcomes among adolescents

# Evidence for Genetic Influence

MZ, DZ and Control Correlations



# MZ, DZ and Control Correlations

	rMZ	rDZ	rControl
Ever drunk alcohol	.542**	.449**	.165**
Without adults	.514**	.386**	.090**
Friends use	.369**	.386**	.131**
Seen friends drunk	.361**	.233**	.102**
Adults drunk in home	.586**	.561**	.122**
Aggression	.840**	.490**	.193**
Hyperactivity- Impulsivity	.849**	.373**	.141**
Inattention	.860**	.400**	.137**
Behavioral Problems	.869**	.433**	.156**

\*\*p<.01

# Genetic Influence

- Correlations between MZ twins were greater than those between DZ twins for four out of the five alcohol outcomes and each of the behavior outcomes, suggesting genetic influence for these four alcohol outcomes and all of the behavior outcomes
- There is much greater evidence for genetic influence on behavior outcomes than alcohol outcomes at this age, as indicated by bigger MZ-DZ differences in correlation

# Conclusions

- Adolescent alcohol use and related behavior problems are influenced by several factors, including genetic and extrafamilial environments
- Further research is needed to (1) examine the specific variables within neighborhood environments that influence these outcomes and (2) elucidate the mechanisms through which these neighborhood variables exert influence



# Acknowledgements

The Finnish Twin studies have been supported by the National Institute of Alcoholism and Alcohol Abuse (grants AA-12502, AA-00145, and AA-09203 to RJR), the Academy of Finland (grants # 100499, & 205585 to JK) the Finnish Centre of Excellence Programme (to LP) and by grants from the Yrjö Jahnsson Foundation (to JK). These analyses have been supported by AA015416 to DMD.