### Washington University School of Medicine Digital Commons@Becker

**Open Access Publications** 

2011

# Photo Quiz: A 32-year-old male with a 2-month history of cough, fatigue, and weight loss

Carey-Ann D. Burnham Washington University School of Medicine in St. Louis

W. Michael Dunne Jr.
Washington University School of Medicine in St. Louis

Follow this and additional works at: http://digitalcommons.wustl.edu/open access pubs

### Recommended Citation

Burnham, Carey-Ann D. and Dunne, W. Michael Jr., ,"Photo Quiz: A 32-year-old male with a 2-month history of cough, fatigue, and weight loss." Journal of Clinical Microbiology.49,10.3499.(2011). http://digitalcommons.wustl.edu/open\_access\_pubs/2350

This Open Access Publication is brought to you for free and open access by Digital Commons@Becker. It has been accepted for inclusion in Open Access Publications by an authorized administrator of Digital Commons@Becker. For more information, please contact engeszer@wustl.edu.

## Journal of Clinical Microbiology

### A 32-Year-Old Male with a 2-Month History of Cough, Fatigue, and Weight Loss

Carey-Ann D. Burnham and William Michael Dunne Jr. *J. Clin. Microbiol.* 2011, 49(10):3449. DOI: 10.1128/JCM.01126-11.

Updated information and services can be found at: http://jcm.asm.org/content/49/10/3449

These include:

**CONTENT ALERTS** 

Receive: RSS Feeds, eTOCs, free email alerts (when new articles cite this article), more»

Information about commercial reprint orders: http://journals.asm.org/site/misc/reprints.xhtml To subscribe to to another ASM Journal go to: http://journals.asm.org/site/subscriptions/

### **Photo Quiz**

(For answer and discussion, see page 3726 in this issue [doi:10.1128/JCM.r01126-11])

### A 32-Year-Old Male with a 2-Month History of Cough, Fatigue, and Weight Loss



Fig. 1. Colonial morphology of the organism grown on Sabouraud dextrose agar.

A 32-year-old male presented with a 2-month history of productive cough (no hemoptysis), fatigue, and weight loss (10 lbs). He had a good appetite but became nauseated when eating, and with early satiety. He had been experiencing chills and fevers for approximately 1 month and also had a red, raised lesion on his nose. Two weeks prior to presentation, he had taken a 5-day course of oral azithromycin with no relief. The man was born in Vietnam but had lived in the United States for the past 12 years. He was unmarried and lived with his family, was employed as an industrial worker, and denied having had sexual activity during the past 5 years. He denied having used alcohol, tobacco, or drugs.

Numerous laboratory and imaging studies were performed, including a chest computed tomography (CT) revealing pulmonary nodules and medastinal and right hilar lyphadopathy. Blood cultures drawn on admission (VersaTREK REDOX1 [aerobic bottles]) (TREK Diagnostic Systems, Cleveland, OH) became positive after 2 days of incubation with fungal elements

(delicate, septate hyphae). After approximately 4 to 5 days of incubation on solid medium, growth of a fungus with a diffusible red pigment was noted (Fig. 1).

#### Carey-Ann D. Burnham\*

Departments of Pediatrics and Pathology & Immunology Washington University School of Medicine 660 S. Euclid Ave Campus Box 8118 St. Louis, Missouri 63110

#### William Michael Dunne, Jr.

Department of Pathology & Immunology Washington University School of Medicine St. Louis, Missouri 63110

\*Phone: (314) 362-1547 Fax: (314) 454-2274

E-mail: cburnham@path.wustl.edu