

# REFERENCES

Except otherwise noted, this work is made available under a Creative Commons Attribution License. <http://creativecommons.org/licenses/by/4.0>

Denno, DM, VanBuskirk, KM, Nelson, ZC, Musser, CA, Tarr, PI. (2016). Environmental enteric dysfunction: Advancing current knowledge. St. Louis, MO: Washington University Libraries. <http://dx.doi.org/10.7936/K7WQ0228>

# REFERENCES

1. Butterworth CE, Jr., Perez-Santiago E. Pathologic changes in jejunal biopsies from sprue patients; a preliminary report. *Am J Dig Dis.* 1957;2(11):659-62.
2. Hillary W. Observations on the changes of the air and the concomitant epidemical diseases in the island of Barbados, to which is added a treatise on the putrid bilious fever, commonly called the yellow fever: and such other diseases as are indigenous or endemical, in the West India Islands. 2nd ed. London: Hawes, Clarke, and Collins; 1766.
3. Booth CC. The 1st description of tropical sprue (William Hillary). *Gut.* 1964;5:45-50.
4. Manson P. Notes on Sprue in China, Imperial Maritime Customs, Special Series No. 2, Medical Reports for the Half Year Ended 31 March 1880 (19th issue). Shanghai: Statistical Department of the Inspectorate in General. 1880:33-7.
5. Ayrey F. Outbreaks of sprue during the Burma Campaign. *Trans R Soc Trop Med Hyg.* 1947;41:377-406.
6. Girdwood RH. Fifty years after: some experiences of the medical care of prisoners of war. *Scott Med J.* 1993;38(4):120-4.
7. Bartholomew C. William Hillary and sprue in the Caribbean: 230 years later. *Gut.* 1989;30 Spec No:17-21.
8. Ramakrishna BS, Venkataraman S, Mukhopadhyaya A. Tropical malabsorption. *Postgrad Med J.* 2006;82(974):779-87.
9. Mathan VI, Baker SJ. An epidemic of tropical sprue in southern India. I. Clinical features. *Ann Trop Med Parasitol.* 1970;64(4):439-51.
10. Cook GC. Malabsorption. *Br Med J.* 1967;11(1):613-7.
11. Falaiye JM. Present status of subclinical intestinal malabsorption in the tropics. *Br Med J.* 1971;20(4):454-8.
12. Moshal MG, Hift W, Kallichurum S, Pillay K. Endemic tropical sprue in Africa. *J Trop Med Hyg.* 1975;78:2-5.
13. Trehan I, Shulman RJ, Ou CN, Maleta K, Manary MJ. A randomized, double-blind, placebo-controlled trial of rifaximin, a nonabsorbable antibiotic, in the treatment of tropical enteropathy. *Am J Gastroenterol.* 2009;104(9):2326-33.
14. Kelly P, Menzies I, Crane R, Zulu I, Nickols C, Feakins R, et al. Responses of small intestinal architecture and function over time to environmental factors in a tropical population. *Am J Trop Med Hyg.* 2004;70(4):412-9.
15. Campbell DI, McPhail G, Lunn PG, Elia M, Jeffries DJ. Intestinal inflammation measured by fecal neopterin in Gambian children with enteropathy: association with growth failure, *Giardia lamblia*, and intestinal permeability. *J Pediatr Gastroenterol Nutr.* 2004;39(2):153-7.
16. Keusch GT, Rosenberg IH, Denno DM, Duggan C, Guerrant RL, Lavery JV, et al. Implications of acquired environmental enteric dysfunction for growth and stunting in infants and children living in low- and middle-income countries. *Food Nutr Bull.* 2013;34(3):357-64.

17. Fagundes-Neto U, Viaro T, Wehba J, da Silva Patricio FR, Machado NL. Tropical enteropathy (environmental enteropathy) in early childhood: a syndrome caused by contaminated environment. *J Trop Pediatr*. 1984;30:204-9.
18. Salazar-Lindo E, Allen S, Brewster DR, Elliott EJ, Fasano A, Phillips AD, et al. Intestinal infections and environmental enteropathy: Working Group report of the second World Congress of Pediatric Gastroenterology, Hepatology, and Nutrition. *J Pediatr Gastroenterol Nutr*. 2004;39 Suppl 2:S662-9.
19. Keusch GT, Denno DM, Black RE, Duggan C, Guerrant RL, Lavery JV, et al. Environmental enteric dysfunction: pathogenesis, diagnosis, and clinical consequences. *Clin Infect Dis*. 2014;59 Suppl 4:S207-12.
20. Snyder JD, Merson MH. The magnitude of the global problem of acute diarrhoeal disease: a review of active surveillance data. *Bull World Health Organ*. 1982;60(4):605-13.
21. Walker CL, Rudan I, Liu L, Nair H, Theodoratou E, Bhutta ZA, et al. Global burden of childhood pneumonia and diarrhoea. *Lancet*. 2013;381(9875):1405-16.
22. Victora CG, Bryce J, Fontaine O, Monasch R. Reducing deaths from diarrhoea through oral rehydration therapy. *Bull World Health Organ*. 2000;78(10):1246-55.
23. Munos MK, Walker CL, Black RE. The effect of oral rehydration solution and recommended home fluids on diarrhoea mortality. *Int J Epidemiol*. 2010;39 Suppl 1:i75-87.
24. UNICEF/WHO. Diarrhoea: Why children are still dying and what can be done. Geneva: 2009.
25. Feng XL, Theodoratou E, Liu L, Chan KY, Hipgrave D, Scherpbier R, et al. Social, economic, political and health system and program determinants of child mortality reduction in China between 1990 and 2006: A systematic analysis. *J Glob Health*. 2012;2(1):010405.
26. UNICEF/WHO. Progress on Drinking Water and Sanitation – 2014 Update. Geneva: 2014.
27. Pruss-Ustun A, Bartram J, Clasen T, Colford JM, Jr., Cumming O, Curtis V, et al. Burden of disease from inadequate water, sanitation and hygiene in low- and middle-income settings: a retrospective analysis of data from 145 countries. *Trop Med Int Health*. 2014;19(8):894-905.
28. Bain R, Cronk R, Hossain R, Bonjour S, Onda K, Wright J, et al. Global assessment of exposure to faecal contamination through drinking water based on a systematic review. *Trop Med Int Health*. 2014;19(8):917-27.
29. Freeman MC, Stocks ME, Cumming O, Jeandron A, Higgins JP, Wolf J, et al. Hygiene and health: systematic review of handwashing practices worldwide and update of health effects. *Trop Med Int Health*. 2014;19(8):906-16.
30. Wolf J, Pruss-Ustun A, Cumming O, Bartram J, Bonjour S, Cairncross S, et al. Assessing the impact of drinking water and sanitation on diarrhoeal disease in low- and middle-income settings: systematic review and meta-regression. *Trop Med Int Health*. 2014;19(8):928-42.
31. Bhutta ZA, Bird SM, Black RE, Brown KH, Gardner JM, Hidayat A, et al. Therapeutic effects of oral zinc in acute and persistent diarrhea in children in developing countries: pooled analysis of randomized controlled trials. *Am J Clin Nutr*. 2000;72(6):1516-22.
32. Bhutta ZA, Black RE, Brown KH, Gardner JM, Gore S, Hidayat A, et al. Prevention of diarrhea and pneumonia by zinc supplementation in children in developing countries: pooled analysis of randomized controlled trials. Zinc Investigators' Collaborative Group. *J Pediatr*. 1999;135(6):689-97.
33. Walker CL, Black RE. Zinc for the treatment of diarrhoea: effect on diarrhoea morbidity, mortality and incidence of future episodes. *Int J Epidemiol*. 2010;39 Suppl 1:i63-9.

34. Glass RI, Bresee JS, Turcios R, Fischer TK, Parashar UD, Steele AD. Rotavirus vaccines: targeting the developing world. *J Infect Dis*. 2005;192 Suppl 1:S160-6.
35. Tate JE, Panozzo CA, Payne DC, Patel MM, Cortese MM, Fowlkes AL, et al. Decline and change in seasonality of US rotavirus activity after the introduction of rotavirus vaccine. *Pediatrics*. 2009;124(2):465-71.
36. Gurgel RG, Bohland AK, Vieira SC, Oliveira DM, Fontes PB, Barros VF, et al. Incidence of rotavirus and all-cause diarrhea in northeast Brazil following the introduction of a national vaccination program. *Gastroenterology*. 2009;137(6):1970-5.
37. Lopez AL, Clemens JD, Deen J, Jodar L. Cholera vaccines for the developing world. *Hum Vaccin*. 2008;4(2):165-9.
38. Sur D, Ochiai RL, Bhattacharya SK, Ganguly NK, Ali M, Manna B, et al. A cluster-randomized effectiveness trial of Vi typhoid vaccine in India. *N Engl J Med*. 2009;361(4):335-44.
39. What We Do: Enteric and Diarrheal Diseases Strategy Overview. Gates Foundation website. Accessed September 30, 2014. Available from: <http://www.gatesfoundation.org/What-We-Do/Global-Health/Enteric-and-Diarrheal-Diseases>
40. Boschi-Pinto C, Lanata CF, Black RE. The global burden of childhood diarrhoea. In: Ehiri JE, Meremikwu M, editors. *International Maternal and Child Health*. Washington, DC: Springer; 2009. p. 225-43.
41. Checkley W, Buckley G, Gilman RH, Assis AM, Guerrant RL, Morris SS, et al. Multi-country analysis of the effects of diarrhoea on childhood stunting. *Int J Epidemiol*. 2008;37(4):816-30.
42. Tormo R, Polanco I, Salazar-Lindo E, Goulet O. Acute infectious diarrhoea in children: new insights in antisecretory treatment with racecadotril. *Acta Paediatr*. 2008;97(8):1008-15.
43. Kukuruzovic R, Brewster DR, Gray E, Anstey NM. Increased nitric oxide production in acute diarrhoea is associated with abnormal gut permeability, hypokalaemia and malnutrition in tropical Australian aboriginal children. *Trans R Soc Trop Med Hyg*. 2003;97(1):115-20.
44. Brewster DR, Manary MJ, Menzies IS, O'Loughlin EV, Henry RL. Intestinal permeability in kwashiorkor. *Arch Dis Child*. 1997;76(3):236-41.
45. Humphrey JH. Child undernutrition, tropical enteropathy, toilets, and handwashing. *Lancet*. 2009;374(9694):1032-5.
46. Fontaine O, Kosek M, Bhatnagar S, Boschi-Pinto C, Chan KY, Duggan C, et al. Setting research priorities to reduce global mortality from childhood diarrhoea by 2015. *PLoS Med*. 2009;6(3):e41.
47. Kosek M, Lanata CF, Black RE, Walker DG, Snyder JD, Salam MA, et al. Directing diarrhoeal disease research towards disease-burden reduction. *J Health Popul Nutr*. 2009;27(3):319-31.
48. Moore SR, Lima AA, Conaway MR, Schorling JB, Soares AM, Guerrant RL. Early childhood diarrhoea and helminthiasis associate with long-term linear growth faltering. *Int J Epidemiol*. 2001;30(6):1457-64.
49. Petri WA, Jr., Miller M, Binder HJ, Levine MM, Dillingham R, Guerrant RL. Enteric infections, diarrhea, and their impact on function and development. *J Clin Invest*. 2008;118:1277-90.
50. Lorntz B, Soares AM, Moore SR, Pinkerton R, Gansneder B, Bovbjerg VE, et al. Early childhood diarrhea predicts impaired school performance. *Pediatr Infect Dis J*. 2006;25(6):513-20.

51. Steiner TS, Lima AA, Nataro JP, Guerrant RL. Enteroaggregative *Escherichia coli* produce intestinal inflammation and growth impairment and cause interleukin-8 release from intestinal epithelial cells. *J Infect Dis.* 1998;177(1):88-96.
52. Lunn PG. The impact of infection and nutrition on gut function and growth in childhood. *Proc Nutr Soc.* 2000;59(1):147-54.
53. Nichols BL, Nichols VN, Putman M, Avery SE, Fraley JK, Quaroni A, et al. Contribution of villous atrophy to reduced intestinal maltase in infants with malnutrition. *J Pediatr Gastroenterol Nutr.* 2000;30(5):494-502.
54. Veitch AM, Kelly P, Zulu IS, Segal I, Farthing MJ. Tropical enteropathy: a T-cell-mediated crypt hyperplastic enteropathy. *Eur J Gastroenterol Hepatol.* 2001;13(10):1175-81.
55. Keusch GT. Subclinical malabsorption in Thailand. I. Intestinal absorption in Thai children. *Am J Clin Nutr.* 1972;25(10):1062-6.
56. Brewster DR. *Intestinal Permeability in Protein-Energy Malnutrition.* Oxford: Oxford University Press; 2000.
57. Menzies IS, Zuckerman MJ, Nukajam WS, Somasundaram SG, Murphy B, Jenkins AP, et al. Geography of intestinal permeability and absorption. *Gut.* 1999;44(4):483-9.
58. Kukuruzovic RH, Brewster DR. Small bowel intestinal permeability in Australian Aboriginal children. *J Pediatr Gastroenterol Nutr.* 2002;35(2):206-12.
59. Marchetti G, Tincati C, Silvestri G. Microbial translocation in the pathogenesis of HIV infection and AIDS. *Clin Microbiol Rev.* 2013;26(1):2-18.
60. Thayu M, Denson LA, Shults J, Zemel BS, Burnham JM, Baldassano RN, et al. Determinants of changes in linear growth and body composition in incident pediatric Crohn's disease. *Gastroenterology.* 2010;139(2):430-8.
61. Hibbert JM, Hsu LL, Bhatena SJ, Irune I, Sarfo B, Creary MS, et al. Proinflammatory cytokines and the hypermetabolism of children with sickle cell disease. *Exp Biol Med (Maywood).* 2005;230(1):68-74.
62. Denno D. Global child health. *Pediatr Rev.* 2011;32(2):e25-38.
63. Guerrant RL, Oria RB, Moore SR, Oria MOB, Lima AAM. Malnutrition as an enteric infectious disease with long-term effects on child development. *Nutr Rev.* 2008;66(9):487-505.
64. Mata L. Diarrheal disease as a cause of malnutrition. *Am J Trop Med Hyg.* 1992;47(1 Pt 2):16-27.
65. Black RE, Victora CG, Walker SP, Bhutta ZA, Christian P, de Onis M, et al. Maternal and child undernutrition and overweight in low-income and middle-income countries. *Lancet.* 2013;382(9890):427-51.
66. Guerrant RL, Schorling JB, McAuliffe JF, de Souza MA. Diarrhea as a cause and an effect of malnutrition: diarrhea prevents catch-up growth and malnutrition increases diarrhea frequency and duration. *Am J Trop Med Hyg.* 1992;47(1 Pt 2):28-35.
67. Schorling JB, Guerrant RL. Diarrhoea and catch-up growth. *Lancet.* 1990;335(8689):599-600.
68. Guerrant RL, Kosek M, Lima AA, Lorntz B, Guyatt HL. Updating the DALYs for diarrhoeal disease. *Trends Parasitol.* 2002;18(5):191-3.
69. Niehaus MD, Moore SR, Patrick PD, Derr LL, Lorntz B, Lima AA, et al. Early childhood diarrhea is associated with diminished cognitive function 4 to 7 years later in children in a northeast Brazilian shantytown. *Am J Trop Med Hyg.* 2002;66(5):590-3.

70. Bhutta ZA, Ghishan F, Lindley K, Memon IA, Mittal S, Rhoads JM. Persistent and chronic diarrhea and malabsorption: Working Group report of the second World Congress of Pediatric Gastroenterology, Hepatology, and Nutrition. *J Pediatr Gastroenterol Nutr.* 2004;39 Suppl 2:S711-6.
71. Berkman DS, Lescano AG, Gilman RH, Lopez SL, Black MM. Effects of stunting, diarrhoeal disease, and parasitic infection during infancy on cognition in late childhood: a follow-up study. *Lancet.* 2002;359(9306):564-71.
72. UNICEF. *The State of the World's Children 2007: Executive Summary.* UNICEF, 2006.
73. Walker SP, Wachs TD, Grantham-McGregor S, Black MM, Nelson CA, Huffman SL, et al. Inequality in early childhood: risk and protective factors for early child development. *Lancet.* 2011;378(9799):1325-38.
74. Pongcharoen T, Ramakrishnan U, DiGirolamo AM, Winichagoon P, Flores R, Singkhornard J, et al. Influence of prenatal and postnatal growth on intellectual functioning in school-aged children. *Arch Pediatr Adolesc Med.* 2012;166(5):411-6.
75. Martorell R, Horta BL, Adair LS, Stein AD, Richter L, Fall CH, et al. Weight gain in the first two years of life is an important predictor of schooling outcomes in pooled analyses from five birth cohorts from low- and middle-income countries. *J Nutr.* 2010;140(2):348-54.
76. Adair LS, Fall CH, Osmond C, Stein AD, Martorell R, Ramirez-Zea M, et al. Associations of linear growth and relative weight gain during early life with adult health and human capital in countries of low and middle income: findings from five birth cohort studies. *Lancet.* 2013;382(9891):525-34.
77. Black RE, Allen LH, Bhutta ZA, Caulfield LE, de Onis M, Ezzati M, et al. Maternal and child undernutrition: global and regional exposures and health consequences. *Lancet.* 2008;371(9608):243-60.
78. Lee AC, Darmstadt GL, Khatri SK, LeClerq SC, Shrestha SR, Christian P. Maternal-fetal disproportion and birth asphyxia in rural Sarlahi, Nepal. *Arch Pediatr Adolesc Med.* 2009;163(7):616-23.
79. Subramanian SV, Ackerson LK, Davey Smith G, John NA. Association of maternal height with child mortality, anthropometric failure, and anemia in India. *JAMA.* 2009;301(16):1691-701.
80. Brantley RK, Williams KR, Silva TM, Sstrom M, Thielman NM, Ward H, et al. AIDS-associated diarrhea and wasting in Northeast Brazil is associated with subtherapeutic plasma levels of antiretroviral medications and with both bovine and human subtypes of *Cryptosporidium parvum*. *Braz J Infect Dis.* 2003;7(1):16-22.
81. Ogra PL, Okayasu H, Czerkinsky C, Sutter RW. Mucosal immunity to poliovirus. *Expert Rev Vaccines.* 2011;10(10):1389-92.
82. Dewey KG, Adu-Afarwah S. Systematic review of the efficacy and effectiveness of complementary feeding interventions in developing countries. *Matern Child Nutr.* 2008;4 Suppl 1:24-85.
83. Church PC, Guan J, Walters TD, Frost K, Assa A, Muise AM, et al. Infliximab maintains durable response and facilitates catch-up growth in luminal pediatric Crohn's disease. *Inflamm Bowel Dis.* 2014;20(7):1177-86.
84. Field M. Intestinal secretion: effect of cyclic AMP and its role in cholera. *N Engl J Med.* 1971;284:1137-44.

85. Sawaya AL, Martins PA, Baccin Martins VJ, Florencio TT, Hoffman D, do Carmo PFM, et al. Malnutrition, long-term health and the effect of nutritional recovery. *Nestle Nutr Workshop Ser Pediatr Program*. 2009;63:95-105; -8, 259-68.
86. Silva EC, Martins IS, de Araujo EA. [Metabolic syndrome and short stature in adults from the metropolitan area of Sao Paulo city (SP, Brazil)]. *Cien Saude Colet*. 2011;16(2):663-8.
87. Solomons NW. Environmental contamination and chronic inflammation influence human growth potential. *J Nutr*. 2003;133(5):1237.
88. Bickler SW, DeMaio A. Western diseases: current concepts and implications for pediatric surgery research and practice. *Pediatr Surg Int*. 2008;24(3):251-5.
89. Bouree P. [Tropical sprue]. *Presse Med*. 2007;36(4 Pt 2):723-6.
90. Owens SR, Greenson JK. The pathology of malabsorption: current concepts. *Histopathology*. 2007;50(1):64-82.
91. Nath SK. Tropical sprue. *Curr Gastroenterol Rep*. 2005;7(5):343-9.
92. Chang F, Mahadeva U, Deere H. Pathological and clinical significance of increased intraepithelial lymphocytes (IELs) in small bowel mucosa. *APMIS*. 2005;113(6):385-99.
93. Mathan VI. Diarrhoeal diseases. *Br Med Bull*. 1998;54(2):407-19.
94. Country and Lending Groups. World Bank website. Accessed June 1, 2010. Available from: <http://data.worldbank.org/about/country-classifications/country-and-lending-groups>
95. Country Classifications: a Short History. World Bank website. Accessed June 1, 2010. Available from: <http://data.worldbank.org/about/country-classifications/a-short-history>
96. Mathai J, Raju B, Bavdekar A. Chronic and persistent diarrhea in infants and young children: status statement. *Indian Pediatr*. 2011;48(1):37-42.
97. Pai CG, Khandige GK. Is Crohn's disease rare in India? *Indian J Gastroenterol*. 2000;19(1):17-20.
98. Koepsell TD, Weiss NS. Chapter 10: Measurement Error. *Epidemiologic Methods: Studying the Occurrence of Illness*. New York: Oxford University Press; 2003.
99. Higgins JPT, Green S. *Cochrane Handbook for Systematic Reviews of Interventions*. West Sussex: Wiley Blackwell; 2008.
100. Harris PA, Taylor R, Thielke R, Payne J, Gonzalez N, Conde JG. Research electronic data capture (REDCap)--a metadata-driven methodology and workflow process for providing translational research informatics support. *J Biomed Inform*. 2009;42(2):377-81.
101. Alcantara CS, Yang CH, Steiner TS, Barrett LJ, Lima AA, Chappell CL, et al. Interleukin-8, tumor necrosis factor-alpha, and lactoferrin in immunocompetent hosts with experimental and Brazilian children with acquired cryptosporidiosis. *Am J Trop Med Hyg*. 2003;68(3):325-8.
102. Alves GM, de Moraes MB, Fagundes-Neto U. [Nutritional status and breath hydrogen test with lactose and lactulose in Terena Indian children]. *J Pediatr (Rio J)*. 2002;78(2):113-9.
103. Amadi B, Fagbemi AO, Kelly P, Mwiya M, Torrente F, Salvestrini C, et al. Reduced production of sulfated glycosaminoglycans occurs in Zambian children with kwashiorkor but not marasmus. *Am J Clin Nutr*. 2009;89(2):592-600.
104. Azim T, Islam LN, Sarker MS, Ahmad SM, Hamadani JD, Faruque SM, et al. Immune response of Bangladeshi children with acute diarrhea who subsequently have persistent diarrhea. *J Pediatr Gastroenterol Nutr*. 2000;31(5):528-35.

105. Bhatnagar S, Gupta SD, Mathur M, Phillips AD, Kumar R, Knutton S, et al. Celiac disease with mild to moderate histologic changes is a common cause of chronic diarrhea in Indian children. *J Pediatr Gastroenterol Nutr.* 2005;41(2):204-9.
106. Bitarakwate E, Mworozzi E, Kekitiinwa A. Serum zinc status of children with persistent diarrhoea admitted to the diarrhoea management unit of Mulago Hospital, Uganda. *Afr Health Sci.* 2003;3(2):54-60.
107. Bukhari AS, Jalal F, Nagra SA, Rajoka MI. DNA damage and plasma homocysteine levels are associated with serum metabolites and mineral constituents' profiles in children with persistent diarrhea. *Afr J Biotechnol.* 2010;9(3):357-61.
108. Bushen OY, Kohli A, Pinkerton RC, Dupnik K, Newman RD, Sears CL, et al. Heavy cryptosporidial infections in children in northeast Brazil: comparison of *Cryptosporidium hominis* and *Cryptosporidium parvum*. *Trans R Soc Trop Med Hyg.* 2007;101(4):378-84.
109. Bustos WM, Weisstaub NG, Araya QM. [Disaccharidase deficiency in Bolivian children with persistent diarrhea.] *Rev Chil Pediatr.* 2003;74(4):398-404.
110. Campbell DI, Elia M, Lunn PG. Growth faltering in rural Gambian infants is associated with impaired small intestinal barrier function, leading to endotoxemia and systemic inflammation. *J Nutr.* 2003;133(5):1332-8.
111. Campbell DI, Murch SH, Elia M, Sullivan PB, Sanyang MS, Jobarteh B, et al. Chronic T cell-mediated enteropathy in rural west African children: relationship with nutritional status and small bowel function. *Pediatr Res.* 2003;54(3):306-11.
112. Campbell DI, Lunn PG, Elia M. Age-related association of small intestinal mucosal enteropathy with nutritional status in rural Gambian children. *Br J Nutr.* 2002;88(5):499-505.
113. Chen P, Soares AM, Lima AA, Gamble MV, Schorling JB, Conway M, et al. Association of vitamin A and zinc status with altered intestinal permeability: analyses of cohort data from northeastern Brazil. *J Health Popul Nutr.* 2003;21(4):309-15.
114. Clark TD, Mmiro F, Ndugwa C, Perry RT, Jackson JB, Melikian G, et al. Risk factors and cumulative incidence of anaemia among human immunodeficiency virus-infected children in Uganda. *Ann Trop Paediatr.* 2002;22(1):11-7.
115. Darboe MK, Thurnham DI, Morgan G, Adegbola RA, Secka O, Solon JA, et al. Effectiveness of an early supplementation scheme of high-dose vitamin A versus standard WHO protocol in Gambian mothers and infants: a randomised controlled trial. *Lancet.* 2007;369(9579):2088-96.
116. Dini E, Toro O, Azuaje A. Sudan III y esteatocrito en la detección de grasa fecal en niños desnutridos. *GEN.* 2002;56(2):73-83.
117. El Mouzan MI, Assiri AM, Al Herbish AS, Al Sohaibani MO. Endoscopic duodenal biopsy in children. *Saudi J Gastroenterol.* 2006;12(1):31-3.
118. Fagundes-Neto U, De Martini-Costa S, Pedroso MZ, Scaletsky IC. Studies of the small bowel surface by scanning electron microscopy in infants with persistent diarrhea. *Braz J Med Biol Res.* 2000;33(12):1437-42.
119. Filteau SM, Rollins NC, Coutsooudis A, Sullivan KR, Willumsen JF, Tomkins AM. The effect of antenatal vitamin A and (beta)-carotene supplementation on gut integrity of infants of HIV-infected South African women. *J Pediatr Gastroenterol Nutr.* 2001;32(4):464-70.



120. Galpin L, Manary MJ, Fleming K, Ou CN, Ashorn P, Shulman RJ. Effect of *Lactobacillus* GG on intestinal integrity in Malawian children at risk of tropical enteropathy. *Am J Clin Nutr*. 2005;82(5):1040-5.
121. Gandolfi L, Catassi C, Garcia S, Modelli IC, Campos Jr D, Pratesi R. Antiendomysial antibody test reliability in children with frequent diarrhea and malnutrition: is it celiac disease. *J Pediatr Gastroenterol Nutr*. 2001;33(4):483-7.
122. Goto R, Mascie-Taylor CG, Lunn PG. Impact of anti-*Giardia* and anthelmintic treatment on infant growth and intestinal permeability in rural Bangladesh: a randomised double-blind controlled study. *Trans R Soc Trop Med Hyg*. 2008;103(5):520-9.
123. Goto R, Mascie-Taylor CG, Lunn PG. Impact of intestinal permeability, inflammation status and parasitic infections on infant growth faltering in rural Bangladesh. *Br J Nutr*. 2008;101(10):1509-16.
124. Goto R, Panter-Brick C, Northrop-Clewes CA, Manahdhar R, Tuladhar NR. Poor intestinal permeability in mildly stunted Nepali children: associations with weaning practices and *Giardia lamblia* infection. *Br J Nutr*. 2002;88(2):141-9.
125. Haase AM, Kukuruzovic RH, Dunn K, Bright A, Brewster DR. Dual sugar permeability testing in diarrheal disease. *J Pediatr*. 2000;136(2):232-7.
126. Hafeez A, Ali S, Hassan M. An audit of pediatric upper gastrointestinal endoscopies. *J Coll Physicians Surg Pak*. 2000;10(1):13-5.
127. Jain S, Das S, Gupta P. Fecal occult blood screening in children with severe malnutrition. *Indian Pediatr*. 2007;44(12):913-5.
128. Kapoor L, Chowdhary A, Malhotra VL, Bhatt V. Giardiasis--clinical and diagnostic perspective. *J Commun Dis*. 2001;33(2):72-7.
129. Kapoor S, Ratan SK, Kashyap R, Mittal SK, Rajeshwari K, Rawat H, et al. Detecting protein losing enteropathy by Tc-99m dextran scintigraphy: a novel experience. *Indian J Pediatr*. 2002;69(9):761-4.
130. Kirkpatrick BD, Huston CD, Wagner D, Noel F, Rouzier P, Pape JW, et al. Serum mannose-binding lectin deficiency is associated with cryptosporidiosis in young Haitian children. *Clin Infect Dis*. 2006;43(3):289-94.
131. Kirkpatrick BD, Noel F, Rouzier PD, Powell JL, Pape JW, Bois G, et al. Childhood cryptosporidiosis is associated with a persistent systemic inflammatory response. *Clin Infect Dis*. 2006;43(5):604-8.
132. Kirkpatrick BD, Daniels MM, Jean SS, Pape JW, Karp C, Littenberg B, et al. Cryptosporidiosis stimulates an inflammatory intestinal response in malnourished Haitian children. *J Infect Dis*. 2002;186(1):94-101.
133. Kohli A, Bushen OY, Pinkerton RC, Houpt E, Newman RD, Sears CL, et al. *Giardia duodenalis* assemblage, clinical presentation and markers of intestinal inflammation in Brazilian children. *Trans R Soc Trop Med Hyg*. 2008;102(7):718-25.
134. Kukuruzovic RH, Brewster DR. Milk formulas in acute gastroenteritis and malnutrition: a randomized trial. *J Paediatr Child Health*. 2002;38(6):571-7.
135. Laadhar L, Bouaziz N, Ben Ayed M, Chaabouni M, Boudawara T, Hachicha M, et al. [Determination of anti-transglutaminase antibodies in the diagnosis of coeliac disease in children: results of a five years prospective study]. *Ann Biol Clin (Paris)*. 2004;62(4):431-6.

136. Leite CA, Succi RC, Patricio FR, Fagundes-Neto U. [Functional, microbiological and morphological intestinal findings among human immunodeficiency virus infected children]. *Arq Gastroenterol.* 2006;43(4):310-5.
137. Lima AA, Soares AM, Lima NL, Mota RM, Maciel BL, Kvalsund MP, et al. Effects of vitamin A supplementation on intestinal barrier function, growth, total parasitic, and specific *Giardia* spp infections in Brazilian children: a prospective randomized, double-blind, placebo-controlled trial. *J Pediatr Gastroenterol Nutr.* 2010;50(3):309-15.
138. Lima AA, Brito LF, Ribeiro HB, Martins MC, Lustosa AP, Rocha EM, et al. Intestinal barrier function and weight gain in malnourished children taking glutamine supplemented enteral formula. *J Pediatr Gastroenterol Nutr.* 2005;40(1):28-35.
139. Lima NL, Soares AM, Mota RM, Monteiro HS, Guerrant RL, Lima AA. Wasting and intestinal barrier function in children taking alanyl-glutamine-supplemented enteral formula. *J Pediatr Gastroenterol Nutr.* 2007;44(3):365-74.
140. Long KZ, Estrada-Garcia T, Rosado JL, Ignacio Santos J, Haas M, Firestone M, et al. The effect of vitamin A supplementation on the intestinal immune response in Mexican children is modified by pathogen infections and diarrhea. *J Nutr.* 2006;136(5):1365-70.
141. López de Romaña D, Salazar M, Hambidge KM, Penny ME, Peerson JM, Krebs NF, et al. Longitudinal measurements of zinc absorption in Peruvian children consuming wheat products fortified with iron only or iron and 1 of 2 amounts of zinc. *Am J Clin Nutr.* 2005;81(3):637-47.
142. Mahmud MA, Hossain MM, Huang DB, Habib M, DuPont HL. Sociodemographic, environmental and clinical risk factors for developing persistent diarrhoea among infants in a rural community of Egypt. *J Health Popul Nutr.* 2001;19(4):313-9.
143. Mahmud MA, Marshall GD, Jr., Hossain MM, Huang DB, Habib M, DuPont HL. Increased fecal IgE among infants in a rural community of Egypt: an analysis of associated risk factors. *J Trop Pediatr.* 2001;47(6):339-44.
144. Manary MJ, Hotz C, Krebs NF, Gibson RS, Westcott JE, Broadhead RL, et al. Zinc homeostasis in Malawian children consuming a high-phytate, maize-based diet. *Am J Clin Nutr.* 2002;75(6):1057-61.
145. Mishra OP, Dhawan T, Singla PN, Dixit VK, Arya NC, Nath G. Endoscopic and histopathological evaluation of preschool children with chronic diarrhoea. *J Trop Pediatr.* 2001;47(2):77-80.
146. Mittal SK, Rajeshwari K, Kalra KK, Srivastava S, Malhotra V. Tropical sprue in north Indian children. *Trop Gastroenterol.* 2001;22(3):146-8.
147. Moya-Camarena SY, Sotelo N, Valencia ME. Effects of asymptomatic *Giardia intestinalis* infection on carbohydrate absorption in well-nourished Mexican children. *Am J Trop Med Hyg.* 2002;66(3):255-9.
148. Murphy JL, Badaloo AV, Chambers B, Forrester TE, Wootton SA, Jackson AA. Maldigestion and malabsorption of dietary lipid during severe childhood malnutrition. *Arch Dis Child.* 2002;87(6):522-5.
149. Murphy JL, Robinson EN, Forrester TE, Wootton SA, Jackson AA. Gastrointestinal handling and metabolic disposal of <sup>13</sup>C-labelled tripalmitin during rehabilitation from childhood malnutrition. *Br J Nutr.* 2001;85(6):705-13.

150. Northrop-Clewes CA, Rousham EK, Mascie-Taylor CN, Lunn PG. Anthelmintic treatment of rural Bangladeshi children: effect on host physiology, growth, and biochemical status. *Am J Clin Nutr.* 2001;73(1):53-60.
151. Panter-Brick C, Lunn PG, Langford RM, Maharjan M, Manandhar DS. Pathways leading to early growth faltering: An investigation into the importance of mucosal damage and immunostimulation in different socio-economic groups in Nepal. *Br J Nutr.* 2009;101(4):558-67.
152. Perin NM, Pires MM, Nassar SM. [Intestinal absorption of D-xylose in children infected with the human immunodeficiency virus]. *Arq Gastroenterol.* 2001;38(4):261-8.
153. Pires AL, da Silveira TR, da Silva VD. [Digital morphometric and stereologic analysis of small intestinal mucosa in well-nourished and malnourished children with persistent diarrhea]. *J Pediatr (Rio J).* 2003;79(4):329-36.
154. Poddar U, Thapa BR, Nain CK, Singh K. Is tissue transglutaminase autoantibody the best for diagnosing celiac disease in children of developing countries? *J Clin Gastroenterol.* 2008;42(2):147-51.
155. Poddar U, Thapa BR, Nain CK, Prasad A, Singh K. Celiac disease in India: Are they true cases of celiac disease? *J Pediatr Gastroenterol Nutr.* 2002;35(4):508-12.
156. Quadro L, Gamble MV, Vogel S, Lima AA, Piantedosi R, Moore SR, et al. Retinol and retinol-binding protein: gut integrity and circulating immunoglobulins. *J Infect Dis.* 2000;182 Suppl 1:S97-S102.
157. Rabbani GH, Teka T, Saha SK, Zaman B, Majid N, Khatun M, et al. Green banana and pectin improve small intestinal permeability and reduce fluid loss in Bangladeshi children with persistent diarrhea. *Dig Dis Sci.* 2004;49(3):475-84.
158. Rabbani GH, Islam S, Chowdhury AK, Mitra AK, Miller MJ, Fuchs G. Increased nitrite and nitrate concentrations in sera and urine of patients with cholera or shigellosis. *Am J Gastroenterol.* 2001;96(2):467-72.
159. Ritchie BK, Brewster DR, Davidson GP, Tran CD, McNeil Y, Hawkes JS, et al. 13C-sucrose breath test: novel use of a noninvasive biomarker of environmental gut health. *Pediatrics.* 2009;124(2):620-6.
160. Rollins NC, Filteau SM, Coutsooudis A, Tomkins AM. Feeding mode, intestinal permeability, and neopterin excretion: a longitudinal study in infants of HIV-infected South African women. *J Acquir Immune Defic Syndr.* 2001;28(2):132-9.
161. Rollins NC, Filteau SM, Elson I, Tomkins AM. Vitamin A supplementation of South African children with severe diarrhea: optimum timing for improving biochemical and clinical recovery and subsequent vitamin A status. *Pediatr Infect Dis J.* 2000;19(4):284-9.
162. Samie A, Bessong PO, Obi CL, Sevilleja JEAD, Stroup S, Hout E, et al. *Cryptosporidium* species: preliminary descriptions of the prevalence and genotype distribution among school children and hospital patients in the Venda region, Limpopo Province, South Africa. *Exp Parasitol.* 2006;114(4):314-22.
163. Sarker SA, Davidsson L, Mahmud H, Walczyk T, Hurrell RF, Gyr N, et al. *Helicobacter pylori* infection, iron absorption, and gastric acid secretion in Bangladeshi children. *Am J Clin Nutr.* 2004;80(1):149-53.
164. Sheng XY, Hambidge KM, Zhu XX, Ni JX, Bailey KB, Gibson RS, et al. Major variables of zinc homeostasis in Chinese toddlers. *Am J Clin Nutr.* 2006;84(2):389-94.

165. Sherwani RK, Alam S, Akhtar K, Abid B, Rahman K, Mehdi R. Prevalence of iron deficiency anemia in chronic diarrhoea and celiac disease - a western UP experience. *Indian J Hematol Blood Transfus.* 2008;24(1):12-5.
166. Soliman SM, Helwa AH, Al Shafei MM, Al Okbi SY. Role of micronutrient mixture in acute and persistent diarrhea in infants and its impact on nutritional status. *Pol J Food Nutr Sci.* 2003;12(3):83-8.
167. Tassara R, Alarcon T, Larranaga C, Wu E, Alvarez AM. [Digestive pathology in children infected with the human immunodeficiency virus (HIV), in Santiago de Chile]. *Rev Med Chil.* 2003;131(1):19-24.
168. Thurnham DI, Northrop-Clewes CA, McCullough FS, Das BS, Lunn PG. Innate immunity, gut integrity, and vitamin A in Gambian and Indian infants. *J Infect Dis.* 2000;182 Suppl 1:S23-8.
169. Vieira MM, Paik J, Blaner WS, Soares AM, Mota RM, Guerrant RL, et al. Carotenoids, retinol, and intestinal barrier function in children from northeastern Brazil. *J Pediatr Gastroenterol Nutr.* 2008;47(5):652-9.
170. Williams EA, Elia M, Lunn PG. A double-blind, placebo-controlled, glutamine-supplementation trial in growth-faltering Gambian infants. *Am J Clin Nutr.* 2007;86(2):421-7.
171. Willumsen BM, Filteau SM, Coutsoydis A, Uebel KE, Newell ML, Tomkins AM. Subclinical mastitis as a risk factor for mother-infant HIV transmission. *Adv Exp Med Biol.* 2000;478:211-23.
172. Zhang Y, Lee B, Thompson M, Glass R, Cama RI, Figueroa D, et al. Lactulose-mannitol intestinal permeability test in children with diarrhea caused by rotavirus and *Cryptosporidium*. Diarrhea Working Group, Peru. *J Pediatr Gastroenterol Nutr.* 2000;31(1):16-21.
173. Ngure FM, Humphrey JH, Mbuya MN, Majo F, Mutasa K, Govha M, et al. Formative research on hygiene behaviors and geophagy among infants and young children and implications of exposure to fecal bacteria. *Am J Trop Med Hyg.* 2013;89(4):709-16.
174. Xylose structure. Accessed October 25, 2012. Available from: <http://commons.wikimedia.org/w/index.php?title=File:D-Xylose.svg&page=1>
175. Lactose structure. Accessed October 25, 2012. Available from: [http://en.wikipedia.org/w/index.php?title=File:Lactose\\_Haworth.svg&page=1](http://en.wikipedia.org/w/index.php?title=File:Lactose_Haworth.svg&page=1)
176. Lactulose structure. Accessed October 25, 2012. Available from: [https://en.wikipedia.org/wiki/File:Lactulose\\_structure.svg](https://en.wikipedia.org/wiki/File:Lactulose_structure.svg)
177. Mannitol structure. Accessed October 25, 2012. Available from: [http://en.wikipedia.org/wiki/File:Mannitol\\_structure.png](http://en.wikipedia.org/wiki/File:Mannitol_structure.png)
178. Alpha-L-Rhamnopyranose structure. Accessed October 25, 2012. Available from: <http://de.wikipedia.org/w/index.php?title=Datei:Alpha-L-Rhamnopyranose.svg&page=1&filetimestamp=20111208092120>
179. Sucralose structure. Accessed October 25, 2012. Available from: <http://en.wikipedia.org/wiki/File:Sucralose2.png>
180. Saccharose structure. Accessed October 25, 2012. Available from: <http://en.wikipedia.org/w/index.php?title=File:Saccharose2.svg&page=1>
181. Nicolaysen R. Studies upon the mode of action of vitamin D: The absorption of calcium chloride, xylose and sodium sulphate from isolated loops of the small intestine and of calcium chloride from the abdominal cavity in the rat. *Biochem J.* 1937;31(2):323-8.

182. Helmer OM, Fouts PJ. Gastro-Intestinal Studies. VII. The Excretion of Xylose in Pernicious Anemia. *J Clin Invest.* 1937;16(3):343-9.
183. Tveito K, Brunborg C, Bratlie J, Askedal M, Sandvik L, Lundin KE, et al. Intestinal malabsorption of D-xylose: comparison of test modalities in patients with celiac disease. *Scand J Gastroenterol.* 2010;45(11):1289-94.
184. Peeters M, Hiele M, Ghooys Y, Huysmans V, Geboes K, Vantrappen G, et al. Test conditions greatly influence permeation of water soluble molecules through the intestinal mucosa: need for standardisation. *Gut.* 1994;35(10):1404-8.
185. Denno DM, VanBuskirk K, Nelson ZC, Musser CA, Hay Burgess DC, Tarr PI. Use of the lactulose to mannitol ratio to evaluate childhood environmental enteric dysfunction: a systematic review. *Clin Infect Dis.* 2014;59 Suppl 4:S213-9.
186. Fischbach FT, Dunning III MB, editors. *Manual of Laboratory and Diagnostic Tests.* 8th ed. Philadelphia: Lippincott Williams and Wilkins; 2009.
187. Manary MJ, Hotz C, Krebs NF, Gibson RS, Westcott JE, Arnold T, et al. Dietary phytate reduction improves zinc absorption in Malawian children recovering from tuberculosis but not in well children. *J Nutr.* 2000;130(12):2959-64.
188. Krebs NF, Westcott JE, Arnold TD, Kluger BM, Accurso FJ, Miller LV, et al. Abnormalities in zinc homeostasis in young infants with cystic fibrosis. *Pediatr Res.* 2000;48(2):256-61.
189. Schoeller DA, Klein PD, MacLean WC, Jr., Watkins JB, van Santen E. Fecal <sup>13</sup>C analysis for the detection and quantitation of intestinal malabsorption. Limits of detection and application to disorders of intestinal cholyglycine metabolism. *J Lab Clin Med.* 1981;97(3):440-8.
190. Murphy JL, Laiho KM, Jones AE, Wootton SA. Metabolic handling of <sup>13</sup>C labelled tripalmitin in healthy controls and patients with cystic fibrosis. *Arch Dis Child.* 1998;79(1):44-7.
191. Silverman A, Roy CC. *Pediatric Clinical Gastroenterology.* 3rd ed. St. Louis: C. V. Mosby; 1983.
192. Shmerling DH, Forrer JC, Prader A. Fecal fat and nitrogen in healthy children and in children with malabsorption or maldigestion. *Pediatrics.* 1970;46(5):690-5.
193. Iputo JE, Wong WW, Klein PD. Impaired lipidoxidation in kwashiorkor. *Nutr Res.* 1998;18:1187-201.
194. Krebs NF, Hambidge KM, Westcott JE, Miller LV, Sian L, Bell M, et al. Exchangeable zinc pool size in infants is related to key variables of zinc homeostasis. *J Nutr.* 2003;133(5 Suppl 1):1498S-501S.
195. Mazariegos M, Hambidge KM, Krebs NF, Westcott JE, Lei S, Grunwald GK, et al. Zinc absorption in Guatemalan schoolchildren fed normal or low-phytate maize. *Am J Clin Nutr.* 2006;83(1):59-64.
196. Pitkanen E. The conversion of D-xylose into D-threitol in patients without liver disease and in patients with portal liver cirrhosis. *Clin Chim Acta.* 1977;80(1):49-54.
197. Fordtran JS, Clodi PH, Soergel KH, Ingelfinger FJ. Sugar absorption tests, with special reference to 3-O-methyl-D-glucose and D-xylose. *Ann Intern Med.* 1962;57:883-91.
198. Hughes E. *Normal Values.* London: Lancet Publishing Group; 1996.
199. Meites S, editor. *Pediatric Clinical Chemistry: reference (normal) values.* 3rd ed. Washington, DC: AACC Press; 1989.
200. Yao YM, Yu Y, Wang P, Tian HM, Sheng ZY. Elevated serum neopterin level: its relation to endotoxaemia and sepsis in patients with major burns. *Eur J Clin Invest.* 1996;26:224-30.

201. Travis S, Menzies I. Intestinal permeability: functional assessment and significance. *Clin Sci (Lond)*. 1992;82(5):471-88.
202. Lunn PG, Northrop-Clewes CA, Downes RM. Recent developments in the nutritional management of diarrhoea. 2. Chronic diarrhoea and malnutrition in The Gambia: studies on intestinal permeability. *Trans R Soc Trop Med Hyg*. 1991;85(1):8-11.
203. Arcara KM, Tschudy MM, Johns Hopkins Hospital. Children's Medical and Surgical Center. The Harriet Lane Handbook. 19th ed. Philadelphia, PA: Mosby/Elsevier; 2011.
204. Sann L, Bienvenu J, Lahet C, Divry P, Cotte J, Bethenod M. Serum orosomucoid concentration in newborn infants. *Eur J Pediatr*. 1981;136(2):181-5.
205. Goto K, Chew F, Torun B, Peerson JM, Brown KH. Epidemiology of altered intestinal permeability to lactulose and mannitol in Guatemalan infants. *J Pediatr Gastroenterol Nutr*. 1999;28(3):282-90.
206. Longo WE, Ballantyne GH, Savoca PE, Adrian TE, Bilchik AJ, Modlin IM. Short-chain fatty acid release of peptide YY in the isolated rabbit distal colon. *Scand J Gastroenterol*. 1991;26(4):442-8.
207. Willumsen JF, Darling JC, Kitundu JA, Kingamkono RR, Msengi AE, Mduma B, et al. Dietary management of acute diarrhoea in children: effect of fermented and amylase-digested weaning foods on intestinal permeability. *J Pediatr Gastroenterol Nutr*. 1997;24(3):235-41.
208. McCullough FSW, Northrop-Clewes CA, Das BS, Thurnham DI. Effect of vitamin A supplementation of hospitalized Indian infants with gastrointestinal and respiratory infections [Abstract T29, p. 80]. Presented at the Nineteenth International Vitamin A Consultative Group Meeting; 1999; Durban, South Africa.
209. Lunn PG, Northrop-Clewes CA, Downes RM. Intestinal permeability, mucosal injury, and growth faltering in Gambian infants. *Lancet*. 1991;338(8772):907-10.
210. Meddings JB, Sutherland LR, Byles NI, Wallace JL. Sucrose: a novel permeability marker for gastroduodenal disease. *Gastroenterology*. 1993;104(6):1619-26.
211. Meddings JB, Gibbons I. Discrimination of site-specific alterations in gastrointestinal permeability in the rat. *Gastroenterology*. 1998;114(1):83-92.
212. Shulman RJ, Eakin MN, Czyzewski DI, Jarrett M, Ou CN. Increased gastrointestinal permeability and gut inflammation in children with functional abdominal pain and irritable bowel syndrome. *J Pediatr*. 2008;153(5):646-50.
213. Anderson AD, Jain PK, Fleming S, Poon P, Mitchell CJ, MacFie J. Evaluation of a triple sugar test of colonic permeability in humans. *Acta Physiol Scand*. 2004;182(2):171-7.
214. Barboza Junior MS, Silva TM, Guerrant RL, Lima AA. Measurement of intestinal permeability using mannitol and lactulose in children with diarrheal diseases. *Braz J Med Biol Res*. 1999;32(12):1499-504.
215. Northrop CA, Lunn PG, Behrens RH. Automated enzymatic assays for the determination of intestinal permeability probes in urine. 1. Lactulose and lactose. *Clin Chim Acta*. 1990;187(2):79-87.
216. Lunn PG, Northrop CA, Northrop AJ. Automated enzymatic assays for the determination of intestinal permeability probes in urine. 2. Mannitol. *Clin Chim Acta*. 1989;183(2):163-70.
217. Juby LD, Rothwell J, Axon AT. Lactulose/mannitol test: an ideal screen for celiac disease. *Gastroenterology*. 1989;96(1):79-85.

218. Lunn PG, Northrop-Clewes CA. Intestinal permeability: update on the enzymatic assay of mannitol. *Clin Chim Acta*. 1992;205(1-2):151-2.
219. Freeman JV, Cole TJ, Chinn S, Jones PR, White EM, Preece MA. Cross sectional stature and weight reference curves for the UK, 1990. *Arch Dis Child*. 1995;73(1):17-24.
220. Weaver LT. The impact of milk and weaning diet on gastrointestinal permeability in English and Gambian infants. *Trans R Soc Trop Med Hyg*. 1988;82(5):784-9.
221. Sullivan PB, Lunn PG, Northrop-Clewes C, Crowe PT, Marsh MN, Neale G. Persistent diarrhea and malnutrition--the impact of treatment on small bowel structure and permeability. *J Pediatr Gastroenterol Nutr*. 1992;14(2):208-15.
222. Beattie RM, Walker-Smith JA, Murch SH. Indications for investigation of chronic gastrointestinal symptoms. *Arch Dis Child*. 1995;73(4):354-5.
223. Catassi C, Bonucci A, Coppa GV, Carlucci A, Giorgi PL. Intestinal permeability changes during the first month: effect of natural versus artificial feeding. *J Pediatr Gastroenterol Nutr*. 1995;21(4):383-6.
224. Catassi C, Pierani P, Natalini G, Gabrielli O, Coppa GV, Giorgi PL. Clinical application of a simple HPLC method for the sugar intestinal permeability test. *J Pediatr Gastroenterol Nutr*. 1991;12(2):209-12.
225. Shulman RJ, Schanler RJ, Lau C, Heitkemper M, Ou CN, Smith EO. Early feeding, antenatal glucocorticoids, and human milk decrease intestinal permeability in preterm infants. *Pediatr Res*. 1998;44(4):519-23.
226. van Elburg RM, Uil JJ, Kokke FTM, Et al. Repeatability of the sugar-absorption test, using lactulose and mannitol, for measuring intestinal permeability of sugars. *J Pediatr Gastroenterol Nutr*. 1995;20(2):184-8.
227. Ford RP, Menzies IS, Phillips AD, Walker-Smith JA, Turner MW. Intestinal sugar permeability: relationship to diarrhoeal disease and small bowel morphology. *J Pediatr Gastroenterol Nutr*. 1985;4(4):568-74.
228. Akram S, Mourani S, Ou CN, Rognerud C, Sadiq R, Goodgame RW. Assessment of intestinal permeability with a two-hour urine collection. *Dig Dis Sci*. 1998;43(9):1946-50.
229. Rousham EK, Northrop-Clewes CA, Lunn PG. Maternal reports of child illness and the biochemical status of the child: the use of morbidity interviews in rural Bangladesh. *Br J Nutr*. 1998;80(5):451-6.
230. Blood J, Ingle AR, Allison N, Davies GR, Hill PG. Rapid enzymatic method for the measurement of mannitol in urine. *Ann Clin Biochem*. 1991;28 ( Pt 4):401-6.
231. Behrens RH, Lunn PG, Northrop CA, Hanlon PW, Neale G. Factors affecting the integrity of the intestinal mucosa of Gambian children. *Am J Clin Nutr*. 1987;45(6):1433-41.
232. Northrop CA, Lunn PG, Wainwright M, Evans J. Plasma albumin concentrations and intestinal permeability in Bangladeshi children infected with *Ascaris lumbricoides*. *Trans R Soc Trop Med Hyg*. 1987;81(5):811-5.
233. Bao Y, Silva TM, Guerrant RL, Lima AM, Fox JW. Direct analysis of mannitol, lactulose and glucose in urine samples by high-performance anion-exchange chromatography with pulse amperometric detection. Clinical evaluation of intestinal permeability in human immunodeficiency virus infection. *J Chromatogr B Biomed Appl*. 1996;685(1):105-12.

234. Lima AA, Silva TM, Gifoni AM, Barrett LJ, McAuliffe IT, Bao Y, et al. Mucosal injury and disruption of intestinal barrier function in HIV-infected individuals with and without diarrhea and cryptosporidiosis in northeast Brazil. *Am J Gastroenterol*. 1997;92(10):1861-6.
235. Deitch EA. Intestinal permeability is increased in burn patients shortly after injury. *Surgery*. 1990;107(4):411-6.
236. Ukabam SO, Cooper BT. Small intestinal permeability to mannitol, lactulose, and polyethylene glycol 400 in celiac disease. *Dig Dis Sci*. 1984;29(9):809-16.
237. Wyatt J, Vogelsang H, Hubl W, Waldhoer T, Lochs H. Intestinal permeability and the prediction of relapse in Crohn's disease. *Lancet*. 1993;341(8858):1437-9.
238. Pearson AD, Eastham EJ, Laker MF, Craft AW, Nelson R. Intestinal permeability in children with Crohn's disease and coeliac disease. *Br Med J (Clin Res Ed)*. 1982;285(6334):20-1.
239. Behrens RH, Docherty H, Elia M, Neale G. A simple enzymatic method for the assay of urinary lactulose. *Clin Chim Acta*. 1984;137(3):361-7.
240. Yamanaka K. D-mannitol dehydrogenase from *Leuconostoc mesenteroides*. *Methods Enzymol*. 1975;41:138-42.
241. Roy SK, Behrens RH, Haider R, Akramuzzaman SM, Mahalanabis D, Wahed MA, et al. Impact of zinc supplementation on intestinal permeability in Bangladeshi children with acute diarrhoea and persistent diarrhoea syndrome. *J Pediatr Gastroenterol Nutr*. 1992;15(3):289-96.
242. Scarpignato C, Pelosini I. Experimental and clinical pharmacology of rifaximin, a gastrointestinal selective antibiotic. *Digestion*. 2006;73 Suppl 1:13-27.
243. Laker MF, Bull HJ, Menzies IS. Evaluation of mannitol for use as a probe marker of gastrointestinal permeability in man. *Eur J Clin Invest*. 1982;12(6):485-91.
244. Menzies IS, Jenkins AP, Heduan E, Catt SD, Segal MB, Creamer B. The effect of poorly absorbed solute on intestinal absorption. *Scand J Gastroenterol*. 1990;25(12):1257-64.
245. Miller MA, Parkman HP, Urbain JL, Brown KL, Donahue DJ, Knight LC, et al. Comparison of scintigraphy and lactulose breath hydrogen test for assessment of orocecal transit: lactulose accelerates small bowel transit. *Dig Dis Sci*. 1997;42(1):10-8.
246. Milnes JP, Walters AJ, Andrews DJ, Low-Beer TS. Urinary infection may invalidate the double-sugar test of intestinal permeability. *Scand J Gastroenterol*. 1988;23(7):885-90.
247. Begum HA. Effect of food supplementation on the growth of infants in rural Bangladesh [PhD thesis]. Cambridge: University of Cambridge; 2004.
248. Stephenson LS, Latham MC, Kinoti SN, Kurz KM, Brigham H. Improvements in physical fitness of Kenyan schoolboys infected with hookworm, *Trichuris trichiura* and *Ascaris lumbricoides* following a single dose of albendazole. *Trans R Soc Trop Med Hyg*. 1990;84(2):277-82.
249. Adams EJ, Stephenson LS, Latham MC, Kinoti SN. Physical activity and growth of Kenyan school children with hookworm, *Trichuris trichiura* and *Ascaris lumbricoides* infections are improved after treatment with albendazole. *J Nutr*. 1994;124(8):1199-206.
250. Hadju V, Stephenson LS, Abadi K, Mohammed HO, Bowman DD, Parker RS. Improvements in appetite and growth in helminth-infected schoolboys three and seven weeks after a single dose of pyrantel pamoate. *Parasitology*. 1996;113 ( Pt 5):497-504.



251. Howden CW, Robertson C, Duncan A, Morris AJ, Russell RI. Comparison of different measurements of intestinal permeability in inflammatory bowel disease. *Am J Gastroenterol*. 1991;86(10):1445-9.
252. Cox MA, Iqbal TH, Cooper BT, Lewis KO. An analytical method for the quantitation of mannitol and disaccharides in serum: a potentially useful technique in measuring small intestinal permeability in vivo. *Clin Chim Acta*. 1997;263(2):197-205.
253. Fleming SC, Duncan A, Russell RI, Laker MF. Measurement of sugar probes in serum: an alternative to urine measurement in intestinal permeability testing. *Clin Chem*. 1996;42(3):445-8.
254. Cox MA, Lewis KO, Cooper BT. Measurement of small intestinal permeability markers, lactulose, and mannitol in serum: results in celiac disease. *Dig Dis Sci*. 1999;44(2):402-6.
255. Fleming SC, Kynaston JA, Laker MF, Pearson AD, Kapembwa MS, Griffin GE. Analysis of multiple sugar probes in urine and plasma by high-performance anion-exchange chromatography with pulsed electrochemical detection. Application in the assessment of intestinal permeability in human immunodeficiency virus infection. *J Chromatogr*. 1993;640(1-2):293-7.
256. Sorensen SH, Proud FJ, Rutgers HC, Markwell P, Adam A, Batt RM. A blood test for intestinal permeability and function: a new tool for the diagnosis of chronic intestinal disease in dogs. *Clin Chim Acta*. 1997;264(1):103-15.
257. Seguin P, Kleiber A, Chanavaz C, Morcet J, Malledant Y. Determination of capillary hemoglobin levels using the HemoCue system in intensive care patients. *J Crit Care*. 2011;26(4):423-7.
258. Kukuruzovic RH, Haase A, Dunn K, Bright A, Brewster DR. Intestinal permeability and diarrhoeal disease in Aboriginal Australians. *Arch Dis Child*. 1999;81(4):304-8.
259. Scrimshaw NS, Murray EB. The acceptability of milk and milk products in populations with a high prevalence of lactose intolerance. *Am J Clin Nutr*. 1988;48(4 Suppl):1079-159.
260. Newcomer AD, Thomas PJ, McGill DB, Hofmann AF. Lactase deficiency: a common genetic trait of the American Indian. *Gastroenterology*. 1977;72(2):234-7.
261. Test ID: UREDF; Reducing Substance, Feces. Mayo Medical Laboratories website. Accessed June 29, 2015. Available from: <http://www.mayomedicallaboratories.com/test-catalog/Clinical+and+Interpretive/83255>
262. Tibble J, Teahon K, Thjodleifsson B, Roseth A, Sigthorsson G, Bridger S, et al. A simple method for assessing intestinal inflammation in Crohn's disease. *Gut*. 2000;47(4):506-13.
263. Tibble JA, Sigthorsson G, Bridger S, Fagerhol MK, Bjarnason I. Surrogate markers of intestinal inflammation are predictive of relapse in patients with inflammatory bowel disease. *Gastroenterology*. 2000;119(1):15-22.
264. D'Haens G, Ferrante M, Vermeire S, Baert F, Noman M, Moortgat L, et al. Fecal calprotectin is a surrogate marker for endoscopic lesions in inflammatory bowel disease. *Inflamm Bowel Dis*. 2012;18(12):2218-24.
265. Emerging Risk Factors Collaboration, Kaptoge S, Di Angelantonio E, Lowe G, Pepys MB, Thompson SG, et al. C-reactive protein concentration and risk of coronary heart disease, stroke, and mortality: an individual participant meta-analysis. *Lancet*. 2010;375(9709):132-40.

266. Ridker PM. Clinical application of C-reactive protein for cardiovascular disease detection and prevention. *Circulation*. 2003;107(3):363-9.
267. Ridker PM, Danielson E, Fonseca FA, Genest J, Gotto AM, Jr., Kastelein JJ, et al. Rosuvastatin to prevent vascular events in men and women with elevated C-reactive protein. *N Engl J Med*. 2008;359(21):2195-207.
268. Turner D, Mack DR, Hyams J, LeLeiko N, Otley A, Markowitz J, et al. C-reactive protein (CRP), erythrocyte sedimentation rate (ESR) or both? A systematic evaluation in pediatric ulcerative colitis. *J Crohns Colitis*. 2011;5(5):423-9.
269. Kellermayer R, Mir SA, Nagy-Szakal D, Cox SB, Dowd SE, Kaplan JL, et al. Microbiota separation and C-reactive protein elevation in treatment-naive pediatric granulomatous Crohn disease. *J Pediatr Gastroenterol Nutr*. 2012;55(3):243-50.
270. McMillan DC, Watson WS, O'Gorman P, Preston T, Scott HR, McArdle CS. Albumin concentrations are primarily determined by the body cell mass and the systemic inflammatory response in cancer patients with weight loss. *Nutr Cancer*. 2001;39(2):210-3.
271. Maher FT, Snell AM, Mann FD. Turbidimetric estimation of serum colloids in the differential diagnosis of hepatobiliary disease. *Gastroenterology*. 1949;12(3):394-408.
272. Zitrin CM, Lincoln EM, Saifer A, Lewkowicz S. Serum gamma globulin in childhood tuberculosis. *Am Rev Tuberc*. 1956;74(1):15-28.
273. Sihler KC, Raghavendran K, Westerman M, Ye W, Napolitano LM. Hepcidin in trauma: linking injury, inflammation, and anemia. *J Trauma*. 2010;69(4):831-7.
274. Lindenbaum J, Alam AK, Kent TH. Subclinical small-intestinal disease in East Pakistan. *Br Med J*. 1966;2(5530):1616-9.
275. Baker SJ, Mathan VI. Syndrome of tropical sprue in South India. *Am J Clin Nutr*. 1968;21(9):984-93.
276. Bonamico M, Mariani P, Thanasi E, Ferri M, Nenna R, Tiberti C, et al. Patchy villous atrophy of the duodenum in childhood celiac disease. *J Pediatr Gastroenterol Nutr*. 2004;38(2):204-7.
277. Ravelli A, Bolognini S, Gambarotti M, Villanacci V. Variability of histologic lesions in relation to biopsy site in gluten-sensitive enteropathy. *Am J Gastroenterol*. 2005;100(1):177-85.
278. Hopper AD, Cross SS, Sanders DS. Patchy villous atrophy in adult patients with suspected gluten-sensitive enteropathy: is a multiple duodenal biopsy strategy appropriate? *Endoscopy*. 2008;40(3):219-24.
279. Oxentenko AS, Grisolano SW, Murray JA, Burgart LJ, Dierkhising RA, Alexander JA. The insensitivity of endoscopic markers in celiac disease. *Am J Gastroenterol*. 2002;97(4):933-8.
280. Siddique I, Al-Mekhaizeem K, Alateeqi N, Memon A, Hasan F. Diagnosis of *Helicobacter pylori*: improving the sensitivity of CLOtest by increasing the number of gastric antral biopsies. *J Clin Gastroenterol*. 2008;42(4):356-60.
281. Eshun JK, Black DD, Casteel HB, Horn H, Beavers-May T, Jetton CA, et al. Comparison of immunohistochemistry and silver stain for the diagnosis of pediatric *Helicobacter pylori* infection in urease-negative gastric biopsies. *Pediatr Dev Pathol*. 2001;4(1):82-8.
282. Goel N, Sherwal BL, Patwari AK, Bajaj P, Choudhury M. Evaluation of invasive and non-invasive diagnostic modalities for *Helicobacter pylori* infection in children. *Indian Pediatr*. 2003;40(2):141-6.

283. Ni YH, Lin JT, Huang SF, Yang JC, Chang MH. Accurate diagnosis of *Helicobacter pylori* infection by stool antigen test and 6 other currently available tests in children. *J Pediatr*. 2000;136(6):823-7.
284. Ogata SK, Kawakami E, Patricio FR, Pedroso MZ, Santos AM. Evaluation of invasive and non-invasive methods for the diagnosis of *Helicobacter pylori* infection in symptomatic children and adolescents. *Sao Paulo Med J*. 2001;119(2):67-71.
285. Vinette KM, Gibney KM, Proujansky R, Fawcett PT. Comparison of PCR and clinical laboratory tests for diagnosing *H. pylori* infection in pediatric patients. *BMC Microbiol*. 2004;4:5.
286. Yanez P, la Garza AM, Perez-Perez G, Cabrera L, Munoz O, Torres J. Comparison of invasive and noninvasive methods for the diagnosis and evaluation of eradication of *Helicobacter pylori* infection in children. *Arch Med Res*. 2000;31(4):415-21.
287. Volonaki E, Sebire NJ, Borrelli O, Lindley KJ, Elawad M, Thapar N, et al. Gastrointestinal endoscopy and mucosal biopsy in the first year of life: indications and outcome. *J Pediatr Gastroenterol Nutr*. 2012;55(1):62-5.
288. Guidelines for Ambulatory Anesthesia and Surgery, Committee of Origin: Ambulatory Surgical Care. Approved by the American Society for Anesthesiology House of Delegates on October 15, 2003, and last amended on October 22, 2008.
289. Dunkin D, Benkov KJ, Rosenberg HK. Duodenal and rectal hematomas complicating endoscopic biopsy: use of sonography in pediatrics. *J Ultrasound Med*. 2009;28(11):1575-80.
290. Guzman C, Bousvaros A, Buonomo C, Nurko S. Intraduodenal hematoma complicating intestinal biopsy: case reports and review of the literature. *Am J Gastroenterol*. 1998;93(12):2547-50.
291. Bay A, Oner AF, Celebi V, Uner A. Evaluation of vitamin K deficiency in children with acute and intractable diarrhea. *Adv Ther*. 2006;23(3):469-74.
292. Kumar R, Marwaha N, Marwaha RK, Garewal G. Vitamin K deficiency in diarrhoea. *Indian J Pediatr*. 2001;68(3):235-8.
293. Almeida Cunha RP, Alves FP, Rocha AM, Rocha GA, Camargo LM, Nogueira PO, et al. Prevalence and risk factors associated with *Helicobacter pylori* infection in native populations from Brazilian Western Amazon. *Trans R Soc Trop Med Hyg*. 2003;97(4):382-6.
294. Muhsen K, Goren S, Cohen D. *Helicobacter pylori* infection in early childhood and growth at school age. *Helicobacter*. 2015;20(6):410-7.
295. Muhsen K, Jurban M, Goren S, Cohen D. Incidence, age of acquisition and risk factors of *Helicobacter pylori* infection among Israeli Arab infants. *J Trop Pediatr*. 2012;58(3):208-13.
296. Nguyen TV, Bengtsson C, Nguyen GK, Yin L, Hoang TT, Phung DC, et al. Age as risk factor for *Helicobacter pylori* recurrence in children in Vietnam. *Helicobacter*. 2012;17(6):452-7.
297. Rowland M, Daly L, Vaughan M, Higgins A, Bourke B, Drumm B. Age-specific incidence of *Helicobacter pylori*. *Gastroenterology*. 2006;130(1):65-72.
298. Antoniou D, Zarifi M, Gentimi F, Christopoulos-Geroulanos G. Sonographic diagnosis and monitoring of an intramural duodenal hematoma following upper endoscopic biopsy in a child. *J Clin Ultrasound*. 2009;37(9):534-8.
299. Bechtel K, Moss RL, Leventhal JM, Spiro D, Abo A. Duodenal hematoma after upper endoscopy and biopsy in a 4-year-old girl. *Pediatr Emerg Care*. 2006;22(9):653-4.

300. Borsaru AD, Nandurkar D. Intramural duodenal haematoma presenting as a complication after endoscopic biopsy. *Australas Radiol.* 2007;51(4):378-80.
301. Camarero C, Herrera D, Corbaton J, Mingo A, Olivares F, Roldan B. Intramural haematoma of the duodenum following endoscopic biopsy: an unusual complication of non-therapeutic endoscopy in children. *Eur J Pediatr.* 2004;163(7):418-9.
302. Diniz-Santos DR, de Andrade Cairo RC, Braga H, Araujo-Neto C, Paes IB, Silva LR. Duodenal hematoma following endoscopic duodenal biopsy: a case report and review of the existing literature. *Can J Gastroenterol.* 2006;20(1):39-42.
303. Dumitriu D, Menten R, Smets F, Clapuyt P. Postendoscopic duodenal hematoma in children: ultrasound diagnosis and follow-up. *J Clin Ultrasound.* 2014;42(9):550-3.
304. Eichele DD, Ross M, Tang P, Hutchins GF, Mailliard M. Spontaneous intramural duodenal hematoma in type 2B von Willebrand disease. *World J Gastroenterol.* 2013;19(41):7205-8.
305. Ghersin E, Gaitini D, Wills O, Soudack M, Engel A. Intramural duodenal hematoma mimicking an intestinal mass on sonography. *J Ultrasound Med.* 2002;21(6):693-5.
306. Winckworth LC, Tricot T, Fertleman C, Blumberg R. An unusual complication of endoscopic intestinal biopsy. *J Paediatr Child Health.* 2011;47(11):842.
307. Hameed S, McHugh K, Shah N, Arthurs OJ. Duodenal haematoma following endoscopy as a marker of coagulopathy. *Pediatr Radiol.* 2014;44(4):392-7.
308. Azim T, Ahmad SM, Sefat EK, Sarker MS, Unicomb LE, De S, et al. Immune response of children who develop persistent diarrhea following rotavirus infection. *Clin Diagn Lab Immunol.* 1999;6(5):690-5.
309. Begg C, Cho M, Eastwood S, Horton R, Moher D, Olkin I, et al. Improving the quality of reporting of randomized controlled trials. The CONSORT statement. *JAMA.* 1996;276(8):637-9.
310. Moher D, Schulz KF, Altman DG, Consort Group. The CONSORT statement: revised recommendations for improving the quality of reports of parallel-group randomized trials. *Ann Intern Med.* 2001;134(8):657-62.
311. Hopewell S, Dutton S, Yu LM, Chan AW, Altman DG. The quality of reports of randomised trials in 2000 and 2006: comparative study of articles indexed in PubMed. *Br Med J.* 2010;340:c723.
312. Mills EJ, Wu P, Gagnier J, Devereaux PJ. The quality of randomized trial reporting in leading medical journals since the revised CONSORT statement. *Contemp Clin Trials.* 2005;26(4):480-7.
313. Plint AC, Moher D, Morrison A, Schulz K, Altman DG, Hill C, et al. Does the CONSORT checklist improve the quality of reports of randomised controlled trials? A systematic review. *Med J Aust.* 2006;185(5):263-7.
314. Bossuyt PM, Reitsma JB, Bruns DE, Gatsonis CA, Glasziou PP, Irwig LM, et al. The STARD statement for reporting studies of diagnostic accuracy: explanation and elaboration. *Clin Chem.* 2003;49(1):7-18.
315. Makharia GK, Verma AK, Amarchand R, Bhatnagar S, Das P, Goswami A, et al. Prevalence of celiac disease in the northern part of India: a community based study. *J Gastroenterol Hepatol.* 2011;26(5):894-900.
316. Mal-Ed Network Investigators. The MAL-ED study: a multinational and multidisciplinary approach to understand the relationship between enteric pathogens, malnutrition, gut

- physiology, physical growth, cognitive development, and immune responses in infants and children up to 2 years of age in resource-poor environments. *Clin Infect Dis*. 2014;59 Suppl 4:S193-206.
317. Kosek M, Haque R, Lima A, Babji S, Shrestha S, Qureshi S, et al. Fecal markers of intestinal inflammation and permeability associated with the subsequent acquisition of linear growth deficits in infants. *Am J Trop Med Hyg*. 2013;88(2):390-6.
  318. Schulz KF, Altman DG, Moher D, CONSORT Group. CONSORT 2010 statement: updated guidelines for reporting parallel group randomized trials. *Ann Intern Med*. 2010;152(11):726-32.
  319. STARD Report. EQUATOR (Enhancing the QUALity and Transparency Of health Research) website. Accessed September 19, 2014. Available from: <http://www.stard-statement.org/>