

Fall 2013

Pattern Recognition of DNA Sequences using Automata with application to Species Distinction

Parnika P. Achrekar
San Jose State University

Follow this and additional works at: https://scholarworks.sjsu.edu/etd_projects

Part of the [Computer Sciences Commons](#)

Recommended Citation

Achrekar, Parnika P., "Pattern Recognition of DNA Sequences using Automata with application to Species Distinction" (2013).
Master's Projects. 334.

DOI: <https://doi.org/10.31979/etd.4ysq-wbmt>
https://scholarworks.sjsu.edu/etd_projects/334

This Master's Project is brought to you for free and open access by the Master's Theses and Graduate Research at SJSU ScholarWorks. It has been accepted for inclusion in Master's Projects by an authorized administrator of SJSU ScholarWorks. For more information, please contact scholarworks@sjsu.edu.



Pattern Recognition of DNA Sequences using Automata with application to Species Distinction

A Thesis
Presented to
The Faculty of the Department of Computer Science
San José State University

In Partial Fulfillment
Of the Requirements for the Degree
Master of Science

By
Parnika P Achrekar
December 2013

© 2013

Parnika P Achrekar

ALL RIGHTS RESERVED

SAN JOSE STATE UNIVERSITY

The Designated Thesis Committee Approves the Thesis Titled

Pattern Recognition of DNA Sequences using Automata with emphasis on Species Distinction

By

Parnika P Achrekar

APPROVED FOR THE DEPARTMENT OF COMPUTER SCIENCE

SAN JOSÉ STATE UNIVERSITY

December 2013

Dr. T. Y. Lin, Department of Computer Science	Date
---	------

Dr. Chris Tseng, Department of Computer Science	Date
---	------

Mr. Amit Sant, Software Engineer at Apple Inc	Date
---	------

ABSTRACT

"Darwin wasn't just provocative in saying that we descend from the apes—he didn't go far enough, we are apes in every way, from our long arms and tailless bodies to our habits and temperament." said Frans de Waal, a primate scientist at Emory University in Atlanta, Georgia. 1.3 million Species have been named and analyzed by scientists. This project focuses on capturing various nucleotide sequences of various species and determining the similarity and differences between them. Finite state automata have been used to accomplish this. The automata for a DNA genome is created using Alergia algorithm and is used as the foundation for comparing it to the other species DNA sequences.

ACKNOWLEDGEMENTS

I would like to take this opportunity to thank each and every person who has contributed towards the completion of this project. Working on this project was an exciting experience. Knowledge and experience gained from this project will remain with me as an ingratiating memory.

I would like to express my special thanks of gratitude to my project advisor Dr. T. Y. Lin who gave me this golden opportunity to this wonderful project. His guidance and cooperation have helped me in completing this project successfully. Thanks for the benevolent support and kind attention. I would also like to thank my committee members Dr. Tseng and Mr. Amit Sant for their support and patience.

I would also like to thank our department for providing us with the necessary software required in our project. I'm also thankful to the library for providing necessary books and materials required to learn different concepts for our project.

Last but not the least, sincere thanks to my parents for inspiration and blessings, to my brother's constant moral support and encouragement without which project completion would have been next to impossible. I would also like to take this opportunity to thank my friends Mona, Mini, Krupali and Nikhil for being there for whenever I needed them.

Table of contents

1. Introduction.....	9
2. DNA Sequencing.....	12
3. Understanding Automata.....	17
4. Alergia Algorithm	19
5. Creating SFA using alergia algorithm.....	22
6. DNA Samples of Living organisms.....	25
7. Test Results	33
8. Future Work	42
9. Conclusion	42
10. References.....	45

List of Tables

Table 1: List of Amino Acids.....	14
Table 2: Comparison of Human, Chimpanzee and Banana DNA	33
Table 3: Comparison of Human, Chimpanzee and Mouse DNA.....	34
Table 4: Comparison of Human, Monkey and Fruit Fly DNA	35
Table 5: Comparison of Human, Dog and E. coli DNA	36
Table 6: Comparison of Human, Mouse and Yeast DNA	37
Table 7: Comparison of Human, Mouse and Yeast DNA	38
Table 8: Comparison of Human, Cat and Cow DNA	39
Table 9: Comparison of Human, Dog and Mushroom DNA	40
Table 10: Comparison of Human, Dog and Rice DNA	41
Table 11: Comparison of Human, Cow and E. Coli DNA	42
Table 12: Homologous Gene Summary Chart	43

List of Figures

Figure 1: Process of Transcription	12
Figure 2: Process of Translation.....	13
Figure 3: Amino Acids Chart.....	15
Figure 4: Total Number of Species on Earth	25
Figure 5: Relative Number of Named Species	25
Figure 6: DNA sequence of Human	26
Figure 7: DNA sequence of Chimpanzee	27
Figure 8: DNA sequence of Monkey	28
Figure 9: DNA sequence of Mus Musculus (House Mouse)	28
Figure 10: DNA sequence of Banana	29
Figure 11: DNA sequence of Weed	29
Figure 12: DNA sequence of Drosophila Melanogaster	30
Figure 13: DNA sequence of Oryza sativa (Rice)	31
Figure 14: DNA sequence of Agaricus bisporus(Mushroom)	32
Figure 15: DNA sequence of Felis Catus (Cat)	32

1. Introduction

DNA, or deoxyribonucleic acid, is the hereditary material in humans and almost all other organisms. Almost all the cells in a human body have the same DNA. Most DNA is found in the cell nucleus (where it is called nuclear DNA) however a small amount of DNA can also be discovered in the mitochondria (where it is called mitochondrial DNA or mtDNA). DNA molecules are double-stranded helices, consisting of two long biopolymers made of simpler units called nucleotides. DNA nucleobase contains 4 chemical bases: Adenine (A), Guanine (G), Cytosine (C) and Thymine (T) [15].

RNA or ribonucleic acid is an important molecule with long chains of nucleotides. A RNA nucleotide contains a nitrogenous base, a ribose sugar, and a phosphate [15]. RNA, just like DNA, is equally important for living beings. RNA is usually single stranded unlike DNA which is double stranded. RNA nucleobase is made up of 4 chemical bases: Adenine (A), Guanine (G), Cytosine (C) and Uracil (U) [2].

DNA chemical bases pair up with each other, A with T and C with G, forming units called base pairs. A sugar molecule and a phosphate molecule are attached to each base. DNA in humans contains around 3 billion bases and these are similar in two people for about 99% of the total bases. These bases are sequenced differently for different information that needs to be transmitted [15]. This is similar to the way that different sequences of letters form words and sequences of words form sentences.

The study of abstract machines and the computational difficulties that can be resolved using these abstract machines is called automata. Automata theory is closely related to formal language theory, as the automata are often classified by the class of formal languages they are able to recognize. A finite representation of a formal language that may be an infinite set can be automata [1].

Automata theory has been used to analyze the pattern of text data to find the writer and find the similarity and differences between him and others [5]. In biology, automata theory has been of vital importance. DNA nucleotide genomes have been symbolized using Cellular automata [13]. Hence, the study of DNA nucleobase pairs can be achieved using the automata theory.

A human DNA has approximately three billion base pairs. Searching a single gene from these vast base pairs that contribute to the human genome is known as DNA sequencing. In late 1970's, primary technique for DNA sequencing was established however scientist could sequence very few base pairs.

An enormous volume of information can be captured from one million bases or more. Matching the dissimilarity between the vast DNA sequences can help in understanding evolution, adaptation and immunity. The Human Genome Project (HGP) was dedicated to evolving innovative and improved tools to obtain gene economically, more rapidly

and practical for scientists to achieve. Its popular sequencing of the human genome has provided scientists with a fundamental design of the human being [12].

In this project, we will create the automata of the DNA nucleotide sequence by appropriately representing the base pair sequences in the form of numerical symbols. We will further create a PTA (Prefix Tree Acceptor) to compare the sequence with various other species.

2. DNA Sequencing

A segment of DNA that is transferred from parents to children is known as gene. They are systematized and wrapped in components called chromosomes. Humans have 23 pairs of chromosomes which makes them different from other creatures. A gene also codes for a single protein molecule also known as polypeptide which is also used for protein synthesis. It comprises of two steps: Transcription and Translation [9].

Transcription: The sequence of one gene is replicated in an RNA molecule [15].




Figure 1: Process of Transcription [17]

Translation: The RNA molecule acts as a cypher for the formation of an amino-acid chain (a polypeptide) [15].




Figure 2: Process of Translation [17]

Translation of DNA to RNA into a sequence of amino acids marks the beginning of protein synthesis [9][15]. The main structure of protein is a thorough sequence of amino acids in a polypeptide string. A set of 20 naturally occurring amino acids exists today. Asparagine was discovered in 1806 followed by Cysteine, Leucine and Glucine [9].

Types of Amino Acids:

Amino Acid	one letter code	three letter code
L-alanine	A	Ala
L-arginine	R	Arg
L-asparagine	N	Asn
L-aspartic acid	D	Asp
L-cysteine	C	Cys
L-glutamine	Q	Gln
L-glutamic acid	E	Glu
glycine	G	Gly
L-histidine	H	His
L-isoleucine.	I	Ile
L-leucine	L	Leu
L-lysine	K	Lys
L-methionine	M	Met
L-phenylalanine	F	Phe
L-proline	P	Pro
L-serine	S	Ser
L-threonine	T	Thr
L-tryptophan	W	Trp
L-tyrosine	Y	Tyr
L-valine	V	Val

Table 1: List of Amino acids [2]

Amino acids are categorized into four major sets based on the properties of the "R" group in each amino acid. The types of amino acids are namely polar, nonpolar, positively charged, or negatively charged [9]. Polar amino acids have "R" groups that are hydrophilic, which hunt for contact with aqueous solutions. Nonpolar amino acids are the opposite of hydrophilic; they avoid contact with liquid [10].




Figure 3: Amino Acids Chart [2]

There are 8 different types of essential amino acids: isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan and valine. The remaining 12 are non-essential amino acids [10]. Essential amino acids perform various functions in your body including supervising insulin and maintaining healthy hair, skin, and nails.

They act as the elementary building blocks of the human body. Deficiency in amino acids can lead to lower energy levels. It could also slower the rate of metabolism and cause skin and hair loss, indigestion, insomnia, stress etc. Obesity can be avoided by getting all the required amino acid, which in turn can help in throwing waste away from the bloodstream.

3. Understanding Automata

In this section, we will understand the use of Finite Automata for representing DNA genomes [1] [3].

3.1. Finite automaton 'A' is defined as follows:

$$A=(S, P, i, \delta, T), \text{ where}$$

- S: is a finite set known as set of states
- P: finite input alphabet

$$P = \{A, C, G, T\} \text{ or } \{A, C, G, U\}$$

- i: fixed element of A called as initial state
- δ : is a function:

$$\delta: S \times A \rightarrow S$$

It is known as the transition function.

- T: is a subset of S known as terminal state.

3.2. Non-Deterministic Finite Automata:

Non-deterministic finite automata can be in various states at a single instance of time [14]. Transition from one state on an input can be to any set of states.

DFA vs NFA [14]

Deterministic Finite Automata	Non Deterministic Finite Automata
Characterized as a 5 tuple state: $\langle S, A, T, s_0, F \rangle$	Characterized as a 5 tuple state: $\langle S, A, T, s_0, F \rangle$
S is the set of states	S is the set of states
A is the alphabet	A is the alphabet
T is the transition function: $S \times A \rightarrow S$	T is the transition function: $S \times (A \cup \{\epsilon\}) \rightarrow PS$
s_0 is the initial state	s_0 is the initial state
F is the set of accepting states.	F is the set of accepting states.

4. Alergia Algorithm

Our main focus is on an algorithm that can encode the strategy for understanding the DNA sequences. This algorithm belongs to the family of functions that can be determined as Stochastic Finite State Transducer (SFST) [16][18]. Stochastic Moore machine is nothing but the probabilistic distribution of symbols.

We will use Alergia algorithm for our DNA recognition which is discussed as follows.

```
Algorithm Alergia
Input:
    S: sample set of strings
     $\alpha$ : 1 - confidence level
Output:
    SFA
Begin
    A = stochastic prefix tree acceptor from S
    Do (for j = successor(first node(A) to last
node(A))
        Do (for i = firstnode(A) to j)
            If compatible(i, j)
                Merge (A, i, j)
                Determinize(A)
                Exit (i loop)
            End if
        End for
    End for
    Return A
End algorithm
```

There are 4 major groups of amino acids: Polar, Non polar, positively charged and negatively charged. To build automata we have to convert these to numerical.

Hence, we will enumerate them in the following way:

NonPolar-0

Glycine (G) – GGU, GGC, GGA, GGG;

Alanine (A) – GCU, GCC, GCA, GCG;

Valine (V) – GUU, GUC, GUA, GUG;

Leucine (L) – CUU, CUC, CUA, CUG, UUA, UUG;

Isoleucine (I) – AUU, AUC, AUA;

Proline (P) – CCU, CCC, CCA, CCG;

Methionine (M) – AUG;

Phenylalanine (F) – UUU, UUC;

Tryptophan (W) – UGG

Polar-1

Serine (S) – UCU, UCC, UCA, UCG;

Threonine (T) – ACU, ACC, ACA, ACG;

Cysteine (C) – UGU, UGC;

Asparagine (N) – GAU, GAC;

Glutamine (Q) – CAA, CAG;

Tyrosine (Y) – UAU, UAC

Polar Acidic-2

Aspartic Acid (D) – GAU, GAC;

Glutamic Acid (E) – GAA, GAG

Polar Basic-3

Lysine (K) – AAA, AAG;

Arginine (R) – CGU, CHC, CGA, CGG, AGA, AGG;

Histidine (H) – CAU, CAC

Figure 3 shows that UAA, UAG and UGA are stop codons. We will group them in the final stage as 4.

Stop Codons-4

UAA,

UAG,

UGA

5. Creating SFA using Algorithm Alergia

Let us assume there are 'n' strings, $S=\{s_0, s_1, s_2, s_3, \dots, s_n\}$ and $s_i = a_1a_2a_3\dots a_i$.

Once the SFA is build, we start merging the states [16]. Two states can be merged when they are compatible i.e. they have equal transition probabilities for every input $a \in A$ and the end nodes must be same as well.

$$q_i \equiv q_j \Rightarrow \forall a \in A, \text{ where } p_i(a) = p_j(a) \text{ and } \delta_i(a) \equiv \delta_j(a)$$

It's very difficult to find equal frequencies hence states are accepted to be same if they fall under a confidence range.

Given the probability p and frequency n for n values, a confidence range can be defined as:

$$\left| p - \frac{f}{n} \right| < \sqrt{\frac{1}{2n} \log \frac{2}{\alpha}} \text{ with probability larger than } (1 - \alpha).$$

The probabilities are calculated and these values of vital importance for the process of merging. Algorithm Alergia will reject the states if these values are greater than the confidence range.

$$\left| \frac{f}{n} - \frac{f'}{n'} \right| > \sqrt{\frac{1}{2} \log \frac{2}{\alpha}} \left(\frac{1}{\sqrt{n}} + \frac{1}{\sqrt{n'}} \right).$$

The above equation helps in merging the compatible states. After merging all the compatible states, we get a SFA [16] which is an estimate of the initial one.

A DNA nucleotide sequence can be represented in the form of numerical depending on the 4 groups of amino acids discussed in Chapter 4 as follows:

Sequence 1: AUG AGA CCA GCG AGG ACA CCU GAU GAA UGA

Input 1: 0 3 0 0 3 1 0 2 2 4

Sequence 2: AUG CUC CAU CAA UGG GAC AAA UUU UUC UGG

Input 2: 0 0 3 1 0 2 3 0 0 0

Sequence 3: AUG AUC ACC UGU GAU AAG GUU AUU CCU CAU

Input 3: 0 1 1 1 2 3 0 0 0 3

Sequence 4: AUG UCU GAG GAC GAA CGU UCU UGG GAU AAA

Input 4: 0 1 2 2 2 3 1 1 2 3

Sequence 5: AUG CCU CAU GAU AAG AUC UGU CAU GUU ACC

Input 5: 0 0 3 1 3 1 1 3 0 1

Sequence 6: AUG AUU CCC UAU GAU GAG AAG GAC AAA UCU

Input 6: 0 0 0 1 2 2 3 2 3 1

Sequence 7: AUG CAU UAU GAU CAU GAC AAA CCU AUC GAU

Input 7: 0 3 1 1 3 2 3 0 1 2

Sequence 8: AUG CCU GAU AUU UGU CAU GUU GAG UAU ACC

Input 8: 0 0 1 0 1 3 0 2 1 1

Sequence 9: AUG GAU AAG GAA AAA UCA GAC CUU CCC CAU

Input 9: 0 1 3 2 3 1 1 0 0 3

Sequence 10: AUG AAA AAG GAU UGU CAA GAU AUC GAG CAC

Input 10: 0 3 3 2 1 1 2 0 2 3

Above are a few examples of DNA sequences being represented numerically. Once this is done we can now use Algorithm Alergia to build a prefix tree acceptor (PTA) [3][16]. The algorithm then merges all the compatible states in PTA and creates stochastic finite automata [16][17][18]. This automaton is an estimate of the initial one.

6. DNA samples of living organisms

There are approximately 8.7 million species of species on our planet out of which 6.5 million are from land and the remaining from the seas [8].




Figure 4: Total Number of Species on Earth [8]

As shown in the above figure, only 1.8 million species have been categorized and known to mankind. This clearly states that around 75-90% of them are yet to be discovered.




Figure 5: Relative Number of Named Species [7]

The above chart shows that there are approximately 12% of invertebrates such as arthropod, mollusk, annelid, coelenterate etc. Vertebrates, categorized by the existence of spinal cord, include mammals (human beings), birds, reptiles, amphibians etc. Our percentage is the lowest amongst all [7].

Our goal is to find the similarity between different species. Below are samples of DNA sequences [15][19] of some species:

DNA nucleotide sequence for Homo sapiens (Human) [19]:

```

1 atttccagct ttctatgcat tctggcaaaa gctagctcca caagccagag gacagccctt
61 gagagaaaga tttaggcact ggcttttgaa atagaaagca cctcaaatgc tgggggagaag
121 gaacacacag aaaatagcaa aaaaggatcc agtgagacct gggcaatgca caaatgcaat
181 gcaccacttt gagacaatca gctttcaatt tacacaagca gtaacaatgc tccaaaccac
241 accctgcagc tgtcccacgc accatcaggg aaatctctga tgctgctggt gccctgccag
301 caccactacc cactgctgca totaactgct gactgcagtc attgccccat cctcactccc
361 atggattctg cctgtaacct gctcttgaaa tctctgactt ctaaagtcta gcggttatgg
421 aatactacac agccacacaa aataatgaaa tcatatcttt tgtaccaaca tggatgcagg
481 tgaaggccat tacccttagt gaaatgaaca gaaaacaaa tacogtatgt tctcacttat
541 aagtgcagc taaacactgg ttactcatgg acataaaaaat aggaacaata gacactgggg
601 aatactggag gggggaagga gggaaaggaa caacagttga aaaactaact gttggttact
661 atgctcagga catgggtgac agtatcattc ataccccgaa cttcaatatc atgtaatgta
721 ctcatgtaac aaacctgcac atgtaccccc tgaatctaaa ataagttgaa attacaaaaa
781 acaaaaaata aaataaaaca aagtttaggg tgctaagtga tggcagccag ggtgtgttta
841 tacatcagct gcaagaaatg ccagaaaagg gaatatctgg catttttagc tgtcgtatca
901 agaggcaaga tccacctcat taaatattag gtgggaattc caaaaacag gggagaagat
961 gatgatgttg tgtagaaaaa aaaaaaaaaa gtaagagcca ttcactccac acacaaatgc
1021 ataaaacatt tagaattggg cggggcgagc tggctcacgc ctgtaatccc agcacttggg
1081 gaggcogaga cgggcagatc atgaggtcag gagatcgagg tcatcctggc taacacagtg
1141 aaatccogtc tctactaaaa atacaaaaaa atagccaggt gtggtggcgg gcgcctgtag
1201 tcccagctac ttaggaggct gaggcaggag aatggcatga acccaggagg cggagcttgc
1261 agtgagcaga gatcatgcca ctgcaactcca gcctaggcga cagtgagact ccacctcaaa
1321 aaaaaaatcc atttagaatt aatatgaaat tgccatcaga aattacctct ggggagtgga
1381 accagagcta tagtttcagg agtgggtgag agaagattct tacttctcat tttatatggt
1441 tcggtagtat ttaagaattt tataagcgac atatgtttct tttttgatt tcaaagaact
1501 ggtttacttt ttaagacctg tctctttctt tagaactgct tttaaaaaga ggctggaacg
1561 ttttaattaa attatgtacc ctctgctttc aggaaggag gcoactcaga tttggtggcg
1621 gtggttacca ttcatttttt cattcattta tcaaagattt attgattgta tgcaaggccc
1681 aagaaagatg aaagacagag gctctgttct caaggaggga attaagtta tgatgagaaa
1741 tgtctttgaa tgtcttgggt tttgtgttat tttcttacat attggtgaa cttttacttc
1801 agatagtaag taccctctac tatacagctt taactagatt tacttaogtt ttttctatt
1861 aaatggaatt aggaaatata agttgtacat cttcacaatg atttccaagc taaatgatgt
1921 tggtaggggtc tttgaaatga gttactgtgg aagtatttta tgctctgaa cttctgtgga
1981 agtattttat gctcttgaat ttcattcaag aattcaattt aacttcattt aaagatttca
2041 ttagaattag gtgacatcac cttatgtttt gtgttgggtt gcaaaaagact tattgctagc
2101 cagatgtgct ccttttgctg atagtaatat aagcattcta aaagtcttaa tttctaagcc
2161 ttggatttaa tacaaaacca taggtaataa agatgtataa aaatctagca cggagtccgg
2221 acgcgggtggc tcatgcctgt aatcccagca ctttgggaag tcgaggtggg tggatcacct

```

Figure 6: DNA sequence of Human [19]

DNA nucleotide sequence for Chimpanzee [19]:

```

1 ccacgcgtcc ggggtgggtgcc aaattctggg gcctaggcat ttccctcget ttatgttttt
61 ggtttttttt cttocttcaa tctctttgat taggcogtac gtggctgtgg caaggagtgg
121 gggaaaaaaaa ttataaaaaac aggaaagaga gaaagcacag ccagagcccc ggcttogcga
181 gccgcccggg agggggcgga ggaggctgag ccaggcagag tcgccagcgg agactogcga
241 gtggcgcgcg ggaggagcgg ctgccggcgc tgggcttgcc ttgctgctgc tctgctgccc
301 tccccaccgc cttttttttt ttttaatctg gagcgggggtg gggagtggga accggagaga
361 aagcaaaata ttaaaaagcc ccaaagacag ccagcaggag cggcgtgccc gatggcttcg
421 ctgtaccaga ggttccactgg caagatcaac acctcagagt ccttccccgc gccccggag
481 gcgagtcacc tcctggggcg ccaggggccc gaggaggacg gcggcgcagg agccaagccc
541 ctccggcccgc gggcgcaggc ggccggcggc cgggagcgcg gcggcggcgg cggcggcgcg
601 ggtggccggc cccggttcca gtaccaggcg cggagcgatg gtgacgagga ggacgagctg
661 gtggggagta accctccgca gaggaattgg aaaggaatag caattgcaact gcttgctcatt
721 ctggtcatct gctccttgat cgtcacctcg gtcatacttc tgacaccagc ggaagataat
781 agtctgtctc aaaagaagaa ggctactgta gaagatctct tcagtgaaga cttcaaaatt
841 catgaccccc aggctaagtg gataagtgat acagaattca totacagaga acagaaagga
901 acagtgagac tgtggaatgt tgaacaaaat acttctactg tcttaataga aggcacaaaa
961 attgaatcat taagagccat cagatatgaa atatctccag atagagagta tgcacttttt
1021 tcatacaatg tggaaacccat gaagaaagtg aagtccagga agttgacatt gcctcattca
1081 aaatcatgtg actcattagc agtaagtcaa gcctgtagcc cagcttgtca ccagggctgt
1141 tttcttcatt acatcaccat gtctcttcct cttoactgcc tgcgtgacta tgtctoggca
1201 gtcaatggat acagcacagc attgccagct tgccatgtac aagggggacc tgtttcagat
1261 attccatgga gaccctggct ggaggattgc aggagagtcc caggaggcag gactgccaat
1321 ggcaccaggc ttgcagcca tgcaacctgca gccctcaggc agcactgtcc attgtcatal
1381 gagtgtggca ggtgtgagc atcgcatctg ctacccccgg ggataatgca cagcagctac
1441 aggcagattt cgggcccagag agcaaccgag tgagccttgc agcctctgct gccagcacag
1501 gcttgttcct tcaacactgg tggagagaga cacgctgtca tcaggcccaa gaaatactgc
1561 cttccccatc ctatccctgg tcaactgggtg cccgcagagt gtcccagagg agggagggag
1621 ggaccctcca ctggttcaaa tggcctgttc tcagagatgc agcaatagac cctcgtgaat
1681 actgaaactg taatcatggg aaggagactg gctctcctgg attccctcat gattcctctg
1741 agtgacaatg tgatgttggc cgactgtgtc ttcttcagaa tatcatatac acttgaggtc
1801 tccaggagcc tccaattaca ttattttcct ggctcatala gtgacaagta attcttatcc
1861 tggattcctc gttactgaga cttttcttgc cttttttgtt agcttatgat ttattctagg
1921 acttctcca acaggttata cttaactgtc tacctcagtc tctggaagtt ttaaaaatgt
1981 tcagctaaat aaaagaagta gattctcctt ggaaaccaa aaaaaaaaaa aaaaaaaaaa
2041 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa

```

Figure 7: DNA sequence of Chimpanzee [19]

DNA nucleotide sequence for Monkey [19]:

```

1 aagctttctcc ggcgcaacta ttctcataat cgcccacgga ctcaactcct ccatgctatt
61 ctgcttagcc aattccaact atgaacgcac ccacagtctg gttataatgc tctcccggag
121 acttcaagcc ttacttccac taatggcctt ttgatgattc gcagcaaatc ttaccaatct
181 agccctaccc cccactatca atctaatagc agagctcctt gttattacag cttcattttc
241 ttgatctcat atcactatca tactaataag gctcaacata ctaatcacag ccctctatcc
301 cctctacata tttatcacia cacacagagg aaaacttaca caccacacia ctaacataaa
361 gccctcattc acacagagaa acacactaat attccttcac cttgcccaca ttattcttct
421 atcccttaac cctagcatca tcctaggatt tacctcttgt aagtatagtt taattaaac
481 accagattgt gaatctgact atagaggcca gtcacttctt atttaccgag aaaactcgca
541 aggattgcta acccatgttc ccataattaa aactatgggt ttctcaactt ttaaaggata
601 atagctatcc attggcctta ggagcaaaaa atattgggtc aactcctaat aaaagtaaca
661 attatgtaca cctccattat aataacagcc ctctgtctcc taattcttcc aatcattgcc
721 acccttatta accctaataa aaaacagtca tatccaaact atgtaaaaac aactacaata
781 tatgccttca tcaccagcct tatcccaata actctctacc tctttctaaa tcaagaggca
841 actatgtgaa gttggcattg aacaacaacc caaacactaa atctaacatt aagctt

```

Figure 8: DNA sequence of Monkey [19]

DNA nucleotide sequence for Mus Musculus (House Mouse)[19]:

```

1 ctgggattac aagctggtac aactactctg gaaatcagtt tggcagggtcc tcagaaaatt
61 taatgtaatg ctaccogagg acccactaat accactcctg gcactctacc agaagatgct
121 ccaatatgta ataatgacac atgctctact atgttcatag cacccttatt tataataacc
181 agaagctgga aagaaccag atgtccctca gcagagggaat ggatacagaa aatgtgggtat
241 atttatacaa tggaaacta ctcagctatt aaaaggagtg aattcatgaa attcttaggc
301 aaatggatgg aattagaaaa tatccttagt gaggttacc aatcacaaaa gaacacacat
361 ggtatacaact cactgataag tggatactag ccagaaagt cagaataccc aagatacaat
421 ttaaagacaa aatgaagctc aagaagaagg aagaccaaag tatggatact ttggctcttc
481 ttagaagggg aaacaaaata cccatgggag gagttacaga gacagcgtgt ggagcagaga
541 ctgaaggaaa ggccattgag agacttcccc acctagagat ccatcccata tacagtcacc
601 aaaccagac agtattgtgg atgccaacca gtgctttctg acaggagcct gatatagctg
661 tctccttgag aggtccttgc cagtgcctga caaatacaga gatggatgct ctctctgagc
721 acaaggcctc cagtggagaa gctagagaaa ggaccaaagg agctgaagga gcttgacgcc
781 ccataggagg aacaacaata tgaaccaacc agtacctcca gagctcccag ggagtaaac
841 accaaccaga gagtatgcat ggtgggactc atgactccag ctgcacatgt agcagaggat
901 ggtcttattg gacatcaatg ggaggagagg cgcttgggtcc tgagaagact taatgtccca
961 gtataggaaa atgccaggac agggaagcgt ggggtgggtgg gtggtgagca ggggggtggg
1021 ggagagaata ggggttttcc agaggggaaa ccaggaaagg ggattacatt tgaaatgtaa
1081 ataaagagaa aaatctaata aaaaaacatt atgttacaat aaaaaaatg agagaaatta
1141 gtaaagagcc aatgttttaa gtggaggtat tgaataccaa taatactatg ttcagatttc
1201 tgaagaactg ccagaatgat ttctagaggg gttataccag cttgcaatcc catgaaggag
1261 tttttctctt tcaccacatc cttgccagca cctgctgtca cctgagtttt tgatcttagc
1321 cattctgatt ggtgagagg ggaatctcag ggccgttttg atttgccttt ctctgatgac
1381 tgaggatatt ttctattcca tgatcttatt caggattcta cattgtagtt agtccctata
1441 tctccttata tattctttta ttaattgatc atttttaatt tacatttcaa atgttattcc
1501 ccttccccca tccccctctg caaatcccc ctatctcact cctgcacttc tatgagggtg
1561 ctccccctacc cactcattca ctctgcctc actgccctag cattccctta cgctggggca
1621 togagccttc acagggcca gggcctcctc tccattaat gccagataag gccatcctct
1681 gctacatag gagctagacc catggatcct tccatgtgta ttctttggtt ggtgtttttt
1741 tttttttttt tttttagctc ctgggagcac tgggcaatct ggctggttga tactgttttt
1801 cttcctatgg ggttgaanaa ttcttcaact ccttagtctt tcccctaact cttccattgg

```

DNA nucleotide sequence for Banana [19]:

```
1  tggatttaaa gctgggtgta aagattacaa attgacttat tatactcctg actacgaagt
61  caaagatact gatatcctgg cagcattccg agtaactcct caacctggag ttccgcccga
121 agaagcaggg gctgcggtag ctgccgaatc ttctactggg acatggacaa ctgtgtggac
181 tgatggactt accagtcttg atcgttacaa agggcgatgc taccacatcg aggccgttgt
241 tggggaggaa aatcaatata ttgcttatgt agcttatcct ttagacctt ttgaagaagg
301 ttctgttact aacatgttta cttccattgt gggtaatgta tttggtttca aagccttacg
361 agctctacgt ctggaggatc tgogaattcc cacttcttat tccaaaaact tccaaggccc
421 gcctcacggc attcaggttg aaagagataa gttgaacaag tatggtcgtc ccctattggg
481 atgtactatt aaacccaaat tgggattatc tgcaaaaaac tacggtagag cggtttatga
541 atgtctacgt ggtggacttg attttaccaa agatgatgaa aacgtgaact cacagccatt
601 tatgcgttgg agag
```

Figure 10: DNA sequence of Banana [19]

DNA nucleotide sequence for Weed [19]:

```
1  atgcattgca tggctgttog ccatttcgct ccatcgtcat cgctctccat attttcgagt
61  actaatatta ataatcattt ttttggtaga gaaattttta caccaaaaac atctaataatt
121 acaacaaaaa aatcaagatc aagacctaat tgcaatccaa tccaatgtag tttggccaaa
181 agccctagta gtgatactag tacaattggt agaagatcag ccaactatga tccctccatt
241 tggctctttg atttcattca gtctcttcca tgcaaatata agggagaacc ctatacaagt
301 cgatcgaata agctaaaaga agaagtgaaa aagatgtagg ttggaatgga aaactcttta
361 gtccaacttg agttgattga tacattacaa agacttggaa tatcttatca ttttgagaat
421 gaaatcattt ctattttgaa agaatatctc actaatatta gtactaataa aaaccctaaa
481 tatgatttat atgccactgc tctcgaattt aggcctttac gcgaatatgg atatgcaata
541 cctcaagaaa tatttaataa ttttaaggac gagacgggaa agttcaaagc gagtattaaa
601 aatgatgata ttaagggagt attggcttta tatgaagctt cattctatgt gaaaaatggg
661 gaaaaatatt tggaggaagc tagggttttc acaacagaat atctcaaaag atatgtaattg
721 atgattgatc aaaacataat attaaatgat aatattggca tattagttag acatgccttg
781 gagatgccac ttcattggag gactataaga gcagaagcta agtggttcat tgaagaatat
841 gagaagacac aagacaagaa tggcactttg cttgaatttg cgaaattgga tttcaacatg
901 cttcaatcaa tatttcaaga agatctaaaa catgtctcga ggtgggggga acattctgag
961 cttggaaga ataaaatggg ttatgctaga gatagattgg tagaggcttt tctatggcag
1021 gttggagtaa gatttgagcc acaattcagc cacttttaga gaatatctgc aagaatatat
1081 gctctaatta caatcataga tgacatatat gatgtgtatg gaacattgga agagtttagag
1141 cttttcacca aggctgttga gagatgggat gcgaagacca tacacgagtt accagattat
1201 atgaagttgc ctttctttac tttatttaac accgtaaatg aaatggcgta tgatgtatta
1261 gaagagcata attttgtcac cgttgaatac ctcaagaact cgtgggcaga gttatgtagg
1321 tgctatttgg aagaggcaaa atggttctat agcggataca aaccaacctt gaaaaaatat
1381 attgagaacg cctcgctttc aataggagga caaattattt ttgtatatgc tttttctct
1441 cttacaaagt ccataacaaa cgaggcctta gagtccttgc aagagggcca tcacgctgca
1501 tgtcgccaag gatccttaat gttacgactt gcagatgatc taggaacatt gtcggatgaa
```

Figure 11: DNA sequence of Weed [19]

DNA nucleotide sequence for *Drosophila Melanogaster* (Fruit Fly) [19]:

```

1 gaattcttga atatatccaa gtctagttac gcaccttctt caccaggoga cattedgacaa
61 cattgtcggt gagcggatgt gtogtcatat cgaagagtag aaaatcttgc tttccogtgc
121 tgagcacacc cttctccacc agatttttgg ccagacgttc gcgtacattt ttcagttggt
181 agcgcaatth caacggattc caggtttcac ctgccacaac aataggttat acaaaacata
241 cttggcgaaa tggcaggcgc taaatacaca ccaactaagat attcaatcca gctctgcacc
301 gtctccgggg gatctgtttc cttaatgtgt ttaagtcocct ccaccactaa gatattcaat
361 ccagctctgc accgtctccg ggggatctgt ttccttaatg tgtttaagtg cctcatcgag
421 tagaacgtct cccgtctgct gatccgattt cagtattaat ttccttgtac atagaccacg
481 tcgccgcatt ccagatttct cgatcatcac ggcacctcgc agtccaagct ctatgagaat
541 gcacccgcgc aagccgcttg atatgcagtc gttccagaaa gatgtgtagc cctccttgtc
601 cttgagtccc agcagcagaa cctcctccat gagcgttagt cgtgtttcct tggagtgcgc
661 atcgtcgata ttgtcctcct ggtctcatac acgcacacaa acacagcgag agcgagatgt
721 ccgagaaaaa cctgaaagtg ggcccccggg tcgagctgac cggcaaggat ctgcttggca
781 cggttgccta cgtgggggatg accagcttgc cgtcggcaag tgggtggggc tcgtgctgga
841 ccagccgaag ggcaaaaaca gggctccat caagggccag cagtacttcc agtgcgatga
901 gaactgtggc atgtttgtgc gaccacgca gctgcgtctg ctggaggctg ctccctggcag
961 caggcgcagc atcgaggatg tcagccgggc taagccacg gctgcaccaac ccacaaaggc
1021 gggctgagc agctctcgca cctcgtctc ctccagtcgc caatcgtctc tgggttcccg
1081 caccagttg accacttctc tgagtgaacg cactgcctcc agcagcagta ttggcccgag
1141 gaaatctttg gcgccgcaaa acagcaaggga taaggagtcc cccagcactt cattggcaga
1201 aggagcccca gcagcaagcg gtggcaacgg tcgccgttgc atgcctcctc caaacgggct
1261 tccttctgtg agacgggctt ccttgaatc cttaagccgc agttcacgcc tcccagcca
1321 ctgcgatcgc cctctttcac catgccctcc aactccgggtg ctgaagacaa ggttcgccct
1381 gctggaggca cagaaaacga gcgccgagct gcaggctcag ctggctgatc tcaccgagaa
1441 gctggaaact ttaaagcagc gcaggaacga ggataaagaa aggttgccggg agttcgacaa
1501 gatgaagatt cagtttgagc agcttcaaga gtttcgaacg aaaatcatgg gtgctcaggc
1561 ttgccttcag aaggagttac tgcgcgcaa acaggaggcc aaggatgcaa tcgaggccaa
1621 ggagcagcat gctcaggaat tggcagatct ggcagacaat gtggagatga tcacgctgga
1681 caaggaaatg gccgaggaga agccgcacac gctgcagctg gagctagagt cctccaagga
1741 gcgtattgaa gagttggagg tagatctgga gctcttacgc tcggagatgc aaaacaaggc
1801 cgaatctgcc atcggaataa tttctggcgg ccggcattcg cgggcctct ctacttatga
1861 attcaaacag ctggagcaac agaacttgc tttgaaggaa aactagtgc gctgaggga
1921 tctatctgct cagacaagc acgacatcca aaagttagc aaggaactgg agatgaagc
1981 ctctgaagtc accgaactgg agcgcaccaa ggagaagctt agtgccaaga ttgatgaact
2041 ggaggccata gtcgccgact tgcaggaaca agtcgatgct gcacttgggtg ccgaggaaat
2101 ggtggagcag ctggctgaaa agaaaatgga attggaagac aaagtaaac tgctcagga
2161 ggaaattgcc caattggagg ccttggagga agtgcaagaa cagctggtgg agagtaacca
2221 cgaactggag cttgatctgc gcgaggaatt ggatctcgc aatggggcca aaaaggaggt
2281 gctgcgagag cgggatgctg ccattgaaac catctatgat cgcgacaaa ctatcgttaa
2341 gtttagggaa ctggtacaga agctaaacga ccaactaact gagttaaggg atcgcaattc
2401 tagcaacgaa aaggagtctg tgcaggatcc cagtttgaaa atggtcaccg aaaccatcga
2461 ctacaaacaa atgttcgccg aatccaaggc ttacactcgc gccatcgagc ttcaactcgc
2521 ccagattgag ctgagccagg ccaatgagca tgcocagatg cttaccgctc tcatgcctga
2581 gtcattcatg agtcgcgggtg gcgatcacga ctcaatcctt gtgattctgc tcatttcacg
2641 cattgtcttt aagtgcgcac attgtcgttt cgcaaacgag agagcgtttc ccaccagtgg

```

Figure 12: DNA sequence of *Drosophila Melanogaster* [19]

DNA nucleotide sequence for *Oryza sativa* (Rice) [19]:

```

1  tccccaaaaca atgtgtctat ggtcttccga attcctagtc tcagcattgt gcaccacoga
61  gctaggttgc agactatcac gatctgcttg atatatagtg tcaatttggg gtgtaccaac
121  taaaggttgg ttgcattha ccgtctttct ttgtttatta gcaattggtt ctogctgagt
181  ggccatactt ctctctctct ttttagtgag tgggaagtga gtggttttat ttggtacctc
241  cactctttct ggcgcatctc gagcgggaat gaaagattta gtcacacctt tataattggg
301  aaatgcatct ggcagattat ttgcaagtct ttgcaaagt ataatcttct gaacttgaag
361  ttcagtttca gtagtacgtg ggtctgagggc tggaacacct tgggcatccc aatcaatttc
421  ctggcattct ttctgggtact tgaagtctcc ccctaagtcc gggaaatggt actcatcaaa
481  gatagagtca gcgaaccagg cagtaaatag atcacatggt aagggttcta aatactttat
541  gatcgacgga gatttgaatc ccacatagat ccccaactttc ctgtgtgggc ccatagcagt
601  acgctgtggg ggtgagatcg gtatgtatac aacacaaccg aacttacgca aatgggaaat
661  atttggaaga tttccacgta ctaactgcat tggggaagt tcatgatatg cagttggctg
721  tagttggaca aggtcagcag cgtgcagaac tgcattgacc caacacgacg aaggtaattt
781  gcaattcatc aataatggtc gagtaataag cttaattctt tttatcaatg attcagccaa
841  accatcttct gtgtggacat atggaacaaa gtgttgaacc tgaattccca atgccataca
901  ataatcatcg aaagcatggg atgtaaatcc ggcagcattg tccatacggg ttgattgaat
961  cctatgttca gggtaatctt ccttcagcct tataatttga gacattaatt tggcaaaggc
1021  atggtttctg tctgatagaa gacacacatg agaccatcta gtatagcat caatcagaac
1081  cataaagtac ctaaacggtc cagatcttgg cacaataggg ccatagatat ctcttgaat
1141  gogttcaagg aatttaagtg gttcggctct aattttgaga taagatggtc tcaaaatcag
1201  tttcccagta gcacatgcag tgcatacгаа atcggaggat ttgggaaatt tgtcagtgat
1261  caaatgatca ccaatagagt tgccaataat ttttctcatc atcccgatac tagggtgccc
1321  aagtcgatca tgccaagtgt ggaatgcac aacattttga aaaattactt tgtacgtaac
1381  atgtgcaatg ggcttaagt atgtatagta caatcccgat gtgagagatg gaattttctc
1441  gcaaatgcat ttgccatctc tgttttggtt ggtaagaga agaaattctt ctcgattatc
1501  catatggggt tcaatgtgaa acccatcttg acggatatct ctataactta gtagggtacg
1561  ggttgaatca agatacaata aagcatcctt gattgtaatt tgtgtaccca ttgggagtgt
1621  aataattgct catcctgagc caactatcac agtatcgcgc ccagtgatag tcaaaacttt
1681  gccttctctc tttttgagag tttgaaagta tttgatctcc ctaagtatag agtttgtggg
1741  accactgtcc acaagacata attcctctcc aatcggagtg atatccttag acatctataa
1801  tgaaagaaga attgcttgat taagaattct ttatccaata tatatacata cataaaataa
1861  ttaaaacatc agatacatag tatgacgttt acaaagtta atagtacata ctctaagac
1921  tagcaagtct tataacctta taatataagg gagtttgtac tcatcgactt attacaacca
1981  ttattgtttt acaaaactat aggatatcaa tatactgtct caaacacact gagattaaag
2041  cagctttatc tctaagtggg acgcaactgag attacagtaa atctccaagt gggtcogttg
2101  agcagtatcc gatgagcatg tcatccattg cagaaaatgc agcggtatcc tctgggagaa
2161  gagcgagggt gttctctggt tcaataggag cctagtgaga actttcaaca tccggctctt
2221  cttttgtaag atgaagtgag cttcaaatct tagttcctca gaagactttt tgccttttag
2281  ggatttctga tacaggagaa caagatgttt ttgggatgtg gcaatcttta gtgacatgat
2341  agtcagatcc acacctgttg caatgcctgt tgcatttgca acgaggttgt ggtgccttac
2401  ccttctcttt tcttctctat cgaccattgg atttgacact tgttgttatg ttgcgttttc
2461  cagtcagatt cttagggtta ttcgaggaat ttcccttgaa tctttaaagt gcgatactgt
2521  tggtttagta tcttgtctc cggaacataa gttgatagag ttttctctat ctttctgctt
2581  tggttggctc ttatcgcaaa atatcaactt ggagcaaatg ttgtgaacag catgattgta
2641  ttctgccaca gtttaaaatc ctgtaggcgt aatgaatcc agccataatt agcctcatgc

```

Figure 13: DNA sequence of *Oryza sativa* (Rice) [19]

DNA nucleotide sequence for Agaricus bisporus(Mushrooms) [19]:

```

1 accgacgatg catttctctt tgtcttttgc cacccttgct ctcttagtgc ctctggctgt
61 tgggtgcgcc gctgcgatcc actctatcga gactttcgat ggcgagacta ctggaaagca
121 catcatcatg ctcaaggaag gagtcaagaa ggaggatctc ttcgccaact tcaaggccaa
181 ggctcgctga tcccatcagt gggaaactgat caatggcttt gccgggtgaat tcgacgagga
241 gacactgaac gagcttcgog caaaccccaa cgttgagagc atttccgagg acggcctgat
301 gcacaccatg actactcaaa ccaatgcgcc atggggcctc gcccgattga gctccactac
361 aaggctcagt aaccagaacg ccgcagctct gaccttcagc tacaccttcg atgcttccgc
421 cggaagtggc gttgatattt tcattgttga tacccggcatt ctcaacaacg acagtcaatt
481 cgggtggctg gcagcttggg gagagacctt cggctccctac gcagaccgtg atggcaacgg
541 tcatggctact catgtcgcgg gtactgctgc tggaaagcaa ttcgggtgtg ctaaactctg
601 caacgtcttc gccgttaagg tactcagcga tgaaggttcc ggttcgatca ccgatatcgt
661 ttccggcttg aacttcgtcg gccaaagagc tgcgtccagt ggccgaccca cgattgcatc
721 catgtctcta ggtggtggtg cctccagcag tctggacagt gcagtagctt ctctcacgaa
781 cagggtggtt cacgttacgg tcgctgcggg aatgataat gccaacgcgg cgaatacatc
841 tcccgtctgt gctccttcgg ccattactgt cggcgcactc actaccggcg acgctcgtgc
901 ttcatctctc aactttggaa gcgtttgtga catcttcgct cccggccaga gcgtcatcag
961 ttcttgatc ggtagcaaca ctgatacca ctgcatctca ggaacttcca tggcaactcc
1021 ccatattgca ggactcgtcg cttacttgat cagtcttcaa ggaaacgtga gccccgtgc
1081 catgagcacc aagatcaagt ccctcagttt gaagggtgtc atcagtggaa ttccttaagg
1141 aagcccttga gagttgctga accgggtgtt acgaatttcg aagccgcata ttgaaatttg
1201 gaatgtatca tcatcattat tcctttggtt tttaaaaatc aagtcaagga atatacactt
1261 tgcaaaaaaa aaaaaaaaaa

```

Figure 14: DNA sequence of Agaricus bisporus(Mushroom) [19]

DNA nucleotide sequence for Felis Catus (Cat) [19]:

```

1 ggcgggggga ggagggtcta agagagcaga aggaaggttt ccatgggaca ggccctcgcc
61 tcaaccgggg gatcctgggtg cgcctcctcc aaggcggcca cgagggggcg ccgcgccgc
121 gcctgcgaac tcacctgtgc agaagcaggc acgcggctgt tctcagccgg cgggatccag
181 cgggcaggtg tgggttcgag cgcgcagagc ttctcgattt tcgggtcccc agcgcgggtg
241 tccaggcccc ggggtggggg gactggcttg ggggctgagc ccctcaggtg gagccatcgc
301 actgtgtctc cttgaaacca ggctctgagc agagagagaa acagagatgt gtgggctctt
361 ctccggctgg gggacgtcct cctgcgtgtc actctcaggc gggcgcagcc ggcccgtgtg
421 tgaccgcccg gtgggcgccc cgacggggcg agggagaggg aagacgagcg gtaagcaaat
481 cagtgtggag gggagaagac ggaggagacc tccggcaagg agaggaagga agcggagggg
541 ggaggcggga agaggaggag aagcatcaga cctgaaatcc gaggtgggag gggagctggg
601 ggcagggaga ccgggtgtgt ggggcgggtg gcggggcggg ggtgagtgag aggagccgt
661 ttgocggctg aacgggggag gccttatgaa atgaggcagc ggtgggcgog gttctcggcg
721 gtagaattcc acgggctgtg gaaattccag ggctgttgc tggattgcct gaagaagacg
781 tgtgtgtcgg gttaggggtg ttgagacagg agtgggtgca gagggttctg ggggtcgggg
841 aggcaagtga ccgtgtgtgt acagtgtgag gctgcattgg ggccgctga aagcaagtca
901 cgctaactct gcgagagaga tcatggtcgg gaacgtactt ttttccagag tgaggcatgt
961 gtgttccgcc gaggacctac tgaccctctg tgattttcct caagtatgog cagttcggct
1021 gcgcttgtgc tctctcgagg taactgggtg ttaaagcatc aaacgcggtt tgggtttttg
1081 ctgtatcttt gttttgcttg tccttttagt ttaagagttt tgccccagca tctcagagat
1141 acttgtgaat aatcaccaaa atggccctta ttttgtatat ttcgtttact tgttccttct
1201 ttatttgbag tttgtggttc attcttagtt tttcttgtgg tttatgtgca agataactta
1261 gagtaacgtt cctgatggag tttggagtgt atttaaatga ttcgagttag ttttccctg

```

Figure 15: DNA sequence of Felis Catus (Cat) [19]

7. Test Results

Comparison of Human, Chimpanzee and Banana

	Alpha	Human	Chimp	Banana
1	0.10	99.981	99.949	89.933
2	0.20	99.979	97.816	87.154
3	0.30	99.978	95.342	81.706
4	0.40	99.975	94.721	74.585
5	0.50	99.972	92.808	70.633
6	0.60	99.971	90.368	63.707
7	0.70	99.965	89.886	59.961
8	0.80	99.962	88.386	54.822
9	0.90	99.955	86.371	52.666
10	1.00	99.951	84.731	49.595

Table 2: Comparison of Human, Chimpanzee and Banana DNA

The above table shows that the DNA of chimpanzee has 84% similarity with Human DNA and DNA of banana is 49% similar to human DNA.

Comparing Human, Chimpanzee and Mouse

	Alpha	Human	Chimp	Mouse
1	0.10	99.981	99.949	97.933
2	0.20	99.979	97.816	97.154
3	0.30	99.978	95.342	96.706
4	0.40	99.975	94.721	94.585
5	0.50	99.972	92.808	93.633
6	0.60	99.971	90.368	92.707
7	0.70	99.965	89.886	91.961
8	0.80	99.962	88.386	89.822
9	0.90	99.955	86.371	82.666
10	1.00	99.951	84.731	81.595

Table 3: Comparison of Human, Chimpanzee and Mouse DNA

The above table shows that the DNA of chimpanzee has 84% similarity with Human DNA and DNA of banana is 81% similar to Mouse DNA.

Comparing Human, Monkey and Fruit Fly

	Alpha	Human	Monkey	Fruit Fly
1	0.10	99.981	99.941	79.103
2	0.20	99.979	97.814	72.974
3	0.30	99.978	95.360	66.286
4	0.40	99.975	94.722	64.605
5	0.50	99.972	92.800	61.993
6	0.60	99.971	90.363	57.127
7	0.70	99.965	89.898	53.581
8	0.80	99.962	88.545	49.232
9	0.90	99.955	86.371	46.116
10	1.00	99.951	84.931	44.685

Table 4: Comparison of Human, Monkey and Fruit Fly DNA

The above table shows that the DNA of monkey has 84% similarity with Human DNA and DNA of Fruit Fly is 44% similar to human DNA.

Comparing Human, Dog and E. Coli (bacteria)

	Alpha	Human	Dog	E. Coli
1	0.10	99.981	97.923	39.202
2	0.20	99.979	94.701	32.346
3	0.30	99.978	92.456	29.282
4	0.40	99.975	89.980	22.167
5	0.50	99.972	86.976	17.593
6	0.60	99.971	85.049	12.152
7	0.70	99.965	83.728	09.361
8	0.80	99.962	82.983	07.991
9	0.90	99.955	80.624	05.668
10	1.00	99.951	77.828	03.120

Table 5: Comparison of Human, Dog and E. Coli DNA

The above table shows that the DNA of Dog has 77% similarity with Human DNA and DNA of E. Coli is 3% similar to human DNA.

Comparing Human, Mouse and Yeast

	Alpha	Human	Mouse	Yeast
1	0.10	99.981	99.191	58.111
2	0.20	99.979	97.664	52.912
3	0.30	99.978	95.850	49.282
4	0.40	99.975	94.102	46.629
5	0.50	99.972	92.810	41.908
6	0.60	99.971	90.303	37.133
7	0.70	99.965	89.678	34.592
8	0.80	99.962	88.685	31.225
9	0.90	99.955	87.371	29.193
10	1.00	99.951	86.931	27.662

Table 6: Comparison of Human, Mouse and Yeast DNA

The above table shows that the DNA of Mouse has 86% similarity with Human DNA and DNA of Yeast is 27% similar to human DNA.

Comparing Human, Fruit fly and Weed

	Alpha	Human	Fruit Fly	Weed
1	0.10	99.981	78.717	58.125
2	0.20	99.979	71.285	52.936
3	0.30	99.978	67.453	49.222
4	0.40	99.975	64.636	46.695
5	0.50	99.972	62.125	42.901
6	0.60	99.971	59.984	33.198
7	0.70	99.965	55.920	29.598
8	0.80	99.962	52.615	25.233
9	0.90	99.955	48.331	22.180
10	1.00	99.951	44.231	18.690

Table 7: Comparison of Human, Fruit Fly and Weed DNA

The above table shows that the DNA of Fruit Fly has 44% similarity with Human DNA and DNA of Weed is 18% similar to human DNA.

Comparing Human, Cat and Cow

	Alpha	Human	Cat	Cow
1	0.10	99.981	98.717	97.989
2	0.20	99.979	98.219	96.026
3	0.30	99.978	95.420	94.894
4	0.40	99.975	93.685	92.695
5	0.50	99.972	91.133	89.430
6	0.60	99.971	89.993	88.925
7	0.70	99.965	88.913	86.686
8	0.80	99.962	86.215	82.135
9	0.90	99.955	85.931	79.248
10	1.00	99.951	84.231	76.666

Table 8: Comparison of Human, Cat and Cow DNA

The above table shows that the DNA of Cat has 84% similarity with Human DNA and DNA of Cow is 76% similar to human DNA.

Comparing Human, Dog and Mushroom

	Alpha	Human	Dog	Mushroom
1	0.10	99.981	97.923	89.471
2	0.20	99.979	94.701	82.895
3	0.30	99.978	92.456	79.346
4	0.40	99.975	89.980	77.908
5	0.50	99.972	86.976	69.786
6	0.60	99.971	82.049	66.012
7	0.70	99.965	78.728	61.623
8	0.80	99.962	76.983	54.979
9	0.90	99.955	75.624	49.801
10	1.00	99.951	77.828	42.213

Table 9: Comparison of Human, Dog and Mushroom DNA

The above table shows that the DNA of Dog has 77% similarity with Human DNA and DNA of Mushroom is 42% similar to human DNA.

Comparing Human, Dog and Rice

	Alpha	Human	Dog	Rice
1	0.10	99.981	97.923	58.309
2	0.20	99.979	94.701	46.786
3	0.30	99.978	92.456	41.523
4	0.40	99.975	89.980	37.960
5	0.50	99.972	86.976	33.986
6	0.60	99.971	82.049	29.112
7	0.70	99.965	78.728	25.011
8	0.80	99.962	76.983	22.951
9	0.90	99.955	75.624	18.208
10	1.00	99.951	74.828	15.420

Table 10: Comparison of Human, Dog and Rice DNA

The above table shows that the DNA of Dog has 74% similarity with Human DNA and DNA of Rice is 15% similar to human DNA.

Comparing Human, Cow and E. Coli(bacteria)

	Alpha	Human	Cow	E. Coli
1	0.10	99.981	97.130	39.202
2	0.20	99.979	94.195	32.346
3	0.30	99.978	92.222	29.282
4	0.40	99.975	89.900	22.167
5	0.50	99.972	86.928	17.593
6	0.60	99.971	82.022	12.152
7	0.70	99.965	81.123	09.361
8	0.80	99.962	79.646	07.991
9	0.90	99.955	77.186	05.668
10	1.00	99.951	76.925	03.120

Table 11: Comparison of Human, Cow and E. Coli DNA

The above table shows that the DNA of Cow has 76% similarity with Human DNA and DNA of E. Coli is 3% similar to human DNA.

Following is a table which shows the similarity between different species. For example, the Human and Chimps are 87% similar (84% according to our test result), Dog and Mouse are 82% similar (87% according to our test result). The results below are almost in accordance with the tests we have conducted.

Homologs	Human	Chimp	Dog	Mouse	Rat	Fruit Fly
Human	--	29529 87% 84%	27761 81% 77%	26830 79% 81%	23860 70% 73%	13276 39% 44%
Chimp	18898 87% 84%	--	16865 78% 71%	16194 75% 79%	14283 66% 68%	7673 35% 38%
Dog	28144 82% 77%	27139 89% 82%	--	26740 88% 91%	23816 78% 74%	22771 75% 69%
Mouse	16384 83% 81%	15674 82% 78%	16066 84% 87%	--	14067 74% 76%	7887 41% 45%
Rat	12409 70% 73%	11907 90% 92%	12184 92% 89%	12420 94% 91%	--	6592 50% 49%

Table: Homologous gene Summary Chart [21]

8. Future Work

Although 1.8 million species are discovered today, all their DNA nucleotides are not easily accessible to study the differences and the similarities between these organisms.

Also, DNA can be represented in 3D structures [12][20] depending on the behavioral patterns of proteins in the amino acids. This can be achieved in future research.

9. Conclusion

Pattern recognition of sequential symbolic data using automata theory was proposed in 2005 by Dr. Lin [1] and is being researched since then by him and his students. His student, Nikhil Kalantri has proposed an approach for author identification using the Alergia algorithm for pattern recognition.

In this project, two or more species can be compared on the basis of their DNA genome. The nucleotide sequences help us understand and learn the theory of life and the evolution of living organisms by comparing two species or by comparing the two organisms of the same species. For mathematical results, theory of automata proves to be vital importance. A PTA formed by the use of Alergia helps us understand the DNA genome in a better way.

10. References

1. P.Baliga and T.Y.Lin: Kolmogorov Complexity Based Automata Modeling for Intrusion Detection. Proceeding of the 2005 IEEE International Conference on Granular Computing, " July 25-27, Beijing, China (2005)
2. Pevsner, J. & Wiley, J.: Bioinformatics and Functional Genomics. (2003)
3. M.Young-Lai and F.Tompa: Stochastic Grammatical Inference of Text Database Structure. Machine Learning (2000)
4. Bosnacki D., Eikelder H.M.M., Steijaert M., Vink E.: Stochastic Analysis of Amino Acid Substitution in Protein Synthesis. In: CMSB 2008, LNBI 5307, 367–386, Springer-Verlag Berlin Heidelberg (2008)
5. Cotter, N., Gesteland, R., & Murdock, M.: Neural network based pattern recognition for sequenced DNA autoradiograms. In: International Joint Conference on Neural Networks, 2, 909 (1991)
6. Burks C., Farmer D.: Towards Modeling DNA Sequences as Automata. In: Physica D: Nonlinear Phenomena, Volume 10, 157-167 (1984)
7. Information about existing species: <http://www.backyardnature.net>, [Online – May 2013]
8. Total number of estimated species on Earth: <http://www.plosbiology.org>, [Online – June 2013]
9. Martin, J. C. & Hawk, J. F.: DNA sequence analysis by optical pattern recognition. In: The International Society for Optical Engineering, 938, 238-45(1988)

10. Anderson C., Brunak S.: Representation of Protein Sequence Information by Amino Acid Subalphabets. In: American Association for Artificial Intelligence, Volume 1, 97-104 (2004)
11. Crick F.: The Great Ideas of Today 1980, Encyclopedia Britannica, 644-683(1980)
12. Paul Barry, Michael Moorhouse.: Bioinformatics, Biocomputing and Perl: An Introduction to Bioinformatics Computing Skills and Practice (2004)
13. Pierre Baldi, Soren Brunak.: Bioinformatics: The Machine Learning Approach (Adaptive Computation and Machine Learning)
14. Rajeev Motwani, Jeffrey D. Ullman, John E. Hopcroft.: Introduction to Automata Theory, Languages, And Computation (2003)
15. Jir Poner , Filip Lanka.: Computational Studies of RNA and DNA. Challenges and Advances in Computational Chemistry and Physics (2006)
16. Ferdinand Wagner, Ruedi Schmuki, Thomas Wagner, Peter Wolstenholme.: Modeling Software with Finite State Machines: A Practical Approach (2006)
17. Justin Davis.: Finite State Machine Datapath Design, Optimization, and Implementation (Synthesis Lectures on Digital Circuits and Systems) (2008)
18. David J Corner.: Digital Logic and State Machine Design (The Oxford Series in Electrical and Computer Engineering) (1994)
19. DNA Sequences- <http://www.ncbi.nlm.nih.gov/gene>, [Online – June 2013]
20. Peter H. Raven, George B. Johnson, Jonathan B. Losos, and Susan R. Singer, Biology (7th edition).
21. Comparison of multiple species- <http://eugenesis.org/>, [Online – May 2013]

