

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

ScienceDirect

Solar Energy 114 (2015) 51–60

[www.elsevier.com/locate/solener](http://www.elsevier.com/locate/solener)

# Nitriding VI-group metals (Cr, Mo and W) in stream of NH<sub>3</sub> gas under concentrated solar irradiation in a solar furnace at PSA (Plataforma Solar de Almería)

Fernando Almeida Costa Oliveira<sup>a</sup>, Luís Guerra Rosa<sup>b</sup>, Jorge Cruz Fernandes<sup>b</sup>, José Rodríguez<sup>c</sup>, Inmaculada Cañadas<sup>c</sup>, Teresa Magalhães<sup>a</sup>, Nobumitsu Shohoji<sup>a,\*</sup>

<sup>a</sup> LNEG – Laboratório Nacional de Energia e Geologia, LEN – Laboratório de Energia, Estrada do Paço do Lumiar 22, 1649-038 Lisboa, Portugal

<sup>b</sup> Universidade de Lisboa, Instituto Superior Técnico, Department of Mech. Engineering, Av. Rovisco Pais, 1049-001 Lisboa, Portugal

<sup>c</sup> PSA – Plataforma Solar de Almería, CIEMAT – Centro de Investigaciones Energéticas, Medioambientales y Tecnológicas, Apartado 22, E-04200 Tabernas, Almería, Spain

Received 10 October 2014; received in revised form 23 January 2015; accepted 23 January 2015

Available online 11 February 2015

Communicated by: Associate Editor Michael EPSTEIN

## Abstract

Carbides and nitrides of *d*-group transition metals are classified as refractory hard material and their industrial importance has been recognized for long. In recent years, unique functionalities including catalytic function and superconductivity are discovered for this group of materials to raise serious attention of materials researchers and engineers to refractory carbides and nitrides as novel functional materials.

Synthesis of refractory carbides and nitrides demands high temperature reaction route to consume considerable amount of electricity or gas in conventional industrial process. In view of saving cost of such conventional energy, feasibility of using concentrated solar beam as heat source for synthesizing carbide and nitride has been investigated by the authors since 1997. After verifying usefulness of concentrated solar beam as heat source for carbide forming reactions, similar attempts of employing concentrated solar beam as heat source for nitride synthesis were initiated recently. After brief experimental verification of nitride synthesis for IVa group metal, Ti, and Vg group metals, V, Nb and Ta, in N<sub>2</sub> gas environment under irradiation with concentrated solar beam to 2000 °C, the authors decided to undertake nitride synthesis of VIa group metals, Cr, Mo and W, as well as of Fe in stream of ammonia (NH<sub>3</sub>) gas as a nitriding medium under irradiation of concentrated solar beam at temperatures not exceeding 1000 °C.

NH<sub>3</sub> gas with suppressed extent of dissociation by flowing is defined empirically as uncracked NH<sub>3</sub> and it is proved to possess very high nitriding power to make synthesis of mono-nitride MoN of Mo coexisting with sub-nitride Mo and higher nitride Fe<sub>2</sub>N of Fe possible under normal pressure condition that are not possible when chemically stable N<sub>2</sub> gas is used as a nitriding agent.

VIa-group metals including Cr, Mo and W are known to be highly resistant against nitriding. In the present report, results of nitriding in flowing NH<sub>3</sub> gas at a fixed flow rate 10 l/h (≈167 ml/min) under heating with concentrated solar beam for VIa-group metals, Cr, Mo and W, are summarized to demonstrate favorable effect of solar beam heating towards further enhancement of nitriding power of flowing NH<sub>3</sub> gas compared with the situation in conventional electric furnace in which visible light components except infra-red (IR) heat wave component are absent in the reaction system.

© 2015 Elsevier Ltd. All rights reserved.

**Keywords:** Concentrated solar beam; NH<sub>3</sub> gas flow; Nitride; VIa-group metals (Cr, Mo, W)

\* Corresponding author.

E-mail address: [nobumitsu.shohoji@lneg.pt](mailto:nobumitsu.shohoji@lneg.pt) (N. Shohoji).