

**Environmental Measurement-While-Drilling-  
Gamma Ray Spectrometer (EMWD-GRS)  
System Technology Demonstration Plan  
for Use at the Savannah River Site F-Area Retention Basin**

Cecelia V. Williams  
Environmental Restoration Technologies

Grant J. Lockwood  
Materials Radiation Science

Randy A. Normann  
Geothermal Research

Sandia National Laboratories  
Albuquerque, New Mexico 87185-5800

Ralph D. Gruebel  
Tech Reps, Inc.  
Albuquerque, New Mexico 87110

**ABSTRACT**

The Environmental Measurement-While-Drilling-Gamma Ray Spectrometer (EMWD-GRS) system represents an innovative blend of new and existing technology that provides the capability of producing real-time environmental and drillbit data during drilling operations. This demonstration plan presents information on the EMWD-GRS technology, demonstration design, Cs-137 contamination at the Savannah River Site F-Area Retention Basin, responsibilities of demonstration participants, and the policies and procedures for the demonstration to be conducted at the Savannah River Site F-Area Retention Basin.

The EMWD-GRS technology demonstration will consist of continuously monitoring for gamma-radiation contamination while drilling two horizontal boreholes below the backfilled retention basin. These boreholes will pass near previously sampled vertical borehole locations where concentrations of contaminant levels are known. Contaminant levels continuously recorded by the EMWD-GRS system during drilling will be compared to contaminant levels previously determined through quantitative laboratory analysis of soil samples.

## **Acknowledgment**

**This Environmental Measurement-While-Drilling-Gamma Ray Spectrometer (EMWD-GRS) system technology demonstration was funded by the Office of Science and Technology (OST) under U.S. Department of Energy (U.S. DOE) contract number DE-AC04-94AL85000.**

**The authors wish to acknowledge the contributions made by the following individuals in support of this demonstration:**

**Scott McMullen (DOE/Savannah River Site) for his confidence in the EMWD project and his vision in facilitating its demonstration at the Savannah River Site. This demonstration would not have taken place without his direct personal involvement.**

**Pete Zionkowski (Westinghouse Savannah River Company) for his administrative, logistics, and technical support.**

**Ahmet Suer (Westinghouse Savannah River Company) for his dedication to planning the demonstration, his technical support, and his tenacity in seeing that the demonstration occurred.**

**Kevin Kuelske, William Pardee, James Jordon, and Edward Leibfarth (Westinghouse Savannah River Company) for their technical review of this demonstration plan.**

### **DISCLAIMER**

**Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.**



# Contents

ACKNOWLEDGMENT	ii
CONTENTS	iii
EXECUTIVE SUMMARY	vii
ABBREVIATIONS AND ACRONYMS	ix
1.0 INTRODUCTION	1
1.1 Technology Demonstration Purpose and Objectives	1
1.2 Predemonstration Arrangements	1
1.3 Demonstration Site	1
1.4 Demonstration Schedule	2
1.5 Demonstration Participants	2
2.0 DEMONSTRATION RESPONSIBILITIES AND COMMUNICATION	3
2.1 Demonstration Participants	3
2.2 Responsibilities	5
2.3 Communication	6
2.4 Personnel Locations	6
3.0 PREDEMONSTRATION ACTIVITIES	7
3.1 Site Selection	7
3.2 Predemonstration Site Characterization	7
4.0 TECHNOLOGY DESCRIPTION	9
4.1 Technology Capabilities	9
4.2 The EMWD-GRS System	9
4.2.1 Basic System Operation	9
4.2.2 System Adaptability	9
4.2.3 Drilling Platform	12
4.2.4 Down-hole Components	12
4.2.5 Up-hole Components	12
4.2.6 Cable Deployment System	13
4.2.7 Data Collection System	13
5.0 DEMONSTRATION SITE DESCRIPTION	15
5.1 Site Name and Location	15
5.2 Site History	15
5.3 Site Characteristics	15
5.3.1 General Savannah River Site Geology	15
5.3.2 F-Area Retention Basin Site Soils	19
5.3.3 Site Hydrogeology	19
5.3.4 Site Contaminants and Distribution	19
6.0 DRILLING AND DATA COLLECTION PLAN	27
6.1 Overview of Drilling and Evaluation Operations	27
6.2 Communications, Documentation, Logistics, and Equipment	27
6.3 Data Collection Procedures	28
6.3.1 Drilling Locations	28
6.3.2 EMWD-GRS Data Collection	28
6.3.3 Decontamination and Disposal of Generated Waste	28
6.3.4 Schedule	30
7.0 QUALITY ASSURANCE PROJECT PLAN	31
7.1 Purpose and Scope	31

7.2	Quality Assurance Responsibilities	31
7.3	Data Quality Parameters	31
7.3.1	Representativeness	31
7.3.2	Completeness	32
7.3.3	Comparability	32
7.3.4	Accuracy	32
7.3.5	Precision	33
7.3.6	Probability of False-Positive	33
7.4	Calibration Procedures, Quality Control Checks, and Corrective Action	34
7.4.1	Calibration Procedures	34
7.4.2	Soil Sample Analysis	34
7.5	Data Reduction, Validation, and Reporting	34
7.5.1	Data Reduction	35
7.5.2	Data Validation	35
7.5.3	Data Reporting	35
7.6	Data Quality Indicators	35
7.7	Performance and System Audits	35
7.7.1	Performance Audit	36
7.7.2	On-Site System Audits	36
7.8	Quality Assurance Reports to Project Manager	36
7.8.1	Status Reports	36
7.8.2	Audit Reports	36
7.9	Corrective Action	36
8.0	DATA MANAGEMENT AND ANALYSIS	37
8.1	EMWD-GRS Reading and Location Identification	37
8.2	Data Analysis and Comparison with Previous Site Characterization Data	37
9.0	HEALTH AND SAFETY PLAN	39
9.1	Site Specific Health and Safety Plan (HASP)	39
9.2	Health and Safety Plan Enforcement	39
10.0	DELIVERABLES	41
11.0	REFERENCES	43

### Appendices

APPENDIX A	Background Soil Analytical results F-Area Retention Basin -----	A-1
APPENDIX B	Quantitative Laboratory Analysis of Soil Samples collected from Sampling Locations FRB-05, 06, 07, 08, and 19 at the SRS F-Area Retention Basin ----	B-1
APPENDIX C	Environmental Measurement-While-Drilling-Gamma Ray Spectrometer Data Collection Procedures -----	C-1
APPENDIX D	Environmental Measurement-While-Drilling-Gamma Ray Spectrometer Spectral Gamma Calibration Procedures-----	D-1
APPENDIX E	Site Specific Health and Safety Plan for the EMWD-GRS System Demonstration at the SRS F Area Retention Basis- -----	E-1

## FIGURES

Figure 1.	Demonstration organizational structure. -----	3
Figure 2.	Soil sampling sites in and around the F-Area Retention Basin. -----	8
Figure 3.	Gamma Ray Spectrometer Environmental Measurement-While-Drilling System component placement on typical directional boring rig. -----	10
Figure 4.	The Environmental Measurement-While-Drilling process using a coaxial spool. ---	11
Figure 5.	Location of Savannah River Site F-Area Retention Basin. -----	16
Figure 6.	Topographic map of F-Area Retention Basin and surrounding area. -----	17
Figure 7.	General stratigraphic units underlying the Savannah River Site. -----	18
Figure 8.	Hydrostratigraphic units underlying the Savannah River Site. -----	20
Figure 9.	Location of groundwater monitoring wells in the vicinity of the F-Area Retention Basin. -----	21
Figure 10.	Potentiometric surface of the water table (Aquifer Unit IIB) at the F-Area Retention Basin. -----	22
Figure 11.	Concentration (pCi/g) of Cs-137 relative to depth on sampling locations FRB-05, 06, 07, 08, and 19 within the SRS F-Area Retention Basin. -----	24
Figure 12.	Concentration (pCi/g) of Sr-90 relative to depth at sampling locations FRB-05, 06, 07, 08, and 19 within the SRS F-Area Retention Basin. -----	25
Figure 13.	Locations for drilling continuously monitored daylight-to-daylight boreholes at the Savannah River Site F-Area Retention Basin. -----	29

## TABLES

Table 1.	Demonstration participant information -----	4
Table 2.	Chemicals of Concern at the SRS F-Area Retention Basin. -----	23

**This Page Intentionally Left Blank**



# EXECUTIVE SUMMARY

## Introduction

The Environmental Measurement-While-Drilling-Gamma Ray Spectrometer (EMWD-GRS) system represents an innovative blend of new and existing technology that produces the capability of providing real-time environmental and drill bit data during drilling operations. These real-time measurements provide technical data for field screening (i.e., "steering" the drill bit in or out of contaminated zones). There are also time, cost, and safety advantages to using the EMWD-GRS system's field screening approach: (1) data on the nature of contamination are available in minutes, as opposed to weeks or months for offsite confirmatory analysis; (2) substantial cost savings result by minimizing the number of samples required for off-site confirmatory analyses; and (3) worker safety is enhanced through the minimization of waste generated during drilling and by quickly alerting field personnel to potentially hazardous conditions; and (4) the amount of investigation derived waste (IDW) is reduced.

## Technology Description

The EMWD-GRS system is compatible with a directional drilling technique that uses minimal drilling fluids and generates little or no secondary waste. The down hole sensor is located behind the drill bit and is linked by a high-speed data transmission system to a computer at the surface. Windows™-based software, developed by Sandia National Laboratories, is used for data display and storage. During drilling operations, data on the nature and extent of contamination are collected. Instant access to the data provides information for on-site decisions regarding drilling and sampling strategies.

Down-hole components of the EMWD-GRS system being demonstrated consist of a gamma ray spectrometer, a multichannel analyzer, a 900V power supply, a signal conditioning and transmitter board, and a coil containing coaxial cable for transmitting data to the surface. To protect them from the drilling environment, down-hole components are contained within O-ring-sealed aluminum tubes. The up-hole system consists of a personal computer, a battery pack/coil, a pickup coil, and a receiver. During drilling, the GRS system monitors (1) gamma radiation, (2) the +12V and -12V required at the down-hole signal conditioning and transmitter board, (3) the up-hole battery voltage as measured down-hole, and (4) two temperatures associated with the detector and instrumentation. The system design incorporates data quality assurance techniques to ensure data reliability.

The EMWD system can provide real-time data on an 8 differential/single analog multiplexer and on any number of digital channels. Sampling speed from the analog channels can reach 100 kHz. For the EMWD-GRS system, three digital channels are used. Readings are taken at a rate of 20 per second. The telemetry system is programmable firmware that can easily support many different data formats and additional data channels. The currently used format (Digital FM Bi-phase, 4800 baud) provides excellent noise rejection. A Sandia National Laboratories (SNL)-designed receiver removes FM carrier noise, generates data clock, and buffers data to be used by an IBM or compatible personal computer. A 28V rechargeable battery pack can supply down-hole instrumentation power for more than 18 hours of drilling. The battery pack remains topside for easy maintenance.

## **Demonstration Location**

The EMWD-GRS system will be demonstrated at the Savannah River Site (SRS) F-Area Retention Basin near Aiken, South Carolina. The basin measures 200 ft (61 m) in length, 120 ft (36.5 m) in width and 6.9 ft (2 m) in depth, with a total volume capacity of approximately 6,128 cubic yards (4,685 m<sup>3</sup>). This basin was constructed as an unlined, temporary container for potentially contaminated cooling water associated with the chemical separations process and storm sewer drainage from the F-Area Tank Farm. Contamination of this basin came from contaminated cooling water as well as various spills or overflows at the basin (WSRC, 1995). The basin was in active use from 1955 until 1972. In 1972, it was replaced by a lined retention basin located to the west of the site. In 1978, the F-Area Retention Basin was excavated, backfilled with soil, and covered with grass. The site was evaluated through soil sampling in early 1979. The major radionuclides present included strontium (Sr)-89/90 and cesium (Cs)-137. Sampling results indicated maximum Cs-137 concentrations of 1,410 pCi/g in the berm and 430 pCi/g in the basin floor. Maximum Sr-89/90 concentrations in the basin berm were 1,000 pCi/g (WSRC, 1994).

## **EMWD-GRS System Demonstration**

Phase I of the demonstration at the F-Area Retention Basin will determine Cs-137 background conditions for the site. Background conditions will be determined by drilling one horizontal borehole, approximately 50 ft (15 m) in length at a depth between 10 and 15 ft (3 and 4.5 m), at an adjacent radiologically "clean" test site. After background conditions are determined, the system will be demonstrated in the previously characterized F-Area Retention Basin.

Phase II of the EMWD-GRS system demonstration at the F-Area Retention Basin will consist of monitoring environmental conditions in real-time while drilling two boreholes daylight-to-daylight. These holes will pass near sample locations FRB-05, 06, 07, 08, and 19 where values of contaminant levels are known. Contaminant levels continuously recorded by the EMWD-GRS system during drilling will be compared to contaminant levels previously determined through quantitative laboratory analysis of soil samples collected at locations FRB-05, 06, 07, 08, and 19.

## ABBREVIATIONS AND ACRONYMS

AC	alternating current
bps	bits per second
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
COC	contaminants of concern
Co	cobalt
Cs	cesium
DC	direct current
DOE	U.S. Department of Energy
EMWD	Environmental Measurement -While-Drilling
EPA	U.S. Environmental Protection Agency
FM	frequency modulated
FRB	F-Area Retention Basin
ft	feet
GRS	Gamma Ray Spectrometer
HASP	health and safety plan
HSO	health and safety officer
IBM	International Business Machines
IC	integrated circuit
IDW	investigation derived waste
K	potassium
k	kilo
kHz	kilohertz
kPa	kilopascals
m	meter(s)
ma	milliampere(s)
mm	millimeter(s)
msl	mean sea level
NRZ	non-return to zero
OD	outside diameter
OST	Office of Science and Technology

PC	personal computer
pCi/g	picocuries per gram
psi	pounds per square inch
QA	quality assurance
QA/QC	quality assurance/quality control
QC	quality control
QAPP	quality assurance project plan
RCO	radiological control operations
RF	radio frequency
RI	remedial investigation
SNL	Sandia National Laboratories
SR	Savannah River
Sr	strontium
SRS	Savannah River Site
V	volt(s)
WSRC	Westinghouse Savannah River Company

## 1.0 INTRODUCTION

The Environmental Measurement-While-Drilling- Gamma Ray Spectrometer (EMWD-GRS) system represents an innovative blend of new and existing technology to produce the capability of providing real-time environmental and drill bit data during drilling operations. These real-time measurements provide technical data for field screening (i.e., ability to "steer" the drill bit in or out of contaminated zones). There are also time, cost, and safety advantages to using the field screening approach of the EMWD-GRS system: (1) data on the nature of contamination is available in minutes, as opposed to weeks or months for offsite confirmatory analysis; (2) substantial cost savings result by minimizing the number of samples required for off-site confirmatory analyses; and (3) worker safety is enhanced through the minimization of waste generated during drilling and by quickly alerting field personnel to potentially hazardous conditions; and (4) reduction in investigation derived waste (IDW).

### 1.1 Technology Demonstration Purpose and Objectives

During development, the EMWD-GRS system was tested at the U.S. Department of Energy (DOE) radiation test facility in Grants, New Mexico, and at the directional boring test site owned by Charles Machine Works in Perry, Oklahoma. Demonstration at the Savannah River Site (SRS) F-Area Retention Basin will provide EMWD-GRS system performance data under field conditions at a previously characterized "hot" site. The system's real time measurements of radionuclide contaminant presence will be compared to radionuclide contaminant levels previously determined through soil sampling and laboratory analysis.

### 1.2 Predemonstration Arrangements

During October of 1995, a representative of Westinghouse Savannah River Company (WSRC) contacted Sandia National Laboratories (SNL), the EMWD-GRS system technology developer, about demonstrating the system at the SRS. During November 1995, representatives of SNL and Westinghouse Savannah River Company met and developed a draft agreement to demonstrate the system at the SRS near Aiken, South Carolina.

### 1.3 Demonstration Site

The site selected for the demonstration is the previously characterized F-Area Retention Basin located outside and south of the F-Area perimeter fence and east of building 281-8F of the SRS. The basin is approximately 200 ft (61 m) long, 120 ft (36.5 m) wide, and 6.9 feet (2 m) deep and has a total volume capacity of approximately 6,128 cubic yards (4,685 m<sup>3</sup>). This basin was constructed as an unlined, temporary container for potentially contaminated cooling water from the chemical separations process and storm sewer drainage from the F-Area Tank Farm. When contamination was detected in cooling water, the water was diverted to the retention basin or F-Area seepage basins. Additional contamination of this basin came from various spills or overflows at the basin (WSRC, 1995). The basin was in active use from 1955 until 1972, when it was replaced by a lined retention basin located to the west of the site. In 1978, the F-Area Retention Basin was excavated, backfilled with soil, and covered with grass. At that time, a process sewer line which extended from the basin to a diversion box located approximately 500 feet (152 m) north of the basin was abandoned. The site was evaluated through soil sampling in

early 1979. The major radionuclides present included Strontium (Sr)-89/90 and Cesium (Cs)-137. Sampling results indicated maximum Cs-137 concentrations of 1,410 pCi/g in the berm and 430 pCi/g in the basin floor. Maximum Sr-89/90 concentrations in the basin berm were 1,000 pCi/g (WSRC, 1995).

#### **1.4 Demonstration Schedule**

The agreement formally authorizing the demonstration was submitted to the Department of Energy-Savannah River (DOE-SR) on March 8, 1996. The demonstration is scheduled for April 22-26, 1996.

#### **1.5 Demonstration Participants**

Demonstration participants include DOE-SR, DOE-Albuquerque, Westinghouse Savannah River Company, and Sandia National Laboratories.

The demonstration is being conducted by SNL at the DOE-SR facility near Aiken, South Carolina. Site access and associated logistics will be performed by Westinghouse Savannah River Company. Health-and-safety officer oversight will be performed by SNL personnel.

## 2.0 DEMONSTRATION RESPONSIBILITIES AND COMMUNICATION

This section identifies the organizations involved in this demonstration and describes the primary responsibilities of each organization. The section also details the methods and frequency of communication to be used to coordinate the demonstration.

### 2.1 Demonstration Participants

This demonstration is being conducted at the DOE-SR facility near Aiken, South Carolina. Site access and associated logistics will be performed by Westinghouse Savannah River Company. Health-and-safety-officer oversight will be performed by SNL personnel. The organizational structure for the demonstration showing lines of communication is provided in Figure 1.




Figure 1. Demonstration organizational structure.

SNL and Westinghouse Savannah River Company personnel participating in this demonstration are listed in Table 1. The specific responsibilities of SNL and Westinghouse Savannah River Company are discussed in Section 2.2.

**Table 1. Demonstration Participant Information**

Name	Affiliation	Responsibility	Mailing Address	Telephone Number	Fax Number	E-mail Address
Cecelia V. Williams	SNL	Project Leader/ QA Manager/ Site Safety Officer	P.O. Box 5800 Albuquerque, NM 87185-0719	(505) 844-5722	(505) 844-0543	cvwilli@sandia.gov
Grant J. Lockwood	SNL	Field Team Leader	P.O. Box 5800 Albuquerque, NM 87185-0719	(505) 845-7007	(505) 845-7244	glockw@sandia.gov
Randy A. Norman	SNL	Technology Operator	P.O. Box 5800 Albuquerque, NM 87185-0719	(505) 845-9675	(505) 844-3952	ranorma@sandia.gov
John Hall	Geneva Corp-Ditch-Witch™ of Georgia	Drilling Contractor	4891 Clark Howell Hwy College Park, GA 30349	(404) 761-0619	(404) 761-4095	None
Personnel	SNL	Decontamination Support for Equipment	N/A	N/A	N/A	N/A
Pete Zionkowski	WSRC	Technical Demonstrations Manager	Westinghouse Savannah River Company Savannah River Site Aiken, SC 29808	(803) 952-6487	(803) 952-6538	peter.zionkowski@srs.gov at hubsmtp
Ahmet Suer	WSRC	Technical Contact	Westinghouse Savannah River Company Savannah River Site Aiken, SC 29808	(803) 952-8306	(803) 952-6538	ahmet.suer@srs.gov at hubsmtp
Kevin Kuelcke	WSRC	Facility Project Manager	Westinghouse Savannah River Company Savannah River Site Aiken, SC 29808	(803) 952-6516	(803) 952-6538	kevin.kuelcke@srs.gov at hubsmtp
Personnel	WSRC	Radiological Control Operations (RCO) Coverage and Support	N/A	N/A	N/A	N/A
Personnel	WSRC	Decontamination Support for Equipment	N/A	N/A	N/A	N/A



## **2.2 Responsibilities**

Sandia National Laboratories personnel have the following responsibilities for the demonstration:

- designing and preparing the demonstration plan;
- developing a quality assurance project plan (QAPP) (Section 7 of the demonstration plan);
- detailing procedures for using the technology;
- providing demonstration technology;
- providing drilling subcontractor for performance of the demonstration (decontamination of driller's equipment is the responsibility of the drilling contractor);
- operating and monitoring the EMWD-GRS system during the demonstration;
- documenting the experimental methodology and operation of the EMWD-GRS system during the demonstration;
- reducing and interpreting data, as required;
- providing site health & safety officer; and
- preparing a final report detailing demonstration results.

Westinghouse Savannah River Company personnel have the following responsibilities for the demonstration:

- providing site access;
- providing radiological control operations (RCO) coverage and support;
- providing a health and safety plan (HASP) (Section 9 of the demonstration plan) for the demonstration activities;
- providing health and safety information;
- providing site characterization information;
- providing site characterization confirmatory analysis data;
- providing other logistical information and support needed to coordinate access to the site for the field portion of the demonstration; and
- Providing decontamination support for equipment and disposal of investigation derived waste (IDW).

### **2.3 Communication**

Both SNL and Westinghouse Savannah River Company have primary points of contact. These points of contact are:

SNL

Cecelia V. Williams

Phone: (505) 844-5722;

Fax: (505) 844-0543

Westinghouse Savannah River Company

Pete Zionkowski

Phone: (803) 952-6487 or (803) 952-6538

Ahmet Suer - Technical Contact

Phone: (803) 952-8306;

Fax: (803) 952-6538

### **2.4 Personnel Locations**

Personnel actively participating on-site in the field portion of the EMWD-GRS technology demonstration are from SNL, Westinghouse Savannah River Company, and Geneva Corporation-Ditch-Witch™ of Georgia.

All SNL personnel are located in Albuquerque, New Mexico. All Westinghouse Savannah River Company personnel are located in Aiken, South Carolina. The drilling contractor, Geneva Corporation-Ditch-Witch™ of Georgia, is located in College Park, Georgia.

## 3.0 PREDEMONSTRATION ACTIVITIES

### 3.1 Site Selection

The site was selected based on site availability, access, and previous site characterization that documented the presence of radionuclide-contaminated soils.

### 3.2 Predemonstration Site Characterization

The F-Area Retention Basin site was initially characterized in 1979 by surveying 53 soil cores in the field for the presence of radionuclide species. Ten of the cores were chosen for further evaluation in the laboratory because of high levels of radioactivity (Scott et al., 1987 and WSRC, 1994a). Subsequent investigations include (WSRC 1994a):

- Phase I investigation (1993-1994)—collection and analysis of soil samples to determine potential contaminants of concern (COC) and their approximate concentrations in the soils and backfill;
- Phase IA investigation (July 1994)—collection and analysis of background soil and groundwater samples from the groundwater aquifer in the vicinity of the basin and implementation of a video and radiological survey of the internal surfaces of the associated abandoned process line;
- Phase II Remedial Investigation (RI) (in progress)—to define the extent and magnitude of radiological substance release to environmental media surrounding the F-Area Retention Basin and associated process line (WSRC, 1994a). This investigation has documented the radionuclide contamination within the basin through soil sampling and laboratory analysis (Figure 2) (WSRC, 1995).

The two daylight-to-daylight boreholes to be drilled and monitored for radionuclides in real-time will pass near sampled locations FRB-05, 06, 07, and 08. The borehole that passes near FRB-05 and 06 will also pass near FRB-19.





Figure 2. Soil sampling sites in and around the F-Area Retention Basin (WSRC, 1995).

## **4.0 TECHNOLOGY DESCRIPTION**

Sampling during environmental drilling is essential for complete characterization of the spatial distribution and migration of near surface contaminants. However, analysis of these samples is not only expensive, but also can take weeks or months when sent to an off-site laboratory. In contrast, the environmental measurement-while-drilling (EMWD) screening capability saves money and time by quickly distinguishing between contaminated and uncontaminated areas. Real-time measurements provided by a EMWD -Gamma Ray Spectrometer (GRS) system would enable on-the-spot decisions about sampling strategies and would enhance worker safety. The system also provides the added flexibility of being able to "steer" the drill bit into or out of hazardous zones.

### **4.1 Technology Capabilities**

The EMWD-GRS system is compatible with a directional drilling technique that uses minimal drilling fluids and generates little or no secondary waste. The down-hole sensors are located behind the drill bit and are linked by a high-speed data transmission system to a computer at the surface. Sandia-developed, Windows™-based software is used for data display and storage. As drilling is conducted, data are collected on the nature and extent of contamination. Data are instantly accessible for on-the-spot decisions about drilling and sampling strategies. The system also has the capability of being able to "steer" the drill bit into or out of hazardous zones.

### **4.2 The EMWD-GRS System**

#### **4.2.1 Basic System Operation**

The system is comprised of four parts: a computer, magnetic pickup coil and receiver, battery pack and magnetic coil, and a down-hole electronics package. The electronics package, complete with a gamma ray spectrometer, multichannel analyzer, and coaxial coil, is located inside the drill rod next to the drill bit. The coil provides both direct current (DC) power and alternating current (AC) signal paths between the surface and the down-hole electronics package. Figure 3 shows the instrumentation mounting locations on a typical drill rig.

Figure 4 shows drilling steps. As the drill string is lengthened by adding drill rod, the coaxial cable is unspooled. The unspooled cable is attached to the battery pack and coil. The latter are mounted on the rotating drill pipe which extends behind the hydraulic head. The coil couples the AC signal between the rotating drill pipe and the stationary coil and receiver, which are mounted on the drilling platform. The receiver converts the AC signal into a serial bit stream. A computer equipped with a telemetry serial card receives the data and displays down-hole measurements in real time.

#### **4.2.2 System Adaptability**

The electronics package, located near the drill bit, is easily adaptable to different sensors or data formats. Adaptability is gained by using an Actel 1020B programmable logic




Figure 3. EMWD-GRS system component placement on typical directional boring rig.




Figure 4. The Environmental Measurement-While-Drilling process using a coaxial spool.

array. This small-surface mounted integrated circuit (IC) contains some 2000 logic gates. The Actel 1020B controls the data-stream format, logic clock, and circuit interfaces. The Actel 1020B is programmed to provide the serial bit stream as bi-phase and non-return to zero (NRZ) digital. These two formats cover a wide range of communications systems including fiber optic, hardwire, and radio frequency (RF).

The system has a bit rate of 2400 bps. However, the bit rate can be increased easily. A practical limit to this FM system is ~ 30,000 bps. However, if the signal coupling at the surface continues to be strong and noise-immune, the Actel bi-phase output could drive the coaxial system directly. The bi-phase data rate could exceed 100,000 bps. Data rates that high are approaching imaged data requirements.

Another important attribute of adaptability is to provide different supply voltages for different sensors. Only battery power (30V) is supplied on the coaxial cable. Once received, this voltage is converted to four different voltages: +12V, -12V, +5V, and -5V. A DC-to-DC converter generates these different voltages. The converter increases battery life by reducing current drain from the batteries and allowing the battery voltage to range from 18V to 32V without affecting sensor electronics. A second DC-to-DC converter generates the 900V GRS bias voltage. Current requirement for the down-hole electronics is only 32 ma @ 30V.

#### **4.2.3 Drilling Platform**

The drilling platform for this demonstration is a J2511, a directional boring system using minimal drilling fluid and fluid mizer pipe. The boring system is supplied by Geneva Corporation-Ditch-Witch™ of Georgia. This system uses a high-frequency electromagnetic beacon with a walk-over monitor to measure drill bit location and depth.

#### **4.2.4 Down-hole Components**

Down-hole components of the gamma ray detection sensor system being demonstrated consist of a gamma ray spectrometer, a multichannel analyzer, a 900V power supply, a signal conditioning and transmitter board, and a coil containing coaxial cable for transmitting data to the surface. The down-hole components are contained within O-ring sealed aluminum tubes to protect them from the drilling environment.

#### **4.2.5 Up-hole Components**

The up-hole system consists of a battery pack/coil, pickup coil, receiver, and a personal computer. During drilling, the system monitors (1) gamma radiation by gamma ray spectrometry, (2) the +12V and -12V required at the down-hole signal conditioning and transmitter board, (3) the up-hole battery voltage as measured down-hole, and (4) two temperatures associated with the detector and instrumentation.

Since human safety is a primary consideration, reliability and high data surety are priority system requirements. To meet this requirement, the system design incorporates data quality assurance techniques to ensure data reliability. The basic format used in the EMWD-GRS system is also used in the weapons complex for very high data surety where destructive



testing may cost hundreds of millions of dollars and getting "one shot" reliable data is imperative.

#### 4.2.6 Cable Deployment System

The cable is contained in a spool located with the down-hole components of the system. The cable passes through the drill pipe and connects to the up-hole components. The cable is threaded through each added section of drill pipe and unspools as the drill pipe is advanced. The cable from the down-hole instrument package is pulled through each piece of drill pipe and through the drill head to the battery pack/coil mounted on a spindle at the rear of the drill head. Because the cable connection must pass through the drill pipe, which is restricted to about 5/16" (7.9 mm) at each pipe section pin, a 0.25" (6.35 mm) outside diameter (OD) Lemo coaxial connector is used. The cable is sealed as it passes through the spindle at the battery pack/coil. The spindle leads to the drill fluid handling system. Drill fluid pressure is normally in the range of 300 psi (1.435 kPa) to 500 psi (2.392 kPa), but can go as high as 1500 psi (7.177 kPa). A cord grip fitting is used to seal against the 0.07" (1.8 mm) OD coaxial cable. The sealing grommet in the cord grip fitting is slit so that it can be removed from the cable, allowing the connector to pass through the body of the cord grip fitting. This arrangement has been tested to 600 psi (2.871 kPa) air, which is approximately 3000 psi (14.354 kPa) water, without leakage. The coaxial cable is pulled through each section of drill pipe using a 16 ft (4.88 m) long, 1/4" (6.35 mm) diameter rod fashioned from two pieces of aluminum rod threaded together. A tip consisting of steel wire bent backward acts as a flexible guide as the rod is inserted through the drill head and pipe from the spindle to the instrument housing. This guide tip is replaced with a tip containing the mating Lemo connector. Thus, the cable is unspooled and is pulled through the drill pipe and head as the rod is withdrawn. The time required to add a new section of pipe, deploy the cable, and prepare to acquire data is an important parameter for evaluating the system's total performance.

#### 4.2.7 Data Collection System

The data collection system is comprised of four parts: a computer, magnetic pick-up coil and receiver, battery pack and magnetic coil, and the down-hole electronics package. The coil couples the AC signal between the rotating drill pipe and the stationary coil and receiver, which are mounted on the drilling platform. The receiver converts the AC signal into a serial bit stream. A computer equipped with a telemetry serial card receives the data and displays down-hole measurements in real time.

The EMWD system provides real-time data on an 8 differential/single analog multiplexer and any number of digital channels. Sampling speed from analog channels can reach 100 kHz. For the EMWD-GRS system, three digital channels are used. Readings are taken at a rate of 20 per second. The telemetry system is programmable firmware that can easily support many different data formats and additional data channels. The current format (Digital FM Bi-phase, 4800 baud) provides excellent noise rejection. A SNL-designed receiver removes FM carrier noise, generates data clock, and buffers data for use by an IBM or compatible personal computer. A 28V rechargeable battery pack can supply down-hole instrumentation power for more than 18 hours of drilling. A DC to DC converter increases battery life by reducing battery current drain and allowing the battery voltage to range from 18 to 32V without affecting sensor electronics and data quality. The battery pack remains topside for easy maintenance.

**This Page Intentionally Left Blank**

## 5.0 DEMONSTRATION SITE DESCRIPTION

### 5.1 Site Name and Location

The selected demonstration site is the previously characterized SRS F-Area Retention Basin. It is located outside and south of the F-Area perimeter fence and east of building 281-8F and the Effluent Treatment Cooling Water Basin of the Savannah River Site near Aiken, South Carolina (Figure 5).

### 5.2 Site History

The F-Area Retention Basin was constructed as an unlined, temporary container for potentially contaminated cooling water from the chemical separations process and storm sewer drainage from the F-Area Tank Farm. The basin is approximately 200 ft (61 m) long, 120 ft (35.6 m) wide, and 6.9 feet (2 m) deep and has a total volume capacity of approximately 6,128 cubic yards (4,685 m<sup>3</sup>). When contamination was detected in the cooling water, the water was diverted to the retention basin or F-Area seepage basins. Contamination of this basin came from contaminated cooling water as well as from various spills or overflows at the basin (WSRC, 1995). The basin was in active use from 1955 until 1972, when it was replaced by a lined retention basin located to the west of the site. In 1978, the F-Area Retention Basin was excavated, backfilled with soil and covered with grass. A process sewer line which extended from the basin to a diversion box located approximately 500 ft north of the basin was abandoned. The site was evaluated through soil sampling in early 1979. The major radionuclides present included strontium (Sr)-89/90 and cesium (Cs)-137. Sampling results indicated maximum Cs-137 concentrations of 1,410 pCi/g in the berm and 430 pCi/g in the basin floor. Maximum Sr-89/90 concentrations in the basin berm were 1,000 pCi/g (WSRC, 1995).


### 5.3 Site Characteristics

The F-Area Retention Basin was backfilled and covered with grass during 1978. Backfill in the basin extends to a depth of approximately 10 ft (3 m). The site is at an elevation of approximately 269 ft (82 m) in an area of level to slightly sloping topography. Surface drainage from the surrounding area flows toward Four Mile Branch, located approximately 3,937 ft (1200 m) to the south (Figure 6). The slope toward Four Mile Branch is very gentle in the area of the basin, but becomes steeper near Four Mile Branch (Scott et al., 1987).

#### 5.3.1 General Savannah River Site Geology

As described by GeoTrans, Inc. (1992), the SRS is situated in the Upper Atlantic Coastal Plain Province on what is known locally as the Aiken Plateau. The elevation of this plateau varies from 270 to 400 ft (82 to 122 m) above mean sea level (msl). Numerous streams have dissected the plateau into broad interstream uplands with narrow, steep-sided valleys. The geologic units range from Cretaceous to Recent in age and consist primarily of unconsolidated, interbedded gravels, sands, silts, and clays that were deposited upon a sloping crystalline basement and/or Triassic bedrock. This wedge of sediments exhibits a gentle dip and a general increase in thickness to the southeast. Individual units display variable thickness and limited aerial extent. Figure 7 presents the stratigraphic units underlying the SRS.

Figure 5. Location of Savannah River site F-Area Retention Basin (W/SRC, 1994a).






Figure 6. Topographic map of F-Area Retention Basin and surrounding area (WSRC, 1994a).




Figure 7. General stratigraphic units underlying the Savannah River Site (WSRC, 1994a).

The near surface sediments at SRS are identified as the Tobacco Road Formation and the "upland unit." The Tobacco Road Formation consists of clays, silty clays, and massive sands. The "upland unit," a mapable stratigraphic unit which caps most of the upland areas at SRS, varies in lithology from coarse gravels to silty clays (WSRC, 1994a).

### 5.3.2 F-Area Retention Basin Site Soils

Geotechnical analysis of the soils at the F-Area Retention Basin was not available during the development of this demonstration plan. As discussed in Section 5.3.1, the near surface soils range from coarse gravels to silty sands. Soils in the vicinity of the F-Area Retention Basin are expected to range from clays to sands.

### 5.3.3 Site Hydrogeology

The hydrogeologic system at the SRS is comprised of both unconfined and confined aquifers. Figure 8 presents a comparison of the hydrostratigraphic units that have been used at SRS. Discussion of hydrogeology in this section is limited to the water table aquifer since the EMWD-GRS system will be demonstrated above the water table within in the vadose zone. Depth to groundwater at the site is approximately 70-85 ft (21.3-25.9 m) based on second quarter 1990 groundwater data; however, studies conducted over the years indicate that the water table could be as shallow as 52 ft (15.8 m), depending on precipitation (WSRC, 1994a).

There are only three water table monitoring wells (FM series) at the F-Area Retention Basin, and all are positioned down gradient and to the southeast, southwest, and west of the F-Area Retention Basin (Figure 9). These wells are part of a series of ten water table wells installed in late 1961 using aluminum casing and reportedly are no longer monitored (WSRC, 1994a). The nearest routinely monitored water table wells down gradient to the basin are the FET series wells. The FET series wells surround the effluent treatment cooling water basin located approximately 400 ft (122 m) southwest.

Groundwater data collected in 1993 through the SRS groundwater monitoring program indicated that the water table aquifer underlying the basin flows to the southwest (Figure 10). The hydraulic gradient of the water table is approximately 0.01 ft/ft (0.003 m/m) to the southwest based on 1993 first quarter groundwater data and as calculated from Figure 10 (WSRC, 1994a).

### 5.3.4 Site Contaminants and Distribution

All soil samples collected during the Phase I and IA investigations were analyzed for:

- Inorganics/metals
- Organics
- Radionuclide indicators and radionuclides

Analytical results for samples collected to determine background levels are found in Appendix A.


GEOLOGIC AGE		HYDROSTRATIGRAPHIC UNITS USED IN THE SRS REGION											
		SIPLE (1967)		SRP BASELINE HYDROGEOLOGIC STUDY		GeoTrans (1968)		AMCOTT (1987)		PRICE (1988)		PROPOSED NOMENCLATURE ADLAND & BLEDSOE (1990)	
TERTIARY	HANTORN AQUIFER	EPLAND UNIT		AQUIFER 4	TERTIARY SAND AQUIFER	ZONE 8		AQUIFER SYSTEM 1/11	SYSTEM BOUNDARY	AQUIFER UNIT 1/11C	AQUIFER UNIT 11B	AQUIFER SYSTEM 11	
	BARNWELL AQUIFER	BARNWELL GROUP	TOBACCO RD FM			ZONE 7	7C						
			DRY BRANCH FM				7B						7A
	MCBEAN AQUIFER	MCBEAN FORMATION GREEN CLAY				ZONE 6							5B
	CONGAREE AQUIFER	CONGAREE				ZONE 5							
ELLENTON AQUITARD	WILLIAMSBURG FORMATION		AQUITARD 2	CONFINING UNIT	ZONE 4								
	ELLENTON FORMATION												
CRETACEOUS	UPPER TUSCALOOSA AQUIFER	PEEDEE FORMATION		AQUIFER 2	BLACK CREEK AQUIFER	ZONE 3		AQUIFER SYSTEM 1/11	SYSTEM BOUNDARY	CONFINING UNIT 1/11B-1/11C	AQUIFER UNIT 11B	CONFINING SYSTEM 1-11	
	MID TUSCALOOSA CLAY AQUITARD	BLACK CREEK FORMATION	AQUITARD 1			CONFINING UNIT							ZONE 2
			2C										
	LOWER TUSCALOOSA AQUIFER	MIDDENDORF FORMATION		AQUIFER 1		MIDDENDORF FORMATION							2B
BASAL CLAY AQUITARD	CAPE FEAR FORMATION		BASE OF MODEL		CONFINING UNIT		ZONE 1		CONFINING SYSTEM 1		CONFINING SYSTEM 1		
TRASSIC OR PALEOZOIC BASEMENT										PALEOZOIC- TRIASSIC BASEMENT HYDROLOGIC SYSTEM			

MODIFIED FROM ADLAND & BLEDSOE, 1990.

Figure 8. Hydrostratigraphic units underlying the Savannah River Site (WSRC, 1994a).



Figure 9. Location of groundwater monitoring wells in the vicinity of the F-Area Retention Basin (WSRC, 1994a).






Results of the Phase I and Phase IA investigations were used to identify contaminants of concern (COC) in the F-Area Retention Basin (WSRC, 1994a). The identified COCs for the F-Area Retention Basin are listed in Table 2.

**Table 2. Contaminants of Concern at the SRS F-Area Retention Basin (WSRC, 1994a)**


<b>Radionuclides</b>	<b>Organics</b>	<b>Metals</b>
Tc-99	Carbon Disulfide	Barium
Cesium-137	Di-n-Butyl Phthalate	Beryllium
Strontium-90	N-nitrosodiphenylamine	Lead
Carbon-14	Di-benzofuran	Nickel
Americium-241	Toluene	Thallium
Cobalt-60	Methylene chloride	Arsenic
Barium-133	TCE	Chromium
Europium-154	2 Chloro phenol	
Potassium-40		
Uranium-238		
Nickel-63		
Plutonium-239/240		
Radium-226		
Iodine-129		

Radionuclide contaminant distributions for Cs-137 and Sr-90 at sample locations FRB-05, 06, 07, 08, and 19 are shown in Figures 11 and 12. As illustrated, the greatest concentrations of Cs-137 occur between the depths of 9 and 19 feet (Figure 11). The greatest concentrations of Sr-90 fall within the depth range of 9 to 28 feet (Figure 13). Analytical results for sample locations FRB-05, 06, 07, 08, and 19 are listed in Appendix B.



TFR 5221-142 0

Figure 11. Concentration (pCi/g) of Cs-137 relative to depth on sampling locations FRB-05, 06, 07, 08, and 19 within the SRS F-Area Retention Basin.



TRU 9621-143 0

Figure 12. Concentration (pCi/g) of Sr-90 relative to depth at sampling locations FRB-05, 06, 07, 08, and 19 within the SRS F-Area Retention Basin (user defined from WSRC, 1995).

**This Page Intentionally Left Blank**

## **6.0 DRILLING AND DATA COLLECTION PLAN**

### **6.1 Overview of Drilling and Evaluation Operations**

Phase I of the demonstration at the F-Area Retention Basin will determine Cs-137 background conditions. This will be accomplished by drilling one hole approximately 50 ft (15.3 m) in length at a depth ranging from 10 to 15 ft (3 to 4.5 m) at a radiological "clean" area adjacent to the F-Area Retention Basin. Investigation derived waste generated from this background determination will be considered non-contaminated and disposed of at the borehole location. After background conditions are determined, the EMWD-GRS system will be demonstrated in the previously characterized F-Area Retention Basin.

Phase II of the demonstration at the F-Area Retention Basin will consist of monitoring environmental conditions in real time while drilling two boreholes daylight-to-daylight. These holes will pass near four sample locations, FRB-05 through 08, and adjacent to sample location FRB-19. Values of contaminant levels are known at all five sample locations. The contaminant levels continuously recorded by the EMWD-GRS system during drilling will be compared to contaminant levels previously determined through quantitative laboratory analysis of soil samples collected at locations FRB-05, 06, 07, 08, and 19 (WSRC, 1995). Results of the demonstration will be presented in report format.

### **6.2 Communications, Documentation, Logistics, and Equipment**

The SNL project leader for the demonstration will communicate regularly with the demonstration participants to coordinate all field activities associated with this demonstration and to resolve any logistical, technical, or quality assurance (QA) issues that may arise as the demonstration progresses. The successful implementation of the demonstration requires detailed coordination and constant communication between all demonstration participants.

All demonstration field activities will be thoroughly documented. Field documentation will include field logbooks, photographs, field data sheets, and electronic data files.

The SNL field team leader will be responsible for maintaining all field documentation. Field notes will be kept in a bound logbook. Each page will be sequentially numbered and labeled with the project name and number. Completed pages will be signed and dated by the individual responsible for the entries. Errors will have one line drawn through them, and this line will be initialed and dated.

All photographs will be logged in the field logbook. These entries will include the time, date, direction, subject of the photograph, and the identity of the photographer. Specific notes about data collected will be written in the field logbook. Any deviations from the approved final demonstration plan will be thoroughly documented in the field logbook by the SNL project leader.

The SNL demonstration team will obtain the EMWD-GRS equipment and contract drilling services for this demonstration. The drilling contractor will provide for decontamination of equipment and personnel as required by 29 CFR 1910.120-Hazardous Waste Operations and

Emergency Response. Westinghouse Savannah River Company will provide equipment/materials necessary for disposal of any radioactive/hazardous waste generated.

### **6.3 Data Collection Procedures**

The data collection procedures focus on identifying the drilling locations, reading locations, and decontamination and disposal of any generated waste as discussed in the following subsections.

#### **6.3.1 Drilling Locations**

The drilling locations for the two daylight-to-daylight boreholes are shown in Figure 13. The boreholes will be drilled horizontally at a depth of approximately 15 ft (4.5 m), which is 5 ft (1.5 m) below the clean backfill in the retention basin. The drill rig will be positioned east of the backfilled retention basin at a location to be determined by drilling protocol. Horizontal Borehole No. 1 will be drilled near previously drilled and sampled vertical boreholes FRB-05, FRB-06, and FRB-19. Horizontal Borehole No. 2 will be drilled near previously drilled and sampled vertical boreholes FRB-07 and FRB-08.

#### **6.3.2 EMWD-GRS Data Collection**

The data collection procedures used with the EMWD-GRS system are the following:

1. Run decom software using default setup.
2. Start data storage by providing a file name.
3. With system mounted behind the drill bit, test rotate the drilling rig while monitoring wired connections and computer.
4. Stop rotating and place small check source (WSRC external cesium sources) near the drill bit.
5. Take reading for approximately 2 minutes.
6. After visual verification that the system is working, start the normal drilling process.
7. After completion of the drilling process, check the system once more with the field check source.
8. Close the PC file and store file to secondary backup system.

The entire procedure for data collection is located in Appendix C.

#### **6.3.3 Decontamination and Disposal of Generated Waste**

The F-Area Retention Basin is subject to Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) requirements. The drilling contractor will provide for decontamination of equipment and personnel by 29 CFR 1910.120-Hazardous Waste Operations and Emergency Response. The drilling operations will minimize waste by using fluid mizer pipe during drilling operations. The drill bit entry pit, approximately 3 ft<sup>2</sup> ( $\approx 1$  m<sup>2</sup>), will be lined with plastic and contain the minimal amount of drilling generated waste for appropriate disposal. Investigation derived waste generated during the technology demonstration will be handled in accordance with site procedures found







Figure 13. Locations for drilling continuously monitored daylight-to-daylight boreholes at the Savannah River Site F-Area Retention Basin (modified from WSRC, 1995).

in WSRC IS Manual (Procedure 3.10 and 3.15), Investigation-Derived Waste (IDW) Management Plan.

Radioactive, hazardous, and non-hazardous waste generated during the demonstration will be managed in accordance with SRS procedures and applicable regulations. Rags and material contaminated with gasoline, hydraulic fluid, diesel, etc., will be segregated, double bagged in plastic bags, and placed in controlled areas.

Radioactive and hazardous waste will be managed on site and transported for final disposition by Westinghouse Savannah River Company personnel. Westinghouse Savannah River Company is responsible for final disposition of IDW.

#### **6.3.4 Schedule**

The demonstration is scheduled to take place April 22-26, 1996.

##### Day 1

During the morning, secure badges and attend site specific training. In the afternoon, mobilize equipment at the "cold" test site adjacent to the F-Area Retention Basin and prepare for drilling horizontal borehole to determine background conditions

##### Day 2

Drill borehole at the "cold" test site to determine background conditions. Relocate equipment to the F-Area Retention Basin and set up for drilling horizontal Borehole No. 1. Borehole No. 1 will pass near previously sampled locations FRB-05, 06, and 19.

##### Day 3

Drill horizontal Borehole No. 1. Upon completing Borehole No. 1, move equipment to the horizontal Borehole No. 2 location. Borehole No. 2 will pass near previously sampled locations FRB-07, and 08.

##### Day 4

Drill horizontal Borehole No. 2.

##### Day 5

Decontaminate equipment, Demobilize, and move off location.

## **7.0 QUALITY ASSURANCE PROJECT PLAN**

The quality assurance project plan (QAPP) for this demonstration specifies procedures that will be used to ensure data quality and integrity. Careful adherence to these procedures will ensure that data generated by the demonstration will meet the desired performance objectives and will provide sound analytical results.

### **7.1 Purpose and Scope**

The primary purpose of this section is to outline steps that will be taken by operators of the EMWD-GRS system to ensure that data resulting from this demonstration is of known quality and that a sufficient number of critical measurements are taken.

### **7.2 Quality Assurance Responsibilities**

The SNL project leader is responsible for coordinating the preparation of the QAPP for this demonstration. The SNL project leader will ensure that the QAPP is implemented during all demonstration activities. The SNL QA manager for the demonstration will review and approve the QAPP and will provide independent QA oversight of all demonstration activities.

Readings will be taken and analyzed on site using the EMWD-GRS system technology. These readings will be compared to previously collected samples analyzed using U.S. Environmental Protection Agency (EPA) approved methods. The SNL project leader, field team leader and technology operator will be responsible for data readings and analysis quality assurance/quality control (QA/QC) throughout the demonstration. Primary responsibility for ensuring that the data acquisition activities comply with the requirements of the data acquisition plan will rest with the SNL field team leader. QA/QC activities for the EMWD-GRS system will include activities to assure that the demonstration will provide data of the necessary quality.

### **7.3 Data Quality Parameters**

The data obtained during the demonstration must be of sound quality for conclusions to be drawn on the performance of the EMWD-GRS system. For all measurement and monitoring activities conducted for the EPA, the Agency requires that data quality parameters be established based on the proposed end uses of the data. Data quality parameters include six indicators of data quality: representativeness, completeness, comparability, accuracy, precision, and lower-limiting the detection threshold for elimination of false-positive readings.

Data generated by EMWD-GRS system technology will be compared to data generated from previous site characterization (Appendix B).

#### **7.3.1 Representativeness**

Representativeness refers to the degree to which the data accurately and precisely represent the conditions or characteristics of the given parameter. In this demonstration, representativeness will be ensured by executing consistent data collection procedures, including reading locations, reading procedures, and data storage as previously outlined in Section 6.3.2.

Representativeness also will be ensured by using each method at its optimum capability to provide results that represent the most accurate and precise measurement each method is capable of achieving.

### **7.3.2 Completeness**

Completeness refers to the amount of data collected from a measurement process compared to the amount that was expected to be obtained. For this demonstration, completeness refers to the proportion of valid, acceptable data generated using each method.

The completeness objective for data collection during this demonstration is to take spectral readings continuously during the drilling process. The drilling process will continue under a waste site for approximately 150 ft (45.7 m). Never before has such a complete data set been taken. Readings at selected points corresponding to soil sample locations will be compared.

There is a physical limitation to the sensitivity and resulting range of spectral gamma measurement. These limitations relate to crystal size and maximum data collection rates. Expected range of 3 to 1000 pCi/g is the ideal system limitation.

### **7.3.3 Comparability**

Comparability refers to the confidence with which one data set can be compared to another. The primary objective of this demonstration is to evaluate how well the EMWD-GRS system technology performs in determining the presence or absence of Cs-137 compared to analytical data derived from previous site assessment.

Analytical methods have the unique distinction of setting the questionable EPA standard. In situ measurements as determined by the EMWD-GRS system have limiting accuracy and range of waste analyst (i.e., the gamma radiation range is expected to vary from material background to the amount of Cs-137 remaining after approximately 7 half lives). If "high" levels of gamma contamination exists at higher energies, the range may be wider than expected. Other more comparable systems can detect radiation levels within some reasonable range from natural occurring sources as uranium, thorium, and potassium. These systems have been adapted for environmental applications to add Cs-137 and cobalt (Co)-60 to the list. The process of unfolding energy peak and count rate information into gamma flux density, relating to waste concentrations within soils, has not been fully realized. Calibration procedures consistent with industry's best practices are being used while looking at new more innovative approaches. The expectation is to be consistent with off-site analysis methods.

### **7.3.4 Accuracy**

Accuracy refers to the difference between the contamination readings and a reference standard. The resulting accuracy contains error variances from both the repeated contamination readings and the reference standard. The analytical reading from sampled soil will be the standard. The analytical reading is a single valued number with error bars. The EMWD-GRS system readings are a function of contamination reading versus location and sample period. Ideally, the EMWD-GRS system would be exposed to soils with uniformly distributed

contamination consistent with the small sample used in laboratory analytical measurement. These ideal conditions will not exist during the demonstration.

Using the statistical nature of the gamma process and calibration information taken from controlled calibration pits at Grants, New Mexico (Leino et. al, 1994), the comparable accuracy will be established. Second calibration standards for Cs-137 will be established using previously sampled locations at a DOE facility. Calibration procedures are listed in Appendix D.

Historically, it has been understood that the standard deviation of the gamma count rate is equal to the square root of the measured count. The measured count increases as the sample period increases. For example, a deviation of 10% must have a measured count equal to 100. To increase accuracy, controls must be placed on the rate of drilling. The limiting drilling rate has not been established. The industry drilling standard for natural gamma backgrounds is 2 to 10 ft per minute.

### **7.3.5 Precision**

Precision refers to the degree of mutual agreement among individual measurements and provides an estimate of random error. Precision will be established using WSRC external cesium sources for calibration and checks of the EMWD-GRS tool for response of Cs-137 in native soil. The EMWD-GRS system collects data at a sufficiently high rate so that the drilling rate does not affect data quality in moderately to highly contaminated soils. If a radiological "hot spot" is encountered, the drilling rate can be reduced to provide sufficient radiation count statistics. As discussed in the concluding paragraph of Section 7.3.4, random error is directly related to sample period, drilling rate (changing environments), and contamination levels (count rate). For greater precision at low contamination levels, the sample period must be increased and drilling rate reduced, if not stopped altogether.

### **7.3.6 Probability of False-Positive**

The probability of a false-positive is the probability of a contaminated soil condition that does not exist.

The statistical nature of gamma measurements and electronic noise in any gamma measurement system does not provide a true zero reading. Given any sample period, there is a probability of measuring gamma relating to the energy levels of waste material as Cs-137 even without any laboratory-measurable quantities present. This problem requires setting the measurable threshold of waste material (such as Cs-137) below the minimum the system can measure accurately. This lower limit is an important parameter in preventing unwanted expense. The lower limit is a function of the sample period and drilling rate. The lower limit will be determined through background measurements at the radiologically "cold" site adjacent to the F-Area Retention Basin at the SRS. Approximately 100 measurements will be taken to statistically parameterize the background radiation count rates. The lower limit will be consistent with other off-site analysis methods.

## **7.4 Calibration Procedures, Quality Control Checks, and Corrective Action**

This section describes the calibration procedures that apply to the EMWD-GRS technology. It also contains a discussion of the corrective action to be taken if the QC parameters fall outside of the evaluation criteria.

### **7.4.1 Calibration Procedures**

Calibration will be consistent with procedures in Westinghouse Hanford WHC-SD-EN-TI-293, Rev. 0 and with Grand Junction calibration techniques for the Grants, New Mexico, calibration pits. The Westinghouse Hanford document covers the procedures for calibrating gamma-ray well logging tools using Hanford formation models. Calibration procedures for the GRS-EMWD system are located in Appendix D.

In general, a complete calibration is required every six months with an initial check before and after each drilling operation. Complete calibration every six months can be performed at calibration pits at any DOE calibration facility. The calibration to be performed has two stages. First, the linear energy peak used to channel number calibration normally uses several radioactive elements of differing gamma energy emissions. Second, the gamma flux correlation to waste concentrations requires test pits of known flux and contamination levels. These pits can be found at a number of DOE facilities, but those best-known and used most frequently are the A and B models located at Grand Junction, Colorado.

Complete calibration generates a set of coefficients correlating spectral counts rates at differing energy locations to amounts of soil contamination. Should these coefficients exceed limits or fail to produce acceptable results, the system must be recalibrated or repaired at Sandia National Laboratories, Albuquerque, New Mexico.

Initial check before and after drilling uses a simple potassium-40 (K-40) (or other common isotope) of known energy emission. This then becomes part of the data file for validation of system operation while the drilling measurements are being taken. A simple visual inspection of the initial check data is sufficient to approve the start of drilling. A failed spectrum would require replacement of failed system components. This work could be done in the field.

### **7.4.2 Soil Sample Analysis**

The data to be used for evaluating the EMWD-GRS system were collected during the site assessment of the F-Area Retention Basin. Sample collection and analysis methodologies, including quality control procedures, have been fully described in WSRC, 1995.

## **7.5 Data Reduction, Validation, and Reporting**

To maintain good data quality, specific procedures will be followed during data reduction, validation, and reporting. These procedures are detailed below.

### **7.5.1 Data Reduction**

During the data reduction process, data will be reduced to the following formats:

- Total count rate as a function of time.
- Cs-137 count rate as a function of time.
- Spectra taken near previously sampled locations.

### **7.5.2 Data Validation**

The SNL field team leader will verify the completeness of the appropriate data forms and the completeness and correctness of data acquisition and reduction. The field team leader will also review calculations to verify accuracy, completeness, and adherence to the specific technology protocols. Calibration and QC data will be examined by the SNL field team leader, SNL qa manager, and SNL project leader. Project leaders and QA managers will verify that all instrument systems are operational and that QA objectives for accuracy, completeness, and method detection limits have been met.

### **7.5.3 Data Reporting**

The Final report will utilize the WSRC 1995 (ESH-EMS-950563) analysis type format for presenting a comparison between EMWD-GRS generated data and previous site characterization laboratory analysis. Interpretation of the EMWD-GRS data will be presented in an effort to draw corollaries to empirical data if direct comparison of data is not possible.

## **7.6 Data Quality Indicators**

Data transmission quality and spectral gamma quality are the two data quality indicators used with the EMWD-GRS system.

Data transmission quality indicators are built into the system. When data is collected it is sent to the computer three (3) times. The counts from each data transmission are totaled and compared to verify they are the same.

Spectral gamma quality indicators are determined by verifying the functionality and approximate calibration of the GRS using laboratory calibration sources. The functionality of the GRS is also verified while drilling by monitoring background peaks.

## **7.7 Performance and System Audits**

The following audits will be performed during this demonstration. These audits will determine if this demonstration plan is being implemented as intended.

### **7.7.1 Performance Audit**

The EMWD-GRS system performance will be compared with samples collected and analyzed during previous site assessments.

### **7.7.2 On-Site System Audits**

On-site system audits for field operations will be conducted upon request. These audits will be performed by the SNL project leader. After the audits, audit reports will be prepared and incorporated into the demonstration records.

## **7.8 Quality Assurance Reports to Project Manager**

QA reports provide the necessary information to monitor data quality effectively. It is anticipated that the following types of QA reports will be prepared as part of this demonstration on forms developed for this demonstration.

### **7.8.1 Status Reports**

The SNL field team leader will prepare periodic reports for the project leader. These reports should discuss project progress, problems and associated corrective actions, and future scheduled activities associated with the demonstration. When problems occur, the field team leader will discuss them with the SNL project leader, estimate the type and degree of impact, and describe the corrective actions taken to mitigate the impact and to prevent a recurrence of the problems.

### **7.8.2 Audit Reports**

Any QA audits or inspections that take place in the field while the demonstration is being conducted will be recorded for future use by the technology developer.

## **7.9 Corrective Action**

Whenever a performance evaluation or a technical system audit indicates that the equipment is out of calibration, the system will be evaluated to determine the source of the problem. Results of the system evaluation will be recorded in the demonstration record along with the corrective action taken. The SNL project leader will review, approve, and document all corrective actions.



## **8.0 DATA MANAGEMENT AND ANALYSIS**

SNL will manage and analyze the data prior to presentation of the report to Westinghouse Savannah River Company.

The SNL project leader is responsible for obtaining, reducing, interpreting, validating, and reporting the data associated with the technology's performance. These data will be reported in hard copy and electronic format (i.e., spreadsheet). A data dictionary will be included as a text file on the same diskette containing the data.

Other items that must be included in the demonstration record are:

- field records;
- photographs, slides, and videotapes (copies);
- sample analysis from previous site assessment;
- electronic data files.

### ***8.1 EMWD-GRS Reading and Location Identification***

The Reading locations will be located geographically and recorded as part of the EMWD-GRS system data collection capability. Horizontal and vertical coordinates are to be provided.

### ***8.2 Data Analysis and Comparison with Previous Site-Characterization Data***

The data collected during this demonstration will be presented in a documented format (WSRC, 1995) that allows comparison with previously collected sample data. Interpretation of EMWD-GRS data will be presented in an effort to draw corollaries to empirical data (WSRC, 1995) if direct comparison of data is impossible.

**This Page Intentionally Left Blank**

## **9.0 HEALTH AND SAFETY PLAN**

### **9.1 Site Specific Health and Safety Plan (HASP)**

The site specific HASP for the EMWD-GRS system demonstration of the SRS F-Area Retention Basin is listed in Appendix E.

### **9.2 Health and Safety Plan Enforcement**

The SNL project leader, field site supervisor, and site health and safety officer will be responsible for implementing and enforcing the health and safety provisions of the site-specific HASP. The SNL project leader bears ultimate responsibility for ensuring that all demonstration participants abide by the requirements of the HASP. The field site supervisor will oversee and direct field activities and is responsible for ensuring compliance with the site-specific HASP. The health and safety officer (HSO) has the ultimate responsibility during activities at the demonstration site.

**This Page Intentionally Left Blank**

## **10.0 DELIVERABLES**

The deliverable of this demonstration is a report that details the EMWD-GRS system's overall performance and its performance in delineating the presence or absence of Cs-137 at the SRS F-Area Retention Basin. Support documentation such as copies of logbooks and calibration reports will be included as an appendices to the final report.

**This Page Intentionally Left Blank**

## 11.0 REFERENCES

- GeoTrans, Inc. 1992. *Groundwater Flow Model for the General Separations Area, Savannah River Site*. GeoTrans Project No. 3017-003. Sterling, VA. GeoTrans, Inc.
- Leino, R., D.C. George, B.N. Key, L. Knight, and W.D. Steele. 1994. *Field Calibration Facilities of Environmental Measurement of Radium, Thorium, and Potassium*. Doe/ID/12584-179; GJ/TMC-01 (Third Edition). Grand Junction, CO. RUST Geotech, Inc.
- Westinghouse Savannah River Company. 1994a. *Phase II, Revision I Remedial Investigation Work Plan for the F-Area Retention Basin (281-3F) (U)*. WSRC-RP-94-498, Rev 1. Aiken, SC. Westinghouse Savannah River Company.
- Westinghouse Savannah River Company. 1994b. *Radiological Performance Assessment for the E-Area Vaults Disposal Facility (U)*. WSRC-RP-94-218. Aiken, SC. Westinghouse Savannah River Company.
- Westinghouse Savannah River Company. 1995. *Quality Control Summary Report for the F-Area Retention Basin, Phase II Project*. ESH-EMS-950563. Aiken, SC. Westinghouse Savannah River Company.
- Scott, S.C., T.H. Killian, N.L. Kolb, P. Corbo, and I.W. Marine. 1987. *Environmental Information Document, Separations Area Retention Basins*. DPST-85-693, E.I. du Pont de Nemours and Company. Aiken, SC. Savannah River Laboratory.

**This Page Intentionally Left Blank**



# **APPENDIX A**

**Background Soil Analytical results  
F-Area Retention Basin  
(Table 3-2 from WSRC, 1994)**

**This Page Intentionally Left Blank**

**Table 3-2**  
**Background Soil Analytical Results**  
**F-Area Retention Basin (281-3F)**

Sample ID	102200	102202	102204	102205	102206
Facility Identifier	FRB	FRB	FRB	FRB	FRB
Sampling Point	01	01	01	01	01
Sample Number	02	03	04	05	06
Sampling Interval (ft.)	0.5 - 2.0	5.0 - 7.0	10.0 - 12.0	15.0 - 17.0	20.0 - 22.0
Comment					
<i>Inorganics/Metals</i>	<i>(mg/kg)</i>	<i>(mg/kg)</i>	<i>(mg/kg)</i>	<i>(mg/kg)</i>	<i>(mg/kg)</i>
Aluminum	9450	15000	4200	2230	1440
Barium	29.9	27.2	3.22	1.43	0.954
Beryllium	0.251	0.236	0.0651	0.112	0.0727
Calcium	194	270	67.4	30.4	16.6
Chromium	13.6	17.8	11.9	8.32	2.08
Cobalt	1.7	1.42	0.306	0.193	BDL
Copper	2.72	4.86	1.49	0.659	0.913
Iron	11000	16100	8370	4380	2280
Mercury	.0688	.078	.0933	BDL	.0255
Potassium	156	195	36.2	BDL	BDL
Magnesium	148	247	38.4	18.5	7.98
Manganese	150	37.7	6.82	2.89	4.29
Sodium	16.6	24.6	15.1	BDL	BDL
Nickel	3.12	4.24	0.953	0.62	BDL
Lead	7.39	6.37	4.04	4.73	4.12
Vanadium	29.7	35.6	23.9	13.1	6.75
Zinc	5.15	7.69	2.3	0.813	1.12
Selenium	BDL	3.89	BDL	BDL	BDL
<i>Organics</i>	<i>(µg/kg)</i>	<i>(µg/kg)</i>	<i>(µg/kg)</i>	<i>(µg/kg)</i>	<i>(µg/kg)</i>
Acetone	21.8	5.89	6.75	6.1	4.72
Bis-(2-ethylhexyl)-phthalate	12.5	22	35.6	38.4	19.8
Butylbenzyl phthalate	BDL	BDL	BDL	5.97	BDL
Methylene Chloride	0.473	0.708	0.67	1.09	0.924
Chloroform	0.29	0.449	0.429	0.477	0.402
Di-n-butyl Phthalate	35.7	48.6	47.2	45.9	30.2
Methylethyl Ketone	BDL	0.326	0.286	0.318	0.25
Toluene	0.14	0.191	0.176	0.182	0.13
1,1-DCE	2.12	BDL	BDL	BDL	BDL
Xylenes	BDL	BDL	BDL	0.0795	BDL

**Table 3-2 (continued)**  
**Background Soil Analytical Results**  
**F-Area Retention Basin (281-3F)**

Sample ID	102200	102202	102204	102205	102206
Facility Identifier	FRB	FRB	FRB	FRB	FRB
Sampling Point	01	01	01	01	01
Sample Number	02	03	04	05	06
Sampling Interval (ft.)	0.5 - 2.0	5.0 - 7.0	10.0 - 12.0	15.0 - 17.0	20.0 - 22.0
Comment					
<i>Radionuclide Indicators and Radionuclides</i>	<i>(pCi/g)</i>	<i>(pCi/g)</i>	<i>(pCi/g)</i>	<i>(pCi/g)</i>	<i>(pCi/g)</i>
Actinium-228	1.36	1.58	1.16	0.758	1.14
Gross Alpha	8.18	20.7	15.2	2.44	8.86
Americium-241	BDL	0.252	BDL	BDL	BDL
Nonvolatile Beta	8.69	12.1	6.79	BDL	7.18
Carbon-14	0.166	BDL	BDL	0.113	0.157
Cesium-137	0.0793	0.0425	0.0116	BDL	0.00622
Europium-155	0.103	0.0863	0.0611	0.0405	0.0859
Potassium-40	1.16	1.33	0.634	0.704	1.04
Manganese-54	0.0189	0.0282	0.0186	0.0176	0.0183
Nickel-63	0.918	1.82	1.97	1.18	1.5
Lead-212	1.37	1.55	1.2	0.798	1.17
Promethium-147	BDL	BDL	BDL	BDL	0.0754
Plutonium-238	BDL	BDL	BDL	0.037	BDL
Plutonium-239/240	0.284	0.107	0.12	0.178	0.321
Radium-226	0.445	0.557	0.442	0.264	0.224
Radium-228	0.633	0.842	0.831	0.55	0.359
Strontium-90	0.19	0.26	BDL	BDL	BDL
Thorium-228	1.49	1.59	1.19	0.774	1.84
Thorium-230	0.891	1.06	0.521	0.502	1.14
Thorium-234	1.19	1.58	0.807	0.74	1.14
Total Radium	8.7	7.8	4.7	3	5.3
Uranium-235	0.0347	BDL	0.0422	BDL	BDL
Uranium-238	0.641	0.954	0.697	0.316	0.535
Uranium-233/234	0.802	0.98	0.751	0.366	0.651
Thorium-232	1.39	1.58	1.09	0.656	1.49
Neptunium-237	BDL	0.0647	0.222	0.0459	BDL
Neptunium-239	0.093	0.078	0.0553	0.0366	0.0776
Technicium-99	1.7	1.4	1.36	0.484	0.411
Yttrium-88	BDL	BDL	BDL	BDL	0.00541
Promethium-144	BDL	BDL	BDL	BDL	0.00499
Promethium-146	BDL	0.0185	0.00654	BDL	0.0754
Zirconium-95	0.032	0.0331	0.0177	0.0245	0.0415

BDL = Not detected above method detection limits

## **APPENDIX B**

**Quantitative Laboratory Analysis of Soil Samples collected from Sampling  
Locations FRB-05, 06, 07, 08, and 19 at the SRS F-Area Retention Basin  
(from Appendix E of WSRC, 1995)**

**This Page Intentionally Left Blank**

SAMPLE NAME: FRB-0501  
 Location (SRS Coordinates): 53723 E 76383 N  
 Sample Matrix: Soil

Sample ID: 102271  
 Interval Depths: 0.00 to 1.00  
 Percent Solids: 90.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.85	mg/kg	5.85	EPA6010
Barium, total recoverable				15.40	mg/kg	2.92	EPA6010
Beryllium, total recoverable				0.181	mg/kg	2.92	EPA6010
Chromium, total recoverable				8.34	mg/kg	2.92	EPA6010
Nickel, total recoverable				1.26	mg/kg	2.92	EPA6010
Lead, total recoverable				5.91	mg/kg	5.85	EPA6010
Thallium, total recoverable	U			5.85	mg/kg	5.85	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				5.59±2.18	pCi/g	1.97	EPIA-001B
Americium-241	UI			-0.01±0.0101	pCi/g	0.06	EPIA-011B
Barium-133	UI			0.0013±0.0038	pCi/g	0.0058	EPIA-013B
Nonvolatile beta				5.07±2.22	pCi/g	3.99	EPIA-001B
Carbon-14	UI			-0.0118±0.0863	pCi/g	0.166	EPIA-003B
Cobalt-60	UI			-0.0011±0.0025	pCi/g	0.0041	EPIA-013B
Cesium-137				0.101±0.0063	pCi/g	0.005	EPIA-013B
Europium-154	UI			-0.0039±0.0207	pCi/g	0.0213	EPIA-013B
Iodine-129	UI			0.0233±0.075	pCi/g	0.0983	EPIA-006B
Potassium-40	UI	V		1.69±0.0761	pCi/g	0.0379	EPIA-013B
Nickel-63				1.09±0.40	pCi/g	0.767	EPIA-022
Plutonium-239/240	UI			0.0408±0.0322	pCi/g	0.06	EPIA-012B
Radium-226	J	C		0.767±0.0642	pCi/g	0.0455	EPIA-013B
Sroutium-90				2.61±0.284	pCi/g	0.309	EPIA-004
Technetium-99	UI			0.0791±0.112	pCi/g	0.299	EPIA-005B
Uranium-238				0.729±0.143	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			36.90	µg/kg	36.90	EPA8270
Di-n-butyl phthalate	U			36.90	µg/kg	36.90	EPA8270
N-Nitrosodiphenylamine	U			36.90	µg/kg	36.90	EPA8270
2-Chlorophenol	U			36.90	µg/kg	36.90	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	UI	QO	H	0.556	µg/kg	0.556	EPA8260
Carbon disulfide	UI	QO	H	1.11	µg/kg	1.11	EPA8260
Toluene	UI	VQO	H	0.189	µg/kg	0.556	EPA8260
Trichloroethylene	UI	QO	H	0.0556	µg/kg	0.0556	EPA8260

P-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0502  
 Location (SRS Coordinates): 53723 E 76383 N  
 Sample Matrix: Soil

Sample ID: 102272  
 Interval Depths: 2.00 to 4.00  
 Percent Solids: 89.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.91	mg/kg	5.91	EPA6010
Barium, total recoverable				23.10	mg/kg	2.96	EPA6010
Beryllium, total recoverable				0.238	mg/kg	2.96	EPA6010
Chromium, total recoverable				12.70	mg/kg	2.96	EPA6010
Nickel, total recoverable				3.13	mg/kg	2.96	EPA6010
Lead, total recoverable				4.40	mg/kg	5.91	EPA6010
Thallium, total recoverable	U			5.91	mg/kg	5.91	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				4.57±2.11	pCi/g	2.61	EPIA-001B
Americium-241	UI			0.0237±0.0242	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.012±0.0039	pCi/g	0.006	EPIA-013B
Nonvolatile beta				6.20±2.41	pCi/g	4.22	EPIA-001B
Carbon-14	UI			-0.0028±0.0864	pCi/g	0.167	EPIA-003B
Cobalt-60	UI			0.0005±0.0026	pCi/g	0.0045	EPIA-013B
Cesium-137				0.0903±0.0062	pCi/g	0.005	EPIA-013B
Europium-154	UI			-0.0009±0.0214	pCi/g	0.023	EPIA-013B
Iodine-129	UI			0.0079±0.046	pCi/g	0.0931	EPIA-006B
Potassium-40	UI	V		0.936±0.0687	pCi/g	0.0391	EPIA-013B
Nickel-63	UI			0.712±0.369	pCi/g	0.736	EPIA-022
Plutonium-239/240	UI			0.0008±0.0332	pCi/g	0.0754	EPIA-012B
Radium-226	I	C		0.887±0.0994	pCi/g	0.0687	EPIA-013B
Strontium-90	UI			0.0713±0.168	pCi/g	0.26	EPIA-004
Technetium-99	UI			0.0212±0.109	pCi/g	0.294	EPIA-005B
Uranium-238				0.72±0.156	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran				6.34	µg/kg	37.30	EPA8270
Di-n-butyl phthalate				18.30	µg/kg	37.30	EPA8270
N-Nitrosodiphenylamine				7.09	µg/kg	37.30	EPA8270
2-Chlorophenol				7.84	µg/kg	37.30	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	UI	Q		0.562	µg/kg	0.562	EPA8260
Carbon disulfide	UI	Q		1.12	µg/kg	1.12	EPA8260
Toluene	UI	VQ		0.169	µg/kg	0.562	EPA8260
Trichloroethylene	UI	Q		0.0562	µg/kg	0.0562	EPA8260

F-Area Retention Basin, Phase II



SAMPLE NAME: FRB-0503  
 Location (SRS Coordinates): S3723 E 76383 N  
 Sample Matrix: Soil

Sample ID: 102273  
 Interval Depths: 8.00 to 10.00  
 Percent Solids: 78.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.75	mg/kg	6.75	EPA6010
Barium, total recoverable				67.90	mg/kg	3.37	EPA6010
Beryllium, total recoverable				0.645	mg/kg	3.37	EPA6010
Chromium, total recoverable				9.99	mg/kg	3.37	EPA6010
Nickel, total recoverable				4.90	mg/kg	3.37	EPA6010
Lead, total recoverable				4.31	mg/kg	6.75	EPA6010
Thallium, total recoverable	U			6.75	mg/kg	6.75	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				15.50±3.72	pCi/g	2.19	EPLA-001B
Americium-241	UI			0.0153±0.0225	pCi/g	0.06	EPLA-011B
Barium-133	UI			0.003±0.0069	pCi/g	0.0102	EPLA-013B
Nonvolatile beta				17.40±3.34	pCi/g	4.56	EPLA-001B
Carbon-14	UI			0.059±0.0881	pCi/g	0.192	EPLA-003B
Cobalt-60	UI			-0.0013±0.003	pCi/g	0.0049	EPLA-013B
Cesium-137				5.48±0.0341	pCi/g	0.0075	EPLA-013B
Europium-154	UI			-0.0348±0.0177	pCi/g	0.0247	EPLA-013B
Iodine-129	UI			0.0064±0.059	pCi/g	0.122	EPLA-006B
Potassium-40	UI	V		2.49±0.101	pCi/g	0.0404	EPLA-013B
Nickel-63	UI			0.669±0.338	pCi/g	0.672	EPLA-022
Plutonium-239/240				0.0752±0.0459	pCi/g	0.06	EPLA-012B
Radium-226	J	C		0.967±0.0891	pCi/g	0.0645	EPLA-013B
Strontium-90				9.99±0.49	pCi/g	0.418	EPLA-004
Technetium-99	UI			-0.091±0.117	pCi/g	0.368	EPLA-005B
Uranium-238				0.974±0.184	pCi/g	0.06	EPLA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran				8.09	µg/kg	42.60	EPA8270
Di-n-butyl phthalate	U			42.60	µg/kg	42.60	EPA8270
N-Nitrosodiphenylamine	U			42.60	µg/kg	42.60	EPA8270
2-Chlorophenol	U			42.60	µg/kg	42.60	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	J	OB		0.436	µg/kg	0.641	EPA8260
Carbon disulfide	UI	O		1.28	µg/kg	1.28	EPA8260
Toluene	UI	VO		0.282	µg/kg	0.641	EPA8260
Trichloroethylene	UI	O		0.0641	µg/kg	0.0641	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0504  
 Location (SRS Coordinates): 53723 E 76383 N  
 Sample Matrix: Soil

Sample ID: 102274  
 Interval Depths: 10.00 to 12.00  
 Percent Solids: 86.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.12	mg/kg	6.12	EPA6010
Barium, total recoverable				30.60	mg/kg	3.06	EPA6010
Beryllium, total recoverable				0.31	mg/kg	3.06	EPA6010
Chromium, total recoverable				11.80	mg/kg	3.06	EPA6010
Nickel, total recoverable				2.69	mg/kg	3.06	EPA6010
Lead, total recoverable				4.75	mg/kg	6.12	EPA6010
Thallium, total recoverable				3.46	mg/kg	6.12	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				14.60±3.67	pCi/g	2.19	EPIA-001B
Americium-241	UI			0.0156±0.0243	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.00±0.0104	pCi/g	0.0147	EPIA-013B
Nonvolatile beta				229.00±10.10	pCi/g	4.04	EPIA-001B
Carbon-14	UI			0.0438±0.0882	pCi/g	0.174	EPIA-005B
Cobalt-60				0.0318±0.0063	pCi/g	0.0055	EPIA-013B
Cesium-137				11.20±0.0474	pCi/g	0.0093	EPIA-013B
Europium-154	UI			-0.0104±0.0211	pCi/g	0.0303	EPIA-013B
Iodine-129	UI			0.0581±0.10	pCi/g	0.187	EPIA-006B
Potassium-40	UI	V		1.91±0.0979	pCi/g	0.0484	EPIA-013B
Nickel-63				2.06±0.433	pCi/g	0.75	EPIA-022
Plutonium-239/240	UI			0.0091±0.03	pCi/g	0.0663	EPIA-012B
Radium-226	J	C		0.809±0.0774	pCi/g	0.0578	EPIA-013B
Strontium-90				385.00±9.59	pCi/g	2.09	EPIA-004
Technetium-99	UI			0.243±0.11	pCi/g	0.301	EPIA-005B
Uranium-238				0.841±0.153	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			38.20	µg/kg	38.20	EPA8270
Di-n-butyl phthalate	U			38.20	µg/kg	38.20	EPA8270
N-Nitrosodiphenylamine	U			38.20	µg/kg	38.20	EPA8270
2-Chlorophenol	U			38.20	µg/kg	38.20	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)				0.36	µg/kg	0.581	EPA8260
Carbon disulfide	U			1.16	µg/kg	1.16	EPA8260
Toluene	U	V		0.36	µg/kg	0.581	EPA8260
Trichloroethylene	U			0.0581	µg/kg	0.0581	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0505  
 Location (SRS Coordinates): 53723 E 76383 N  
 Sample Matrix: Soil

Sample ID: 102275  
 Interval Depths: 12.00 to 14.00  
 Percent Solids: 85.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.19	mg/kg	6.19	EPA6010
Barium, total recoverable				17.10	mg/kg	3.10	EPA6010
Beryllium, total recoverable				0.189	mg/kg	3.10	EPA6010
Chromium, total recoverable				14.20	mg/kg	3.10	EPA6010
Nickel, total recoverable				2.85	mg/kg	3.10	EPA6010
Lead, total recoverable				5.31	mg/kg	6.19	EPA6010
Thallium, total recoverable	U			6.19	mg/kg	6.19	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				17.80±4.15	pCi/g	2.11	EPIA-001B
Americium-241	UI			-0.0023±0.0118	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.145±0.101	pCi/g	0.0174	EPIA-013B
Nonvolatile beta				302.00±11.70	pCi/g	3.98	EPIA-001B
Carbon-14	UI			-0.0186±0.0663	pCi/g	0.176	EPIA-003B
Cobalt-60				0.0314±0.0081	pCi/g	0.0063	EPIA-013B
Cesium-137				9.31±1.36	pCi/g	0.0124	EPIA-013B
Europium-154	UI			0.0055±0.0259	pCi/g	0.0384	EPIA-013B
Iodine-129	UI			0.0388±0.162	pCi/g	0.30	EPIA-006B
Potassium-40	UI	V		1.23±0.16	pCi/g	0.0574	EPIA-013B
Nickel-63				1.99±0.458	pCi/g	0.811	EPIA-022
Plutonium-239/240	UI			-0.0066±0.0329	pCi/g	0.0821	EPIA-012B
Radium-226	J	C		0.821±0.102	pCi/g	0.0678	EPIA-013B
Strontium-90				804.00±9.06	pCi/g	0.786	EPIA-004
Technetium-99	UI			0.161±0.192	pCi/g	0.541	EPIA-005B
Uranium-238				1.02±0.207	pCi/g	0.0739	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			39.10	µg/kg	39.10	EPA8270
Di-n-butyl phthalate	U			39.10	µg/kg	39.10	EPA8270
N-Nitrosodiphenylamine	U			39.10	µg/kg	39.10	EPA8270
2-Chlorophenol	U			39.10	µg/kg	39.10	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	O	H	0.588	µg/kg	0.588	EPA8260
Carbon disulfide	U	O	H	1.18	µg/kg	1.18	EPA8260
Toluene	U	VO	H	0.165	µg/kg	0.588	EPA8260
Trichloroethylene	U	O	H	0.0588	µg/kg	0.0588	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0506  
 Location (SRS Coordinates): 53723 E 76383 N  
 Sample Matrix: Soil

Sample ID: 102276  
 Interval Depth: 14.00 to 16.00  
 Percent Solids: 83.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.34	mg/kg	6.34	EPA6010
Barium, total recoverable				9.46	mg/kg	3.17	EPA6010
Beryllium, total recoverable				0.139	mg/kg	3.17	EPA6010
Chromium, total recoverable				14.00	mg/kg	3.17	EPA6010
Nickel, total recoverable				2.26	mg/kg	3.17	EPA6010
Lead, total recoverable				6.58	mg/kg	6.34	EPA6010
Thallium, total recoverable	U			6.34	mg/kg	6.34	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				14.60±4.56	pCi/g	5.68	EPIA-001B
Americium-241	UI			0.0133±0.0247	pCi/g	0.06	EPIA-011B
Barium-133	UI			0.0014±0.0075	pCi/g	0.0114	EPIA-013B
Nonvolatile beta				235.00±10.30	pCi/g	4.14	EPIA-001B
Carbon-14	UI			0.0263±0.0873	pCi/g	0.18	EPIA-003B
Cobalt-60				0.01±0.0056	pCi/g	0.0053	EPIA-013B
Cesium-137				3.40±0.0265	pCi/g	0.0082	EPIA-013B
Europium-154	UI			0.0003±0.0302	pCi/g	0.0314	EPIA-013B
Iodine-129	UI			0.0361±0.194	pCi/g	0.368	EPIA-006B
Potassium-40	UI	V		1.14±0.0839	pCi/g	0.0493	EPIA-013B
Nickel-63				1.19±0.41	pCi/g	0.778	EPIA-022
Plutonium-239/240	UI			0.0352±0.0353	pCi/g	0.06	EPIA-012B
Radium-226	I	C		0.919±0.208	pCi/g	0.10	EPIA-013B
Strontium-90				528.00±11.50	pCi/g	1.79	EPIA-004
Technetium-99	UI			-0.0358±0.0928	pCi/g	0.272	EPIA-005B
Uranium-238				1.03±0.241	pCi/g	0.0915	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			39.70	µg/kg	39.70	EPA8270
Di-n-butyl phthalate	U			39.70	µg/kg	39.70	EPA8270
N-Nitrosodiphenylamine	U			39.70	µg/kg	39.70	EPA8270
2-Chlorophenol	U			39.70	µg/kg	39.70	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.602	µg/kg	0.602	EPA8260
Carbon disulfide	U			1.20	µg/kg	1.20	EPA8260
Toluene	U	V		0.145	µg/kg	0.602	EPA8260
Trichloroethylene	U			0.0602	µg/kg	0.0602	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0507  
 Location (SRS Coordinates): 53723 E 76383 N  
 Sample Matrix: Soil

Sample ID: 102278  
 Interval Depth: 16.00 to 18.00  
 Percent Solids: 80.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.58	mg/kg	6.58	EPA6010
Barium, total recoverable				8.18	mg/kg	3.29	EPA6010
Beryllium, total recoverable				0.15	mg/kg	3.29	EPA6010
Chromium, total recoverable				15.40	mg/kg	3.29	EPA6010
Nickel, total recoverable				2.35	mg/kg	3.29	EPA6010
Lead, total recoverable				5.66	mg/kg	6.58	EPA6010
Thallium, total recoverable	U			6.58	mg/kg	6.58	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				17.80±4.71	pCi/g	2.85	EPIA-001B
Americium-241	UI			0.0131±0.0152	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.0276±0.0058	pCi/g	0.0088	EPIA-013B
Nonvolatile beta				125.00±7.75	pCi/g	4.36	EPIA-001B
Carbon-14	UI			-0.0581±0.0843	pCi/g	0.185	EPIA-003B
Cobalt-60	UI			-0.0003±0.0037	pCi/g	0.0063	EPIA-013B
Cesium-137				0.261±0.0097	pCi/g	0.0076	EPIA-013B
Europium-154				0.0403±0.0253	pCi/g	0.0352	EPIA-013B
Iodine-129	UI			0.0875±0.07	pCi/g	0.153	EPIA-006B
Potassium-40	UI	V		1.16±0.0972	pCi/g	0.0552	EPIA-013B
Nickel-63				1.15±0.398	pCi/g	0.756	EPIA-022
Plutonium-239/240	UI			0.0002±0.0124	pCi/g	0.06	EPIA-012B
Radium-226	J	C		0.899±0.0842	pCi/g	0.0532	EPIA-013B
Sroutium-90				81.50±1.19	pCi/g	0.25	EPIA-004
Technetium-99	UI			0.0179±0.113	pCi/g	0.343	EPIA-005B
Uranium-238				0.873±0.176	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			41.30	µg/kg	41.30	EPA8270
Di-n-butyl phthalate	U			41.30	µg/kg	41.30	EPA8270
N-Nitrosodiphenylamine	U			41.30	µg/kg	41.30	EPA8270
2-Chlorophenol	U			41.30	µg/kg	41.30	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)				0.488	µg/kg	0.625	EPA8260
Carbon disulfide	U			1.25	µg/kg	1.25	EPA8260
Toluene	U	V		0.225	µg/kg	0.625	EPA8260
Trichloroethylene				0.075	µg/kg	0.0625	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0508  
 Location (SRS Coordinates): 53723 E 76383 N  
 Sample Matrix: Soil

Sample ID: 102279  
 Interval Depth: 18.00 to 20.00  
 Percent Solids: 80.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.58	mg/kg	6.58	EPA6010
Barium, total recoverable				6.27	mg/kg	3.29	EPA6010
Beryllium, total recoverable				0.136	mg/kg	3.29	EPA6010
Chromium, total recoverable				18.60	mg/kg	3.29	EPA6010
Nickel, total recoverable				1.83	mg/kg	3.29	EPA6010
Lead, total recoverable				7.40	mg/kg	6.58	EPA6010
Thallium, total recoverable	U			6.58	mg/kg	6.58	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				15.80±0.39	pCi/g	2.94	EPIA-001B
Americium-241	UI			0.0206±0.0211	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.0105±0.005	pCi/g	0.0079	EPIA-013B
Nonvolatile beta				21.60±5.58	pCi/g	4.27	EPIA-001B
Carbon-14	UI			-0.0719±0.0857	pCi/g	0.189	EPIA-003B
Cobalt-60	UI			0.0008±0.0032	pCi/g	0.0056	EPIA-013B
Cesium-137				0.123±0.0078	pCi/g	0.0069	EPIA-013B
Europium-154	UI			-0.0093±0.0208	pCi/g	0.0305	EPIA-013B
Iodine-129	UI			-0.0313±0.066	pCi/g	0.146	EPIA-005B
Potassium-40	UI	V		1.05±0.0894	pCi/g	0.0508	EPIA-013B
Nickel-63				1.29±0.452	pCi/g	0.859	EPIA-022
Plutonium-239/240	UI			0.0172±0.0454	pCi/g	0.0886	EPIA-012B
Radium-226	J	C		0.954±0.113	pCi/g	0.0718	EPIA-013B
Sroutium-90				13.00±0.574	pCi/g	0.311	EPIA-004
Technetium-99	UI			0.0849±0.105	pCi/g	0.316	EPIA-005B
Uranium-238				0.979±0.193	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			41.40	µg/kg	41.40	EPA8270
Di-n-butyl phthalate	U			41.40	µg/kg	41.40	EPA8270
N-Nitrosodiphenylamine	U			41.40	µg/kg	41.40	EPA8270
2-Chlorophenol				4.14	µg/kg	41.40	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)				0.40	µg/kg	0.625	EPA8260
Carbon disulfide	U			1.25	µg/kg	1.25	EPA8260
Toluene	U	V		0.175	µg/kg	0.625	EPA8260
Trichloroethylene	U			0.0625	µg/kg	0.0625	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0509  
 Location (SRS Coordinates): 53723 E 76383 N  
 Sample Matrix: Soil

Sample ID: 102280  
 Interval Depths: 20.00 to 22.00  
 Percent Solids: 79.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	UJ	DX	P	6.66	mg/kg	6.66	EPA6010
Barium, total recoverable	J	VIXC	P	5.04	mg/kg	3.33	EPA6010
Beryllium, total recoverable	J	DX	P	0.113	mg/kg	3.33	EPA6010
Chromium, total recoverable	J	DX	P	18.80	mg/kg	3.33	EPA6010
Nickel, total recoverable	J	DX	P	1.50	mg/kg	3.33	EPA6010
Lead, total recoverable	J	DX	P	10.40	mg/kg	6.66	EPA6010
Thallium, total recoverable	UJ	DX	P	6.66	mg/kg	6.66	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		29.60±9.81	pCi/g	6.74	EPIA-001B
Americium-241	UJ			0.0195±0.0231	pCi/g	0.06	EPIA-011B
Barium-133	UJ			-0.0037±0.0054	pCi/g	0.0078	EPIA-013B
Nonvolatile beta		X		26.20±5.96	pCi/g	7.24	EPIA-001B
Carbon-14	UJ			-0.0451±0.0856	pCi/g	0.189	EPIA-003B
Cobalt-60	UJ			0.0023±0.0033	pCi/g	0.0058	EPIA-013B
Cesium-137				0.0302±0.0085	pCi/g	0.0068	EPIA-013B
Europium-154	UJ			0.0256±0.0298	pCi/g	0.0308	EPIA-013B
Iodine-129	UJ			0.0987±0.063	pCi/g	0.147	EPIA-006B
Potassium-40	UJ	V		1.11±0.156	pCi/g	0.0545	EPIA-013B
Nickel-63				1.10±0.473	pCi/g	0.924	EPIA-022
Plutonium-239/240	UJ	X		0.0002±0.011	pCi/g	0.06	EPIA-012B
Radium-226		X		0.912±0.0842	pCi/g	0.0576	EPIA-013B
Strontium-90		X		32.70±1.81	pCi/g	1.18	EPIA-004
Technetium-99	UJ	VX		0.922±0.13	pCi/g	0.368	EPIA-003B
Uranium-238				1.44±0.242	pCi/g	0.0696	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			41.90	µg/kg	41.90	EPA8270
Di-n-butyl phthalate	U	V		18.00	µg/kg	41.90	EPA8270
N-Nitrosodiphenylamine	U			41.90	µg/kg	41.90	EPA8270
2-Chlorophenol	U			41.90	µg/kg	41.90	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.633	µg/kg	0.633	EPA8260
Carbon disulfide	U			1.27	µg/kg	1.27	EPA8260
Toluene	U	V		0.177	µg/kg	0.633	EPA8260
Trichloroethylene	U			0.0633	µg/kg	0.0633	EPA8260

F-Area Retention Basin, Phase II

**This Page Intentionally Left Blank**



SAMPLE NAME: FRB-0601  
 Location (SRS Coordinates): 53775 E 76260 N  
 Sample Matrix: Soil

Sample ID: 102249  
 Interval Depths: 0.00 to 1.00  
 Percent Solids: 92.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.72	mg/kg	5.72	EPA6010
Barium, total recoverable				23.20	mg/kg	2.86	EPA6010
Beryllium, total recoverable				0.235	mg/kg	2.86	EPA6010
Chromium, total recoverable				8.72	mg/kg	2.86	EPA6010
Nickel, total recoverable				1.79	mg/kg	2.86	EPA6010
Lead, total recoverable				6.47	mg/kg	5.72	EPA6010
Thallium, total recoverable	U			5.72	mg/kg	5.72	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				6.88±2.51	pCi/g	2.29	EPIA-001B
Americium-241	UI			0.0144±0.0225	pCi/g	0.0432	EPIA-011B
Barium-133	UI			-0.0021±0.0048	pCi/g	0.0068	EPIA-013B
Nonvolatile beta		X		10.10±2.66	pCi/g	3.85	EPIA-001B
Carbon-14	UI			-0.553±0.102	pCi/g	0.213	EPIA-003B
Cobalt-60	UI	X		-0.0019±0.003	pCi/g	0.005	EPIA-013B
Cesium-137				0.246±0.0084	pCi/g	0.0058	EPIA-013B
Europium-154	UI			-0.0079±0.0183	pCi/g	0.0263	EPIA-013B
Iodine-129	UI			0.0141±0.049	pCi/g	0.097	EPIA-006B
Potassium-40	UI	V		1.64±0.0946	pCi/g	0.0483	EPIA-013B
Nickel-63	J	X		1.14±0.408	pCi/g	0.779	EPIA-022
Plutonium-239/240	UI			0.0009±0.0345	pCi/g	0.0783	EPIA-012B
Radium-226	J	C		0.805±0.0983	pCi/g	0.0643	EPIA-013B
Strontium-90	J	X		0.346±0.23	pCi/g	0.331	EPIA-004
Technetium-99	UI	X		-0.0076±0.163	pCi/g	0.428	EPIA-005B
Uranium-238				0.598±0.16	pCi/g	0.0691	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			36.10	µg/kg	36.10	EPA8270
Di-n-butyl phthalate	U	V		26.30	µg/kg	36.10	EPA8270
N-Nitrosodiphenylamine	U			36.10	µg/kg	36.10	EPA8270
2-Chlorophenol	U			36.10	µg/kg	36.10	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	J	QO	H	0.935	µg/kg	0.543	EPA8260
Carbon disulfide	UI	QO	H	1.09	µg/kg	1.09	EPA8260
Toluene	UI	VQO	H	0.228	µg/kg	0.543	EPA8260
Trichloroethylene	UI	QO	H	0.0543	µg/kg	0.0543	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0602  
 Location (SRS Coordinates): 5377.5 E 76260 N  
 Sample Matrix: Soil

Sample ID: 102250  
 Interval Depths: 10.00 to 12.00  
 Percent Solids: 87.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.05	mg/kg	6.05	EPA6010
Barium, total recoverable				26.20	mg/kg	3.02	EPA6010
Beryllium, total recoverable				0.238	mg/kg	3.02	EPA6010
Chromium, total recoverable				10.20	mg/kg	3.02	EPA6010
Nickel, total recoverable				1.66	mg/kg	3.02	EPA6010
Lead, total recoverable				7.22	mg/kg	6.05	EPA6010
Thallium, total recoverable	U			6.05	mg/kg	6.05	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				5.67±2.25	pCi/g	2.07	EPA-001B
Americium-241	U			-0.0096±0.0203	pCi/g	0.0558	EPA-011B
Barium-133	U			0.0032±0.0044	pCi/g	0.0064	EPA-013B
Nonvolatile beta				5.05±2.39	pCi/g	4.44	EPA-001B
Carbon-14	U			-0.629±0.101	pCi/g	0.225	EPA-003B
Cobalt-60	U			-0.0003±0.0026	pCi/g	0.0044	EPA-013B
Cesium-137				0.455±0.0102	pCi/g	0.0053	EPA-013B
Europium-154	U			0.0031±0.0211	pCi/g	0.0229	EPA-013B
Iodine-129	U			-0.046±0.041	pCi/g	0.0808	EPA-006B
Potassium-40	U	V		1.13±0.0731	pCi/g	0.0401	EPA-013B
Nickel-63				0.919±0.393	pCi/g	0.768	EPA-022
Plutonium-239/240	U			0.0557±0.0472	pCi/g	0.0665	EPA-012B
Radium-226	J	C		0.718±0.0611	pCi/g	0.0431	EPA-013B
Strontium-90				0.571±0.275	pCi/g	0.313	EPA-004
Technetium-99	U			0.0343±0.103	pCi/g	0.286	EPA-005B
Uranium-238				0.688±0.176	pCi/g	0.0541	EPA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			38.20	µg/kg	38.20	EPA8270
Di-n-butyl phthalate	U	V		20.60	µg/kg	38.20	EPA8270
N-Nitrosodiphenylamine	U			38.20	µg/kg	38.20	EPA8270
2-Chlorophenol	U			38.20	µg/kg	38.20	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	VO	H	0.345	µg/kg	0.575	EPA8260
Carbon disulfide	U	O	H	1.15	µg/kg	1.15	EPA8260
Toluene	J	VO	H	0.862	µg/kg	0.575	EPA8260
Trichloroethylene	J	O	H	0.0575	µg/kg	0.0575	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0603  
 Location (SRS Coordinates): 53775 E 76260 N  
 Sample Matrix: Soil

Sample ID: 102252  
 Interval Depths: 12.00 to 14.00  
 Percent Solids: 77.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable				4.55	mg/kg	6.84	EPA6010
Barium, total recoverable				20.10	mg/kg	3.42	EPA6010
Beryllium, total recoverable				0.481	mg/kg	3.42	EPA6010
Chromium, total recoverable				35.40	mg/kg	3.42	EPA6010
Nickel, total recoverable				7.52	mg/kg	3.42	EPA6010
Lead, total recoverable				14.00	mg/kg	6.84	EPA6010
Thallium, total recoverable	U			6.84	mg/kg	6.84	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				60.70±10.50	pCi/g	2.42	EPIA-001B
Americium-241				5.34±0.535	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.029±0.102	pCi/g	0.165	EPIA-013B
Nonvolatile beta				2460.00±33.50	pCi/g	4.52	EPIA-001B
Carbon-14	UI			-0.638±0.102	pCi/g	0.253	EPIA-003B
Cobalt-60				0.184±0.0129	pCi/g	0.0101	EPIA-013B
Cesium-137				2070.00±0.66	pCi/g	0.114	EPIA-013B
Europium-154				0.983±0.193	pCi/g	0.224	EPIA-013B
Iodine-129				11.20±1.23	pCi/g	0.821	EPIA-006B
Potassium-40	UI	V		1.80±0.133	pCi/g	0.0813	EPIA-013B
Nickel-63				11.60±0.749	pCi/g	0.80	EPIA-022
Plutonium-239/240				14.60±1.21	pCi/g	0.0116	EPIA-012B
Radium-226	J	C		1.31±0.698	pCi/g	0.939	EPIA-013B
Strontium-90				1080.00±4.18	pCi/g	0.367	EPIA-004
Technetium-99				0.545±0.125	pCi/g	0.373	EPIA-005B
Uranium-238				17.30±1.93	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			42.60	µg/kg	42.60	EPA8270
Di-n-butyl phthalate	U	V		49.90	µg/kg	42.60	EPA8270
N-Nitrosodiphenylamine				16.60	µg/kg	42.60	EPA8270
2-Chlorophenol	U			42.60	µg/kg	42.60	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	VO	H	0.39	µg/kg	0.649	EPA8260
Carbon disulfide	J	O	H	0.325	µg/kg	1.30	EPA8260
Toluene	U	VO	H	0.403	µg/kg	0.649	EPA8260
Trichloroethylene	U	O	H	0.0649	µg/kg	0.0649	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0604  
 Location (SRS Coordinates): 53775 E 76260 N  
 Sample Matrix: Soil

Sample ID: 102254  
 Interval Depth: 14.00 to 16.00  
 Percent Solids: 76.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.93	mg/kg	6.93	EPA6010
Barium, total recoverable				6.40	mg/kg	3.46	EPA6010
Beryllium, total recoverable				0.09	mg/kg	3.46	EPA6010
Chromium, total recoverable				19.40	mg/kg	3.46	EPA6010
Nickel, total recoverable				1.69	mg/kg	3.46	EPA6010
Lead, total recoverable				11.20	mg/kg	6.93	EPA6010
Thallium, total recoverable	U			6.93	mg/kg	6.93	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				51.80±10.40	pCi/g	3.04	EPIA-001B
Americium-241	UI			0.0017±0.023	pCi/g	0.054	EPIA-011B
Barium-133	UI			-0.0038±0.0107	pCi/g	0.0152	EPIA-013B
Nonvolatile beta				1270.00±24.10	pCi/g	4.50	EPIA-001B
Carbon-14	UI			-0.655±0.101	pCi/g	0.253	EPIA-003B
Cobalt-60	UI			0.0005±0.0043	pCi/g	0.0073	EPIA-013B
Cesium-137				0.966±0.0164	pCi/g	0.0164	EPIA-013B
Europium-154	UI			0.0144±0.0428	pCi/g	0.0453	EPIA-013B
Iodine-129	UI			-0.0342±0.133	pCi/g	0.303	EPIA-006B
Potassium-40	UI	V		1.85±0.123	pCi/g	0.0622	EPIA-013B
Nickel-63				0.961±0.381	pCi/g	0.738	EPIA-022
Plutonium-239/240				0.186±0.0557	pCi/g	0.06	EPIA-012B
Radium-226	J	C		1.07±0.12	pCi/g	0.093	EPIA-013B
Strontium-90				747.00±3.63	pCi/g	0.384	EPIA-004
Technetium-99	UI			0.0326±0.0994	pCi/g	0.316	EPIA-005B
Uranium-238				1.11±0.151	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			43.70	µg/kg	43.70	EPA8270
Di-n-butyl phthalate	U	V		25.80	µg/kg	43.70	EPA8270
N-Nitrosodiphenylamine	U			43.70	µg/kg	43.70	EPA8270
2-Chlorophenol	U			43.70	µg/kg	43.70	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	V		0.434	µg/kg	0.658	EPA8260
Carbon disulfide	U			1.32	µg/kg	1.32	EPA8260
Toluene	U	V		0.579	µg/kg	0.658	EPA8260
Trichloroethylene	U			0.0658	µg/kg	0.0658	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRE-0605  
 Location (SRS Coordinates): 53775 E 76260 N  
 Sample Matrix: Soil

Sample ID: I02255  
 Interval Depth: 16.00 to 18.00  
 Percent Solids: 77.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.84	mg/kg	6.84	EPA6010
Barium, total recoverable				6.49	mg/kg	3.42	EPA6010
Beryllium, total recoverable				0.159	mg/kg	3.42	EPA6010
Chromium, total recoverable				39.10	mg/kg	3.42	EPA6010
Nickel, total recoverable				1.35	mg/kg	3.42	EPA6010
Lead, total recoverable				15.10	mg/kg	6.84	EPA6010
Thallium, total recoverable	U			6.84	mg/kg	6.84	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				19.50±5.57	pCi/g	2.96	EPLA-001B
Americium-241	UI			0.002±0.026	pCi/g	0.0612	EPLA-011B
Barium-133	UI			0.0064±0.0105	pCi/g	0.0136	EPLA-013B
Nonvolatile beta				404.00±13.90	pCi/g	4.56	EPLA-001B
Carbon-14	UI			-0.686±0.101	pCi/g	0.253	EPLA-003B
Cobalt-60	UI			0.0026±0.004	pCi/g	0.0067	EPLA-013B
Cesium-137				3.37±0.0285	pCi/g	0.0102	EPLA-013B
Europium-154	UI			-0.0761±0.0275	pCi/g	0.0381	EPLA-013B
Iodine-129	UI			0.0143±0.102	pCi/g	0.209	EPLA-006B
Potassium-40	UI	V		2.16±0.116	pCi/g	0.0557	EPLA-013B
Nickel-63	UI			0.634±0.377	pCi/g	0.762	EPLA-022
Plutonium-239/240	UI			0.0055±0.0255	pCi/g	0.06	EPLA-012B
Radium-226	J	C		1.04±0.0899	pCi/g	0.062	EPLA-013B
Strontium-90				339.00±2.40	pCi/g	0.337	EPLA-004
Technetium-99	UI			0.0679±0.0995	pCi/g	0.31	EPLA-005B
Uranium-238				0.965±0.201	pCi/g	0.06	EPLA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			43.00	µg/kg	43.00	EPA8270
Di-n-butyl phthalate	U	V		24.10	µg/kg	43.00	EPA8270
N-Nitrosodiphenylamine	U			43.00	µg/kg	43.00	EPA8270
2-Chlorophenol	U			43.00	µg/kg	43.00	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	V		0.597	µg/kg	0.649	EPA8260
Carbon disulfide	U			1.30	µg/kg	1.30	EPA8260
Toluene	J	V		0.987	µg/kg	0.649	EPA8260
Trichloroethylene				0.0779	µg/kg	0.0649	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0606  
 Location (SRS Coordinates): 53775 E 76260 N  
 Sample Matrix: Soil

Sample ID: 102256  
 Interval Depth: 18.00 to 20.00  
 Percent Solids: 83.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.34	mg/kg	6.34	EPA6010
Barium, total recoverable				4.22	mg/kg	3.17	EPA6010
Beryllium, total recoverable				0.0913	mg/kg	3.17	EPA6010
Chromium, total recoverable				26.60	mg/kg	3.17	EPA6010
Nickel, total recoverable				0.635	mg/kg	3.17	EPA6010
Lead, total recoverable				8.86	mg/kg	6.34	EPA6010
Thallium, total recoverable	U			6.34	mg/kg	6.34	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				5.39±2.67	pCi/g	2.27	EPIA-001B
Americium-241	UI			0.0273±0.0249	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.147±0.103	pCi/g	0.0224	EPIA-013B
Nonvolatile beta				212.00±9.92	pCi/g	4.32	EPIA-001B
Carbon-14	UI			-0.598±0.105	pCi/g	0.237	EPIA-003B
Cobalt-60	UI			0.0038±0.0041	pCi/g	0.0072	EPIA-013B
Cesium-137				22.00±3.20	pCi/g	0.0186	EPIA-013B
Europium-154	UI			-0.0019±0.0271	pCi/g	0.0399	EPIA-013B
Iodine-129	UI			0.0325±0.097	pCi/g	0.187	EPIA-006B
Potassium-40	UI	V		1.90±0.223	pCi/g	0.0678	EPIA-013B
Nickel-63				1.10±0.435	pCi/g	0.841	EPIA-022
Plutonium-239/240				0.147±0.0511	pCi/g	0.0126	EPIA-012B
Radium-226	J	C		0.977±0.0985	pCi/g	0.0759	EPIA-013B
Strontium-90				360.00±2.24	pCi/g	0.235	EPIA-004
Technetium-99	UI			0.118±0.102	pCi/g	0.293	EPIA-005B
Uranium-238				1.34±0.264	pCi/g	0.062	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			39.40	µg/kg	39.40	EPA8270
Di-n-butyl phthalate	U	V		18.50	µg/kg	39.40	EPA8270
N-Nitrosodiphenylamine	U			39.40	µg/kg	39.40	EPA8270
2-Chlorophenol	U			39.40	µg/kg	39.40	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	V		0.373	µg/kg	0.602	EPA8260
Carbon disulfide	U			1.20	µg/kg	1.20	EPA8260
Toluene	U	V		0.446	µg/kg	0.602	EPA8260
Trichloroethylene	U			0.0602	µg/kg	0.0602	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0701  
 Location (SRS Coordinates): 53732 E 76132 N  
 Sample Matrix: Soil

Sample ID: 102289  
 Interval Depth: 0.00 to 1.00  
 Percent Solids: 90.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metals Parameters</b>							
Arsenic, total recoverable	U			5.85	mg/kg	5.85	EPA6010
Barium, total recoverable		V		20.10	mg/kg	2.92	EPA6010
Beryllium, total recoverable				0.185	mg/kg	2.92	EPA6010
Chromium, total recoverable				7.17	mg/kg	2.92	EPA6010
Nickel, total recoverable				2.01	mg/kg	2.92	EPA6010
Lead, total recoverable				5.15	mg/kg	5.85	EPA6010
Thallium, total recoverable	U			5.85	mg/kg	5.85	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		4.39±2.24	pCi/g	2.56	EPLA-001B
Americium-241	UI	X		0.007±0.0183	pCi/g	0.06	EPLA-011B
Barium-133	UI	X		0.0004±0.0071	pCi/g	0.0106	EPLA-013B
Nonvolatile beta	UI	X		3.77±3.18	pCi/g	6.56	EPLA-001B
Carbon-14	UI	X		0.0157±0.0855	pCi/g	0.163	EPLA-005B
Cobalt-60	UI	X		-0.0012±0.0053	pCi/g	0.0079	EPLA-013B
Cesium-137		X		0.166±0.0143	pCi/g	0.0099	EPLA-013B
Europium-154	UI	X		-0.0094±0.0531	pCi/g	0.0764	EPLA-013B
Iodine-129	UI	CX		-0.0433±0.047	pCi/g	0.09	EPLA-006B
Potassium-40		VX		1.74±0.155	pCi/g	0.0807	EPLA-013B
Nickel-63	UI	V		0.849±0.34	pCi/g	0.659	EPLA-022
Plutonium-239/240	UI	X		0.0033±0.0136	pCi/g	0.06	EPLA-012B
Radium-226		X		0.931±0.0712	pCi/g	0.0414	EPLA-013B
Strontium-90	UI	V		1.75±0.443	pCi/g	0.434	EPLA-004
Technetium-99	UI	X		0.0952±0.108	pCi/g	0.288	EPLA-005B
Uranium-238		X		0.919±0.155	pCi/g	0.06	EPLA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	UI	IY	P	36.00	µg/kg	36.00	EPA8270
Di-n-butyl phthalate	UI	IY	P	36.00	µg/kg	36.00	EPA8270
N-Nitrosodiphenylamine	UI	IY	P	36.00	µg/kg	36.00	EPA8270
2-Chlorophenol	UI	I	P	36.00	µg/kg	36.00	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	UI	8IYO	P	0.556	µg/kg	0.556	EPA8260
Carbon disulfide	UI	IYO	P	1.11	µg/kg	1.11	EPA8260
Toluene	UI	V8I*	P	0.111	µg/kg	0.556	EPA8260
Trichloroethylene	UI	IYO	P	0.0556	µg/kg	0.0556	EPA8260

\* = OB

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0762  
 Location (SRS Coordinates): 53732 E 76132 N  
 Sample Matrix: Soil

Sample ID: 102291  
 Interval Depths: 2.00 to 4.00  
 Percent Solids: 89.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.91	mg/kg	5.91	EPA6010
Barium, total recoverable		V		24.10	mg/kg	2.96	EPA6010
Beryllium, total recoverable				0.256	mg/kg	2.96	EPA6010
Chromium, total recoverable				10.10	mg/kg	2.96	EPA6010
Nickel, total recoverable				2.06	mg/kg	2.96	EPA6010
Lead, total recoverable				8.27	mg/kg	5.91	EPA6010
Thallium, total recoverable	U			5.91	mg/kg	5.91	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		20.40±5.30	pCi/g	6.29	EPA-001B
Americium-241	UI	X		0.0045±0.0207	pCi/g	0.06	EPA-011B
Barium-133	UI	X		0.0037±0.0073	pCi/g	0.0115	EPA-013B
Nonvolatile beta		X		7.21±3.57	pCi/g	6.71	EPA-001B
Carbon-14	UI	X		-0.0722±0.0819	pCi/g	0.163	EPA-003B
Cobalt-60	UI	X		-0.0014±0.0045	pCi/g	0.0078	EPA-013B
Cesium-137		X		0.0884±0.0125	pCi/g	0.0096	EPA-013B
Europium-154	UI	X		-0.0188±0.0478	pCi/g	0.0714	EPA-013B
Iodine-129	UI	CX		0.0011±0.044	pCi/g	0.0888	EPA-006B
Potassium-40		VX		1.19±0.134	pCi/g	0.0763	EPA-013B
Nickel-63	UI	V		1.04±0.388	pCi/g	0.746	EPA-022
Plutonium-239/240	UI	X		0.0118±0.0142	pCi/g	0.06	EPA-012B
Radium-226		X		0.93±0.0546	pCi/g	0.0394	EPA-013B
Strontium-90	UI	V		1.43±0.342	pCi/g	0.332	EPA-004
Technetium-99	UI	X		0.0635±0.123	pCi/g	0.331	EPA-005B
Uranium-238		X		0.869±0.147	pCi/g	0.0663	EPA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	UI	IY	P	36.80	µg/kg	36.80	EPA8270
Di-n-butyl phthalate	UI	VIYB	P	14.70	µg/kg	36.80	EPA8270
N-Nitrosodiphenylamine	UI	IY	P	36.80	µg/kg	36.80	EPA8270
2-Chlorophenol	UI	I	P	36.80	µg/kg	36.80	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	UI	BIYO	P	0.562	µg/kg	0.562	EPA8260
Carbon disulfide	UI	IYO	P	1.12	µg/kg	1.12	EPA8260
Toluene	UI	V81*	P	0.27	µg/kg	0.562	EPA8260
Trichloroethylene	UI	IYO	P	0.0562	µg/kg	0.0562	EPA8260

\* = OBY

F-Area Retention Basin, Phase II



SAMPLE NAME: FRB-0703  
 Location (SRS Coordinates): 53732 E 76132 N  
 Sample Matrix: Soil

Sample ID: 102292  
 Interval Depths: 8.00 to 10.00  
 Percent Solids: 88.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.98	mg/kg	5.98	EPA6010
Barium, total recoverable		V		14.90	mg/kg	2.99	EPA6010
Beryllium, total recoverable				0.149	mg/kg	2.99	EPA6010
Chromium, total recoverable				13.50	mg/kg	2.99	EPA6010
Nickel, total recoverable				2.16	mg/kg	2.99	EPA6010
Lead, total recoverable				7.99	mg/kg	5.98	EPA6010
Thallium, total recoverable	U			5.98	mg/kg	5.98	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		34.00±6.96	pCi/g	3.83	EPIA-001B
Americium-241	UI	X		-0.0139±0.0184	pCi/g	0.0644	EPIA-011B
Barium-133	UI	X		0.0117±0.0173	pCi/g	0.0217	EPIA-013B
Nonvolatile beta		X		247.00±12.90	pCi/g	8.03	EPIA-001B
Carbon-14	UI	X		-0.0867±0.0815	pCi/g	0.165	EPIA-005B
Cobalt-60		X		0.0221±0.0103	pCi/g	0.0096	EPIA-013B
Cesium-137		X		6.60±0.071	pCi/g	0.0155	EPIA-013B
Europium-154	UI	X		-0.233±0.0617	pCi/g	0.0821	EPIA-013B
Iodine-129	J	CX		0.659±0.328	pCi/g	0.282	EPIA-006B
Potassium-40		VX		1.42±0.16	pCi/g	0.0823	EPIA-013B
Nickel-63	UI	V		1.66±0.422	pCi/g	0.761	EPIA-022
Plutonium-239/240	UI	X		0.0495±0.0251	pCi/g	0.06	EPIA-012B
Radium-226		X		0.941±0.066	pCi/g	0.0538	EPIA-013B
Strontium-90		V		91.30±1.19	pCi/g	0.265	EPIA-004
Technetium-99	UI	X		0.223±0.115	pCi/g	0.308	EPIA-005B
Uranium-238		X		10.50±1.04	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	UJ	IY	P	37.50	µg/kg	37.50	EPA8270
Di-n-butyl phthalate	UJ	VIYB	P	20.50	µg/kg	37.50	EPA8270
N-Nitrosodiphenylamine	UJ	IY	P	37.50	µg/kg	37.50	EPA8270
2-Chlorophenol	UJ	IV	P	37.50	µg/kg	37.50	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	UJ	8IY	P	0.568	µg/kg	0.568	EPA8260
Carbon disulfide	UJ	IY	P	1.14	µg/kg	1.14	EPA8260
Toluene	UJ	V8IB	P	0.125	µg/kg	0.568	EPA8260
Trichloroethylene	UJ	IY	P	0.0568	µg/kg	0.0568	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0704  
 Location (SR5 Coordinates): 53732 E 76132 N  
 Sample Matrix: Soil

Sample ID: 102294  
 Interval Depths: 10.00 to 12.00  
 Percent Solids: 87.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable				3.26	mg/kg	6.05	EPA6010
Barium, total recoverable		Y		8.38	mg/kg	3.02	EPA6010
Beryllium, total recoverable				0.148	mg/kg	3.02	EPA6010
Chromium, total recoverable				12.70	mg/kg	3.02	EPA6010
Nickel, total recoverable				2.43	mg/kg	3.02	EPA6010
Lead, total recoverable				6.32	mg/kg	6.05	EPA6010
Thallium, total recoverable	U			6.05	mg/kg	6.05	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		16.90±5.00	pCi/g	4.16	EPLA-001B
Americium-241	UI	X		0.0024±0.0206	pCi/g	0.06	EPLA-011B
Barium-133	UI	X		0.0028±0.0103	pCi/g	0.015	EPLA-015B
Nonvolatile beta		X		238.00±12.50	pCi/g	7.81	EPLA-001B
Carbon-14	UI	X		-0.0275±0.0844	pCi/g	0.169	EPLA-005B
Cobalt-60	UI	X		0.0017±0.0051	pCi/g	0.0092	EPLA-013B
Cesium-137		X		0.327±0.0215	pCi/g	0.0133	EPLA-013B
Europium-154	UI	X		-0.0269±0.0576	pCi/g	0.0857	EPLA-013B
Iodine-129	UI	CX		0.0345±0.218	pCi/g	0.414	EPLA-006B
Potassium-40		VX		0.878±0.137	pCi/g	0.0885	EPLA-013B
Nickel-63	UI	V		1.51±0.419	pCi/g	0.767	EPLA-022
Plutonium-239/240	UI	X		-0.0065±0.0129	pCi/g	0.06	EPLA-012B
Radium-226		X		0.813±0.0584	pCi/g	0.0451	EPLA-013B
Strontium-90		Y		174.00±2.06	pCi/g	0.423	EPLA-004
Technetium-99	UI	X		0.0133±0.103	pCi/g	0.287	EPLA-005B
Uranium-238		X		1.57±0.217	pCi/g	0.06	EPLA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	UJ	IY	P	38.20	µg/kg	38.20	EPA8270
Di-n-butyl phthalate	UJ	VIYB	P	15.30	µg/kg	38.20	EPA8270
N-Nitrosodiphenylamine	UJ	IY	P	38.20	µg/kg	38.20	EPA8270
2-Chlorophenol	UJ	I	P	38.20	µg/kg	38.20	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	J	8IYB	P	0.379	µg/kg	0.575	EPA8260
Carbon disulfide	UJ	IY	P	1.15	µg/kg	1.15	EPA8260
Toluene	UJ	YSI*	P	0.126	µg/kg	0.575	EPA8260
Trichloroethylene	UJ	IY	P	0.0575	µg/kg	0.0575	EPA8260

\* = BY

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0705  
 Location (SRS Coordinates): 53732 E 76132 N  
 Sample Matrix: Soil

Sample ID: 102295  
 Interval Depths: 12.00 to 14.00  
 Percent Solids: 89.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.91	mg/kg	5.91	EPA6010
Barium, total recoverable		V		6.81	mg/kg	2.96	EPA6010
Beryllium, total recoverable				0.118	mg/kg	2.96	EPA6010
Chromium, total recoverable				11.60	mg/kg	2.96	EPA6010
Nickel, total recoverable				1.40	mg/kg	2.96	EPA6010
Lead, total recoverable				11.00	mg/kg	5.91	EPA6010
Thallium, total recoverable	U			5.91	mg/kg	5.91	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		14.00±4.14	pCi/g	3.92	EPA-001B
Americium-241	UI	X		-0.008±0.0204	pCi/g	0.0615	EPA-011B
Barium-133	UI	X		0.0005±0.0077	pCi/g	0.0114	EPA-013B
Nonvolatile beta		X		27.60±4.88	pCi/g	6.54	EPA-001B
Carbon-14	UI	X		-0.0254±0.0834	pCi/g	0.163	EPA-003B
Cobalt-60	UI	X		-0.0033±0.0044	pCi/g	0.0075	EPA-013B
Cesium-137		X		0.071±0.0119	pCi/g	0.0109	EPA-013B
Europium-154	UI	X		-0.0201±0.0432	pCi/g	0.0706	EPA-013B
Iodine-129	UI	CX		0.0011±0.116	pCi/g	0.246	EPA-006B
Potassium-40		VX		0.714±0.121	pCi/g	0.0766	EPA-013B
Nickel-63	UI	V		1.53±0.524	pCi/g	0.995	EPA-022
Plutonium-239/240	UI	X		-0.0191±0.0238	pCi/g	0.0662	EPA-012B
Radium-226		X		0.632±0.0691	pCi/g	0.0519	EPA-013B
Strontium-90		V		13.40±0.622	pCi/g	0.369	EPA-004
Technetium-99	UI	X		0.0719±0.0995	pCi/g	0.269	EPA-005B
Uranium-238		X		1.05±0.167	pCi/g	0.06	EPA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	UJ	IY	P	37.30	µg/kg	37.30	EPA8270
Di-n-butyl phthalate	UJ	V I Y B	P	20.10	µg/kg	37.30	EPA8270
N-Nitrosodiphenylamine	UJ	IY	P	37.30	µg/kg	37.30	EPA8270
2-Chlorophenol	UJ	I	P	37.30	µg/kg	37.30	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	UJ	IY	P	0.562	µg/kg	0.562	EPA8260
Carbon disulfide	UJ	IY	P	1.12	µg/kg	1.12	EPA8260
Toluene	UJ	V81*	P	0.124	µg/kg	0.562	EPA8260
Trichloroethylene	UJ	IY	P	0.0562	µg/kg	0.0562	EPA8260

\* = BY

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0706  
 Location (SRS Coordinates): 53732 E 76132 N  
 Sample Matrix: Soil

Sample ID: 102296  
 Interval Depth: 14.00 to 16.00  
 Percent Solids: 89.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.91	mg/kg	5.91	EPA6010
Barium, total recoverable		V		6.50	mg/kg	2.96	EPA6010
Beryllium, total recoverable				0.118	mg/kg	2.96	EPA6010
Chromium, total recoverable				12.40	mg/kg	2.96	EPA6010
Nickel, total recoverable				1.25	mg/kg	2.96	EPA6010
Lead, total recoverable				5.84	mg/kg	5.91	EPA6010
Thallium, total recoverable	U			5.91	mg/kg	5.91	EPA6010
<b>Radiological Parameters</b>							
Gross alpha			X	21.60±5.32	pCi/g	5.30	EPIA-001B
Americium-241	UI	X		0.0137±0.0226	pCi/g	0.06	EPIA-011B
Barium-133	UI	X		0.0059±0.0113	pCi/g	0.0118	EPIA-013B
Nonvolatile beta			X	25.80±4.86	pCi/g	6.76	EPIA-001B
Carbon-14	UI	X		-0.0171±0.0853	pCi/g	0.166	EPIA-003B
Cobalt-60	UI	X		0.0028±0.0052	pCi/g	0.0095	EPIA-013B
Cesium-137			X	0.0659±0.0143	pCi/g	0.012	EPIA-013B
Europium-154	UI	X		-0.0151±0.0484	pCi/g	0.0798	EPIA-013B
Iodine-129	UI	CX		0.0023±0.135	pCi/g	0.26	EPIA-006B
Potassium-40			VX	0.74±0.118	pCi/g	0.0645	EPIA-013B
Nickel-63	UI	V		0.99±0.368	pCi/g	0.707	EPIA-022
Plutonium-239/240	UI	X		0.0136±0.0199	pCi/g	0.06	EPIA-012B
Radium-226			X	0.858±0.0666	pCi/g	0.0438	EPIA-013B
Strontium-90			V	2.70±0.607	pCi/g	0.437	EPIA-004
Technetium-99	UI	X		0.0039±0.0989	pCi/g	0.27	EPIA-005B
Uranium-238			X	0.89±0.15	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	UI	IY	P	37.40	µg/kg	37.40	EPA8270
Di-n-butyl phthalate	UI	VIYB	P	20.20	µg/kg	37.40	EPA8270
N-Nitrosodiphenylamine	UI	IY	P	37.40	µg/kg	37.40	EPA8270
2-Chlorophenol	UI	I	P	37.40	µg/kg	37.40	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	J	8IYB	P	0.371	µg/kg	0.562	EPA8260
Carbon disulfide	UI	IY	P	1.12	µg/kg	1.12	EPA8260
Toluene	UI	V8IB	P	0.124	µg/kg	0.562	EPA8260
Trichloroethylene	UI	IY	P	0.0562	µg/kg	0.0562	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0707  
 Location (SRS Coordinates): 53732 E 76132 N  
 Sample Matrix: Soil

Sample ID: 102298  
 Interval Depths: 16.00 to 18.00  
 Percent Solids: 89.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.91	mg/kg	5.91	EPA6010
Barium, total recoverable		V		3.33	mg/kg	2.96	EPA6010
Beryllium, total recoverable				0.052	mg/kg	2.96	EPA6010
Chromium, total recoverable				9.49	mg/kg	2.96	EPA6010
Nickel, total recoverable	U			2.96	mg/kg	2.96	EPA6010
Lead, total recoverable				5.16	mg/kg	5.91	EPA6010
Thallium, total recoverable	U			5.91	mg/kg	5.91	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		10.70±3.55	pCi/g	3.54	EPA-001B
Americium-241	UI	X		0.0044±0.0081	pCi/g	0.06	EPA-011B
Barium-133	UI	X		0.0058±0.0109	pCi/g	0.0125	EPA-013B
Nonvolatile beta		X		8.20±3.51	pCi/g	6.50	EPA-001B
Carbon-14	UI	X		-0.0245±0.0844	pCi/g	0.165	EPA-003B
Cobalt-60	UI	X		-0.0006±0.0053	pCi/g	0.009	EPA-013B
Cesium-137		X		0.0963±0.0144	pCi/g	0.0116	EPA-013B
Europium-154	UI	X		0.026±0.0526	pCi/g	0.0835	EPA-013B
Iodine-129	UII	CX		-0.0393±0.108	pCi/g	0.222	EPA-006B
Potassium-40		VX		0.797±0.151	pCi/g	0.075	EPA-013B
Nickel-63	UI	V		1.01±0.374	pCi/g	0.717	EPA-022
Plutonium-239/240	UI	X		0.0002±0.0119	pCi/g	0.06	EPA-012B
Radium-226		X		0.914±0.0618	pCi/g	0.0453	EPA-013B
Strontium-90	UI	V		1.62±0.341	pCi/g	0.326	EPA-004
Technetium-99	UI	X		0.153±0.109	pCi/g	0.292	EPA-005B
Uranium-238		X		0.946±0.16	pCi/g	0.06	EPA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	UI	IY	P	36.70	µg/kg	36.70	EPA8270
Di-n-butyl phthalate	UI	VIYB	P	17.20	µg/kg	36.70	EPA8270
N-Nitrosodiphenylamine	UI	IY	P	36.70	µg/kg	36.70	EPA8270
2-Chlorophenol	UI	I	P	36.70	µg/kg	36.70	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	8IYB	P	0.36	µg/kg	0.562	EPA8260
Carbon disulfide	UI	IY	P	1.12	µg/kg	1.12	EPA8260
Toluene	UI	V8IB	P	0.101	µg/kg	0.562	EPA8260
Trichloroethylene	UI	IY	P	0.0562	µg/kg	0.0562	EPA8260

F-Area Retention Basin, Phase II

**This Page Intentionally Left Blank**

SAMPLE NAME: FRB-0801  
 Location (SRS Coordinates): 53670 E 76156 N  
 Sample Matrix: Soil

Sample ID: 102282  
 Interval Depth: 0.00 to 1.00  
 Percent Solids: 91.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.78	mg/kg	5.78	EPA6010
Barium, total recoverable	J	VX		30.40	mg/kg	2.89	EPA6010
Beryllium, total recoverable				0.20	mg/kg	2.89	EPA6010
Chromium, total recoverable				7.71	mg/kg	2.89	EPA6010
Nickel, total recoverable				1.40	mg/kg	2.89	EPA6010
Lead, total recoverable				5.20	mg/kg	5.78	EPA6010
Thallium, total recoverable	U			5.78	mg/kg	5.78	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		13.70±3.65	pCi/g	2.97	EPIA-001B
Americium-241	UI			0.0125±0.0232	pCi/g	0.06	EPIA-011B
Barium-133	UI	X		-0.005±0.0034	pCi/g	0.0126	EPIA-013B
Nonvolatile beta		X		5.69±2.45	pCi/g	4.45	EPIA-001B
Carbon-14	UI			-0.0175±0.0861	pCi/g	0.164	EPIA-003B
Cobalt-60	UI	X		-0.0002±0.0056	pCi/g	0.01	EPIA-013B
Cesium-137		X		0.0916±0.0126	pCi/g	0.0112	EPIA-013B
Europium-154	UI	X		-0.0176±0.0337	pCi/g	0.0482	EPIA-013B
Iodine-129	UI			0.0121±0.064	pCi/g	0.102	EPIA-006B
Potassium-40		X		0.966±0.149	pCi/g	0.10	EPIA-013B
Nickel-63	UI	V		1.12±0.516	pCi/g	1.02	EPIA-022
Plutonium-239/240	UI	X		0.0139±0.0245	pCi/g	0.06	EPIA-012B
Radium-226		X		0.734±0.0642	pCi/g	0.0404	EPIA-013B
Strontium-90		X		2.24±0.419	pCi/g	0.394	EPIA-004
Technetium-99	UI	VX		0.727±0.131	pCi/g	0.325	EPIA-005B
Uranium-238				0.467±0.105	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			36.50	µg/kg	36.50	EPA8270
Di-n-butyl phthalate	U	V		13.90	µg/kg	36.50	EPA8270
N-Nitrosodiphenylamine	U			36.50	µg/kg	36.50	EPA8270
2-Chlorophenol	U			36.50	µg/kg	36.50	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.549	µg/kg	0.549	EPA8260
Carbon disulfide	U			1.10	µg/kg	1.10	EPA8260
Toluene	U	V		0.187	µg/kg	0.549	EPA8260
Trichloroethylene	U			0.0549	µg/kg	0.0549	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0802  
 Location (SRS Coordinates): 53670 E 76156 N  
 Sample Matrix: Soil

Sample ID: 102283  
 Interval Depths: 2.00 to 4.00  
 Percent Solids: 89.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.91	mg/kg	5.91	EPA6010
Barium, total recoverable		V		20.00	mg/kg	2.96	EPA6010
Beryllium, total recoverable				0.185	mg/kg	2.96	EPA6010
Chromium, total recoverable				9.41	mg/kg	2.96	EPA6010
Nickel, total recoverable				2.15	mg/kg	2.96	EPA6010
Lead, total recoverable				6.98	mg/kg	5.91	EPA6010
Thallium, total recoverable	U			5.91	mg/kg	5.91	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		11.60±3.27	pCi/g	2.54	EPLA-001B
Americium-241	UI	X		0.0118±0.0294	pCi/g	0.0622	EPLA-011B
Barium-133	UI	X		0.0017±0.008	pCi/g	0.0319	EPLA-013B
Nonvolatile beta		X		6.19±2.41	pCi/g	4.20	EPLA-001B
Carbon-14	UI	X		-0.618±0.097	pCi/g	0.211	EPLA-003B
Cobalt-60	UI	X		0.0019±0.005	pCi/g	0.0092	EPLA-013B
Cesium-137		X		0.0686±0.0128	pCi/g	0.0123	EPLA-013B
Europium-154	UI	X		0.00±0.00	pCi/g	0.0441	EPLA-013B
Iodine-129	UI	X		0.0472±0.049	pCi/g	0.102	EPLA-006B
Potassium-40		X		1.39±0.165	pCi/g	0.0787	EPLA-013B
Nickel-63	UI	V		2.02±0.973	pCi/g	1.93	EPLA-023
Plutonium-239/240		X		0.0937±0.0443	pCi/g	0.06	EPLA-012B
Radium-226		X		0.778±0.065	pCi/g	0.0385	EPLA-013B
Strontium-90		X		5.25±0.469	pCi/g	0.37	EPLA-004
Technetium-99	UI	VX		0.845±0.133	pCi/g	0.337	EPLA-005B
Uranium-238		X		0.654±0.107	pCi/g	0.06	EPLA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			36.70	µg/kg	36.70	EPA8270
Di-n-butyl phthalate	U	V		14.30	µg/kg	36.70	EPA8270
N-Nitrosodiphenylamine	U			36.70	µg/kg	36.70	EPA8270
2-Chlorophenol	U			36.70	µg/kg	36.70	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			22.50	µg/kg	22.50	EPA8260
Carbon disulfide	U			44.90	µg/kg	44.90	EPA8260
Toluene		V		4.04	µg/kg	22.50	EPA8260
Trichloroethylene	U			2.25	µg/kg	2.25	EPA8260

F-Area Retention Basin, Phase 12



SAMPLE NAME: FRB-0803  
 Location (SRS Coordinates): 53670 E 76156 N  
 Sample Matrix: Soil

Sample ID: 102284  
 Interval Depth: 6.00 to 8.00  
 Percent Solids: 82.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.42	mg/kg	6.42	EPA6010
Barium, total recoverable		V		51.00	mg/kg	3.21	EPA6010
Beryllium, total recoverable				0.467	mg/kg	3.21	EPA6010
Chromium, total recoverable				10.60	mg/kg	3.21	EPA6010
Nickel, total recoverable				3.48	mg/kg	3.21	EPA6010
Lead, total recoverable				6.21	mg/kg	6.42	EPA6010
Thallium, total recoverable	U			6.42	mg/kg	6.42	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		13.20±3.80	pCi/g	3.32	EPA-001B
Americium-241	UI	X		0.0384±0.0299	pCi/g	0.06	EPA-011B
Barium-133	UI	X		-0.04±0.0123	pCi/g	0.0186	EPA-013B
Nonvolatile beta		X		58.80±5.31	pCi/g	4.02	EPA-001B
Carbon-14	UI	X		-0.717±0.0968	pCi/g	0.232	EPA-003B
Cobalt-60	UI	X		-0.0031±0.0066	pCi/g	0.0106	EPA-013B
Cesium-137		X		3.74±0.0556	pCi/g	0.0155	EPA-013B
Europium-154	UI	X		-0.0156±0.032	pCi/g	0.0543	EPA-013B
Iodine-129	UI	X		-0.0049±0.072	pCi/g	0.139	EPA-006B
Potassium-40		X		4.22±0.242	pCi/g	0.0903	EPA-013B
Nickel-63	UI	V		0.933±0.372	pCi/g	0.721	EPA-022
Plutonium-239/240		X		0.0854±0.0346	pCi/g	0.06	EPA-012B
Radium-226		X		0.997±0.0769	pCi/g	0.0494	EPA-013B
Srortium-90		X		23.20±1.79	pCi/g	1.34	EPA-004
Technetium-99	UI	VX		0.92±0.144	pCi/g	0.395	EPA-005B
Uranium-238		X		1.05±0.195	pCi/g	0.06	EPA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran				9.49	µg/kg	39.50	EPA8270
Di-n-butyl phthalate	UJ	VB		23.30	µg/kg	39.50	EPA8270
N-Nitrosodiphenylamine	U			39.50	µg/kg	39.50	EPA8270
2-Chlorophenol	U			39.50	µg/kg	39.50	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	J	O		0.951	µg/kg	0.61	EPA8260
Carbon disulfide	UJ	O		1.22	µg/kg	1.22	EPA8260
Toluene	UJ	VO		0.317	µg/kg	0.61	EPA8260
Trichloroethylene	J	O		0.134	µg/kg	0.061	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0804  
 Location (SRS Coordinates): 53670 E 76156 N  
 Sample Matrix: Soil

Sample ID: 102285  
 Interval Depth: 8.00 to 10.00  
 Percent Solids: 89.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.91	mg/kg	5.91	EPA6010
Barium, total recoverable		V		11.70	mg/kg	2.96	EPA6010
Beryllium, total recoverable				0.147	mg/kg	2.96	EPA6010
Chromium, total recoverable				13.70	mg/kg	2.96	EPA6010
Nickel, total recoverable				1.92	mg/kg	2.96	EPA6010
Lead, total recoverable				5.87	mg/kg	5.91	EPA6010
Thallium, total recoverable	U			5.91	mg/kg	5.91	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		36.30±6.25	pCi/g	2.74	EPIA-001B
Americium-241	UI	X		0.0335±0.0306	pCi/g	0.06	EPIA-011B
Barium-133	UI	X		0.0024±0.0184	pCi/g	0.028	EPIA-013B
Nonvolatile beta		X		274.00±11.50	pCi/g	5.04	EPIA-001B
Carbon-14	UI	X		-0.612±0.0977	pCi/g	0.212	EPIA-005B
Cobalt-60		X		0.019±0.0106	pCi/g	0.0091	EPIA-015B
Cesium-137		X		10.30±0.098	pCi/g	0.0171	EPIA-013B
Europium-154	UI	X		0.0104±0.0359	pCi/g	0.0544	EPIA-013B
Iodine-129	UI	X		-0.0393±0.084	pCi/g	0.146	EPIA-006B
Potassium-40		X		1.25±0.16	pCi/g	0.0685	EPIA-013B
Nickel-63	UI	VO	L	2.78±0.973	pCi/g	1.85	EPIA-022
Plutonium-239/240		X		0.139±0.0457	pCi/g	0.06	EPIA-012B
Radium-226		X		0.806±0.071	pCi/g	0.0534	EPIA-013B
Strontium-90		X		102.00±1.48	pCi/g	0.367	EPIA-004
Technetium-99	UI	VX		0.722±0.133	pCi/g	0.338	EPIA-005B
Uranium-238		X		7.81±0.936	pCi/g	0.0617	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran				4.09	µg/kg	37.20	EPA8270
Di-n-butyl phthalate	U	V		18.20	µg/kg	37.20	EPA8270
N-Nitrosodiphenylamine	U			37.20	µg/kg	37.20	EPA8270
2-Chlorophenol	U			37.20	µg/kg	37.20	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	J	O	H	0.416	µg/kg	0.562	EPA8260
Carbon disulfide	U	O	H	1.12	µg/kg	1.12	EPA8260
Toluene	U	VO	H	0.18	µg/kg	0.562	EPA8260
Trichloroethylene	J	O	H	0.101	µg/kg	0.0562	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0605  
 Location (SRS Coordinates): 53670 E 76156 N  
 Sample Matrix: Soil

Sample ID: 102286  
 Interval Depth: 10.00 to 12.00  
 Percent Solids: 87.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable				2.14	mg/kg	6.05	EPA6010
Barium, total recoverable		V		5.35	mg/kg	3.02	EPA6010
Beryllium, total recoverable				0.119	mg/kg	3.02	EPA6010
Chromium, total recoverable				17.50	mg/kg	3.02	EPA6010
Nickel, total recoverable				1.44	mg/kg	3.02	EPA6010
Lead, total recoverable				6.69	mg/kg	6.05	EPA6010
Thallium, total recoverable	U			6.05	mg/kg	6.05	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		12.50±3.41	pCi/g	2.90	EPIA-001B
Americium-241	UI	X		0.0385±0.0357	pCi/g	0.06	EPIA-011B
Barium-133	UI	X		-0.0205±0.009	pCi/g	0.0136	EPIA-013B
Nonvolatile beta		X		19.50±3.47	pCi/g	4.49	EPIA-001B
Carbon-14	UI	X		-0.682±0.0964	pCi/g	0.217	EPIA-003B
Cobalt-60	UI	X		-0.002±0.0053	pCi/g	0.0093	EPIA-013B
Cesium-137		X		0.0422±0.011	pCi/g	0.0118	EPIA-013B
Europium-154	UI	X		0.0039±0.0361	pCi/g	0.055	EPIA-013B
Iodine-129	UI	X		-0.105±0.173	pCi/g	0.223	EPIA-066B
Potassium-40		X		0.926±0.156	pCi/g	0.0942	EPIA-013B
Nickel-63	UI	V		2.64±0.988	pCi/g	1.90	EPIA-022
Plutonium-239/240		X		0.0811±0.0392	pCi/g	0.06	EPIA-012B
Radium-226		X		0.785±0.104	pCi/g	0.0652	EPIA-013B
Strontium-90		X		13.80±0.573	pCi/g	0.319	EPIA-004
Technetium-99	UI	VX		0.799±0.14	pCi/g	0.364	EPIA-005B
Uranium-238		X		1.65±0.367	pCi/g	0.117	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			37.70	µg/kg	37.70	EPA8270
Di-n-butyl phthalate	U	V		13.60	µg/kg	37.70	EPA8270
N-Nitrosodiphenylamine	U			37.70	µg/kg	37.70	EPA8270
2-Chlorophenol	U			37.70	µg/kg	37.70	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.575	µg/kg	0.575	EPA8260
Carbon disulfide	U			1.15	µg/kg	1.15	EPA8260
Toluene	U	V		0.115	µg/kg	0.575	EPA8260
Trichloroethylene	U			0.0575	µg/kg	0.0575	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-0806  
 Location (SRS Coordinates): 53670 E 76156 N  
 Sample Matrix: Soil

Sample ID: 102287  
 Interval Depths: 12.00 to 14.00  
 Percent Solids: 86.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable				7.13	mg/kg	6.12	EPA6010
Barium, total recoverable		V		4.44	mg/kg	3.06	EPA6010
Beryllium, total recoverable				0.0949	mg/kg	3.06	EPA6010
Chromium, total recoverable				23.30	mg/kg	3.06	EPA6010
Nickel, total recoverable				1.12	mg/kg	3.06	EPA6010
Lead, total recoverable				7.56	mg/kg	6.12	EPA6010
Thallium, total recoverable	U			6.12	mg/kg	6.12	EPA6010
<b>Radiological Parameters</b>							
Gross alpha		X		15.20±3.80	pCi/g	2.92	EPIA-001B
Americium-241	UI	X		0.0318±0.0358	pCi/g	0.06	EPIA-011B
Barium-133	UI	X		0.0056±0.0089	pCi/g	0.0139	EPIA-013B
Nonvolatile beta		X		14.20±3.14	pCi/g	4.50	EPIA-001B
Carbon-14	UI	X		-0.53±0.10	pCi/g	0.221	EPIA-003B
Cobalt-60	UI	X		-0.0016±0.0053	pCi/g	0.0091	EPIA-013B
Cesium-137		X		0.115±0.0182	pCi/g	0.0126	EPIA-013B
Europium-154	UI	X		0.0072±0.0346	pCi/g	0.0517	EPIA-013B
Iodine-129	UI	X		0.0535±0.07	pCi/g	0.116	EPIA-006B
Potassium-40		X		1.01±0.14	pCi/g	0.0825	EPIA-013B
Nickel-63	UI	V		1.74±0.559	pCi/g	1.05	EPIA-022
Plutonium-239/240		X		0.0622±0.0371	pCi/g	0.06	EPIA-012B
Radium-226		X		0.731±0.111	pCi/g	0.0673	EPIA-013B
Strontium-90		X		8.35±0.569	pCi/g	0.406	EPIA-004
Technetium-99	UI	VX		0.957±0.143	pCi/g	0.374	EPIA-005B
Uranium-238		X		1.20±0.229	pCi/g	0.0713	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			38.20	µg/kg	38.20	EPA8270
Di-n-butyl phthalate	U	V		14.90	µg/kg	38.20	EPA8270
N-Nitrosodiphenylamine	U			38.20	µg/kg	38.20	EPA8270
2-Chlorophenol	U			38.20	µg/kg	38.20	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.581	µg/kg	0.581	EPA8260
Carbon disulfide	U			1.16	µg/kg	1.16	EPA8260
Toluene	U	V		0.14	µg/kg	0.581	EPA8260
Trichloroethylene	U			0.0581	µg/kg	0.0581	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-1901  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102257  
 Interval Depths: 0.00 to 1.00  
 Percent Solids: 86.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.12	mg/kg	6.12	EPA6010
Barium, total recoverable				29.40	mg/kg	3.06	EPA6010
Beryllium, total recoverable				0.315	mg/kg	3.06	EPA6010
Chromium, total recoverable				13.60	mg/kg	3.06	EPA6010
Nickel, total recoverable				3.93	mg/kg	3.06	EPA6010
Lead, total recoverable				6.89	mg/kg	6.12	EPA6010
Thallium, total recoverable	U			6.12	mg/kg	6.12	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				22.60±5.02	pCi/g	2.77	EPIA-001B
Americium-241	UI			0.0309±0.0277	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.0314±0.0048	pCi/g	0.007	EPIA-013B
Nonvolatile beta				8.35±2.72	pCi/g	4.50	EPIA-001B
Carbon-14	UI			-0.002±0.0871	pCi/g	0.174	EPIA-003B
Cobalt-60	UI			0.0016±0.0031	pCi/g	0.0054	EPIA-013B
Cesium-137				0.118±0.0073	pCi/g	0.0064	EPIA-013B
Europium-154	UI			-0.003±0.0192	pCi/g	0.028	EPIA-013B
Iodine-129	UI			0.057±0.075	pCi/g	0.118	EPIA-006B
Potassium-40	UI	V		1.24±0.0892	pCi/g	0.0519	EPIA-013B
Nickel-63	J	C		1.69±0.529	pCi/g	0.99	EPIA-022
Plutonium-239/240	UI			0.0044±0.0205	pCi/g	0.06	EPIA-012B
Radium-226			V	0.791±0.0632	pCi/g	0.0405	EPIA-013B
Strontium-90	UI	C		-0.27±0.247	pCi/g	0.283	EPIA-004
Technetium-99	UI			0.215±0.107	pCi/g	0.294	EPIA-005B
Uranium-238	J	C		0.936±0.146	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			37.90	µg/kg	37.90	EPA8270
Di-n-butyl phthalate	U	V		28.10	µg/kg	37.90	EPA8270
N-Nitrosodiphenylamine	U			37.90	µg/kg	37.90	EPA8270
2-Chlorophenol	U			37.90	µg/kg	37.90	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	VO	H	0.857	µg/kg	0.581	EPA8260
Carbon disulfide	U	O	H	1.16	µg/kg	1.16	EPA8260
Toluene	UI	V8BOH		0.314	µg/kg	0.581	EPA8260
Trichloroethylene		O	H	0.453	µg/kg	0.581	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-1902  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102258  
 Interval Depth: 10.00 to 12.00  
 Percent Solids: 87.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.05	mg/kg	6.05	EPA6010
Barium, total recoverable				15.80	mg/kg	3.02	EPA6010
Beryllium, total recoverable				0.16	mg/kg	3.02	EPA6010
Chromium, total recoverable				13.10	mg/kg	3.02	EPA6010
Nickel, total recoverable				2.57	mg/kg	3.02	EPA6010
Lead, total recoverable				4.70	mg/kg	6.05	EPA6010
Thallium, total recoverable	U			6.05	mg/kg	6.05	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				22.90±4.96	pCi/g	3.45	EPIA-001B
Americium-241				0.458±0.0838	pCi/g	0.06	EPIA-011B
Barium-133	UI			0.0076±0.0151	pCi/g	0.0152	EPIA-013B
Nonvolatile beta				60.10±5.46	pCi/g	4.46	EPIA-001B
Carbon-14	UI			0.0829±0.0896	pCi/g	0.174	EPIA-003B
Cobalt-60				0.0072±0.0048	pCi/g	0.0044	EPIA-013B
Cesium-137				19.50±0.0593	pCi/g	0.0086	EPIA-013B
Europium-154	UI			-0.0024±0.0161	pCi/g	0.028	EPIA-013B
Iodine-129				2.21±0.351	pCi/g	0.186	EPIA-006B
Potassium-40	UI	V		1.24±0.0734	pCi/g	0.0403	EPIA-013B
Nickel-63	J	C		0.959±0.383	pCi/g	0.742	EPIA-022
Plutonium-239/240	UI			0.0264±0.0274	pCi/g	0.06	EPIA-012B
Radium-226			V	0.77±0.0958	pCi/g	0.0751	EPIA-013B
Strontium-90	J	C		12.30±0.613	pCi/g	0.378	EPIA-004
Technetium-99	UI			0.156±0.11	pCi/g	0.299	EPIA-005B
Uranium-238	J	C		1.03±0.196	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			37.40	µg/kg	37.40	EPA8270
Di-n-butyl phthalate	U	V		34.40	µg/kg	37.40	EPA8270
N-Nitrosodiphenylamine	U			37.40	µg/kg	37.40	EPA8270
2-Chlorophenol	U			37.40	µg/kg	37.40	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	VO	H	0.621	µg/kg	0.575	EPA8260
Carbon disulfide	U	O	H	1.15	µg/kg	1.15	EPA8260
Toluene	UI	V8*	H	0.172	µg/kg	0.575	EPA8260
Trichloroethylene	U	O	H	0.0575	µg/kg	0.0575	EPA8260

\* = OB

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-1903  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102259  
 Interval Depths: 12.00 to 14.00  
 Percent Solids: 88.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.98	mg/kg	5.98	EPA6010
Barium, total recoverable				11.30	mg/kg	2.99	EPA6010
Beryllium, total recoverable				0.164	mg/kg	2.99	EPA6010
Chromium, total recoverable				12.40	mg/kg	2.99	EPA6010
Nickel, total recoverable				2.17	mg/kg	2.99	EPA6010
Lead, total recoverable				6.86	mg/kg	5.98	EPA6010
Thallium, total recoverable	U			5.98	mg/kg	5.98	EPA6010
<b>Radiological Parameters</b>							
Gross alpha	UI			-0.574±1.43	pCi/g	4.36	EPIA-001B
Americium-241	UI			0.0073±0.0261	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.009±0.0136	pCi/g	0.022	EPIA-013B
Nonvolatile beta	UI			0.682±1.73	pCi/g	3.99	EPIA-001B
Carbon-14	UI			0.061±0.0867	pCi/g	0.167	EPIA-003B
Cobalt-60				0.0257±0.0054	pCi/g	0.0048	EPIA-013B
Cesium-137				35.50±0.088	pCi/g	0.0121	EPIA-013B
Europium-154	UI			-0.144±0.0189	pCi/g	0.0265	EPIA-013B
Iodine-129	UI			0.00±0.00	pCi/g	0.234	EPIA-006B
Potassium-40	UI	V		0.89±0.0759	pCi/g	0.0439	EPIA-013B
Nickel-63	J	C		1.11±0.341	pCi/g	0.637	EPIA-022
Plutonium-239/240	UI			0.0319±0.0321	pCi/g	0.06	EPIA-012B
Radium-226	UI	V		0.582±0.194	pCi/g	0.143	EPIA-013B
Strontium-90	J	C		93.10±1.32	pCi/g	0.319	EPIA-004
Technetium-99	UI			0.108±0.0999	pCi/g	0.27	EPIA-005B
Uranium-238	J	C		0.555±0.143	pCi/g	0.0721	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			37.00	µg/kg	37.00	EPA8270
Di-n-butyl phthalate	U	V		28.10	µg/kg	37.00	EPA8270
N-Nitrosodiphenylamine	U			37.00	µg/kg	37.00	EPA8270
2-Chlorophenol	U			37.00	µg/kg	37.00	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	V		0.739	µg/kg	0.568	EPA8260
Carbon disulfide	U			1.14	µg/kg	1.14	EPA8260
Toluene	UI	V8		0.227	µg/kg	0.568	EPA8260
Trichloroethylene				0.102	µg/kg	0.0568	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-1904  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102260  
 Interval Depth: 14.00 to 16.00  
 Percent Solids: 85.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.19	mg/kg	6.19	EPA6010
Barium, total recoverable				2.03	mg/kg	3.10	EPA6010
Beryllium, total recoverable				0.0985	mg/kg	3.10	EPA6010
Chromium, total recoverable				8.73	mg/kg	3.10	EPA6010
Nickel, total recoverable	U			3.10	mg/kg	3.10	EPA6010
Lead, total recoverable				4.43	mg/kg	6.19	EPA6010
Thallium, total recoverable	U			6.19	mg/kg	6.19	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				16.70±5.32	pCi/g	4.36	EPLA-001B
Americium-241	UI			0.0369±0.0325	pCi/g	0.06	EPLA-011B
Barium-133	UI			0.0061±0.0128	pCi/g	0.0182	EPLA-013B
Nonvolatile beta				464.00±14.30	pCi/g	4.19	EPLA-001B
Carbon-14	UI			0.109±0.0868	pCi/g	0.171	EPLA-005B
Cobalt-60				0.0132±0.0067	pCi/g	0.0067	EPLA-013B
Cesium-137				11.10±0.0519	pCi/g	0.0116	EPLA-013B
Europium-154	UI			-0.142±0.0313	pCi/g	0.0398	EPLA-013B
Iodine-129	UI			0.0118±0.163	pCi/g	0.301	EPLA-006B
Potassium-40	UI	V		3.04±0.121	pCi/g	0.0673	EPLA-013B
Nickel-63	J	C		1.22±0.408	pCi/g	0.772	EPLA-022
Plutonium-239/240	UI			0.0244±0.0416	pCi/g	0.075	EPLA-012B
Radium-226			V	0.934±0.18	pCi/g	0.117	EPLA-013B
Strontium-90	J	C		275.00±2.12	pCi/g	0.289	EPLA-004
Technetium-99	UI			0.0775±0.101	pCi/g	0.285	EPLA-005B
Uranium-238	J	C		0.608±0.173	pCi/g	0.0544	EPLA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			38.60	µg/kg	38.60	EPA8270
Di-n-butyl phthalate	U	V		25.10	µg/kg	38.60	EPA8270
N-Nitrosodiphenylamine	U			38.60	µg/kg	38.60	EPA8270
2-Chlorophenol	U			38.60	µg/kg	38.60	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	V		0.812	µg/kg	0.588	EPA8260
Carbon disulfide	U			1.18	µg/kg	1.18	EPA8260
Toluene	UI	V8		0.153	µg/kg	0.588	EPA8260
Trichloroethylene				0.0941	µg/kg	0.0588	EPA8260

F-Area Retention Basin, Phase II



SAMPLE NAME: FRB-1905  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102261  
 Interval Depths: 16.00 to 18.00  
 Percent Solids: 84.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.27	mg/kg	6.27	EPA6010
Barium, total recoverable				3.61	mg/kg	3.13	EPA6010
Beryllium, total recoverable				0.152	mg/kg	3.13	EPA6010
Chromium, total recoverable				3.40	mg/kg	3.13	EPA6010
Nickel, total recoverable				0.779	mg/kg	3.13	EPA6010
Lead, total recoverable				6.63	mg/kg	6.27	EPA6010
Thallium, total recoverable				3.47	mg/kg	6.27	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				17.60±4.82	pCi/g	3.17	EPIA-001B
Americium-241	UI			0.0087±0.0194	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.0308±0.0092	pCi/g	0.0144	EPIA-013B
Nonvolatile beta				571.00±16.20	pCi/g	4.06	EPIA-001B
Carbon-14	UI			0.0825±0.0864	pCi/g	0.173	EPIA-003B
Cobalt-60				0.0112±0.0057	pCi/g	0.0066	EPIA-013B
Cesium-137				1.93±0.0233	pCi/g	0.0108	EPIA-013B
Europium-154	UI			-0.0259±0.0285	pCi/g	0.0412	EPIA-013B
Iodine-129	UI			-0.0857±0.137	pCi/g	0.28	EPIA-006B
Potassium-40	UI	V		2.55±0.13	pCi/g	0.0612	EPIA-013B
Nickel-63	J	CI	L	1.92±0.407	pCi/g	0.706	EPIA-022
Plutonium-239/240	UI			0.003±0.0059	pCi/g	0.06	EPIA-012B
Radium-226			V	1.05±0.10	pCi/g	0.0664	EPIA-013B
Strontium-90	J	C		305.00±2.27	pCi/g	0.299	EPIA-004
Technetium-99	UI			0.182±0.114	pCi/g	0.321	EPIA-005B
Uranium-238	J	C		0.427±0.12	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	UJ	Q		39.20	µg/kg	39.20	EPA8270
Di-n-butyl phthalate	UJ	Q		39.20	µg/kg	39.20	EPA8270
N-Nitrosodiphenylamine	UJ	Q		39.20	µg/kg	39.20	EPA8270
2-Chlorophenol	J	Q		13.30	µg/kg	39.20	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U	V		0.381	µg/kg	0.595	EPA8260
Carbon disulfide	U			1.19	µg/kg	1.19	EPA8260
Toluene	UJ	V8		0.107	µg/kg	0.595	EPA8260
Trichloroethylene	U			0.0595	µg/kg	0.0595	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-1906  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102262  
 Interval Depth: 18.00 to 20.00  
 Percent Solids: 83.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.34	mg/kg	6.34	EPA6010
Barium, total recoverable				1.68	mg/kg	3.17	EPA6010
Beryllium, total recoverable				0.137	mg/kg	3.17	EPA6010
Chromium, total recoverable				4.08	mg/kg	3.17	EPA6010
Nickel, total recoverable				0.912	mg/kg	3.17	EPA6010
Lead, total recoverable				5.46	mg/kg	6.34	EPA6010
Thallium, total recoverable	U			6.34	mg/kg	6.34	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				10.60±3.90	pCi/g	0.623	EPIA-001B
Americium-241	UI			0.0093±0.0256	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.0013±0.0078	pCi/g	0.0314	EPIA-013B
Nonvolatile beta				712.00±18.20	pCi/g	4.07	EPIA-001B
Carbon-14	UI			0.102±0.0895	pCi/g	0.181	EPIA-003B
Cobalt-60	UI			0.0031±0.0036	pCi/g	0.0063	EPIA-013B
Cesium-137				0.202±0.0115	pCi/g	0.0087	EPIA-013B
Europium-154	UI			0.0245±0.022	pCi/g	0.0353	EPIA-013B
Iodine-129	UI			-0.0867±0.131	pCi/g	0.271	EPIA-006B
Potassium-40	UI	V		1.39±0.104	pCi/g	0.0552	EPIA-013B
Nickel-63	J	C		1.45±0.453	pCi/g	0.848	EPIA-022
Plutonium-239/240	UI			0.0265±0.0195	pCi/g	0.06	EPIA-012B
Radium-226			V	0.952±0.112	pCi/g	0.0793	EPIA-013B
Strontium-90	J	C		327.00±2.43	pCi/g	0.319	EPIA-004
Technetium-99	UI			0.0429±0.0987	pCi/g	0.287	EPIA-005B
Uranium-238	J	C		0.387±0.115	pCi/g	0.0631	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			39.70	µg/kg	39.70	EPA8270
Di-n-butyl phthalate	U	V		27.40	µg/kg	39.70	EPA8270
N-Nitrosodiphenylamine	U			39.70	µg/kg	39.70	EPA8270
2-Chlorophenol	U			39.70	µg/kg	39.70	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.602	µg/kg	0.602	EPA8260
Carbon disulfide	U			1.20	µg/kg	1.20	EPA8260
Toluene	U	V8		0.0964	µg/kg	0.602	EPA8260
Trichloroethylene	U			0.0602	µg/kg	0.0602	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-1907  
 Location (SRS Coordinates): S3742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102263  
 Interval Depths: 20.00 to 22.00  
 Percent Solids: 89.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.91	mg/kg	5.91	EPA6010
Barium, total recoverable				2.56	mg/kg	2.96	EPA6010
Beryllium, total recoverable				0.157	mg/kg	2.96	EPA6010
Chromium, total recoverable				4.52	mg/kg	2.96	EPA6010
Nickel, total recoverable				0.676	mg/kg	2.96	EPA6010
Lead, total recoverable				6.30	mg/kg	5.91	EPA6010
Thallium, total recoverable	U			5.91	mg/kg	5.91	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				12.00±3.63	pCi/g	1.71	EPIA-001B
Americium-241	UI			0.0196±0.0336	pCi/g	0.06	EPIA-011B
Barium-133	UI			0.0011±0.005	pCi/g	0.0076	EPIA-013B
Nonvolatile beta				394.00±13.80	pCi/g	3.98	EPIA-001B
Carbon-14	UI			0.0224±0.0842	pCi/g	0.162	EPIA-003B
Cobalt-60	UI			0.0026±0.0025	pCi/g	0.0045	EPIA-013B
Cesium-137				0.249±0.0081	pCi/g	0.0055	EPIA-013B
Europium-154	UI			-0.0845±0.0164	pCi/g	0.0241	EPIA-013B
Iodine-129	UI			-0.0191±0.09	pCi/g	0.176	EPIA-006B
Potassium-40	UI	V		0.903±0.0747	pCi/g	0.038	EPIA-013B
Nickel-63	J	C		0.923±0.361	pCi/g	0.698	EPIA-022
Plutonium-239/240	UI			0.0002±0.0101	pCi/g	0.06	EPIA-012B
Radium-226			V	0.769±0.101	pCi/g	0.0749	EPIA-013B
Strontium-90	J	C		202.00±2.19	pCi/g	0.416	EPIA-004
Technetium-99	UI			0.0937±0.111	pCi/g	0.298	EPIA-005B
Uranium-238	J	C		0.394±0.112	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			37.30	µg/kg	37.30	EPA8270
Di-n-butyl phthalate	U	V		27.20	µg/kg	37.30	EPA8270
N-Nitrosodiphenylamine	U			37.30	µg/kg	37.30	EPA8270
2-Chlorophenol	U			37.30	µg/kg	37.30	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.562	µg/kg	0.562	EPA8260
Carbon disulfide	U			1.12	µg/kg	1.12	EPA8260
Toluene	UI	V8		0.0787	µg/kg	0.562	EPA8260
Trichloroethylene	U			0.0562	µg/kg	0.0562	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-1908  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102264  
 Interval Depths: 22.00 to 24.00  
 Percent Solids: 84.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			6.27	mg/kg	6.27	EPA6010
Barium, total recoverable				2.44	mg/kg	3.13	EPA6010
Beryllium, total recoverable				0.252	mg/kg	3.13	EPA6010
Chromium, total recoverable				5.52	mg/kg	3.13	EPA6010
Nickel, total recoverable				0.962	mg/kg	3.13	EPA6010
Lead, total recoverable				3.76	mg/kg	6.27	EPA6010
Thallium, total recoverable	U			6.27	mg/kg	6.27	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				29.50±6.60	pCi/g	3.60	EPIA-001B
Americium-241	UI			-0.0055±0.0256	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.0041±0.0074	pCi/g	0.0121	EPIA-013B
Nonvolatile beta				661.00±19.90	pCi/g	4.36	EPIA-001B
Carbon-14	UI			0.0889±0.0874	pCi/g	0.175	EPIA-003B
Cobalt-60	UI			0.0002±0.004	pCi/g	0.0057	EPIA-013B
Cesium-137				0.975±0.0154	pCi/g	0.008	EPIA-013B
Europium-154	UI			-0.0096±0.0231	pCi/g	0.034	EPIA-013B
Iodine-129	UI			-0.05±0.058	pCi/g	0.179	EPIA-006B
Potassium-40	UI	V		1.83±0.103	pCi/g	0.0505	EPIA-013B
Nickel-63	J	C		2.11±0.527	pCi/g	0.947	EPIA-022
Plutonium-239/240	UI			0.0002±0.0101	pCi/g	0.06	EPIA-012B
Radium-226		V		0.733±0.132	pCi/g	0.0919	EPIA-013B
Strontium-90	J	C		298.00±2.27	pCi/g	0.305	EPIA-004
Technetium-99	UI			0.0876±0.112	pCi/g	0.321	EPIA-005B
Uranium-238	J	C		0.571±0.13	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			39.10	µg/kg	39.10	EPA8270
Di-n-butyl phthalate	U	V		18.80	µg/kg	39.10	EPA8270
N-Nitrosodiphenylamine	U			39.10	µg/kg	39.10	EPA8270
2-Chlorophenol	U			39.10	µg/kg	39.10	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.595	µg/kg	0.595	EPA8260
Carbon disulfide	U			1.19	µg/kg	1.19	EPA8260
Toluene	UI	V8		0.0833	µg/kg	0.595	EPA8260
Trichloroethylene	U			0.0595	µg/kg	0.0595	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-1909  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102265  
 Interval Depth: 24.00 to 26.00  
 Percent Solids: 88.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.98	mg/kg	5.98	EPA6010
Barium, total recoverable				1.25	mg/kg	2.99	EPA6010
Beryllium, total recoverable				0.30	mg/kg	2.99	EPA6010
Chromium, total recoverable				3.76	mg/kg	2.99	EPA6010
Nickel, total recoverable				0.579	mg/kg	2.99	EPA6010
Lead, total recoverable				5.49	mg/kg	5.98	EPA6010
Thallium, total recoverable				4.08	mg/kg	5.98	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				23.80±3.90	pCi/g	2.03	EPLA-001B
Americium-241				3.77±0.425	pCi/g	0.06	EPLA-011B
Barium-133	UI			0.0051±0.007	pCi/g	0.0102	EPLA-013B
Nonvolatile beta				827.00±13.60	pCi/g	2.76	EPLA-001B
Carbon-14	UI			0.0672±0.0882	pCi/g	0.169	EPLA-003B
Cobalt-60	UI			0.0012±0.0028	pCi/g	0.005	EPLA-013B
Cesium-137				0.416±0.0108	pCi/g	0.0067	EPLA-013B
Europium-154	UI			-0.00±0.0272	pCi/g	0.0293	EPLA-013B
Iodine-129	UI			-0.0568±0.068	pCi/g	0.173	EPLA-006B
Potassium-40	UI	V		1.04±0.0736	pCi/g	0.0424	EPLA-013B
Nickel-63	I	C		1.12±0.412	pCi/g	0.79	EPLA-022
Plutonium-239/240	UI			0.0146±0.0482	pCi/g	0.106	EPLA-012B
Radium-226	UI	V		0.621±0.105	pCi/g	0.0748	EPLA-013B
Strontium-90	I	C		264.00±2.11	pCi/g	0.298	EPLA-004
Technetium-99	UI			0.104±0.112	pCi/g	0.305	EPLA-005B
Uranium-238	I	C		0.437±0.128	pCi/g	0.06	EPLA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			37.30	µg/kg	37.30	EPA8270
Di-n-butyl phthalate	U	V		54.10	µg/kg	37.30	EPA8270
N-Nitrosodiphenylamine				16.10	µg/kg	37.30	EPA8270
2-Chlorophenol	U			37.30	µg/kg	37.30	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.568	µg/kg	0.568	EPA8260
Carbon disulfide	U			1.14	µg/kg	1.14	EPA8260
Toluene	UI	V8		0.0682	µg/kg	0.568	EPA8260
Trichloroethylene	U			0.0568	µg/kg	0.0568	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-1910  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102266  
 Interval Depth: 26.00 to 28.00  
 Percent Solids: 90.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.85	mg/kg	5.85	EPA6010
Barium, total recoverable				0.532	mg/kg	2.92	EPA6010
Beryllium, total recoverable				0.113	mg/kg	2.92	EPA6010
Chromium, total recoverable				0.808	mg/kg	2.92	EPA6010
Nickel, total recoverable				0.608	mg/kg	2.92	EPA6010
Lead, total recoverable				3.91	mg/kg	5.85	EPA6010
Thallium, total recoverable	U			5.85	mg/kg	5.85	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				6.10±1.88	pCi/g	0.292	EPIA-001B
Americium-241	UI			0.0148±0.0316	pCi/g	0.06	EPIA-011B
Barium-133	UI			0.003±0.0055	pCi/g	0.0082	EPIA-013B
Nonvolatile beta				275.00±8.12	pCi/g	2.84	EPIA-001B
Carbon-14	UI			0.0262±0.0869	pCi/g	0.166	EPIA-003B
Cobalt-60	UI			-0.0004±0.0028	pCi/g	0.0048	EPIA-013B
Cesium-137				0.0062±0.0056	pCi/g	0.006	EPIA-013B
Europium-154	UI			0.0029±0.0188	pCi/g	0.0278	EPIA-013B
Iodine-129	UI			-0.0033±0.076	pCi/g	0.148	EPIA-006B
Potassium-40	UI	V		0.888±0.0743	pCi/g	0.045	EPIA-013B
Nickel-63	J	C		0.99±0.389	pCi/g	0.752	EPIA-022
Plutonium-239/240	UI			0.0192±0.0281	pCi/g	0.06	EPIA-012B
Radium-226	UI	V		0.499±0.127	pCi/g	0.0819	EPIA-013B
Strontium-90	J	C		143.00±2.27	pCi/g	0.607	EPIA-004
Technetium-99	UI			0.214±0.122	pCi/g	0.319	EPIA-005B
Uranium-238	J	C		0.599±0.151	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			36.40	µg/kg	36.40	EPA8270
Di-n-butyl phthalate	U	V		28.00	µg/kg	36.40	EPA8270
N-Nitrosodiphenylamine	U			36.40	µg/kg	36.40	EPA8270
2-Chlorophenol	U			36.40	µg/kg	36.40	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.556	µg/kg	0.556	EPA8260
Carbon disulfide	U			1.11	µg/kg	1.11	EPA8260
Toluene	UJ	V8		0.0556	µg/kg	0.556	EPA8260
Trichloroethylene	U			0.0556	µg/kg	0.0556	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-1911  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102267  
 Interval Depths: 28.00 to 30.00  
 Percent Solids: 91.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.78	mg/kg	5.78	EPA6010
Barium, total recoverable				0.425	mg/kg	2.89	EPA6010
Beryllium, total recoverable				0.0746	mg/kg	2.89	EPA6010
Chromium, total recoverable				1.23	mg/kg	2.89	EPA6010
Nickel, total recoverable	U			2.89	mg/kg	2.89	EPA6010
Lead, total recoverable				3.80	mg/kg	5.78	EPA6010
Thallium, total recoverable	U			5.78	mg/kg	5.78	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				6.34±1.53	pCi/g	0.884	EPIA-001B
Americium-241				0.0977±0.0459	pCi/g	0.06	EPIA-011B
Barium-133	UI			0.0036±0.0034	pCi/g	0.0053	EPIA-013B
Nonvolatile beta				22.90±2.46	pCi/g	2.47	EPIA-001B
Carbon-14	UI			0.0263±0.0849	pCi/g	0.159	EPIA-003B
Cobalt-60	UI			0.0012±0.0024	pCi/g	0.0036	EPIA-013B
Cesium-137	UI			0.0003±0.003	pCi/g	0.0044	EPIA-013B
Europium-154	UI			-0.003±0.0135	pCi/g	0.0195	EPIA-013B
Iodine-129	UI			-0.0297±0.043	pCi/g	0.0813	EPIA-006B
Potassium-40	UI	V		0.777±0.062	pCi/g	0.0343	EPIA-013B
Nickel-63	J	C		1.37±0.416	pCi/g	0.775	EPIA-022
Plutonium-239/240	UI			0.0061±0.0187	pCi/g	0.06	EPIA-012B
Radium-226	UI	V		0.491±0.0951	pCi/g	0.0664	EPIA-013B
Strontium-90	J	C		38.70±1.35	pCi/g	0.677	EPIA-004
Technetium-99	UI			0.127±0.119	pCi/g	0.311	EPIA-005B
Uranium-238	J	C		0.542±0.142	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			36.60	µg/kg	36.60	EPA8270
Di-n-butyl phthalate	U	V		28.50	µg/kg	36.60	EPA8270
N-Nitrosodiphenylamine	U			36.60	µg/kg	36.60	EPA8270
2-Chlorophenol	U			36.60	µg/kg	36.60	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.549	µg/kg	0.549	EPA8260
Carbon disulfide	U			1.10	µg/kg	1.10	EPA8260
Toluene	UI	V8		0.143	µg/kg	0.549	EPA8260
Trichloroethylene	U			0.0549	µg/kg	0.0549	EPA8260

F-Area Retention Basin, Phase II

SAMPLE NAME: FRB-1912  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102268  
 Interval Depth: 30.00 to 32.00  
 Percent Solids: 91.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.78	mg/kg	5.78	EPA6010
Barium, total recoverable				0.585	mg/kg	2.89	EPA6010
Beryllium, total recoverable				0.0856	mg/kg	2.89	EPA6010
Chromium, total recoverable				1.12	mg/kg	2.89	EPA6010
Nickel, total recoverable	U			2.89	mg/kg	2.89	EPA6010
Lead, total recoverable				2.52	mg/kg	5.78	EPA6010
Thallium, total recoverable	U			5.78	mg/kg	5.78	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				10.40±2.31	pCi/g	2.01	EPIA-001B
Americium-241	UI			0.014±0.0241	pCi/g	0.06	EPIA-011B
Barium-133	UI			-0.002±0.0049	pCi/g	0.007	EPIA-013B
Nonvolatile beta				53.80±3.67	pCi/g	2.90	EPIA-001B
Carbon-14	UI			0.0322±0.0864	pCi/g	0.162	EPIA-003B
Cobalt-60	UI			0.0007±0.0028	pCi/g	0.005	EPIA-013B
Cesium-137	UI			-0.0013±0.0039	pCi/g	0.0057	EPIA-013B
Europium-154	UI			0.0138±0.019	pCi/g	0.0266	EPIA-013B
Iodine-129	UI			0.0011±0.034	pCi/g	0.067	EPIA-006B
Potassium-40	UI	V		1.02±0.0734	pCi/g	0.0435	EPIA-013B
Nickel-63	J	C		0.741±0.365	pCi/g	0.724	EPIA-022
Plutonium-239/240	UI			-0.008±0.0092	pCi/g	0.06	EPIA-012B
Radium-226			V	0.773±0.0962	pCi/g	0.0696	EPIA-013B
Strontium-90	J	C		13.30±0.634	pCi/g	0.381	EPIA-004
Technetium-99	UI			0.013±0.105	pCi/g	0.279	EPIA-005B
Uranium-238	J	C		0.863±0.208	pCi/g	0.0629	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			36.10	µg/kg	36.10	EPA8270
Di-n-butyl phthalate	U	V		18.40	µg/kg	36.10	EPA8270
N-Nitrosodiphenylamine	U			36.10	µg/kg	36.10	EPA8270
2-Chlorophenol	U			36.10	µg/kg	36.10	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.549	µg/kg	0.549	EPA8260
Carbon disulfide	U			1.10	µg/kg	1.10	EPA8260
Toluene	U	V8		0.0549	µg/kg	0.549	EPA8260
Trichloroethylene	U			0.0549	µg/kg	0.0549	EPA8260

F-Area Retention Basin, Phase II



SAMPLE NAME: FRB-1913  
 Location (SRS Coordinates): 53742 E 76253 N  
 Sample Matrix: Soil

Sample ID: 102269  
 Interval Depths: 32.00 to 34.00  
 Percent Solids: 91.00

Constituent	RQ	AQ	B	Result	Unit	D.Limit	Method
<b>Metal Parameters</b>							
Arsenic, total recoverable	U			5.78	mg/kg	5.78	EPA6010
Barium, total recoverable				0.743	mg/kg	2.89	EPA6010
Beryllium, total recoverable				0.0908	mg/kg	2.89	EPA6010
Chromium, total recoverable				0.721	mg/kg	2.89	EPA6010
Nickel, total recoverable	U			2.89	mg/kg	2.89	EPA6010
Lead, total recoverable				4.67	mg/kg	5.78	EPA6010
Thallium, total recoverable	U			5.78	mg/kg	5.78	EPA6010
<b>Radiological Parameters</b>							
Gross alpha				11.30±3.22	pCi/g	2.14	EPIA-001B
Americium-241				0.465±0.103	pCi/g	0.06	EPIA-011B
Barium-133	UI			0.0042±0.0041	pCi/g	0.0061	EPIA-013B
Nonvolatile beta				66.50±5.73	pCi/g	4.11	EPIA-001B
Carbon-14	UI			0.0549±0.0876	pCi/g	0.163	EPIA-003B
Cobalt-60	UI	X		-0.0004±0.0026	pCi/g	0.0043	EPIA-013B
Cesium-137				0.0068±0.0044	pCi/g	0.0053	EPIA-013B
Europium-154	UI	X		0.0086±0.0133	pCi/g	0.0226	EPIA-013B
Iodine-129	UI	X		0.022±0.046	pCi/g	0.092	EPIA-006B
Potassium-40	UI	V		0.898±0.0792	pCi/g	0.0385	EPIA-013B
Nickel-63	J	C		0.911±0.39	pCi/g	0.763	EPIA-022
Plutonium-239/240	UI	DC	L	0.0028±0.0115	pCi/g	0.06	EPIA-012B
Radium-226	UI	V		0.584±0.105	pCi/g	0.067	EPIA-013B
Strontium-90	J	CI	L	24.90±0.83	pCi/g	0.402	EPIA-004
Technetium-99	UI			0.0747±0.128	pCi/g	0.337	EPIA-005B
Uranium-238	J	C		0.363±0.11	pCi/g	0.06	EPIA-011B
<b>Semivolatile Parameters</b>							
Dibenzofuran	U			36.40	µg/kg	36.40	EPA8270
Di-n-butyl phthalate	U	V		19.70	µg/kg	36.40	EPA8270
N-Nitrosodiphenylamine	U			36.40	µg/kg	36.40	EPA8270
2-Chlorophenol	U			36.40	µg/kg	36.40	EPA8270
<b>Volatile Parameters</b>							
Dichloromethane (Methylene chloride)	U			0.549	µg/kg	0.549	EPA8260
Carbon disulfide	U			1.10	µg/kg	1.10	EPA8260
Toluene	UI	V8		0.0549	µg/kg	0.549	EPA8260
Trichloroethylene	U			0.0549	µg/kg	0.0549	EPA8260

F-Area Retention Basin, Phase II

**This Page Intentionally Left Blank**

## **APPENDIX C**

### **Environmental Measurement-While-Drilling-Gamma Ray Spectrometer Data Collection Procedure**

**This Page Intentionally Left Blank**

## **EMWD-GRS Data Collection Procedures**

### **1.0 Check System Operation on Site**

Check for full operation of tool and computer interface prior to attachment of downhole tool to drill string or mounting uphole components on drill rig.

### **2.0 Mount System and Verify System Functionality**

- A. Downhole battery voltage >22V.
- B. Temperature measurement.
- C. Collect normal background spectrum at drill site.
- D. System lock reading - 0eb90Hex.

### **3.0 Start Recording Data to Disk and Commence Drilling**

- A. Continuous recording of data while drilling as follows:
  - 1. After each 3 drill rod segments, stop recording, close data file and name (i.e., RB\_F01.PCM, RB\_F04.PCM, etc.)
  - 2. Restart recording under a new data file name, start drilling the next three rod segments.
  - 3. Repeat steps 1 and 2 until drilling is completed.
- B. At or near sampling location, stop drilling and record spectrum for a predetermined amount of time.

**This Page Intentionally Left Blank**

## **APPENDIX D**

### **Environmental Measurement-While-Drilling-Gamma Ray Spectrometer Spectral Gamma Calibration Procedures**

The draft procedures for calibrating the EMWD-GRS systems gamma ray spectrometer are outlined in this Appendix. Please note:

1. Laboratory calibration procedures are outlined in the draft procedures.
2. Field calibration procedures: Currently, there are no field calibration procedures for the environmental data collection. The calibration for this demonstration will be a function of the WSRC extended Cs-137 source model.

**This Page Intentionally Left Blank**



# EMWD Spectral Gamma Calibration and Field Measurement

## Introduction

There are two main elements for converting spectral gamma energy readings into a indication of soil contamination levels. First is the linear correlation of gamma energy Vs channel location. In general this correlation can be determined in the lab using known source material emitting gamma particles at differing energy levels. Second is the calibration of gamma flux density Vs contamination levels. This second process is not directly determined by laboratory standards. In fact this second step is under investigation at many DOE waste sites.

In this report a calibration process is looked at for the spectral gamma NaI detector used in the environmental measurement while drilling system (EMWD). A quick look at linear channel calibration is given, using actual EMWD laboratory data. To better understand the unfolding process for calculating radionuclides, a short explanation for unfolding naturally occurring radionuclides for uranium exploration is given. This process is also used to gage the performance of newly developed spectral systems for environmental work. Following the unfolding process for natural radiation will be a look at actual spectral logging data from a waste site and an unfolding method for cesium and cobalt.

The final goal of this work is to justify and document reasoning for taking a simpler approach concentrating on cesium detection.

## Gamma Energy Vs Channel Location

This function very closely matches a straight line with a zero intercept, measured gamma energy =  $a * (\text{Channel Number}) + b$ . The NaI crystal sensor is exposed to differing radionuclide emitting gamma particles of differing energy levels. Exposure is continued until peaks appear in the spectrum at count levels assuring accurate peak channel measurement, normally >100 counts or X10 background. Below are the laboratory measured values for the given sources.

**Table 1: Linear Calibration Results**

Source Element	Peak Energy (MeV)	Peak Channel Number	% Difference From Calc.
Cs 137	0.662	92	1.1
Co 60	1.173, 1.332	163, 186	0.7, 0
Mn 54	0.835	115	1.7
Na 22	0.511, 1.275	74, 178	2.9, 0

The resulting linear regression for energy Vs channel number is:  $Y \text{ MeV} = 7.18 \times 10^{-3} \text{ MeV} * (\text{Channel Number}) - 4.90 \times 10^{-3} \text{ MeV}$  @ room temperature. Working backwards using the given channel number and the known energy gamma the percent deference was calculated. The correlation coefficient of Table 1 values is 0.9996. The linear response of a NaI detector is very good. However, a number of factors can cause the slope 'a' to change while drilling, primarily temperature, high voltage drift, and photon-multiplier tube aging. Controlling these parameters is critical to proper measurement.

#### **Flux Density Vs Contamination Levels**

Gamma counts rate is a relative measure of gamma flux, dependent on many factors as detector size, housings, ect. This flux is proportional to the amount of radioactive material in the soil. Thus, the measured flux is converted to pCi/g by calibration coefficients derived from calibration models. These models have known amounts of source material distributed in a large enough volume to appear infinitely large to traveling gamma rays, about a two to four foot radius about the sensor.

However, soil conditions infinitely vary for moister content and physical make up. Moister and soil types influence the measured gamma flux. Limitations in calibration for flux density Vs contamination levels in soil result in an assumption that all soil conditions are consistent with the calibration models.

The most commonly used calibration models are maintained for DOE's Grand Junction Projects Office in Grand Junction Co. by contract with Rust Geotech Inc<sup>1</sup>. These models were built to calibrate instrumentation used for uranium exploration. As such these models contain three naturally occurring elements, K-40, Ra-226, and Th-232, (KUT). Because these models are well characterized and documented they are used to set a baseline accuracy for all subterranean gamma instrumentation. Stromswold (1981) uses gamma count windows centered about energy peaks of the three naturals which unfold from highest energy to lowest. Table 2 shows his suggested windows.

**Table 2 Spectral Energy Windows for Unfolding KUT**

<b>Element</b>	<b>Unique Gamma Ray (MeV)</b>	<b>Energy Window (MeV)</b>
Potassium (K-40)	1.46	1.320-1.575
Uranium (Ra-226)	1.76 & 2.20	1.650-2.390
Thorium (Th-232)	2.61	2.475-2.765

In working with subterranean gamma there is a problem of higher energy gamma rays being counted in lower channels, down scattering. By choosing the Thorium window about the 2.61MeV gamma, Thorium can be solved for because potassium and uranium don't have any gamma rays higher than 2.39MeV. Once thorium is known then the solution for uranium can be found because potassium is below the 1.65MeV window used for uranium. This process is called unfolding. The Grand Junction B models are well suited for this unfolding process. The B model concentrations listed in Table 3 below.

**Table 3. Grand Junction B-Model Concentrations**

Model	Concentration Th (pCi/g)	Concentration Ra (pCi/g)	Concentration K (pCi/g)
BT Upper	58.78 ± 1.53	10.46 ± 0.51	10.13 ± 1.34
BU Upper	0.65 ± 0.06	194.59 ± 5.94	10.63 ± 1.00
BK Lower	0.10 ± 0.02	1.03 ± 1.67	54.00 ± 1.67

By placing the spectrometer into each of the three models, subtracting electrical noise, and counting gamma for each of the three windows in Table 2, a rate matrix R is produced. Matrix R is guaranteed to be nonsingular because of the window selection process assures an upper triangular form. Using the concentrations of Table 3 a set of coefficients relating window count rates to concentrations (pCi/g) can be solved for using Eq1. An important note on counting periods; The statistical nature of gamma counting requires long enough counting periods to gain a meaning full count rate. The standard deviation of the gamma count is equal to its square root, i.e. 100counts has a 10count sdv.

$$A = CR^{-1} \text{ Eq1.}$$

*A is a 3X3 Matrix of Calibration Coefficients*

*R is a 3X3 Matrix of Count Rate reading for each of the three windows*

*C is a 3X3 Matrix of Known model concentrations from Table 3*

Once A is known then the system is tested against a fourth model (BM) which is a mix of all three elements. A properly calibrated spectrometer then solves for concentration levels for KUT using equation Eq2.

$$C = AR \text{ Eq2.}$$

Equation 2 is used to convert gamma flux rates to density measurements in pCi/g as the system is drilling or logging. There are a number of additional considerations to the process which should be addressed. First, the linear calibration relating gamma energy peaks to channel numbers in the spectrum is used for setting the KUT windows of Table 2. Anything which alters this calibration effects the calculated concentration levels. The measure of the gamma rate is dependent on concentration levels but also the MCA conversion rate. Low power MCAs normally employ slow conversion methods increasing dead time (DT). Where DT and R are both in units of seconds, Eq3 below is used compensate for a slow MCA.

$$R' = R * 1\text{sec} / (1\text{sec} - DT) \text{ Eq3.}$$

*DT is a function of MCA total counts and conversion time*

*R' is a new MCA compensated rate matrix*

In the general solution of converting gamma count rates to KUT soil concentrations, a basic assumption was made; Only naturally occurring gamma sources are found in the soil. The man-made rad waste creates a new set of gamma emitters in contaminated soils.

In the case of Cesium (Cs-137), its gamma ray is at 0.66MeV. Using this unfolding process Cesium would be unfolded after potassium. To follow this logic, every radioactive element distributed within the soil must be accounted for in the unfolding process. The dominate waste radionuclides generally found in the soils at Hanford and Savannah River are Cesium-137, Europium-154, Europium-152, and Cobalt-60. In a Westinghouse Savannah River 1994 report on H-Area retention basin list maximum concentrations as shown in Table 4. Table 4 is by no means a complete list of man-made waste, rad or otherwise.

**Table 4. Example of found Radionuclides at a Waste Site**

Radionuclides	Max. Concentration, pCi/g
Cesium-137	33000
Europium-152	47
Europium-154	33
Cobalt-60	1.8

Figure 1 is log data taken with a HPGe detector used at Hanford, (C.J. Koizumi, 1993). There are two important attributes demonstrated by this data. First, the total count is a good indicator of waste radionuclides in the soil. Second, cesium waste maybe independent of other radionuclides.

A complete gamma spectrum is shown in Figure 2. This spectrum was taken at 16.8m depth in the log run shown in Figure 1. Here the spectrum is scaled out to 2.8MeV. By scaling out so high the thorium peak at 2.61MeV can be monitored for changing backgrounds. The measured concentrations for this spectrum at as follows: 3 pCi/g of Co-60, 29 pCi/g of Eu-154 and 8 pCi/g of K-40. The vast majority of spectral activity is below the K-40 peak at 1.46MeV.

Looking again at Figure 2, the down scattering of higher energy gamma into the 0.66MeV energy channel is a concern. Because of the low energy Cs-137 gamma virtually all background and other man-made rad waste interferes with the cesium measurement.




Figure 1. Spectral log near Hanford waste tank, (C.J. Koizumi, 1993)




Figure 2. An example of a complete gamma spectrum taken for the log in Figure 1. (C.J. Koizumi, 1993)

### Unfolding Co and Cs From Background, An Example

Unfolding the three naturals along with cesium and cobalt (Randall and Stromswold, 1995) used windows 1.105 to 1.420MeV for cobalt and 0.590 to 0.715MeV for cesium. Lumping the background Th and U counts as a single constant term, the Cs and Co unfolding formulas are shown below.

$$C_{Co} = aR_{Co} - bR_K - cR_{Cs} - BKG_{Co} \quad \text{Eq4.}$$

$$C_{Cs} = dR_{Co} - eR_{Cs}^2 - fR_{Co} - BKG_{Cs} \quad \text{Eq5.}$$

*Terms 'a'-'f' are unique coefficients.*

*BKG is the constant background subtraction of each element.*

*In all cases  $BKG_{Cs} > BKG_{Co}$ .*

Both equations 4 and 5 use the K40 rates directly. This is done because the cobalt upper gamma is very near that of potassium. The NaI detector resolution will overlap gamma counts. In Eq5 has a cobalt count rate term for calculation of cesium. Often cesium and cobalt are found together and the down scattering of the higher energy cobalt is a significant. Eq5 incorporates a squared term for pile up correction at very high count rates.

### Suggested Approaches For EMWD

The EMWD MCA is a 256 channel multi-channel analyzer. The NaI crystal is (at present) a four by one inch cylinder. Complete spectrums are transmitted to the surface every 30 seconds. Spectrums are not being taken while data is being transmitted. The actual sample period is ~20 seconds. Spectrums can be summed at the surface to longer sample periods.

The main focus of the EMWD system is to detect and measure cesium contamination levels while drilling. There are no cesium waste models for calibration of spectral gamma logging systems. Even if such a model existed there are too many types of mixed radionuclides at each DOE site for any NaI system to accurately unfold. Two methods are suggested for calibrating a system to unfold Cs-137 from natural background spectrums. In both cases, total gamma counts will be used to detect increased levels of man-made waste. The total count might also help detect when count rates are increased by man-made waste other than Cs-137 by the simple relationship in Eq6.

$$TC - aR_{Cs} - bR_K - BKG_{TC} = 0 \quad \text{Eq6}$$

*TC = total counts*

*BKG<sub>TC</sub> taken from reading is a clean area.*

*a & b coefficients derived from field testing.*

### Calibration Method 1

This method would treat the spectrum readings in the same fashion as calibrating any spectral gamma logging system as addressed earlier in this report.

Set the linear range to 2.80MeV, full scale. Choose windows for all three naturals plus Cs-137. Eq1 is now composed of 4X4 matrixes. B-models can be used where the model concentration of Cs-137 is assumed zero. To solve for matrix A a fourth model of known concentration of Cs-137 must be used. This Cs-137 model may actually be a characterized well as logged in Figure 1 at a waste site. This approach is heavily dependent on the quality of the Cs-137 model. The matrix inversion simultaneous solution of linear equations produces a least squares fit to given data. The solution maybe sensitive to slight changes in concentration levels, non-robust. This problem is compounded by the lack of a properly configured mixed model to help test the solution.

### Calibration Method 2

The energy range will be low, upper end limited at 1.6MeV. This is done to utilize system sensitivity about the range of interest, see Figure 2. Gamma rays above this threshold are counted as a total and stored in channel 255. By monitoring this channel normal thorium and uranium background levels can be monitored. These background levels will be characterized at the site by drilling a short bore outside of the contaminated area. Along with channel 255, the potassium and cesium windows will also be characterized for background down scattering. Using the B-model, the cesium window can be characterized for potassium down scattering.

$$C_{Cs} = aR_{Cs} - bR_K - BKG_{Cs} \quad \text{Eq7}$$

Several cesium dominated wells of differing levels will be required to curve fit system response to cesium. If background reading remain constant and Cs-137 dominates all other types of man-made waste then the linear relationship should be well bounded.

### Conclusion

The EMWD spectrometer is capable of linear calibration of gamma energy peaks at room temperature. The logging industry in cooperation with DOE has developed spectral gamma calibration methods and facilities. These method and facilities are not sufficient to fully calibrate spectral gamma systems for subterranean measurement of man-made mixed waste.

Actual logging data taken of rad waste by a HPGe system points to the complexity of the problem. For the EMWD system using a NaI detector there is no recognized solution for calibration or unfolding spectrums in man-made rad waste sites with unknown radionuclide.

Two methods were looked for calibration and unfolding. One method expands the accepted method used for spectral gamma logging tool calibration used in uranium exploration wells. The second method assumes a fixed background and attempts to equate a linear relationship between gamma count rates in cesium directly. Both methods

or some combination of approaches needs to be tested before release for site characterization.

---

<sup>1</sup> R. Leino, D.C. George, B.N. Key, L. Knight, and W.D. Steele, June 1994, Third Edition, Field Calibration Facilities for Environmental Measurement of Radium, Thorium, and Potassium, technical Measurements Center Grand Junction Projects Office



## **APPENDIX E**

### **Site Specific Health and Safety Plan for the Environmental Measurement-While-Drilling-Gamma Ray Spectrometer System Demonstration at the SRS F-Area Retention Basin**

**This Page Intentionally Left Blank**

*[Signature]* 11/22/94  
Document Preparer

*[Signature]* 11/22/94  
Document Reviewer

**SITE SPECIFIC HEALTH  
AND SAFETY PLAN**

**FOR THE  
F-AREA RETENTION BASIN (281-3F)  
PHASE II RI INVESTIGATION**

**WORKING COPY**  
VERIFIED TO BE THE LATEST REVISION  
BY: *[Signature]* DATE *11-29-94*  
*RJK* *12/16/93*  
**MUST BE VERIFIED PRIOR TO EACH USE**

**Q-SHP-F-00003**

**REVISION 01**

**NOVEMBER 1994**

(This page intentionally left blank.)

**SITE SPECIFIC HEALTH AND SAFETY PLAN**  
**FOR THE**  
**F-AREA RETENTION BASIN (281-3F)**  
**PHASE II RI INVESTIGATION**

*Kevin J. Kuelske*  
PREPARED BY: Kevin J. Kuelske

11/22/94  
DATE

*Kevin J. Kuelske*  
WASTE SITE CUSTODIAN: Kevin J. Kuelske

11/22/94  
DATE

*Wayne F. Johnson*  
ER CUSTODIAN'S LEVEL 4 MANAGER: Wayne F. Johnson

11/28/94  
DATE

*Russ Reese for C. Lark*  
RADIOLOGICAL CONTROL and  
HEALTH PHYSICS MANAGER

11-28-94  
DATE

*Gregory L. H. Thibault*  
INDUSTRIAL HYGIENE and  
RESPIRATORY PROTECTION MANAGER

11/22/94  
DATE

*Mark T. Hubbard*  
OCCUPATIONAL SAFETY PROGRAMS and  
ASSESSMENTS

11/22/94  
DATE

*David Matthews*  
EMERGENCY SERVICES DEPARTMENT MANAGER

11/28/94  
DATE

*John C. E. Rugh* <sup>For:</sup>  
ER QUALITY ASSURANCE MANAGER

11/29/94  
DATE

*J. S. Beckin*  
HEALTH AND SAFETY OFFICER

11/29/94  
DATE

(This page intentionally left blank.)

## LIST OF REVISIONS

<u>Revision Number</u>	<u>Revision Date</u>	<u>Pages Affected</u>
0	June 1994	All
1	November 1994	x, 1-10, 12,13,18,19,24

(This page intentionally left blank.)



## TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
2.0 SITE HISTORY AND PROJECT DESCRIPTION	1
3.0 SITE ORGANIZATION AND RESPONSIBILITIES	6
4.0 HAZARD AND RISK ANALYSIS	8
5.0 SAFETY AND HEALTH TRAINING	12
6.0 PERSONAL PROTECTIVE EQUIPMENT AND PROCEDURES	13
7.0 MEDICAL SURVEILLANCE	15
8.0 HEALTH AND SAFETY MONITORING	15
9.0 SITE CONTROL	18
10.0 DECONTAMINATION	24
11.0 EMERGENCY RESPONSE PLANS	25
12.0 CONFINED SPACE ENTRY	28
13.0 SPILL CONTROL	29
14.0 RECORD KEEPING	29
15.0 REFERENCES	30

(This page intentionally left blank.)

**List of Figures**

	<b>Page</b>
<b>Figure 1.</b> <b>Soil, Surface Water/Sediment, and Geotechnical Sampling Locations</b>	<b>2</b>
<b>Figure 2.</b> <b>Soil and Geotechnical Sampling Locations Along the Process Line</b>	<b>3</b>
<b>Figure 3.</b> <b>Schematic of Work Zones</b>	<b>15</b>
<b>Figure 4.</b> <b>Schematic for Personnel / Equipment Control</b>	<b>16</b>

**List of Tables**






	<b>Page</b>
<b>Table 1.</b> <b>F-Area Retention Basin Exposure Pathways</b>	<b>7</b>
<b>Table 2.</b> <b>Training Requirements for Waste Site Workers</b>	<b>9</b>
<b>Table 3.</b> <b>ERD Phone Listing</b>	<b>22</b>

(This page intentionally left blank.)

## List of Acronyms

ADS	Analytical Development Section
ALARA	As Low As Reasonably Achievable
ANSI	American National Standards Institute
CB	Citizen's Band
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CFR	Code of Federal Regulations
CPR	Cardiopulmonary Resuscitation
DOE	Department of Energy
EP	Excavation Permit
EPA	Environmental Protection Agency
ERD	Environmental Restoration Department
FARB	F-Area Retention Basin
GPR	Ground Penetrating Radar
H&S	Health and Safety
HAZWOPER	Hazardous Waste Operations and Emergency Response
HEPA	High Efficiency Particulate Air
HP	Health Protection
HSO	Health and Safety Officer
IH	Industrial Hygiene
MCL	Maximum Containment Level
MSL	Mean Sea Level
OJT	On-the-Job Training
OSHA	Occupational Safety and Health Administration
OVA	Organic Vapor Analyzer
PM	Project Manager
PPE	Personal Protective Equipment
QA	Quality Assurance
RBA	Radiological Buffer Area
RCO	Radiological Control Operations
RCRA	Resource Conservation and Recovery Act
RESRAD	Residual radioactive dose calculation computer code
RFI	RCRA Facility Investigation
RI	Remedial Investigation
RWP	Radiation Work Permit
SAFER	Streamlined Approach for Environmental Restoration
SCBA	Self Contained Breathing Apparatus
SCDHEC	South Carolina Department of Health and Environmental Control
SIRIM	Site Item Reportability and Issue Management
SRO	SIRIM Reporting Official
SRS	Savannah River Site
SRSOC	SRS Operations Center
SSHASP	Site Specific Health and Safety Plan
STR	Subcontract Technical Representative
TO	Technical Oversight
TSD	Treatment, Storage, or Disposal Facility
VOC	Volatile Organic Compound
WCP	Work Clearance Permit
WSRC	Westinghouse Savannah River Company

(This page intentionally left blank.)



## 1.0 INTRODUCTION

This document describes the safety, health, and emergency response requirements for investigation activities at the existing F-Area Retention Basin, 281-3F (FARB). The Site Specific Health and Safety Plan (SSHASP) contains information concerning personnel responsibilities, waste unit characterization, environmental monitoring, personal protective equipment, and required safety and health procedures. In addition to the requirements outlined in this SSHASP, all work will be performed in accordance with WSRC 4Q (Industrial Hygiene Manual), WSRC 8Q (Employee Safety Manual), WSRC 5Q (Radiological Control), WSRC 20Q (Health and Safety Manual for Hazardous Waste Operations), WSRC 3Q5 (Hydrogeologic Data Collection), and the WSRC RFI/RI Program Plan (latest revision). In addition to the requirements of this SSHASP, subcontractors and WSRC employees involved with subcontractor activities are subject to the safety requirements of the subcontractor or WSRC, depending upon which requirements are more stringent.

## 2.0 SITE HISTORY AND PROJECT DESCRIPTION

### 2.1 Unit Description

The F-Area Retention Basin (281-3F) was used from 1955 to 1973. This open, unlined basin provided temporary emergency storage for potentially contaminated cooling water from the chemical separations process. When radioactivity was encountered in the cooling water, immediate action was taken to divert the water from surface drainage streams to the retention basin. The cooling water could potentially be contaminated if chemical processing materials leaked into it. During the holding period, some quantity of water seeped into the ground. If the radioactivity was above stream release limits, the waste water was processed by deionization to reduce contamination and permit release. The exact quantities of water disposed in the retention basin is unknown. The volume and curie content of the water in the intermittent discharge varied. Only trace quantities of chemicals are believed to have been discharged to the basin.

The unlined retention basin stopped receiving effluent in 1973 when it was replaced by a new, lined retention basin (281-3F). After a characterization study, 0.6 m of sediment was removed from the floor of the F-Area Retention Basin in 1978-79. The basin was backfilled with dirt and covered with grass.

### 2.2 Project Description

The Phase II RI investigation activities at the F-Area Retention Basin (FARB) will involve collection of stream surface water and sediment as well as soil samples from within and surrounding the basin and associated process sewer line. The activities to be performed are outlined in the Phase I, Rev 1 RI Work Plan for the F-Area Retention Basin (281-3F). Four distinct areas will be sampled. First, sediment and surface water sampling at the small, unnamed stream adjacent to the unit will be taken to assess the basin's impact on the surrounding wetlands. This activity will be performed in a radiologically clean area and will not require a radiological buffer area (RBA). Second, soil samples will be collected from four locations with the former basin to a depth not to exceed the ground water table. Third, soil samples will be collected from eight locations along the basin perimeter to assess the lateral migration of contaminants. Finally, 11 samples will be collected from along the process pipeline to assess the potential leakage from this pipeline. All sampling, except along the stream, will be performed in a temporary RBA and will require continuous RCO Coverage.

Drilling activities will be required for collection of all soil samples especially inside the basin and along its perimeter. Along the process sewer line, which is mostly inside F-Area, hand augers will be used down to 10 feet to ensure no underground utilities are encountered. All samples collected will be screened by either RCO (if "blue tagged") or by ADS prior to shipment off site for analysis. Proposed sampling locations can be seen in Figures 1 and 2.




Figure I. Soil, Surface Water/Sediment, and Geotechnical Sampling Locations






Figure 2. Soil and Geotechnical Sampling Locations Along the Process Line

### 3.0 SITE ORGANIZATION AND RESPONSIBILITIES

#### 3.1 General

Westinghouse Savannah River Company (WSRC) is the prime Management and Operations Contractor for the Savannah River Site (SRS) with ultimate authority and primary responsibility for unit/site operations that include unit/site health and safety. The SRS RI Project Manager (PM) is responsible for overall project coordination and reports to the RCRA/CERCLA Program Coordinator. The Health and Safety Officer (HSO) (whose duties are described below) may be the same person as the Technical Oversight (TO). The TO is responsible for monitoring drilling and/or sampling activities to ensure that these activities match the requirements of the RI Work Plan.

In the event that conditions warrant that work be performed in a Radiologically Buffer Area, the work will be performed under the control of the SRS Radiological Control Operations (RCO) Department. SRS RCO will be responsible for directing and monitoring all unit/site health and safety concerns associated with radiological materials, and when present, will be the field SRS Health and Safety representative. The SRS Industrial Hygiene (IH) Department is responsible for reviewing this SSHASP for compliance to IH procedures and may perform monitoring for non-radiological hazards in the field.

The SRS RI Project Manager (WSRC Environmental Restoration Department (ERD)) has developed this Site Specific Health and Safety Plan (SSHASP) in cooperation with the SRS IH, RCO, Occupational Safety Programs and Assessments, Emergency Services Department, and Quality Assurance (QA).

The SRS RI PM and the subcontractor Project Managers (PM) assure that all project personnel are medically fit for duty, are current in HAZWOPER or equivalent training, and have a current respirator fit test (if required). Each subcontractor PM will also ensure that all unit/site-project personnel understand and accept the SSHASP prior to performing work on the project. The chain of command for health and safety issues for this project will be SRS PM to subcontract PM to subcontractor TO/HSO to subcontractor field management (FM) to the drillers. However, all personnel at the job site can stop work at any time for any health or safety concern.

#### 3.2 Health and Safety Officer (HSO)

The HSO will monitor sampling activities for the SRS RI PM who will ensure compliance with all health and safety requirements by project personnel. The HSO will be present during all drilling, excavation, and sample collection activities at the waste unit. The SRS RI PM and the subcontractor HSO will not allow work to begin until the SSHASP, Radiation Work Permit (RWP) (where applicable), Work Clearance Permit (WCP), and Excavation Permit (EP) (where applicable) have been provided to, reviewed, and signed by all appropriate field personnel. The SSHASP, RWP (where applicable), and WCP must be visibly posted at the unit/site. Before entering the controlled area of the work site, all personnel must attend a unit/site-specific briefing session, to be conducted by the HSO, on the potential unit/site hazards and specific requirements of this SSHASP. In addition to the unit/site-specific briefing, all unit/site personnel and authorized visitors must sign a Daily Sign-In/Out Log (see Appendix C) and will be required to provide current documentation of medical clearance and HAZWOPER or equivalent training. If any documentation is not available or is out-of-date, the HSO will advise the personnel that requirements stated in 29 CFR 1910.120 apply and will not allow entrance into the controlled areas of the work site. The SRS RI PM will be informed if any subcontractor personnel or third party visitor attempts to access the work zone without proper documentation.

If there is any question whether an unplanned occurrence on the unit/site may compromise worker health and safety, the HSO has the authority to interrupt operations and to remove all personnel from the area. If practical, the SRS RI PM should be consulted before any operation is interrupted. If work is stopped due to any health and safety concern, immediate attention should be given by health and safety personnel working in cooperation with the SRS RI PM to identify and correct the cause of concern as quickly as possible. Any such incident should be fully documented by the HSO and reported to the SRS RI PM. In the event of a work stoppage, the SRS RI PM must be kept apprised of progress in resolving the incident until normal operations are resumed. In absence of the

TO/HSO, the FM of each subcontractor becomes the active HSO and has overall responsibility for monitoring and ensuring that their project personnel will comply with this SSHASP.

Specific duties of the HSO include, but are not limited to:

- Conduct a health and safety meeting (prior to the initiation of any fieldwork) in which both general health and safety concerns and those health and safety concerns specific to the RI characterization at the Waste Unit are addressed to the satisfaction of all in attendance. The HSO must document the workers in attendance by obtaining their signatures/ initials on the "Site Safety Meeting Attendance" sheet in Appendix C, and any new workers must receive a documented briefing on the health and safety concerns covered in the original meeting. \*
- Collaborate with SRS RCO in a fashion that ensures compliance with appropriate procedures.\*
- Identify and prevent all recognized work practices or conditions that may result in injury or exposure to toxic substances.\*
- Obtain and interpret instrument readings to determine the degree of hazard present (with the exception of radiation monitoring for health protection considerations, which will be conducted by RCO).
- Monitor the use of personnel protective equipment (PPE) for SRS as determined by personal protection levels stated in this SSHASP (except for personal protection levels related to radiation).\*
- Monitor decontamination procedures.
- Conduct pre-entry and periodic safety training as necessary.
- Assist in the coordination of emergency response activities for onsite personnel and with emergency support groups at SRS; ensure work site is equipped with communications capability for emergency notifications not only to the SRS Operations Center but from the SRS Operations Center.\*
- Monitor personnel safety performance for SRS to ensure that required work practices are in compliance with this SSHASP during RI operations.\*
- Assist with coordination of emergency response activities.
- Monitor for SRS who will ensure compliance with, and determine effectiveness of, this SSHASP.\*

\* Duties to be performed by active subcontractor HSO if TO/HSO is not onsite.

In addition, an alternate HSO shall be identified if the HSO is unable to perform his duties. The alternate HSO will hold the same responsibilities and training requirements as the HSO.

### 3.3 Project Manager (PM)

The Project Manager (PM) is the individual from WSRC responsible for overall project coordination. The PM must make appropriate notifications in emergencies. The PM must not allow work to begin until this SSHASP has been provided to all field personnel. The PM must also ensure that all personnel attend a site specific briefing session conducted by the HSO.

All personnel have the responsibility and authority to order a work stoppage should unsafe conditions exist.

In addition to the requirements set forth in this SSHASP, all work performed by subcontractors will be performed in accordance with WSRC 4Q (Industrial Hygiene Procedures Manual), WSRC 8Q (Employee Safety Manual), WSRC 5Q (Radiological Control), WSRC 20Q (Health and Safety Manual for Hazardous Waste Operations), and the WSRC RFI Program Plan (latest revision). Any modifications to the SSHASP will be documented on the Health and Safety Field Modification Form (see Appendix C) and approved by the SRS RI PM and HSO prior to commencement of activities.

The project manager is also responsible for coordination of site surveillances. Surveillances may be conducted by ER QA or the Subcontractor Safety Group. The ER QA Department will determine that all procedures, including this SSHASP, are properly followed and implemented. The Subcontractor Safety Group will ensure that the subcontractor HSO is performing his duties in accordance with this SSHASP and the Employee Safety Manual, WSRC 8Q.

#### 4.0 HAZARD AND RISK ANALYSIS

It is the responsibility of all personnel to understand and be aware of all hazardous materials that may be present during this phase of the investigation at the F-Area Retention Basin. The materials that have been identified to exist at the F-Area Retention Basin are identified in sections 4.1.1 through 4.1.3. During this phase of the investigation, radioactive materials are expected to be encountered.

In the event that any hazardous materials are encountered, the principles of "As Low As Reasonably Achievable" (ALARA) shall be followed. ALARA has three main tenants; time, distance, and shielding. That is, it is the responsibility of each person to minimize the amount of time to exposure to, as well as maximize distance from, any source of hazardous material. In addition, if the hazardous material is anticipated to be significant, RCO and/or IH may require shielding or other engineering barriers to reduce exposure.

#### 4.1 Hazardous Constituents

Hazardous constituents around the F-Area Retention Basin are anticipated to be identical to those identified during Phase I sampling at the F-Area Retention Basin (281-3F) conducted in January, 1994. Results of this sampling indicated that the only contamination received by the basin were radioactive isotopes, mainly Cs-137 and Sr-90. Neither soil gas screening (July 1993) nor Phase I sampling detected any metal or organic contamination at levels of concern at the 281-3F Retention Basin or process sewer line. Further details of the contamination expected at the FARB are present in the following sections.

##### 4.1.1 Radioactive Contamination

Radiological contamination is the primary concern of work activities at the FARB. Records indicated that cooling water contaminated with radioisotopes, primarily Cs-137 and Sr-90, were sent to the F-Area Retention Basin from the Tank Farm and Canyon building on several occasions during the operating span from 1955 to 1973. Generally the F-Area Retention Basin revived cooling water which was too highly contaminated to be sent to the seepage basins.

Phase I Sampling at the retention basin confirmed the expectations of the nature of contamination at the F-Area Retention Basin. Radioactive Cs-137 and Sr-90 were detected in significant quantities in the soil (60 - 100 pCi/g) as well as during RCO field screening. All non-basin soil samples were determined to be non contaminated by field screen and laboratory analysis. It is anticipated that, given the deep water table at the basin, the radioactive contaminants have not yet reached the ground water. Since samples will be collected from inside the FARB, this sampling will be conducted inside an RBA.

#### 4.1.2 Volatile Organic Compounds (VOCs)

One soil gas survey has been conducted at the F-Area Retention Basin (281-3F) waste unit. The soil gas survey was conducted in July 1993 at the perimeter of the basin as indicated by radiological and "orange ball" markers. No organic contamination was detected during this unit screening.

Phase I sampling at the F-Are Retention Basin (281-3F) was conducted in January 1994. During the investigation four soil samples were taken from the basin area and analyzed for organic contaminants including, volatiles, semi-volatiles, and tentatively identified compounds. No organic compounds were detected above regulatory action levels. However, some semi-volatile contaminants were discovered at one location at the basin where burning was apparently conducted during remediation prior to placement of backfill material over the basin. Since these contaminants were not introduced as part of the normal operating procedure of the retention basin they are not expected to exist inside the FARB. The list of semi-volatiles contaminants detected at the basin is given below:

1,4 Dichlorobenzene	2-Methylnaphthalene	Anthracene
Benzo(a)pyrene	Benzo(b)flouranthene	Benzo(g,h,i)perylene
Bis(2-ethylhexyl) Phthalate	Butyl Benzyl phthalate	Chrysene
Dibenzofuran	Diethyl Phthalate	Flouranthene
Fluorene	Naphthalene	Phenanthrene
Pyrene	Acetone	

#### 4.1.3 Metals

Phase I sampling at the F-Area Retention Basin (281-3F) indicated the presence of small amounts of Beryllium. This metal is not believed to be part of the process at the canyon and therefor is believed not to have been introduced into the FARB. No other metal contaminants were detected at the F-Area Retention Basin in significant quantities.

Health risks associated with metals is not expected to be a major concern.

#### 4.2 Exposure Routes

A summary of the exposure assessment activities covered under this SSHASP is presented in Table 1. For the work to be accomplished during the proposed activities, the main routes of exposure is the possibility of direct contact or inhalation of contaminated soils.

Table 1.  
 Old F-Area Seepage Basin Potential Exposure Pathways

MEDIA	HAZARD	PATHWAY	POTENTIAL
Ground Water	Contamination	Direct Contact	Very Low
		Human Ingestion	Very Low
Surface-Water	Contamination	Direct Contact	Very Low
		Human Ingestion	Very Low
		Offsite Migration	Very Low
Soil	Contamination	Direct Contact	Medium
		Vapor/Dust Inhalation	Medium
		Transport to Surface Water	Low
Air	Contamination	Inhalation of airborne particulates	Medium

*Hazards due to contact with soils:*

Potential for personnel contamination due to direct contact with soil is low since no drilling will occur within the waste unit (orange ball markers). The greatest risk of contamination will be contact with drill cuttings from within and along the basin perimeter. RCO will evaluate all drill locations for radiation safety and provide continuous coverage at locations which may encounter radioactive soil contamination.

*Hazards due to contact with ground water:*

Potential for personnel contamination due to direct contact with ground water is very low since past sampling and current transport models indicated that no contamination has reached the ground water. The greatest risk of contamination will be contact with ground water from down gradient wells. RCO will evaluate all drill locations for radiation safety and provide spot coverage to check for ground water contamination.

*Hazards due to Organic Vapors:*

Potential for personnel exposure to organic vapors is very low since no organic chemicals are known to have been released to the FARB. The presence of organic vapors will be monitored with an on-site OVA or HNu by the TO/HSO at the discretion of IH and any decision to wear respirators must be made by IH in cooperation with the TO/HSO.

#### 4.3 Environmental Health Considerations

##### 4.3.1 Cold Stress

Low body temperatures will likely result in reduced mental alertness, reduction in rational decision-making capability, loss of consciousness, or death.

Mild to severe pain in the extremities may be the first early warning of danger to cold stress. During exposure to cold, maximum severe shivering develops when the body core temperature has fallen to 35° C (95° F). Useful physical and mental work is limited when severe shivering occurs. Because prolonged cold exposure at temperatures well above freezing can lead to hypothermia, whole body protection must be provided. If work activities are performed in temperatures below 40° F, adequate insulating clothing to maintain core temperature must be worn by all workers. Damp or wet clothing may contribute to cold stress. All workers should be aware of the effect of wind chill on exposed skin. Appendix B contains additional cold stress information.

##### 4.3.2 Heat Stress

The major disorders due to heat stress are heat cramps, heat exhaustion, and heat stroke. Heat cramps are painful spasms which occur in the muscles of workers who sweat profusely in the heat and drink large quantities of water, but fail to replace the body's lost salts and electrolytes.

Heat exhaustion is characterized by extreme weakness or fatigue, dizziness, nausea, and headache. In serious cases, a worker may vomit or lose consciousness. The skin is clammy and moist, complexion pale or flushed, and the body temperature can be normal or slightly higher than normal. Treatment consists of rest in a cool place and replacement of body water and salt lost by perspiration. Mild cases may recover spontaneously with this treatment. Severe cases may require care for several days. There are no permanent effects.

Heat stroke is caused by the breakdown of the body's heat regulating mechanism. The skin is very dry and hot with a red or bluish appearance. Unconsciousness, mental confusion, or convulsions may occur. Without quick and adequate treatment, the result can be death or permanent brain damage. Medical assistance should be given quickly.

The person should be moved to a cool place. Body heat should be reduced artificially by soaking the person with water and vigorous fanning.

Wearing of protective clothing, such as Tyvek, KleenGuard, polyethylene coated Tyvek, or saran coated Tyvek suits may increase the danger of heat stress.

Workers should be aware of the symptoms, dangers, and appropriate preventive and treatment measures associated with heat stress. Appendix B contains additional heat stress information.

## 5.0 SAFETY AND HEALTH TRAINING

### 5.1 General

Training of each worker is to be verified by the HSO prior to site entry. In accordance with the general site policy and the guidelines set forth in WSRC 20Q, "Health and Safety Manual for Hazardous Waste Operations," Procedure E, the following is required:

- GET, if employee is on site for more than 10 days or needs to have unescorted access to the SRS.
- Radiation Worker II Training as required by WSRC 5Q.
- RCRA training if the site is a RCRA Treatment, Storage or Disposal facility (TSD) or there is a potential for generation of hazardous waste.
- HAZWOPER or equivalent training, outlined below, including On-the-Job Training (OJT.)

Table 2. Training Requirements for Waste Site Workers

Individual	40 Hour HAZWOPER	24 Hour HAZWOPER	8 Hour Supervisor	OJT
HSO / Alternate	Required		Required	3 Day Required*
Technical Field Oversight	Required			3 Day Required
Laborer	Required			Required*
Onsite Management and Supervisors	Required, see exceptions 1910.120 (e)(4)		Required	3 Day Required
Low Risk Workers**		Required		1 Day Required

\* Laborers without OJT must be supervised by the HSO for at least three days when they begin a HAZWOPER.

\*\* See 29 CFR 1910.120 (e) (3) (ii-iii)

HSO training also requires First Aid/CPR and Bloodborne Pathogen.

### 5.2 Task Specific

The HSO will arrange or provide any site specific training required by field employees prior to beginning field activities. This will consist of a review of the specific hazards of concern, risks, symptoms of exposure and an overview of the SSHASP to include delineation of work zones, access, decontamination protocols, safety and emergency procedures and emergency contacts listed in section 8.5. The SRS custodian, RCO, IH and ERD project manager are invited to this training, if conducted by a subcontractor.

### 5.3 Training Documentation

Documentation of all applicable health and safety training will be maintained and will be provided to the SRS RI PM within a reasonable time upon request. The project STR and/or Waste Site custodian will maintain records.

### 5.4 Visitors

Visitors are responsible for providing training records to the ERD project manager and/or the HSO before entering the worksite. The HSO will review unit specific procedures and hazards with the visitors before access to the site is allowed.

## 6.0 PERSONAL PROTECTIVE EQUIPMENT (PPE) AND PROCEDURES

### 6.1 General

PPE will be determined by WSRC RCO and TO HSO taking into consideration the level of contamination expected and detected (reference WSRC 20Q, "Health and Safety Manual for Hazardous Waste Operations," Procedure G). Non-intrusive operations do not require any PPE other than appropriate safety gear as determined by standard SRS procedures. Workers within the exclusion zone will wear PPE as directed by WSRC RCO and/or the TO HSO and workers outside the exclusion zone and visitors will begin in Level D PPE. The following guidelines shall apply to all tasks:

- PPE shall be available at storage locations which may vary for different projects and will be described by the HSO at pre-entry briefings. The HSO will describe appropriate donning/doffing procedures.
- PPE shall be inspected by the wearer prior to use. The project manager or designee shall assure that respirators are supplied, inspected, and maintained by the WSRC respirator facility.
- Decontamination procedures are described in Chapter 10.
- PPE that cannot be decontaminated shall be stored in a satellite or staging area within the waste unit until pickup for disposal. ERD is responsible for this function.
- ERD will evaluate this PPE program using information collected from interviews with workers, medical records, technical oversight personnel, and other pertinent sources. Recommendations and changes will be incorporated as needed. The SRS RI PM is responsible for preparing periodic reports describing results of evaluations and maintaining reports as part of the project records.

### 6.2 Respiratory Protection Program

#### 6.2.1 Respirator Certification

All personnel with the potential of exposure to harmful airborne contamination must have medical respirator certification by a qualified physician, and respirator fit prior to respirator usage.

#### 6.2.2 Self Contained Breathing Apparatus (SCBA) Certification/Tritium Suit Certification

Before an individual may enter an area designated for use of SCBA, the individual must have documented medical qualification for SCBA utilization; training in the proper inspection, maintenance, and use of the SCBA unit; and must receive a unit-specific safety briefing. The unit-specific briefing addresses known levels and types of hazards at the unit, the "buddy system", operations to be performed, appropriate emergency procedures, and the potential consequences of failing to maintain proper respiratory protection. Failure to meet any of these requirements prohibits an individual from the use of SCBA equipment. Individuals using tritium suits or other respiratory protection equipment not specifically mentioned in this SSEASP shall be trained to use that equipment and obtain concurrence from ERD before using that equipment, except in emergencies.

#### 6.2.3 Respirator Selection

Respirators for non-radioactive species



Respiratory protection or other controls may be required in the event that ambient concentrations of organics are detected at the work site. In the event that ambient or changing concentrations of organics are detected work will be stopped until the source of the readings is identified. If readings persist, the HSO in consultation with IH will determine if respirators are required. Respirators are issued per 4Q1.6, Procedure 501.

#### Respirators for airborne radioactive species

In the event that airborne radioactivity is detected, the SRS RCO will stop the job and reevaluate the appropriate protection prior to resumption of field activities. Respiratory protection requirements are detailed in WSRC 5Q Chapter 5, Part 3.

### 6.3 Non-Respiratory PPE

#### 6.3.1 Non-Intrusive Operations

For non-intrusive activities, no exposure to contaminants is anticipated. PPE and safety equipment should be selected according to WSRC 3Q5 (Hydrogeologic Data Collection) and the WSRC RFI/RI Program Plan (latest revision) and other standard procedures appropriate to the task.

#### 6.3.2 Intrusive Operations

For intrusive operations, Level D clothing is appropriate unless directed otherwise by WSRC RCO. Hard hats and safety glasses with side shields should be used during all drilling activities. If determined necessary after monitoring by the HSO, Level D (modified) clothing (Tyvek, boots and gloves) and equipment must be maintained throughout the duration of the work in the exclusion zone. The following minimum PPE (or equivalent) are available to all personnel:

- Tyvek Suits
- Suitable work gloves (Cotton, leather etc.)\*
- Chemical resistant gloves (Nitrile, Tyvek, etc.)
- Ear Plugs\*
- Hard Hat\*
- Fire Extinguisher (ABC)\* (10 pound on drill rigs, 5 pound for generic site)
- CB Radio or Two way radio or Cellular phone
- Decon Sprayers
- Drink Cooler
- Eyewash (15 Minute)
- Safety Glasses with side shields\*
- Goggles (Splash Protection)
- First Aid Kit (with Bloodborne Pathogen Kit)\*

\* Supplied by subcontractor

### 7.0 MEDICAL SURVEILLANCE

Employees who may be exposed at or above the permissible exposure limits (PEL) or wear a respirator for 30 days or more per year must be covered by a medical surveillance program as required by 29 CFR 1910.120 and described in Procedure F of the WSRC 20Q, "Health and Safety Manual for Hazardous Waste Operations". All field personnel must present evidence of fitness for duty, signed by a physician.

The medical facility at 704-F is the closest medical facility to the FARB and should be visited in case of injury or medical emergency.

### 8.0 HEALTH AND SAFETY MONITORING

Monitoring of temperature for heat/cold stress will be performed as necessary by the HSO by calling the nearest weather station for temperature and relative humidity measurements. Should weather temperatures and humidity warrant, HSO shall take all necessary measures to minimize risk of heat stress and heat stroke (e.g., heavy work shall be performed in early and late hours of the day, HSO shall determine if adequate fluids and shade are available for workers, work will be done in work-rest cycles, etc.). The Heat Stress telephone number is 7-0576. Guidelines for Heat Stress and Cold Exposure are described in Appendix B of this SSHASP. Each monitoring instrument will be calibrated as required by IH and RCO as described below. Calibrations will be recorded in a logbook.

### 8.1 Ambient Air Monitoring

Air monitoring will be used to identify and quantify airborne levels of hazardous substances in order to determine the appropriate level of employee protection needed on site. Volatile organic compounds (VOCs) are not known nor suspected to be present in the FARB. Initial airborne monitoring for radioactivity at each borehole site will be provided by RCO. To confirm levels of airborne chemical contaminants, any Immediate Dangerous to Life and Health (IDLH) and other dangerous situations, such as the presence of flammable atmospheres, oxygen-deficient environments and toxic levels of airborne contaminants monitoring at each borehole site will be provided by the subcontractor and will be conducted prior to drilling each borehole. Monitoring instruments for the initial survey will include a combustible gas indicator, oxygen detector and Organic Vapor Analyzer (OVA) or HNu, and will be used in the order presented. Monitoring for VOCs in the personnel breathing zone will be conducted every time a sample is taken with an OVA or HNu in every boring to the water table and periodically to the total depth. If concentrations of VOCs above background are detected, work will stop and personnel will leave the exclusion zone immediately. Work will not continue until the HSO has assessed the situation to accommodate the elevated VOC levels.

If radionuclides are detected in samples collected from the boreholes, to monitor potential airborne radioactivity, an air sampling network will be established to form a perimeter around each borehole location. Sample collection will be provided by a portable pump attached to a power source, by which the sample is continuously collected onto filter paper. The collector will be probed by HP during drilling with HP110 and Ludlum monitoring instruments at a frequency determined prior to investigation activities. In the event that unacceptable emissions are detected at the work site, all work will stop and personnel will leave the exclusion zone immediately. Work will not continue until HP personnel determine the extent of contamination and the personal protection required to safely complete the task.

### 8.2 Personnel Monitoring

For the proposed FARB investigation activities, the potential radiological dose to workers is estimated to be minimal. Exposure during field activities is expected to be a maximum 10 mrem per person in a two week period. In addition, personnel will be notified if any nearby facility occurrences warrant the temporary suspension of work to ensure that personnel are not exposed to unnecessary contamination and/or radiation.

SRS RCO will provide coverage for work by surveying for radiation and radioactive contamination. Coverage will be provided continuously for drilling and sample collection activities in the FARB perimeter fence and intermittently for the remainder of investigation activities after an initial work site survey. Contamination and radiation will be detected by portable instruments at each FARB work site. For clearance purposes, soil core and water samples will be taken to a RCO facility lab for analysis for radioactive material. RCO coverage will not be required below the following levels:

- No detectable radiation above naturally occurring background. (Natural background not to exceed 20-microRems/hr.)
- Smearable contamination less than 20 dpm alpha and less than 200 dpm beta-gamma and 10,000 dpm tritium.

Monitoring for radioactive contamination of soil and equipment used and exposed during drilling will be performed by RCO using portable instruments at the work site. When drilling and sampling of a borehole are completed, RCO will (if no contamination is detected during these processes) declare the work site "clean" (free of radiation and contamination). If contamination is detected during field activities, protective clothing and/or dosimetry requirements will be upgraded to protect personnel from increased levels of contamination and/or radiation, according to procedures outlined in WSRC 5Q 1.2-217V (TLD Badges - Types and Usage), WSRC 5Q 1.2-218 (Dosimeters) and WSRC 5Q. Containment of the work site will also be required for work to continue, such as a SRS windbreak, wind speed limitations and weather condition limitations.

Whole body counts and biological sampling may be conducted during certain work activities at work sites identified by SRS RCO. The need for and frequency of this monitoring will be established by SRS RCO, based upon the work plan. SRS RCO will provide guidance on personnel monitoring and bioassay requirements and IH for potential non-radioactive chemical exposures.

If a change facility is not in close proximity to a drilling work site, one will be established and a count rate meter installed if electricity is provided to the change facility; otherwise, RCO will perform the necessary personnel monitoring.

### 8.3 Non-Radioactive Species (this section applies to intrusive operations only)

An OVA or HNu will be used to detect levels of organic vapor above background. Organic vapor monitoring will be performed by IH or the HSO at the start of each work day and/or new location. HNUs are calibrated in accordance with 4Q1.2 Procedure 119.

Working requirements when organic vapors have been detected will be determined by the HSO and IH. If explosive conditions are detected, work will be delayed until appropriate engineering measures can be taken.

### 8.4 Radioactive Species (this section applies to intrusive operations only)

SRS RCO will determine the proper monitoring equipment to be used to detect alpha, beta, and gamma emitters. At a minimum, WSRC RCO will conduct a pre-job screening to identify types and levels of contamination at the FARB. The information will be utilized in developing the RWP for the basin activities. The job specific RWP, if required, will address the types and frequency of radiation detection required at the FARB investigation activities. If work is not performed within an RBA, RCO will monitor intermittently for the presence of contamination. Some samples may be collected for counting with scalars. Field radiation monitors are calibrated using WSRC 5Q1.3 Procedure 144 and scalars are calibrated using WSRC 5Q1.3 Procedures 404 and 405.

## 9.0 SITE CONTROL

*This section applies only if conditions become such that the HSO, ERD Project Manager, RCO and/or IH personnel deem it necessary (i.e., if contamination has been detected). Work will be conducted in accordance with WSRC 20Q, "Health and Safety Manual for Hazardous Waste Operations," Procedure D.*

Organization will consist of three general zones of operation on each work site (see Figures 4 and 5) established to reduce potential migration of work site substances and the risk of personnel exposure to work site materials. These zones will be named as follows:

- Exclusion Zone;
- Contamination Reduction Zone;
- Support Zone.

Prior to any work activity, zone boundaries will be established by the HSO and RCO if necessary in accordance with Procedure 9 of the 8Q Manual. Personnel entering the work zone will be required to sign in and out on the "Work Zone Entry and Exit Log" form in Appendix C of this SSHASP.

The initial exclusion zone will be an area centered around the borehole with a minimum radius of 10 feet. Boundaries for other activities may be established by the HSO and RCO. After work begins and monitoring of the work site has been conducted, the extent of the Exclusion Zone may be revised with the approval of the HSO and RCO. Zone boundaries may require modification based on changes in weather, conditions in the Exclusion Zone, new data, modifications of the RI work plan, etc.

### 9.1 Exclusion Zone

The Exclusion Zone is that area where active operations take place. This area is considered potentially contaminated, and all personnel within the area will utilize the levels of personal protection prescribed below. A checkpoint will be established at the periphery of the Exclusion Zone to regulate the flow of personnel and equipment into and out of the area. The HOT LINE will be posted or well-defined by geographical and physical boundaries. The Exclusion Zone may be subdivided into areas based upon environmental measurements, the results of previous surveys relative to the concentrations of known or suspected substances, and expected on-site work conditions. Area delineation corresponds with the level of protection required for entry; for example, Area D of the Exclusion Zone requires D-Level personal protection. Criteria for determining area delineation are summarized as follows:

Area A is that area where the highest levels of potential contamination may exist and is designated as the area where maximum respiratory (SCBA), skin, and eye protection are required (i.e., Level A personal protection).

Area B is that area where maximum respiratory protection (SCBA) is required; however, there is a low probability of dermal toxicity (requires Level B personal protection).

Area C is the area where respiratory protection of a lesser degree than the criteria established for Areas A or B is required (full-face, negative-pressure, air-purifying respirator with appropriate cartridges) and the probability of skin contamination by toxic materials through dermal routes is unlikely (requires Level C personal protection).

Area D is that area where respiratory protection is not a requirement.

The level of personal protection to be utilized in the Exclusion Zone will be Level D unless otherwise directed by the HSO or RCO. If directed by the HSO or RCO, a person certified in SCBA operation will be present during drilling/excavation, in case of emergency.

### 9.2 Contamination Reduction Zone

The Contamination Reduction Zone is a buffer between the Exclusion and Support Zones. It is structured to prevent the migration of substances from the Exclusion Zone to areas where these substances are not present. All equipment and personnel cleansing procedures are performed within this area. The boundary between the Reduction and Support Zones is known as the Control Line and is designed to separate areas of potential contamination from clean areas. Entry from the Support Zone into the Reduction Zone will be through a controlled access point. Personnel making this entry will be wearing, at a minimum, personal protection one step below that which is prescribed for the Exclusion Zone. Exit from the Reduction Zone to the Support Zone requires the removal of any suspected or known work site substances through compliance with established cleansing procedures.




Figure 3. Schematic of Work Zones.




Figure 4. Schematic for Personnel/Equipment Control.

### 9.3 Support Zone

The Support Zone is considered clean, and generally is the outermost of the designated areas. The command post for field operations, first aid station, communications, and other elements necessary to support site operations are contained within this area, and normal street clothes (Level D) are generally worn. Command post location within the Support Zone will be based upon a number of factors, including wind direction and accessibility.

### 9.4 Emergency and Support Equipment

This section applies only to the extent directed by the HSO, ERD Project Manager, RCO and/or IH personnel.

Adequate emergency equipment will be available to protect all work site personnel from known or anticipated health and safety hazards. Before entry to any work area, all personnel and visitors will be advised of the necessity for and utilization of emergency equipment. As a minimum, emergency equipment to be made available on-site will include the following during all activities:

- First aid kits (16 unit as specified in National Safety Council Data Sheet No. 202 or equivalent);
- Portable eyewash station meeting ANSI Z35801, 1986;
- Decontamination sprayers, water, and soap;
- Respirators (including a minimum of two SCBA, if applicable; see Section 6.2) (ANSI Z88.2-1980);
- Fire extinguisher, minimum 10 pound ABC on drill rig, 5 pound for general site use;
- Appropriate monitoring equipment (see Chapter 8.0);
- Communication equipment (two-way emergency radios or cellular telephones approved for use at SRS).

#### SUPPORT EQUIPMENT

- Drink cooler with water.
- PPE listed in Chapter 6.0.

### 9.5 General Health and Safety Measures

The following general operating procedures will be followed by all field personnel. These precautionary measures are designed to reduce the risks of inadvertent or accidental radiological and chemical exposure or injury during field operations. Instructing respective employees in safe work practices and emergency procedures is the responsibility of the HSO.

#### 9.5.1 Personal Precautions

Eating, drinking, chewing gum or tobacco, or any practice that increases the probability of hand-to-mouth transfer and ingestion of material is prohibited in any RBA, Exclusion or Contamination Reduction Zones. However cold water and disposable cups may be located in the decontamination area such that employees will have access to water with only removal of gloves, hat, and respirator where used except when in an RBA. Smoking is not allowed at any time in the waste site.

Contact lenses shall not be worn in Exclusion and Contamination Reduction Zones.

Hands and face must be thoroughly washed upon leaving the work area; however, if in an RBA washing might not be needed. Whenever decontamination procedures for outer garments are in effect, the entire body should be thoroughly washed as soon as possible after the protective garment is removed.

Avoid contact with contaminated or suspected contaminated surfaces. Whenever possible, avoid walking through puddles, pools, mud, etc. Avoid kneeling or sitting on the ground, equipment or drums.

Personal articles shall be prohibited in Exclusion and Contamination Reduction Zones.

Medicine and alcohol can exacerbate the effects from exposure to toxic chemicals. Alcoholic beverage intake is prohibited at SRS and should be minimized or avoided on off-work hours during field operations. Prescribed drugs should not be taken by personnel during field operations where the potential for absorption, inhalation, or ingestion of toxic substances exists unless specifically approved by a qualified physician. Do not work when ill.

#### 9.6 Drilling Safety

Drilling safety is the responsibility of each member of the drilling crew. Standard operating safety procedures shall comply with the Westinghouse Savannah River Company Manual WSRC-3Q5, "Hydrogeologic Data Collection," Chapter 2 and DOE Order 5480.4.

#### 9.7 General Operating Procedures

- Safety protocols for oral and hand signals will be established.
- All unfamiliar operations will be rehearsed prior to implementation.
- Personnel involved in active operations will work in pairs, "buddies."
- A minimum of "buddies" plus a third party equipped at the same level of personal protection as the field team personnel (for emergency response), will be required if conditions require SCBA and/or fully encapsulated suits. Communications between all work site personnel will be maintained at all times.
- A wind indicator will be provided to determine upwind escape routes during intrusive operations.
- Only necessary equipment will be allowed in contaminated areas.
- Appropriate areas for support, contamination reduction, and exclusion will be established and will be described at the initial operation specific (i.e., drilling, excavation, etc.) health and safety meeting.
- The HSO will conduct, at a minimum, weekly health and safety meetings.
- Job sites will be maintained in a clean, safe, and orderly manner. Daily cleanup activities shall be performed, including the following:

All stored material that will be used in work activity will be stored square to the site. An unobstructed walkway at least three feet wide will be provided for access to materials.

All loose material will be picked up and stored away from the work activity in a neat, orderly manner.

All work areas, walkways, and material storage areas shall be kept free of trash and debris.

Common sense of the worker should prevail in preventing cold stress. This may include ingestion of warm beverages and/or removal of wet clothing.

Guidelines for control of heat stress in WSRC 4Q are to be followed. Heat stress controls are required for continuous work longer than 1 hour when temperature is above 85 degrees F and humidity is above 60%. Temperature and other weather-related information can be obtained from the Weather Center Analysis Lab at 5-1182 or from the SRS Operations Center (SRSOC) at 5-2117. The following steps can be taken to reduce heat stress:

- Acclimate the body.
- Drink more liquids to replace body water lost during sweating.
- Increase salt consumption (salt tablets are not recommended).
- Wear personal cooling devices.



- When using supplied-air respirators or suits, equip them with a vortex tube (maximum length 50 feet with a plastic suit).
- Follow appropriate work/rest cycle.

### 9.8 Trenching and Excavations

Excavations in excess of 4 feet deep must meet the requirements of WSRC 8Q Procedure 34 and 29 CFR 1926, Subpart P. The project manager is responsible for providing an approved Vessel or Confined Space Entry Permit per the requirements of WSRC 8Q Procedure 33.

### 10.0 DECONTAMINATION

Personnel decontamination is highly task-specific and will be determined by the HSO, RCO (if applicable), and the ERD project manager. It will be consistent with WSRC 5Q, "Radiological Controls Manual" and WSRC 20Q, "Health and Safety Manual for Hazardous Waste Operations," Procedure K. Decontamination procedures will be performed on tools and equipment taken from the Exclusion Zone, if monitoring indicates the presence of hazardous substances. The equipment will be decontaminated at the end of the project or between individual work operations as needed.

For all egress from the Exclusion Zone, stations for decontamination of personnel will consist of the following:

- RCO clearance point specific to needs;
- Equipment drop;
- Boot and glove disposal (if disposable items);
- Coverall drop;
- Respirator drop (wash and rinse periodically) applies to chemical contamination only; and
- Personnel shower, if work site conditions warrant.

If contamination is detected or suspected, cleansing procedures for Level D will include the following:

- Decontamination solutions: soap and water, and water rinse;
- Place equipment/tools on table or groundcloth;
- Remove hard hat;
- Wash outer work gloves and remove duct tape;
- Remove outer work gloves;
- Remove Tyvek suit and place in plastic bag;
- Remove Safety Glasses
- Remove inner surgical gloves and place in plastic bag;
- Thoroughly wash hands, arms, and face; rinse with clean water; and
- Pump all decontamination fluids into drums, apply appropriate labels, and place on pallets for removal from work site.

The HSO may modify the above decontamination procedure commensurate with level and variety of PPE and contamination encountered. Equipment decontamination procedures are described in Appendix A for specific intrusive tasks. Specific requirements for waste disposal WSRC-DM-90-138, "Waste Disposal Manual", WSRC 1S, "Waste Acceptance Criteria", Procedure 6.3 of WSRC 3Q, "Environmental Compliance Manual", and Chapters 3 and 4 of WSRC 5Q, "Radiological Controls Manual".

Equipment and materials suspected to be contaminated with radioactivity will be handled according to standard SRS procedures.

## 11.0 EMERGENCY RESPONSE PLANS

As specified in WSRC 20Q, "Health and Safety Manual for Hazardous Waste Operations," Procedure L, a plan is required to handle anticipated emergencies. An emergency situation is considered to exist if:

- a. any member of the field crew is injured in an accident, or exhibits any adverse effects or symptoms of chemical, heat, or cold exposure,
- b. safety monitoring indicates unit conditions more hazardous than anticipated,
- c. an immediate danger to life or health exists.

### 11.1 General Emergency Procedures

In the event that any member of the field crew experiences any adverse effects or symptoms of exposure while on the scene, the entire field crew will immediately halt work and act according to the instructions provided by the HSO. This includes heat or cold exposure as well as chemical/radiological exposure.

The discovery of any condition which would suggest the existence of a situation more hazardous than anticipated will result in the evacuation of the field team and re-evaluation of the hazard and the level of protection required. Contact shall be made to appropriate departments (Rad Con, IH, and Subcontractor Safety Group) to identify the source and assess conditions prior to restarting work.

In the event that an accident occurs, the HSO will document any information related to the accident, and the project manager will use the information to complete an accident report to include notification of the Subcontractor Safety Group at 4-5663. Follow-up action will be taken to correct the situation that caused the accident.

- In the event that any member of the field crew experiences any adverse effects or symptoms of exposure while on the scene, the entire field crew will immediately halt work, notify the HSO, and act according to the instructions provided.
- The discovery of any condition that would suggest the existence of a situation more hazardous than anticipated will result in the evacuation of the field team and re-evaluation of the hazard and the level of protection required.
- In life-threatening situations, work shall stop and care will be instituted immediately. All personnel will leave the affected area. Respirators will be removed when clear of the affected area if breathing difficulties are evident. Protective clothing will be removed or cut away if this will not cause delays, interfere with treatment, or aggravate the problem. If contaminated
- if protective clothing cannot be removed, victim will be wrapped in clean materials, if conditions allow, to help prevent possible contamination of medical personnel and ambulances.
- In the event that an accident occurs, the HSO will fully document all pertinent information related to the accident. An Employee Injury/Exposure Incident Report form is included in Appendix C, and this form will assist the HSO in documenting important details. This report will be provided to the project manager upon request.
- Notification will be made by the SRS RI PM (or designee) to the ERD SIRIM Reporting Official and SRSOC for emergency medical services. Please refer to WSRC 9B, "Site Item Reportability and Issue Management (SIRIM)" and WSRC 9B1, "General Site Requirements for SIRIM" for information regarding emergency reporting as it relates to SIRIM.

Rehearsals of the emergency procedures shall be conducted by the HSO if warranted.

## 11.2 Personal Injury

Designated work site personnel will be trained in American Red Cross (or equivalent) first aid procedures and will administer appropriate first aid treatment, including CPR, in emergency situations. These general emergency procedures will be carried out in the event of injury:

- Notify the HSO of the incident.
- If the victim can be moved safely, remove the victim from the Exclusion Zone to the Decontamination Zone using established control points.
- Administer first aid as appropriate.
- Notify SRS Operations Center (SRSOC) @ 5-2117, 5-1911, 5-2661 or CB radio, channel 9, to request emergency medical services.

**NOTE:** The unit HSO and RCO personnel (if in a radiological area) shall direct the removal of injured personnel from the Exclusion Zone and shall approve any necessary deviation from established decontamination procedures. Such deviation shall be based upon the severity or life threatening nature of the injury.

## 11.3 Chemical Exposure

This procedure shall be followed for chemical exposure emergencies:

1. Move the victim from the immediate area of exposure or contamination only if absolutely necessary, taking precautions to prevent additional exposure of other individuals.
2. Notify the HSO of the exposure incident.
3. If victim can be moved safely, proceed from the Exclusion Zone to the Contamination Reduction Zone through established control points.
4. Decontaminate clothing or remove if safe to do so.
5. Administer additional first aid treatment as appropriate.

For skin or eye contact, thoroughly wash affected area with water (eyes should be flushed for at least 15 minutes).

For inhalation exposure, ensure that victim has adequate fresh air.

Call SRSOC @ 5-2117, 5-1911, 5-2661 or CB radio, channel 9, to request emergency medical services.

## 11.4 Fire or Explosion

In the event of a fire or explosion:

Immediately evacuate injured personnel and leave the area.

Administer first aid as appropriate.

Notify SRSOC @ 5-2117, 5-1911, 5-2661 or CB radio, channel 9

## 11.5 Emergency Contacts

A. The first priority contact is the site emergency phone number 5-1911, the SRS OPERATIONS CENTER (SRSOC), which will contact ambulance and other emergency help as necessary.

SRSOC @ 5-2117, 5-1911, 5-2661 (provides emergency services)

**NOTE:** In the event no telephone can be reached, Channel 9 can be accessed with a Citizens' Band (CB) Radio for emergency assistance.

B. The following people are designated as Site Item Reportability and Issue Management (SIRIM) Reporting Officials (SRO) in the Waste Site Contingency Plan located in the RCRA Part A Permit. These people have the authority and resources necessary to deal with a waste site incident. An ERD SRO is to be contacted if an incident occurs.

Table 3

ERD Phone Listing

NAME	DEPARTMENT	SITE PHONE	HOME PHONE
Primary: Kevin J. Kuelske	ERD	(803) 644-6659	(706) 855-0766
Secondary: Wayne F. Johnson	ERD	(803) 644-6858 725-PAGE (2238)	(803) 278-3689

Notify the ERD if unforeseen circumstances require the immediate procurement of additional personal protective or emergency equipment.

Attending emergency physicians should be given the telephone number of the subcontractor's medical director to obtain immediate access to an employee's medical records and for consultation purposes.

#### 11.6 Accident Reporting

*On-the-job accidents or incidents resulting in injury or illness to personnel will be reported to the ERD project manager following any accident. Any accidents in an RBA will be reported to RCO for their reporting requirements. Subcontractors are required to follow injury/illness reporting regulations as specified in 29 CFR 1904 as well as contacting the Subcontractor Safety Group (Reuben Raysor @ 4-5663). The HSO is responsible for providing a written report describing unsafe work practices, conditions, illness, injury or incidents for the WSRC RI PM to be used when filing a report with the ERD and the Safety Department in accordance with SIRIM. Please refer to WSRC 9B and WSRC 9B1 for information regarding accident reporting as it relates to SIRIM. The reports will contain the following information:*

- person(s) injured, name, branch, social security number and title
- date and time of incident
- witnesses
- description of incident
- symptoms: type, time, activity, others affected
- specific injured part (which part, right or left, etc.)
- protective gear utilized
- related problems with protective gear
- monitoring instruments used at the time of the incident
- contaminant levels
- on-site medical treatment
- treatment facility (name, address, phone, physician), with reports attached

- accident investigation (cause, corrective action)
- summary of adequacy of the plan.
- report date, author signature, and title.

A sample Employee Injury/Exposure Incident Report is included in Appendix C.

## 12.0 CONFINED SPACE ENTRY

Site Procedures (Procedure 33 of WSRC 8Q) shall be followed, including the issuance of a Work Clearance Permit and a Confined Space Entry Permit. Refer to WSRC 8Q for more information. SRS-specific training is required for confined space entry. No confined space entries are expected to be required for the investigation activities.

## 13.0 SPILL CONTROL

A spill control kit will be located at the Waste Unit at the direction of the HSO, project manager, RCO or IH. If aid is required in containing a spill, contact SRSOC via radio (CB-9) or via telephone (5-2117, 5-1911, 5-2661).

All spills should be reported immediately to the waste site custodian/project manager, Kevin J. Kuelske (644-6659) and ERD Environmental Coordinator, Susan Dyer (644-6764). Spill reports will be made in accordance with the WSRC 9B Manual.

All drilling operations will comply with spill control measures described in WSRC 3Q5, Section 3.0, WSRC 3Q, Procedure 2.4, and WSRC 1B Manual. Any equipment remaining in one location for more than 1 work day is also subject to these requirements. A spill cleanup/control kit will be provided at the site.

## 14.0 RECORD KEEPING

All work clearance permits shall be maintained by the project manager and the HSO. Each subcontractor must maintain employee training records. A record of all significant events occurring at the waste unit including visitors and safety operations will be maintained by the HSO. The HSO will complete the health and safety field forms (Appendix C) as necessary. The information to be logged will include:

- Date
- Location
- List of employees and visitors by area and hours exposed
- PPE utilized
- Monitoring results
- Description of materials removed from subsurface
- List of equipment contaminated/decontaminated
- Description of unusual events

Other records to be maintained by the ERD Project Engineer or ER Training include:

- Medical surveillance files
- Training files
- Daily logs of subcontractors
- Accident reports
- Radiation survey logsheets
- SSHASP (as required by ER-AP-017, "ER Records Management" (U))
- Work plans, including job descriptions
- Safety and Pre-entry briefing record.

## 15.0 REFERENCES

### 15.1 References

1. Industrial Hygiene Procedure Manual WSRC 4Q, "IH - Heat Stress Management".
2. Title 29, Code of Federal Regulations, Part 1910.120, "Hazardous Waste Operations and Emergency Response".
3. WSRC Procedure Manual 9B, "Site Item Reportability and Issue Management (SIRIM)".
4. WSRC Procedure Manual 9B1, "General Site Requirements for SIRIM".
5. WSRC Procedure Manual 3Q5, "Hydrogeologic Data Collection".
6. WSRC Procedure Manual 4Q, "Industrial Hygiene Manual".
7. WSRC Procedure Manual 5Q, "Radiological Controls Manual".
8. WSRC Procedure Manual 6Q, "Savannah River Site Emergency Plan".
9. WSRC Procedure Manual 8Q, "Employee Safety Manual".
10. WSRC Procedure Manual 20Q, "Health and Safety Manual for Hazardous Waste Operations".
11. WSRC Procedure Manual WSRC-C1, "Environmental Restoration Administrative Procedures Manual (U)".
12. Phase II Revision 1 Remedial Investigation Work Plan for the F-Area Retention Basin (182-3F) (U), October 1994, WSRC-RP-94-498.

### 15.2 Appendices

Appendix A: Summary of Operation Specific Safety Procedures

Appendix B: Guidelines for Heat Stress and Cold Exposure

Appendix C: Subcontractor Technical Oversight/HSO Health and Safety Forms

## APPENDIX A

### SUMMARY OF OPERATION SPECIFIC SAFETY PROCEDURES

## SUMMARY of OPERATION SPECIFIC SAFETY PROCEDURES

### A1 MONITORING

A1.1 A member of RCO will coordinate and conduct monitoring of radioactive species. Periodic examination of materials removed from the surface and subsurface will be conducted by RCO to determine if respiratory protection or other PPE is required.

A1.2 Monitoring with an OVA or equivalent before and during drilling will be performed by the HSO and/or IH as necessary, to determine if respiratory protection is required as described in section 3.2.3. Any instruments may become radiologically controlled if they are contaminated during their use in the field.

### A2 PROTECTIVE CLOTHING

A2.1 Standard safety clothing (Level D) will be required unless monitoring indicates otherwise. Personnel who will be in contact with waste materials removed from the waste site will have chemical resistant coveralls, shoe covers, and gloves or appropriate radiation protective clothing as circumstances require.

A2.2 Decontamination of clothing is not anticipated to be necessary. If monitoring indicates otherwise, the HSO will provide directions. In cases where contamination is limited, disposable coveralls, gloves, and shoe covers are recommended.

A2.3 SCBA is to be used in emergency conditions only. Work should halt until monitoring indicates SCBA is no longer necessary.

### A3 OTHER CONTROLS

A3.1 At the direction of the HSO, SCBA or an equivalent portable emergency air supply should be located within 150 feet, or as close to the RCA as practical, of active drilling locations for rescue purposes. At least 1 person qualified to use SCBA should be available during drilling operations.

A3.2 At least one person normally located outside of the exclusion zone should be trained in CPR.

A3.3 Generators should be located downwind of drilling depending upon the air activity.

### A4 DECONTAMINATION

Contaminated equipment and contaminated PPE cannot leave the waste site.

#### Equipment

A4.1 The auger flights will be steam cleaned between each hole. HSO is to verify that the auger flights have been properly cleaned prior to beginning drilling at a new site. The HSO will ensure that the split spoons are also decontaminated after each use. Runoff will be directed onto the ground and away from holes in the waste site.

A4.2 Before the drill rig can move to a new work area, the HSO and RCO must give approval that the work area is closed as clean.



## **PPE**

A4.3 Workers exiting the exclusion area will be monitored with the OVA or equivalent to determine if contamination is present.

If no contamination is detected, the PPE should be deposited in the support zone. Reuse is encouraged when possible. If contamination is detected, decontaminate as described in Section 10. If PPE cannot be decontaminated, it must be placed with the waste material removed from the hole. Successfully decontaminated PPE may be placed in the support zone and reused when feasible.

## **A5 CONTAMINATED WASTE MATERIALS**

Contaminated waste materials are not expected to be generated in large quantities at this waste unit.

A5.1 Contaminated PPE, soil, and waste from holes will be stockpiled within the waste site and covered at the end of each day with plastic or tarps. Stockpiles should be placed and covered so that runoff will not carry any of the materials from the stockpile location(s).

A5.2 Contaminated PPE will be placed to the side of the work site as directed by the ERD Project Manager.

## **A6 CONTINGENCY PROCEDURES**

A6.1 In the event that an atmosphere > 10% of the Lower Explosive Limit (LEL) is detected, the area is to be evacuated and equipment is to be shutdown until levels go below 10% LEL.

A6.2 Section 8 of the SSHASP describes emergency procedures. Phone numbers are listed in 8.5. Channel 9 of the Citizens' Band radio is monitored by emergency response personnel.

A6.3 If an atmosphere > 50% of the LEL and/or < 15% O<sub>2</sub> persists in a hole, then the hole will be vented by introducing a gas into the bottom of the hole via a flexible hose. Air may be used if the mixture is below the Upper Explosive Limit (UEL). An inert gas such as nitrogen or argon is preferred.

## **A7 EXCAVATION**

No excavation is anticipated as part of this project.

Procedure is to be developed by subcontractor performing excavation and will comply with guidelines set forth in this SSHASP and OSHA Regulations 29 CFR Part 1926, Subpart P "Excavations."

## **APPENDIX B**

### **GUIDELINES FOR HEAT STRESS AND COLD EXPOSURE**

Industrial Hygiene Manual

Manual: 4Q  
Procedure: IH-502, Rev. 1  
Effective: 6/14/93  
Page: 1 of 13

---

## Heat Stress Management

Approved by

  
President, Westinghouse Savannah River Company

---

### Purpose

The Heat Stress Management procedure is intended to minimize the risk of heat related disorders. It provides information and training to recognize risk factors and the signs and symptoms of heat stress. This procedure also describes guidelines for controlling heat stress. Engineering controls are preferred, administrative controls are to be used when feasible, and personal protective equipment is to be used as a last resort. If none of these methods prove to be effective, work/rest regimens may be put in place to minimize heat stress risks.

### Scope

The responsibilities and policies defined in this procedure apply to all WSRC and affected subcontractors at the Savannah River Site (SRS).

### Terms and Definitions

**acclimatized personnel** - employees who have increased their tolerance for working in hot environments by gradually increasing their exposure to heat for at least an hour per day for 10 consecutive working days

**buddy system** - A buddy system allows two employees to observe each other for signs and symptoms of heat stress while working in a hot environment. The buddy system is especially important when there are new personnel (unacclimatized) on the job.

**ice vest** - a cooling garment to be worn under protective clothing when working in a hot environment

**required guideline** - The information contained in Attachments A and B of this procedure are guidelines for Heat Stress Management. They are based upon the ACGIH Threshold Limit Values for Heat Stress. Supervisors should consider individual job tasks, worker variability and availability of heat stress controls in the application of these guidelines. Consult Industrial Hygiene for technical support when necessary.

---

Procedure IH-502, Rev. 1, "Heat Stress Management," has been completely revised; no revision bars are used.

Manual: 4Q  
Procedure: IH-502, Rev. 1  
Effective: 6/14/93  
Page: 2 of 13

Industrial Hygiene Manual

Heat Stress Management

**unacclimatized personnel** - Employees who are unaccustomed to working in a hot environment. This might include new employees or employees returning from an extended vacation (two weeks).

**vortex tube** - an auxiliary cooling device that provides for conditioning of breathing air prior to its entrance into a plastic suit

**Wet Bulb-Globe Temperature Index (WBGT)** - a Heat Stress Index that takes not only air temperature into consideration, but also humidity, air velocity, radiant heat and work load. The American Conference of Governmental Industrial Hygienists (ACGIH) recommends the use of this index to determine a work/rest regimen for work in a hot environment.

**work/rest regimen** - the amount of time allowable for work, as compared to the amount of time required for rest based on the WBGT Index

## Responsibilities

### Management

Management shall use the required guidelines outlined in the SRS Heat Stress Management Program.

### Supervisors

Supervisors are to ensure that heat stress exposures to their employees are minimized. Consequently, affected supervision must be trained in recognizing the early signs and symptoms of heat stress-related disorders (see Attachment D), predisposing health conditions (see Attachment E), and where applicable, administering aid when heat stress-related disorders occur. (See Administrative Controls for specific training requirements.) Other responsibilities include:

- Obtaining WBGT outdoor readings, when needed, from All-in-1 (Vidcotest) or by phoning 7-0576. This information is updated at least three times daily.
- Consulting the required guidelines set forth in each of the five Heat Stress Categories listed in Attachment A and then disseminating this information to affected employees. Contact Industrial Hygiene for professional assistance, clarification of specific guidelines or variance requests.
- Ensuring that personnel are trained in work/rest regimen guidelines. (See Administrative Controls for specific training requirements.)
- Ensuring that personnel are provided with an adequate supply of water and a cool rest area, i.e. shaded or air-conditioned, when practical.
- Ensuring that body cooling devices, if appropriate for the job, are made readily available and are effectively used by personnel for increased stay time.

Industrial Hygiene Manual	Manual:	4Q
	Procedure:	IH-502, Rev. 1
	Effective:	6/14/93
Heat Stress Management	Page:	3 of 13

---

- Providing training (see Administrative Controls for specific training requirements) for workers on recognizing the signs and symptoms of heat stress disorders and applying effective preventive measures to avoid injury. As with all occupational health training, formal documentation must be retained.
- Having knowledge of the physical health and degree of acclimatization of their employees.
- Accountability for heat stress injuries occurring among their employees.
- Notifying Area Industrial Hygienist of heat-related injuries.
- Initiating heat injury investigations (see Attachment C, OSR 4-700).

### Industrial Hygiene

Industrial Hygiene (IH) shall take environmental measurements (See 4Q.L1, Procedure 118) three times a day from May through September and post the results via ALL-IN-1 (in Videotext under Safety and Health Topics) and a recorded phone message (phone 7-0576). All other measurements will be taken as environmental conditions dictate or when requested by Operations. Other responsibilities include:

- Evaluating new body-cooling devices.
- Providing professional assistance in determining specific heat stress controls.
- Giving technical support to operations on unusually hot jobs or unusual circumstances.
- Assisting in investigations to determine the root cause of heat stress injury.
- Assisting supervisors in completing Heat Injury Questionnaires.
- Reminding supervisors in early April for the need of heat stress training for their employees.
- Conducting an annual review of this procedure.

### Health Protection Operations

Health Protection Operations (HPO) shall take environmental measurements in Radiologically Controlled Areas as requested by Operations. Also, HPO may provide coverage in the event that IH coverage is limited and Operations personnel are not qualified.

Manual: 40  
Procedure: H-502, Rev. 1  
Effective: 6/14/93  
Page: 4 of 13

Industrial Hygiene Manual  
Heat Stress Management

## Employees

Personnel must inform their supervisors of any physical problems (see Attachment E) that may increase the potential for developing a heat stress disorder. Other responsibilities include:

- Following required guidelines listed in Attachment A by referencing the SRS Heat Stress Index Card (Attachment F) when instructed by supervision.
- Participating in the buddy system.
- Notifying supervision at the onset of heat stress disorder symptoms or when these symptoms are recognized in fellow employees.

## Procedure

### A. Heat Stress Categories/Implementation

WBGT Index ranges are classified into Categories I, II, III, IV and V (see Attachment A). Each category includes a work/rest regimen (which should be considered if engineering controls and/or the use of personal protective equipment are impractical) and an hourly water intake based on a moderate work load. Additional required guidelines are given for unacclimated personnel. The WBGT Index may be decreased if personnel are wearing body-cooling equipment and may be increased if personnel are wearing:

- (1) Cotton coveralls (one or two pair) with a respirator, or
- (2) impervious type of protective clothing (e.g., Hazmat Suit or plastic suit without a vortex tube).

Additional required guidelines are given for unacclimated personnel in Attachment A and in Attachment F.

The information in Attachment A must be used in making decisions relative to managing heat stress. However, the recommendations given in Attachment A are guidelines, not absolute requirements. Past experience with the work environment, the specific tasks to be performed, and the specific individuals involved can be very valuable when applying these guidelines to specific work situations.

### B. Environmental Measurement

The WBGT Index for outdoor work will be updated three times a day. The results shall be recorded in ALL-IN-1 (in Videotext under Health and Safety Topics) and on a phone recording (call 7-0576). Additional measurements may be taken earlier or later in the day as needed. These services will be maintained by IH. Heat stress measurements will be available starting in May continuing through September and may run earlier or later in the year as environmental conditions dictate. Indoor facility-specific readings will continue to be taken by IH at the request of Operations. HPO may be requested to perform heat stress monitoring in RCAs and when other coverage is unavailable.

Industrial Hygiene Manual

Manual: 4Q

Procedure: IH-502, Rev. 1

Effective: 6/14/93

Heat Stress Management

Page: 5 of 13

Supervisors are responsible for obtaining WBGT readings as needed from AH-1a-1 or from the recorded phone message. The required guidelines outlined in Attachment A of this procedure should then be implemented.

SRS Heat Stress Index Cards (OSR 4-703) are available through Stores (Caption 26, Item 9263.00). This card lists all five heat stress categories on one side and the five most common heat stress-related disorders on the other. IH recommends that both supervisors and workers reference this card when determining heat stress management responses.

When presented with extreme or unusual work conditions, supervision should contact the Area Industrial Hygiene office for technical support, environmental monitoring and implementation of appropriate heat stress controls.

### C. Administrative Controls

Cool rest areas should be established when practical. They should be shaded or air-conditioned where feasible.

Supervision should consider scheduling heavy work for the coolest part of the shift.

Employees should be able to recognize symptoms of heat stress in themselves as well as in other employees (buddy system). See Attachment D for a list of heat stress symptoms.

Water or other fluids should be readily available during hot work activities whether indoors or outdoors. **NOTE: HIGHLY SUGARED FLUIDS, LE., SOFT DRINKS, KOOL-AID<sup>TM</sup>, ETC., SHOULD BE AVOIDED.**

Employees and supervisors shall be given annual training on the potentially serious results of heat injury, the general symptoms of these conditions, and how they can be prevented. SRS Heat Stress Training consists of viewing a videotape entitled "Heat Stress: Protect Yourself." Supervision should document training on OSR 4-388 (Rev 2/93), SRS Annual Training Documentation.

Supervision should encourage personnel to drink water before beginning work and throughout the shift. Recommended water intakes based on the WBGT index are listed in Attachment A. Special consideration should be made for work in contamination areas.

To protect against developing an electrolyte imbalance, supervision should encourage personnel to add extra salt to their food during the first few days of acclimatization (AS APPROVED BY A PHYSICIAN).

Acclimatization is necessary for personnel who are expected to do moderate to strenuous work in a hot environment. Supervision can reasonably expect that their personnel are acclimatized after gradually exposing them to a hot working environment for 10 consecutive work days. Work duration should increase at the rate of an hour per day during this period.

Personnel who are at higher risk for developing a heat stress disorder while working in a hot environment should either be closely monitored by supervisors during the job or evaluated by Medical before starting work. Conditions that increase individual susceptibility to heat are listed on Attachment E.

Manual: 4Q  
Procedure: IH-502, Rev. 1  
Effective: 6/14/93  
Page: 6 of 13

Industrial Hygiene Manual

Heat Stress Management

---

#### D. Personal Protective Equipment

Belt-mounted vortex tubes are available (call the Respirator Equipment Facility at 2-4241) for use with plastic suits on high pressure breathing air systems. They are suitable for use whenever respiratory protection is required. Maximum cooling is achieved when the calibration on the vortex tube is current and when the manifold air pressure is 120 psig. NOTE: Manifold-mounted vortex tubes do not cool as effectively as the belt-mounted variety.

Ice vests help to minimize heat strain while working in areas of high heat and humidity. They are suitable for use under protective clothing, but should not be worn directly on the skin. The manufacturer's recommendation regarding the amount of ice to place in the garment should be followed in order to achieve the maximum service time of the ice vest. If the use of the work/rest regimen is indicated by the WBGT Index, ice vests can increase the work time up to one hour if negative pressure respirators are worn and up to two hours if they are not, provided that employees are allowed to take periodic breaks in a cool area. Contact Industrial Hygiene for information on ordering ice vests.

#### E. Engineering Controls

Engineering controls should be used where practical. These controls include spot coolers, cooling fans and shielding from radiant heat. It should be noted that cooling fans are not effective for heat stress control when the ambient air temperature is 95°F or higher. An Area Industrial Hygienist should be consulted for projects involving engineering controls.

#### F. Heat Injury Investigations

Supervisors are responsible for conducting an investigation any time there is an injury resulting from heat stress among their personnel (see Attachment C). At the request of the affected supervision, Industrial Hygiene will assist in coordinating investigations/interviews to determine root causes for any heat injury incident. Information as to water intake, work/rest regimen compliance, current medical condition, respirator use, protective clothing and other pertinent factors use will be compiled for review and development of lessons learned.

#### Records

1. Heat Injury Investigation (OSR 4-700). Records shall be maintained in accordance with Manual IQ, QAP 17-1, "Quality Assurance Records Management."



Industrial Hygiene Manual

Manual: 4Q  
Procedure: IH-502, Rev. 1  
Effective: 6/14/93  
Pages: 7 of 13

Heat Stress Management

---

## References

1. American Conference of Governmental Industrial Hygienists, TLV Booklet for 1990-1991. Work/Rest Regimen for a moderate work load was used to develop Attachment A.
2. USAS&FG Regulation No. 40-1, Prevention of Heat Casualties
3. TB MED 507, NAVMED P-5052-5, AFP 160-1; "Prevention, Treatment and Control of Heat Injury"
4. Masadi, Roger and Robert F. Kinney, "Evaluation of Five Commercial Microclimate Cooling Systems for Military Use"
5. WSRC Manual 4Q1.1, Procedure 118, "Operating Procedures for Reporting and Recording WBGT Index Reading for Sitewide Dissemination"

## Attachments

- A. Table 1, Recommended SRS Heat Stress Management Guidelines (OSR 4-703)
- B. Table 2, Clinical Features and First-Aid Treatment of Common Heat Stress-Related Disorders (back of OSR 4-703)
- C. Heat Injury Investigation (OSR 4-700)
- D. Early Signs and Symptoms of Potential Heat Illness
- E. Predisposing Factors for the Development of a Heat Stress-Related Disorder
- F. SRS Heat Stress Index Card (OSR 4-703, Caption 25, Item 9263.D0)

Manual: 40  
 Procedure: H-502, Rev. 1  
 Effective: 6/14/93  
 Page: 8 of 13

Industrial Hygiene Manual

Heat Stress Management

**Attachment A. Table 1, Recommended SRS Heat Stress Management Guidelines**

**Table 1  
 Recommended SRS Heat Stress Management Guidelines**

CATEGORY	*WBGT INDEX RANGE*	RECOMMENDED WATER INTAKE QTS/HR	**ACCLIMATIZED WORK/REST REGIMEN/MINUTES	UNACCLIMATIZED ADMINISTRATIVE CONTROLS
I. (WHITE)	77.0 - 81.9	1/2	CONTINUOUS	EMPHASIZE NEED FOR WATER INTAKE
II. (GREEN)	82.0 - 84.9	1/2	45/15	EMPHASIZE NEED FOR WATER INTAKE; USE BUDDY SYSTEM
III. (YELLOW)	85.0 - 87.9	1	30/30	EMPHASIZE NEED FOR WATER INTAKE; USE BUDDY SYSTEM; NO STRENUOUS WORK
IV. (RED)	88.0 - 89.9	1-1/2	15/45	EMPHASIZE NEED FOR WATER INTAKE; USE BUDDY SYSTEM; LIGHT WORK ONLY
V. (BLACK)	90.0 or above	CONSULT INDUSTRIAL HYGIENE FOR ESSENTIAL WORK (OR HPO ON THE OFF-SHIFT/WEEKEND).		

Current SRS Heat Stress Conditions may be obtained in Videocast under Safety and Health Topics or by phoning 7-0576

\* USE OF A BELT-MOUNTED VORTEX TUBE DECREASES THE WBGT BY 10°F.

USE OF AN ICE VEST W/O A NEGATIVE PRESSURE RESPIRATOR CAN INCREASE WORK UP TO 2 HOURS; WITH A NEGATIVE PRESSURE RESPIRATOR, UP TO 1 HOUR.

USE OF COVERALLS (1 OR 2 PR) AND NP, RESPIRATOR INCREASES THE WBGT BY 7°F.

WHEN USING IMPERVIOUS TYPE PROTECTIVE CLOTHING (e.g., HAZMAT SUIT OR PLASTIC SUIT WITHOUT A VORTEX TUBE), INDUSTRIAL HYGIENE IS AVAILABLE FOR CONSULTATION.

\*\* EMPLOYEES SHOULD BE ALLOWED TO REST IN COOL AREAS.

Industrial Hygiene Manual

Manual: 40  
 Procedure: IH-502, Rev. 1  
 Effective: 6/14/93  
 Page: 9 of 13

Heat Stress Management

Attachment B. Table 2, Clinical Features and First Aid Treatment of  
 Common Heat Stress-Related Disorders

Table 2

Clinical Features and First Aid Treatment of  
 Common Heat Stress-Related Disorders

DISORDER	CLINICAL FEATURES	TREATMENT
HEAT STROKE	HOT DRY SKIN; CAN BE RED OR BLUE CONFUSION, COMA, CONVULSIONS. BODY TEMPERATURE OF 105°F 107°F.	MEDICAL EMERGENCY. MOVE TO A COOLER AREA AND CALL MEDICAL IMMEDIATELY.
HEAT SYNCOPE	FAINING AFTER STANDING ERECT AND IMMOBILE IN HEAT.	PROMPTLY MOVE TO COOLER AREA.
HEAT EXHAUSTION	FATIGUE, NAUSEA, HEADACHE, GIDDINESS, CLAMMY, MOIST SKIN, PALE COMPLEXION.	PROMPTLY MOVE TO COOLER AREA. ADMINISTER FLUIDS IF VICTIM IS CONSCIOUS.
HEAT CRAMPS	PAINFUL SPASMS OF MUSCLES USED DURING WORK (ARMS, LEGS OR ABDOMINAL).	ADMINISTER SALTED FLUIDS. REST IN A COOL AREA.
HEAT RASH	MANY TINY BLISTER- LIKE LESIONS ON AFFECTED AREA.	WASH AREA; THEN THOROUGHLY DRY. WEAR LOOSE CLOTHING.

Manual: 4Q  
Procedure: IH-502, Rev. 1  
Effective: 6/14/93  
Page: 10 of 13

Industrial Hygiene Manual

Heat Stress Management

Attachment C. Heat Injury Investigation (OSR 4-700, Rev 3/10/93)

### Heat Injury Investigation

Name \_\_\_\_\_ Date \_\_\_\_\_  
Age \_\_\_\_\_ Sex \_\_\_\_\_ Organization \_\_\_\_\_  
Time of Injury \_\_\_\_\_ WBGT Reading \_\_\_\_\_ Location \_\_\_\_\_  
Supervisor \_\_\_\_\_ Address \_\_\_\_\_  
Activity at time of injury \_\_\_\_\_  
\_\_\_\_\_  
Type of protective clothing worn at time of injury \_\_\_\_\_  
\_\_\_\_\_  
Number of consecutive days on job \_\_\_\_\_  
Quantity of water consumed \_\_\_\_\_  
Existing medical conditions \_\_\_\_\_  
Previous heat injury \_\_\_\_\_  
\_\_\_\_\_  
Received occupational health training on heat stress? \_\_\_\_\_  
Date of last training \_\_\_\_\_  
Diagnosis \_\_\_\_\_  
\_\_\_\_\_  
Additional comments \_\_\_\_\_  
\_\_\_\_\_

Industrial Hygiene Manual

Manual: 40  
Procedure: IH-502, Rev. 1  
Effective: 6/14/93  
Page: 11 of 13

Heat Stress Management

---

#### Attachment D. Early Signs and Symptoms of Potential Heat Illness

- Thirsty
- Rapid pulse
- Headache
- Fatigue, experience an overall weakness
- Light-headed, dizzy
- High body temperature, with or without sweating
- Pale, clammy skin
- Flushed face
- Concentrated color of urine (yellow)

Manual: 4Q  
Procedure: IH-502, Rev. 1  
Effective: 6/14/93  
Page: 12 of 13

Industrial Hygiene Manual

Heat Stress Management

---

**Attachment E. Predisposing Factors for the Development of a Heat Stress-Related Disorder**

- Acute and chronic infections including the convalescent state
- Febrile (feverish) conditions
- Reactions to immunizations
- Vascular diseases
- Conditions affecting sweat secretion
- Skin trauma, such as heat rash or acute sunburn
- Previous occurrence of heat injury
- Dehydration
- Lack of sleep, cumulative fatigue
- Recent alcohol intake
- Dieting
- Some medications

Industrial Hygiene Manual

Manual: 4Q  
Procedure: IH-502, Rev. 1  
Effective: 6/14/93  
Page: 13 of 13

Heat Stress Management

Attachment F. The SRS Heat Stress Index Card

COMMON HEAT RELATED ILLNESSES

DISORDER	CLINICAL FEATURES	TREATMENT
HEAT STROKE	MOT DRY SKIN; CAN BE RED OR BLUE; CONFUSION, COMA, CONVULSIONS; BODY TEMPERATURE OF 103°F - 107°F.	MEDICAL EMERGENCY. MOVE TO A COOLER AREA AND CALL MEDICAL IMMEDIATELY.
HEAT SYNCOPE	FAINING AFTER STANDING UPRIGHT AND IMMOBILE IN HEAT.	PROMPTLY MOVE TO COOLER AREA.
HEAT EXHAUSTION	FATIGUE, NAUSEA, HEADACHE, GIDDINESS, CLAMMY, MOIST SKIN, PALE COMPLEXION.	PROMPTLY MOVE TO COOLER AREA. ADMINISTER FLUIDS IF VICTIM IS CONSCIOUS.
HEAT CRAMPS	PAINFUL SPASMS OF MUSCLES USED DURING WORK (ARMS, LEGS OR ABDOMINAL).	ADMINISTER SALTED FLUIDS. REST IN A COOL AREA.
HEAT RASH	MANY TINY BUBBLER-LIKE LESIONS ON AFFECTED AREA.	WASH AREA; TREAT THOROUGHLY DRY. WEAR LOOSE CLOTHING.

SRS HEAT STRESS CATEGORIES

CATEGORY	WBGT INDEX RANGE °F	RECOMMENDED WATER INTAKE QUANT.	ACCLIMATIZED WORK REST PERIODS (MINUTES)	UNACCLIMATIZED ADMINISTRATIVE CONTROLS
I	77.0 - 81.9	1/2	CONTINUOUS	ENFORCE WATER/FLUID INTAKE
II	82.0 - 84.9	1/2	45/15	ENFORCE WATER INTAKE; USE BUDDY SYSTEM
III	85.0 - 87.9	1	30/30	ENFORCE WATER INTAKE; USE BUDDY SYSTEM; NO STRENUOUS WORK
IV	88.0 - 89.9	1-1/2	15/45	ENFORCE WATER INTAKE; USE BUDDY SYSTEM; LIGHT WORK ONLY
V	90.0 or above	CONSULT INDUSTRIAL HYGIENE FOR ESSENTIAL WORK (O&E, EPO ON THE OFF-SITE)/MEDICAL		

- \* USE OF A BELT-MOUNTED VORTEX TUBE DECREASES THE WBGT BY 10°F.
- \* USE OF AN ICE VEST W/ A NEGATIVE PRESSURE RESPIRATOR CAN INCREASE WORK UP TO 3 HOURS; WITH A NEGATIVE PRESSURE RESPIRATOR, UP TO 1 HOUR.
- \* USE OF COVERALLS (J OR J JR) AND M.P. RESPIRATOR INCREASES THE WBGT BY 7°F.
- \* WHEN USING IMPERMEABLE TYPE OF PROTECTIVE CLOTHING (E.G. HAZMAT SUIT OR PLASTIC SUIT WITHOUT A VORTEX TUBE) CONSULT INDUSTRIAL HYGIENE.
- \*\*WBGT DOES NOT DIFFER SIGNIFICANTLY FROM ORDINARY TEMPERATURES (T<sub>db</sub>) AT RELATIVE HUMIDITY OF APPROXIMATELY 75% OR GREATER.
- \*\* EMPLOYEES SHOULD BE ALLOWED TO REST IN COOL AREAS.

Current SRS Heat Stress Conditions may be obtained in Viscountt under Safety and Health Topics or by phoning 7-0576.

## COLD EXPOSURE PROTOCOL

Cold injury (frostbite and hypothermia) and impaired ability to work are dangers at low temperatures and when the wind-chill factor is low. To guard against them:

1. Do not allow core oral temperature to fall below 96.8°F.
2. Pain in extremities may be the first dangers to cold stress. Work must be terminated if pain and shivering becomes evident.
3. Change clothes if worker becomes wet.
4. Follow Table 1 for determining Wind Chill  
Follow Table 2 for Work/Warm-Up Schedule
5. **Clothing**  
Workers shall dress in layers protecting exposed skin. Layers should be shed as the air temperature rises.
6. Workers in protective clothing should wear cotton or other absorbent materials to absorb sweat and maintain body warmth.
7. **Buddy System**  
All workers shall use the buddy system and consistently watch for frost-bite and/or excessive shivering.
8. **Warming**  
If conditions warrant, special tents, trailers or rest rooms, etc. will be made available for workers to warm in regular intervals. (See Table 2.)
9. **Dehydration**  
Warm sweet drinks and soups will be provided to provide caloric intake and fluid volume.
10. **The Health and Safety Officer**  
The Health and Safety Officer is responsible for briefing workers on signs and symptoms of impending hypothermia and frost-bite. If conditions warrant special thermometry will be considered if the air temperatures falls below 60°F.



**APPENDIX C**

**SUBCONTRACTOR TECHNICAL OVERSIGHT/HSO HEALTH AND SAFETY FIELD FORMS**



**SITE SAFETY MEETING  
ATTENDANCE**

PAGE \_\_\_\_ OF \_\_\_\_

PROJECT: \_\_\_\_\_ DATE: \_\_\_\_\_  
PROJECT NUMBER: \_\_\_\_\_ TIME: \_\_\_\_\_  
MEETING CONDUCTED BY: \_\_\_\_\_  
NAME SIGNATURE

**SIGNATURE DISCLOSURE:** Each person, by signing this form, commits to having read and understood; then accepts all requirements and procedures outlined in the Site-Specific Safety and Health Plan (SSHASP).

**PERSONNEL PRESENT**

	NAME/FIRM	SIGNATURE/DATE	SOCIAL SECURITY NUMBER
1.	_____	_____	_____
2.	_____	_____	_____
3.	_____	_____	_____
4.	_____	_____	_____
5.	_____	_____	_____
6.	_____	_____	_____
7.	_____	_____	_____
8.	_____	_____	_____
9.	_____	_____	_____
10.	_____	_____	_____
11.	_____	_____	_____
12.	_____	_____	_____
13.	_____	_____	_____
14.	_____	_____	_____
15.	_____	_____	_____
16.	_____	_____	_____
17.	_____	_____	_____
18.	_____	_____	_____
19.	_____	_____	_____
20.	_____	_____	_____





**EMPLOYEE INJURY/EXPOSURE INCIDENT REPORT**

(Submit to HSD within 24 hours)

Date: \_\_\_\_\_

Employee: \_\_\_\_\_ Employee No. \_\_\_\_\_

Site Name: \_\_\_\_\_

Site Location: \_\_\_\_\_

Project No.: \_\_\_\_\_

Exposure (yes or no): \_\_\_\_\_ Injury (yes or no) \_\_\_\_\_

Date of Incident: \_\_\_\_\_ Time: \_\_\_\_\_

Location: \_\_\_\_\_

Activity During Time of Incident: \_\_\_\_\_

Site Conditions at Time of Incident:

Temperature \_\_\_\_\_

Wind Speed \_\_\_\_\_

Humidity \_\_\_\_\_

Other \_\_\_\_\_

Precipitation \_\_\_\_\_

Cause of Exposure/Injury: \_\_\_\_\_

Type of Exposure/Injury: \_\_\_\_\_

Material Exposed to and Concentration Levels: \_\_\_\_\_

Employee Injury/Exposure Incident Report

Page 2

Nature of Exposure/Injury (part of body, etc.): \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Hospital and Attending Physician: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Medical Care Received (onsite and offsite): \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Other Individuals Involved: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Witnesses: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Has HSD Been Notified: \_\_\_\_\_ No \_\_\_\_\_ Yes (Attach Documentation)

Incident Report Completed by: \_\_\_\_\_







**This Page Intentionally Left Blank**

## Distribution

### Federal Agencies

3 U.S. Department of Energy  
Office of Technology Development  
Attn: J. Paladino, EM-521  
Cloverleaf Center  
19901 Germantown Rd.  
Germantown, MD 20874-12901

1 U. S. Department of Energy  
Albuquerque Operations Office  
ETN  
Attn: Dennis Olona  
Pennsylvania/H Street  
Albuquerque, NM 87116

1 U. S. Department of Energy  
Albuquerque Operations Office  
DOE AL ETD  
Attn: J. Lenhert  
Pennsylvania/H Street  
Albuquerque, NM 87116

### Corporations

Westinghouse Savannah River Company  
Savannah River Technology Center  
Environmental Sciences Section  
P.O. Box 616 / 730-2B  
Aiken, SC 29802  
1 Attn: Pete Zionkowski  
1 Attn: Ahmet Seur  
1 Attn: Thomas Gaughan  
Corporations (Continued)

3 Tech Reps, Inc.  
Attn: Ralph D. Gruebel  
5000 Marble NE  
Albuquerque, NM 87110

### Libraries

1 Thomas Branigan Library  
Attn: D. Dresp  
106 W. Hadley St.  
Las Cruces, NM 88003

1 Government Publications  
Zimmerman Library  
University of New Mexico

	<u>MS</u>	<u>Org</u>	
1	0719	6621	Library
3	0719	6621	C.V. Williams
1	0986	2663	R.A. Norman
1	1159	9311	G.J. Lockwood
2	0719	6621	T. Burford
1	0756	6607	G. Allen
5	0899	4414	Technical Library
1	9018	8523-2	Central Technical Files
2	0619	12630	Review & Approval Desk for DOE/OSTI

**This Page Intentionally Left Blank**

**Dist-2**