

RMIS View/Print Document Cover Sheet

This document was retrieved from the Documentation and Records Management (DRM) ISEARCH System. It is intended for Information only and may not be the most recent or updated version. Contact a Document Service Center (see Hanford Info for locations) if you need additional retrieval information.

Accession #: D196017870

Document #: SD-WM-TI-615

Title/Desc:

WASTE STATUS & TRANSACTION RECORD SUMMARY FOR THE  
NORTHEAST QUADRANT OF THE HANFORD 200 AREA

Pages: 464

ENGINEERING CHANGE NOTICE

Page 1 of 2

1. ECN No 624016

Proj. ECN

2. ECN Category (mark one) Supplemental <input type="checkbox"/> Direct Revision <input checked="" type="checkbox"/> Change ECN <input type="checkbox"/> Temporary <input type="checkbox"/> Standby <input type="checkbox"/> Supersedure <input type="checkbox"/> Cancel/Void <input type="checkbox"/>	3. Originator's Name, Organization, MSIN, and Telephone No. C. H. Brevick/5A400/S3-10/ 372-0833		3a. USQ Required? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	4. Date 12/21/95
	5. Project Title/No./Work Order No. Waste Status and Transaction Record Summary for the NE Quadrant of the Hanford 200 Area/WHC-SD-WM-TI-615, Rev. 1/E44205		6. Bldg./Sys./Fac. No. 200E	7. Approval Designator N/A
	8. Document Numbers Changed by this ECN (includes sheet no. and rev.) WHC-SD-WM-TI-615, Rev. 0		9. Related ECN No(s). N/A	10. Related PO No. N/A
11a. Modification Work <input type="checkbox"/> Yes (fill out Blk. 11b) <input checked="" type="checkbox"/> No (NA Blks. 11b, 11c, 11d)	11b. Work Package No. N/A	11c. Modification Work Complete N/A _____ Cog. Engineer Signature & Date	11d. Restored to Original Condition (Temp. or Standby ECN only) N/A _____ Cog. Engineer Signature & Date	

12. Description of Change  
 Revision by Los Alamos National Laboratory (LANL) to the tables and graphs for each tank in the quadrant.

13a. Justification (mark one)

Criteria Change <input type="checkbox"/>	Design Improvement <input checked="" type="checkbox"/>	Environmental <input type="checkbox"/>	Facility Deactivation <input type="checkbox"/>
As-Found <input type="checkbox"/>	Facilitate Const <input type="checkbox"/>	Const. Error/Omission <input type="checkbox"/>	Design Error/Omission <input type="checkbox"/>

13b. Justification Details  
 WSTRS revision was performed by LANL and the documentation is required by the tank characterization report preparation activities being addressed by WHC.

14. Distribution (include name, MSIN, and no. of copies)  
 See attached Distribution Sheet

RELEASE STAMP	
DATE	ID: <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">3</span>
STA 4	RECEIVED
JAN 29 1996	



# ENGINEERING CHANGE NOTICE

<b>15. Design Verification Required</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<b>16. Cost Impact</b>			<b>17. Schedule Impact (days)</b> Improvement <input type="checkbox"/> Delay <input type="checkbox"/>
	<b>ENGINEERING</b>	<b>CONSTRUCTION</b>		
	Additional <input type="checkbox"/> \$ Savings <input type="checkbox"/> \$	Additional <input type="checkbox"/> \$ Savings <input type="checkbox"/> \$	Improvement <input type="checkbox"/> Delay <input type="checkbox"/>	

**18. Change Impact Review:** Indicate the related documents (other than the engineering documents identified on Side 1) that will be affected by the change described in Block 12. Enter the affected document number in Block 19.

SDD/DD	<input type="checkbox"/>	Seismic/Stress Analysis	<input type="checkbox"/>	Tank Calibration Manual	<input type="checkbox"/>
Functional Design Criteria	<input type="checkbox"/>	Stress/Design Report	<input type="checkbox"/>	Health Physics Procedure	<input type="checkbox"/>
Operating Specification	<input type="checkbox"/>	Interface Control Drawing	<input type="checkbox"/>	Spares Multiple Unit Listing	<input type="checkbox"/>
Criticality Specification	<input type="checkbox"/>	Calibration Procedure	<input type="checkbox"/>	Test Procedures/Specification	<input type="checkbox"/>
Conceptual Design Report	<input type="checkbox"/>	Installation Procedure	<input type="checkbox"/>	Component Index	<input type="checkbox"/>
Equipment Spec.	<input type="checkbox"/>	Maintenance Procedure	<input type="checkbox"/>	ASME Coded Item	<input type="checkbox"/>
Const. Spec.	<input type="checkbox"/>	Engineering Procedure	<input type="checkbox"/>	Human Factor Consideration	<input type="checkbox"/>
Procurement Spec.	<input type="checkbox"/>	Operating Instruction	<input type="checkbox"/>	Computer Software	<input type="checkbox"/>
Vendor Information	<input type="checkbox"/>	Operating Procedure	<input type="checkbox"/>	Electric Circuit Schedule	<input type="checkbox"/>
OM Manual	<input type="checkbox"/>	Operational Safety Requirement	<input type="checkbox"/>	ICRS Procedure	<input type="checkbox"/>
FSAR/SAR	<input type="checkbox"/>	IEFD Drawing	<input type="checkbox"/>	Process Control Manual/Plan	<input type="checkbox"/>
Safety Equipment List	<input type="checkbox"/>	Cell Arrangement Drawing	<input type="checkbox"/>	Process Flow Chart	<input type="checkbox"/>
Radiation Work Permit	<input type="checkbox"/>	Essential Material Specification	<input type="checkbox"/>	Purchase Requisition	<input type="checkbox"/>
Environmental Impact Statement	<input type="checkbox"/>	Fac. Proc. Samp. Schedule	<input type="checkbox"/>	Tickler File	<input type="checkbox"/>
Environmental Report	<input type="checkbox"/>	Inspection Plan	<input type="checkbox"/>		<input type="checkbox"/>
Environmental Permit	<input type="checkbox"/>	Inventory Adjustment Request	<input type="checkbox"/>	N/A	<input checked="" type="checkbox"/>

**19. Other Affected Documents:** (NOTE: Documents listed below will not be revised by this ECN.) Signatures below indicate that the signing organization has been notified of other affected documents listed below.

Document Number/Revision	Document Number/Revision	Document Number/Revision
N/A		

**20. Approvals**

	Signature	Date		Signature	Date
<b>OPERATIONS AND ENGINEERING</b>			<b>ARCHITECT-ENGINEER</b>		
Cog. Eng. T. M. Brown	<i>T. M. Brown</i>	1/26/96	PE C. H. Brevick	<i>C. H. Brevick</i>	01/26/96
Cog. Mgr. J. W. Hunt	<i>J. W. Hunt</i>	1/26/96	QA		
QA			Safety		
Safety			Design		
Environ.			Environ.		
Other			Other		

**DEPARTMENT OF ENERGY**  
Signature or a Control Number that tracks the Approval Signature

**ADDITIONAL**

## Waste Status and Transaction Record Summary for the Northeast Quadrant of the Hanford 200 Area

S. F. Agnew, et al.  
Los Alamos National Laboratory, Los Alamos, New Mexico  
U.S. Department of Energy Contract DE-AC06-87RL10930

EDT/ECN: 624016 UC: 2070  
Org Code: 73520 Charge Code: N4D2C  
B&R Code: EW3120074 Total Pages: 461

Key Words: Transaction, Tank, Historical, Waste Northeast, Quadrant


Abstract: This supporting document contains a database of waste transactions and waste status reports for all the waste tanks in the northeast quadrant of the 200 Area of the Hanford Site.

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

Printed in the United States of America. To obtain copies of this document, contact: WHC/BCS Document Control Services, P.O. Box 1970, Mailstop H6-08, Richland, WA 99352, Phone (509) 372-2420; Fax (509) 376-4989.

  
Release Approval

  
Date



Approved for Public Release

# RECORD OF REVISION

(1) Document Number  
 WHC-SD-WM-TI-615,  
 Rev. 1

Page 1

(2) Title  
 Waste Status and Transaction Record Summary for the Northeast Quadrant of the Hanford 200 Area

### CHANGE CONTROL RECORD

(3) Revision	(4) Description of Change - Replace, Add, and Delete Pages	Authorized for Release	
		(5) Cog. Engr.	(6) Cog. Mgr. Date
0	(7) EDT-606101		
Rev. 1RS	See Engineering Change Notice 624016 WHC-SD-WM-TI-615	T. M. Brown TB	J. W. Hunt <del>J. W. Hunt</del> 1/26/76

**Waste Status and Transaction  
Record Summary  
(WSTRS)  
Rev. 1**

by

**Stephen F. Agnew**

Robert A. Corbin  
Tomasita B. Duran  
Kenneth A. Jurgensen  
Theodore P. Ortiz  
Bonnie L. Young

Chemical Science and Technology Division  
Los Alamos National Laboratory  
Los Alamos, New Mexico  
87545

September 1995

## **Acknowledgments**

A project of this nature would not be possible were it not for the help of a great number of people. They are Todd Brown (WHC) for the help with data gathering, Ray Daubert and Richard Anema (Ogden Envir.) for data validation, and Jerry Koreski and Jim Strode (WHC) for the Operational Waste Volume Projection document as well as a great number of other people at WHC and PNL for their generous help.

This work was performed under the auspices of the Department of Energy.



Table of Contents

I. Introduction ..... 1

II. Strategy for Estimating Tank Chemical and Radionuclide Inventories ..... 3

III. Description of the WSTRS Spreadsheet ..... 5

IV. Cascade Transfers ..... 8

V. Transaction Ordering ..... 8

VI. Graphs ..... 9

VII. Evaporator Operations ..... 9

VII. Validation of WSTRS ..... 10

IX. Tank Waste Uncertainties ..... 11

Appendices

A. Glossary of Hanford Terminology ..... A-1

B. Defined Waste List ..... B-1

C. NE WSTRS: A, AX, B, BX, BY, C ..... C-1

G. NE WSTRS Graphs ..... G-1

## I. Introduction

WSTRS (Waste Status and Transaction Record Summary) is a Microsoft Excel spreadsheet that was created on a Macintosh platform and derived from three sources: Anderson-90,<sup>1</sup> which is a listing of tank fill status information and some transaction information for all of the tanks at Hanford from 1945-80, Jungfleisch-83,<sup>2</sup> which is a data set of waste volumes and transactions that was used by Jungfleisch to calculate waste tank inventories for individual waste tanks using a program called TRAC, and the Operational Waste Volume Projection (OWVP)<sup>3</sup>, which was developed for waste volume projection purposes. The OWVP uses the WVP (Waste Volume Projection) data set as its basis. Numbers from the WVP such as ending inventory and transaction amounts, etc., for the double shell tanks were taken and incorporated into the OWVP.

We have used as a starting point in our analysis an updated version of the S2K data set present in Jungfleisch-83. This updated data set was created in 1988 and there were many changes and additions as compared with the report created in 1983. Overall, we feel that the 1988 report more accurately reflects theWSTRS transaction history and therefore have used it as a starting point for theWSTRS data set.

TheWSTRS Rev. 2 has numerous format changes and added columns as compared with Rev. 1. For example, the Types column makes it simpler to identify which transactions were associated with any of process to tank, tank to tank, tank to process, or tank to crib (defined in Section III). The new format and changes in Rev. 2 remove many inconsistencies and illogic that was embedded within Rev. 1, as well as correcting other mistakes and problems.

In the SE or DST quadrant, all STAT records from 1971 to 1980 qtr. 4 were taken from Anderson-90. The SE STAT records from 1981 qtr.1 - 1994 qtr. 4 were obtained from the original site monthly reports and Jungfleisch-83 data set. The SE STAT records from Anderson-90, monthly reports, Jungfleisch-83, and the WVP were merged to derive the SEWSTRS. The Anderson-90 and Jungfleisch-83 data also provide information as to the origin and type of waste existing in the tanks when the WVP started in 1981 whereas the WVP had not identified the origin of pre-existing wastes in 1981.

WSTRS Rev. 2 is, then, an integration of Anderson-90, Jungfleisch-83 and the WVP into a common format with the addition of other derived information as well. In particular, we have:

1) inserted cascade transactions explicitly using a straightforward rule structure (described below in section IV). Thus, theWSTRS data set includes all of the cascade waste transfers that had only been implicit in both Anderson-90 and Jungfleisch-83.

2) derived two quantities termed unknown transfers and cumulative unknown transfers. Unknown transfers are derived at the end of every quarter for which there is a tank level status entry. These unknown transfers are simply the difference between the reported tank volume and that predicted by summing all of the waste gains (positive volumes) and losses (negative volumes) for that quarter, and adding that net gain or loss to the reported status for the previous quarter. Thus, if there is a difference between the reported tank volume for a given quarter and the volume that we derive based on the transactions reported for that quarter, then we assume that an unknown transaction had occurred and record it as such.

However, all tank volumes are corrected to the status volume reported for each quarter in Anderson-90. InWSTRS all STAT records were taken from Anderson-90 and the monthly reports by Kaiser. We derive a running sum for these unknown transactions for each tank to derive a total cumulative unknown for a given tank for any quarter during a tank's fill history.

<sup>1</sup>Anderson, J. D. "A History of the 200 Area Tank Farms," WHC-MR-0132, June 1990.

<sup>2</sup>(a) Jungfleisch, F. M. "Supplementary Information for the Preliminary Estimation of Waste Tank Inventories in Hanford Tanks through 1980," SD-WM-TI-058, June 1983. Jungfleisch, F. M. "Preliminary Estimation of Waste Tank Inventories in Hanford Tanks through 1980," SD-WM-TI-057, March 1984.

<sup>3</sup>Koreski, J., Strode, J., "Operational Waste Volume Projection," WHC-SD-WM-ER-029 Rev. 20, September 1994.



3) derived a Total\_vol for each tank for each transaction. Therefore, it includes an interpolated volume during each quarter. This interpolated volume is calculated by performing each transaction in the order that it has been inserted within the quarter.

4) derived a defined waste or transfer tank (DWXT) for each transaction. The waste types under DWXT are those defined by the "Hanford Defined Wastes: Chemical and Radionuclide Composition."

5) derived a quality index (QI) for each transaction in WSTRS including STATS. Each transaction is given a quality factor according to validation. This is explained further in Section III.

6) derived an overall transaction ordering system to put the transactions into the chronological order in which they occurred.

7) derived a numerical coding system throughout WSTRS Rev. 2. A code for the tank, type, DWXT, and solid type has been derived which facilitates the transfer of transaction information into the Supernatant Mixing Model.

8) embedded the Tank Layer Model into WSTRS Rev. 2. This adds the new columns of which are called Sol vol%, TLM Solids, Cum Solids, Sol type and Soltypeid to WSTRS Rev. 2.

9) included all of the Anderson-90 comments in WSTRS and we have reconciled these comments with the transaction information from Jungfleisch-83. In many cases one can see that our derived unknown transfers are actually present in the Anderson-90 comment line.

10) added transactions to WSTRS to resolve unknown transactions of >50 kgal and < -50 kgal for each quarter as well as many smaller unknowns according to the following set of rules.

*Evaporator feed and bottoms receivers:*

During an evaporator campaign, unknown waste transfers at the end of each quarter are resolved by sending or receiving wastes to or from an evaporator feed tank for tanks identified as either bottoms receivers or feed tanks for those campaigns. Once all of the bottoms unknowns have been resolved, either condensate is removed or water added to the evaporator feed tank to resolve its unknown transactions.

*Self-concentrating tanks:*

Certain tanks in S, SX, A, and AX Farms were allowed to self concentrate. Any losses or additions to these tanks are assigned to condensate or water, respectively.

*Sluicing receivers:*

For tanks associated with a sluicing campaign (either UR or SRR), unknown transactions are resolved by either sending or receiving from the sluicing receiver tank for that campaign. Once that is complete, the unknowns in the sluicing receiver are resolved by either sending waste to the process or by adding water to the sluicing receiver.

*Salt well pumping and stabilization:*

If an unknown transaction occurs during salt well pumping stabilization of a tank, then the transaction is resolved by sending waste to the active salt well receiver.

*Historical use of tank:*

If none of the above rules applies, then the historical use of the tank is used to assign the transaction. For example, C-105 was used as a supernatant feed for the CSR campaign and fed ~1,500 kgal of waste supernatant per quarter for several years. However, we have one quarter (1971q2) where C-105 loses 1,748 kgal without an assignment. We have therefore assigned that loss to CSR feed.

## II. Strategy for Estimating Tank Chemical and Radionuclide Inventories

One of the more difficult tasks that must be performed prior to many other tasks involving intrusive activities in Hanford waste tanks is to derive an estimate of those tanks' contents. The present report is part of a strategy for estimation of tank inventories based on fill history, as shown in Fig. 1. Four fundamental steps need to be performed in order to provide such estimates.

The first step is to derive a list of qualified fill records for all of the four tank farm quadrants<sup>4</sup> with information derived from Jungfleisch-83 and Anderson-91, and checked against quarterly summary reports by Ogden Environmental and LANL. These qualified transaction records are called the Waste Status and Transaction Record Summaries (WSTRS). TheWSTRS reports, although largely representative of the tanks' waste histories, are nevertheless incomplete in that there are many unrecorded transactions that have occurred for many tanks. Included within theWSTRS report, then, is a comparison of the tank volume that is calculated based on the fill records that are present inWSTRS with the measured volume of each tank. This comparison is made for each quarter to record any unknown waste additions or removals that may have occurred during that quarter.

Using these fill records, the second step in this strategy is an analysis that provides a definition of the solids layers within each tank and is called the Tank Layer Model or TLM.<sup>5</sup> The TLM<sup>5</sup> is a volumetric and chronological description of tank inventory based on a defined set of waste solids layers. Each solids layer is attributed to a particular waste addition or process, and any solids layers that have unknown origin are assigned as such and contribute to the uncertainty of that tank's inventory. The Tank Layer Model for each tank, then, simply associates layers of solids within each tank with a waste addition or a process campaign. In order to derive an inventory of tank chemicals and radionuclides, one must provide a composition for each of these defined wastes.

The third step is to describe the composition of supernatants within each of the tanks (note that interstitial liquid is part of the solids definition, not the supernatant), for which purpose an ideal mixing model has been developed, called the Supernatant Mixing Model.<sup>6</sup> This model describes supernatants in terms of fractions of each of the HDW supernatants along with corresponding volume reduction due to active evaporation. The SMM is very important for definition of waste in DST's, since a large fraction of the waste supernatants now reside in DST's.

The fourth step in the strategy is to provide chemical and radiochemical definitions<sup>7</sup> for each of the defined waste types. The defined waste compositions coupled with the tank layering information provide a basis for estimation of each tank's chemical and radionuclide inventories (see Fig. 1).

<sup>4</sup> (a) Agnew, S. F., et al., "Waste Status and Transaction Record Summary for the NE Quadrant" WHC-SD-WM-TI-615, Rev. 1, October 1994. (b) Agnew, S. F., et al. "Waste Status and Transaction Record Summary for the SW Quadrant," WHC-SD-WM-TI-614, Rev. 1, October 1994. (c) Agnew, S. F., et al. "Waste Status and Transaction Record Summary for the NW Quadrant," WHC-SD-WM-TI-669, Rev. 1, October 1994. (d) Agnew, S. F., et al. "Waste Status and Transaction Record Summary for the SE Quadrant," WHC-SD-WM-TI-689, Rev. 1, March 1995.

<sup>5</sup>Brevick, C.H., Gaddis, L.A., Pickett, W.W., et al., "Historical Tank Content Estimate of the Northeast Quadrant of the Hanford 200 East Areas," WCH-SD-WM-ER-349, June 1994, "Historical Tank Content Estimate of the Southwest Quadrant of the Hanford 200 West Areas," WHC-SD-WM-ER-352, March 1995, "Historical Tank Content Estimate of the Northwest Quadrant of the Hanford 200 West Areas," WHC-SD-WM-ER-351, March 1995, "Historical Tank Content Estimate of the Southeast Quadrant of the Hanford 200 West Areas," WHC-SD-WM-ER-350, June 1995

<sup>6</sup>Agnew, S. F.; Corbin, R. "Supernatant mixing model," in preparation.

<sup>7</sup>Agnew, S. F. "Hanford Defined Wastes: Chemical and Radionuclide Compositions," LA-UR-94-2657 Rev. 2, September 1995.




Fig. 1. Schematic of overall strategy

### III. Description of the WSTRS Spreadsheet

The following is an explanation of the format, fields, and conventions used in the WSTRS database. A transaction is defined as a transfer of a volume of waste (in kgal, where 1 kgal = 1,000 gal.) from one tank to another tank, or to or from a processing plant, or from a tank to a crib or trench (i.e. the ground). The entire data set is volumetric based, and the volumes are usually based on single-point level measurements of the waste height within each tank.

#### Column Headings

##### Tank n

Tank identification. This is the letter representation of the tank farm followed by the number of the tank in that farm.

##### Tankid

Tank identification code for input into the SMM. (Hidden in WSTRS spreadsheet.)

##### Year

The year of the transaction or status record.

##### Qtr

The quarter of the transaction or status record.

##### Order

A sequential number given to transactions within a particular quarter used for creating the Lineal\_date column. This order is not necessarily the actual order of the transactions within the quarter, since our data is sometimes limited. Also, it is very possible that the "summary" transactions that are reported here are actually combinations of smaller transactions, and could very well overlap with another combination of transfers to or from another location, or even occur simultaneously (i.e. an addition to a tank can occur at the same time as a removal since they can involve different risers and different transfer lines.)

##### Lineal date

The lineal date is a unique fractional year for each transaction that is calculated for purposes of ordering transactions within a quarter. It is also used for graphing and recreating the original database after sorting and database functions are applied, and is a nominal value. (Hidden in WSTRS spreadsheet.)

##### Type

A code that describes the type of transaction or record:

STAT-tank level measurement for each quarter in kgal (1 kgal = 1,000 gallons) as reported by Anderson.

SEND-transfer from Tank\_n to Trans\_tank and is always negative. Trans\_tank will always be one of the primary 177 waste tanks.

REC-receive from Trans\_tank and are always positive. Trans\_tank will always be one of the primary 177 waste tanks.

XIN-addition of primary waste from plant (always positive). This transaction also covers waste returning from secondary processing operations.

OUTX-transfer from Tank\_n out to either a secondary processing operation or to a crib.

CORR-correction to waste amount for reason specified by Waste\_type.

CAS-designates the beginning or ending of cascade from Tank\_n to Trans\_tank, in which case Waste\_type would be SET or END, respectively. No actual waste was transferred with this entry, but waste in Tank\_n could now overflow into Trans\_tank.

CREC-designates the beginning or ending of cascade from Tank\_n from Trans\_tank, in which case Waste\_type would be SET or END, respectively. No actual waste was transferred with this entry, but waste in Tank\_n could now overflow into Trans\_tank.

GROUP-signifies a group of tanks for BX/BY Farms during the ITS campaign.

GREC-signifies a group of receiver tanks for BX/BY Farms during the ITS campaign.

rec-this lower case version of REC is a transaction that we derive.

outx-this lower case version of OUTX is a transaction that we derive.

xin-this lower case version of XIN is a transaction that we derive.

send-this lower case version of SEND is a transaction that we derive.

The lower case types indicate our added transactions. Note that there is an inherent symmetry in this data set in that there is a SEND for every REC and *vice versa*. Likewise, a CAS SET/END will have a corresponding CREC SET/END. However, there is no symmetry to XIN's and OUTX's.

**Typeid**

Transaction type identification code for input into the SMM. (Hidden in WSTRS spreadsheet.)

**Trans vol**

The amount of the transaction in kgal. Positive values signify waste additions, while negative values indicate waste removals. Zeros in this column signify a transaction that has not been used in the data set for a reason set forth in the comments column.

**Stat vol**

The tank level measurement is in kgal. This is essentially the quarterly value reported by Anderson-90. The tank level measurements after 1980 came from the monthly reports from various contractors.

**Total vol**

This is our calculated value for the tank volume during each quarter. The total volume is calculated by taking the last STAT record (tank level measurement) and adding to it all transactions up to that point during a quarter.

**Solids vol**

The solids volume is the level of solids in the tank and is measured in kgal. Because of a lack of knowledge about when the solids measurements were actually performed, we have assumed that only the first appearance of a unique solids measurement is valid. Therefore, we assume that all intermediate repeated solids reports are nominal.

**Unk tfr**

Unknown transfers are the differences between the tank volumes according to the calculated tank volume (Total\_vol) and the values of the tank level measurements (Stat\_vol). It is calculated at every STAT record and recorded either as #N/A (no difference) or as some amount of difference. See Section VI.

**Cum unk**

A running sum of the unknown transfers (Unk\_trf). See Section VI.

**Waste type**

This column has different meaning for different transaction types (see **Type**).

XIN—addition of waste from a process plant has the following designations: MW, 1C, 2C, T##, P##, R, CWR, P, PL, CWP, Z, 224, B, BL, TH, THL, PO4, CON, DE, IWW, DW, CP, N, OWW, LW, BNW, HLO, H2O, NIT, DN, NCPLX, CC, CPLX. See glossary for definitions.

REC, SEND, OUTX—These indicate addition or removal of waste that's either SU (supernatant) or SL (slurry, nominal 20 vol% solids).

CORR—level correction designated LEAK, COOL, ADJ, or UNK.

CAS,CREC—a SET, or END indicates a cascade start or end for this tank to or from Trans\_tank.

STAT—For status records, the Waste\_type column contains the Anderson-90 designation of waste type.

**Trans tank**

This designates the other end of the transaction, which is a tank for SEND and REC, and a plant, evaporator, or crib for XIN and OUTX's.

For GROUP,GREC type transactions, there are multiple tanks delineating the group of tanks that were connected (BX/BY only).

SRR as a destination sometimes has a tank as well, indicating that the solids went to B-Plant for strontium recovery (SRR) while the supernatant went to the tank specified.

**DWXT**

Defined waste or transfer tank. For SEND or REC transactions this column designates the tank to or from which the waste transfer occurred. in the Defined Waste list. For OUTX's this column assigns where the waste went, either a secondary processing operation or one of the cribs.

**DWXTid**

Defined waste or transfer tank identification code for input into the SMM. (Hidden in WSTRS spreadsheet.)

**LANL Comment**

WSTRS comments. In particular, if there is a correction to a Jungfleisch-83 record, we note the nature of that correction, whether it is based on Ogden Environmental checking (OC) or on Anderson-91, or some other source of information.

**Anderson Comment**

Verbatim comments from Anderson-90.

**Ogden comment**

Comments from Ogden Environmental Q/A of this data set.

**Sol vol%**

Calculation of the solids volume percent for each transaction in WSTRS for each waste type that was predicted in the TLM.

**TLM Solids**

The amount of solids that is predicted to have precipitated for a transaction as defined in the TLM.

**Cum Solids**

Calculates a running total of the TLM solids.

**Sol type**

The HDW defined waste type that is predicted to have precipitated for a transaction as defined in the TLM.

**Soltypeid**

Solids waste type identification for input into the SMM. (Hidden in the WSTRS spreadsheet.)

**QI**

Quality index is a number that roughly reflects the number of independent sources that have verified this transaction. All Jungfleisch transactions and stat records receive an initial QI of 1. If Ogden validates a transaction with a document reference, the QI is +2. If Ogden shows a variance in the transaction and has a document reference, the QI receives +1. If an Anderson comment validates a transaction, the QI receives +1. If there is other supporting documentation for a transaction, the QI receives +1.

**Q/A Flag**

Single letter designation provided by Ogden Environmental for quality assurance of this record. V = variance and O = Original, with any details of the variance listed in the Ogden comment column. Blank entries do not yet have a record Q/A from Ogden.

**Document/Pg #**

This is the document and page number reference for the transaction Ogden verified.

**IV. Cascade Transfers**

Cascade lines were underground 3" pipes between tanks that were generally offset one foot of elevation. These lines allowed a tank to overflow into the next tank in the cascade series, and then from that tank to the next, and so on, from two to six tanks total in a given cascade series. WSTRS includes explicit transactions for each cascade transfer based on the following rules. If a tank's Total\_vol exceeds its rated capacity, then check to see if a CSEND SET and CREC SET pair are present in the records of Tank\_n and Trans\_tank, respectively. If a pair is present, insert a "send" and "rec" pair of transactions of the appropriate volume. When cascading out to a crib "send" and "outx" pair are inserted. In the SE Quadrant there is no cascading.

**V. Transaction Ordering**

The chronological ordering of the transactions in our beginning data sets were not clearly defined. Many dates were nominal if they even existed. To help resolve this, an ordering scheme was put in place to help arrange the pre-1981 transactions. The transactions were arranged in the following order for each quarter.

- 1) Xin's from primary sources
- 2) Tank to tank transfers not involved in evaporator operations
- 3) Tank to tank transfers involved in evaporator feeds
- 4) Concentration of wastes involved in evaporators

- 5) Tank to tank transfers for the bottoms receivers
- 6) Outx's to processes and cribs (no condensates)

Some corrections to this initial order were required to prevent the total volume of the tanks from going negative and to minimize tank overfills. Further corrections will be necessary as more information as to the segregation of the organic wastes is compiled.

The post-1980 transactions were put into the order in that they reside in the WVP document. Many of these dates are summaries of transactions and some are nominal, so there exists the possibility that some reordering may be necessary as more information on these transactions surface.

## VI. Graphs

The following is a description of the data presented with each tank graph.

### Total Volume

A plot that shows the history of the tank volume. Stat\_vol vs. Lineal\_date. Note that many values of the Total\_vol column are either negative or exceed the tank capacity. This is due to the summary nature of transactions within a quarter and only occurs during quarters (see description in cascading). The Stat\_vol, on the other hand, reflects only the status of each tank at the end of each quarter.

### Measured Solids

A plot that shows the history of the measured solids volumes in the tank. Solid\_vol vs. Lineal\_date. We have assumed that all repeated values for solids level reports in Anderson-91 are nominal. A nominal solids volume is one that is simply carried from quarter to quarter, as opposed to actually measured.

### TLM Solids

A plot that shows the residual solids volumes predicted by the TLM. The TLM solids do not include salt cakes and salt slurries that are predicted by the SMM. The Measured and TLM solids can be quite different as a result.

## VII. Evaporator Operations

An essential part of defining the waste history of Hanford wastes is understanding the operation of the many evaporator campaigns that have occurred over the years at Hanford. The greatest uncertainties within WSTRS are associated with evaporator campaigns. In other words, the volume reductions and continuous transfers of concentrates and condensates that occurred during these campaigns are not very well represented in WSTRS.

Much of the transaction information associated with evaporator operations was derived by Jungfleisch-83 with several models for various evaporator campaigns that were embedded within the WSTRS Rev. 1 data set. The TRAC program always assumed that "missing" waste was due to concentration of waste within a tank, and would calculate the precipitation of salts in that tank as a result.

In the WVP data set, the evaporation model transferred a volume from the feed tank to a bottoms receiver tank. The volume received by the bottoms receiver tank, however, would be less than the volume sent from the feed tank. This difference was the condensate that was evaporated, which was not specifically included.

In WSTRS Rev. 2, all evaporator transactions are assumed to take place from the evaporator feed tank. Therefore, all implicit condensate that is evaporated from the feed tank is explicitly included as transactions from the feed tank to a crib. We have inserted these condensate transactions for the feed tank and have changed the transaction volume (when necessary) that was sent from the feed tank to be equal to the volume received in the bottoms tank. This same model has been imposed on all evaporator operations at Hanford within WSTRS.



Imposition of this model along with the unknown transaction resolution methodology mentioned above reduces significantly the unknown transaction volume for the history of Hanford operations. One must bear in mind, though, that the assumptions that have been made are meant to be approximations that allow the bounding of waste compositions for all site operations. We have found, for example, that the transaction order within each quarter is not well defined and our assumptions about that order are very approximate.

**VIII. Validation of WSTRS**

Validation for the WSTRS and WVP datasets was performed by Ogden Environmental of Richland, WA. Reference documentation was provided for each transaction that Ogden verified. Table 1 shows the numbers and per cents validated for transactions and transaction volumes in all quadrants prior to Jan. 1981. Table 2 shows similar information for the DST's after Jan. 1981.

**Table 1.**  
**Validation for All Quadrants for Transactions prior to Jan. 1981.**

	Number Basis		Volume Basis (kgal)	
	Validated / Total	% Validated	Validated / Total	% Validated
XIN's	1952/3236	60%	279,577/443,102	63%
OUTX's,REC's	2083/3624	57%	551,857/895,564	62%

**Table 2.**  
**Validation for DST's for Transactions after Jan. 1981.**

	Number Basis		Volume Basis (kgal)	
	Validated / Total	% Validated	Validated / Total	% Validated
XIN's	398/2205	18%	7,037/64,032	11%
OUTX's,REC's	121/631	19%	20,004 /213,629	9%
STAT's	1422/1499	95%		

## IX. Tank Waste Uncertainties

The SMM and the TLM both use the WSTRS dataset as their basis. Table 3 shows some of the parameters by which the relative amounts of unknowns in the WSTRS dataset can be readily derived from the SMM and the TLM. The Solids Volume and the % Solids Unknown columns come from the TLM. The other columns come from the SMM. Brief descriptions of the columns is as follows:

*Solids Volume:* TLM prediction of the volume of residual solids in a tank in kgals. Does not include salt cakes and slurries from the T2, S1, S2, A1, and A2 evaporator campaigns. These are concentrates calculated by the SMM. Solids definition does include interstitial liquid.

*% Solids Unknown:* The uncertainty of the solids in the TLM. Calculated by dividing the unassigned solids unknowns in a tank by the total solids predicted by the TLM.

*Supernatant Volume:* SMM prediction of the volume of supernatant in a tank in kgals. This includes the volumes of the salt cakes and slurries from the T2, S1, S2, A1, and A2 evaporator campaigns. This supernatant does not include interstitial liquid.

*% SU Unknown:* The SMM assigns as unknown transactions from tanks with insufficient waste as well as unknown waste sources calculated at the end of each quarter. This is reported as a percentage of the total unconcentrated volume of supernatant in each tank.

*% SU Assumed:* The percentage of the total supernatant volume that came from transactions assigned by rules mentioned above.

*Total Tank Volume:* The total waste volume of a tank. This includes the solids, supernatants, and concentrates.

*% Total Unknown:* The volume weighted combination of the % solids unknown and the % supernatant unknown.

*Total Traffic:* The volume in kgal of all xins from processes and rec's from other tanks for each tank throughout its history.

Table 3a. Tank Waste Uncertainty

Tank	Solids Vol. (kgal)	% Solids Unknown	Supern't Volume (kgal)	% SU Unknown	% SU Assumed	Total Tank Volume (kgal)	% Total Unknown	Total Traffic (kgal)
A-101	3	0%	950	2%	70%	953	2%	20,479
A-102	3	0%	38	2%	69%	41	2%	70,773
A-103	3	0%	368	2%	69%	371	2%	18,113
A-104	28	0%	0	0%	0%	28	0%	18,472
A-105	19	0%	0	0%	33%	19	0%	5,978
A-106	50	0%	75	2%	65%	125	1%	38,259
AX-101	13	0%	735	2%	70%	748	2%	14,992
AX-102	6	0%	33	2%	69%	39	2%	11,617
AX-103	14	0%	98	2%	70%	112	2%	14,636
AX-104	7	0%	0	0%	0%	7	0%	5,887
B-101	113	0%	0	0%	0%	113	0%	8,196
B-102	28	0%	4	49%	28%	32	6%	4,150
B-103	59	0%	0	0%	0%	59	0%	11,644
B-104	370	13%	1	7%	50%	371	13%	3,988
B-105	306	0%	0	0%	0%	306	0%	7,013
B-106	116	0%	1	9%	46%	117	0%	17,459
B-107	164	0%	1	67%	0%	165	0%	4,254
B-108	94	0%	0	0%	0%	94	0%	5,003
B-109	127	24%	0	0%	0%	127	24%	4,911
B-110	246	0%	0	0%	0%	246	0%	8,386
B-111	236	0%	1	0%	50%	237	0%	8,764
B-112	30	0%	3	13%	45%	33	1%	8,801
B-201	28	0%	1	100%	0%	29	3%	59
B-202	27	0%	0	0%	0%	27	0%	270
B-203	50	0%	1	100%	0%	51	2%	317
B-204	49	0%	1	70%	0%	50	1%	372
BX-101	42	0%	1	14%	43%	43	0%	27,709
BX-102	96	0%	0	0%	0%	96	0%	10,161
BX-103	62	0%	4	1%	51%	66	0%	35,868
BX-104	96	57%	3	2%	66%	99	56%	28,571
BX-105	46	0%	5	2%	62%	51	0%	13,140
BX-106	31	0%	15	6%	68%	46	2%	16,205
BX-107	344	0%	1	11%	0%	345	0%	2,368
BX-108	26	0%	0	0%	0%	26	0%	2,740
BX-109	193	0%	0	0%	0%	193	0%	7,599
BX-110	198	0%	0	0%	0%	198	0%	3,014
BX-111	211	0%	0	0%	0%	211	0%	3,122
BX-112	164	0%	1	63%	11%	165	0%	1,213
BY-101	387	0%	0	0%	0%	387	0%	9,472
BY-102	341	3%	0	0%	0%	341	3%	21,730
BY-103	400	0%	0	0%	0%	400	0%	26,540
BY-104	406	0%	0	0%	0%	406	0%	6,359
BY-105	503	0%	0	0%	0%	503	0%	7,527
BY-106	642	0%	0	0%	0%	642	0%	10,928
BY-107	266	0%	0	0%	0%	266	0%	13,767
BY-108	228	0%	0	0%	0%	228	0%	13,354
BY-109	423	0%	0	0%	0%	423	0%	33,344
BY-110	398	0%	0	0%	0%	398	0%	11,919
BY-111	459	0%	0	0%	0%	459	0%	10,878
BY-112	291	0%	0	0%	0%	291	0%	38,966

Table 3b. Tank Waste Uncertainty

Tank	Solids Vol. (kgal)	% Solids Unknown	Supern't Volume (kgal)	% SU Unknown	% SU Assumed	Total Tank Volume (kgal)	% Total Unknown	Total Traffic (kgal)
C-101	65	0%	23	20%	6%	88	5%	4,216
C-102	423	0%	0	0%	0%	423	0%	19,621
C-103	62	0%	133	5%	63%	195	4%	10,317
C-104	291	0%	4	5%	65%	295	0%	25,704
C-105	150	0%	0	0%	0%	150	0%	27,117
C-106	197	0%	32	5%	72%	229	1%	11,221
C-107	275	0%	0	0%	0%	275	0%	4,374
C-108	66	0%	0	0%	0%	66	0%	6,745
C-109	62	0%	4	100%	0%	66	6%	4,980
C-110	187	0%	0	0%	0%	187	0%	3,730
C-111	57	0%	0	0%	0%	57	0%	6,023
C-112	104	0%	0	0%	0%	104	0%	6,791
C-201	2	0%	0	0%	0%	2	0%	277
C-202	1	0%	0	0%	0%	1	0%	264
C-203	5	0%	0	0%	0%	5	0%	200
C-204	3	0%	0	0%	0%	3	0%	252
S-101	211	0%	216	3%	57%	427	1%	11,543
S-102	4	0%	545	2%	63%	549	2%	80,822
S-103	9	0%	239	2%	67%	248	2%	13,511
S-104	293	0%	1	43%	32%	294	0%	3,497
S-105	2	0%	405	3%	48%	407	3%	1,990
S-106	32	0%	447	3%	50%	479	3%	1,735
S-107	254	0%	122	3%	64%	376	1%	17,873
S-108	5	0%	497	5%	41%	502	5%	3,951
S-109	13	0%	494	4%	45%	507	4%	3,622
S-110	113	0%	277	2%	51%	390	2%	15,389
S-111	139	44%	399	3%	49%	538	13%	3,983
S-112	6	0%	517	3%	48%	523	3%	3,165
SX-101	310	0%	146	2%	67%	456	1%	10,865
SX-102	59	0%	484	4%	50%	543	3%	14,271
SX-103	112	0%	540	2%	55%	652	2%	7,772
SX-104	169	0%	445	2%	57%	614	2%	7,320
SX-105	55	0%	628	2%	56%	683	2%	10,357
SX-106	1	0%	537	2%	66%	538	2%	31,229
SX-107	104	0%	0	0%	42%	104	0%	4,387
SX-108	87	0%	0	0%	0%	87	0%	4,696
SX-109	250	0%	0	2%	52%	250	0%	2,894
SX-110	62	0%	0	0%	50%	62	0%	7,146
SX-111	125	0%	0	2%	9%	125	0%	6,219
SX-112	92	0%	0	0%	0%	92	0%	3,792
SX-113	31	0%	0	36%	4%	31	0%	724
SX-114	181	0%	0	0%	0%	181	0%	7,926
SX-115	12	0%	0	0%	0%	12	0%	2,044

Table 3c. Tank Waste Uncertainty

Tank	Solids Vol. (kgal)	% Solids Unknown	Supern't Volume (kgal)	% SU Unknown	% SU Assumed	Total Tank Volume (kgal)	% Total Unknown	Total Traffic (kgal)
U-101	22	0%	3	100%	0%	25	12%	5,238
U-102	43	0%	331	2%	61%	374	2%	7,049
U-103	32	0%	436	2%	59%	468	2%	9,806
U-104	122	35%	0	0%	0%	122	35%	3,544
U-105	32	0%	386	2%	58%	418	2%	5,770
U-106	26	0%	200	2%	53%	226	2%	4,705
U-107	76	0%	330	3%	65%	406	2%	17,346
U-108	29	0%	439	3%	48%	468	3%	8,737
U-109	48	0%	415	3%	53%	463	2%	6,296
U-110	186	0%	0	0%	0%	186	0%	4,112
U-111	26	0%	303	3%	64%	329	3%	9,540
U-112	45	0%	4	100%	0%	49	8%	1,004
U-201	4	0%	1	100%	0%	5	20%	49
U-202	4	0%	1	100%	0%	5	20%	51
U-203	2	0%	1	11%	10%	3	4%	46
U-204	2	0%	1	100%	0%	3	33%	15
T-101	37	0%	65	2%	58%	102	2%	6,378
T-102	19	0%	13	100%	0%	32	41%	3,128
T-103	18	0%	9	70%	4%	27	23%	5,192
T-104	442	0%	3	58%	0%	445	0%	3,460
T-105	98	0%	0	0%	0%	98	0%	5,870
T-106	19	0%	2	100%	0%	21	10%	3,192
T-107	171	0%	9	100%	0%	180	5%	4,729
T-108	44	0%	0	0%	0%	44	0%	3,833
T-109	58	0%	0	0%	0%	58	0%	2,465
T-110	376	0%	3	21%	0%	379	0%	22,535
T-111	456	0%	2	58%	21%	458	0%	21,963
T-112	60	0%	7	100%	0%	67	10%	25,206
T-201	28	0%	1	100%	0%	29	3%	55
T-202	21	0%	0	0%	0%	21	0%	118
T-203	35	0%	0	0%	0%	35	0%	173
T-204	38	0%	0	0%	0%	38	0%	55
TX-101	76	0%	11	2%	61%	87	0%	19,881
TX-102	2	0%	215	2%	46%	217	2%	7,942
TX-103	3	0%	154	2%	62%	157	2%	8,324
TX-104	18	0%	47	8%	49%	65	6%	4,910
TX-105	8	0%	601	2%	47%	609	2%	9,026
TX-106	5	0%	336	2%	51%	341	2%	9,929
TX-107	8	0%	28	2%	58%	36	1%	4,992
TX-108	6	0%	128	3%	55%	134	3%	4,968
TX-109	384	0%	0	0%	50%	384	0%	6,650
TX-110	37	0%	425	2%	48%	462	2%	6,789
TX-111	43	0%	327	2%	47%	370	2%	3,992
TX-112	24	0%	625	2%	48%	649	2%	4,008
TX-113	183	0%	424	3%	46%	607	2%	5,942
TX-114	62	0%	473	2%	47%	535	1%	4,871
TX-115	8	0%	560	2%	48%	568	2%	6,934
TX-116	391	0%	172	2%	44%	563	1%	4,129
TX-117	226	0%	306	2%	43%	532	1%	8,395
TX-118	45	0%	240	2%	61%	285	2%	78,553
TY-101	118	0%	0	0%	0%	118	0%	4,195
TY-102	29	0%	35	10%	40%	64	5%	1,934
TY-103	108	0%	54	28%	16%	162	9%	13,345
TY-104	43	0%	3	100%	0%	46	7%	4,291
TY-105	231	32%	0	0%	0%	231	32%	6,237
TY-106	21	0%	0	0%	0%	21	0%	5,053

Table 3d. Tank Waste Uncertainty

Tank	Solids Vol. (kgal)	% Solids Unknown	Supern't Volume (kgal)	% SU Unknown	% SU Assumed	Total Tank Volume (kgal)	% Total Unknown	Total Traffic (kgal)
AN-101	0	0%	700	5%	48%	700	5%	7,076
AN-102	0	0%	1095	2%	64%	1095	2%	3,684
AN-103	2	0%	951	3%	48%	953	3%	4,745
AN-104	0	0%	1058	2%	55%	1058	2%	2,381
AN-105	0	0%	1131	2%	55%	1131	2%	2,169
AN-106	0	0%	21	3%	55%	21	3%	1,067
AN-107	0	0%	1066	2%	66%	1066	2%	1,157
AP-101	0	0%	1060	2%	25%	1060	2%	2,762
AP-102	0	0%	1104	3%	54%	1104	3%	3,088
AP-103	0	0%	1131	2%	25%	1131	2%	2,951
AP-104	0	0%	18	25%	0%	18	25%	1,080
AP-105	0	0%	821	2%	30%	821	2%	1,683
AP-106	0	0%	1128	2%	27%	1128	2%	2,083
AP-107	0	0%	1108	2%	0%	1108	2%	1,153
AP-108	0	0%	899	3%	22%	899	3%	919
AW-101	61	0%	1077	2%	42%	1138	2%	10,301
AW-102	0	0%	966	3%	31%	966	3%	102,809
AW-103	363	0%	284	8%	3%	647	4%	5,232
AW-104	103	0%	1020	6%	4%	1123	6%	15,343
AW-105	240	0%	804	2%	29%	1044	2%	7,097
AW-106	1	0%	1081	2%	32%	1082	2%	28,762
AY-101	65	49%	826	5%	35%	891	8%	7,202
AY-102	32	0%	912	2%	14%	944	2%	20,621
AZ-101	35	17%	896	1%	35%	931	2%	6,386
AZ-102	93	54%	881	0%	8%	974	6%	7,492
SY-101	0	0%	1102	4%	60%	1102	4%	1,745
SY-102	30	0%	702	8%	7%	732	7%	44,388
SY-103	0	0%	758	3%	65%	758	3%	2,429

## Appendix A.

**Glossary of Hanford Terminology**  
September 1995

This is a glossary of Hanford terminology that has been compiled to aid in definition of Hanford tank "jargon". These definitions have come from so many different sources that it is difficult to name them all. A lot of these terms have come from Anderson-91, Jungfleisch-84, and from Strode-93. Where there have been conflicting uses of the same term, it is indicated, and where there is uncertainty as to an exact meaning, a "??" appears to indicate that uncertainty.

If you have any corrections/additions/deletions to this glossary, please send them to: Stephen F. Agnew, M/S J586 Los Alamos National Laboratory, Los Alamos, New Mexico 87545, or fax to 505-667-0851.

<b>ACL</b>	Air Circulator lines (term located WHC-SD-WM-ER-204, Rev.0)
<b>Active</b>	Currently operating or scheduled for further operation
<b>Active Drywell</b>	Drywell in which radiation readings of greater than 50 counts/second are detected. To be considered "active", these readings must be consistent as to depth and radiation level for repeated readings.
<b>Active Tank</b>	A tank that contains more than 33,000 gal. of waste and/or is still involved in waste management operations.
<b>ADD</b>	Add primary waste from process.
<b>ADJ</b>	Adjustment to waste amount. See also CORR, COOL, and LEAK.
<b>AEC</b>	Atomic Energy Commission. See also ERDA, and DOE
<b>AFPC</b>	High total beta activity in the evaporator process condensate
<b>AG</b>	Above Grade (term located WHC-SD-WM-ER-204, Rev.0)
<b>AGE</b>	Aging Waste. See also AGING, AGING WASTE, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
<b>AGING</b>	Aging Waste. See also AGE, AGING WASTE, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
<b>AGING WASTE</b>	High level, first cycle solvent extraction waste from the PUREX plant See also AGE, AGING, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
<b>AIR LIFT CIRCULATOR</b>	The air lift circulators are installed in aging tanks to promote mixing of the supernate. By maintaining motion within the body of the liquid, the circulators minimize superheat buildup and, consequently, minimize burping.
<b>AL</b>	Analytical Laboratories
<b>ALARA</b>	As Low As Reasonably Achievable
<b>ALE</b>	Fitzner-Eberhardt Arid Land Ecology Reserve
<b>ANCHAR</b>	Analysis of characteristic waste deriving waste compositions from analytical information.
<b>ANL</b>	Argonne National Laboratory
<b>ANNULUS</b>	The annulus is the space between the inner and outer shells on DSTs. Drain channels in the insulating and/or supporting concrete carry any leakage to the annulus space where conductivity probes are installed. (term located Tank and Surveillance and Waste Status Summary Report)
<b>ANSI</b>	American National Standard Institute
<b>APC</b>	Alpha proportional counting
<b>A Plant</b>	Where PUREX process ran from Jan. 1952 - Jun. 1972, then was in standby and ran again from Nov. 1983 - 1991, and is now shutdown). See also PUREX-Plant, CARB, CWP, and OWW
<b>APM</b>	Ammonium Phosphomolybdate (term located WHC-EP-0791)
<b>AQUELLW</b>	Aqueous liquids (term located WHC-EP-0791)
<b>AR</b>	"Washed" P sludge. Also used to derive SRR. See also SRR.
<b>ARM</b>	Area Radiation Monitor

<b>AR Vault</b>	PSL (PUREX sludge) was sluiced from A - and AX-Farms and placed here for caustic wash to remove Cesium and acid dissolution for feed to B Plant. AR-002 (or TK-002) was slurry receiver in AR-Vault. Solids are then transferred to TK-004, acidified, and the PAS (PUREX Acidified Sludge) transferred to TK-003. Any solids left in TK-004 following acid dissolution are caustic digested and transferred to back TK-002 for the next cycle.
<b>ASF</b>	Ammonia Scrubber Feed
<b>ASME</b>	American Society of Mechanical Engineers
<b>Assumed Leaker</b>	The integrity classification of a waste storage tank for which surveillance data indicate a loss of liquid attributed to a breach of tank integrity.
<b>Assumed Leaking Tank</b>	In 1984, the criteria designations of "suspect leaker", "questionable integrity", "confirmed leaker", "declared leaker", "borderline", and "dormant" were merged into one category now reported as "assumed leaker".
<b>Assumed Re-Leaker</b>	A designation that exists after a tank has been declared an "assumed leaker" and then the surveillance data indicate a new loss of liquid attributed to a breach of integrity.
<b>ASTM</b>	American Society for Testing and Materials
<b>AW</b>	NEUTRALIZED CURRENT ACID WASTE
<b>AWC</b>	Aging Waste Condensate
<b>A1SiTck</b>	Salt cake waste generated from the 242-A Evaporator-crystallizer from 1977 until 1980.
<b>A2SiTSlry</b>	Salt Slurry waste generated from the 242-A Evaporator-crystallizer from 1981 until 1994.
<b>B86ON</b>	DILUTE, NON-COMPLEXED WASTE FROM B PLANT CELL DRAINAGE
<b>B</b>	B Plant HLW. Also identifies waste returned to tanks from Sr recovery. Also used as destination, B Plant, for Cs/Sr recovery. BiPO <sub>4</sub> ran in B PLANT from Apr. 1945 to Oct. 1952, while Cs/Sr recovery from tank farms ran from 1967 to 1976, and Cs/Sr recovery from NCAW and CAW ran from 1967-72, and then from 1983-91. B Plant's mission from '67 was to take the acid stream from PUREX through Cesium and Strontium recovery operations.
<b>BARCT</b>	Best Available Radionuclide Control Technology
<b>BAT/AKART</b>	Best Available Technology/All Known And Relevant Technology
<b>BC</b>	TRU SOLIDS FROM B PLANT PROCESSING OF CC
<b>BCD</b>	Binary Code Decimal
<b>BEMR</b>	Baseline Environmental Management Report
<b>BF</b>	Breather Filter (term located WHC-SD-WM-ER-204, Rev.0)
<b>BFSH</b>	B Plant Flush
<b>BG</b>	Below Grade (term located WHC-SD-WM-ER-204, Rev.0)
<b>BHI</b>	Bechtel Hanford Inc.
<b>BiPO<sub>4</sub></b>	Bismuth Phosphate Process. First precipitation process used at the Hanford Site for separating plutonium from the irradiated uranium fuels. This process was replaced by REDOX and PUREX processes to gain the advantages of separation and recovery of the uranium and plutonium fission products in B-222 and U-222, 1944-56. Left U in waste. See also MW, 1C, and 2C.
<b>BIPP</b>	B Plant Immobilization Pilot Plant
<b>BIX</b>	B Plant Ion Exchange
<b>BIXBN</b>	??
<b>BIXRI</b>	??
<b>BL</b>	B Plant Low Level. From '68-'76 added to AX-103, BX-101, B-101, and C-106. Wash(?) waste after concentration in cell 23 (i.e. low solids).
<b>BLEB</b>	B Plant Low level Evaporator Bottoms.
<b>BLIX</b>	B Plant Low Level Ion Exchange?
<b>BLIXB</b>	B Plant Low Level Ion Exchange bottoms?
<b>BN</b>	??
<b>BNW</b>	Battelle Northwest Laboratory Waste
<b>Boiling Waste</b>	Waste containing sufficient radioactive decay heat to self-boil.
<b>Bottoms Receivers</b>	Tank designated for receiving evaporator bottoms.



<b>Bottom Referenced Tank</b>	Either a dished bottom tank or a flat bottom tank where the zero point for liquid-level gages is the lowest elevation in the tank.
<b>BP</b>	TRU SOLIDS FROM B PLANT PROCESSING OF PFP
<b>BPC</b>	Beta proportional counting
<b>BP/CPLX83-88</b>	SSR, CSR, B, BL all in AY-101
<b>BP/NCPLX83-88</b>	now in AY-101
<b>BPDCC</b>	DILUTE, COMPLEXED WASTE FROM B PLANT CESIUM PROCESSING. See also CSR and BPDCC.
<b>BPDCS</b>	DILUTE, COMPLEXED WASTE FROM B PLANT STRONTIUM PROCESSING
<b>BPDCV</b>	DILUTE, COMPLEXED WASTE FROM B PLANT VESSEL CLEAN-OUT
<b>BPFPS</b>	B PLANT HIGH TRU SOLIDS FROM RETRIEVED PFP SOLIDS
<b>B Plant</b>	One of the three original Bismuth-Phosphate processing facilities. Later converted to waste fractional plant. B Plant used for BiPO <sub>4</sub> 1944-52, then for FP recovery. See also 222-B and TK.
<b>BPLCS</b>	DILUTE, NON-COMPLEXED WASTE FROM B PLANT STRONTIUM PROCESSING
<b>BPLDC</b>	DILUTE, COMPLEXED WASTE FROM B PLANT CESIUM PROCESSING
<b>BPLDN</b>	DILUTE, NON-COMPLEXED WASTE FROM B PLANT CESIUM PROCESSING
<b>BR</b>	TRU SOLIDS FROM B PLANT PROCESSING - NCRW
<b>BS</b>	B PLANT PRETREATED SOLIDS
<b>B SLTCK</b>	Salt cake waste generated from the 242-B Evaporator from 1951 until 1955.
<b>BUMPING, TANK BUMP</b>	A tank bump occurs when solids overheat in the lower portion of the tank. The hot solids are mixed with the cooler fluid either by operation of the airlift circulators (ACLs) or by natural means. The hot solids rapidly transfer heat to the liquid, some of which quickly vaporizes. The sudden pressurization caused by vapor generation is called a "bump".
<b>Burial Ground (garden)</b>	A land area specifically designated to receive packaged contaminated wastes and equipment for burial. Rated volume at the time of construction.
<b>BVCLN</b>	DILUTE, NON-COMPLEXED WASTE FROM B PLANT VESSEL CLEAN-OUT
<b>BWIA</b>	B Plant Waste Immobilization Annex. See also B Plant
<b>BWIP</b>	Basalt Waste Isolation Project.
<b>BY SLTCK</b>	Salt cake waste generated from in-tank solidification units 1 and 2 between 1965 and 1974.
<b>Caisson</b>	An underground structure used to store high-level waste; typical designs include corrugated metal or concrete cylinders, 55-gal. drums welded end-to-end, and vertical steel pipes below grade.
<b>Calcine</b>	To heat a substance to a high temperature, but below its melting point, causing loss of volatile constituents such as moisture; refers also to the material produced by this process.
<b>CAM</b>	Continuous Air Monitor
<b>CARB</b>	CARBONATED WASTE—same as OWW. See also A Plant, PUREX Plant, CWP, and OWW.
<b>CAS</b>	Cascade, this process filled three or more tanks with one pump by using overflow lines. Normal use was with a sequence of tanks numbers 101, 102, 103, or 110, 111, 112. See also SET and END.
<b>Cascade</b>	Eleven of the Single-Shell Tank Farms (all except the AX-Tank Farm), were equipped w/ overflow lines between tanks. The tanks were connected in series and were placed at different elevations creating a down hill gradient for liquids to flow from one tank to another. See also CAS, SET, and END.
<b>CASS</b>	Computer Automated Surveillance System (AY and AZ Farm)
<b>Catch Tank</b>	Small-capacity single-wall tank, primarily associated with diversion boxes and diverter stations. The tanks collect liquid from diversion boxes, diverter stations, catch stations, and other facilities.
<b>CAW</b>	Current Acid Waste—this is PUREX acid waste, also called HAW or IWW. See also HAW, IWW, and PAW.
<b>CB</b>	??
<b>CBUSTL</b>	Combustible Solids and Liquids

<b>CC</b>	COMPLEXANT CONCENTRATE. Term refers to concentrates of solutions that have TOC's greater than 10 g/L. Usually associated with EDTA and HEDTA salts. See also CCPL, CCPLX, and CPLX.
<b>CCGL</b>	B PLANT HIGH TRU SOLIDS FROM RETRIEVED COMPLEXED CONCENTRATE
<b>CCGR</b>	DILUTE, NON-COMPLEXED WASTE FROM RETRIEVED COMPLEXED CONCENTRATE
<b>CCPL</b>	COMPLEXANT CONCENTRATE. See also CC, CCPLX, and CPLX
<b>CCPLX</b>	Complexant Concentrate. See also CC, CCPL, and CPLX
<b>CCW</b>	Complex Concentrated Waste
<b>CCW</b>	Concentrated Customer Waste
<b>CCW</b>	Counter-Clockwise ref. (LA-UR-92-3196)
<b>CD</b>	??
<b>CDE</b>	Committed Effective Dose Equivalent
<b>CDF</b>	TRAC Composition Data File or Transaction Flag Key—unit volume assumed to make stream active.
<b>CE</b>	Evaporator Concentrate
<b>CE</b>	Crown Ether
<b>Cell 23</b>	Waste from Cell 23 at B Plant. Cell 23 contained an evaporator and was used not only during B Plant operations, but to reduce tanked waste as well.
<b>CEM</b>	Cement added to BY-106 in 1977, see also CON.
<b>CERCLA</b>	Comprehensive Environmental Response, Compensation and Liability Act.
<b>CF</b>	Cesium Feed
<b>CFR</b>	<i>Code of Federal Regulations</i>
<b>CHP</b>	Cascade Heel Pit
<b>C Layer</b>	Convective Layer
<b>CLEAN 31</b>	CLEAN Option HLW stream
<b>CLELLW</b>	CLEAN Option LLW stream
<b>CLU</b>	Chemical Laboratory Unit
<b>CMPO</b>	N-diisobutylcarbamoylmethylphosphine oxide
<b>CON</b>	Cement added to BY-105 in 1977, see also CEM. Also designated concentrated waste in SX-103 (1965-66), SX-107 (1965), SX-108 (1965), and SX-110 (1965).
<b>COND</b>	CONDENSATE. See also EVAP, AND EB.
<b>COND</b>	Condition
<b>Conductivity Probe</b>	Measures surface level of conductive liquid (or waste) by detecting electrical conductivity between probe tip and liquid/waste surface as it is lowered into contact.
<b>Confirmed or Declared Leaker</b>	The designation of any underground waste storage tank where the data is considered sufficient to support a conclusion with 95 percent confidence that the tank has leaked.
<b>COOL</b>	Change in waste volume due to cooling. See also ADJ, COOL, CORR, and LEAK.
<b>CORR</b>	Correction to tank waste level. See also ADJ, COOL, and LEAK.
<b>CP</b>	Condenser Pit
<b>CP</b>	CONCENTRATED PHOSPHATE WASTE (FROM 100 N-REACTOR DECONTAMINATION). See also N.
<b>C Plant</b>	Strontium Semi-Works. Called C Plant or Hot Semi-Works earlier, was pilot for both REDOX and PUREX, Jul. 1952 to Jul. 1956. Then reconfigured for Strontium Recovery Pilot Plant from July 1960 to July 1967. See also 222-C, SSW, and HS.
<b>CPLX</b>	Complexed waste. See also CC, CCPLX, and CCPL.
<b>CPP</b>	Cascade Pump Pit
<b>CPW</b>	Concentrated Phosphate Waste. Waste originating from the decontamination of 100-N Area reactor. concentration of this waste produces concentrated phosphate waste.
<b>CRIB</b>	Ground site for low level supernatants (from tanks) or condensates (from evaporators). NW (T-105 - T-107, T-018, T-021 - T-023, T-025, T-026, T-032, TY-CRIB, TY-1) and NE (B-##, S-##, T-##, A-008, A-024, B-007, B-008, B-014, B-016, B-018, B-035, B-037, B-040, B-042, and B-049).

<b>CRUST</b>	A hard surface layer that has formed in many waste tanks containing concentrated solutions.
<b>CR Vault</b>	Facility located adjacent to C Farm, used for scavenging campaign following Uranium recovery, 1952-58. Ferrocyanide was added to tank supernatants in CR-Vault, and then the slurry was returned to C Farm for settling, forming in-farm sediments.
<b>CRW</b>	Cladding Removal Waste
<b>CSFD</b>	Cesium Feed
<b>CSIX</b>	Cesium ion Exchange
<b>CSKW</b>	??
<b>CSP</b>	Cascade Sluice Pit
<b>CSR</b>	Tank supernatant was sent to B Plant for Cesium recovery using C-105 as a staging tank. From 1967-76, 21,724 kgal was sent to and 26,290 kgal returned from B Plant. See also IX, and BPDCC.
<b>CSS</b>	Concentrated supernatant solids
<b>CST</b>	Caustic Solution, 0.01 M NaOH.
<b>CSWLE</b>	COMPLEXED SALT WELL LIQUID EAST AREA
<b>CSWLW</b>	COMPLEXED SALT WELL LIQUID WEST AREA
<b>CTW</b>	Caustic waste for makeup
<b>CUWP</b>	Chemicals Used and Waste Volume Produced
<b>CVAA</b>	Cold vapor atomic absorption (Waste)
<b>CVR</b>	Metal Cover Plate
<b>CVS</b>	Composition Variability Study
<b>CW</b>	Cladding Waste, included with 2C from 1945-50, and with 1C from 1951-56.
<b>CW-AI</b>	Aluminum cladding waste
<b>CWHT</b>	Concentrated Waste Holding Tank
<b>CWP</b>	Cladding Waste PUREX. See also A Plant, PUREX Plant, and OWW.
<b>CWP2</b>	Cladding waste. PUREX 2?
<b>CWR</b>	Cladding Waste-REDOX. See also REDOX and R.
<b>CWR1</b>	REDOX cladding waste from 1952 to 1960.
<b>CWR2</b>	REDOX cladding waste from 1961 to 1967.
<b>CWZr1</b>	Cladding waste from PUREX 1966-70 that used Zirflex process on Zircaloy clad fuel elements. See also PD and NCRW.
<b>CWZr2</b>	Coating waste (REDOX), zirconium cladding
<b>CWP/Zr83-88</b>	now called PD or NCRW
<b>CX70</b>	DILUTE, COMPLEXED (MIXTURE) HOT SEMI-WORKS TRU SOLIDS
<b>D</b>	Dilute
<b>DACS</b>	Data Acquisition Control System
<b>DAS</b>	Data Acquisition System
<b>DBA</b>	Design Basis Accident
<b>DBP</b>	Dibutyl Phosphate
<b>DBPW</b>	Dilute "B" Plant Waste
<b>DC</b>	DILUTE COMPLEXED. Waste characterized by a high content of organic carbon including organic complexants: ethylenediaminetetra-acetic acid (EDTA), citric acid, hydroxyethylenediaminetriacetic acid (HEDTA), and iminodiacetate (IDA) being the major complexants used. Main sources of dilute complexed waste in the double-shell tanks system are salt well liquid inventory. See also, EDTA, HEDTS, and IDA
<b>D &amp; D</b>	Decontamination and Decommissioning
<b>DCG</b>	Derived Concentration Guide
<b>DCH 18-Cr-6</b>	Dicyclohexano 18-Crown-6 Ether
<b>DCS</b>	Dilute Caustic Solution
<b>DCW</b>	Dilute Complexed Waste
<b>DDSSF</b>	Dilute Double Shell Slurry Feed
<b>DDT</b>	Deflagration to Detonation Transition
<b>DDWSF</b>	Dilute Double-Shell Slurry Feed. Product from run 86-1. See also DSS, and DSSF.

<b>DE</b>	Diatomaceous Earth added to BX-102 (1971), SX-113 (1972), TX-116 (1970), TX-117 (1970), TY-106 (1972) U-104 (1972).
<b>DEF</b>	??
<b>DF</b>	Decontamination Factor (term located WHC-EP-0791)
<b>DIL</b>	Dilute Feed for Evaporator input. Interstitial liquid that is not held in place by capillary forces, and will therefore migrate or move by gravity. See also DILFD
<b>DILFD</b>	Dilute Feed. See also DIL.
<b>DISS</b>	Dissolver
<b>Ditch</b>	A linearly oriented excavation often used for the temporary diversion or disposal of process waste streams.
<b>Diversion Box</b>	A below-grade concrete enclosure containing the remotely maintained jumpers and spare nozzles for diversion of waste solution to storage tank farms.
<b>DN</b>	DILUTE NON-COMPLEXED WASTE (DN) (i.e. contains no complexants) defined as waste with TOC <1wt% (10 g/L). See also DN/PD, DN/PT, PFP, PRF, TRU Solids, TRU, Z, and 224
<b>DNCPW</b>	Dilute Noncomplexed Waste
<b>DN/PD</b>	Dilute Non-Complexed Waste (DN) with P TRU solids. See also DN, DN/PT, P, PFP, PRF, PRF TRU Solids, TRU, Z, and 224..
<b>DN/PT</b>	Dilute Non-Complexed Waste (DN) with PFP TRU solids. See also DN, DN/PD, P, PFP, PRF, PRF TRU Solids, TRU, Z, and 224.
<b>DNSFB</b>	Defense Nuclear Facilities Safety Board
<b>DoD</b>	US Department of Defense
<b>DOE</b>	US Department of Energy. See also AEC and DOE.
<b>DOE/RL</b>	DOE/Richland (Field Office)
<b>DOH</b>	Washington Department of Health
<b>DP</b>	DILUTE PHOSPHATE WASTE
<b>DP</b>	Differential Pressure (term used LA-UR-92-3196 Rev 0)
<b>DP</b>	Distributor Pit (term used WHC-SD-WM-ER-204, Rev.0)
<b>DPDS</b>	Dilute PUREX Decladding Supernate
<b>Drainable Interstitial Liquid</b>	Liquid that is not held in place by capillary forces, and will therefore migrate or move by gravity. Drainable liquid remaining minus supernate. Drainable Interstitial Liquid is calculated based on the salt cake and sludge volumes, using average porosity values or actual data for each tank, when available.
<b>Drainable Remaining Liquid</b>	Supernate plus drainable interstitial.
<b>DRCVR</b>	Dilute Receiver Tank
<b>DRYWELL</b>	Vertical boreholes with 6-inch (internal diameter) carbon steel casings positioned radially around single-shell tanks. Periodic monitoring is done by gamma radiation or neutron sensors to obtain scan profiles of radiation or moisture in the soil as a function of well depth, which could be indicative of tank leakage. These wells range between 50 and 250 feet in depth, and are monitored between the range of 50 to 150 feet. The wells are sealed when not in use. The wells are called drywells because they do <u>not</u> penetrate to the water table and are therefore usually "dry".
<b>Drywell (in tank)</b>	A sealed casing within a tank that is attached to a riser and used for access of a gamma or neutron detector, or an acoustical probe to determine the level of interstitial liquid.
<b>DSS</b>	DOUBLE-SHELL SLURRY (from EOFY 77 inventory?). This waste is a concentrate of DSSF, but with a TOC<10g/L (<1wt% TOC is NC). Waste that exceeds the sodium aluminate saturation boundary in the evaporator without exceeding receiver tank composition limits. DSS is considered a solid. See also DDWSF and DSSF
<b>DSSF</b>	DOUBLE-SHELL SLURRY FEED. Waste concentrated just before reaching the Sodium Aluminate saturation boundary in the evaporator without exceeding receiver tank composition limits. This form is not as concentrated as DSS. See also DSS and DDWSF.
<b>DST</b>	Double Shell Tank. The newer one million gallon underground waste storage tanks consisting of a concrete shell and two concentric carbon steel liners with an annular space between the liners.

<b>DTPA</b>	diethylene-triamine-penta-acetic acid (term located WHC-EP-0791)
<b>DUMM, DUMMY</b>	Dummy Waste.
<b>DW</b>	Decontamination Waste
<b>DWBIX</b>	DECONTAMINATION WASTE AND B PLANT ION EXCHANGE
<b>DWPF</b>	Defense Waste Processing Facility
<b>DWVD</b>	Defense Waste Vitrification Demonstration
<b>E</b>	Emergency
<b>E-Stop</b>	Emergency stop
<b>EAC</b>	Energy Absorption Capacity
<b>EB</b>	Evaporator Bottoms. See also COND and EVAP.
<b>Ecology</b>	Washington State Department of Ecology
<b>EDE</b>	Effective Dose Equivalent
<b>EDTA</b>	Ethylenediaminetetraacetic acid (term located WHC-EP-0791). See also, DC, HEDTA, and IDA
<b>EF</b>	Evaporator Feed
<b>EFD</b>	Evaporator Feed Dilute
<b>EGR</b>	Episodic Gas Release (term located WHC-EP-0702, Rev 0)
<b>EIS</b>	Environmental Impact Statement
<b>ELEVATION</b>	Surveyed at riser flange (term used SD-RE-TI-053 Rev. 8)
<b>END</b>	Disconnect Cascaded Tanks. See also CAS, and SET.
<b>EP</b>	Enclosure Pit (term used WHC-SD-WM-ER-204, Rev.0)
<b>ERA</b>	Expedited Response Action
<b>ERDF</b>	Environmental Restoration Disposal Facility
<b>EPRI</b>	Electric Power Research Institute
<b>ERPG</b>	Emergency Response Planning Guideline
<b>ERDA</b>	Energy Research and Development Administration. See also AEC, and DOE.
<b>ES&amp;H</b>	Environment, Safety, and Health
<b>ESPIP</b>	Efficient Separations and Process Integrated Program (term used WHC-EP-0791)
<b>ETF</b>	Effluent Treatment Facility
<b>EV</b>	Evaporation
<b>EV</b>	Evaporation Entry
<b>EVAP</b>	EVAPORATOR LOSSES
<b>EVAP</b>	Evaporator connected to tank. See also COND and EB.
<b>EVAP</b>	Evaporator Feed (post 1976)
<b>EVAPF</b>	DILUTE, NON-COMPLEXED WASTE FROM EVAPORATOR PAD FLUSH
<b>EVAP Feed</b>	Any waste liquid that can be concentrated to form salt cake; e.g., aged waste, low heat waste, dilute interstitial liquor, and other radioactive waste solutions.
<b>Evap Feed Dil</b>	Evaporator Feed Dilute. See also EFD
<b>EVFD</b>	Evaporator Feed Tank
<b>EVS</b>	Partial neutralization in 242-S Evaporator.
<b>EVT</b>	HEDTA destruction in 242-B or 242-T evaporators.
<b>Evaporator Crystallizer</b>	242-A and 242-S waste concentration facilities that operate at a reduced pressure (vacuum) and are capable of producing a slurry containing about 30 volume percent solids at a specific gravity of greater than 1.6.
<b>Evaporator Feed</b>	Any waste liquid that can be concentrated to form salt cake; e.g., low heat waste, dilute interstitial liquor, aged waste, and other radioactive waste solutions.
<b>F</b>	Food Instrument Company (FIC) Automatic Surface Level Gauge (term used Tank and Surveillance and Waste Status Summary Report)
<b>FAILED</b>	Thermocouples with either open circuits or loop resistance. (term used WHC-SD-WM-TI-553, Rev.0)
<b>F/B</b>	flange with bale (term used WHC-SD-WM-ER-204, Rev.0)
<b>FCT</b>	flux-corrected transport
<b>FD</b>	Feed Dilute
<b>FDC</b>	functional design criteria

<b>FeCN</b>	Ferrocyanide wastes created during a scavenging campaign in 1953-57. See also SCAV, P00, T00, PFeCN1, PFeCN2, and TFeCN
<b>FFTF</b>	Fast Flux Test Facility
<b>FIC gauge</b>	A Food Instrument Corporation Automatic Liquid Level Gauge based on a conductivity probe. At Hanford they are electrically connected to a computer for data transmission, analysis, and reporting. Local readings may also be obtained from a dial. (term located Tank and Surveillance and Waste Status Summary Report)
<b>FIRST AND SECOND CYCLE DECONTAMINATION WASTES</b>	Waste contained 10 percent of the original fission product activity and 2 percent of the product. By-product cake solution was mixed with product waste and neutralized with 50 percent caustic. This waste contained a mixture of suspended solids, hydroxides, carbonate and phosphate, scavenger metals, and chromium, iron and sodium, silicofluoride. See also 1C and 2C.
<b>F/L</b>	Flange with lead
<b>FLSH</b>	Flush water.
<b>FM</b>	Flow meter (term located LA-UR-92-3196 Revised)
<b>FM-Approved</b>	Factory Mutual-Approved (term located LA-UR-92-3196 Revised)
<b>FP</b>	Fission Product Waste. Cs and Sr recovery began in 222-B in 1967. Cs was removed from PUREX SU (PAW) and Sr from PUREX SL (PAS), and both from Acidic Waste.
<b>FSPLIT</b>	Separates or slots the flow of one or more input streams into two or more output streams.
<b>FTIR</b>	Fourier Transform Infrared (term located WHC-EP-0702, Rev 0)
<b>FV</b>	Field Verify
<b>GA</b>	Gain to Tank
<b>GAS</b>	SLURRY GROWTH AS A RESULT OF GAS GENERATION
<b>GC</b>	Gas Chromatograph (term located LA-UR-92-3196 Revised)
<b>GEA</b>	Gamma Energy Analyses (see SD-WM-PE-029 Rev. 0, 242-A Evap/Crystallizer FY 84-86 Campaign Run.
<b>GIT</b>	Georgia Institute of Technology (term located WHC-EP-0702, Rev 0)
<b>GM Instrument</b>	Instrument for detecting low-level beta and gamma radiation using a Geiger-Mueller tube.
<b>GRD</b>	Riser at Grade (term located WHC-SD-WM-ER-204, Rev.0)
<b>GRE</b>	Gas Release Event (term located WHC-EP-0702, Rev 0)
<b>GROUP</b>	A group of tanks where ITS averaged the supernatant phases. See also ITS.
<b>GROUT</b>	OUTFLOW TO THE GROUT FACILITY
<b>GRTFD</b>	Grout Feed Tank
<b>GTCC</b>	Greater than Class C (term from WHC-EP-0791)
<b>GUNITE</b>	A building material consisting of a mixture of cement, sand, and water that is sprayed onto a mold.
<b>HAMMER</b>	Hazardous Materials Management and Emergency Response Training Center
<b>Hanford Coordinates</b>	A set of offsets, in feet, from a reference point on the site. These are the units used to lay out these facilities. Conversion to latitude and longitude is possible.
<b>Hard Pan</b>	Term used to describe uranium carbonate phase that formed in solids from MW additions. Proved to be very difficult to sluice.
<b>HASP</b>	Health and Safety Plan
<b>HAW</b>	Aging waste from PUREX/PFM Processing NPR Nuclear Fuel. See also AGE, AGING, AGING WASTE, IWW, NCAW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
<b>HazOP</b>	Hazards and Operability Study
<b>HDRL</b>	Hanford Defense Residual Liquid
<b>HEAT</b>	A tank level correction due to thermal expansion. See also CORR, COOL, and LEAK.
<b>HEDL</b>	Dilute sulfate waste. See also UNC.(see SD-WM-PE-029 Rev..0, 242-A Evap/Crystallizer FY 84-86 Campaign Run)
<b>HEDTA</b>	N-(2-hydroxyethyl)ethylenediamine tetra acetate
<b>Heel</b>	The waste that remains in a tank after the tank is emptied.

HEPA	High-Efficiency Particulate Air . A filter designed to achieve 99,995 percent minimum efficiency in the containment of radioactive particulates greater than 0.3 micrometer in size. (term located WHC-EP-0702, Rev 0)
HFW	Hanford Facility Wastes
HHI	Health Hazard Index (term from WHC-EP-0791)
HHW	High Heat Waste
HIC	High Integrity Container
HJ	Heel Jet (term from WHC-SD-WM-ER-204, Rev.0)
HLO	Hanford Laboratory Operations Waste
HLW	High-Level Waste—generic for all Hanford Tank Wastes. Waste from the fuel reprocessing operations in separations plants.
HP	Heel Pit (term from WHC-SD-WM-ER-204, Rev.0)
HMS	Hanford Meteorological Station
HMS/TRAC	Hydrogen Mixing Study Transient Reactor Analysis Code (term located LA-UR-92-3196 Revised)
HS	Hot Semi-Works. A pilot facility that had a variety of operations. See also C Plant, and SSW.
HSA	Hanford Strategic Analysis (term located WHC-EP-0791)
HSRAM	Hanford Site Risk Assessment Methodology
HTCE	<i>Historical Tank Content Estimate</i>
HTWRS	Hanford Tank Waste Remediation System
HVAC	Heating, Ventilating, and Air Conditioning
HWVP	Hanford Waste Vitrification Plant.
HWVP	DILUTE, NON-COMPLEXED WASTE FROM THE VITRIFICATION PLANT (term From WHC-EP-0791)
I&S	Tank Isolated and Stabilized
IC	Synonym (misspelling?) for 1C-1st cycle decontamination waste-BiPO <sub>4</sub> . See also MW, 2c, and BiPO <sub>4</sub> .
ICE	Implicit Continuous Eulerian (term located LA-UR-92-3196 Revised)
ICEBC	?? (1st cycle evaporator bottoms concentrate??) See 1CEBC
ICF	Consolidated Incinerator Facility (term located WHC-EP-0791)
ICO	DILUTE NON-COMPLEXED WASTE FROM TERMINAL CLEANOUT.
IDA	Iminodiacetate. See also, DC, EDTA, and HEDTA.
IDEF	Integrated Computer-Aided Manufacturing (ICAM) Definition (Language) (term located WHC-EP-0791)
IDLH	Imminently (or immediately) Dangerous to life or health (term located LA-UR-92-3196 Revised)
Inactive Tank	A tank that has been removed from liquid-processing service, has been pumped to less than 33,000
IH	Instrument House (term from WHC-SD-WM-ER-204, Rev. 0)
II	Interim Isolated. The administrative designation reflecting the completion of the physical effort required to minimize the addition of liquids into an inactive storage tank, process vault, sump, catch tank, or diversion box. In June 1993, Interim Isolation was replaced by Intrusion Prevention. (term located Tank and Surveillance and Waste Status Summary Report)
ILL	Interstitial Liquid Level. Liquid that resides in the voids/interstices of the solids.
Inactive Tank	A tank that has been removed from liquid processing service, has been pumped to contain less than 33,000 gallons of waste, and is not yet or in the process of stabilization and interim isolation. This includes all tanks not in active or active-restricted categories. Also included are inactive spare tanks that would be used if an active tank failed.
INEL	Idaho National Engineering Laboratory (term located WHC-EP-0791)
In-Service Tank	The waste classification of a tank being used, or planned for use, for the storage of liquid (in excess of a minus supernatant liquid heel) in conjunction with production and/or waste processing. All Hanford double-shell tanks are in-service; none of the single-shell tanks are in-service.
INST	CHANGE IN TANK LEVEL DUE TO CHANGE IN INSTRUMENTATION.

<b>Interim Isolation</b>	An administrative designation reflecting the completion of the physical effort required to minimize the addition of liquids into an inactive storage tank, process vault, sump, catch tank, or diversion box. See Intrusion Prevention.
<b>Interim Stabilization</b>	A tank which contains less than 50,000 gallons of drainable interstitial liquid and has less than 5,000 gallons of supernatant. If the tank was jet pumped to achieve interim stabilization, then the jet pump flow must have been at or below 0.05 gallons per minute before interim stabilization is completed.
<b>Intrusion</b>	The unintended entry of any liquid into a waste storage tank.
<b>Intrusion FIC</b>	A mode of operating the FIC surface level monitoring equipment typically used when a waste surface is non-electrically conductive. The conductivity probe (plummet) is positioned a small distance above the waste surface. Should that gap be spanned by an intruding liquid, conductivity between the plummet and the waste surface would be established this triggers an alarm in the CASS system. Note that the intrusion FIC levels is not an actual measurement of the current waste surface.
<b>Intrusion Mode FIC Setting</b>	The FIC probe is positioned a short distance above the waste surface. If the surface level of the waste in the tank increases, thereby touching the probe tip, a pointive indication is received.
<b>IP</b>	Intrusion Prevention. This is an administrative designation reflecting the completion of the physical effort required to minimize the addition of liquid into an inactive storage tank, process vault, catch tank, sump, or diversion box. (term located Tank and Surveillance and Waste Status Summary Report) See also IP.
<b>IP</b>	Instrument House (term from WHC-SD-WM-ER-204, Rev.0)
<b>IRAP</b>	Integrated Risk Assessment Program
<b>IS</b>	Interim Stabilized. A tank which contains less than 50,000 gallons of drainable interstitial liquid and has less than 5,000 gallons of supernatant liquid. If the tank was jet pumped to achieve interim stabilization, then the jet pump flow must also have been at or below 0.05 gallons per minute before interim stabilization is completed.
<b>ISO</b>	Tank is Interim-Isolated
<b>Isolation</b>	The act of sealing a tank against liquid intrusion from credible sources and confining the atmosphere in the tank. Filtered airways are not sealed. The balance the pressure to the atmosphere, and in some cases provide cooling airflow.
<b>ISV</b>	In-situ Vitrification (term located WHC-EP-0791)
<b>ITS</b>	In-Tank Solidification-Program using steam evaporators inside of certain tanks on BY Farm. ITS#1 ran 1965-70 in BY-102 (a pilot demonstration was also run in BY-101) and ITS#2 ran 1968-74 in BY-112. During 1971-74, ITS#1 used as cooler instead of a heater. See also GROUP
<b>IWW</b>	INORGANIC WASH WASTE TO SST—same as P or NCAW. Refers to HAW or PAW. See also AGE, AGING, AGING WASTE, HAW, NCAW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
<b>IX</b>	Ion Exchange Waste. Assumed ion exchange (IX) removal efficiency for radionuclides (i.e., americium, strontium, cesium, and technetium). Ion Exchange identifies waste returned from Cs recovery. See also CSR, and BPDC.
<b>IXROW</b>	??Ion-Exchange REDOX Organic Wash??
<b>JEG</b>	Joint Evaluation Group (term located LA-UR-92-3196 Revised)
<b>JET PUMP</b>	A modified commercially available low capacity jet pump used as a salt well pump.
<b>KNUCKLE</b>	Point where the side wall and the bottom curved surface of a tank meet.
<b>KOP</b>	Knowledge of Process uses process information to derive waste compositions based on some process driver.
<b>L</b>	Inactive/Leaker
<b>LaF</b>	Lanthanum Fluoride waste generated in Plutonium Finishing Plant Operation from 1945-?. See also 224, and 224-F.
<b>LANCE</b>	OUT FLOW DUE TO LANCING OF TANK
<b>Lance/Lancing</b>	A long steel pipe, usually 2-to-3 inches in diameter. The top is bent at a 90-degree angle, and contains a check valve, gate valve, and nose connection. The bottom end of the lance is tapered to a 1/2-inch diameter. Water enters the top of the lance, which is forced out the bottom at high pressure. This creates a passage way which may be used for equipment installation.



<b>LANH</b>	Heavy Lanthanides (term located WHC-EP-0791)
<b>LANL</b>	Los Alamos National Laboratory
<b>LANL</b>	Light Lanthanides (term located WHC-EP-0791)
<b>LATA Consortium</b>	Los Alamos Technical Associates; British Nuclear Fuels, LTD; Southwest Research Institutes; and TRW, Inc.
<b>Lateral</b>	Horizontal drywell positioned under single-shell waste storage tanks to detect radionuclides in the soil which indicate leakage. Lateral drywells are monitored by radiation detection probes. Laterals are 4-inch ID steel pipes located 8 to 10 feet below the tank's concrete base. There are three laterals per tank in A and SX Farms. There are no lateral drywells in any other farms.
<b>LB</b>	Lifting Bale. Riser top has plate flange with lifting bale - possible concrete plug under
<b>LE</b>	Lead Encasement (term From WHC-SD-WM-ER-204, Rev.0)
<b>LEAK</b>	Tank leak volume. See also ADJ, COOL, and CORR.
<b>LEAK DETECTOR</b>	Fixed liquid level sensor - tape with weight (term located SD-RE-TI-053 Rev. 8)
<b>LEAK DETECTION PIT</b>	Collection point for any leakage from AM Farm Tanks. The pits are equipped with radiation and liquid detection instruments.
<b>LEL</b>	Lower Explosive Limit (term located WHC-EP-0702, Rev 0)
<b>LERF</b>	Liquid Effluent Retention Facility.
<b>LETF</b>	LIQUID EFFLUENT TREATMENT FACILITY FROM N REACTOR.
<b>Level Adjustment</b>	Any update in the waste inventory (or tank level) in a tank. The adjustments usually result from surveillance observations or historical investigations.
<b>Level History</b>	A diagram that shows the history of the waste level and waste level changes in a tank. The diagram also includes other related data.
<b>LFL</b>	Lower Flammability Limit (term located WHC-EP-0702, Rev 0)
<b>Liquid Level Best Engineering Judgment Line</b>	During the initial filling of certain single-shell tanks, only the liquid level was reported. To adjust for the big increase in level height, which occurred when solids were added to the record, a sloped line was used to reflect solids volume between the initial fill and the time the solids data were recorded.
<b>LIT</b>	Automatic Liquid indicator Tape (term located SD-RE-TI-053 Rev. 8)
<b>LLI</b>	Manual Liquid Level Indicator (term located SD-RE-TI-053 Rev. 8)
<b>LLR</b>	liquid level reel (term located WHC-SD-WM-ER-204, Rev.0)
<b>LLR</b>	manual liquid level sensor - tape with weight (term located SD-RE-TI-053 Rev. 8)
<b>LLW</b>	low-level waste (term From WHC-EP-0791)
<b>LO</b>	Loss from tank. (term From WHC-SD-WM-ER-204, Rev.0)
<b>LOW</b>	Liquid Observation Well. Liquid observation wells are used for monitoring the interstitial liquid level (ILL) in single-shell waste storage tanks. The wells are constructed of fiberglass, or tefzel-reinforced epoxy-polyester resin. They extend to within 1 inch of the bottom of the tank steel liner. They are sealed at their bottom ends and have a nominal outside diameter of 3.4 inches. See also ADJ, COOL, and CORR.
<b>LUNC</b>	DILUTE, NON-COMPLEXED WASTE FROM UNC FUELS FABRICATION FACILITY
<b>LW</b>	Laboratory Waste
<b>L222S</b>	222S LAB DILUTE NON-COMPLEXED WASTE FROM S PLANT.
<b>L3A4A</b>	DILUTE NON-COMPLEXED LABORATORY WASTES FROM 300 AND 400 AREAS.
<b>M</b>	Manual Tape Surface Level Gauge (term located Tank and Surveillance and Waste Status Summary Report)
<b>MAB</b>	Maximum Allowable Burp (term located LA-UR-92-3196 Revised)
<b>MAPs</b>	Mitigation Action Plans
<b>MARGINAL</b>	Thermocouple with higher than normal (0.5 ohms to 20 ohms depending on length) loop resistance, higher than normal resistance in one lead to ground, or having some other abnormality, e.g. inconsistent resistance measurements. (term located WHC-SD-WM-TI-553, Rev.0)
<b>MAWB</b>	Maximum Allowable Window Burp (term located LA-UR-92-3196 Revised)
<b>MAXSPD</b>	Maximum Speed Parameters (term located LA-UR-92-3196 Revised)
<b>MCC</b>	Motor Control Center (term located LA-UR-92-3196 Revised)
<b>MDW</b>	Miscellaneous Dilute Waste

Tefzel is a Registered Trademark of E.I. du Pont de Nemours & Co.

<b>MEB</b>	Maximum Expected Burp (term located LA-UR-92-3196 Revised)
<b>MIE</b>	Minimum Ignition Energy (term located WHC-EP-0702, Rev 0)
<b>MIT</b>	Multifunction Instrument Tree (term located WHC-SD-WM-TI-553, Rev 0)
<b>MPR</b>	Multiport Riser (term located LA-UR-92-3196 Revised)
<b>MS</b>	Mass Spectrometer (term located LA-UR-92-3196 Revised)
<b>MW</b>	Metal Waste from BiPO <sub>4</sub> . 90% of FP, all of U, 1% of Pu. Waste from the extraction containing all the Uranium, approximately 90% of the original fission product activity, and approximately 1% of the Pu product. This waste was brought just to the neutral point with 50% caustic and then treated with and excess of sodium carbonate. This procedure yielded almost completely soluble waste at a minimum total volume. The exact composition of the carbonate compounds was not known but was assumed to be a Uranium Phosphate Carbonate mixture. See also 1C, and 2C.
<b>MW</b>	Maximum Window (term located LA-UR-92-3196 Revised)
<b>MW1</b>	Metal waste from BiPO <sub>4</sub> , 1944 to 1951
<b>MW2</b>	Metal waste from BiPO <sub>4</sub> , 1952 to 1956
<b>MWB</b>	Maximum Window Burp (term located LA-UR-92-3196 Revised)
<b>MWF</b>	Metal Waste Feed? Set to water in TRAC.
<b>N</b>	N-Reactor waste. See also CP.
<b>N2</b>	Nitrogen
<b>NBAW</b>	NEUTRALIZED B PLANT ACID WASTE
<b>NCAW</b>	LIQUID WASTE, HIGH CS, SR, AND TRU CONTENT. Neutralized Current Acid Waste primary HLW stream from PUREX process. See also AGE, AGING, AGING WASTE, HAW, IWW, NFAW, NHAW, NRAW, PAW, PFM, and P83-88.
<b>NCBUSTS</b>	Noncombustible Solids (term located WHC-EP-0791)
<b>NC layer</b>	Nonconvective Layer (term located LA-UR-92-3196 Revised)
<b>NCPL</b>	Non-Complexed Waste general term applied to all Hanford site liquids not identified as complexed. See also NCPLX and NCPLEX.
<b>NCPLEX</b>	Non-Complexed Waste. See also NCPL and NCPLX.
<b>NCPLX</b>	Non-Complexed Waste term applied to all Hanford Site liquors not identified as complexed.. See also NCPL and NCPLEX.
<b>NCRW</b>	Neutralized Cladding Removal Waste—Same as CWP/Zr. See also CWP, CWP/Zr, and PW.
<b>NDAA</b>	National Defense Authorization Act (term located WHC-EP-0702, Rev 0)
<b>NE</b>	Northeast quadrant of tank (term from WHC-SD-WM-ER-204, Rev.0)
<b>NEC</b>	National Electrical Code (term located LA-UR-92-3196 Revised)
<b>NEPA</b>	National Environmental Policy Act (term located WHC-EP-0702, Rev 0)
<b>Neutralized PUREX Acid Waste</b>	The original plant in 1956 neutralized all of the high-level waste and sent it to the A-241 Tank Farm. As fission product recovery started, a portion of the waste was treated for Strontium Recovery and then neutralized. As of 1967 all of the High-Level Waste left PUREX as an acid solution for treatment at B Plant. See also P, and PL.
<b>NFAW</b>	Aging waste from PUREX/PFM high level waste.
<b>NFPA</b>	National Fire Protection Association (term located LA-UR-92-3196 Revised)
<b>Neutron Probe</b>	Probe equipped with a neutron source and detector. They are used in dry well monitoring to determine the moisture content of the soil as one way to detect leaks in underground waste storage tanks or pipelines.
<b>nf</b>	does not show at surface, not in a pit - no surface access
<b>NFAW</b>	AGING WASTE FROM PUREX/PFM HIGH LEVEL WASTE (FFTF-NCAW) See also AGE, AGING, AGING WASTE, HAW, IWW, NCAW, NHAW, NRAW, and P83-88.
<b>NFPA</b>	National Fire Protection Association
<b>NHAW</b>	AGING WASTE FROM PUREX/PFM PROCESSING OF NPR FUEL
<b>NIOSH</b>	National Institute of Occupational Safety and Health (term located LA-UR-92-3196 Revised)
<b>NIST</b>	National Institute of Standards and Technology (term located LA-UR-92-3196 Revised)

<b>NIT</b>	HNO <sub>3</sub> /KMNO <sub>4</sub> solution added during evaporator operation (Neutralization in Transfer?) See also PNF.
<b>NOx</b>	Oxides of nitrogen (term located WHC-EP-0791)
<b>NPH</b>	Normal Paraffin Hydrocarbon was diluent used in Uranium recovery and PUREX processes, and is close to Dodecane, C <sub>12</sub> H <sub>26</sub> .
<b>NRAW</b>	AGING WASTE FROM PUREX/PFM RESIDUE ACID WASTE (FFTF-NCAW). See also AGE, AGING, AGING WASTE, HAW, IWW, NCAW, NHAW, PAW, PFM, and P83-88.
<b>NRC</b>	US Nuclear Regulatory Commission (term from WHC-EP-0791)
<b>NRP82</b>	DILUTE, NON-COMPLEXED WASTE FROM FY82 100-N AREA WASTE TRANSFER
<b>NRPO4</b>	DILUTE, PHOSPHATE WASTE FROM 100 N AREA
<b>NRSO4</b>	DILUTE, NON-COMPLEXED WASTE FROM 100 N AREA
<b>NSTF</b>	Near Surface Test Facility (NSTF) is a full-scale demonstration facility designed for testing, engineering, and training.
<b>NTA</b>	Nitriiotriacetic acid
<b>OFFGAS</b>	Cell air and offgas (term located WHC-EP-0791)
<b>OP</b>	Observation Port (term from WHC-SD-WM-ER-204, Rev.0)
<b>Open Hole Salt Well</b>	A well in which a pump is inserted in solid waste. Frequently used to remove the liquid from tanks containing less than 2 feet of sludge. See also Salt Well.
<b>ORR</b>	Operational Readiness Review (term located WHC-EP-0702, Rev 0)
<b>OSD</b>	Operational Safety Document
<b>OSHA</b>	Occupational Safety and Health Administration
<b>OSR</b>	Operational Safety Requirement
<b>OTHHI</b>	Other upper limit (term located WHC-EP-0791)
<b>Out-of-Service</b>	A tank which does not meet the definition of an in-service tank. All single-shell tanks are out of service.
<b>OUTX</b>	Transfer from Tank_n out to either a secondary processing operation or to a crib. See also TR.
<b>OVM</b>	Organic Vapor Monitor (term located WHC-EP-0702, Rev 0)
<b>OWW</b>	ORGANIC WASH WASTE FROM PUREX. Evidently, this was combined with P waste in 1960-61, but usually kept separate. The solvent used in PUREX was treated before reuse by washing with potassium permanganate and sodium carbonate, followed by dilute nitric acid and then a sodium carbonate wash. See also A-Plant, CWP, CARB, OWW PUREX Plant, and.
<b>OWW1, OWW2, OWW3</b>	
<b>P</b>	PUREX HLW, 1956-72. Sometimes assumed to be 50% OWW. Used NPH/TBP to extract both Pu and U. Np was also extracted from 1963-72. See also DN, and PL.
<b>P</b>	Photo Evaluation (term located Tank and Surveillance and Waste Status Summary Report)
<b>P 1</b>	PUREX high-level waste generated between 1955 and 1962.
<b>P 2</b>	PUREX high-level waste generated between 1963 and 1967.
<b>P83-88</b>	now called PXNAW or NCAW. AZ-101 and AZ-103. See also AGE, AGING, AGING WASTE, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PAW, and PFM.
<b>PL83-88</b>	now called PXMSC
<b>P-10 Pump</b>	A turbine pump used in the first stage of removing liquids from a waste storage tank.
<b>P&amp;IDs</b>	Piping & Instrument Diagrams
<b>P00-P##</b>	In-Plant scavenging with FeCN. See also SCAV, T00-T##
<b>PADFG</b>	PUREX AMMONIA DESTRUCTION WASTE, FROM FUELS GRADE FUEL
<b>PADWG</b>	PUREX AMMONIA DESTRUCTION WASTE, FROM WEAPONS GRADE FUEL
<b>Partially Interim Isolated</b>	The administrative designation reflecting the Interim isolated completion of the physical effort required for Interim Isolation except for isolation of risers and piping that is required for jet pumping or for other methods of stabilization.
<b>PAL</b>	222-S Process and Analytical Laboratory
<b>PAS</b>	PUREX Acidified Sludge—refers to sludge that has been sluiced from waste tanks and acidified to 0.1 M HNO <sub>3</sub> (as part of Cs/Sr recovery) in AR-Vault.

<b>PASF</b>	PUREX AMMONIA SCRUBBER FEED. Waste that derives from the scrubber for the cladding dissolves off gas.
<b>PASF83-88</b>	PUREX Ammonia Scrubber Fee, never before seen
<b>PAW</b>	PUREX Acidified Waste. Also used to refer to Aluminum Cladded Fuel (as opposed to ZAW for Zirconium Cladded Fuel). See also AGE, AGING, AGING WASTE, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PFM, and P83-88.
<b>PCOND</b>	PUREX condensate
<b>PCONDCRIB</b>	PUREX condensate to crib.
<b>PD</b>	PUREX decladding waste. See also CWP/Zr, NCRW, and PN.
<b>PDBNG</b>	DECLADDING SLUDGE (NON-TRU) FROM B PLANT PROCESSING
<b>PDBSU</b>	DILUTE, NON-COMPLEXED WASTE FROM B PLANT DECLADDING WASTE
<b>PDBTG</b>	B PLANT AGING WASTE SOLIDS FROM PUREX DECLADDING WASTE
<b>PDCSS</b>	DILUTE NON-COMPLEXED PUREX DECLADDING WASTE, FY 1986 ONLY
<b>PDL87</b>	PUREX DECLADDING SUPERNATANT, 1987
<b>PDL89</b>	PUREX DECLADDING SUPERNATANT, NON TRU, SPENT METATHESIS REMOVED
<b>PD/PN</b>	Plutonium-Uranium Extraction (PUREX) Neutralized Cladding Removal Waste (NCRW), transuranic waste (TRU). See also PUREX Decladding.
<b>PDNSG</b>	NON-TRU DECLADDING SLUDGE FROM PUREX
<b>PDS87</b>	PUREX DECLADDING SLUDGE
<b>PDS89</b>	PUREX DECLADDING SLUDGE AFTER FY89
<b>PDSL</b>	PUREX DECLADDING SLUDGE SOL PUREX
<b>PDSUP</b>	DILUTE, NON-COMPLEXED WASTE PUREX DECLADDING WASTE
<b>PF</b>	Process Flow Diagram (term located WHC-EP-0791)
<b>PF<sub>FeCN</sub></b>	Ferrocyanide sludge produced by in-plant scavenging of waste from uranium recovery.
<b>PF<sub>FeCN1</sub></b>	Ferrocyanide sludge produced by in-plant scavenging of waste from Uranium recovery. Used 0.005 M Ferrocyanide. See also FeCN, TFeCN, UR, P00, and T00.
<b>PF<sub>FeCN2</sub></b>	Same as PF <sub>FeCN1</sub> , except used 0.0025 M Ferrocyanide used.
<b>PEL</b>	Permissible Exposure Limit
<b>PFM</b>	Process Facility Modification (PFM) Project provides a head end facility for the PUREX Plant in which N-fuel and FFTF fuel can be processed. See also AGE, AGING, AGING WASTE, HAW, IWW, NCAW, NFAW, NHAW, NRAW, PAW, and P83-88.
<b>PFMMS</b>	DILUTE, NON-COMPLEXED WASTE FROM SHEAR/LEACH PROCESSING OF NPR FUEL
<b>PFP</b>	Z Plant Plutonium Finishing Plant. Pu Finishing Plant waste. See also DN, DN/PD, DN/PT, P, PRF, PFPNT, PFP TRU Solids, TRU, Z Plant, and 224
<b>PFPGR</b>	DILUTE, NON-COMPLEXED WASTE FROM RETRIEVED PFP SOLIDS
<b>PFPNT</b>	NON-TRU SLUDGE FROM THE PFP SOL Z PLANT. See also DN, DN/PD, DN/PT, P, PRF, PFP TRU Solids, TRU, Z Plant, and 224
<b>PFPPT</b>	DILUTE, NON-COMPLEXED WASTE FROM THE PFP (WITH TRUEX). See also TRUEX
<b>PFPSL</b>	HIGH-TRU SLUDGE FROM THE PFP SOL Z PLANT. See also DN, DN/PD, DN/PT, P, PRF, PFPNT, PFP TRU Solids, TRU, Z Plant, and 224
<b>PFP TRU Solids</b>	TRANSURANIC SOLIDS FRACTION FROM PLUTONIUM FINISHING PLANT OPERATIONS. See also DN, DN/PD, DN/PT, P, PRF, PFPNT, PFP, TRU, Z Plant, and 224
<b>PhW</b>	Phosphorous Waste
<b>PI</b>	Partially Interim Isolated. The administrative designation reflecting the completion of the physical effort required for Interim Isolation except for isolation of riser and piping that is required for jet pumping or for other methods of stabilization. (term located Tank and Surveillance and Waste Status Summary Report)
<b>PL</b>	PUREX low-level waste. See also DN, DN/PD, DN/PT P, PL, PFP, PFP TRU Solids, PRF, TRU, PFP TRU Solids, Z Plant, and 224.
<b>PML89</b>	PUREX SPENT METATHESIS LIQUID AFTER FY89

PMS89	PUREX SPENT METATHESIS SOLIDS AFTER FY89
PMW	PUREX miscellaneous waste
PN	PUREX, neutralized cladding waste. See also CWP, NCRW and PD.
PNF	Partial Neutralization Feed. Indicates addition of nitric acid at an evaporator in an attempt to produce more salt cake during volume reduction. See also NIT.
PNL	Pacific Northwest Laboratory
PNW	Partial Neutralization Waste
Pond (Swamp)	Ground area where uncontaminated or low-level waste water is discharged to seep into the ground.
PP	pump pit (term located WHC-SD-WM-ER-204, Rev.0)
PRA	Probabilistic Risk Assessment
PRF	Plutonium Reclamation Facility—Type of waste generated in Z-Plant for "finishing wastes". Solvent based extraction process using CCl4/TBP. See also DN, DN/PD, DN/PT, P, PFP, PFP TRU Solids, Z Plant, 224, and 236-B.
PRTR	Plutonium Recycle Test Reactor
Primary Addition	An addition of waste from a specific plant or process vault. These additions come from the <i>Waste Status and Transaction Summary</i> , WHC-SD-WM-TI-614 & -615, Rev. O, DRAFT.
PRTR	Plutonium Recycle Test Reactor
PS	Primary Stabilization. The condition of an inactive waste storage tank after all liquid above the solids, other than isolated surface pockets has been removed. Isolated surface pockets of liquid are those not pumpable by conventional techniques.
PSA	Probabilistic Safety Assessment
PSICSF	Pump System installation containment seal fixture
PSL	PUREX sludge sluiced during recovery of Sr.
PSS	PUREX Sludge Supernatant.
PSSF	PUREX Sludge Supernatant Feed?
PT	Plutonium Finishing Plant (PFP) TRU Solids. TRU solids from 200W.
PT100	TRU waste from ??
PUREX	Plutonium Uranium Extraction Plant. Also called A Plant where PUREX process ran from Jan. 1952-Jun. 1972, then was in standby and ran again from Nov. 1983 to 1991, and is now shutdown. See also A Plant, CWP, CARB, OWW, and P.
PWM	Pulse width modulated
PWR	Pressurized Water Reactor Core II from Shipping Port Atomic Power Station
PX86S	DILUTE, NON-COMPLEXED WASTE FROM PUREX MISC. STREAMS (NPR FUEL) FY 86
PXBAW	B PLANT AGING WASTE SUPERNATANT FROM RETRIEVED AGING WASTE
PXBSG	B PLANT AGING WASTE SOLIDS FROM RETRIEVED AGING WASTE
PXFTF	DILUTE, NON-COMPLEXED WASTE FROM PUREX MISC. STREAMS (FFTF)
PXLOW	PUREX LOW LEVEL WASTE THAT WENT TO SST
PXMET	PUREX DILUTE, NON-COMPLEXED DECLADDING: SPENT METATHESIS
PXMSC	DILUTE, NON-COMPLEXED WASTE FROM PUREX MISC. STREAMS (NPR FUEL)
PXNAW	AGING WASTE FROM PUREX HIGH LEVEL WASTE
QA	Quality Assurance
QATF	Quality Assurance Task Force
Questionable Integrity	Any tank that has a small decrease in liquid level or a radiation increase in an associated dry well, for which the remaining data for the tank is insufficient to support a conclusion with 95% confidence that the tank is sound.
R	REDOX High Level Waste (HLW) was generated from 1952 to 1966. It used methylisobutylketone (hexone) as a solvent, and extracted both uranium and plutonium. (S-Plant) Ran from Jan. 1952 to Dec. 1967.
R1	REDOX waste generated between 1952 and 1957.
R2	REDOX waste generated between 1958 and 1966.
R202S	
RCC	??REDOX CC??

<b>RCOND</b>	REDOX Condensate.
<b>RCONDCRIB</b>	REDOX Condensate to Crib.
<b>REC</b>	Receive from Trans_tank and are always positive. Trans_tank will always be one of the primary 177 waste tanks. See also SEND, TR, and XFER.
<b>REDOX</b>	Also know as S-Plant where REDOX process ran 1952-66? See also R, and CWR.
<b>Removed from Service (Tanks)</b>	Any tank that is a confirmed leaker or is not intended for reuse.
<b>RESD</b>	Residual Evaporator Liquor
<b>RISER</b>	Pipe leading into tank dome See also Blank Space.(term located SD-RE-TI-053 Rev. 8)
<b>Riser P/CP</b>	Riser is recessed below a cement pad with an access plate at grade (term located SD-RE-TI-053 Rev. 8)
<b>RIX</b>	REDOX Ion Exchange. See also RTX, and SIX
<b>RP</b>	Receiving Pit (term located WHC-SD-WM-ER-204, Rev.0)
<b>RMA</b>	Remote Mechanical A-Line.
<b>RMC</b>	Remote Mechanical C-Line—Process used in Z Plant.
<b>RSitCk</b>	Salt Cake precipitate from self concentration in S and SX Farms.
<b>RSN</b>	REDOX Supernatant
<b>RSS</b>	REDOX Sludge Supernatant
<b>RSS</b>	Remote Supervisory Station
<b>RTD</b>	Resistance Temperature Detector (term located WHC-SD-WM-TI-553, Rev 0)
<b>RTX</b>	REDOX Ion Exchange. See also SIX, and RIX
<b>S</b>	Transaction Flag Key-Partial Neutralization (PNF).
<b>S</b>	Sludge Level Measurement Device (term located Tank and Surveillance and Waste Status Summary Report)
<b>S1SitCk</b>	Salt cake waste generated from the 242-S Evaporator/crystallizer from 1973 until 1976.
<b>S2SitSlry</b>	Salt cake waste generated from the 242-S Evaporator/crystallizer from 1977 until 1980.
<b>SA</b>	Safety Assessment
<b>Salt Cake</b>	Crystallized Nitrate and other salts deposited in waste tanks, usually after active measures are taken to remove moisture. (term located Tank and Surveillance and Waste Status Summary Report)
<b>Salt Slurries</b>	Same as DSS, estimated from chemical model by precipitation (via evaporator). DSS derives from the supernatants of a variety of wastes following evaporation of water. See also DSS, and A2Altslr.
<b>Salt Well</b>	A hole drilled or sluiced into a salt cake and lined with a cylindrical screen to permit drainage and jet pumping of interstitial liquors.
<b>Salt Well Liquid</b>	See also SWLIQ
<b>Salt-Well Pump</b>	A low-capacity pump used to remove interstitial liquid from wells.
<b>SAR</b>	<i>Safety Analysis Report</i>
<b>SCAV</b>	Scavenging campaign with FeCN on TBP, 1952-57. See also T00-T##, P00-P##, and Scavenged.
<b>Scavenged</b>	Waste which has been treated with ferrocyanide to remove cesium for the supernatant by precipitating it into the sludge. See also SCAV
<b>SCBA</b>	Self-contained Breathing Apparatus
<b>SCO</b>	<i>Safety Condition for Operation</i>
<b>SCWO</b>	Supercritical Water Oxidation (SCWO) destroys organics completed with metal ions and precipitates the multivalent metals out of solution as their hydroxides. Process conditions for SCWO are 500° C and 3,000 psi. (term located WHC-EP-0791)
<b>SD</b>	Slurry distributor (term located WHC-SD-WM-ER-204, Rev.0)
<b>SDRCSF</b>	Slurry distributor removal containment seal fixture
<b>SVOA</b>	Semi-volatile organic analysis
<b>SEND</b>	Transfer from Tank_n to Trans_tank and is always negative. Trans_tank will always be one of the primary 177 waste tanks. See also TR and XFER.
<b>SET</b>	Connect cascaded tanks together. See also CAS and END.

SF	Slurry feed?
Side referenced tank	A dished-bottom tank where the zero point for the liquid-level gauges is at the elevation that the dished bottom begins.
SIX	REDOX Ion Exchange. See also RTX, and RIX.
SL	DOUBLE-SHELL SLURRY
SL	Sludge (Solids formed during sodium hydroxide additions to waste. Sludge usually was in the form of suspended solids when the waste was originally received in the tank from the waste generator. In-tank photographs may be used to estimate the volume.
SLS	solid/liquid separation (term located WHC-EP-0791)
SLT	sludge level tape (term located WHC-SD-WM-ER-204, Rev.0)
SL3SY	DOUBLE-SHELL SLURRY FROM EOFY 80 SY-103 INVENTORY
Sludge	Solids formed after waste neutralization with sodium hydroxide additions. Sludges usually sediment and remain in the tanks into which the waste is originally added.
SLUD31	Sludge Wash C HLW stream (term located WHC-EP-0791)
Slugs	An term for uranium fuel elements which had been machined or extruded into short cylinders which were then clad or encased in corrosion-resistant metals.
Sluicing, or Sluiced	At Hanford, this means to dissolve or suspend in solution by action of a high pressure water stream.
SLULLW	Sludge Wash C LLW stream
SMM	<i>Supernatant Mixing Model</i> that calculates the composition of tank liquids and concentrates as linear combinations of HDW supernatants.
SMP	Sludge Measurement Port (term located WHC-SD-WM-ER-204, Rev.0 & SD-RE-TI-053 Rev. 8)
SN	Sluicing nozzle (term located WHC-SD-WM-ER-204, Rev.0)
SOE	Safe Operating Envelope
SOLEX	Solvent Extraction Option (term located WHC-EP-0791)
Sound or Sound Tank	The integrity classification of a waste storage tank for which surveillance data indicate no loss of liquid from a breach of integrity.
SP	Sluice pit (term located WHC-SD-WM-ER-204, Rev.0)
SPARE	Spare riser with no current function or planned use - possible concrete plug underneath plate (term located SD-RE-TI-053 Rev. 8)
S PLANT	The facility at Hanford which contains the original extraction process for recovery of both plutonium and uranium. See also REDOX
SREX	Strontium extraction and solvent extraction.(term located WHC-EP-0791)
SPRG	Sparge-transfer of water or volume?
SR	SST SOLIDS RETRIEVED
SR	Sluicing Riser (term located WHC-SD-WM-ER-204, Rev.0)
SRCVR	Slurry Receiver Tank
SREX	Strontium extraction
SRR	Slurred PUREX sludge from A and AX Farms was sent to B Plant for strontium recovery from 1967-76. Some 801 kgal was sent to and 2,810 kgal returned from B Plant with A-102, A-106, and AX-103 as a staging tanks sending sludge to AR vault and supernatant to C-105.
SRS	Strontium Recovery Supernatant. The sludges sluiced for SRR were washed in AR vault with supernatant from C-105. The resulting supernatants were sent to CSR.
SRS	Strontium sludge
SRS	Savannah River Site (term located WHC-EP-0791)
S. S.	Evidently refers to a direct addition from plant to a cascade series that bypassed the first tank in the cascade series.
SST	single-shell tank (term located WHC-SD-WM-ER-204, Rev.0)
SSW	Strontium Semi-Works. Called C Plant or Hot Semi-Works earlier, was pilot for both REDOX and PUREX, Jul. 1952 to Jul. 1956. Then reconfigured for Strontium recovery pilot plant from July 1960 to July 1967. See also C Plant and HS.
STAB	Tank stabilized by removal of liquid. Both floating suction and salt-well jet pumps are used to remove liquid.

<b>Stabilization</b>	The removal or immobilization, as completely as possible, of the liquid contained in a radioactive waste storage tank by salt well pumping, open hole salt well pumping, adding diatomaceous earth, etc.
<b>STAT</b>	Tank level measurement for each quarter in kgal (1 kgal = 1,000 gallons) as reported by Anderson.
<b>Static Tank</b>	A tank with no significant change in liquid level or involvement in transfer operations during a stated period of time.
<b>SU</b>	Supernatant (Drainable Liquid Remaining minus Drainable Interstitial). Supernate is usually derived by subtracting the solids level measurement from the liquid level measurement.
<b>SW</b>	SST WASHED SOLIDS
<b>SWA</b>	Sludge Wash A (term located WHC-EP-0791)
<b>SWB</b>	Sludge Wash B (term located WHC-EP-0791)
<b>SWC</b>	Sludge Wash C (term located WHC-EP-0791)
<b>SWLIQ</b>	DILUTE, NON-COMPLEXED WASTE FROM EAST AREA SINGLE-SHELL TANKS
<b>SWLQW</b>	DILUTE, NON-COMPLEXED WASTE FROM WEST AREA SSTs
<b>SWP</b>	Salt well pump (term located WHC-SD-WM-ER-204, Rev.0)
<b>SW RCR</b>	Salt well receiver
<b>SWPS</b>	Salt well pump and screen (term located WHC-SD-WM-ER-204, Rev.0)
<b>SWS</b>	Salt well screen (term located WHC-SD-WM-ER-204, Rev.0)
<b>T1SItCk</b>	Salt cake waste generated from the 242-T Evaporator -crystallizer from 1951 until 1955
<b>T2SItCk</b>	Salt cake waste generated from the 242-T Evaporator -crystallizer from 1955 until 1965
<b>Tank Farm</b>	An area containing a number of storage tanks; i.e., a chemical tank farm for storage of chemicals used in a plant, or underground waste tank storage or radioactive waste.
<b>TBP</b>	Tri-Butyl Phosphate-waste from solvent based uranium recovery operation in '50's. Renamed to UR waste in the Defined Waste report. More usually refers to the chemical tributyl phosphate, $OP(OC_4H_9)_3$ , which was used in uranium recovery and in PUREX.
<b>TBX</b>	Instrument leads of several kinds - usually on annulus of tank (term located SD-RE-TI-053 Rev. 8)
<b>TC</b>	Thermocouple (term located WHC-SD-WM-TI-553, Rev 0)
<b>TCIX</b>	Technetium ion exchange (term located WHC-EP-0791)
<b>TCO</b>	DILUTE NON-COMPLEXED WASTE FROM WEST AREA SINGLE-SHELL TANKS
<b>TCT</b>	Thermocouple tree
<b>TEDF</b>	Treated Effluent Disposal Facility
<b>TEMP</b>	Temperature probe (term located SD-RE-TI-053 Rev. 8)
<b>Terminal Liquor</b>	The liquid product from the Evaporation-Crystallization Process which, upon further concentration, forms an unacceptable solid for storage in single-shell tanks. Terminal liquor is characterized by caustic concentration of approximately 5.5 M (the caustic molarity will be lower if the Aluminum Salt Saturation is reached first). See also HDRL.
<b>TFeCN</b>	Ferrocyanide sludge produced by in-tank or in-farm scavenging. See also FeCN, PFeCN, UR, P00, T00.
<b>TFEPTU</b>	Tank Farms and Evaporator Process Technology Unit (term located SD-WM-PE-029 Rev. 0, 242-A Evap/Crystallizer FY 84-86 Campaign Run)
<b>TGA</b>	Thermal Gravimetric Analysis
<b>TH</b>	Thoria HLW or Cladding waste
<b>TH66</b>	
<b>TH77</b>	
<b>Thermocouple Tree</b>	A group of thermocouples assembled in a pipe and inserted into a waste tank for measuring temperatures at regular (normally 2 foot) vertical intervals.
<b>Thermowell</b>	A well in a waste tank which contains thermocouples
<b>THFTCA</b>	Tetrahydrofuran-tetracarboxylic acid (term located WHC-EP-0791)
<b>THL</b>	Thoria Low Level



TK	Tank
TK	TK-17-2 was an early name for B Plant. See also B Plant and 222-B.
TL	Terminal Liquor
TLM	<i>Tank Layer Model</i> derived from the Waste Status and Transaction Record Summary (WSTRS) database.
TLV	Threshold limit value
TLV-C	Threshold limit value-ceiling
TLV-STEL	Threshold limit value-short-term exposure limit
TLV-TWA	Threshold limit value-time weighted average
TMACS	Tank monitor and control system (term located WHC-SD-WM-TI-553, Rev 0)
TOC	Total organic carbon (term located WHC-EP-0791)
T00-##	In-Tank scavenging with FeCN. See also SCAV, P##
TP	Temperature probe (term located WHC-SD-WM-ER-204, Rev.0)
TP	Throughput nominal plant throughput PFR (Pu Nitrate), RMA (Pu Oxide), RMC (Pu Metal). See SD-WM-PE-029 Rev.0, 242-A Evap/Crystallizer FY 84-86 Campaign Run
TPA	Tri-Party Agreement includes DOE, Washington State Dept. of Ecology, and the EPA
TPLAL	DILUTE, NON-COMPLEXED WASTE FROM T PLANT
TPLAN	DILUTE, NON-COMPLEXED WASTE FROM T PLANT
T Plant	Decontamination plant for various equipment. Originally built for BiPO <sub>4</sub> process, but since only used for decontamination. BiPO <sub>4</sub> ran from Dec. 1944 to Aug. 1956. See also 222-T
TPLAS	SLUDGE FROM T PLANT OPERATIONS
TR	Transfer from tank. See also REC, SEND, and XFER
TRAC	Hanford radionuclide Tracking program devised by Jungfleisch. Also, Transient Reactor Analysis Code developed at LANL.
Trench	A deep furrow in the ground. At Hanford, they are used for the disposal of solid waste.
trFlag	Transaction Flag Keys—used by W-TRAC—See also CDF,D,E,S,SV,1,3,6,,17,,33.
TRG	Test Review Group
TRU	Transuranic. See also DN, DN/PD, DN/PT, P, PFP, PRF, Z, and 224.
TRUEX	Transuranic Extraction. See also PFPPT.
TRUEX-C	Transuranic Extraction Option C (term located WHC-EP-0791)
TRULLW	TRUEX-C LLW stream (term located WHC-EP-0791)
TRUX31	TRUEX-C HLW stream (term located WHC-EP-0791)
TSD	Treatment, Storage or Disposal Unit
TSR	Technical Safety Requirement
TTF	Thermal Treatment Facility
TWRS	Tank Waste Remediation System
TXR Vault	Vault in TX Farm used in FeCN scavenging in TX Farm.
Type I Tank	These are the 200 series tanks found in B, C, T, and U Farm. They have an operating capacity of 55,000 gal., a 20-ft., diameter, a 6-in. dish bottom, and a 3-ft. knuckle. Generation is not associated with Type I tanks.
Type II Tank	These are the original (1st generation) tank designs, which are found in B,C,T, and U (excluding the 200 series tanks), and BX Tank Farms. See also 1st Generation Tank.
Type III Tank	These are the 2nd generation tank designs, which are found in BY, S, TX, and TY Tank Farms. See also 2nd Generation Tank.
Type IV Tank	These are 3rd, 4th, and 5th generation tank designs, which are found in SX, A, and AX Tank Farms, respectively. See also 3rd Generation Tank, 4th Generation Tank, and 5th Generation Tank.
Type V Tank	These are the first double-shell tank designs, which are found in AY, AZ, and SY Tank Farms.
U1U2	DILUTE, NON-COMPLEXED WASTE FROM U1/U2 GROUNDWATER PUMPING

<b>UFL</b>	Upper Flammability Limit (term located WHC-EP-0702, Rev 0)
<b>UNC</b>	Dilute sulfate waste . See also HEDL. (see SD-WM-PE-029 Rev.0, 242-A Evap/Crystallizer FY 84-86 Campaign Run)
<b>UNC</b>	UNC Nuclear Industries Inc.
<b>UNC Fuels</b>	
<b>UNH Stream</b>	See 224-UA
<b>UNKN</b>	UNKNOWN WASTE ORIGIN SINK
<b>UOR</b>	Unusual Occurrence Report
<b>U1U2</b>	Dilute, non-complexed waste from U1/Us ground water pumping.
<b>U Plant</b>	Uranium Recovery Plant from Mar. 1952 to Jan. 1958, UO <sub>3</sub> -plant from then until Sept. 1972. Restarted in Mar. 1984, and is now shutdown. See also 222-U, UR, and TBP.
<b>UPS</b>	Uninterruptible Power Supply
<b>UR</b>	Uranium Recovery Operation in 222-U, 1952-57. Created TBP (primary waste) and FeCN (scavenging wastes). TBP waste called UR waste in Defined Waste report. See also, TFeCN, PFeCN, P00, T00, FeCN. See also TBP.
<b>UREX</b>	Uranium Extraction
<b>USNRC</b>	US Nuclear Regulatory Commission
<b>USBM</b>	US Bureau of Mines (term located WHC-EP-0702, Rev 0)
<b>USNRC</b>	U S Nuclear Regulatory Commission
<b>USQ</b>	Unreviewed Safety Question (term located WHC-EP-0702, Rev 0)
<b>UX-241</b>	???
<b>V &amp; V</b>	Validation and Verification
<b>VAQUELLW</b>	Varied aqueous liquids (term located WHC-EP-0791)
<b>VCBUSTL</b>	Varied combustible solids and liquids (term located WHC-EP-0791)
<b>VDTT</b>	Velocity, Density, Thermocouple tree
<b>VM</b>	Vapor Manifold (term located WHC-SD-WM-ER-204, Rev.0)
<b>VOF</b>	Volume Of Fluid
<b>VOFFGAS</b>	Varied Cell Air and OffGas (term located WHC-EP-0791)
<b>VNCBUSTS</b>	Varied Noncombustible Solids (term located WHC-EP-0791)
<b>WASHF</b>	OUTFLOW TO SST WASH FACILITY
<b>Waste Tank Safety Issue</b>	A potentially unsafe condition in the handling of waste material in underground storage tanks that requires corrective action to reduce or eliminate the unsafe condition. (term located Tank and Surveillance and Waste Status Summary Report)
<b>Watch List Tank</b>	An underground storage tank containing waste that requires special safety precautions because it may have a serious potential for release of high-level radioactive waste because of uncontrolled increases in temperatures or pressure. Special restrictions have been placed on these tanks by "Safety Measures for Waste Tanks at Hanford Nuclear Reservation," Section 3137 of the National Defense Authorization Act for Fiscal Year 1991, November 5, 1990, Public Law 101-501 ( Also known as the Wyden Amendment) (term located Tank and Surveillance and Waste Status Summary Report)
<b>WATER</b>	FLUSH WATER FROM MISCELLANEOUS SOURCES. See also WTR.
<b>WC</b>	Weather Cover (polyurethane foam) (term located WHC-SD-WM-ER-204, Rev.0)
<b>WESF-Plant</b>	Construction complete in 1974. Capable of producing up to 350 capsules of cesium and 175 capsules of strontium per year. 1575 cesium capsules and 625 strontium capsules produced between 1974 and 1985. See also 225-B
<b>WHC</b>	Westinghouse Hanford Company
<b>WIPP</b>	Waste Isolation Pilot Plant (term located WHC-EP-0791)
<b>WMIS</b>	Waste Management Information System (term located WHC-EP-0791)
<b>WRAP</b>	Hanford's first major solid waste processing plant, serving to analyze and repackage containers of waste left from the Hanford defense mission and generated by cleanup activities.
<b>WSCF</b>	Waste Sampling and Characterization Facility
<b>WSTRS</b>	Waste Status and Transaction Records Summary
<b>WTR</b>	Water. See also WATER.

WVDP	West Valley Demonstration Project (term located WHC-EP-0791)
WVP	Waste volume projections
WVR	Waste volume reduction
XFER	Transfer of waste out of tank. See also REC, SEND, and TR.
XIN	Addition of primary waste from plant (always positive). This transaction also covers waste returning from secondary processing operations.
Z	Z Plant waste. 234-5Z waste/Z Plant Pu Finishing. See also DN, DN/PD, DN/PT, P, PFP, PRF, TRU, and 224.
ZAW	Zirconium Acidified Waste (PUREX waste stream from Zirconium (Zircaloy II) clad fuel).
ZHIGH	DILUTE, NON-COMPLEXED WASTE FROM THE PFP (WITHOUT TRUOX)
ZLAB	DILUTE, NON-COMPLEXED WASTE FROM PFP LABORATORIES
ZLOW	DILUTE, NON-COMPLEXED WASTE FROM PRE-FY85 Z PLANT OPERATIONS
ZPA	Zero Period Acceleration
Z Plant	Pu finishing plant. See also DN, DN/PD, DN/PT, P, PFP, PRF, TRU, Z, and 224. Operated from 1949 to 1991, and is now in standby
ZPRFL	DILUTE, NON-COMPLEXED WASTE FROM PRF PROCESSING
ZPRFS	PFP TRU SOLIDS FROM PRF PROCESSING
ZRM	Waste abbreviation
ZRMCL	DILUTE, NON-COMPLEXED WASTE FROM PFP RMC PROCESSING
ZRMCS	PFP TRU SOLIDS FROM PFP RMC PROCESSING
1AYIN	CONCENTRATED COMPLEX WASTE FROM AY-101 INVENTORY
1AZIN	PRE 2-81 AZ-101 INVENTORY
1C	1st Cycle Decontamination-BiPO <sub>4</sub> process. Often included cladding waste. Held 10% of FP, 1% of Pu. See also BiO <sub>4</sub> , MW, and 2 C.
1C1	First cycle decontamination waste from the BiPO <sub>4</sub> process, 1944 to 1951.
1C2	First cycle decontamination waste from the BiPO <sub>4</sub> process, 1952 to 1956.
1C44-51	Includes CW
1C52-56	Includes CW
1CEB	1st Cycle Evaporator Bottoms
1CF	??1st Cycle Feed?? Set to WATER in TRAC.
1CFeCN	Ferrocyanide sludge produced by in-plant scavenging of 1C supernatant wastes. Used 0.005 M ferrocyanide. See also FECN, PFeCN, TFeCN.
1CS	1st Cycle Scavenging waste. TY-101 and TY-103 received 1C waste that was scavenged with FeCN before it was added to the tanks. Termed 1CFeCN.
1st Generation Tank	The original tank design encompassing Tank Farms B, C, T, U (excluding the 200 series tanks), and BX. These tanks have an operating capacity of 530,000 gal, a 75-ft. diameter, a 12-in. dish bottom, and a 4-ft knuckle. Also see Type II tanks.
2C	2nd Cycle Waste from BiO <sub>4</sub> process. Supernatant often cribbed, 0.1% of FP, 1% of Pu. See also BiO <sub>4</sub> , MW, and 1C.
2C1	2nd Cycle Waste from BiO <sub>4</sub> process, 1944 to 1951
2C2	2nd Cycle Waste from BiO <sub>4</sub> process, 1952 to 1956
2AYIN	PRE 2-81 AY-102 INVENTORY
2AZIN	PRE 2-81 CONCENTRATED COMPLEX WASTE FROM AZ-102 INVENTORY
2SYIN	PRE 2-81 SY-102 INVENTORY
2nd Generation Tank	Same as original tank design (1st generation or type II) except the operating capacity was increased to 758,000 gal. Also, see Type III tanks.
202-S	Also known as S-Plant where REDOX process ran 1952-66? See also R, CWR, AND S-PLANT
204-AR	Rail Car Unloading Facility, completed in 1981, replaced 204-S as Rail Car Unloading Facility. Completed in 1981.
211-T	Chemical storage area used for nitric acid and sodium hydroxide storage, low-level radioactive sludge storage.
221-B	See also B Plant

221-T	Head End facilities (two cells) in 221-T Building are used by HEDL as a containment systems test facility to develop sodium aerosol data needed for the design of air cleaning equipment for large-scale Liquid Metal Fast Breeder Reactors. 221-T Building (Cell 4) used for interim storage of Pressurized Water Reactor Core II fuel from Shippingport Atomic Power Station. See also T-Plant.
222-B	One of the three original bismuth-phosphate processing facilities. Later converted to waste fractional plant. B Plant used for BiPO <sub>4</sub> 1944-52, then for FP recovery. See also B Plant and TK.
222-C	Initially a pilot plant for REDOX, later a pilot plant for PUREX and B Plant waste partitioning. See also C Plant.
222-T	T Plant used for BiPO <sub>4</sub> 1944-52.
222-U	One of the three original Bismuth Phosphate Processing Facilities. Later converted to a uranium recovery plant. See also U Plant.
224	LaF finishing waste. 224-U Waste. See also DN, DN/PD, DN/PT, P, PFP, PRF, TRU, and Z
224-2	Same as 224?
224-AR Vault	Originally designed for treating and transferring tank farm sludges to B Plant and for interim lag storage and transfer of PUREX acid wastes to Plant. Also for lag storage of neutralized high-level waste enroute from B Plant to tank farm storage. Construction completed in 1968 put in standby mode in 1978.
224-F	224-U Waste. LaF Pu Finishing Plant. Same as Z-Plant? See also LaF.
224-U	Completed in 1944 as part of U Plant complex. Never used for original purpose used as training facility from 1944 to 1950, converted to UO <sub>3</sub> plant in 1951. Plant shut down in 1972. Restarted 1984. Feedlines from REDOX and U Plant canyon disconnected. See also 224-F.
224-UA	Constructed in 1957 with six calciners installed. UO <sub>3</sub> Plant capability sufficient to handle UNH stream from REDOX, U-Plant, and PUREX.
225-B	See also WESF Plant
231-Z	DILUTE, PHOSPHATE WASTE FROM Z-231 LABORATORIES
241-Z	Underground sump pit.
242-A	Reduced pressure evaporator in East Area designed for 30% solids. A-102 was feed 1977-1980. AW-102 was feed 1981-present.
242-B	Atmospheric evaporator used for concentrating wastes, 1952-56. B-106 was feed tank.
242-S	Reduced pressure evaporator designed for 30% solids 1973-80. S-102 was feed '73-'77. SY-102 was feed '77-'81.
242-T	Atmospheric evaporator used to concentrate wastes. 1952-56 and 1965-76. TX-118 was feed tank.
242-Z	Waste treatment facility. Equipment was used to treat PRF waste and extract americium from the waste. Scheduled for D&D.
244-AR Vault	Originally designed for treating and transferring tank farm sludges to B Plant and for interim lag storage and transfer of PUREX acid wastes to B Plant. Also for lag storage of neutralized high-level waste enroute from B Plant to tank farm storage.
2706-T	Used as equipment low-level decontamination facility. See also T Plant, 271-T and 221-T.
271-T	Building used for chemical make-up area and dry storage, and offices. See also T Plant, 2706-T, and 221-T.
2736-ZA	Plutonium Storage and Support Facility. Used to store plutonium in a variety of forms. Plutonium packaged in metal containers. Also used for shipping, receiving, repackaging, and nondestructive analysis of plutonium. See also 2736-ZAB.
2736-ZAB	Plutonium Storage and Support Facility. Used to store plutonium in a variety of forms. Plutonium packaged in metal containers. Also used for shipping, receiving, repackaging, and nondestructive analysis of plutonium. See also 2736-ZA
3AWIN	PRE 2-81 AW-103 INVENTORY
3rd Generation Tank	The first generation of the type IV tanks, contains the SX Tank Farm only. These Tanks have a 1,000,000 gal. operating capacity, a 75-ft. diameter, a 14.875-in. dish bottom, and no knuckle. See also Type IV tanks.

**4th Generation Tank** The second generation of the type IV tanks, contains the A Tank Farm only. These tanks are the same as the 3rd generation except they have a flat bottom. See also Type IV Tanks.

**5** B Plant Tank 5 and 6 waste.

**5-6#** Cells 5&6 from B Plant

**5AWIN** PRE 2-81 AW-105 INVENTORY

**5th Generation Tank** The third generation of the Type IV tanks, found only in the AX Tank Farm. These tanks are the same as the 4th generation with the addition of grid drain slots beneath the steel liner bottom.

**6AWIN** CONCENTRATED PHOSPHATE WASTE IN AW-106 INVENTORY

**Note on transactions involving:**  
 CAS-Cascades that "overfill" are assumed to have been directed to low-level "sites" (cribs or trenches?). No MW or R was cascaded to low-level sites.  
 EVAP-Operations involving evaporators are assumed to change the waste by the difference in the transaction and status reports.  
 R-REDOX plant used concentrator 1967-72.  
 B-B PLANT used concentrator 1967-68.  
 Definitions in all caps are from the Waste Volume Projection Data Set.

**Capacities and Tanks**

55 kgal	530 kgal/SST	758 kgal/SST	1,000 kgal/SST	1,000 kgal/DST	1,160 kgal/DST
B-200 C-200 T-200 U-200	B-100 BX-100 C-100 T-100 U-100	BY-100 S-100 TX-100 TY-100	A-100 AX-100 SX-100	AY-100 AZ-100	AN-100 AP-100 AW-100 SY-100
<b>NE Quadrant</b>  B-200 C-200	  B-100 BX-100 C-100	  BY-100	  A-100 AX-100		
<b>SW Quadrant</b> U-200	U-100	S-100	SX-100		
<b>NW Quadrant</b> T-200	T-100	TX-100 TY-100			
<b>SE and DST Quadrant</b>				AY-100 AZ-100	AN-100 AP-100 AW-100 SY-100

## Appendix B

Defined Waste List Solids Vol%  
September 1995

The Hanford Defined Waste List is a set of wastes that can be used to define all of Hanford's waste types. Implicit within this list is a solids and a supernatant fraction for each waste type. Note that some HDW's are derived from other Defined Wastes, as BSlCk, for example, is actually a mixture of supernatants from other waste types that have been concentrated by removal of water. The Defined Wastes for these concentrates are derived from the evaporator campaigns from which they were formed.

**BiPO<sub>4</sub> and Uranium Recovery Wastes 1944-56**

no.	waste type	vol%	comments
1	MW1	12.0	1944-49
2	MW2	12.0	1950-56
3	1C1	13.7	1944-49, includes cladding waste.
4	1C2	24.9	1950-56, includes cladding waste.
5	2C1	6.8	1944-49
6	2C2	3.4	1950-56, includes supernatants formerly cribbed at T-plant.
7	224	3.9	LaF finishing waste.
8	UR	2.8	same as TBP waste.
9	PFeCN1	3.7	Ferrocyanide scavenged UR supernatants in Plant.
10	PFeCN2	3.2	Ferrocyanide scavenged UR supernatants in Plant.
11	TFeCN	1.4	Ferrocyanide scavenged CR Vault.
12	1CFeCN	4.8	Ferrocyanide scavenged 1C supernatants.

**REDOX Wastes 1952-62**

13	R1	4.5	1952-57
14	R2	1.9	1958-66
15	CWR1	8.1	1952-60, aluminum clad fuel.
16	CWR2	2.9	1961-72, aluminum clad fuel with some Zr fuel

**PUREX Wastes 1956-76**

17	P1	2.2	1955-62
18	P2	3.9	1963-67, also called IWW, FP.
19	P2'		1968-72, assigned to P2.
20	PL1	2.2	
21	CWP1	8.1	1956-60, Al cladding
22	CWP2	2.9	1961-72, Al cladding
23	CWZr1	10.5	1968-72, Zr cladding
24	OWW1	0.0	1956-62, called CARB, low solids.
25	OWW2	0.0	1963-67, low solids.
26	OWW3	0.0	1968-72, low solids.
27	Z	2.3	derived from analysis of SY-102, 1,910 kgal from 1976-80 sent to TX-118, 1,656 kgal from 1981-86 sent to SY-102.
28	HS	1.2	also SSW, Strontium semiworks.
29	TH1	5.8	1966 thoria
30	TH2	5.8	1970 thoria
31	AR	3.1	"washed" P sludge. Also used to derive SRR.
32	B	0.50	acid waste from PAW, processed through B-Plant for Sr extraction.
33	BL	0.68	low level waste from all B Plant operations.

34	SRR	2.6	strontium recovery waste from sluiced P sludge—based on washed PUREX sludge plus added EDTA, HEDTA, and glycolate.
35	CSR	0.0	waste from cesium recovery from supernatants— not a characteristic waste type, but rather a supernatant from which the 137Cs has been removed. Need only to add citrate to supernatants to track this component.

**Other wastes**

---

36	DE	all	Diatomaceous earth added to six tanks.
37	CEM	all	Cement added to only one tank, BY-105.
38	NIT	no solids	Partial Neutralization Feed for evaporator campaigns '77-81.
	Salt Slurry		same as DSS, estimated from chemical model by precipitation (via evaporator). Once again, DSS derives from the supernatants of a variety of wastes following evaporation of water.

**Decontamination Waste**

---

39	DW	1.0	decontamination waste, from D&D of plants, but mainly from T Plant operations, mostly Turco residues (phenol, alkyl phosphate esters, hydroxy alkyl amines) with neutralized phosphoric acid.
40	N	1.0	N-Reactor decontamination waste, mainly neutralized phosphoric acid. Concentrates of N are CP (Concentrated Phosphate) waste, which are in AN-106 and AP-102.

**Salt Cakes and Salt Slurries**

---

41	BSltCk		Salt cake from 242-B operation, 1951-3, B-106 feed.
42	T1SltCk		Salt cake from 242-T, 1951-6, TX-118 feed.
43	RSltCk		Salt cake from self-concentration in S and SX Farms.
44	BYSltCk		Salt cake blend from ITS in BY Farm, 1965-74.

The following salt cakes were used in HDW rev. 1 and are now replaced by the SMM.

T2SltCk	Salt cake from 242-T, 1965-76, TX-118 feed.
S1SltCk	242-S campaign 1973-6, S-102 feed.
S2SltSlr	242-S campaign, 1977-80, SY-102 feed.
A1SltCk	242-A campaign, 1976-80, A-102 feed.
A2SltSlr	242-A campaign, 1981-88, AW-102 feed.

**PUREX Wastes from 1983-88 Campaign**

---

45	P3	3.9	1983-88, now called PXNAW or NCAW.
46	PL2	2.0	1983-88, now called PXMSC, among other things.
47	CWZr2	10.5	1983-88, now called PD or NCRW.
	BP/Cplx83-88		1983-88, was SSR, CSR, B, BL now it's all in AY-101.
	BP/NCplx83-88		1983-88, assigned to BL, now in AY-102
48	PASF	0.6	PUREX Ammonia Scrubber Feed, never before seen.

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #	
A-101	1900																						
A-101	1955	3	STAT		N/A	0		#N/A	0					* Dry Well 10-01-05 drilled.			0	0			1		
A-101	1955	4	STAT		N/A	0		#N/A	0								0	0			1		
A-101	1956	1	XIN	15		15		#N/A	0	OWW		OWW1			*Shows 74 total with *	0	0	0.000			2	V	HWN-1991-2
A-101	1956	1	XIN	47		62		#N/A	0	OWW		OWW1				0	0	0.000			3	O	HWN-1991-2
A-101	1956	1	XIN	4		66		#N/A	0	OWW		OWW1				0	0	0.000			3	O	HWN-1991-2
A-101	1956	1	XIN	82		148		#N/A	0	P		P1				0.0006281	0.0515	0.052	P1		2	V	HWN-1991-2
A-101	1956	1	XIN	250		398		#N/A	0	P		P1				0.0006281	0.157	0.209	P1		3	O	HWN-1991-2
A-101	1956	1	XIN	26		424		#N/A	0	P		P1				0.0006281	0.0163	0.225	P1		3	O	HWN-1991-2
A-101	1956	1	STAT		424	424	0	#N/A	0					Stopped filling here on 3-21-56			0	0	0.225		1		
A-101	1956	2	STAT		424	424	0	#N/A	0	P							0	0	0.225		1		
A-101	1956	3	OUTX	-5		419		#N/A	0	COND	A-008	PCOND			No XFER indicated	0	0	0.225			3	O	WHC-MR-0132
A-101	1956	3	STAT		419	419	0	#N/A	0	P				New electrode rdg.			0	0	0.225		1		
A-101	1956	4	OUTX	-22		397		#N/A	0	COND	A-008	PCOND			No XFER indicated	0	0	0.225			3	O	WHC-MR-0132
A-101	1956	4	STAT		397	397	0	#N/A	0	P				Less inventory due to vapor loss			0	0	0.225		1		
A-101	1957	1	STAT		397	397	0	#N/A	0	P							0	0	0.225		1		
A-101	1957	2	XIN	75		472		#N/A	0	P		P1				0.0006281	0.0471	0.272	P1		4	O	HWN-1991-2
A-101	1957	2	SEND	-234		238		#N/A	0	SU		C-106				0	0	0.272			4	O	HWN-1991-2
A-101	1957	2	OUTX	-4		234		#N/A	0	COND	A-106	PCOND			No XFER indicated	0	0	0.272			3	O	WHC-MR-0132
A-101	1957	2	STAT		234	234	0	#N/A	0	P				S.S. 234M to 106-C.; rec'd 75M			0	0	0.272		1		
A-101	1957	3	XIN	277		511		#N/A	0	P		P1				0.0006281	0.174	0.446	P1		3	O	HWN-1991-2
A-101	1957	3	XIN	218		729		#N/A	0	P		P1				0.0006281	0.1369	0.583	P1		3	O	HWN-1991-2
A-101	1957	3	XIN	192		921		#N/A	0	P		P1				0.0006281	0.1206	0.703	P1		3	O	HWN-1991-2
A-101	1957	3	OUTX	-43		878		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	0.703			4	O	HWN-1991-3
A-101	1957	3	OUTX	-183		695		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	0.703			4	O	HWN-1991-3
A-101	1957	3	OUTX	-211		484		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	0.703			4	O	HWN-1991-3
A-101	1957	3	STAT		484	484	0	#N/A	0	P			OUTX total 437, XIN total 687, AND reports 487	437M self conc rec'd 487M			0	0	0.703		1		
A-101	1957	4	XIN	180		664		#N/A	0	P		P1			Shows 180 not 274	0.0006281	0.1131	0.817	P1		3	V	HWN-1991-2
A-101	1957	4	XIN	242		906		#N/A	0	P		P1				0.0006281	0.152	0.969	P1		4	O	HWN-1991-2
A-101	1957	4	XIN	260		1166		#N/A	0	P		P1				0.0006281	0.1633	1.132	P1		4	O	HWN-1991-2
A-101	1957	4	OUTX	-268		898		#N/A	0	COND	A-106	PCOND	OC 362 to 268		268 No XFER indicated	0	0	1.132			4	V	HWN-1991-3
A-101	1957	4	OUTX	-278		620		#N/A	0	COND	A-106	PCOND			No XFER indicated	0	0	1.132			4	O	HWN-1991-3
A-101	1957	4	OUTX	-232		388		#N/A	0	COND	A-106	PCOND			No XFER indicated	0	0	1.132			4	O	HWN-1991-3
A-101	1957	4	STAT		388	388	0	#N/A	0	P			OUTXS total -776, XINS total 682	672M self conc rec'd 776M			0	0	1.132		1		
A-101	1958	1	XIN	280		668		#N/A	0	P		P1				0.0006281	0.1759	1.306	P1		4	O	HWN-1991-2
A-101	1958	1	XIN	288		936		#N/A	0	P		P1				0.0006281	0.1683	1.476	P1		4	O	HWN-1991-2
A-101	1958	1	OUTX	-297		639		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1.476			4	O	HWN-1991-3
A-101	1958	1	OUTX	-130		509		#N/A	0	COND	A-106	PCOND	180 to 130		No XFER to A-106 indicated	0	0	1.476			4	O	HWN-1991-3
A-101	1958	1	OUTX	0		509		#N/A	0	COND	CRIB?	PCOND	616 to 0		Omission	0	0	1.476			2	V	HW-55630-8
A-101	1958	1	STAT		509	509	0	#N/A	0	P			OUTXS total -477, XINS total 548	477M Self conc. 548M rec'd 616M water-boiled off			0	0	1.476		1		
A-101	1958	2	XIN	91		600		#N/A	0	PL		P1				0.0006281	0.0572	1.533	P1		4	O	HWN-1991-2
A-101	1958	2	XIN	42		642		#N/A	0	PL		P1				0.0006281	0.0264	1.560	P1		4	O	HWN-1991-2
A-101	1958	2	XIN	38		680		#N/A	0	PL		P1	OC 69 to 38		Shows 38 not 69	0.0006281	0.0239	1.583	P1		2	V	HWN-1991-2
A-101	1958	2	REC	91		771		#N/A	0		A-106	A-106			Omission	0	0	1.583			3	V	HW-55997-8
A-101	1958	2	OUTX	-44		727		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1.583			4	O	HWN-1991-3
A-101	1958	2	OUTX	-163		564		#N/A	0	COND	A-106	PCOND	53 to 163		No XFER to A-106 indicated	0	0	1.583			4	O	HWN-1991-3
A-101	1958	2	STAT		564	564	0	#N/A	0	P			XINS total 133, OUTXS total 97	97M Self conc. rec'd 133M			0	0	1.583		1		
A-101	1958	3	XIN	58		622		#N/A	0	PL		P1	OC 27 to 58		Shows 58 not 27	0.0006281	0.0364	1.620	P1		3	V	HWN-1991-2
A-101	1958	3	XIN	50		672		#N/A	0	PL		P1	ogden comment wrong line			0.0006281	0.0314	1.651	P1		4	O	HWN-1991-2
A-101	1958	3	XIN	45		717		#N/A	0	PL		P1				0.0006281	0.0283	1.680	P1		4	O	HWN-1991-2
A-101	1958	3	OUTX	-41		676		#N/A	0	COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1.680			4	O	HWN-1991-3



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWAT	LAML comment	Anderson comment	Digester comment	sol vol%	TLM solids	Cum solids	sol type	DI	O/A	Document/Pa #
A-101	1958	3	OUTX	-31		645		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1,690	4	O	HWN-1991-3	
A-101	1958	3	OUTX	-136		509		#N/A		0 COND	A-106	PCOND	105 to		No XFER to A-106 indicated	0	0	1,690	4	O	HWN-1991-3	
A-101	1958	3	STAT		509	509		#N/A		0 P			XINS total 153, OUTX total 177	177M self conc. rec'd 153M		0	0	1,690	1			
A-101	1958	4	XIN	60		569		#N/A		0 PL		P1				0.0006281	0.0377	1,717	4	O	HWN-1991-2	
A-101	1958	4	XIN	72		641		#N/A		0 PL		P1				0.0006281	0.0452	1,782	4	O	HWN-1991-2	
A-101	1958	4	XIN	89		730		#N/A		0 PL		P1				0.0006281	0.0559	1,819	4	O	HWN-1991-2	
A-101	1958	4	OUTX	-52		678		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1,818	4	O	HWN-1991-3	
A-101	1958	4	OUTX	-110		568		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1,818	4	O	HWN-1991-3	
A-101	1958	4	OUTX	-70		488		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1,818	4	O	HWN-1991-3	
A-101	1958	4	STAT		488	488		#N/A		0 P			OUTX total -232, XIN total 221	232M self conc. rec'd 221M		0	0	1,818	1			
A-101	1959	1	XIN	122		620		#N/A		0 P		P1				0.0006281	0.0766	1,895	4	O	HWN-1991-2	
A-101	1959	1	XIN	77		697		#N/A		0 P		P1				0.0006281	0.0494	1,943	4	O	HWN-1991-2	
A-101	1959	1	XIN	86		783		#N/A		0 P		P1				0.0006281	0.054	1,997	4	O	HWN-1991-2	
A-101	1959	1	OUTX	-114		669		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1,997	4	O	HWN-1991-3	
A-101	1959	1	OUTX	-66		603		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	1,997	4	O	HWN-1991-3	
A-101	1959	1	OUTX	-103		500		#N/A		0 COND	A-106	PCOND			103 no XFER indicated	0	0	1,997	4	O	HWN-1991-3	
A-101	1959	1	STAT		500	500		#N/A		0 P			OC 89 to 103			0	0	1,997	3	V	HWN-1991-3	
A-101	1959	2	XIN	91		591		#N/A		0 P		P1				0.0006281	0.0572	2,055	4	O	HWN-1991-2	
A-101	1959	2	XIN	103		694		#N/A		0 P		P1				0.0006281	0.0647	2,119	4	O	HWN-1991-2	
A-101	1959	2	XIN	102		796		#N/A		0 P		P1				0.0006281	0.0641	2,183	4	O	HWN-1991-2	
A-101	1959	2	OUTX	-85		711		#N/A		0 COND	A-106	PCOND			85 no XFER indicated	0	0	2,183	3	V	HWN-1991-3	
A-101	1959	2	OUTX	-128		583		#N/A		0 COND	A-106	PCOND			128 no XFER indicated	0	0	2,183	3	V	HWN-1991-3	
A-101	1959	2	STAT		578	578		#N/A		0 P			OC 99 to 85			0	0	2,183	1			
A-101	1959	3	XIN	113		691		#N/A		0 P		P1				0.0006281	0.071	2,254	4	O	HWN-1991-2	
A-101	1959	3	XIN	96		787		#N/A		0 P		P1				0.0006281	0.0603	2,315	4	O	HWN-1991-2	
A-101	1959	3	XIN	111		898		#N/A		0 P		P1				0.0006281	0.0697	2,384	4	O	HWN-1991-2	
A-101	1959	3	OUTX	-113		785		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2,384	4	O	HWN-1991-3	
A-101	1959	3	OUTX	-69		716		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2,384	4	O	HWN-1991-3	
A-101	1959	3	OUTX	-22		684		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2,384	4	O	HWN-1991-3	
A-101	1959	3	STAT		684	684		#N/A		0 P			OC 133 to 128			0	0	2,384	1			
A-101	1959	3	XIN	102		786		#N/A		0 P		P1				0.0006281	0.0641	2,448	4	O	HWN-1991-2	
A-101	1959	3	OUTX	-67		723		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2,448	4	O	HWN-1991-2	
A-101	1959	3	OUTX	-35		684		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2,448	4	O	HWN-1991-2	
A-101	1959	3	OUTX	-80		614		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2,448	4	O	HWN-1991-2	
A-101	1959	3	STAT		614	614		#N/A		0 P			OC 182, XIN 102			0	0	2,448	1			
A-101	1959	3	OUTX	-13		627		#N/A		0 P		WTR			No indication of XFER	0	0	2,448	4	O	HW-64810-8	
A-101	1960	1	XIN	113		740		#N/A		0 COND	A-106	WTR			Self cond. not an ADD	0	0	2,448	3	V	HW-63896-9	
A-101	1960	1	OUTX	-66		674		#N/A		0 COND	A-106	PCOND			No indication of XFER	0	0	2,448	4	O	HW-64373-8	
A-101	1960	1	STAT		674	674		#N/A		0 P			104M self conc. rec'd 620M			0.0006281	0.0641	2,448	1			
A-101	1960	2	XIN	51		725		#N/A		0 DIL		WTR			No XFER to A-106 indicated	0	0	2,448	4	O	HWN-1991-19	
A-101	1960	2	OUTX	-11		714		#N/A		0 COND	A-106	PCOND			No XFER to A-106 indicated	0	0	2,448	4	O	HWN-1991-19	
A-101	1960	2	STAT		719	719		#N/A		0 P			OC 56 to 51		Show 51 not 56	0	0	2,448	3	V	HW-66187-8	
A-101	1960	3	XIN	45		764		#N/A		0 P		WTR			No indication of XFER	0	0	2,448	4	O	HW-65272-8	
A-101	1960	3	XIN	68		832		#N/A		0 DIL		WTR			No indication of XFER	0	0	2,448	4	O	HW-66557-8	
A-101	1960	3	OUTX	-90		742		#N/A		0 COND	A-106	PCOND			No indication of XFER	0	0	2,448	4	O	HW-66927-8	
A-101	1960	3	OUTX	-68		674		#N/A		0 COND	A-106	PCOND			No indication of XFER	0	0	2,448	4	O	HW-66927-8	
A-101	1960	3	OUTX	-30		644		#N/A		0 P		PCOND			No indication of XFER	0	0	2,448	4	O	HW-67896-8	
A-101	1960	3	STAT		644	644		#N/A		0 P			OC 98M rec'd 113M			0.0006281	0.0669	2,448	1			
A-101	1960	4	XIN	17		661		#N/A		0 CARB		OWW1				0	0	2,448	4	O	HWN-1991-18	
A-101	1960	4	XIN	11		672		#N/A		0 P		P1				0.0006281	0.0669	2,455	3	O	HWN-1991-18	

Tant. #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum untk	Waste type	Trans tank	DWXT	L.A.N.L. comment	Anderson comment	Q/den. comment	sol. vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/fg #
A-101	1960	4	XIN	49		721		#N/A	0	0	P1					0.0006281	0.0308	2,486	P1	4	O	HWN-1991-18
A-101	1960	4	XIN	82		803		#N/A	0	0	WTR					0	2,486	4	O		HWN-1991-18	
A-101	1960	4	OUTX	-2		801		#N/A	0	0	COND	A-106			No indication of XFER	0	2,486	3	O		HW-67705-8	
A-101	1960	4	OUTX	-25		776		#N/A	0	0	COND	A-106			No indication of XFER	0	2,486	3	O			HW-68291-8
A-101	1960	4	OUTX	-79		697		#N/A	0	0	COND	A-106	UNCHANGED		214 No indication of XFER	0	2,486	2	V			HW-68292-8
A-101	1960	4	STAT		687	697		#N/A	0	0	P1		XIN total 159, AND 150, OUTX total 241, AND reports -39	Rec'd 150M 39M boil off		0	2,486	1				
A-101	1961	1	XIN	819		1516		#N/A	0	0	P1					0.0006281	0.5144	3,000	P1	4	O	HWN-1991-18
A-101	1961	1	OUTX	-586		930		#N/A	0	0	COND	A-106			503 No indication of XFER	0	3,000	2	V			HWN-1991-19
A-101	1961	1	STAT		930	930		#N/A	0	0	P1					0	3,000	1				
A-101	1961	2	STAT		N/A	930		#N/A	0	0	COND	A-024				0	3,000	1				
A-101	1961	3	OUTX	-20		910		#N/A	0	0	COND	A-024			No indication of XFER	0	3,000	3	O			HWN-1991-19
A-101	1961	3	STAT		N/A	910		#N/A	0	0	P1					0	3,000	1				
A-101	1961	4	STAT		910	910		#N/A	0	0	P1					0	3,000	1				
A-101	1962	1	STAT		N/A	910		#N/A	0	0	COND	A-024	STAT 861 TO N/A	6 Months report		0	3,000	1				
A-101	1962	2	OUTX	-49		861		#N/A	0	0	COND	A-024		6 Months report		0	3,000	1				
A-101	1962	2	STAT		N/A	861		#N/A	0	0	P1			* Dry wells (0-01-01, -03, -04, -06, -08, -10 and -11 drilled.		0	3,000	1				HWN-1991-19
A-101	1962	3	STAT		N/A	861		#N/A	0	0	COND	A-024				0	3,000	1				
A-101	1962	4	OUTX	-303		558		#N/A	0	0	COND	A-024				0	3,000	1				
A-101	1963	1	Stat	287		825		#N/A	0	0	OWW2			5 Months report		0	3,000	1				
A-101	1963	1	STAT		825	825		#N/A	0	0	P1			6 months report - rec'd 378M carbonate		0	3,000	1				
A-101	1963	2	XIN	378		1203		#N/A	0	0	CARB					0	3,000	1				
A-101	1963	2	OUTX	-111		1092		#N/A	0	0	COND	A-024				0	3,000	1				
A-101	1963	2	STAT		N/A	1092		#N/A	0	0	P1					0	3,000	1				
A-101	1963	3	XIN	181		1253		#N/A	0	0	CARB					0	3,000	1				
A-101	1963	3	OUTX	-169		1084		#N/A	0	0	COND	A-024				0	3,000	1				
A-101	1963	3	STAT		N/A	1084		#N/A	0	0	P1		XIN from qrt 2 & 3 total 364	6 months report - rec'd 364M carbonate		0	3,000	1				
A-101	1963	4	XIN	203		1287		#N/A	0	0	CARB					0	3,000	1				
A-101	1963	4	send	-287		1000		#N/A	0	0	COND	A-102	stuck in pump, foaming		0	3,000	1					
A-101	1963	4	OUTX	163		857		#N/A	0	0	P1					0	3,000	1				
A-101	1963	4	STAT		857	857		#N/A	0	0	COND	A-024				0	3,000	1				
A-101	1964	1	XIN	146		1003		#N/A	0	0	CARB					0	3,000	1				
A-101	1964	1	send	-249		754		#N/A	0	0	COND	A-102				0	3,000	1				
A-101	1964	1	STAT		754	754		#N/A	0	0	P1			Rec'd 146M carb. 6 months report		0	3,000	1				
A-101	1964	2	STAT		N/A	754		#N/A	0	0	COND	A-102				0	3,000	1				
A-101	1964	3	STAT		N/A	754		#N/A	0	0	P1					0	3,000	1				
A-101	1964	4	XIN	408		1162		#N/A	0	0	CARB					0	3,000	1				
A-101	1964	4	send	-282		880		#N/A	0	0	COND	A-102				0	3,000	1				
A-101	1964	4	STAT		880	880		#N/A	0	0	P1			Rec'd 408M carb. 6 months report		0	3,000	1				
A-101	1965	1	XIN	151		1031		#N/A	0	0	OWW2					0	3,000	1				
A-101	1965	1	send	-151		880		#N/A	0	0	COND	A-102				0	3,000	1				
A-101	1965	1	STAT		880	880		#N/A	0	0	P1					0	3,000	1				
A-101	1965	2	STAT		N/A	880		#N/A	0	0	COND	A-102				0	3,000	1				
A-101	1965	3	XIN	112		992		#N/A	0	0	OWW2					0	3,000	1				
A-101	1965	3	send	-106		886		#N/A	0	0	COND	A-102				0	3,000	1				
A-101	1965	3	STAT		886	886		#N/A	0	0	P1					0	3,000	1				
A-101	1965	4	XIN	4		890		#N/A	0	0	OWW2					0	3,000	1				
A-101	1965	4	send	-20		870		#N/A	0	0	COND	A-102				0	3,000	1				
A-101	1965	4	SEND	-202		668		#N/A	0	0	SU					0	3,000	1				

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	G/A	Document/Pg #
A-101	1965	4	STAT		668	668	72	#N/A	0	P				Rec'd 4 M, 202 M to 103-C		0	0	3,000		1		
A-101	1966	1	REC	611		1279		#N/A	0	SU	A-103	A-103				0	0	3,000		4	O	ISO-226-8
A-101	1966	1	SEND	-446		833		#N/A	0	SU		C-103				0	0	3,000		4	O	ISO-226-4
A-101	1966	1	STAT		833	833	72	#N/A	0	P				446 M to 103-C;; 611 from 103-A		0	0	3,000		1		
A-101	1966	2	XIN	31		864		#N/A	0	OWW		OWW2				0	0	3,000		4	O	ISO-226-8
A-101	1966	2	xin	41		905		#N/A	0			OWW2				0	0	3,000		0		
A-101	1966	2	STAT		905	905	72	#N/A	0					Rec'd 31 M OWW		0	0	3,000		1		
A-101	1966	3	XIN	70		975		#N/A	0	P		P2				0	0	3,000		4	O	ISO-226-8
A-101	1966	3	send	-70		905		#N/A	0			A-102				0	0	3,000		0		
A-101	1966	3	STAT		905	905	72	#N/A	0					Rec'd 70 M		0	0	3,000		1		
A-101	1966	4	XIN	76		981		#N/A	0	OWW		OWW2				0	0	3,000		4	O	ISO-226-8
A-101	1966	4	send	-76		905		#N/A	0			A-102				0	0	3,000		0		
A-101	1966	4	STAT		905	905	72	#N/A	0	P				Rec'd 78 M OWW		0	0	3,000		1		
A-101	1967	1	XIN	64		969		#N/A	0	OWW		OWW2				0	0	3,000		4	O	ISO-226-8
A-101	1967	1	send	-64		905		#N/A	0			A-102				0	0	3,000		0		
A-101	1967	1	STAT		905	905	72	#N/A	0	P				Rec'd 64 M OWW		0	0	3,000		1		
A-101	1967	2	XIN	54		959		#N/A	0	OWW		OWW2				0	0	3,000		4	O	ISO-967-8
A-101	1967	2	send	-54		905		#N/A	0			A-102				0	0	3,000		0		
A-101	1967	2	STAT		905	905	72	#N/A	0	P				Rec'd 54 M OWW		0	0	3,000		1		
A-101	1967	3	XIN	50		955		#N/A	0	OWW		OWW2				0	0	3,000		4	O	ARH-95-9
A-101	1967	3	send	-51		904		#N/A	0			A-102				0	0	3,000		0		
A-101	1967	3	STAT		904	904	79	#N/A	0	P				Rec'd 50 M OWW		0	0	3,000		1		
A-101	1967	4	XIN	63		967		#N/A	0	OWW		OWW2				0	0	3,000		4	O	ARH-326-9
A-101	1967	4	send	-62		905		#N/A	0			A-102				0	0	3,000		0		
A-101	1967	4	STAT		905	905	80	#N/A	0	P				Rec'd 63 M OWW		0	0	3,000		1		
A-101	1968	1	XIN	28		933		#N/A	0	OWW		OWW3				0	0	3,000		4	O	ARH-534-9
A-101	1968	1	SEND	-550		383		#N/A	0	SU		A-105				0	0	3,000		4	O	ARH-534-9
A-101	1968	1	send	-25		358		#N/A	0			A-102				0	0	3,000		0		
A-101	1968	1	STAT		358	358	83	#N/A	0	P				Tank equipped for boiling waste Rec'd 28 M OWW, 550 M to 105-A		0	0	3,000		1		
A-101	1968	2	SEND	-33		325		#N/A	0	SL		A-102				0	0	3,000		1		
A-101	1968	2	SEND	-264		61		#N/A	0	SU		A-105				0	0	3,000		4	O	ARH-721-9
A-101	1968	2	STAT		77	77	50	16	16	P				264 to 105-A;; test sluicing to 102-A		0	0	3,000		1		
A-101	1968	3	REC	358		435		#N/A	16	SU	A-103	A-103				0	0	3,000		4	O	ARH-871-9
A-101	1968	3	SEND	-324		111		#N/A	16	SU		A-102				0	0	3,000		4	O	ARH-871-9
A-101	1968	3	STAT		124	124	50	13	29	P				Rec'd 358M from 103-A;; 324 M to 102-A		0	0	3,000		1		
A-101	1968	4	SEND	0		124		#N/A	29	SU	A-102	A-102	*37 TO D			0	0	3,000		1		
A-101	1968	4	STAT		135	135	50	11	40	P						0	0	3,000		1		
A-101	1969	1	XIN	982		1117		#N/A	40	WTR		WTR				0	0	3,000		1		
A-101	1969	1	SEND	-33		1084		#N/A	40	SL		A-102				0	0	3,000		1		
A-101	1969	1	send	-85		999		#N/A	40			A-102			No quantity stated	0	0	3,000		3	O	ARH-1200A-10
A-101	1969	1	outx	-9		990		#N/A	40	SL	SRR	SRR	9 to SRR 2 back to A-106			0	0	3,000		0		
A-101	1969	1	STAT		990	990	8	#N/A	40	P				Sluicing to 102-A;; AR Vault completed 3-25-69. Filled with H2O for leak test		0	0	3,000		1		
A-101	1969	2	SEND	-215		775		#N/A	40	SU		A-104				0	0	3,000		4	O	ARH-1200B-10
A-101	1969	2	send	-27		748		#N/A	40			A-106				0	0	3,000		0		
A-101	1969	2	STAT		748	748	8	#N/A	40	H2O				215 M to 104-A;; Leak check satisfactory, water held in tank to maintain tank temperature for emergency use		0	0	3,000		1		
A-101	1969	3	SEND	-335		413		#N/A	40	SU		A-104				0	0	3,000		4	O	ARH-1200C-10
A-101	1969	3	send	-80		333		#N/A	40			A-106				0	0	3,000		0		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
A-101	1969	3	STAT		333	333	3	#N/A	40	H2O				Spare tank, 335 M H2O to 104-A		0	0	3,000		1		
A-101	1969	4	SEND	-133		200		#N/A	40	SU		A-104				0	0	3,000		4	O	ARH-1200D-10
A-101	1969	4	send	-27		173		#N/A	40			A-106				0	0	3,000		0		
A-101	1969	4	REC	0		173		#N/A	40	SU	A-106	A-106	OC 328 to 0		REC at A-102	0	0	3,000		2	V	ARH-1200D-10
A-101	1969	4	STAT		173	173	11	#N/A	40	H2O				Spare tank 133 M H2O to 104-A		0	0	3,000		1		
A-101	1970	1	XIN	108		281		#N/A	40	WTR		WTR				0	0	3,000		4	O	ARH-1666A-10
A-101	1970	1	REC	198		479		#N/A	40	SU	AX-104	AX-104				0	0	3,000		4	O	ARH-1666A-10
A-101	1970	1	STAT		462	462	11	-17	23	P				Sluicing completed in March 1969 198 M from 104-AX; rec'd 108 M H2O; due to increase sludge temp. 198,000 gal. to 104-AX & 98,000 gals H2O added		0	0	3,000		1		
A-101	1970	2	XIN	84		546		#N/A	23	WTR		WTR	Omiss.		Omission	0	0	3,000		3	V	ARH-1666B-10
A-101	1970	2	REC	198		744		#N/A	23	SU	AX-104	AX-104				0	0	3,000		4	O	ARH-1666B-10
A-101	1970	2	send	-105		639		#N/A	23			A-106				0	0	3,000		0		
A-101	1970	2	STAT		639	639	11	#N/A	23	P				Rec'd 198 M from 104-SX and 84M H2O		0	0	3,000		1		
A-101	1970	3	send	-108		531		#N/A	23			A-106				0	0	3,000		0		
A-101	1970	3	STAT		531	531	11	#N/A	23	P				Rec'd Purex supernatant from 104-AX in 1970		0	0	3,000		1		
A-101	1970	4	XIN	36		567		#N/A	23	P		P2				0	0	3,000		4	O	ARH-1666D-10
A-101	1970	4	send	-84		483		#N/A	23	P		A-106				0	0	3,000		0		
A-101	1970	4	STAT		483	483	11	#N/A	23	P				36M from Purex		0	0	3,000		1		
A-101	1971	1	send	-42		441		#N/A	23	P		A-106				0	0	3,000		0		
A-101	1971	1	STAT		441	441	11	#N/A	23	P						0	0	3,000		1		
A-101	1971	2	STAT		440	440	11	-1	22	P						0	0	3,000		1		
A-101	1971	3	STAT		430	430	11	-10	12	P						0	0	3,000		1		
A-101	1971	4	STAT		430	430	11	#N/A	12	P						0	0	3,000		1		
A-101	1972	1	STAT		422	422	11	-8	4	P				Sluicing completed March 1969 Rec'd Purex supernatant from 104 BX in 1970		0	0	3,000		1		
A-101	1972	2	SEND	-384		38		#N/A	4	SU		C-105				0	0	3,000		4	O	ARH-2456B-4
A-101	1972	2	STAT		26	26	11	-10	-6	P				384M to 105-C		0	0	3,000		1		
A-101	1972	3	OUTX	0		26		#N/A	-6		AR-002	AR	OMIS NOT USED		Omission	0	0	3,000		3	V	ARH-2456C-9
A-101	1972	3	STAT		32	32	11	4	-2	P				35M to 002-AR		0	0	3,000		1		
A-101	1972	4	STAT		33	33	16	1	-1	P						0	0	3,000		1		
A-101	1973	1	XIN	257		290		#N/A	-1	SRR		SRR				0	0	3,000		4	O	ARH-2794A-9
A-101	1973	1	STAT		302	302	16	12	11	P,B				257M from B Plant		0	0	3,000		1		
A-101	1973	2	XIN	628		930		#N/A	11	SRR		SRR				0	0	3,000		4	O	ARH-2794B-9
A-101	1973	2	STAT		928	928	16	-2	9	P,B				628M from B Plant		0	0	3,000		1		
A-101	1973	3	XIN	6		934		#N/A	9	SRR		SRR				0	0	3,000		4	O	ARH-2794C-9
A-101	1973	3	STAT		934	934	16	#N/A	9	P,B				Sluicing completed March 1969 8M from B Plant		0	0	3,000		1		
A-101	1973	4	XIN	5		939		#N/A	9	PL		PL1				0	0	3,000		4	O	ARH-2794D-9
A-101	1973	4	XIN	101		1040		#N/A	9	SRR		SRR				0	0	3,000		4	O	ARH-2794D-9
A-101	1973	4	send	-61		979		#N/A	9			A-106				0	0	3,000		0		
A-101	1973	4	SEND	-79		900		#N/A	9	SU		C-104				0	0	3,000		4	O	ARH-2794D-4/ARH-2794D-9 SEND
A-101	1973	4	STAT		900	900	16	#N/A	9	P,B				101M from B Plant;; 5M from Purex;; 79M to 104-C		0	0	3,000		1		
A-101	1974	1	XIN	74		974		#N/A	9	SRR		SRR				0	0	3,000		4	O	ARH-CD-133A-9
A-101	1974	1	SEND	-45		929		#N/A	9	SU		C-104				0	0	3,000		4	O	ARH-CD-133A-4
A-101	1974	1	STAT		968	968	16	39	48	P,B				74M from B Plant;; 45M to 104-C		0	0	3,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trf	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
A-101	1974	2	STAT		968	968	33	#N/A	48	P B						0	0	3,000		1		
A-101	1974	3	STAT		957	957	33	-11	37	P B			and stats at 962			0	0	3,000		1		
A-101	1974	4	STAT		938	938	33	-19	18	P B						0	0	3,000		1		
A-101	1975	1	STAT		924	924	33	-14	4	P B				Slulcing completed In March 69		0	0	3,000		1		
A-101	1975	2	SEND	-485		439		#N/A	4	SU		C-104				0	0	3,000		4	O	ARH-CD-336B-4
A-101	1975	2	STAT		432	432	11	-7	-3	P B				485M to 104-C		0	0	3,000		1		
A-101	1975	3	XIN	6		438		#N/A	-3	SRR		SRR				0	0	3,000		4	O	ARH-CD-336C-9
A-101	1975	3	XIN	2		440		#N/A	-3	WTR		WTR				0	0	3,000		4	O	ARH-CD-336C-9
A-101	1975	3	REC	276		716		#N/A	-3		A-102	A-102				0	0	3,000		3	V	ARH-CD-336C-9
A-101	1975	3	REC	318		1034		#N/A	-3	SU	A-106	A-106			Omission	0	0	3,000		4	O	ARH-CD-336C-9
A-101	1975	3	SEND	-818		216		#N/A	-3	SU		C-104				0	0	3,000		4	O	ARH-CD-336C-4
A-101	1975	3	STAT		217	217	11	1	-2	B				6M from B Plant; 276M from 102-A; 318M from 106-A 2M H2O; 818M to 104-C		0	0	3,000		1		
A-101	1975	4	send	-154		63		#N/A	-2			A-106				0	0	3,000		0		
A-101	1975	4	SEND	-11		52		#N/A	-2	SL		A-106				0	0	3,000		1		
A-101	1975	4	STAT		52	52	8	#N/A	-2	H2O						0	0	3,000		1		
A-101	1976	1	REC	155		207		#N/A	-2		A-106	A-106	*+172 to			0	0	3,000		3	V	ARH-CD-702A-9
A-101	1976	1	SEND	-201		6		#N/A	-2	SU		C-104				0	0	3,000		4	O	ARH-CD-702A-4
A-101	1976	1	STAT		6	6	1	#N/A	-2	H2O						0	0	3,000		1		
A-101	1976	2	STAT		6	6	3	#N/A	-2	H2O						0	0	3,000		1		
A-101	1976	3	rec	151		157		#N/A	-2		AX-103	AX-103				0	0	3,000		0		
A-101	1976	3	STAT		157	157	3	#N/A	-2	EVAP						0	0	3,000		1		
A-101	1976	4	rec	773		930		#N/A	-2		A-102	A-102				0	0	3,000		0		
A-101	1976	4	STAT		930	930	3	#N/A	-2	EVAP						0	0	3,000		1		
A-101	1977	1	send	-121		809		#N/A	-2			A-102				0	0	3,000		0		
A-101	1977	1	STAT		809	809	3	#N/A	-2	EVAP						0	0	3,000		1		
A-101	1977	2	send	-47		762		#N/A	-2			A-102				0	0	3,000		0		
A-101	1977	2	STAT		762	762	3	#N/A	-2	EVAP						0	0	3,000		1		
A-101	1977	3	rec	206		968		#N/A	-2		A-102	A-102				0	0	3,000		0		
A-101	1977	3	STAT		968	968	85	#N/A	-2	RESD						0	0	3,000		1		
A-101	1977	4	rec	6		974		#N/A	-2		A-102	A-102				0	0	3,000		0		
A-101	1977	4	STAT		974	974	85	#N/A	-2	RESD						0	0	3,000		1		
A-101	1978	1	SEND	-205		769		#N/A	-2	SU		A-102				0	0	3,000		1		
A-101	1978	1	SEND	-77		692		#N/A	-2	SU		A-102				0	0	3,000		1		
A-101	1978	1	SEND	-50		642		#N/A	-2	SU		A-102				0	0	3,000		1		
A-101	1978	1	SEND	-42		600		#N/A	-2	SU		A-102				0	0	3,000		1		
A-101	1978	1	SEND	-21		579		#N/A	-2	SU		A-102				0	0	3,000		1		
A-101	1978	1	SEND	-17		562		#N/A	-2	SU		A-102				0	0	3,000		1		
A-101	1978	1	rec	315		877		#N/A	-2	SU	A-102	A-102	*-1 to			0	0	3,000		0		
A-101	1978	1	STAT		877	877	377	#N/A	-2	HDRL						0	0	3,000		1		
A-101	1978	2	send	-11		866		#N/A	-2			A-102				0	0	3,000		0		
A-101	1978	2	STAT		866	866	377	#N/A	-2	DSSF						0	0	3,000		1		
A-101	1978	3	SEND	-120		746		#N/A	-2	SU		A-102	*+44 to			0	0	3,000		1		
A-101	1978	3	SEND	-118		628		#N/A	-2	SU		A-102				0	0	3,000		1		
A-101	1978	3	SEND	-14		614		#N/A	-2	SU		A-102				0	0	3,000		1		
A-101	1978	3	SEND	-116		496		#N/A	-2	SU		AZ-101				0	0	3,0004		1		
A-101	1978	3	SEND	-30		468		#N/A	-2	SU		AZ-101				0	0	3,0004		1		
A-101	1978	3	STAT		468	468	377	#N/A	-2	DSSF						0	0	3,000		1		
A-101	1978	4	send	-14		454		#N/A	-2			A-102				0	0	3,000		0		
A-101	1978	4	REC	213		667		#N/A	-2	SU	BX-104	BX-104				0	0	3,000		1		
A-101	1978	4	REC	142		809		#N/A	-2	SU	BX-104	BX-104				0	0	3,000		1		
A-101	1978	4	REC	77		886		#N/A	-2	SU	BX-104	BX-104				0	0	3,000		1		
A-101	1978	4	REC	74		960		#N/A	-2	SU	BX-104	BX-104				0	0	3,000		1		
A-101	1978	4	REC	11		971		#N/A	-2	SU	BX-104	BX-104				0	0	3,000		1		

Tank #	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWWT	LANL comment	Anderson comment	Order comment	sol wt%	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #	
A-101	1978	4	STAT		971	971	490	#NA	2	DSSF	A-102			Solids Deter Eval. (12/14/78)		0	0	3,000		1			
A-101	1979	1	rec	460		1431		#NA	-2	SU	A-102		*358 to			0	0	3,000		0			
A-101	1979	1	SEND	300		1131		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1979	1	SEND	264		867		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1979	1	SEND	215		652		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1979	1	SEND	187		465		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1979	1	SEND	50		415		#NA	-2	NCPLX	A-102					0	0	3,000		1			
A-101	1979	1	STAT		415	415		#NA	-2	NCPLX	A-102					0	0	3,000		1			
A-101	1979	2	rec	130		545		#NA	-2	NCPLX	A-102			New Solids Level 3/31/79		0	0	3,000		0			
A-101	1979	3	STAT		545	545		#NA	-2	NCPLX	A-102					0	0	3,000		1			
A-101	1979	3	REC	217		762		#NA	-2	SU	BX-104					0	0	3,000		0			
A-101	1979	3	STAT	176		938		#NA	-2	NCPLX	A-102			New Photo 7/19/79		0	0	3,000		1			
A-101	1979	4	REC	773		1711		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1979	4	SEND	770		941		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1979	4	REC	465		1406		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1979	4	SEND	382		1024		#NA	-2	SU	A-102			*527 to		0	0	3,000		1			
A-101	1979	4	SEND	328		696		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1979	4	SEND	239		457		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1979	4	REC	263		720		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1979	4	REC	149		869		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1979	4	SEND	525		344		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1979	4	STAT		344	344		#NA	-2	NCPLX	A-102				New Solids Level (2/31/79)		0	0	3,000		1		
A-101	1980	1	REC	318		662		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	1	SEND	173		489		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	1	SEND	165		324		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	1	SEND	144		180		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	1	SEND	129		51		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	1	REC	256		307		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	1	REC	179		486		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	1	REC	114		600		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	1	REC	91		691		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	1	REC	30		721		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	1	SEND	286		435		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	1	STAT		435	435		#NA	-2	DSSF	BX-105					0	0	3,000		1			
A-101	1980	2	REC	193		628		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	2	REC	191		619		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	2	REC	87		906		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	2	REC	45		951		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	2	REC	33		984		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	2	SEND	489		495		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	2	SEND	97		396		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	2	SEND	69		329		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	2	STAT		329	329		#NA	-2	CPI X	A-102					0	0	3,000		1			
A-101	1980	3	REC	254		583		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	3	REC	239		822		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	3	REC	126		948		#NA	-2	SU	BX-104					0	0	3,000		1			
A-101	1980	3	SEND	381		557		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	3	SEND	269		288		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	3	SEND	180		108		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	3	rec	879		987		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	3	SEND	131		856		#NA	-2	SU	A-102					0	0	3,000		1			
A-101	1980	3	SEND	179		677		#NA	-2	SU	AY-102					0	0	3,000		1			
A-101	1980	3	SEND	147		530		#NA	-2	SU	AY-102					0	0	3,000		1			
A-101	1980	3	STAT		530	530		#NA	-2	DSSF	AW-103					0	0	3,000		1			
A-101	1980	4	SEND	122		408		#NA	-2	SU	AW-103					0	0	3,000		1			
A-101	1980	4	SEND	85		323		#NA	-2	SU	AW-103					0	0	3,000		1			

Tank n	Year	Qty	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Q/A	Document/Pg #
A-101	1990	4	SEND	-28	295			#N/A	-2	SU		AW-103				0	0	3,0004		1	
A-101	1990	4	SEND	-140	155			#N/A	-2	SU		A-102				0	0	3,000		1	
A-101	1990	4	SEND	-34	121			#N/A	-2	SU		A-102				0	0	3,000		1	
A-101	1990	4	rec	810	931			#N/A	-2	SU	A-102	A-102	*58 lo			0	0	3,000		0	
A-101	1990	4	STAT		931	931	550	#N/A	-2	DSSF			Inactive - New Solids Level 11/21/80, New Photo 11/19/80			0	0	3,000		1	
A-101	1993	2	STAT		953	953	953	22	20	DSSF						0	0	3,000		1	
A-101	1993	4	STAT		953	953	953	#N/A	20							0	0	3,000		1	
A-101	1994	1	STAT		953	953	953	#N/A	20							0	0	3,000		1	
A-101	2000															0	0	3,000		1	



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oyden comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Fig #
A-102	1900																					
A-102	1956	1	XIN	19		19		#NA	0	OWW		OWW1					0	0	0	3	O	HWN-1991-4
A-102	1956	1	XIN	111		130		#NA	0	P		P1					0	0	0	3	O	HWN-1991-4
A-102	1956	1	STAT		130			0	#NA	0				Waste routed here on 3/22			0	0	0	1		
A-102	1956	2	XIN	375		505		#NA	0	P		P1			Shows 355 not 375		0	0	0	2	V	HWN-1991-4
A-102	1956	2	STAT		505			0	#NA	0							0	0	0	1		
A-102	1956	3	OUTX	-10		495		#NA	0	COND	A-008	PCOND		New electrode rdg			0	0	0	1		
A-102	1956	3	STAT		495			0	#NA	0							0	0	0	1		
A-102	1956	4	OUTX	-32		463		#NA	0	COND	A-008	PCOND					0	0	0	1		
A-102	1956	4	STAT		463			0	#NA	0							0	0	0	1		
A-102	1957	1	OUTX	-6		457		#NA	0	P		PCOND		Latest electrode rdg			0	0	0	1		
A-102	1957	1	STAT		457			0	#NA	0							0	0	0	1		
A-102	1957	2	XIN	28		485		#NA	0	OWW		OWW1					0	0	0	2		
A-102	1957	2	SEND	-77		408		#NA	0	SU		C-106					0	0	0	4	O	HWN-1991-4
A-102	1957	2	OUTX	-34		374		0	#NA	0		PCOND	6 to	77M bumped 106-C			0	0	0	4	O	HWN-1991-4
A-102	1957	3	XIN	20		394		#NA	0	OWW		OWW1	OC qtr 1 to 3				0	0	0	1		
A-102	1957	3	XIN	26		420		#NA	0	OWW		OWW1	OC qtr 1 to 3	Shows 3rd Qtr			0	0	0	3	V	HWN-1991-4
A-102	1957	3	XIN	31		451		#NA	0	OWW		OWW1	OC qtr 1 to 3	Shows 3rd Qtr			0	0	0	3	V	HWN-1991-4
A-102	1957	3	XIN	28		479		#NA	0	OWW		OWW1	OC qtr 2 to 3	Shows 3rd Qtr			0	0	0	3	V	HWN-1991-4
A-102	1957	3	XIN	24		503		#NA	0	OWW		OWW1	OC qtr 2 to 3	Shows 3rd Qtr			0	0	0	3	V	HWN-1991-4
A-102	1957	3	XIN	34		537		#NA	0	OWW		OWW1					0	0	0	4	O	HWN-1991-4
A-102	1957	3	XIN	28		565		#NA	0	OWW		OWW1					0	0	0	4	O	HWN-1991-4
A-102	1957	3	XIN	18		583		#NA	0	OWW		OWW1					0	0	0	4	O	HWN-1991-4
A-102	1957	3	SEND	-282		291		#NA	0	SU		C-103					0	0	0	4	O	HWN-1991-4
A-102	1957	3	SEND	-170		121		#NA	0	SU		C-106	AND says 70 to C-106 pos error				0	0	0	4	O	HWN-1991-4
A-102	1957	3	STAT		149	149		0	28	P		C-103	237M carb. wash rec'd 70M to 106-C, 292M to 103			0	0	0	1			
A-102	1957	4	SEND	-19		130		#NA	28	SU		C-103	XIN from qtr 2 & 3 total 237			0	0	0	3	V	HWN-1991-4	
A-102	1957	4	STAT		124			0	-6	P		P1	19M to 106-C	Shows 19 not 25			0	0	0	1		
A-102	1958	1	XIN	294		418		#NA	22	P		P1	LC 186 to 294 rule			0	0	0	4	O	HWN-1991-4	
A-102	1958	1	OUTX	-19		399		#NA	22	COND	CRI87	PCOND	Omis	Omission			0	0	0	3	V	HW-56530-9
A-102	1958	1	STAT		399			0	#NA	22	P		168M rec'd 19M water boiled off			0	0	0	1			
A-102	1958	2	XIN	184		583		#NA	22	P		P1					0	0	0	4	O	HWN-1991-4
A-102	1958	2	XIN	269		852		#NA	22	P		P1					0	0	0	4	O	HWN-1991-4
A-102	1958	2	XIN	138		990		#NA	22	P		P1					0	0	0	4	O	HWN-1991-4
A-102	1958	2	OUTX	-101		889		#NA	22	COND	A-106	PCOND					0	0	0	4	O	HWN-1991-5
A-102	1958	2	OUTX	-238		651		#NA	22	COND	A-106	PCOND		No XFER to A-106			0	0	0	4	O	HWN-1991-5
A-102	1958	2	OUTX	-283		368		#NA	22	COND	A-106	PCOND		No XFER to A-106			0	0	0	4	O	HWN-1991-5
A-102	1958	2	STAT		-388			0	#NA	22	P		174 to 263				0	0	0	4	O	HWN-1991-5
A-102	1958	3	XIN	148		536		#NA	22	P		P1	OUTX -513, XIN total 591	513M self conc. rec'd 591M			0	0	0	1		
A-102	1958	3	XIN	115		651		#NA	22	P		P1					0	0	0	4	O	HWN-1991-4
A-102	1958	3	XIN	185		836		#NA	22	P		P1					0	0	0	4	O	HWN-1991-4
A-102	1958	3	OUTX	-60		776		#NA	22	COND	A-106	PCOND					0	0	0	4	O	HWN-1991-4
A-102	1958	3	OUTX	-110		666		#NA	22	COND	A-106	PCOND		No XFER to A-106			0	0	0	4	O	HWN-1991-5
A-102	1958	3	OUTX	-201		465		#NA	22	COND	A-106	PCOND		No XFER to A-106			0	0	0	4	O	HWN-1991-5
A-102	1958	3	STAT		465			0	#NA	22	P		OUTX -371, XIN total 448				0	0	0	4	O	HWN-1991-5
A-102	1958	4	XIN	192		657		#NA	22	P		P1	OC 237 to 192	371M self conc. rec'd 448M			0	0	0	2	V	HWN-1991-4
A-102	1958	4	XIN	201		858		#NA	22	P		P1					0	0	0	4	O	HWN-1991-4
A-102	1958	4	XIN	234		1092		#NA	22	P		P1					0	0	0	4	O	HWN-1991-4
A-102	1958	4	OUTX	-184		908		#NA	22	COND	A-106	PCOND	OC 229 to 184, AND reports 267				0	0	0	2	V	HWN-1991-5
A-102	1958	4	OUTX	-162		746		#NA	22	COND	A-106	PCOND		184, No XFER to A-106			0	0	0	4	O	HWN-1991-5
A-102	1958	4	OUTX	-242		504		#NA	22	COND	A-106	PCOND		No XFER to A-106			0	0	0	4	O	HWN-1991-5
A-102	1958	4	STAT		504	504		0	#NA	22	P		OUTX total -404, XIN total 435	404M self conc. rec'd 435M 267M H2O boiled off			0	0	0	1		



Tank n	Year	Qtr	Type	Trans Vol	Stat Vol	Total Vol	Solids Vol	Unk	Cum	Waste	Trans	DVXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Cl	QA	Document#
A-102	1959	1	XIN	183		183	687	#N/A	22 P			P1										HWN-1991-4
A-102	1959	1	XIN	96		773	773	#N/A	22 P			P1										HWN-1991-4
A-102	1959	1	XIN	189		942	942	#N/A	22 P			P1										HWN-1991-4
A-102	1959	1	OUTX	-94		758	758	#N/A	22 CON	A-106	PCOND		No XFER to A-106									HWN-1991-5
A-102	1959	1	OUTX	-184		664	664	#N/A	22 CON	A-106	PCOND		No XFER to A-106									HWN-1991-5
A-102	1959	1	STAT	495		495	495	#N/A	22 P			P1										HWN-1991-5
A-102	1959	2	XIN	153		153	648	#N/A	22 P			P1		447M self conc. rec'd 438M								HWN-1991-4
A-102	1959	2	XIN	80		728	728	#N/A	22 P			P1										HWN-1991-4
A-102	1959	2	OUTX	-181		909	909	#N/A	22 P			P1										HWN-1991-4
A-102	1959	2	OUTX	-153		756	756	#N/A	22 CON	A-106	PCOND		153, No XFER to A-106									HWN-1991-5
A-102	1959	2	STAT	602		602	602	#N/A	22 CON	A-106	PCOND		149, No XFER to A-106									HWN-1991-5
A-102	1959	3	XIN	208		810	810	#N/A	17 P			P1		310M self conc. rec'd 414M								HWN-1991-21
A-102	1959	3	XIN	284		1094	1094	#N/A	17 P			P1										HWN-1991-21
A-102	1959	3	OUTX	-213		1126	1126	#N/A	17 CON	A-106	PCOND		No XFER to A-106									HWN-1991-20
A-102	1959	3	OUTX	-325		801	801	#N/A	17 CON	A-106	PCOND		No XFER to A-106									HWN-1991-21
A-102	1959	3	STAT	562		562	562	#N/A	17 P			P1		777M self conc. rec'd 320M								HWN-1991-21
A-102	1959	4	XIN	262		824	824	#N/A	17 P			P1										HWN-1991-20
A-102	1959	4	XIN	338		1162	1162	#N/A	17 P			P1										HWN-1991-20
A-102	1959	4	OUTX	-249		1413	1413	#N/A	17 CON	A-106	PCOND		No XFER to A-106									HWN-1991-20
A-102	1959	4	OUTX	-334		1079	1079	#N/A	17 CON	A-106	PCOND		No XFER to A-106									HWN-1991-21
A-102	1959	4	OUTX	-390		689	689	#N/A	17 CON	A-106	PCOND		No XFER to A-106									HWN-1991-21
A-102	1959	4	STAT	699		699	699	#N/A	17 P			P1		973M self conc. rec'd 1100M								HWN-1991-21
A-102	1960	1	XIN	375		1064	1064	#N/A	17 P			P1										HWN-1991-20
A-102	1960	1	XIN	193		1257	1257	#N/A	17 P			P1										HWN-1991-20
A-102	1960	1	OUTX	235		1492	1492	#N/A	17 P			P1										HWN-1991-20
A-102	1960	1	OUTX	317		1175	1175	#N/A	17 CON	A-106	PCOND		No XFER to A-106									HWN-1991-20
A-102	1960	1	OUTX	270		905	905	#N/A	17 CON	A-106	PCOND		No XFER to A-106									HWN-1991-21
A-102	1960	1	STAT	671		671	671	#N/A	17 P			P1		No XFER to A-106								HWN-1991-21
A-102	1960	2	XIN	57		728	728	#N/A	17 CARB			OWW1		821M self conc. rec'd 603M								HWN-1991-21
A-102	1960	2	XIN	54		792	792	#N/A	17 P			P1										HWN-1991-20
A-102	1960	2	XIN	107		899	899	#N/A	17 P			P1										HWN-1991-20
A-102	1960	2	OUTX	363		1262	1262	#N/A	17 FL			P1										HWN-1991-20
A-102	1960	2	OUTX	34		1228	1228	#N/A	17 CON	A-106	PCOND		No XFER to A-106									HWN-1991-20
A-102	1960	2	OUTX	90		1138	1138	#N/A	17 CON	A-106	PCOND		No XFER to A-106									HWN-1991-21
A-102	1960	2	OUTX	-411		727	727	#N/A	17 CON	A-106	PCOND		No XFER to A-106									HWN-1991-21
A-102	1960	2	STAT	727		727	727	#N/A	17 P			OWW1		248M self conc. rec'd 591M								HWN-1991-21
A-102	1960	3	XIN	122		881	881	#N/A	17 P			P1										HWN-1991-20
A-102	1960	3	XIN	156		1037	1037	#N/A	17 P			P1										HWN-1991-20
A-102	1960	3	XIN	91		1344	1344	#N/A	17 DIL			WTR										HWN-1991-20
A-102	1960	3	XIN	59		1403	1403	#N/A	17 DIL			WTR										HWN-1991-20
A-102	1960	3	OUTX	-136		1268	1268	#N/A	17 CON	A-106	PCOND		Shows 59 not 122									HWN-1991-21
A-102	1960	3	OUTX	-339		929	929	#N/A	17 CON	A-106	PCOND		107, No XFER to A-106									HWN-1991-21
A-102	1960	3	OUTX	-129		800	800	#N/A	17 CON	A-106	PCOND		217, No XFER to A-106									HWN-1991-21
A-102	1960	3	STAT	800		800	800	#N/A	17 P			OWW1		453M self conc. rec'd 517M								HWN-1991-20

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ch	Q/A	Document/Pg #
A-102	1960	4	XIN	147		962		#N/A	17	P		P1				0	0	0.000		4	O	HWN-1991-20
A-102	1960	4	XIN	213		1175		#N/A	17	DIL		WTR				0	0	0.000		4	O	HW-68291-8
A-102	1960	4	OUTX	-168		1007		#N/A	17	COND	A-106	PCOND			No XFER to A-106	0	0	0.000		4	O	HWN-1991-21
A-102	1960	4	OUTX	-136		871		#N/A	17	COND	CRIB?	PCOND		Omis.	Omission	0	0	0.000		2	V	HW-68291-8
A-102	1960	4	STAT		882	882		0	11	28	P			XINS total 375, OUTX in qtr 1 -319, AND reports -292	166M self conc. rec'd 375M 292M boil off			0.000		1		
A-102	1961	1	XIN	331		1213		#N/A	28	P		P1				0	0	0.000		4	O	HWN-1991-20
A-102	1961	1	OUTX	-396		817		#N/A	28	COND	A-106	PCOND			319, No XFER to A-106	0	0	0.000		2	V	HWN-1991-21
A-102	1961	1	STAT		806	806		0	-11	17	P				Rec'd 331M - 6 months report			0.000		1		
A-102	1961	2	STAT		N/A	806		#N/A	17									0.000		1		
A-102	1961	3	XIN	120		926		#N/A	17	P		P1						0.000		4	O	HWN-1991-20
A-102	1961	3	OUTX	-38		888		#N/A	17	COND	A-024	PCOND			No XFER to A-024	0	0	0.000		3	O	HWN-1991-21
A-102	1961	3	STAT		N/A	888		#N/A	17									0.000		1		
A-102	1961	4	XIN	120		1008		#N/A	17			WTR						0.000		1		
A-102	1961	4	OUTX	-136		872		#N/A	17	COND	A-106	PCOND						0.000		1		
A-102	1961	4	STAT		888	888		0	16	33	P				Rec'd 120M - 6 months report			0.000		1		
A-102	1962	1	OUTX	-41		847		#N/A	33			PCOND						0.000		0		
A-102	1962	1	STAT		847	847		0	#N/A	33	P				6 months report			0.000		1		
A-102	1962	2	STAT		N/A	847		#N/A	33					* Dry wells drilled: 10-02-01, 10-02-03, 10-02-05, 10-02-06, 10-02-08, 10-02-10, 10-02-11			0.000		1			
A-102	1962	3	XIN	92		939		#N/A	33	CARB		OWW1						0.000		4	O	HWN-1991-25
A-102	1962	3	OUTX	-30		909		#N/A	33	COND	A-024	PCOND						0.000		1		
A-102	1962	3	STAT		N/A	909		#N/A	33									0.000		1		
A-102	1962	4	XIN	246		1155		#N/A	33	CARB		OWW1						0.000		4	O	HWN-1991-25
A-102	1962	4	OUTX	-140		1015		#N/A	33	COND	A-024	PCOND						0.000		1		
A-102	1962	4	STAT		1015	1015		0	#N/A	33	P			XINS from qtr 3 & 4 total 338 ca	6 months report - rec'd 338M ca			0.000		1		
A-102	1963	1	OUTX	-50		965		#N/A	33	COND	A-024	PCOND		*14 to				0.000		1		
A-102	1963	1	STAT		965	965		0	#N/A	33	P				6 months report - rec'd 221M ca			0.000		1		
A-102	1963	2	XIN	221		1186		#N/A	33	CARB		OWW2						0.000		4	O	HWN-1991-25
A-102	1963	2	OUTX	-257		929		#N/A	33	COND	A-024	PCOND						0.000		1		
A-102	1963	2	STAT		N/A	929		#N/A	33									0.000		1		
A-102	1963	3	XIN	15		944		#N/A	33	CARB		OWW2						0.000		4	O	HWN-1991-25
A-102	1963	3	XIN	166		1110		#N/A	33			WTR						0.000		0		
A-102	1963	3	SEND	-138		972		#N/A	33	SU		C-101						0.000		4	O	HW-80379-4
A-102	1963	3	SEND	-138		834		#N/A	33	SU		C-101						0.000		2		
A-102	1963	3	SEND	-407		427		#N/A	33	SU		C-105	OC 204 to 407		Shows 407 not 204			0.000		3	V	HW-80379-4
A-102	1963	3	SEND	-245		182		#N/A	33	SU		C-106	OC 182 to 245		427 total for these 2			0.000		3	V	HW-80379-4
A-102	1963	3	SEND	-182		0		#N/A	33	SU		C-106			427 total for these 2			0.000		3	V	HW-80379-4
A-102	1963	3	STAT		N/A	0		#N/A	33									0.000		1		
A-102	1963	4	XIN	276		276		#N/A	33	WTR		WTR	OC 423 to 276		Shows 276			0.000		2	V	HWN-1991-25
A-102	1963	4	rec	267		543		#N/A	33		A-101	A-101	sluicinginput, tosluicing				0.000		0			
A-102	1963	4	rec	487		1030		#N/A	33		A-105	A-105	sluicinginput				0.000		0			
A-102	1963	4	rec	1147		2177		#N/A	33		B-109	B-109	sluicinginput, whereto??				0.000		0			
A-102	1963	4	rec	122		2299		#N/A	33		C-101	C-101	sluicinginput				0.000		0			
A-102	1963	4	rec	66		2365		#N/A	33		C-106	C-106	sluicinginput, sluicing?				0.000		0			
A-102	1963	4	rec	214		2579		#N/A	33		B-103	B-103	sluicinginput				0.000		0			
A-102	1963	4	OUTX	-2223		356		#N/A	33			PCOND						0.000		0		
A-102	1963	4	STAT		356	356		0	#N/A	33					6 months report - rec'd 15M car Supernatant to C-Farm			0.000		1		
A-102	1964	1	rec	584		940		#N/A	33		A-104	A-104						0.000		0		
A-102	1964	1	rec	249		1189		#N/A	33			A-101						0.000		0		
A-102	1964	1	rec	46		1235		#N/A	33			A-106						0.000		0		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk Hr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oydan comment	sol vol%	TLM solids	Cum solids	sol type	Q/A	Document/Pg #
A-102	1964	1	send	-68		1167		#N/A	33			A-103				0	0				
A-102	1964	1	outx	380		787		#N/A	33			PCOND				0	0				
A-102	1964	1	STAT		787	787		0	33	P						0	0				
A-102	1964	2	rec	106		893		#N/A	33							0	0				
A-102	1964	2	rec	16		909		#N/A	33			BX-109	sluicing	Sluicing for sludge removal 6 months report		0	0				
A-102	1964	2	rec	60		969		#N/A	33			C-106	sluicing?		0	0					
A-102	1964	2	STAT			N/A		#N/A	33			C-105			0	0					
A-102	1964	3	STAT			N/A		#N/A	33							0	0				
A-102	1964	4	rec	252		1221		#N/A	33			A-104			0	0					
A-102	1964	4	rec	17		1238		#N/A	33			C-106	sluicing?		0	0					
A-102	1964	4	rec	282		1520		#N/A	33			A-101			0	0					
A-102	1964	4	rec	484		2004		#N/A	33			A-106			0	0					
A-102	1964	4	rec	106		2110		#N/A	33			C-105			0	0					
A-102	1964	4	send	-34		2076		#N/A	33			A-103			0	0					
A-102	1964	4	outx	-1036		930		#N/A	33			PCOND			0	0					
A-102	1964	4	STAT		930	930		0	33	P				Sluicing for sludge removal- 6 months report		0	0				
A-102	1965	1	Mit	499		1429		#N/A	33			WTR			0	0					
A-102	1965	1	rec	151		1580		#N/A	33			A-101			0	0					
A-102	1965	1	send	-199		1381		#N/A	33			A-103			0	0					
A-102	1965	1	send	-13		1368		#N/A	33			A-105			0	0					
A-102	1965	1	send	-480		888		#N/A	33			AX-103			0	0					
A-102	1965	1	STAT		888	888		77	33	P				8 months report		0	0				
A-102	1965	2	rec	151		1039		#N/A	33			B-110			0	0					
A-102	1965	2	rec	342		1381		#N/A	33			C-102	to selfboiling??		0	0					
A-102	1965	2	STAT			N/A		#N/A	33						0	0					
A-102	1965	3	rec	61		1442		#N/A	33			B-110			0	0					
A-102	1965	3	rec	106		1548		#N/A	33			A-101	to selfboiling??		0	0					
A-102	1965	3	rec	171		1719		#N/A	33			A-104			0	0					
A-102	1965	3	rec	605		2324		#N/A	33			A-106			0	0					
A-102	1965	3	rec	282		2586		#N/A	33			AX-101			0	0					
A-102	1965	3	rec	1059		3645		#N/A	33			AX-103			0	0					
A-102	1965	3	send	-11		3634		#N/A	33			C-102			0	0					
A-102	1965	3	outx	-2713		921		#N/A	33			PCOND			0	0					
A-102	1965	3	STAT		921	921		77	33	P					0	0					
A-102	1965	4	rec	35		956		#N/A	33			B-110			0	0					
A-102	1965	4	rec	20		976		#N/A	33			A-101	to selfboiling??		0	0					
A-102	1965	4	rec	78		1054		#N/A	33			A-104			0	0					
A-102	1965	4	rec	146		1200		#N/A	33			A-106			0	0					
A-102	1965	4	rec	179		1379		#N/A	33			AX-102			0	0					
A-102	1965	4	rec	1483		2842		#N/A	33			AX-103			0	0					
A-102	1965	4	rec	344		3186		#N/A	33			AX-104			0	0					
A-102	1965	4	send	-10		3176		#N/A	33						0	0					
A-102	1965	4	outx	-2260		916		#N/A	33			PCOND			0	0					
A-102	1965	4	STAT		916	916		77	33	P					0	0					
A-102	1966	1	rec	99		1015		#N/A	33			B-110			0	0					
A-102	1966	1	rec	114		1129		#N/A	33			A-104	to selfboiling??		0	0					
A-102	1966	1	rec	141		1270		#N/A	33			A-106			0	0					
A-102	1966	1	rec	622		1892		#N/A	33			AX-103			0	0					
A-102	1966	1	send	-24		1868		#N/A	33			A-103			0	0					
A-102	1966	1	outx	-963		905		#N/A	33			PCOND			0	0					
A-102	1966	1	STAT		905	905		77	33	P					0	0					
A-102	1966	2	rec	76		981		#N/A	33			A-103			0	0					
A-102	1966	2	rec	46		1027		#N/A	33			A-104			0	0					
A-102	1966	2	rec	104		1131		#N/A	33			A-106			0	0					
A-102	1966	2	rec	103		1234		#N/A	33			AX-101			0	0					
A-102	1966	2	rec	251		1495		#N/A	33			AX-103			0	0					

Tank n.	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solites vol	Unk itr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ordan comment	sol vol%	TLM solites	Cum solites	sol type	QA	Document/Pg #
A-102	1966	2	rec	25		1520		#N/A	33			C-105				0	0	0			
A-102	1966	2	send	-43		1475		#N/A	33			AX-104				0	0	0.000			
A-102	1966	2	outr	-573		902		#N/A	33			PCOND				0	0	0.000			
A-102	1966	3	STAT		902	902	77	#N/A	33	P						0	0	0.000			
A-102	1966	3	rec	70		972		#N/A	33			A-101				0	0	0.000			
A-102	1966	3	rec	102		1074		#N/A	33			A-104				0	0	0.000			
A-102	1966	3	rec	137		1211		#N/A	33			A-106				0	0	0.000			
A-102	1966	3	send	-288		923		#N/A	33			AX-104				0	0	0.000			
A-102	1966	3	STAT		894	894	77	#N/A	33	P						0	0	0.000			
A-102	1966	4	rec	76		970		#N/A	4			A-101				0	0	0.000			
A-102	1966	4	rec	91		1061		#N/A	4			A-104				0	0	0.000			
A-102	1966	4	rec	119		1180		#N/A	4			A-106				0	0	0.000			
A-102	1966	4	rec	264		1444		#N/A	4			AX-104				0	0	0.000			
A-102	1966	4	rec	100		1544		#N/A	4			C-105				0	0	0.000			
A-102	1966	4	send	-83		1461		#N/A	4			A-103				0	0	0.000			
A-102	1966	4	outr	-556		905		#N/A	4	P		PCOND				0	0	0.000			
A-102	1966	4	STAT		905	905	77	#N/A	4							0	0	0.000			
A-102	1967	1	rec	64		969		#N/A	4			A-101				0	0	0.000			
A-102	1967	1	rec	100		1069		#N/A	4			A-104				0	0	0.000			
A-102	1967	1	rec	90		1159		#N/A	4			A-106				0	0	0.000			
A-102	1967	1	rec	305		1464		#N/A	4			AX-101				0	0	0.000			
A-102	1967	1	rec	271		1735		#N/A	4			AX-104				0	0	0.000			
A-102	1967	1	outr	-833		902		#N/A	4			PCOND				0	0	0.000			
A-102	1967	1	STAT		902	902	77	#N/A	4	P						0	0	0.000			
A-102	1967	2	rec	54		956		#N/A	4			A-101				0	0	0.000			
A-102	1967	2	rec	94		1050		#N/A	4			A-104				0	0	0.000			
A-102	1967	2	rec	114		1164		#N/A	4			A-106				0	0	0.000			
A-102	1967	2	rec	226		1390		#N/A	4			AX-101				0	0	0.000			
A-102	1967	2	rec	124		1514		#N/A	4			AX-102				0	0	0.000			
A-102	1967	2	rec	50		1564		#N/A	4			AX-103				0	0	0.000			
A-102	1967	2	rec	465		2029		#N/A	4			AX-104				0	0	0.000			
A-102	1967	2	outr	-1090		939		#N/A	4			PCOND				0	0	0.000			
A-102	1967	2	STAT		939	939	77	#N/A	4	P						0	0	0.000			
A-102	1967	3	rec	51		990		#N/A	4			A-101				0	0	0.000			
A-102	1967	3	rec	130		1120		#N/A	4			A-104				0	0	0.000			
A-102	1967	3	send	-555		565		#N/A	4			AX-102				0	0	0.000			
A-102	1967	3	rec	123		688		#N/A	4			A-106				0	0	0.000			
A-102	1967	3	rec	410		1098		#N/A	4			AX-101				0	0	0.000			
A-102	1967	3	rec	449		1547		#N/A	4			AX-104				0	0	0.000			
A-102	1967	3	outr	-615		932		#N/A	4			PCOND				0	0	0.000			
A-102	1967	3	STAT		932	932	102	#N/A	4	P						0	0	0.000			
A-102	1967	4	rec	62		994		#N/A	4			A-101				0	0	0.000			
A-102	1967	4	rec	56		1050		#N/A	4			A-104				0	0	0.000			
A-102	1967	4	rec	107		1157		#N/A	4			A-106				0	0	0.000			
A-102	1967	4	rec	60		1217		#N/A	4			AX-103				0	0	0.000			
A-102	1967	4	rec	339		1556		#N/A	4			AX-104				0	0	0.000			
A-102	1967	4	send	-24		1542		#N/A	4			A-103				0	0	0.000			
A-102	1967	4	send	-704		838		#N/A	4			AX-101				0	0	0.000			
A-102	1967	4	STAT		862	862	99	#N/A	4							0	0	0.000			
A-102	1968	1	rec	25		987		#N/A	28	P		A-101				0	0	0.000			
A-102	1968	1	rec	103		1090		#N/A	28			A-104				0	0	0.000			
A-102	1968	1	rec	102		1192		#N/A	28			A-106				0	0	0.000			
A-102	1968	1	rec	288		1380		#N/A	28			AX-101				0	0	0.000			
A-102	1968	1	rec	79		1459		#N/A	28			AX-103				0	0	0.000			
A-102	1968	1	rec	152		1611		#N/A	28			AX-104				0	0	0.000			
A-102	1968	1	SEND	-167		1444		#N/A	28	SU						0	0	0.000			
A-102	1968	1	send	-42		1402		#N/A	28			A-102				0	0	0.000			
A-102	1968	1	outr	-761		641		#N/A	28			PCOND				0	0	0.000			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	L/ANL comment	Anderson comment	Ops/in comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
A-102	1968	1	STAT	641	641	641	99	#N/A	28 P		A-101			Equipped for boiling 35M to 103-A		0	0	0.000	1			
A-102	1968	2	REC	33	674	674		#N/A	28 SL		A-103					0	0	0.000	1			
A-102	1968	2	send	549	1223	1223		#N/A	28		A-105					0	0	0.000	0			
A-102	1968	2	send	558	665	665		#N/A	28		AX-101					0	0	0.000	0			
A-102	1968	2	rec	134	1590	1590		#N/A	28		AX-103					0	0	0.000	0			
A-102	1968	2	rec	93	1724	1724		#N/A	28		AX-104					0	0	0.000	0			
A-102	1968	2	outx	-1149	668	668		#N/A	28		PCOND					0	0	0.000	0			
A-102	1968	2	STAT	668	668	668	124	#N/A	28 P		A-101			Rec'd sludge waste from 101-B		0	0	0.000	1			ARH-871-9
A-102	1968	3	REC	324	992	992		#N/A	28 SU		A-103					0	0	0.000	4	O		ARH-871-9
A-102	1968	3	rec	82	1074	1074		#N/A	28		A-106					0	0	0.000	0			
A-102	1968	3	rec	61	1135	1135		#N/A	28		AX-101					0	0	0.000	0			
A-102	1968	3	rec	721	1856	1856		#N/A	28		AX-103					0	0	0.000	0			
A-102	1968	3	SEND	469	1904	1904		#N/A	28 SU		A-103					0	0	0.000	0			
A-102	1968	3	send	-60	1445	1445		#N/A	28		A-105					0	0	0.000	4	O		ARH-871-9
A-102	1968	3	outx	-920	1385	1385		#N/A	28		PCOND					0	0	0.000	0			
A-102	1968	3	STAT	465	465	465	127	#N/A	28 P		A-101			459M to 103-A 324M from 101-A		0	0	0.000	1			
A-102	1968	4	rec	62	527	527		#N/A	28		A-103					0	0	0.000	0			
A-102	1968	4	rec	1056	1583	1583		#N/A	28		AX-101					0	0	0.000	0			
A-102	1968	4	rec	44	1627	1627		#N/A	28		AX-103					0	0	0.000	0			
A-102	1968	4	send	-11	1616	1616		#N/A	28		PCOND					0	0	0.000	0			
A-102	1968	4	outx	-176	440	440		#N/A	28		PCOND					0	0	0.000	0			
A-102	1968	4	STAT	440	440	440	127	#N/A	28 P		A-101					0	0	0.000	1			
A-102	1969	1	REC	33	473	473		#N/A	28 SL		A-101			No quantity stated		0	0	0.000	3	O		ARH-1200A-10
A-102	1969	1	rec	85	558	558		#N/A	28		A-101					0	0	0.000	0			
A-102	1969	1	rec	51	609	609		#N/A	28		A-103					0	0	0.000	0			
A-102	1969	1	rec	23	632	632		#N/A	28		A-104					0	0	0.000	0			
A-102	1969	1	rec	226	858	858		#N/A	28		AX-101					0	0	0.000	0			
A-102	1969	1	rec	28	886	886		#N/A	28		AX-103					0	0	0.000	0			
A-102	1969	1	rec	96	982	982		#N/A	28		AX-104					0	0	0.000	0			
A-102	1969	1	outx	-316	666	666		#N/A	28		PCOND					0	0	0.000	0			
A-102	1969	1	STAT	666	666	666	146	#N/A	28 P		A-106			Rec'd sludge 101-A		0	0	0.000	0			
A-102	1969	2	REC	331	997	997		#N/A	28 SU		A-106					0	0	0.000	0			
A-102	1969	2	REC	193	1190	1190		#N/A	28 SU		A-106					0	0	0.000	0			
A-102	1969	2	send	-83	1107	1107		#N/A	28		A-106					0	0	0.000	0			
A-102	1969	2	SEND	-278	829	829		#N/A	28 SU		C-105					0	0	0.000	0			
A-102	1969	2	SEND	-238	591	591		#N/A	28 SU		C-105			516 total for these 2		0	0	0.000	3	V		ARH-1200B-5/ARH-1200B-10 SEND
A-102	1969	2	STAT	591	591	591	154	#N/A	28 P		C-105			516 total for these 2		0	0	0.000	3	V		ARH-1200B-5/ARH-1200B-10 SEND
A-102	1969	3	REC	473	1064	1064		#N/A	28 SU		A-106					0	0	0.000	1			
A-102	1969	3	REC	204	1268	1268		#N/A	28 SU		A-106					0	0	0.000	4	O		ARH-1200C-10
A-102	1969	3	send	-88	1180	1180		#N/A	28		A-106					0	0	0.000	4	D		ARH-1200C-10
A-102	1969	3	SEND	-196	984	984		#N/A	28 SU		C-105					0	0	0.000	4	O		ARH-1200C-10
A-102	1969	3	SEND	-156	828	828		#N/A	28		C-105					0	0	0.000	3	MV		ARH-1200C-10
A-102	1969	3	SEND	-149	679	679		#N/A	28 SU		C-105					0	0	0.000	4	O		ARH-1200C-10
A-102	1969	3	STAT	679	679	679	149	#N/A	28 P		A-103					0	0	0.000	1			
A-102	1969	4	REC	410	1089	1089		#N/A	28 SU		A-103			660 from 106-A		0	0	0.000	4	O		ARH-1200D-10
A-102	1969	4	REC	328	1417	1417		#N/A	28		A-106					0	0	0.000	3	MV		ARH-1200D-10
A-102	1969	4	send	-98	1319	1319		#N/A	28		C-105					0	0	0.000	0			
A-102	1969	4	SEND	-443	876	876		#N/A	28 SU		C-105					0	0	0.000	4	O		ARH-1200D-5
A-102	1969	4	SEND	-166	710	710		#N/A	28 SU		C-105					0	0	0.000	4	O		ARH-1200D-5

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #	
A-102	1969	4	STAT		710	710	149	#N/A	28	P			REC total 738, SEND total -609	738M from 103 & 106-A;; 609M to 105-C		0	0	0.000		1			
A-102	1970	1	send	-124		586		#N/A	28			A-106				0	0	0.000		0			
A-102	1970	1	SEND	-171		415		#N/A	28	SU		C-105				0	0	0.000		4	O	ARH-1666A-5	
A-102	1970	1	STAT		415	415	138	#N/A	28	P				171M to 105-C		0	0	0.000		1			
A-102	1970	2	SEND	-206		209		#N/A	28	SU		C-105				0	0	0.000		4	O	ARH-1666B-5, ARH-1666B-10 SEND	
A-102	1970	2	STAT		206	206	146	-3	25	P				206M to 105-C		0	0	0.000		1			
A-102	1970	3	STAT		205	205	146	-1	24	P						0	0	0.000		1			
A-102	1970	4	REC	50		255		#N/A	24		A-106	A-106		Omission		0	0	0.000		3	V	ARH-1666D-10	
A-102	1970	4	REC	194		449		#N/A	24	SU	C-106	C-106				0	0	0.000		4	O	ARH-1666D-5	
A-102	1970	4	send	-114		335		#N/A	24			A-106				0	0	0.000		0			
A-102	1970	4	STAT		335	335	154	#N/A	24	P,PSS				194M from 106-C; 50 from 106-A		0	0	0.000		1			
A-102	1971	1	XIN	81		416		#N/A	24	WTR		WTR	Omis. REC TK-417		Omission		0	0	0.000		3	V	ARH-2074A-10
A-102	1971	1	SEND	-194		222		#N/A	24	SU		C-106				0	0	0.000		4	O	ARH-2074-A5	
A-102	1971	1	STAT		193	193	154	-29	-5	P,PSS				81M from 417-TK, 194 to 106-C		0	0	0.000		1			
A-102	1971	2	STAT		206	206	154	13	8	P,PSS						0	0	0.000		1			
A-102	1971	3	STAT		206	206	154	#N/A	8	P,PSS						0	0	0.000		1			
A-102	1971	4	REC	39		245		#N/A	8	SU	A-106	A-106				0	0	0.000		1			
A-102	1971	4	STAT		242	242	154	-3	5	P,PSS				39M from 106-A		0	0	0.000		4	O	ARH-2074D-10	
A-102	1972	1	STAT		246	246	154	4	9	P,PSS						0	0	0.000		1			
A-102	1972	2	STAT		256	256	154	10	19	P,PSS						0	0	0.000		1			
A-102	1972	3	send	-81		175		#N/A	19			A-106				0	0	0.000		1			
A-102	1972	3	STAT		175	175	154	#N/A	19	PSS						0	0	0.000		0			
A-102	1972	4	outx	-85		90		#N/A	19	SL	SRR	SRR	17 AR at C-105			0	0	0.000		1			
A-102	1972	4	STAT		96	96	69	6	25	PSS						0	0	0.000		0			
A-102	1973	1	outx	-40		56		#N/A	25	SL	SRR	SRR	8 AR at C-105			0	0	0.000		1			
A-102	1973	1	STAT		39	39	39	-17	8							0	0	0.000		0			
A-102	1973	2	SEND	-19		20		#N/A	8	SU		A-103				0	0	0.000		1			
A-102	1973	2	SEND	0		20		#N/A	8	SL	A-103	A-103	*24 TO 0 DBL ACCT			0	0	0.000		4	O	ARH-2794B-9	
A-102	1973	2	STAT		30	30	15	10	18	H2O						0	0	0.000		1			
A-102	1973	3	STAT		32	32	15	2	20	H2O						0	0	0.000		1			
A-102	1973	4	STAT		30	30	15	-2	18	H2O						0	0	0.000		1			
A-102	1974	1	rec	41		71		#N/A	18		AX-103	AX-103				0	0	0.000		0			
A-102	1974	1	outx	-15		56		#N/A	18	SL	SRR	SRR	3 AR at C-105			0	0	0.000		0			
A-102	1974	1	STAT		56	56	0	#N/A	18	H2O						0	0	0.000		1			
A-102	1974	2	STAT		56	56	0	#N/A	18	H2O						0	0	0.000		1			
A-102	1974	3	xin	27		83		#N/A	18	AR		AR	LC added as per AND comment			0	0	0.000		1			
A-102	1974	3	XIN	46		129		#N/A	18	SRR		SRR				0.00763359	0.3511	0.351	SRR	2			
A-102	1974	3	rec	44		173		#N/A	18		AX-103	AX-103				0	0	0.351		0			
A-102	1974	3	STAT		173	173	0	#N/A	18	B				46M from B Plant, 27M from AR Vault Sluic. comp. 9-74		0	0	0.351		1			
A-102	1974	4	XIN	29		202		#N/A	18	AR		AR	Omis.			0	0	0.351		3	V	ARH-CD-133D-9	
A-102	1974	4	XIN	104		306		#N/A	18	SRR		SRR				0.00763359	0.7939	1.145	SRR	4	O	ARH-CD-133D-9	
A-102	1974	4	REC	276		582		#N/A	18	SU	A-106	A-106				0	0	1.145		4	O	ARH-CD-133D-9	
A-102	1974	4	rec	70		652		#N/A	18		AX-103	AX-103				0	0	1.145		0			
A-102	1974	4	STAT		652	652	17	#N/A	18	B				104M from B Plant; 276M from 106-A, 29M from AR Vault		0	0	1.145		1			
A-102	1975	1	XIN	49		701		#N/A	18	AR		AR	Omis.			0	0	1.145		3	V	ARH-CD-336A-9	
A-102	1975	1	XIN	147		848		#N/A	18	SRR		SRR				0.00763359	1.1221	2.267	SRR	4	O	ARH-CD-336A-9	
A-102	1975	1	STAT		839	839	17	-9	9	B				147M from B Plant; 49M from AR Vault		0	0	2.267		1			



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
A-102	1975	2	XIN	17		856		#N/A		9 AR		AR	Omision		Omision	0	0	2,267		3	V	ARH-CD-336B-9
A-102	1975	2	XIN	96		952		#N/A		9 SRR		SRR				0.00763359	0.7328	3,000	SRR	4	O	ARH-CD-336B-9
A-102	1975	2	STAT		952	952	17	#N/A		9 B				96M from B Plant;; 17M from AR Vault		0	0	3,000		1		
A-102	1975	3	XIN	3		955		#N/A		9 B	B PLAN	B	Omision		Omision	0	0	3,000		2	V	ARH-CD-336C-9
A-102	1975	3	XIN	11		966		#N/A		9 WTR		WTR	Omision		Omision	0	0	3,000		2	V	ARH-CD-336C-9
A-102	1975	3	SEND	-276		690		#N/A		9		A-101			Omision	0	0	3,000		3	V	ARH-CD-336C-9
A-102	1975	3	STAT		693	693	17	3		12 B				Sluicing completed Sept. 1974		0	0	3,000		1		
A-102	1975	4	STAT		690	690	17	-3		9 B						0	0	3,000		1		
A-102	1976	1	XIN	6		696		#N/A		9 WTR		WTR				0	0	3,000		4	O	ARH-CD-702A-9
A-102	1976	1	SEND	-338		358		#N/A		9 SU		A-103				0	0	3,000		4	O	ARH-CD-702A-9
A-102	1976	1	SEND	-163		195		#N/A		9 SU		A-106				0	0	3,000		4	O	ARH-CD-702A-9
A-102	1976	1	SEND	-16		179		#N/A		9 SL		A-106				0	0	3,000		1		
A-102	1976	1	SEND	-130		49		#N/A		9 SU		C-104				0	0	3,000		4	O	ARH-CD-702A-4
A-102	1976	1	STAT		72	72	1	23		32 B				Sluicing;; 130M to 104-C;; 6M H2O;; 338M to 103-A; 163M to 106-A		0	0	3,000		1		
A-102	1976	2	STAT		39	39	2	-33		-1 H2O				Sluicing completed April 1976		0	0	3,000		1		
A-102	1976	3	rec	85		124		#N/A		-1		C-104				0	0	3,000		0		
A-102	1976	3	rec	77		201		#N/A		-1		C-106				0	0	3,000		0		
A-102	1976	3	send	-66		135		#N/A		-1		A-103				0	0	3,000		0		
A-102	1976	3	send	-47		88		#N/A		-1		BX-104				0	0	3,000		0		
A-102	1976	3	outx	-82		6		#N/A		-1		A1COND				0	0	3,000		0		
A-102	1976	3	STAT		6	6	6	#N/A		-1 H2O						0	0	3,000		1		
A-102	1976	4	rec	91		97		#N/A		-1		A-103				0	0	3,000		0		
A-102	1976	4	rec	695		792		#N/A		-1		AX-102				0	0	3,000		0		
A-102	1976	4	rec	154		946		#N/A		-1	AY-102	AY-102				0	0	3,000		0		
A-102	1976	4	rec	64		1010		#N/A		-1	BX-104	BX-104				0	0	3,000		0		
A-102	1976	4	rec	72		1082		#N/A		-1	BX-105	BX-105				0	0	3,000		0		
A-102	1976	4	rec	222		1304		#N/A		-1	BX-106	BX-106				0	0	3,000		0		
A-102	1976	4	rec	154		1458		#N/A		-1	BY-101	BY-101				0	0	3,000		0		
A-102	1976	4	rec	49		1507		#N/A		-1	BY-104	BY-104				0	0	3,000		0		
A-102	1976	4	rec	47		1554		#N/A		-1	C-104	C-104				0	0	3,000		0		
A-102	1976	4	rec	189		1743		#N/A		-1		C-106				0	0	3,000		0		
A-102	1976	4	xin	689		2432		#N/A		-1		water				0	0	3,000		0		
A-102	1976	4	send	-773		1659		#N/A		-1		A-101				0	0	3,000		0		
A-102	1976	4	send	-149		1510		#N/A		-1		A-106				0	0	3,000		0		
A-102	1976	4	send	-63		1447		#N/A		-1		AX-101				0	0	3,000		0		
A-102	1976	4	send	-528		919		#N/A		-1		AX-104				0	0	3,000		0		
A-102	1976	4	send	-50		869		#N/A		-1		AZ-101				0	0	3,000		0		
A-102	1976	4	send	-396		473		#N/A		-1		AZ-102				0	0	3,000		0		
A-102	1976	4	send	-20		453		#N/A		-1		BX-103				0	0	3,000		0		
A-102	1976	4	send	-24		429		#N/A		-1		C-103				0	0	3,000		0		
A-102	1976	4	STAT		429	429	3	#N/A		-1 EF				Evap. feed Dil		0	0	3,000		1		
A-102	1977	1	xin	86		515		#N/A		-1		WTR				0	0	3,000		0		
A-102	1977	1	rec	121		636		#N/A		-1	A-101	A-101				0	0	3,000		0		
A-102	1977	1	rec	30		666		#N/A		-1	A-106	A-106				0	0	3,000		0		
A-102	1977	1	rec	53		719		#N/A		-1		AX-102				0	0	3,000		0		
A-102	1977	1	rec	618		1337		#N/A		-1	AX-104	AX-104				0	0	3,000		0		
A-102	1977	1	rec	35		1372		#N/A		-1	BX-111	BX-111				0	0	3,000		0		
A-102	1977	1	rec	121		1493		#N/A		-1	BY-101	BY-101				0	0	3,000		0		
A-102	1977	1	rec	33		1526		#N/A		-1	BY-102	BY-102				0	0	3,000		0		
A-102	1977	1	rec	36		1562		#N/A		-1	BY-104	BY-104				0	0	3,000		0		
A-102	1977	1	rec	91		1653		#N/A		-1	BY-106	BY-106				0	0	3,000		0		
A-102	1977	1	rec	137		1790		#N/A		-1	BY-109	BY-109				0	0	3,000		0		
A-102	1977	1	rec	69		1859		#N/A		-1	BY-110	BY-110				0	0	3,000		0		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
A-102	1977		1 xln	443		2302		#N/A	-1			water				0	0	3,000		0		
A-102	1977	1	send	-484		1818		#N/A	-1			A-103				0	0	3,000		0		
A-102	1977	1	send	-220		1598		#N/A	-1			AX-101				0	0	3,000		0		
A-102	1977	1	send	-233		1365		#N/A	-1			AZ-102				0	0	3,000		0		
A-102	1977	1	send	-11		1354		#N/A	-1			BX-103				0	0	3,000		0		
A-102	1977	1	send	-212		1142		#N/A	-1			BX-104				0	0	3,000		0		
A-102	1977	1	send	-36		1106		#N/A	-1			BX-105				0	0	3,000		0		
A-102	1977	1	send	-132		974		#N/A	-1			BX-106				0	0	3,000		0		
A-102	1977	1	send	-39		935		#N/A	-1			C-103				0	0	3,000		0		
A-102	1977	1	send	-33		902		#N/A	-1			C-104				0	0	3,000		0		
A-102	1977	1	send	-140		762		#N/A	-1			C-106				0	0	3,000		0		
A-102	1977	1	STAT		762	762		3	#N/A	-1	EVAP			Evap. feed dil., feed & dump		0	0	3,000		1		
A-102	1977	2	rec	47		809		#N/A	-1		A-101	A-101				0	0	3,000		0		
A-102	1977	2	rec	385		1194		#N/A	-1		A-103	A-103				0	0	3,000		0		
A-102	1977	2	rec	5		1199		#N/A	-1		AX-102	AX-102				0	0	3,000		0		
A-102	1977	2	rec	110		1309		#N/A	-1		AX-104	AX-104				0	0	3,000		0		
A-102	1977	2	rec	41		1350		#N/A	-1		B-103	B-103				0	0	3,000		0		
A-102	1977	2	rec	44		1394		#N/A	-1		B-108	B-108				0	0	3,000		0		
A-102	1977	2	rec	110		1504		#N/A	-1		B-109	B-109				0	0	3,000		0		
A-102	1977	2	rec	259		1763		#N/A	-1		B-112	B-112				0	0	3,000		0		
A-102	1977	2	rec	113		1876		#N/A	-1		BX-103	BX-103				0	0	3,000		0		
A-102	1977	2	rec	74		1950		#N/A	-1		BX-104	BX-104				0	0	3,000		0		
A-102	1977	2	rec	45		1995		#N/A	-1		BX-105	BX-105				0	0	3,000		0		
A-102	1977	2	rec	163		2158		#N/A	-1		BX-106	BX-106				0	0	3,000		0		
A-102	1977	2	rec	99		2257		#N/A	-1		BX-107	BX-107				0	0	3,000		0		
A-102	1977	2	rec	250		2507		#N/A	-1		BX-110	BX-110				0	0	3,000		0		
A-102	1977	2	rec	215		2722		#N/A	-1		BX-111	BX-111				0	0	3,000		0		
A-102	1977	2	rec	24		2746		#N/A	-1		BX-112	BX-112				0	0	3,000		0		
A-102	1977	2	rec	11		2757		#N/A	-1		BY-101	BY-101				0	0	3,000		0		
A-102	1977	2	rec	143		2900		#N/A	-1		BY-102	BY-102				0	0	3,000		0		
A-102	1977	2	rec	17		2917		#N/A	-1		BY-109	BY-109				0	0	3,000		0		
A-102	1977	2	rec	77		2994		#N/A	-1		BY-110	BY-110				0	0	3,000		0		
A-102	1977	2	rec	55		3049		#N/A	-1		BY-111	BY-111				0	0	3,000		0		
A-102	1977	2	outx	-1021		2028		#N/A	-1			A1COND				0	0	3,000		0		
A-102	1977	2	send	-674		1354		#N/A	-1			AX-101				0	0	3,000		0		
A-102	1977	2	send	-198		1156		#N/A	-1			AY-102				0	0	3,000		0		
A-102	1977	2	send	-237		919		#N/A	-1			AZ-102				0	0	3,000		0		
A-102	1977	2	send	-3		916		#N/A	-1			C-103				0	0	3,000		0		
A-102	1977	2	send	-47		869		#N/A	-1			C-104				0	0	3,000		0		
A-102	1977	2	send	-107		762		#N/A	-1			C-106				0	0	3,000		0		
A-102	1977	2	STAT		762	762		3	#N/A	-1	EVAP					0	0	3,000		1		
A-102	1977	3	rec	44		806		#N/A	-1		AX-104	AX-104				0	0	3,000		0		
A-102	1977	3	rec	39		845		#N/A	-1		AY-102	AY-102				0	0	3,000		0		
A-102	1977	3	rec	215		1060		#N/A	-1		AZ-102	AZ-102				0	0	3,000		0		
A-102	1977	3	rec	36		1096		#N/A	-1		B-102	B-102				0	0	3,000		0		
A-102	1977	3	rec	11		1107		#N/A	-1		B-109	B-109				0	0	3,000		0		
A-102	1977	3	rec	33		1140		#N/A	-1		B-112	B-112				0	0	3,000		0		
A-102	1977	3	rec	132		1272		#N/A	-1		BX-104	BX-104				0	0	3,000		0		
A-102	1977	3	rec	296		1568		#N/A	-1		BX-105	BX-105				0	0	3,000		0		
A-102	1977	3	rec	27		1595		#N/A	-1		BX-106	BX-106				0	0	3,000		0		
A-102	1977	3	rec	30		1625		#N/A	-1		BX-111	BX-111				0	0	3,000		0		
A-102	1977	3	rec	14		1639		#N/A	-1		BY-102	BY-102				0	0	3,000		0		
A-102	1977	3	rec	105		1744		#N/A	-1		BY-111	BY-111				0	0	3,000		0		
A-102	1977	3	rec	113		1857		#N/A	-1		C-103	C-103				0	0	3,000		0		
A-102	1977	3	rec	119		1976		#N/A	-1		C-104	C-104				0	0	3,000		0		
A-102	1977	3	rec	82		2058		#N/A	-1		C-106	C-106				0	0	3,000		0		
A-102	1977	3	outx	-948		1110		#N/A	-1			A1COND				0	0	3,000		0		
A-102	1977	3	send	-206		904		#N/A	-1			A-101				0	0	3,000		0		



Tank n.	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trf	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	D/A	Document/Pg #
A-102	1977	3	send	-416	486			#N/A	-1			A-103					0	0	3,000		0	
A-102	1977	3	send	-24	462			#N/A	-1			AX-102					0	0	3,000		0	
A-102	1977	3	send	-96	366			#N/A	-1			AZ-101					0	0	3,000		0	
A-102	1977	3	send	-33	333			#N/A	-1			BY-106					0	0	3,000		0	
A-102	1977	3	send	-17	316			#N/A	-1			BY-110					0	0	3,000		0	
A-102	1977	3	STAT	316	316			3		EVAP							0	0	3,000		1	
A-102	1977	4	in	689	1005			#N/A	-1			WTR					0	0	3,000		0	
A-102	1977	4	send	0	1005			#N/A	-1			A-106					0	0	3,000		0	
A-102	1977	4	rec	13	1018			#N/A	-1			A-106					0	0	3,000		0	
A-102	1977	4	rec	2	1020			#N/A	-1			AX-102					0	0	3,000		0	
A-102	1977	4	rec	0	1020			#N/A	-1			AY-101					0	0	3,000		0	
A-102	1977	4	rec	9	1029			#N/A	-1			B-108					0	0	3,000		0	
A-102	1977	4	rec	99	1128			#N/A	-1			BX-104					0	0	3,000		0	
A-102	1977	4	rec	14	1142			#N/A	-1			C-106					0	0	3,000		0	
A-102	1977	4	rec	83	1225			#N/A	-1			C-107					0	0	3,000		0	
A-102	1977	4	send	-6	1219			#N/A	-1			A-101					0	0	3,000		0	
A-102	1977	4	send	-121	1098			#N/A	-1			A-103					0	0	3,000		0	
A-102	1977	4	send	-445	653			#N/A	-1			AZ-101					0	0	3,000		0	
A-102	1977	4	send	-3	650			#N/A	-1			BX-111					0	0	3,000		0	
A-102	1977	4	send	-11	639			#N/A	-1			BY-110					0	0	3,000		0	
A-102	1977	4	send	-105	534			#N/A	-1			BY-111					0	0	3,000		0	
A-102	1977	4	send	-148	386			#N/A	-1			C-103					0	0	3,000		0	
A-102	1977	4	send	-6	380			#N/A	-1			C-104					0	0	3,000		0	
A-102	1977	4	STAT	385	385			5	4	EVAP							0	0	3,000		0	
A-102	1978	1	in	290	675			#N/A	4			WTR					0	0	3,000		1	
A-102	1978	1	REC	205	880			#N/A	4	SU		A-101					0	0	3,000		0	
A-102	1978	1	REC	77	957			#N/A	4	SU		A-101					0	0	3,000		0	
A-102	1978	1	REC	50	1007			#N/A	4	SU		A-101					0	0	3,000		0	
A-102	1978	1	REC	42	1049			#N/A	4	SU		A-101					0	0	3,000		0	
A-102	1978	1	REC	21	1070			#N/A	4	SU		A-101					0	0	3,000		0	
A-102	1978	1	REC	17	1087			#N/A	4	SU		A-101					0	0	3,000		0	
A-102	1978	1	REC	41	1128			#N/A	4	SU		BY-107					0	0	3,000		0	
A-102	1978	1	REC	44	1172			#N/A	4	SU		C-106					0	0	3,000		0	
A-102	1978	1	send	315	857			#N/A	4	SU		A-101					0	0	3,000		0	
A-102	1978	1	send	-154	703			#N/A	4	SU		A-103					0	0	3,000		0	
A-102	1978	1	send	-46	657			#N/A	4	SU		A-106					0	0	3,000		0	
A-102	1978	1	send	-130	527			#N/A	4	SU		AY-102					0	0	3,000		0	
A-102	1978	1	send	-15	512			#N/A	4	SU		AZ-101					0	0	3,000		0	
A-102	1978	1	send	-11	501			#N/A	4	SU		BY-109					0	0	3,000		0	
A-102	1978	1	send	-11	490			#N/A	4	SU		BY-110					0	0	3,000		0	
A-102	1978	1	send	-11	479			#N/A	4	SU		C-103					0	0	3,000		0	
A-102	1978	1	send	-352	127			#N/A	4	SU		C-104					0	0	3,000		0	
A-102	1978	1	rec	280	407			#N/A	4	SU		BX-104					0	0	3,000		0	
A-102	1978	1	STAT	407	407			B		EVAP							0	0	3,000		1	
A-102	1978	2	rec	11	418			#N/A	4	SU		A-101					0	0	3,000		0	
A-102	1978	2	rec	79	497			#N/A	4	SU		A-106					0	0	3,000		0	
A-102	1978	2	REC	920	1417			#N/A	4	SU		AZ-101					0	0	3,000		0	
A-102	1978	2	REC	439	1850			#N/A	4	SU		AZ-102					0	0	3,000		1	
A-102	1978	2	REC	272	2122			#N/A	4	SU		AZ-102					0	0	3,000		1	
A-102	1978	2	REC	250	2372			#N/A	4	SU		BX-104					0	0	3,000		1	
A-102	1978	2	rec	62	2434			#N/A	4	SU		BX-105					0	0	3,000		1	
A-102	1978	2	rec	19	2453			#N/A	4	SU		BY-102					0	0	3,000		0	
A-102	1978	2	REC	80	2533			#N/A	4	SU		C-104					0	0	3,000		0	
A-102	1978	2	REC	159	2692			#N/A	4	SU		C-106					0	0	3,000		0	
A-102	1978	2	outj	-234	2458			#N/A	4	SU		AICOND					0	0	3,000		1	
A-102	1978	2	send	-5	2453			#N/A	4	SU		A-103					0	0	3,000		0	
A-102	1978	2	send	-928	1525			#N/A	4	SU		AX-102					0	0	3,000		0	
A-102	1978	2	send	-126	1399			#N/A	4	SU		AY-101					0	0	3,000		0	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1978	2	send	-27		1372		#N/A	4			AY-102				0	0	3,000		0		
A-102	1978	2	send	-290		1082		#N/A	4	SU		BX-104				0	0	3,000		0		
A-102	1978	2	send	-8		1074		#N/A	4			BY-110	*-188 to			0	0	3,000		0		
A-102	1978	2	send	-25		1049		#N/A	4			C-103				0	0	3,000		0		
A-102	1978	2	send	-260		789		#N/A	4	SU		C-106	*-1 to			0	0	3,000		0		
A-102	1978	2	STAT		789	789	17	#N/A	4	NCPLX						0	0	3,000		0		
A-102	1978	3	REC	120		909		#N/A	4	SU	A-101	A-101	*+44 to			0	0	3,000		1		
A-102	1978	3	REC	118		1027		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1978	3	REC	14		1041		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1978	3	REC	58		1099		#N/A	4	SU	A-103	A-103				0	0	3,000		1		
A-102	1978	3	outx	-358		743		#N/A	4				A1COND			0	0	3,000		1		
A-102	1978	3	send	-288		455		#N/A	4			SY-102				0	0	3,000		0		
A-102	1978	3	send	-226		229		#N/A	4	SU		A-103	*-43 to			0	0	3,000		0		
A-102	1978	3	send	-124		105		#N/A	4			AY-101				0	0	3,000		0		
A-102	1978	3	send	-8		97		#N/A	4	SU		AY-102	*-322 to 8			0	0	3,000		0		
A-102	1978	3	send	-221		-124		#N/A	4			AZ-101				0	0	3,000		0		
A-102	1978	3	send	-3		-127		#N/A	4			BY-110				0	0	3,000		0		
A-102	1978	3	rec	240		113		#N/A	4		AX-101	AX-101				0	0	3,000		0		
A-102	1978	3	send	-157		-44		#N/A	4			C-104				0	0	3,000		0		
A-102	1978	3	send	-88		-132		#N/A	4			C-106				0	0	3,000		0		
A-102	1978	3	rec	11		-121		#N/A	4		A-106	A-106				0	0	3,000		0		
A-102	1978	3	rec	121		0		#N/A	4		AX-102	AX-102				0	0	3,000		0		
A-102	1978	3	REC	125		125		#N/A	4	SU	BX-104	BX-104	*+216 to 125			0	0	3,000		0		
A-102	1978	3	rec	18		143		#N/A	4		C-103	C-103				0	0	3,000		1		
A-102	1978	3	STAT		143	143	11	#N/A	4	NCPLX				Solids Deter. 9/14/78		0	0	3,000		0		
A-102	1978	4	xin	1803		1946		#N/A	4			WTR				0	0	3,000		1		
A-102	1978	4	rec	14		1960		#N/A	4		A-101	A-101				0	0	3,000		0		
A-102	1978	4	rec	3		1963		#N/A	4		AX-102	AX-102				0	0	3,000		0		
A-102	1978	4	rec	9		1972		#N/A	4		BX-112	BX-112				0	0	3,000		0		
A-102	1978	4	rec	22		1994		#N/A	4		C-106	C-106				0	0	3,000		0		
A-102	1978	4	send	-399		1595		#N/A	4			A-103				0	0	3,000		0		
A-102	1978	4	send	-558		1037		#N/A	4	SU		BX-104	*-138 to			0	0	3,000		0		
A-102	1978	4	send	-54		983		#N/A	4			C-103				0	0	3,000		0		
A-102	1978	4	send	-86		897		#N/A	4			C-104				0	0	3,000		0		
A-102	1978	4	STAT		897	897	17	#N/A	4	DSSF				New Photo 9/5/78		0	0	3,000		0		
A-102	1979	1	send	-460		437		#N/A	4	SU		A-101	*-358 to			0	0	3,000		1		
A-102	1979	1	REC	300		737		#N/A	4	SU	A-101	A-101				0	0	3,000		0		
A-102	1979	1	REC	264		1001		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1979	1	REC	215		1216		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1979	1	REC	187		1403		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1979	1	REC	50		1453		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1979	1	REC	822		2075		#N/A	4	SU	A-103	A-103				0	0	3,000		1		
A-102	1979	1	send	-966		1109		#N/A	4	SU		AX-103	*-409 to			0	0	3,000		0		
A-102	1979	1	REC	287		1396		#N/A	4	SU	AX-103	AX-103				0	0	3,000		1		
A-102	1979	1	REC	176		1572		#N/A	4	SU	AX-103	AX-103				0	0	3,000		1		
A-102	1979	1	REC	176		1748		#N/A	4	SU	BX-104	BX-104	*+189 to			0	0	3,000		1		
A-102	1979	1	REC	149		1897		#N/A	4	SU	C-104	C-104	*+188 to			0	0	3,000		1		
A-102	1979	1	REC	209		2106		#N/A	4	SU	C-106	C-106				0	0	3,000		1		
A-102	1979	1	REC	11		2117		#N/A	4	SU	C-106	C-106	*+40 to			0	0	3,000		1		
A-102	1979	1	outx	-1285		832		#N/A	4				A1COND			0	0	3,000		0		
A-102	1979	1	send	-256		576		#N/A	4	SU		A-103	*-40 to			0	0	3,000		0		
A-102	1979	1	send	-55		521		#N/A	4			A-106				0	0	3,000		0		
A-102	1979	1	send	-14		507		#N/A	4			AX-102				0	0	3,000		0		
A-102	1979	1	send	-154		353		#N/A	4			AY-101				0	0	3,000		0		
A-102	1979	1	send	-34		319		#N/A	4			BY-110				0	0	3,000		0		
A-102	1979	1	STAT		319	319	17	#N/A	4	CPLX						0	0	3,000		0		
A-102	1979	2	xin	77		396		#N/A	4			WTR				0	0	3,000		1		
A-102	1979	2	rec	117		513		#N/A	4		BX-104	BX-104				0	0	3,000		0		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-102	1979	2	rec	33		546		#N/A	4		BY-110	BY-110				0	0	3,000		0		
A-102	1979	2	send	-130		416		#N/A	4			A-101				0	0	3,000		0		
A-102	1979	2	send	-168		248		#N/A	4			A-103				0	0	3,000		0		
A-102	1979	2	send	-13		235		#N/A	4			A-106				0	0	3,000		0		
A-102	1979	2	send	-50		185		#N/A	4			AY-101				0	0	3,000		0		
A-102	1979	2	send	-30		155		#N/A	4			C-104				0	0	3,000		0		
A-102	1979	2	send	-17		138		#N/A	4			C-106				0	0	3,000		0		
A-102	1979	2	STAT		138	138		#N/A	4	CPLX				New Photo 5/11/79		0	0	3,000		1		
A-102	1979	3	xin	855		793		#N/A	4			WTR				0	0	3,000		0		
A-102	1979	3	rec	20		813		#N/A	4		A-105	A-105				0	0	3,000		0		
A-102	1979	3	rec	93		906		#N/A	4		C-104	C-104				0	0	3,000		0		
A-102	1979	3	REC	430		1336		#N/A	4	SU	BX-104	BX-104	*+441 to			0	0	3,000		1		
A-102	1979	3	REC	304		1640		#N/A	4	SU	BX-104	BX-104				0	0	3,000		1		
A-102	1979	3	send	-217		1423		#N/A	4			A-101				0	0	3,000		0		
A-102	1979	3	send	-6		1417		#N/A	4			A-103				0	0	3,000		0		
A-102	1979	3	SEND	-220		1197		#N/A	4	SU		AX-102	*+108 to			0	0	3,000		1		
A-102	1979	3	send	-343		854		#N/A	4			AX-103				0	0	3,000		0		
A-102	1979	3	send	-26		828		#N/A	4			BY-110				0	0	3,000		0		
A-102	1979	3	STAT		828	828		#N/A	4	CPLX						0	0	3,000		1		
A-102	1979	4	SEND	-773		55		#N/A	4	SU		A-101				0	0	3,000		1		
A-102	1979	4	REC	770		825		#N/A	4	SU	A-101	A-101	*+527 to			0	0	3,000		1		
A-102	1979	4	SEND	-465		360		#N/A	4	SU		A-101				0	0	3,000		1		
A-102	1979	4	REC	382		742		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1979	4	REC	328		1070		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1979	4	REC	239		1309		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1979	4	rec	17		1326		#N/A	4		A-103	A-103				0	0	3,000		0		
A-102	1979	4	SEND	-525		801		#N/A	4	SU		A-106				0	0	3,000		1		
A-102	1979	4	REC	533		1334		#N/A	4	SU	A-106	A-106	*+521 to			0	0	3,000		1		
A-102	1979	4	REC	577		1911		#N/A	4	SU	AX-101	AX-101	*+369 to			0	0	3,000		1		
A-102	1979	4	REC	161		2072		#N/A	4	SU	BX-104	BX-104				0	0	3,000		1		
A-102	1979	4	REC	107		2179		#N/A	4	SU	BX-104	BX-104	*+177 to			0	0	3,000		1		
A-102	1979	4	REC	469		2648		#N/A	4	SU	BX-105	BX-105	*+185 to			0	0	3,000		1		
A-102	1979	4	send	-857		1791		#N/A	4			SY-102				0	0	3,000		0		
A-102	1979	4	cutx	-928		863		#N/A	4			A1COND				0	0	3,000		0		
A-102	1979	4	SEND	-481		382		#N/A	4	SU		AX-101				0	0	3,000		1		
A-102	1979	4	send	-151		231		#N/A	4			AX-102				0	0	3,000		0		
A-102	1979	4	send	-44		187		#N/A	4			AY-101				0	0	3,000		0		
A-102	1979	4	send	-85		102		#N/A	4			C-104				0	0	3,000		0		
A-102	1979	4	REC	0		102		#N/A	4	SU	SX-106	SX-106	*+777 to 0			0	0	3,000		1		
A-102	1979	4	SEND	0		102		#N/A	4	SU	AX-103	AX-103	*+545 to			0	0	3,000		1		
A-102	1979	4	STAT		102	102		#N/A	4	NCPLX						0	0	3,000		1		
A-102	1980	1	REC	210		312		#N/A	4	SU	BX-104	BX-104				0	0	3,000		1		
A-102	1980	1	REC	48		360		#N/A	4	SU	BX-104	BX-104				0	0	3,000		1		
A-102	1980	1	SEND	-318		42		#N/A	4	SU		A-101				0	0	3,000		1		
A-102	1980	1	REC	173		215		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1980	1	REC	165		380		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1980	1	REC	144		524		#N/A	4	SU	A-101	A-101	*+158 to			0	0	3,000		1		
A-102	1980	1	REC	129		653		#N/A	4	SU	A-101	A-101				0	0	3,000		1		
A-102	1980	1	REC	498		1151		#N/A	4	SU	A-103	A-103				0	0	3,000		1		
A-102	1980	1	SEND	-511		640		#N/A	4	SU		A-103				0	0	3,000		1		
A-102	1980	1	SEND	-611		29		#N/A	4	SU		A-103	511 to			0	0	3,000		1		
A-102	1980	1	rec	1161		1190		#N/A	4		A-103	A-103				0	0	3,000		0		
A-102	1980	1	REC	363		1553		#N/A	4	SU	AY-101	AY-101				0	0	3,000		1		
A-102	1980	1	REC	120		1673		#N/A	4	SU	AY-101	AY-101				0	0	3,000		1		
A-102	1980	1	rec	47		1720		#N/A	4		BX-110	BX-110				0	0	3,000		0		
A-102	1980	1	rec	22		1742		#N/A	4		BY-110	BY-110				0	0	3,000		0		
A-102	1980	1	rec	135		1877		#N/A	4		C-104	C-104				0	0	3,000		0		
A-102	1980	1	outx	-773		1104		#N/A	4			A1COND				0	0	3,000		0		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LAMI comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	Cl	C/A	Document Pg #
A-102	1980	1	SEND	626		478		#NA	4	SU	A-103	A-103	726 to			0	0	3,000	1			
A-102	1980	1	send	-6		472		#NA	4		A-106	A-106				0	0	3,000	0			
A-102	1980	1	send	-201		271		#NA	4		AX-102	AX-102				0	0	3,000	0			
A-102	1980	1	send	-87		184		#NA	4	SU	BX-104	BX-104	*-174 to			0	0	3,000	0			
A-102	1980	1	REC	266		470		#NA	4	SU	A-101	A-101				0	0	3,000	1			
A-102	1980	1	STAT	470	470	470	17	#NA	4	DESF						0	0	3,000	1			
A-102	1980	2	REC	489		959		#NA	4	SU	A-101	A-101				0	0	3,000	1			
A-102	1980	2	REC	97		1056		#NA	4	SU	A-101	A-101				0	0	3,000	1			
A-102	1980	2	REC	69		1125		#NA	4	SU	A-101	A-101	*-225 to			0	0	3,000	1			
A-102	1980	2	rec	39		1164		#NA	4		A-103	A-103				0	0	3,000	1			
A-102	1980	2	REC	366		1530		#NA	4	SU	AX-101	AX-101				0	0	3,000	0			
A-102	1980	2	SEND	507		1023		#NA	4	SU	AX-102	AX-102	*-250 to			0	0	3,000	1			
A-102	1980	2	REC	401		1424		#NA	4	SU	AX-102	AX-102				0	0	3,000	1			
A-102	1980	2	REC	380		1804		#NA	4	SU	AX-102	AX-102				0	0	3,000	1			
A-102	1980	2	REC	261		2065		#NA	4	SU	AX-102	AX-102				0	0	3,000	1			
A-102	1980	2	REC	315		2380		#NA	4	SU	BX-104	BX-104				0	0	3,000	1			
A-102	1980	2	REC	163		2543		#NA	4	SU	BX-104	BX-104				0	0	3,000	1			
A-102	1980	2	REC	106		2649		#NA	4	SU	BX-104	BX-104	*-389 to			0	0	3,000	1			
A-102	1980	2	send	306		2343		#NA	4		SY-102	SY-102				0	0	3,000	0			
A-102	1980	2	outx	861		1482		#NA	4		AICOND					0	0	3,000	0			
A-102	1980	2	SEND	657		825		#NA	4	SU	A-103	A-103				0	0	3,000	1			
A-102	1980	2	send	-2		823		#NA	4		A-106	A-106				0	0	3,000	0			
A-102	1980	2	send	355		468	50	#NA	4		AX-101	AX-101				0	0	3,000	0			
A-102	1980	2	SEND	150		318		#NA	4	SU	AX-102	AX-102				0	0	3,000	0			
A-102	1980	2	send	-25		293		#NA	4		AX-103	AX-103				0	0	3,000	0			
A-102	1980	2	send	-18		275		#NA	4		AY-101	AY-101				0	0	3,000	0			
A-102	1980	2	send	-21		254		#NA	4		AY-102	AY-102				0	0	3,000	0			
A-102	1980	2	send	-26		228		#NA	4		AZ-102	AZ-102				0	0	3,000	0			
A-102	1980	2	STAT	228	228	228	17	#NA	4	NOPLX						0	0	3,000	1			
A-102	1980	3	min	89		317		#NA	4		WTR	WTR				0	0	3,000	0			
A-102	1980	3	REC	348		665		#NA	4	SU	BX-104	BX-104				0	0	3,000	1			
A-102	1980	3	REC	300		965		#NA	4	SU	BX-104	BX-104				0	0	3,000	1			
A-102	1980	3	REC	240		1205		#NA	4	SU	BX-104	BX-104				0	0	3,000	1			
A-102	1980	3	REC	391		1596		#NA	4	SU	A-101	A-101				0	0	3,000	1			
A-102	1980	3	REC	289		1885		#NA	4	SU	A-101	A-101				0	0	3,000	1			
A-102	1980	3	REC	180		2065		#NA	4	SU	A-101	A-101				0	0	3,000	1			
A-102	1980	3	send	879		1166		#NA	4		A-101	A-101	*-131 to			0	0	3,000	0			
A-102	1980	3	REC	131		1297		#NA	4	SU	A-101	A-101				0	0	3,000	1			
A-102	1980	3	REC	391		1678		#NA	4	SU	AX-101	AX-101				0	0	3,000	1			
A-102	1980	3	send	-1534		144		#NA	4	SU	AX-101	AX-101	*-124 to			0	0	3,000	0			
A-102	1980	3	REC	366		510		#NA	4	SU	AX-101	AX-101				0	0	3,000	1			
A-102	1980	3	REC	360		870		#NA	4	SU	AX-101	AX-101				0	0	3,000	1			
A-102	1980	3	REC	226		1096		#NA	4	SU	AX-101	AX-101				0	0	3,000	1			
A-102	1980	3	REC	107		1203		#NA	4	SU	AX-101	AX-101				0	0	3,000	1			
A-102	1980	3	REC	8		1211		#NA	4	SU	AX-101	AX-101				0	0	3,000	1			
A-102	1980	3	REC	255		1466		#NA	4	SU	AX-103	AX-103				0	0	3,000	1			
A-102	1980	3	REC	176		1642		#NA	4	SU	AX-103	AX-103				0	0	3,000	1			
A-102	1980	3	REC	13		1655		#NA	4	SU	AX-103	AX-103				0	0	3,000	1			
A-102	1980	3	rec	304		1959		#NA	4		AY-102	AY-102				0	0	3,000	0			
A-102	1980	3	rec	183		2142		#NA	4		AZ-101	AZ-101	*-588 to			0	0	3,000	0			
A-102	1980	3	send	-4		2138		#NA	4	SU	AW-105	AW-105				0	0	3,000	0			
A-102	1980	3	send	936		1202		#NA	4		AX-102	AX-102				0	0	3,000	0			
A-102	1980	3	send	139		1063		#NA	4		AX-102	AX-102				0	0	3,000	0			
A-102	1980	3	send	379		684		#NA	4		AY-101	AY-101				0	0	3,000	0			
A-102	1980	3	send	-41		643		#NA	4	SU	BX-104	BX-104	*-46 to			0	0	3,000	0			
A-102	1980	3	send	-226		417		#NA	4	NOPLX						0	0	3,000	0			
A-102	1980	3	STAT	417	417	417	17	#NA	4	NOPLX						0	0	3,000	1			
A-102	1980	4	REC	140		557		#NA	4	SU	A-101	A-101				0	0	3,000	1			

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
A-102	1980	4	REC	34		591		#N/A	4	SU	A-101	A-101				0	0	3,000				1
A-102	1980	4	rec	16		607		#N/A	4		A-103	A-103				0	0	3,000				0
A-102	1980	4	rec	758		1365		#N/A	4		AX-103	AX-103				0	0	3,000				0
A-102	1980	4	REC	559		1924		#N/A	4	SU	AY-102	AY-102	*+606 to +559			0	0	3,000				1
A-102	1980	4	REC	377		2301		#N/A	4	SU	AZ-101	AZ-101				0	0	3,000				1
A-102	1980	4	REC	265		2566		#N/A	4	SU	AZ-101	AZ-101				0	0	3,000				1
A-102	1980	4	REC	68		2634		#N/A	4	SU	AZ-101	AZ-101				0	0	3,000				1
A-102	1980	4	REC	50		2684		#N/A	4	SU	AZ-101	AZ-101				0	0	3,000				1
A-102	1980	4	REC	41		2725		#N/A	4	SU	AZ-101	AZ-101				0	0	3,000				1
A-102	1980	4	rec	244		2969		#N/A	4		BX-104	BX-104				0	0	3,000				0
A-102	1980	4	rec	172		3141		#N/A	4		BX-105	BX-105				0	0	3,000				0
A-102	1980	4	outx	-1004		2137		#N/A	4			A1COND				0	0	3,000				0
A-102	1980	4	send	-810		1327		#N/A	4	SU		A-101	*-58 to			0	0	3,000				0
A-102	1980	4	send	-723		604		#N/A	4			AX-101				0	0	3,000				0
A-102	1980	4	SEND	-515		89		#N/A	4	SU		AZ-101	*100 to 515			0	0	3,000				1
A-102	1980	4	STAT		89	89	22	#N/A	4	DSSF				Inactive-New Solids Level 11/21/80		0	0	3,000				1
A-102	1983	3	send	-48		41		#N/A	4	swllq		AN-101				0	0	3,000				0
A-102	1993	2	STAT		41	41	37	#N/A	4	DSSF						0	0	3,000				1
A-102	1993	4	STAT		41	41	37	#N/A	4							0	0	3,000				1
A-102	1994	1	STAT		41	41	37	#N/A	4							0	0	3,000				1
A-102	2000																					



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
A-103	1900																					
A-103	1955	4	STAT		N/A	0		#N/A	0					* Leak detection dry well 10-03-10 drilled.			0	0.000		1		
A-103	1956	1	STAT		N/A	0		#N/A	0					S.S. rec'd 99M gals			0	0.000		1		
A-103	1956	2	XIN	72		72		#N/A	0	P		P1					0	0.000		3	O	HWN-1991-6
A-103	1956	2	XIN	99		171		#N/A	0	P		P1					0	0.000		2	V	HWN-1991-6
A-103	1956	2	STAT		171	171	0	#N/A	0	P					Shows 110 not 99		0	0.000		3	O	HWN-1991-6
A-103	1956	3	XIN	154		325		#N/A	0	P		P1		S.S. 34M self conc.			0	0.000		2	V	HWN-1991-6
A-103	1956	3	XIN	130		455		#N/A	0	P		P1			Shows 198		0	0.000		2	V	HWN-1991-6
A-103	1956	3	XIN	177		632		#N/A	0	P		P1			Shows 124		0	0.000		2	V	HWN-1991-6
A-103	1956	3	OUTX	-34		598		#N/A	0	COND	A-008	PCOND			Shows 200		0	0.000		4	O	HWN-1991-6
A-103	1956	3	OUTX	-149		449		#N/A	0	COND	A-008	PCOND			No XFER to A-008 indic.		0	0.000		4	O	HWN-1991-7
A-103	1956	3	OUTX	0		449		#N/A	0	COND	CRIB?	PCOND	not used		No XFER to A-008 indic.		0	0.000		4	O	HWN-1991-7
A-103	1956	3	STAT		449	449	0	#N/A	0	P				S.S. 149M self conc.	Omission		0	0.000		2	V	HWN-1991-7
A-103	1956	4	XIN	266		715		#N/A	0	P		P1					0	0.000		3	O	HWN-1991-6
A-103	1956	4	XIN	203		918		#N/A	0	P		P1					0	0.000		3	O	HWN-1991-6
A-103	1956	4	XIN	214		1132		#N/A	0	P		P1					0	0.000		3	O	HWN-1991-6
A-103	1956	4	OUTX	-193		939		#N/A	0	COND	A-008	PCOND					0	0.000		3	O	HWN-1991-6
A-103	1956	4	OUTX	-213		726		#N/A	0	COND	A-008	PCOND			No XFER to A-008 indic.		0	0.000		3	O	HWN-1991-7
A-103	1956	4	OUTX	-282		444		#N/A	0	COND	A-008	PCOND			No XFER to A-008 indic.		0	0.000		4	O	HWN-1991-7
A-103	1956	4	STAT		444	444	0	#N/A	0	P			OUTX total -495, AND -488	488 M Self Conc.	No XFER to A-008 indic.		0	0.000		4	O	HWN-1991-7
A-103	1957	1	XIN	224		668		#N/A	0	P		P1					0	0.000		1		
A-103	1957	1	XIN	282		950		#N/A	0	P		P1					0	0.000		3	O	HWN-1991-6
A-103	1957	1	XIN	322		1272		#N/A	0	P		P1	OC 362 to 322				0	0.000		3	O	HWN-1991-6
A-103	1957	1	XIN	40		1312		#N/A	0	WTR		WTR	Omision		Shows 322		0	0.000		4	V	HWN-1991-6
A-103	1957	1	OUTX	-299		1013		#N/A	0	COND	A-008	PCOND			Omission		0	0.000		3	V	HW-48523-8
A-103	1957	1	OUTX	-273		740		#N/A	0	COND	A-008	PCOND			No XFER to A-008 indic.		0	0.000		3	O	HWN-1991-7
A-103	1957	1	OUTX	-331		409		#N/A	0	COND	A-008	PCOND	OC 371 to 331		No XFER to A-008 indic.		0	0.000		3	O	HWN-1991-7
A-103	1957	1	outx	-37		372		#N/A	0	COND		PCOND	LC added as per ogden comment		331, No XFER to A-008		0	0.000		2	V	HWN-1991-7
A-103	1957	1	STAT		369	369	0	-3	-3	P				S.S. 371M self conc. rec'd 322M plus 40M water		0	0.000		1			
A-103	1957	2	XIN	248		617		#N/A	-3	P		P1					0	0.000		4	O	HWN-1991-6
A-103	1957	2	XIN	331		948		#N/A	-3	P		P1					0	0.000		3	O	HWN-1991-6
A-103	1957	2	XIN	149		1097		#N/A	-3	P		P1					0	0.000		4	O	HWN-1991-6
A-103	1957	2	XIN	64		1161		#N/A	-3	WTR		WTR	Omision		Omission		0	0.000		4	O	HWN-1991-6
A-103	1957	2	XIN	118		1279		#N/A	-3	WTR		WTR	Omision		Omission		0	0.000		3	V	HW-50127-8
A-103	1957	2	XIN	373		1652		#N/A	-3	WTR		WTR	Omision		Omission		0	0.000		2	V	HW-50617-8
A-103	1957	2	OUTX	-240		1412		#N/A	-3	COND	A-008	PCOND			Omission		0	0.000		2	V	HW-51348
A-103	1957	2	OUTX	-312		1100		#N/A	-3	COND	A-008	PCOND			No XFER to A-008 indic.		0	0.000		4	O	HWN-1991-7
A-103	1957	2	OUTX	-630		470		#N/A	-3	COND	A-008	PCOND	75 to 630		No XFER to A-008 indic.		0	0.000		3	O	HWN-1991-7
A-103	1957	2	OUTX			470		#N/A	-3	COND	A-008	PCOND			No XFER to A-008 indic.		0	0.000		4	O	HWN-1991-7
A-103	1957	2	STAT		470	470	0	#N/A	-3	P				S.S. 240M self conc. rec'd 248M plus 64M water S.S. 75M self conc rec'd 149M		0	0.000		1			
A-103	1957	3	XIN	174		644		#N/A	-3	OWW		OWW1	OC 10 to 31 to LC of 174 rev 2 rule				0	0.000		3	V	HWN-1991-6
A-103	1957	3	XIN	259		903		#N/A	-3	WTR		WTR	Omision		Shows 31 not 10		0	0.000		3	V	HWN-1991-6
A-103	1957	3	OUTX	-15		888		#N/A	-3	COND	A-106	PCOND			Omission		0	0.000		3	V	HW-52932-8
A-103	1957	3	OUTX	-5		883		#N/A	-3	COND	A-008	PCOND			No XFER to A-106 indic.		0	0.000		4	O	HWN-1991-7
A-103	1957	3	OUTX	-402		481		#N/A	-3	COND	CRIB?	PCOND			No XFER to A-008 indic.		0	0.000		4	O	HWN-1991-7
A-103	1957	3	STAT		481	481	0	#N/A	-3	P			OUTX & XIN total 697, AND 735	20M self conc.; 735M added & boiled off	Omission		0	0.000		3	V	HW-51858-8
A-103	1957	4	XIN	50		531		#N/A	-3	OWW		OWW1					0	0.000		1		
A-103	1957	4	XIN	37		568		#N/A	-3	OWW		OWW1					0	0.000		4	O	HWN-1991-6
A-103	1957	4	XIN	1		569		#N/A	-3	OWW		OWW1					0	0.000		4	O	HWN-1991-6
A-103	1957	4	OUTX	-125		444		#N/A	-3	COND	A-106	PCOND	OC 36 to 1		Shows 1		0	0.000		3	V	HWN-1991-6
A-103	1957	4	OUTX	-236		208		#N/A	-3	COND	CRIB?	PCOND	OC 129 to 125		125, no XFER to A-106		0	0.000		2	V	HWN-1991-7
															Omission		0	0.000		4	V	HW-54519-8

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-103	1957	4	STAT		199	199	0	-9	-12				XIN total 88, AND 92	129M self conc.; rec'd 92M carb. 236M Water boil off		0	0	0.000			1	
A-103	1958	1	XIN	414		613		#N/A	-12			WTR	ADDED REV 2 RULE, ANDERSON COMMENT			0	0	0.000			1	
A-103	1958	1	XIN	11		624		#N/A	-12	OWW		OWW1				0	0	0.000			3 O	HWN-1991-6
A-103	1958	1	XIN	135		759		#N/A	-12	OWW		OWW1				0	0	0.000			2 V	HWN-1991-6
A-103	1958	1	OUTX	-3		756		#N/A	-12	COND	A-106	PCOND	OC 115 to 135, AND 115		Shows 135	0	0	0.000			3 O	HWN-1991-7
A-103	1958	1	OUTX	-104		652		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-7
A-103	1958	1	OUTX	-179		473		#N/A	-12	COND	CRIB?	PCOND	Ornis.		No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-7
A-103	1958	1	STAT		473	473	0	#N/A	-12	P				108M self conc. 179M H2O boiled off, 115M carb. H2O	Omission	0	0	0.000			3 V	HW-54916-8
A-103	1958	2	XIN	84		557		#N/A	-12	OWW		OWW1				0	0	0.000			1	
A-103	1958	2	XIN	14		571		#N/A	-12	OWW		OWW1				0	0	0.000			4 O	HWN-1991-6
A-103	1958	2	OUTX	-45		526		#N/A	-12	COND	A-106	PCOND				0	0	0.000			4 O	HWN-1991-6
A-103	1958	2	OUTX	-41		485		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-7
A-103	1958	2	OUTX	-23		462		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-7
A-103	1958	2	STAT		462	462	0	#N/A	-12	P			OUTX total -109, XIN total 98	108M self conc. rec'd 97M		0	0	0.000			4 O	HWN-1991-7
A-103	1958	3	XIN	48		510		#N/A	-12	OWW		OWW1				0	0	0.000			1	
A-103	1958	3	XIN	87		597		#N/A	-12	OWW		OWW1				0	0	0.000			4 O	HWN-1991-6
A-103	1958	3	XIN	58		655		#N/A	-12	OWW		OWW1				0	0	0.000			4 O	HWN-1991-6
A-103	1958	3	OUTX	-88		567		#N/A	-12	COND	A-106	PCOND				0	0	0.000			4 O	HWN-1991-6
A-103	1958	3	OUTX	-86		481		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-7
A-103	1958	3	OUTX			481		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-7
A-103	1958	3	STAT		481	481	0	#N/A	-12	P			OUTX total -174, XIN total 193	174M self conc. rec'd 193M		0	0	0.000			1	
A-103	1958	4	XIN	192		673		#N/A	-12	OWW		OWW1				0	0	0.000			4 O	HWN-1991-6
A-103	1958	4	XIN	113		786		#N/A	-12	OWW		OWW1				0	0	0.000			4 O	HWN-1991-6
A-103	1958	4	XIN	68		854		#N/A	-12	OWW		OWW1				0	0	0.000			4 O	HWN-1991-6
A-103	1958	4	OUTX	-178		676		#N/A	-12	COND	A-106	PCOND				0	0	0.000			4 O	HWN-1991-22
A-103	1958	4	OUTX	-80		596		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-7
A-103	1958	4	OUTX	-87		509		#N/A	-12	COND	A-106	PCOND			80, no XFER to A-106	0	0	0.000			3 V	HWN-1991-7
A-103	1958	4	OUTX			509		#N/A	-12	COND	A-106	PCOND			40, no indication of XFER	0	0	0.000			3 V	HW-58831-8
A-103	1958	4	STAT		509	509	0	#N/A	-12	P			OUTX total -298, XIN total 373	298M self conc. rec'd 373M		0	0	0.000			1	
A-103	1959	1	XIN	72		581		#N/A	-12	P		P1				0	0	0.000			4 O	HWN-1991-22
A-103	1959	1	XIN	125		706		#N/A	-12	P		P1				0	0	0.000			4 O	HWN-1991-22
A-103	1959	1	XIN	54		760		#N/A	-12	P		P1				0	0	0.000			4 O	HWN-1991-22
A-103	1959	1	OUTX	-75		685		#N/A	-12	COND	A-106	PCOND				0	0	0.000			4 O	HWN-1991-22
A-103	1959	1	OUTX	-84		601		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-23
A-103	1959	1	OUTX	-53		548		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-23
A-103	1959	1	STAT		548	548	0	#N/A	-12	P			OUTX total -212, XIN total 251	212M self conc. rec'd 251M		0	0	0.000			1	
A-103	1959	2	XIN	80		628		#N/A	-12	P		P1				0	0	0.000			4 O	HWN-1991-22
A-103	1959	2	XIN	96		724		#N/A	-12	P		P1				0	0	0.000			4 O	HWN-1991-22
A-103	1959	2	XIN	87		811		#N/A	-12	P		P1				0	0	0.000			4 O	HWN-1991-22
A-103	1959	2	OUTX	-61		750		#N/A	-12	COND	A-106	PCOND				0	0	0.000			4 O	HWN-1991-22
A-103	1959	2	OUTX	-37		713		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-23
A-103	1959	2	OUTX	-42		671		#N/A	-12	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-23
A-103	1959	2	STAT		666	666	0	-5	-17	P			XIN total 263, OUTX total -140, AND total 247 difference of 107	247M self conc. rec'd 263M		0	0	0.000			3 V	HWN-1991-23
A-103	1959	3	XIN	65		731		#N/A	-17	P		P1				0	0	0.000			1	
A-103	1959	3	OUTX	-90		641		#N/A	-17	COND	A-106	PCOND				0	0	0.000			4 O	HWN-1991-22
A-103	1959	3	OUTX	-36		605		#N/A	-17	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-23
A-103	1959	3	OUTX	-43		562		#N/A	-17	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-23
A-103	1959	3	STAT		562	562	0	#N/A	-17	P			OUTX total -169	169M self conc. rec'd 65M		0	0	0.000			1	
A-103	1959	4	OUTX	-6		556		#N/A	-17	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-23
A-103	1959	4	OUTX	-17		539		#N/A	-17	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.000			4 O	HWN-1991-23
A-103	1959	4	STAT		539	539	0	#N/A	-17	P			OUTX total -25 from qrt 4 & 1, AND -46	46M self conc. rec'd 0M		0	0	0.000			1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk Wt	Cum unkl	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	QI	Document/Pg #
A-103	1960	1	OUTX	-26	513	513	#N/A	-17	COND	A-106	PCOND						0	0.000	4	O	HW-1991-23
A-103	1960	1	OUTX	-40	473	473	#N/A	-17	COND	A-106	PCOND		OC 34 to 40		No XFER to A-106 indic.		0	0.000	3	V	HW-1991-23
A-103	1960	1	OUTX	-2	471	471	#N/A	-17	COND	CRIB?	PCOND		Omiss.		40. No XFER to A-106		0	0.000	3	V	HW-6473-8
A-103	1960	2	STAT	75	473	473	0	2	-15	P			OUTX total -66	66M self conc.	Omission		0	0.000	1		
A-103	1960	2	XIN	75	548	548	#N/A	-15	CTW		WTR						0	0.000	4	O	HW-65272-8
A-103	1960	2	XIN	16	564	564	#N/A	-15	DIL		WTR						0	0.000	4	O	HW-66187-8
A-103	1960	2	OUTX	-43	521	521	#N/A	-15	COND	CRIB?	PCOND				Omission		0	0.000	2	V	HW-66187-8
A-103	1960	2	STAT	323	526	526	0	5	-10	P			XIN total 91	rec'd 91M	Omission		0	0.000	1		
A-103	1960	3	XIN	323	849	849	#N/A	-10	P		P1						0	0.000	4	O	HW-66827-8
A-103	1960	3	XIN	32	881	881	#N/A	-10	DIL		WTR		OC 22 to 32		Shows 32 not 22		0	0.000	2	V	HW-66827-8
A-103	1960	3	XIN	433	1314	1314	#N/A	-10	WTR		WTR		Omiss. DIL		Omission		0	0.000	2	V	HW-66827-8
A-103	1960	3	OUTX	-35	1279	1279	#N/A	-10	COND	A-106	PCOND		OC 30 to 35		25. no indic. of XFER		0	0.000	2	V	HW-66827-8
A-103	1960	3	OUTX	-369	910	910	#N/A	-10	COND	A-106	PCOND		OC 365 to 369		369. no indic. of XFER		0	0.000	2	V	HW-66827-8
A-103	1960	3	OUTX	-15	895	895	#N/A	-10	COND	A-106	PCOND				No indic. of XFER		0	0.000	3	O	HW-67896-8
A-103	1960	3	outx	-422	473	473	#N/A	-10	COND		PCOND		LC added as per and comment.				0	0.000	1		
A-103	1960	3	STAT	26	473	473	0	#N/A	-10	P			OUTX total -419, AND 782 difference of 363, XIN total	782M self conc. rec'd 325M			0	0.000	1		
A-103	1960	4	XIN	26	499	499	#N/A	-10	DIL		WTR						0	0.000	4	O	HW-68291-8
A-103	1960	4	OUTX	-17	482	482	#N/A	-10	COND	A-106	PCOND		OC 17 to 36, AND -52		36. no indic. of XFER		0	0.000	2	V	HW-68291-8
A-103	1960	4	OUTX	2	480	480	#N/A	-10	COND	CRIB?	PCOND				Omission		0	0.000	4	V	HW-67705-8
A-103	1960	4	STAT	102	490	490	0	10	0	P				2M self conc. rec'd 26M		0	0.000	1			
A-103	1961	1	STAT	501	501	501	0	11	11	P				51M boil off		0	0.000	1			
A-103	1961	2	STAT	N/A	501	501	#N/A	11						6 months report		0	0.000	1			
A-103	1961	3	STAT	N/A	501	501	#N/A	11								0	0.000	1			
A-103	1961	4	XIN	102	603	603	#N/A	11	WTR		WTR					0	0.000	1			
A-103	1961	4	STAT	283	603	603	#N/A	11	P							0	0.000	1			
A-103	1962	1	SEND	-283	320	320	#N/A	11	SU		A-105		OC 314 to 283		Shows 283 not 314		0	0.000	3	V	HW-1991-10
A-103	1962	1	STAT	325	325	325	0	5	16	P				283M to 105-A - 6 months report		0	0.000	1			
A-103	1962	2	STAT	N/A	325	325	#N/A	16								0	0.000	1			
A-103	1962	3	STAT	N/A	325	325	#N/A	16								0	0.000	1			
A-103	1962	4	STAT	294	294	294	0	-31	-15	P						0	0.000	1			
A-103	1963	1	STAT	267	267	267	0	-27	-42	P						0	0.000	1			
A-103	1963	2	STAT	N/A	267	267	#N/A	42								0	0.000	1			
A-103	1963	3	STAT	N/A	267	267	#N/A	42								0	0.000	1			
A-103	1963	4	STAT	68	270	270	0	3	-39	P						0	0.000	1			
A-103	1964	1	rec	172	338	338	#N/A	39			A-102					0	0.000	1			
A-103	1964	1	SEND	-172	166	166	#N/A	39			C-101					0	0.000	3	V	HW-83306-4	
A-103	1964	1	SEND	-50	116	116	#N/A	-39	SL		C-105					0	0.000	1			
A-103	1964	1	STAT	116	116	116	0	#N/A	-39	P						0	0.000	1			
A-103	1964	2	STAT	N/A	116	116	#N/A	39								0	0.000	1			
A-103	1964	3	STAT	N/A	116	116	#N/A	39								0	0.000	1			
A-103	1964	4	rec	94	210	210	#N/A	39								0	0.000	1			
A-103	1964	4	SEND	-100	110	110	#N/A	39	SL							0	0.000	1			
A-103	1964	4	STAT	262	110	110	0	#N/A	-39	P						0	0.000	1			
A-103	1965	1	XIN	199	372	372	#N/A	-39			CR VAL DW					0	0.000	1			
A-103	1965	1	rec	-491	571	571	#N/A	-39			A-102					0	0.000	3	V	FL-SEP-669-8	
A-103	1965	1	SEND	-491	80	80	#N/A	-39			A-102					0	0.000	0			
A-103	1965	1	STAT	80	80	80	0	#N/A	-39	P						0	0.000	4	V	HW-1991-26	



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk lit	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ch	D/A	Document/Pg #
A-103	1965	2	STAT		80	80	0	#N/A	-39	P						0	0	0.000	1			
A-103	1965	3	STAT		80	80	0	#N/A	-39	P						0	0	0.000	1			
A-103	1965	4	rec	10		90	0	#N/A	-39	SU	A-102	A-102				0	0	0.000	0			
A-103	1965	4	REC	435		525	0	#N/A	-39	SU	C-103	C-103				0	0	0.000	4	O		HWN-1991-26
A-103	1965	4	STAT		525	525	0	#N/A	-39	P						0	0	0.000	1			
A-103	1966	1	XIN	61		586	0	#N/A	-39	OWW		OWW2	Omis.		Omission	0	0	0.000	3	V		ISO-226-8
A-103	1966	1	REC	141		727	0	#N/A	-39	SU	C-103	C-103				0	0	0.000	4	O		ISO-226-4
A-103	1966	1	SEND	611		1116	0	#N/A	-39	SU	A-101	A-101				0	0	0.000	4	O		ISO-226-8
A-103	1966	1	rec	24		140	0	#N/A	-39	P	A-102	A-102				0	0	0.000	0			
A-103	1966	1	STAT		140	140	0	#N/A	-39	P						0	0	0.000	1			
A-103	1966	2	XIN	76		216	0	#N/A	-39	OWW		OWW2				0	0	0.000	4	O		ISO-404-8
A-103	1966	2	send	-76		140	0	#N/A	-39	SU	A-102	A-102				0	0	0.000	0			
A-103	1966	2	SEND	-66		74	0	#N/A	-39	SU		AX-101				0	0	0.000	4	O		ISO-404-8
A-103	1966	2	STAT		74	74	0	#N/A	-39	P						0	0	0.000	1			
A-103	1966	3	STAT		72	72	0	-2	-41	P						0	0	0.000	1			
A-103	1966	4	rec	83		155	0	#N/A	-41	P	A-102	A-102				0	0	0.000	0			
A-103	1966	4	SEND	100		55	0	#N/A	-41	SL		C-105				0	0	0.000	0			
A-103	1966	4	STAT		55	55	0	#N/A	-41	P						0	0	0.000	1			
A-103	1967	1	STAT		55	55	0	#N/A	-41	P						0	0	0.000	1			
A-103	1967	2	XIN	62		117	0	#N/A	-41	OWW		OWW2				0	0	0.000	4	O		ISO-967-8
A-103	1967	2	SEND	-84		33	0	#N/A	-41	P		AX-102				0	0	0.000	3	V		ISO-967-8
A-103	1967	2	STAT		33	33	0	#N/A	-41	P						0	0	0.000	1			
A-103	1967	3	STAT		30	30	0	-3	-44	P						0	0	0.000	1			
A-103	1967	4	rec	24		54	0	#N/A	-44	P	A-102	A-102				0	0	0.000	0			
A-103	1967	4	STAT		54	54	22	#N/A	-44	P						0	0	0.000	1			
A-103	1968	1	REC	167		221	0	#N/A	-44	SU	A-102	A-102				0	0	0.000	4	O		ARH-534-9
A-103	1968	1	REC	481		702	0	#N/A	-44	SU	A-105	A-105				0	0	0.000	4	O		ARH-534-9
A-103	1968	1	REC	293		995	0	#N/A	-44	SU	A-105	A-105				0	0	0.000	4	O		ARH-534-9
A-103	1968	1	REC	259		1254	0	#N/A	-44	SU	A-105	A-105				0	0	0.000	4	O		ARH-534-9
A-103	1968	1	SEND	-778		476	0	#N/A	-44	SU		AX-102				0	0	0.000	4	O		ARH-534-9
A-103	1968	2	STAT		476	476	61	#N/A	-44	P						0	0	0.000	1			
A-103	1968	2	REC	549		1025	0	#N/A	-44	SU	A-105	A-105				0	0	0.000	4	O		ARH-721-9
A-103	1968	2	send	-549		476	0	#N/A	-44	P						0	0	0.000	0			
A-103	1968	2	REC	451		927	0	#N/A	-44	SU	A-105	A-105				0	0	0.000	1			
A-103	1968	2	REC	98		1025	0	#N/A	-44	SL	A-105	A-105				0	0	0.000	1			
A-103	1968	2	SEND	-560		465	0	#N/A	-44	SU		AX-102				0	0	0.000	4	O		ARH-721-9
A-103	1968	2	STAT		465	465	52	#N/A	-44	P						0	0	0.000	1			
A-103	1968	3	SEND	-358		107	0	#N/A	-44	SU	A-101	A-101				0	0	0.000	4	O		ARH-871-9
A-103	1968	3	send	-82		25	0	#N/A	-44	P		A-102				0	0	0.000	0			
A-103	1968	3	REC	459		484	0	#N/A	-44	SU	A-102	A-102				0	0	0.000	4	O		ARH-871-9
A-103	1968	3	REC	270		754	0	#N/A	-44	SU	A-105	A-105				0	0	0.000	4	O		ARH-871-9
A-103	1968	3	REC	49		803	0	#N/A	-44	SL	A-105	A-105				0	0	0.000	1			
A-103	1968	3	STAT		803	803	102	#N/A	-44	P						0	0	0.000	1			
A-103	1968	4	send	-52		741	0	#N/A	-44	P		A-102				0	0	0.000	0			
A-103	1968	4	STAT		741	741	102	#N/A	-44	P						0	0	0.000	1			
A-103	1969	1	send	-51		690	0	#N/A	-44	P		A-102				0	0	0.000	0			
A-103	1969	1	STAT		690	690	102	#N/A	-44	P						0	0	0.000	1			

Tank n	Year	Ofc	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk fr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qi	O/A	Document/Pg #	
A-103	1969	2	send	-49	641	641		#N/A	-44			A-106				0	0	0.000		0			
A-103	1969	2	STAT		641	641	91	#N/A	-44	P						0	0	0.000		1			
A-103	1969	3	send	-24		617		#N/A	-44			A-106				0	0	0.000		0			
A-103	1969	3	STAT		617	617	121	#N/A	-44	P						0	0	0.000		1			
A-103	1969	4	SEND	-410		207		#N/A	-44	SU		A-102				0	0	0.000		4	O	ARH-1200D-10	
A-103	1969	4	send	-47		160		#N/A	-44			A-106				0	0	0.000		0			
A-103	1969	4	STAT		160	160	102	#N/A	-44	P						0	0	0.000		1			
A-103	1970	1	XIN	63		223		#N/A	-44	WTR		WTR		410M to 102-A		0	0	0.000		1			
A-103	1970	1	REC	377		600		#N/A	-44	SU	BY-104	BY-104				0	0	0.000		4	O	ARH-1666A-6 ARH-1666A-10, ARH-1666A-6 SEND	
A-103	1970	1	STAT		594	594	102	-6	-50	P,IX				rec'd 377M from 104 BY & 63M H2O; IX waste due to high salt & low cesium content, will be used to slulce 105-A		0	0	0.000		1			
A-103	1970	2	XIN	43		637		#N/A	-50			WTR				0	0	0.000		1			
A-103	1970	2	STAT		637	637	102	#N/A	-50	P,IX						0	0	0.000		1			
A-103	1970	3	STAT		635	635	102	-2	-52	P,IX						0	0	0.000		1			
A-103	1970	4	STAT		622	622	102	-13	-65	P,IX					Receiving sludge from 105-A		0	0	0.000		1		
A-103	1971	1	STAT		620	620	102	-2	-67	P,IX						0	0	0.000		1			
A-103	1971	2	STAT		N/A	620	102	#N/A	-67	P,IX			649 TO N/A			0	0	0.000		1			
A-103	1971	3	STAT		630	630	102	10	-57	P,IX						0	0	0.000		1			
A-103	1971	4	REC	7		637		#N/A	-57	SU	A-105	A-105				0	0	0.000		4	O	ARH-2074-10	
A-103	1971	4	STAT		660	660	102	23	-34	P,IX					7 from 105-A		0	0	0.000		1		
A-103	1972	1	STAT		661	661	102	1	-33	P,IX						0	0	0.000		1			
A-103	1972	2	SEND	-302		359		#N/A	-33	SU		C-105				0	0	0.000		4	O	ARH-2456B-4	
A-103	1972	2	STAT		346	346	102	-13	-46	P,IX						0	0	0.000		1			
A-103	1972	3	STAT		358	358	102	12	-34	P,IX						0	0	0.000		1			
A-103	1972	4	SEND	0		358		#N/A	-34	SU	AX-104	AX-104	OC 567 to 0		Shows XFER from A-104		0	0	0.000		2	V	ARH-2456D-9
A-103	1972	4	STAT		333	333	102	-25	-59	P,IX			AND comment refers to A-104	525M from AR Vault, 134 from B Plant, 567 to 104-AX		0	0	0.000		1			
A-103	1973	1	STAT		349	349	102	16	-43	P,IX						0	0	0.000		1			
A-103	1973	2	REC	19		368		#N/A	-43	SU	A-102	A-102				0	0	0.000		4	O	ARH-2794B-9	
A-103	1973	2	REC	0		368		#N/A	-43	SL	A-102	A-102	*24 TO 0 DBL ACCT			0	0	0.000		1			
A-103	1973	2	STAT		352	352	102	-16	-59	P,IX					19M from 102-A		0	0	0.000		1		
A-103	1973	3	STAT		336	336	102	-18	-75	P,IX						0	0	0.000		1			
A-103	1973	4	XIN	71		407		#N/A	-75	CSR		CSR				0	0	0.000		4	O	ARH-2794D-9	
A-103	1973	4	STAT		392	392	102	-15	-90	P,IX					71M from B Plant		0	0	0.000		1		
A-103	1974	1	SEND	-244		148		#N/A	-90	SU		A-104				0	0	0.000		4	O	ARH-CD-133A-9	
A-103	1974	1	STAT		N/A	148	102	#N/A	-90	H2O			227 TO N/A	244M to 104-A; sluicing		0	0	0.000		1			
A-103	1974	2	outx	-80		68		#N/A	-90	SL	SRR	SRR	16 AR at C-105			0	0	0.000		0			
A-103	1974	2	STAT		N/A	68	22	#N/A	-90	H2O			41 TO N/A	Sluicing		0	0	0.000		1			
A-103	1974	3	outx	-22		46		#N/A	-90	SL	SRR	SRR	4 AR at C-105			0	0	0.000		0			
A-103	1974	3	STAT		50	50	0	4	-86	H2O				Sluicing, 347 from AR Vault		0	0	0.000		1			
A-103	1974	4	XIN	266		316		#N/A	-86	AR		AR	Omis.		Omission	0.00726392	1.9322	1.932	AR	3	V	ARH-CD-133D-9	
A-103	1974	4	send	-261		55		#N/A	-86			AX-103				0	0	1.932		0			
A-103	1974	4	STAT		55	55	14	#N/A	-86	H2O				Sluicing completed 9-74, 266M from AR vault		0	0	1.932		1			
A-103	1975	1	STAT		28	28	14	-27	-113	H2O						0	0	1.932		1			
A-103	1975	2	XIN	29		57		#N/A	-113	AR		AR	Omis.		Omission	0.00726392	0.2107	2.143	AR	3	V	ARH-CD-336B-9	
A-103	1975	2	REC	46		103		#N/A	-113	SU	A-104	A-104				0	0	2.143		4	O	ARH-CD-336B-9	
A-103	1975	2	REC	128		231		#N/A	-113	SU	AX-101	AX-101				0	0	2.143		4	O	ARH-CD-336B-9	
A-103	1975	2	STAT		212	212	6	-19	-132	H2O				128M from 101-AX ; 46M from 104-A; 29M from AR Vault		0	0	2.143		1			
A-103	1975	3	XIN	13		225		#N/A	-132	B	B PLAN B	B PLAN B	Omis.		Omission	0	0	2.143		2	V	ARH-CD-336C-9	

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk type	Waste tank	Trans tank	DWXT	LANL comment	Anderson comment	Opden comment	sol vol%	TLM solids	Cum solids type	sol type	Cl	C/A	Document/Pg #
A-103	1975	3	XIN	3	3	228	228	#NA	-132 WTR	A-106	WTR				Omission	0	0	2,143	2 V		ARH-CD-336C-9	
A-103	1975	3	REC	174	402	402	402	#NA	-132 SU	A-106	A-106		Omiss. OC qtr2 to qtr3		Shows 3rd Qtr	0	0	2,143	3 MV		ARH-CD-336C-9	
A-103	1975	3	SEND	168	234	234	234	#NA	-132	A-106	A-106				Omission	0	0	2,143	3 V		ARH-CD-336C-9	
A-103	1975	3	STAT	231	231	231	14	-3	-135 PSSB							0	0	2,143	1			
A-103	1975	4	XIN	118	349	349	349	#NA	-135 AR	AR	AR		Omiss.	Sluicing completed Sept.75		0.00726392	0.8571	3,000	3 V		ARH-CD-336D-9	
A-103	1975	4	XIN	141	490	490	490	#NA	-135 SRR	SRR	SRR				Omission	0	0	3,000	4 O		ARH-CD-336D-9	
A-103	1975	4	XIN	2	492	492	492	#NA	-135 WTR	WTR	WTR		Omiss. REC CT AX-151		Omission	0	0	3,000	3 V		ARH-CD-336D-9	
A-103	1975	4	STAT	481	481	481	14	-11	-146 PSSB					141M from B Plant.; 118M from AR Vault.; 2 from C. T. 151-AX		0	0	3,000	1			
A-103	1976	1	REC	338	819	819	819	#NA	-146 SU	A-102	A-102					0	0	3,000	4 O		ARH-CD-702A-9	
A-103	1976	1	rec	155	974	974	974	#NA	-146	AX-103 AX-103						0	0	3,000	0			
A-103	1976	1	STAT	974	974	974	6	#NA	-146 PSSB					Sluicing completed 9-74 338M from 102-A		0	0	3,000	1			
A-103	1976	2	SEND	13	981	981	981	#NA	-146 SU	A-106	A-106					0	0	3,000	4 O		ARH-CD-702B-9	
A-103	1976	2	SEND	920	41	41	41	#NA	-146 SU	C-104						0	0	3,000	4 O		ARH-CD-702B-4	
A-103	1976	2	STAT	36	36	36	16	-5	-151 PSSB					920M to 104-C; 13M to 106-A		0	0	3,000	1			
A-103	1976	3	rec	66	102	102	17	#NA	-151	A-102	A-102					0	0	3,000	0			
A-103	1976	3	STAT	102	102	102	17	#NA	-151 EVAP					In Farm sluicing		0	0	3,000	1			
A-103	1976	4	send	91	11	11	3	#NA	-151 SL	A-102	A-102					0	0	3,000	0			
A-103	1976	4	SEND	8	3	3	3	#NA	-151 EVAP	A-106	A-106					0	0	3,000	1			
A-103	1976	4	STAT	3	3	3	3	#NA	-151 EVAP					Sluicing		0	0	3,000	1			
A-103	1977	1	rec	484	487	487	487	#NA	-151	A-102	A-102					0	0	3,000	0			
A-103	1977	1	STAT	487	487	487	3	#NA	-151 EVAP					Evap. feed off., Evap. lee storage.		0	0	3,000	1			
A-103	1977	2	send	385	102	102	3	#NA	-151	A-102	A-102					0	0	3,000	0			
A-103	1977	2	STAT	418	102	102	3	#NA	-151 EVAP							0	0	3,000	1			
A-103	1977	3	rec	121	520	520	105	#NA	-151 RESD	A-102	A-102					0	0	3,000	0			
A-103	1977	3	STAT	121	641	641	105	#NA	-151 RESD					Resid. liquor, slurry recel		0	0	3,000	1			
A-103	1977	4	rec	154	795	795	206	#NA	-151 HDRL	A-102	A-102					0	0	3,000	0			
A-103	1977	4	STAT	154	800	800	275	#NA	-151 DSSF	A-102	A-102					0	0	3,000	1			
A-103	1978	1	rec	5	800	800	275	#NA	-151 DSSF					New Photo 1/27/78		0	0	3,000	0			
A-103	1978	2	STAT	58	742	742	275	#NA	-151 SU	A-102	A-102					0	0	3,000	0			
A-103	1978	3	SEND	226	968	968	303	#NA	-151 SU	A-102	A-102					0	0	3,000	1			
A-103	1978	3	SEND	501	467	467	303	#NA	-151 SU	AZ-101	AZ-101					0	0	3,000	0			
A-103	1978	3	SEND	30	437	437	275	#NA	-151 SU	AZ-101	AZ-101					0	0	3,000	1			
A-103	1978	3	STAT	399	437	437	275	#NA	-151 DSSF					Solids Level Taken 9/14/78. New Photo 9/5/78		0	0	3,000	1			
A-103	1978	4	STAT	622	836	836	303	#NA	-151 NCPX	A-102	A-102					0	0	3,000	0			
A-103	1979	1	rec	256	470	470	303	#NA	-151 NCPX	A-102	A-102					0	0	3,000	1			
A-103	1979	1	STAT	168	470	470	303	#NA	-151 NCPX							0	0	3,000	0			
A-103	1979	2	rec	6	638	638	303	#NA	-151 DSSF	A-102	A-102					0	0	3,000	0			
A-103	1979	2	STAT	6	644	644	303	#NA	-151 DSSF							0	0	3,000	1			
A-103	1979	3	STAT	17	644	644	303	#NA	-151 CPLX	A-102	A-102					0	0	3,000	0			
A-103	1979	4	send	498	627	627	303	#NA	-151 CPLX	A-102	A-102					0	0	3,000	1			
A-103	1980	1	SEND	611	129	129	90	#NA	-151 SU	A-102	A-102					0	0	3,000	0			
A-103	1980	1	REC	611	640	640	303	#NA	-151 SU	A-102	A-102					0	0	3,000	1			
A-103	1980	1	REC	611	1251	1251	90	#NA	-151 SU	A-102	A-102					0	0	3,000	0			
A-103	1980	1	send	1161	90	90	90	#NA	-151 SU	A-102	A-102					0	0	3,000	1			
A-103	1980	1	REC	626	716	716	716	#NA	-151 SU	A-102	A-102					0	0	3,000	0			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-103	1980	1	SEND	-174		542	542	#N/A	-151	SU		AY-101				0	0	3,000			1	
A-103	1980	1	STAT		542	542	303	#N/A	-151	DSSF						0	0	3,000			1	
A-103	1980	2	send	-39		503		#N/A	-151			A-102				0	0	3,000			0	
A-103	1980	2	REC	657		1160		#N/A	-151	SU	A-102	A-102				0	0	3,000			1	
A-103	1980	2	SEND	-268		892		#N/A	-151	SU		AY-102				0	0	3,000			1	
A-103	1980	2	SEND	-8		884		#N/A	-151	SU		AY-102				0	0	3,000			1	
A-103	1980	2	SEND	-5		879		#N/A	-151	SU		AY-102				0	0	3,000			1	
A-103	1980	2	STAT		879	879	303	#N/A	-151	DSSF				Complexed Slurry		0	0	3,000			1	
A-103	1980	3	SEND	-348		531		#N/A	-151	SU		AX-101				0	0	3,000			1	
A-103	1980	3	STAT		532	532	499	1	-150	DSSF				Inactive-New Solids Level 8/14/80		0	0	3,000			1	
A-103	1980	4	send	-16		516		#N/A	-150			A-102				0	0	3,000			0	
A-103	1980	4	STAT		516	516	499	#N/A	-150							0	0	3,000			1	
A-103	1988	2	send	-146		370		#N/A	-150			SY-103	salt well pumped			0	0	3,000			0	
A-103	1993	2	STAT		370	370	366	#N/A	-150	DSSF						0	0	3,000			1	
A-103	1993	4	STAT		371	371	366	1	-149							0	0	3,000			1	
A-103	1994	1	STAT		371	371	366	#N/A	-149							0	0	3,000			1	
A-103	2000																					

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk fr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	Q/A	Document/Pg #		
A-104	1900																							
A-104	1955	3	STAT		N/A	0		#N/A	0					* Leak detection dry well 10-04-04 drilled.			0	0.000				1		
A-104	1957	2	XIN	17		17		#N/A	0	WTR		WTR				0	0	0.000				1		
A-104	1957	2	STAT		17	17		0	#N/A	0	P					0	0	0.000				1		
A-104	1957	3	STAT		22	22		0	5	5	P			Test water 373M water		0	0	0.000				1		
A-104	1957	4	STAT		17	17		0	5	0	P			Test water		0	0	0.000				1		
A-104	1958	1	XIN	5		22		#N/A	0	WTR		WTR				0	0	0.000				1		
A-104	1958	1	STAT		22	22		0	#N/A	0	P			Test Water		0	0	0.000				1		
A-104	1958	2	XIN	6		28		#N/A	0	WTR		WTR				0	0	0.000				1		
A-104	1958	2	STAT		28	28		0	#N/A	0	P			Test water		0	0	0.000				1		
A-104	1958	3	XIN	110		138		#N/A	0	WTR		WTR	no change used		Shows 20 not 110	0	0	0.000				3	V	HWN-1991-8
A-104	1958	3	STAT		N/A	138		0	#N/A	0	P		phasing error 168 to N/A			0	0	0.000				1		
A-104	1958	4	STAT		138	138		0	#N/A	0	P			Latest electrode rdg.		0	0	0.000				1		
A-104	1959	1	XIN	5		143		#N/A	0	WTR		WTR				0	0	0.000				4	O	HW-59204-8
A-104	1959	1	XIN	39		182		#N/A	0	WTR		WTR				0	0	0.000				4	O	HW-59586-8
A-104	1959	1	XIN	5		187		#N/A	0	WTR		WTR				0	0	0.000				1		
A-104	1959	1	STAT		187	187		0	#N/A	0	P			S.S. 38M H2O;; S.S. rec'd 5M.; latest electrode rdg.		0	0	0.000				1		
A-104	1959	2	XIN	11		198		#N/A	0	WTR		WTR				0	0	0.000				1		
A-104	1959	2	XIN	6		204		#N/A	0	WTR		WTR				0	0	0.000				1		
A-104	1959	2	STAT		204	204		0	#N/A	0	P			Latest electrode rdg.		0	0	0.000				1		
A-104	1959	3	XIN	92		296		#N/A	0	P		P1				0.00014841	0.0137	0.014	P1			4	O	HWN-1991-8
A-104	1959	3	XIN	23		319		#N/A	0	P		P1				0.00014841	0.0034	0.017	P1			4	O	HWN-1991-8
A-104	1959	3	XIN	49		368		#N/A	0	P		P1				0.00014841	0.0073	0.024	P1			4	O	HWN-1991-8
A-104	1959	3	XIN	28		396		#N/A	0	WTR		WTR				0	0	0.024				3	O	HW-62421-8
A-104	1959	3	OUTX	-59		337		#N/A	0	COND	A-106	PCOND			No indic. of XFER	0	0	0.024				4	O	HW 61952-8
A-104	1959	3	STAT		366	366		0	29	29	P		XINS total 164, OUTX total -59, AND 87 difference of 28	87M self conc. rec'd 184M dilute H2O added		0	0	0.024				1		
A-104	1959	4	XIN	61		427		#N/A	29	P		P1				0.00014841	0.0091	0.033	P1			4	O	HWN-1991-8
A-104	1959	4	XIN	86		513		#N/A	29	P		P1				0.00014841	0.0128	0.046	P1			4	O	HWN-1991-8
A-104	1959	4	XIN	107		620		#N/A	29	P		P1				0.00014841	0.0159	0.062	P1			3	V	HWN-1991-8
A-104	1959	4	OUTX	-35		585		#N/A	29	COND	A-106	PCOND			Shows 117 not 107	0.00014841	0.0159	0.062	P1			3	V	HW62723-5
A-104	1959	4	OUTX	-64		521		#N/A	29	COND	A-106	PCOND	OC 67 to 64		No indic. of XFER	0	0	0.062				4	O	HW-62421-8
A-104	1959	4	OUTX	-120		401		#N/A	29	COND	A-106	PCOND			184 total w "	0	0	0.062				3	V	HWN-1991-9
A-104	1959	4	STAT		369	369		0	-32	-3	P		OUTX total -219, XIN total 264	222M self conc. rec'd 264M		0	0	0.062				1		
A-104	1960	1	XIN	117		486		#N/A	-3	P		P1				0.00014841	0.0174	0.079	P1			3	O	HWN-1991-8
A-104	1960	1	XIN	286		772		#N/A	-3	P		P1				0.00014841	0.0424	0.122	P1			2	V	HWN-1991-8
A-104	1960	1	XIN	314		1086		#N/A	-3	P		P1			Shows 286 not 313	0.00014841	0.0466	0.168	P1			4	O	HWN-1991-8
A-104	1960	1	OUTX	-100		986		#N/A	-3	COND	A-106	PCOND	OC 58 to 100		No indic. of XFER	0	0	0.168				3	V	HW-63896-8
A-104	1960	1	OUTX	-243		743		#N/A	-3	COND	A-106	PCOND	OC 285 to 243		243, no XFER to A-106	0	0	0.168				3	V	HWN-1991-9
A-104	1960	1	STAT		743	743		0	#N/A	-3	P		XIN total 717, OUTX total -343, AND reports -140	140M self conc. rec'd 744M		0	0	0.168				1		
A-104	1960	2	XIN	337		1080		#N/A	-3	P		P1				0.00014841	0.05	0.218	P1			4	O	HWN-1991-8
A-104	1960	2	XIN	329		1409		#N/A	-3	P		P1				0.00014841	0.0498	0.267	P1			4	O	HWN-1991-8
A-104	1960	2	XIN	290		1699		#N/A	-3	P		P1				0.00014841	0.043	0.310	P1			4	O	HWN-1991-8
A-104	1960	2	XIN	450		2149		#N/A	-3	DIL		WTR				0	0	0.310				3	O	HW-66187-8
A-104	1960	2	OUTX	-376		1773		#N/A	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.310				3	O	HWN-1991-9
A-104	1960	2	OUTX	-356		1417		#N/A	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.310				3	O	HWN-1991-9
A-104	1960	2	OUTX	-667		750		#N/A	-3	COND	A-106	PCOND	LC ogden corr ignored		217, no XFER to A-106	0	0	0.310				2	V	HWN-1991-9
A-104	1960	2	STAT		750	750		0	#N/A	-3	P		XIN total 956, OUTX total -949, AND -1181	1,181 self conc. rec'd 956M		0	0	0.310				1		
A-104	1960	3	XIN	41		791		#N/A	-3	CARB		OWW1				0	0	0.310				3	O	HWN-1991-8
A-104	1960	3	XIN	466		1257		#N/A	-3	P		P1				0.00014841	0.0692	0.379	P1			4	O	HWN-1991-8
A-104	1960	3	XIN	282		1539		#N/A	-3	P		P1				0.00014841	0.0419	0.421	P1			4	O	HWN-1991-8

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unkl	Waste type	Trans tank	DWXT	L&L comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
A-104	1960	3	XIN	323	1862	1862	#NA	#NA	-3	DIL	A-106	WTR	OC 365 to 323		Shows 323 not 365	0	0	0.421	3	V		HWN-1991-8
A-104	1960	3	OUTX	-473	1389	1389	#NA	#NA	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.421	4	O		HWN-1991-9
A-104	1960	3	OUTX	-385	1024	1024	#NA	#NA	-3	COND	A-106	PCOND	OC 407 to 365		365, no XFER to A-106	0	0	0.421	2	V		HWN-1991-9
A-104	1960	3	OUTX	-369	655	655	#NA	#NA	-3	COND	A-106	PCOND	OUTX total -842, XIN total 1071		No XFER to A-106 indic.	0	0	0.421	4	O		HWN-1991-9
A-104	1960	3	STAT		655	655	0	#NA	-3	P				842M self conc. rec'd 1.09AM		0	0	0.421	1			
A-104	1960	4	XIN	19	674	674	#NA	#NA	-3	CARB		OWW1				0	0	0.421	4	O		HWN-1991-8
A-104	1960	4	XIN	345	1019	1019	#NA	#NA	-3	CARB		OWW1				0	0	0.421	4	O		HWN-1991-8
A-104	1960	4	XIN	198	1217	1217	#NA	#NA	-3	P		P1				0.00014841	0.0294	0.451	4	O		HWN-1991-8
A-104	1960	4	XIN	55	1272	1272	#NA	#NA	-3	P		P1				0.00014841	0.0082	0.459	4	O		HWN-1991-8
A-104	1960	4	XIN	105	1377	1377	#NA	#NA	-3	P		P1				0.00014841	0.0156	0.474	4	O		HWN-1991-8
A-104	1960	4	XIN	311	1688	1688	#NA	#NA	-3	CSKW		WTR				0	0	0.474	4	O		HWN-1991-8
A-104	1960	4	OUTX	-158	1530	1530	#NA	#NA	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.474	4	O		HWN-1991-9
A-104	1960	4	OUTX	-308	1222	1222	#NA	#NA	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.474	4	O		HWN-1991-9
A-104	1960	4	OUTX	-497	725	725	#NA	#NA	-3	COND	A-106	PCOND	OUTX total -963, XIN total 1033		No XFER to A-106 indic.	0	0	0.474	4	O		HWN-1991-9
A-104	1960	4	STAT		725	725	0	#NA	-3	P				963M self conc. rec'd 10:33M		0	0	0.474	1			
A-104	1961	1	XIN	357	1082	1082	#NA	#NA	-3	P		P1				0.00014841	0.053	0.527	4	O		HWN-1991-8
A-104	1961	1	OUTX	-382	700	700	#NA	#NA	-3	COND	A-106	PCOND				0	0	0.527	3	O		HWN-1991-9
A-104	1961	1	STAT		700	700	0	#NA	-3	P				Rec'd 1,967M 6 months report		0	0	0.527	1			
A-104	1961	2	XIN	710	1410	1410	#NA	#NA	-3	P		P1				0.00014841	0.1054	0.633	4	O		HWN-1991-8
A-104	1961	2	XIN	900	2310	2310	#NA	#NA	-3	P		P1				0.00014841	0.1336	0.766	4	O		HWN-1991-8
A-104	1961	2	OUTX	-868	1442	1442	#NA	#NA	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.766	3	O		HWN-1991-9
A-104	1961	2	OUTX	-600	842	842	#NA	#NA	-3	COND	A-106	PCOND			No XFER to A-106 indic.	0	0	0.766	3	O		HWN-1991-9
A-104	1961	4	XIN	130	1052	1052	#NA	#NA	-3	P		P1				0.00014841	0.0193	1.000	3	O		HWN-1991-8
A-104	1961	4	OUTX	-166	886	886	#NA	#NA	-3	COND	A-024	PCOND				0	0	1.000	3	O		HWN-1991-9
A-104	1961	2	STAT		886	886	0	#NA	-3	P			XIN total 130, AND reports 157			0	0	1.000	1			
A-104	1961	3	XIN	700	1542	1542	#NA	#NA	-3	P		P1				0.00014841	0.1039	0.870	3	O		HWN-1991-8
A-104	1961	3	XIN	744	2286	2286	#NA	#NA	-3	P		P1				0.00014841	0.1704	0.981	3	O		HWN-1991-8
A-104	1961	3	OUTX	-700	1586	1586	#NA	#NA	-3	COND	A-024	PCOND			For 3rd and 4th Qtr.	0	0	0.981	3	O		HWN-1991-8
A-104	1961	3	OUTX	-664	922	922	#NA	#NA	-3	COND	A-024	PCOND			No XFER to A-204 indic.	0	0	0.981	3	O		HWN-1991-9
A-104	1961	3	STAT		922	922	0	#NA	-3	P						0	0	0.981	1			
A-104	1961	4	XIN	130	1052	1052	#NA	#NA	-3	P		P1				0.00014841	0.0193	1.000	3	O		HWN-1991-8
A-104	1961	4	OUTX	-166	886	886	#NA	#NA	-3	COND	A-024	PCOND				0	0	1.000	3	O		HWN-1991-9
A-104	1961	4	STAT		886	886	0	#NA	-3	P			XIN total 130, AND reports 157			0	0	1.000	1			
A-104	1962	1	XIN	566	1452	1452	#NA	#NA	-3	CARB		OWW1				0	0	1.000	4	O		HWN-1991-8
A-104	1962	1	OUTX	-535	917	917	#NA	#NA	-3	COND	A-024	PCOND				0	0	1.000	3	O		HWN-1991-9
A-104	1962	1	STAT		917	917	0	#NA	-3	P						0	0	1.000	1			
A-104	1962	2	XIN	647	1564	1564	#NA	#NA	-3	CARB		OWW1				0	0	1.000	4	O		HWN-1991-8
A-104	1962	2	OUTX	-612	952	952	#NA	#NA	-3	COND	A-024	PCOND				0	0	1.000	3	O		HWN-1991-9
A-104	1962	2	STAT		952	952	0	#NA	-3	P			XIN from qtr 1 & 2 total 1213, STAT 952 TO N/A		No XFER to A-204 indic.	0	0	1.000	3	O		HWN-1991-9
A-104	1962	3	XIN	171	1123	1123	#NA	#NA	-3	CARB		OWW1				0	0	1.000	4	O		HWN-1991-27
A-104	1962	3	OUTX	-245	878	878	#NA	#NA	-3	COND	A-024	PCOND				0	0	1.000	1			
A-104	1962	3	STAT		878	878	0	#NA	-3	P						0	0	1.000	1			
A-104	1962	4	XIN	457	1335	1335	#NA	#NA	-3	CARB		OWW1				0	0	1.000	4	O		HWN-1991-27
A-104	1962	4	OUTX	-653	682	682	#NA	#NA	-3	COND	A-024	PCOND				0	0	1.000	1			
A-104	1962	4	STAT		682	682	0	#NA	-3	P			XIN from qtr 1 & 2 total 1213, STAT 952 TO N/A		Rec'd 1213M carbonate waste 6 month report.	0	0	1.000	4	O		HWN-1991-27
A-104	1963	1	XIN	310	992	992	#NA	#NA	-3	CARB		OWW2				0	0	1.000	1			
A-104	1963	1	OUTX	-197	795	795	#NA	#NA	-3	COND	A-024	PCOND				0	0	1.000	1			
A-104	1963	1	STAT		795	795	0	#NA	-3	P			XIN from qtr 3 & 4 total 629		Rec'd 629M carbonate	0	0	1.000	4	O		HWN-1991-27
A-104	1963	2	STAT		N/A	N/A	0	#NA	-3	P						0	0	1.000	1			
A-104	1963	3	XIN	438	1233	1233	#NA	#NA	-3	CARB		OWW2				0	0	1.000	4	O		HWN-1991-27
A-104	1963	3	OUTX	-409	824	824	#NA	#NA	-3	COND	A-024	PCOND				0	0	1.000	1			
A-104	1963	3	STAT		824	824	0	#NA	-3	P						0	0	1.000	4	O		HWN-1991-27

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk type	Waste tank	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	C/A	Document/pg #
A-104	1963	4	STAT	824	824	824	0	#NA	-3 P					Rec'd 438M carbonate		0	0	1,000			
A-104	1964	1	XIN	591	1415	1415	#NA	-3	CARB			OWW2				0	0	1,000		4 O	HWN-1991-27
A-104	1964	1	send	-584	831	831	#NA	-3				A-102				0	0	1,000			
A-104	1964	1	STAT		831	831	0	#NA	-3 P					Rec'd 591M carbonate 6 month report		0	0	1,000		1	
A-104	1964	2	STAT		N/A	831	#NA	-3								0	0	1,000		1	
A-104	1964	3	STAT		N/A	831	#NA	-3								0	0	1,000		1	
A-104	1964	4	XIN	285	1116	1116	#NA	-3	CARB							0	0	1,000		4 O	HWN-1991-27
A-104	1964	4	send	252	864	864	#NA	-3								0	0	1,000		0	
A-104	1964	4	STAT		864	864	0	#NA	-3 P					Rec'd 285M carbonate 6 month report		0	0	1,000		1	
A-104	1965	1	XIN	55	919	919	#NA	-3								0	0	1,000		1	
A-104	1965	1	STAT		919	919	146	#NA	-3 P							0	0	1,000		1	
A-104	1965	2	XIN	149	1068	1068	#NA	-3	OWW							0	0	1,000		1	
A-104	1965	2	STAT		N/A	1068	#NA	-3								0	0	1,000		4 O	HWN-1991-27
A-104	1965	3	XIN	41	1109	1109	#NA	-3	OWW							0	0	1,000		1	
A-104	1965	3	send	-171	938	938	#NA	-3								0	0	1,000		0	
A-104	1965	3	STAT		938	938	146	#NA	-3 P							0	0	1,000		4 O	HWN-1991-27
A-104	1965	4	XIN	72	1010	1010	#NA	-3	OWW							0	0	1,000		1	
A-104	1965	4	send	-78	932	932	#NA	-3								0	0	1,000		0	
A-104	1965	4	STAT		932	932	146	#NA	-3 P							0	0	1,000		4 O	HWN-1991-27
A-104	1966	1	XIN	114	1046	1046	#NA	-3	OWW							0	0	1,000		1	
A-104	1966	1	send	-114	932	932	#NA	-3								0	0	1,000		0	
A-104	1966	1	STAT		932	932	146	#NA	-3 P							0	0	1,000		4 O	ISO-226-8
A-104	1966	2	XIN	55	997	997	#NA	-3	OWW							0	0	1,000		1	
A-104	1966	2	send	-46	941	941	#NA	-3								0	0	1,000		0	
A-104	1966	2	STAT		941	941	146	#NA	-3 P							0	0	1,000		4 O	ISO-404-8
A-104	1966	3	XIN	93	1034	1034	#NA	-3	OWW							0	0	1,000		1	
A-104	1966	3	send	-102	932	932	#NA	-3								0	0	1,000		0	
A-104	1966	3	STAT		932	932	146	#NA	-3 P							0	0	1,000		4 O	ISO-538-8
A-104	1966	4	XIN	94	1026	1026	#NA	-3	OWW							0	0	1,000		1	
A-104	1966	4	send	-91	935	935	#NA	-3								0	0	1,000		0	
A-104	1966	4	STAT		935	935	146	#NA	-3 P							0	0	1,000		4 O	ISO-674-8
A-104	1967	1	XIN	97	1032	1032	#NA	-3	OWW							0	0	1,000		1	
A-104	1967	1	send	-100	932	932	#NA	-3								0	0	1,000		0	
A-104	1967	1	STAT		932	932	146	#NA	-3 P							0	0	1,000		4 O	ISO-806-8
A-104	1967	2	XIN	97	1029	1029	#NA	-3	OWW							0	0	1,000		1	
A-104	1967	2	send	-94	935	935	#NA	-3								0	0	1,000		0	
A-104	1967	2	STAT		935	935	146	#NA	-3 P							0	0	1,000		4 O	ISO-967-8
A-104	1967	3	XIN	119	1084	1084	#NA	-3	OWW							0	0	1,000		1	
A-104	1967	3	send	-130	924	924	#NA	-3								0	0	1,000		0	
A-104	1967	3	STAT		924	924	165	#NA	-3 P							0	0	1,000		4 O	ARRH-95-9
A-104	1967	4	XIN	66	990	990	#NA	-3	OWW							0	0	1,000		1	
A-104	1967	4	send	-66	924	924	#NA	-3								0	0	1,000		0	
A-104	1967	4	STAT		924	924	168	#NA	-3 P							0	0	1,000		4 O	ARRH-326-9
A-104	1968	1	XIN	108	1030	1030	#NA	-3	OWW							0	0	1,000		1	
A-104	1968	1	send	-103	927	927	#NA	-3								0	0	1,000		0	
A-104	1968	1	STAT		927	927	182	#NA	-3 P							0	0	1,000		1	
A-104	1968	2	XIN	44	971	971	#NA	-3								0	0	1,000		1	
A-104	1968	2	STAT		971	971	171	#NA	-3 P							0	0	1,000		1	
A-104	1968	3	STAT		976	976	165	5	2 P							0	0	1,000		1	
A-104	1968	4	STAT		983	983	171	7	9 P							0	0	1,000		1	
A-104	1969	1	send	-23	960	960	#NA	9								0	0	1,000		0	
A-104	1969	1	SEND	-532	428	428	#NA	9	SU							0	0	1,000		3 V	ARRH-1200A-5/ARRH-1200A-10 SEND
A-104	1969	1	STAT		428	428	171	#NA	9 P							0	0	1,000		1	
A-104	1969	2	REC	215	643	643	#NA	9	SU							0	0	1,000		4 O	ARRH-1200B-10

Shows 532 not 481

481M to 105-C

OC 481 to 532

A-101

Tank n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tit	Cum Unit	Waste type	Trans tank	DWAT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	D/A	Document/Pg #
A-104	1969	2	SEND	-43		600				9 SU	A-106						0	0	1,000			
A-104	1969	2	SEND	-188		412				9 SU	C-105						0	0	1,000			ARH-1200B-5
A-104	1969	2	OUTX	-97		315				9 SL	SRR		97 to SRR, 19 back to A-106				0	0	1,000			
A-104	1969	2	STAT		308	308	74			2 P				188M to 105-C, sluicing started 5-12-69, 1/2 of slud was sluiced to 160A--215,000 gal. hot water added to soil remaining sludge			0	0	1,000			
A-104	1969	3	REC	335		643				2 SU	A-101						0	0	1,000			
A-104	1969	3	SEND	-330		313				2 SU	A-106						0	0	1,000			ARH-1200C-10
A-104	1969	3	SEND	-126		187				2 SU	A-106		*-262 TO 126				0	0	1,000			ARH-1200C-10
A-104	1969	3	SEND	-61		126				2 SU	A-106						0	0	1,000			
A-104	1969	3	SEND	-35		91				2 SL	A-106						0	0	1,000			ARH-1200C-10
A-104	1969	3	OUTX	-63		28				2 SL	SRR		63 to SRR, 13 back to A-106				0	0	1,000			
A-104	1969	3	STAT		28	28	11			2 P				sluicing in process			0	0	1,000			
A-104	1969	4	XIN	825		825				2 WTR	WTR						0	0	1,000			
A-104	1969	4	REC	133		966				2 SU	A-101			sluicing comp. Oct. 1969 check confirmed the integrity of 104-A & delisted a spare			0	0	1,000			ARH-1200D-10
A-104	1970	4	STAT		960	960	3	-26		-24 H2O							0	0	1,000			
A-104	1970	1	STAT		957	957	1	-3		-27 H2O							0	0	1,000			
A-104	1970	2	STAT		964	964	1	7		-20 H2O							0	0	1,000			
A-104	1970	3	SEND	-103		861				-20	A-106						0	0	1,000			
A-104	1970	3	STAT		861	861	1			-20 H2O							0	0	1,000			
A-104	1970	4	SEND	-118		743				-20 H2O	A-106						0	0	1,000			
A-104	1971	1	SEND	-116		627				-20	A-106			sluicing comp. Oct. 1969			0	0	1,000			
A-104	1971	1	STAT		627	627	1			-20 H2O							0	0	1,000			
A-104	1971	2	SEND	-66		561				-20	A-106						0	0	1,000			
A-104	1971	2	STAT		561	561	1			-20 H2O							0	0	1,000			
A-104	1971	3	SEND	-107		454				-20	A-106						0	0	1,000			
A-104	1971	3	STAT		454	454	1			-20 H2O							0	0	1,000			
A-104	1971	4	SEND	-105		349				-20	A-106						0	0	1,000			
A-104	1971	4	STAT		349	349	1			-20 H2O							0	0	1,000			
A-104	1972	1	SEND	-89		260				-20	A-106						0	0	1,000			
A-104	1972	1	SEND	-62		198				-20 SU	AY-102						0	0	1,000			ARH-2456A-9
A-104	1972	1	STAT		198	198	1			-20 H2O				Sluicing completed Oct. 1969			0	0	1,000			
A-104	1972	2	XIN	137		335				-20	AR	TREND_ADD				0.00785569	1.0762	2,075	AR			
A-104	1972	2	SEND	-60		275				-20 SU	AY-102					0	0	2,075				
A-104	1972	2	STAT		275	275	1			-20 H2O							0	0	2,075			
A-104	1972	3	XIN	84		359				-20 AR	AR	Omis.			Omission	0.00785569	0.6599	2,736	AR		ARH-2456C-9	
A-104	1972	3	STAT		346	346	8	-13		-33 H2O							0	0	2,736			
A-104	1972	4	XIN	525		871				-33 AR	AR	Omis.			Omission	0.00785569	4.1242	6,860	AR		ARH-2456D-9	
A-104	1972	4	XIN	134		1,005				-33 CSR	CSR					0	0	6,860			ARH-2456D-9	
A-104	1972	4	SEND	-567		438				-33 SU	AX-104			Shows XFER from A-104, Omission			0	0	6,860			ARH-2456D-9
A-104	1972	4	STAT		440	440	8	2		-31 B				525M from AR Vault, 134 from B Plant, 557 to 104-AX			0	0	6,860			
A-104	1973	1	XIN	609		1,049				-31 AR	AR		358 TO 609			0.00785569	4.7841	11,644	AR		ARH-2794A-9	
A-104	1973	1	SEND	-276		773				-31 SU	AX-104					0	0	11,644			ARH-2794A-9	
A-104	1973	1	STAT		773	773	80			-31 PSS				358M from AR Vault 276M to 104-AX			0	0	11,644			
A-104	1973	2	XIN	705		1,478				-31 AR	AR					0.00785569	5.5383	17,183	AR		ARH-2794B-9	
A-104	1973	2	SEND	-525		953				-31 SU	AX-101			Omission		0	0	17,183			ARH-2794B-9	



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tir	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
A-104	1973	2	STAT		966	966		80	3	-28 PSS				Sluicing completed Oct. 1969			0	0	17,183	1		
A-104	1973	3	send	-44	912	912		#NA	-28		A-106			705M from AR Vault.; 525M to 101-AX			0	0	17,183	0		
A-104	1973	3	STAT	912	912	912		80	-28 PSS								0	17,183	1			
A-104	1973	4	XIN	169	1081	1081		#NA	-28 AR				Omis.	Omission		0.00785569	1,3276	18,510	AR	2 V	ARH-2794D-9	
A-104	1973	4	send	-27	1054	1054		#NA	-28								0	18,510	0			
A-104	1973	4	SEND	-217	837	837		#NA	-28 PSS								0	18,510	3 V		ARH-2794D-9	
A-104	1973	4	STAT	837	837	837		80	-28 AR								0	18,510	1			
A-104	1974	1	XIN	61	898	898		#NA	-28 AR								0	18,510	1			
A-104	1974	1	REC	244	1142	1142		#NA	-28 SU		A-103		Omis.	Omission		0.00785569	0,4792	18,990	AR	3 V	ARH-CD-133A-9	
A-104	1974	1	REC	23	1165	1165		#NA	-28 SU		A-106						0	18,990	4 O		ARH-CD-133A-9	
A-104	1974	1	send	-19	1146	1146		#NA	-28		AX-103						0	18,990	4 O		ARH-CD-133A-9	
A-104	1974	1	SEND	-643	503	503		#NA	-28 SU		AX-101						0	18,990	4 O		ARH-133A-9/ARH-CD-133A-9 SEND	
A-104	1974	1	STAT		503	503		80	-28 PSS					23M from 106-A.; 244M from 103-A.; 643M to 101-AX. 61M from AR vault			0	18,990	1			
A-104	1974	2	XIN	338	841	841		#NA	-28 AR		AR		Omis.				0	21,645	3 V		ARH-CD-133B-9	
A-104	1974	2	send	-35	806	806		#NA	-28		AX-103			Omission			0	21,645	0			
A-104	1974	2	STAT	806	806	806		80	-28 PSS					338M from AR Vault			0	21,645	1			
A-104	1974	3	SEND	-23	783	783		#NA	-28 SL		A-106						0	21,645	1			
A-104	1974	3	send	-46	635	635		#NA	-28		AX-103						0	21,645	0			
A-104	1974	3	SEND	-46	589	589		#NA	-28 SU		AX-101						0	21,645	2			
A-104	1974	3	SEND	-47	542	542		#NA	-28 SU		AX-102						0	21,645	1			
A-104	1974	3	SEND	-446	96	96		#NA	-28 SU		AX-104			Sluicing; 96M from AR vault.; 46M to 101-AX.; 47M to 102-AX 446M to 104-AX			0	21,645	2			
A-104	1974	3	STAT		96	96		57	-28 PSS								0	21,645	1			
A-104	1974	4	XIN	545	641	641		#NA	-28 AR		AR		Omis.				0	25,926	3 V		ARH-CD-133D-9	
A-104	1974	4	SEND	-32	609	609		#NA	-28 SL		A-106			Omission			0	25,926	1			
A-104	1974	4	send	-554	55	55		#NA	-28		AX-103						0	25,926	0			
A-104	1974	4	STAT		55	55		39	-28 PSS					sluicing; 545M from AR vault			0	25,926	1			
A-104	1975	1	XIN	284	319	319		#NA	-28 AR		AR		Omis.				0	28,000	3 V		ARH-CD-336A-9	
A-104	1975	1	send	-63	256	256		#NA	-28		A-106			Omission			0	28,000	0			
A-104	1975	1	send	-187	69	69		#NA	-28		AX-103						0	28,000	0			
A-104	1975	1	STAT		69	69		39	-28 PSS					sluicing; 264M from AR vault			0	28,000	1			
A-104	1975	2	SEND	-46	23	23		#NA	-28 SU		A-103						0	28,000	4 O		ARH-CD-336B-9	
A-104	1975	2	STAT		25	25		2	-28					Tanks leaks; 46M to 103-A.			0	28,000	1			
A-104	1975	3	STAT		25	25		25	-28					Tanks leaks;			0	28,000	1			
A-104	1975	4	STAT		25	25		25	-28					Tanks leaks			0	28,000	1			
A-104	1976	1	STAT		25	25		25	-28								0	28,000	1			
A-104	1976	2	STAT		25	25		25	-28								0	28,000	1			
A-104	1976	3	STAT		25	25		25	-28								0	28,000	1			
A-104	1976	4	STAT		25	25		25	-28								0	28,000	1			
A-104	1977	1	STAT		25	25		25	-28								0	28,000	1			
A-104	1977	2	STAT		25	25		25	-28								0	28,000	1			
A-104	1977	3	STAT		25	25		25	-28								0	28,000	1			
A-104	1977	4	STAT		25	25		25	-28					Stabilized Phase I			0	28,000	1			
A-104	1978	1	STAT		28	28		28	-23					New Sludge Level 12/7/78			0	28,000	1			
A-104	1978	2	STAT		28	28		28	-23					Primary Stabilized			0	28,000	1			
A-104	1978	3	STAT		28	28		28	-23								0	28,000	1			
A-104	1978	4	STAT		28	28		28	-23					Interim Stabilized			0	28,000	1			
A-104	1979	1	STAT		28	28		28	-23								0	28,000	1			
A-104	1979	2	STAT		28	28		28	-23								0	28,000	1			

Tank #	Year	Chr	Type	Trans Vol	Stat Vol	Total Solids Vol	Unk Cum	Waste Type	Trans Tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum sol	sol type	QA	Document/Pg #
A-104	1979	3	STAT	28	28	28	28	#NA						0	28,000	0	1		
A-104	1979	4	STAT	28	28	28	28	#NA						0	28,000	0	1		
A-104	1980	1	STAT	28	28	28	28	#NA						0	28,000	0	1		
A-104	1980	2	STAT	28	28	28	28	#NA						0	28,000	0	1		
A-104	1980	3	STAT	28	28	28	28	#NA						0	28,000	0	1		
A-104	1980	4	STAT	28	28	28	28	#NA						0	28,000	0	1		
A-104	1980	4	STAT	28	28	28	28	#NA						0	28,000	0	1		
A-104	1993	2	STAT	28	28	28	28	#NA						0	28,000	0	1		
A-104	1993	4	STAT	28	28	28	28	#NA						0	28,000	0	1		
A-104	1994	1	STAT	28	28	28	28	#NA						0	28,000	0	1		
A-104	1994	4	STAT	28	28	28	28	#NA						0	28,000	0	1		
A-104	2000	1	STAT	28	28	28	28	#NA						0	28,000	0	1		

Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids	Unk	Cum	Waste	Trans	Bank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM	Cum	sol	type	QI	C/A	Document/Pg #
1900	2	XIN	17	2	17	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1957	2	STAT	17	2	17	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1957	3	STAT	22	3	22	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1957	4	XIN	17	5	17	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1958	1	XIN	22	1	22	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1958	2	XIN	25	2	25	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1958	3	XIN	25	3	25	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1958	4	XIN	25	5	25	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1958	1	XIN	30	3	30	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1958	2	STAT	30	2	30	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1958	3	STAT	30	3	30	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1958	4	STAT	30	2	30	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1959	1	STAT	30	2	30	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1959	2	STAT	30	2	30	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1959	3	STAT	30	3	30	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1959	4	STAT	30	1	30	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1960	1	STAT	30	1	30	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1960	2	XIN	41	2	41	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1960	3	XIN	47	3	47	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1960	4	XIN	47	4	47	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1960	1	STAT	50	4	50	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1961	1	STAT	50	1	50	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1961	2	STAT	50	2	50	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1961	3	STAT	50	3	50	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1961	4	STAT	50	4	50	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1961	1	HEC	283	1	283	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1962	1	STAT	333	1	333	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1962	2	STAT	333	2	333	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1962	3	STAT	333	3	333	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1962	4	STAT	333	4	333	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1962	1	STAT	740	1	740	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	1	SEND	473	1	473	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	2	XIN	487	2	487	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	3	STAT	1227	3	1227	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	4	STAT	1227	4	1227	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	1	STAT	367	3	367	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	2	STAT	1594	3	1594	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	3	XIN	1211	3	1211	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	4	STAT	1211	4	1211	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	1	STAT	318	4	318	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	2	XIN	487	4	487	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	3	STAT	1042	4	1042	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	4	STAT	1042	4	1042	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	1	STAT	711	4	711	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	2	XIN	711	5	711	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1963	3	STAT	1093	1	1093	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	1	XIN	127	1	127	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	2	XIN	127	2	127	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	3	STAT	842	2	842	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	4	STAT	969	2	969	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	1	STAT	715	1	715	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	2	XIN	127	2	127	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	3	STAT	1093	1	1093	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	4	STAT	1093	1	1093	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	1	OUTX	-378	1	-378	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	2	XIN	127	2	127	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	3	STAT	127	2	127	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	4	STAT	1093	2	1093	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	1	STAT	1093	2	1093	0	0	0	0	0	0	WTR				0	0	0	0	0	1		
1964	2	XIN	1096	2	1096	0	0	0	0	0	0	WTR				0	0	0	0	0	1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trr	Cum unk	Waste type	Trans tank	DW:XT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #	
A-105	1964	2	outx	-300		796		#N/A	0	COND	A-024	PCOND	assumed			0	0	15.088		0			
A-105	1964	2	STAT		N/A	796		#N/A	0				XIN from qtr 1 & 2 total 763	Rec'd 763M IWW 6 months report			0	15.088		1			
A-105	1964	3	XIN	105		901		#N/A	0	IWW		P2				0.00616083	0.6489	15.735	P2	4	O	HWN-1991-28	
A-105	1964	3	XIN	106		1007		#N/A	0	IWW		P2				0.00616083	0.653	16.388	P2	4	O	HWN-1991-28	
A-105	1964	3	XIN	106		1113		#N/A	0	IWW		P2				0.00616083	0.653	17.041	P2	2			
A-105	1964	3	outx	-300		813		#N/A	0	COND	A-024	PCOND	assumed			0	0	17.041		0			
A-105	1964	3	STAT		N/A	813		#N/A	0								0	17.041		1			
A-105	1964	4	XIN	106		919		#N/A	0	IWW		P2				0.00616083	0.653	17.694	P2	4	O	HWN-1991-28	
A-105	1964	4	XIN	106		1025		#N/A	0	IWW		P2				0.00616083	0.653	18.347	P2	2			
A-105	1964	4	XIN	106		1131		#N/A	0	IWW		P2				0.00616083	0.653	19.000	P2	2			
A-105	1964	4	outx	-278		853		#N/A	0	COND	A-024	PCOND	assumed			0	0	19.000		0			
A-105	1964	4	STAT		853	853	50	#N/A	0	P			XINS from qrt 3 & 4 total 635	Rec'd 635M IWW 6 months report			0	0	19.000		1		
A-105	1965	1	rec	13		866		#N/A	0		A-102	A-102				0	0	19.000		0			
A-105	1965	1	STAT		866	866	72	#N/A	0	P				6 months report			0	0	19.000		1		
A-105	1965	2	XIN	452		1318		#N/A	0	FLSH		WTR				0	0	19.000		4	O	HWN-1991-28	
A-105	1965	2	outx	-225		1093		#N/A	0	COND	A-024	PCOND	assumed			0	0	19.000		0			
A-105	1965	2	STAT		N/A	1093		#N/A	0					rec'd 452M cell drainage flushes			0	0	19.000		1		
A-105	1965	3	outx	-229		864		#N/A	0	COND	A-024	PCOND	assumed			0	0	19.000		0			
A-105	1965	3	STAT		864	864	72	#N/A	0	P						0	0	19.000		1			
A-105	1965	4	STAT		858	858	72	-6	-6	P						0	0	19.000		1			
A-105	1966	1	STAT		850	850	72	-8	-14	P						0	0	19.000		1			
A-105	1966	2	STAT		858	858	72	8	-6	P						0	0	19.000		1			
A-105	1966	3	STAT		861	861	72	3	-3	P						0	0	19.000		1			
A-105	1966	4	STAT		869	869	72	8	5	P						0	0	19.000		1			
A-105	1967	1	STAT		864	864	72	-5	0	P						0	0	19.000		1			
A-105	1967	2	STAT		855	855	72	-9	-9	P						0	0	19.000		1			
A-105	1967	3	STAT		872	872	110	17	8	P						0	0	19.000		1			
A-105	1967	4	STAT		887	887	110	15	23	P				Suspected leaker		0	0	19.000		1			
A-105	1968	1	REC	550		1437		#N/A	23	SU	A-101	A-101				0	0	19.000		4	O	ARH-534-9	
A-105	1968	1	SEND	-481		956		#N/A	23	SU		A-103				0	0	19.000		4	O	ARH-534-9	
A-105	1968	1	SEND	-293		663		#N/A	23	SU		A-103				0	0	19.000		4	O	ARH-534-9	
A-105	1968	1	SEND	-259		404		#N/A	23	SU		A-103				0	0	19.000		4	O	ARH-534-9	
A-105	1968	1	STAT		385	385	180	-19	4	P				Tank leaks--supernatant remc		0	0	19.000		1			
A-105	1968	2	XIN	287		672		#N/A	4	CSR		CSR	Omis.			0	0	19.000		3	V	ARH-721-9	
A-105	1968	2	SEND	-549		123		#N/A	4	SU		A-103		Omission		0	0	19.000		4	O	ARH-721-9	
A-105	1968	2	rec	558		681		#N/A	4		A-102	A-102				0	0	19.000		0			
A-105	1968	2	SEND	-451		230		#N/A	4	SU		A-103				0	0	19.000		1			
A-105	1968	2	SEND	-98		132		#N/A	4	SL		A-103				0	0	19.000		1			
A-105	1968	2	REC	264		396		#N/A	4	SU	A-101	A-101				0	0	19.000		4	O	ARH-721-9	
A-105	1968	2	STAT		396	396	82	#N/A	4	P				Tank leaks C's diluted from heel;; supernatant diluted with 264M from 101 -A & with 287M cesium depleted supernatant waste, 549 transferred to 1C		0	0	19.000		1			
A-105	1968	3	SEND	-270		126		#N/A	4	SU		A-103				0	0	19.000		1			
A-105	1968	3	SEND	-49		77		#N/A	4	SL		A-103				0	0	19.000		1			
A-105	1968	3	rec	60		137		#N/A	4		A-102	A-102				0	0	19.000		0			
A-105	1968	3	SEND	-60		77		#N/A	4	SL		A-106				0	0	19.000		1			
A-105	1968	3	STAT		77	77	33	#N/A	4	P				Sluicing on Aug. 15		0	0	19.000		1			
A-105	1968	4	rec	11		88		#N/A	4		A-102	A-102				0	0	19.000		0			
A-105	1968	4	STAT		88	88	33	#N/A	4	P				Tank leaks--sluicing.		0	0	19.000		1			
A-105	1969	1	STAT		85	85	33	-3	1	P						0	0	19.000		1			
A-105	1969	2	STAT		89	89	52	4	5	P						0	0	19.000		1			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANI comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
A-105	1969	3	STAT		94	94	63	5	10	P												
A-105	1969	4	STAT		66	66	33	-28	-18	P						0	0	19,000			1	
A-105	1970	1	STAT		66	66	33	#N/A	-18	P						0	0	19,000			1	
A-105	1970	2	STAT		66	66	33	#N/A	-18	P				Tank leaks		0	0	19,000			1	
A-105	1970	3	STAT		66	66	33	#N/A	-18	IX				Tank leaks		0	0	19,000			1	
A-105	1970	3	STAT		66	66	33	#N/A	-18	IX				Tank leaks Removal of sludge heel Aug. 25, 1970		0	0	19,000			1	
A-105	1970	4	STAT		66	66	33	#N/A	-18	P,IX				Tank Leaks, Removal of sludge heel Aug. 25, 1970		0	0	19,000			1	
A-105	1971	1	STAT		89	89	33	23	5	P,1C				Tank leaks, no sludging act.		0	0	19,000			1	
A-105	1971	2	STAT		94	94	33	5	10	P,1C						0	0	19,000			1	
A-105	1971	3	STAT		87	87	33	-7	3	P,1C						0	0	19,000			1	
A-105	1971	4	SEND	-7		80		#N/A	3	SU			A-103			0	0	19,000			4	ARH-2074-10
A-105	1971	4	send	-43		37		#N/A	3				A-106			0	0	19,000			0	
A-105	1971	4	STAT		37	37	33	#N/A	3	IX				7M to 103-A		0	0	19,000			1	
A-105	1972	1	STAT		50	50	33	13	16	IX				Tank leaks;; no sludging act.		0	0	19,000			1	
A-105	1972	2	STAT		50	50	33	#N/A	16	IX						0	0	19,000			1	
A-105	1972	3	STAT		47	47	33	-3	13	IX						0	0	19,000			1	
A-105	1972	4	STAT		44	44	33	-3	10	IX						0	0	18,000			1	
A-105	1973	1	STAT		44	44	33	#N/A	10	IX				Tank leaks;; no sludging act.		0	0	19,000			1	
A-105	1973	2	STAT		43	43	33	-1	9	IX						0	0	19,000			1	
A-105	1973	3	STAT		36	36	33	-7	2	IX						0	0	19,000			1	
A-105	1973	4	STAT		50	50	33	14	16							0	0	19,000			1	
A-105	1974	1	STAT		50	50	33	#N/A	16	IX				Tank leaks no sludging act		0	0	19,000			1	
A-105	1974	2	STAT		50	50	33	#N/A	16	IX						0	0	19,000			1	
A-105	1974	3	STAT		50	50	33	#N/A	16	IX						0	0	19,000			1	
A-105	1974	4	STAT		52	52	33	2	18	IX						0	0	19,000			1	
A-105	1975	1	STAT		52	52	33	#N/A	18					Tank leaks; no sludging act.		0	0	19,000			1	
A-105	1975	2	STAT		52	52	33	#N/A	18	IX						0	0	19,000			1	
A-105	1975	3	STAT		52	52	33	#N/A	18	IX						0	0	19,000			1	
A-105	1975	4	STAT		50	50	33	-2	16	IX						0	0	19,000			1	
A-105	1976	1	STAT		50	50	33	#N/A	16	IX				Tank leaks;; no sludging act.		0	0	19,000			1	
A-105	1976	2	STAT		50	50	33	#N/A	16	IX						0	0	19,000			1	
A-105	1976	3	STAT		50	50	33	#N/A	16							0	0	19,000			1	
A-105	1976	4	STAT		47	47	33	-3	13							0	0	19,000			1	
A-105	1977	1	STAT		50	50	33	3	16							0	0	19,000			1	
A-105	1977	2	STAT		47	47	33	-3	13							0	0	19,000			1	
A-105	1977	3	STAT		47	47	33	#N/A	13							0	0	19,000			1	
A-105	1977	4	STAT		50	50	33	3	16							0	0	19,000			1	
A-105	1978	1	STAT		50	50	33	#N/A	16	EVAP				Eval. stereo photo		0	0	19,000			1	
A-105	1978	2	STAT		41	41	33	-9	7	NCPLX				New Photo on 1/30/78		0	0	19,000			1	
A-105	1978	3	STAT		44	44	33	3	10	NCPLX						0	0	19,000			1	
A-105	1978	4	STAT		39	39	33	-5	5							0	0	19,000			1	
A-105	1979	1	STAT		39	39	33	#N/A	5							0	0	19,000			1	
A-105	1979	2	STAT		39	39	33	#N/A	5	NCPLX						0	0	19,000			1	
A-105	1979	3	send	-20		19		#N/A	5				A-102			0	0	19,000			0	
A-105	1979	3	STAT		19	19	19	#N/A	5					Interim Stabilized New Photo 6/21/79		0	0	19,000			1	
A-105	1979	4	STAT		19	19	19	#N/A	5					New Solids Level 8/23/79		0	0	19,000			1	
A-105	1980	1	STAT		19	19	19	#N/A	5							0	0	19,000			1	
A-105	1980	2	STAT		19	19	19	#N/A	5							0	0	19,000			1	
A-105	1980	3	STAT		19	19	19	#N/A	5							0	0	19,000			1	
A-105	1980	4	STAT		19	19	19	#N/A	5	NCPLX						0	0	19,000			1	
A-105	1993	2	STAT		19	19	19	#N/A	5	NCPLX						0	0	19,000			1	
A-105	1993	4	STAT		19	19	19	#N/A	5							0	0	19,000			1	
A-105	1994	1	STAT		19	19	19	#N/A	5							0	0	19,000			1	
A-105	2000				19	19	19	#N/A	5							0	0	19,000			1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
A-106	1900																					
A-106	1957	1	XIN	94		94		#N/A	0	WTR		WTR										
A-106	1957	1	STAT		88	88	0	-6	-6	P												
A-106	1957	2	XIN	4		92		#N/A	-6	COND	A-101	WTR		De-entrained water			0	0	0.000			
A-106	1957	2	STAT		94	94	0	2	-4	P					No XFER indic.		0	0	0.000			3 O WHC-MR-0132-101-A-1
A-106	1957	3	XIN	43		137		#N/A	-4	COND	A-101	WTR					0	0	0.000			
A-106	1957	3	XIN	183		320		#N/A	-4	COND	A-101	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-3
A-106	1957	3	XIN	15		335		#N/A	-4	COND	A-103	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-3
A-106	1957	3	XIN	211		546		#N/A	-4	COND	A-101	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-3
A-106	1957	3	OUTX	-47		499		#N/A	-4	SU	A-008	CRIB					0	0	0.000			
A-106	1957	3	OUTX	-159		340		#N/A	-4	SU	A-008	CRIB					0	0	0.000			
A-106	1957	3	OUTX	-220		120		#N/A	-4	SU	A-008	CRIB					0	0	0.000			
A-106	1957	3	STAT		124	124	0	4	0	P							0	0	0.000			
A-106	1957	4	XIN	129		253		#N/A	0	COND	A-103	WTR		De-entrained water			0	0	0.000			
A-106	1957	4	XIN	362		615		#N/A	0	COND	A-101	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-7
A-106	1957	4	XIN	278		893		#N/A	0	COND	A-101	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-3
A-106	1957	4	XIN	232		1125		#N/A	0	COND	A-101	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-3
A-106	1957	4	OUTX	-488		637		#N/A	0	SU	A-008	CRIB					0	0	0.000			3 O HWN-1991-3
A-106	1957	4	OUTX	-273		364		#N/A	0	SU	A-008	CRIB					0	0	0.000			
A-106	1957	4	OUTX	-180		184		#N/A	0	SU	A-008	CRIB					0	0	0.000			
A-106	1957	4	STAT		184	184	0	#N/A	0	P					Condensate from 101-A & 103-A		0	0	0.000			
A-106	1958	1	XIN	3		187		#N/A	0	COND	A-103	WTR					0	0	0.000			
A-106	1958	1	XIN	297		484		#N/A	0	COND	A-101	WTR					0	0	0.000			
A-106	1958	1	XIN	180		664		#N/A	0	COND	A-101	WTR					0	0	0.000			
A-106	1958	1	XIN	104		768		#N/A	0	COND	A-103	WTR					0	0	0.000			
A-106	1958	1	OUTX	-258		510		#N/A	0	SU	A-008	CRIB					0	0	0.000			
A-106	1958	1	OUTX	-178		332		#N/A	0	SU	A-008	CRIB					0	0	0.000			
A-106	1958	1	OUTX	-98		234		#N/A	0	SU	A-008	CRIB					0	0	0.000			
A-106	1958	1	STAT		234	234	0	#N/A	0	P					Condensate from boiling tanks		0	0	0.000			
A-106	1958	2	XIN	91		325		#N/A	0			WTR	LC added rev 2 rule				0	0	0.000			
A-106	1958	2	XIN	44		369		#N/A	0	COND	A-101	WTR					0	0	0.000			
A-106	1958	2	XIN	45		414		#N/A	0	COND	A-103	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-3
A-106	1958	2	XIN	101		515		#N/A	0	COND	A-102	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-7
A-106	1958	2	XIN	41		556		#N/A	0	COND	A-103	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-5
A-106	1958	2	XIN	53		609		#N/A	0	COND	A-101	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-7
A-106	1958	2	XIN	238		847		#N/A	0	COND	A-102	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-3
A-106	1958	2	XIN	23		870		#N/A	0	COND	A-103	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-5
A-106	1958	2	XIN	174		1044		#N/A	0	COND	A-102	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-7
A-106	1958	2	SEND	-91		953		#N/A	0			A-101					0	0	0.000			3 O HWN-1991-5
A-106	1958	2	OUTX	-281		672		#N/A	0	SU	A-008	CRIB			Omission		0	0	0.000			3 V HW-55997-8
A-106	1958	2	OUTX	-329		343		#N/A	0	SU	A-008	CRIB					0	0	0.000			
A-106	1958	2	OUTX	-104		239		#N/A	0	SU	A-024	CRIB					0	0	0.000			
A-106	1958	2	STAT		239	239	0	#N/A	0	P					191M to 101-A Condensate collect		0	0	0.000			
A-106	1958	3	XIN	41		280		#N/A	0	COND	A-101	WTR					0	0	0.000			
A-106	1958	3	XIN	60		340		#N/A	0	COND	A-102	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-3
A-106	1958	3	XIN	31		371		#N/A	0	COND	A-101	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-5
A-106	1958	3	XIN	88		459		#N/A	0	COND	A-103	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-3
A-106	1958	3	XIN	110		569		#N/A	0	COND	A-102	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-7
A-106	1958	3	XIN	86		655		#N/A	0	COND	A-103	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-5
A-106	1958	3	XIN	105		760		#N/A	0	COND	A-101	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-5
A-106	1958	3	XIN	201		961		#N/A	0	COND	A-102	WTR			No record of XFER		0	0	0.000			3 O HWN-1991-3
A-106	1958	3	OUTX	-95		866		#N/A	0	SU	A-024	CRIB					0	0	0.000			3 O HWN-1991-5
A-106	1958	3	OUTX	-210		656		#N/A	0	SU	A-024	CRIB					0	0	0.000			
A-106	1958	3	OUTX	-411		245		#N/A	0	SU	A-024	CRIB					0	0	0.000			
A-106	1958	3	STAT		245	245	0	#N/A	0	P					Condensate collector		0	0	0.000			



Tank #	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum Unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Q/A	Document/Pg #
A-106	1958	4	XIN	52	297			#NA	0	0	A-101	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-3
A-106	1958	4	XIN	178	475			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-7
A-106	1958	4	XIN	229	704			#NA	0	0	A-102	WTR			184, no record of XFER	0	0	0.000	2	V	HWN-1991-5
A-106	1958	4	XIN	94	798			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-7
A-106	1958	4	XIN	110	908			#NA	0	0	A-101	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-3
A-106	1958	4	XIN	182	1070			#NA	0	0	A-102	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-5
A-106	1958	4	XIN	33	1103			#NA	0	0	FLSH	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-5
A-106	1958	4	XIN	70	1173			#NA	0	0	A-101	WTR			No record of XFER	0	0	0.000	4	O	HW-58831-8
A-106	1958	4	XIN	73	1246			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HW-58831-8
A-106	1958	4	XIN	242	1488			#NA	0	0	A-102	WTR			No record of XFER	0	0	0.000	3	O	HW-58831-8
A-106	1958	4	OUTX	489	1029			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	3	O	HWN-1991-5
A-106	1958	4	OUTX	386	653			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	1		
A-106	1958	4	OUTX	385	278			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	1		
A-106	1958	4	STAT		278			#NA	0	0	P			Rec'd 33M Flushwater condensate collector		0	0	0.000	1		
A-106	1959	1	XIN	75	353			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-23
A-106	1959	1	XIN	114	467			#NA	0	0	A-101	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-3
A-106	1959	1	XIN	184	651			#NA	0	0	A-102	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-5
A-106	1959	1	XIN	66	717			#NA	0	0	A-101	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-3
A-106	1959	1	XIN	84	801			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-23
A-106	1959	1	XIN	94	895			#NA	0	0	A-102	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-5
A-106	1959	1	XIN	53	948			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-23
A-106	1959	1	XIN	89	1037			#NA	0	0	A-101	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-3
A-106	1959	1	XIN	169	1206			#NA	0	0	A-102	WTR			103, no record of XFER	0	0	0.000	2	V	HWN-1991-3
A-106	1959	1	OUTX	468	838			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	3	O	HWN-1991-5
A-106	1959	1	OUTX	240	598			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	1		
A-106	1959	1	OUTX	303	295			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	1		
A-106	1959	1	STAT		295			#NA	0	0	P			Condensate collector		0	0	0.000	1		
A-106	1959	2	XIN	61	356			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-23
A-106	1959	2	XIN	147	503			#NA	0	0	A-102	WTR			153, no record of XFER	0	0	0.000	2	V	HWN-1991-5
A-106	1959	2	XIN	37	540			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-23
A-106	1959	2	XIN	99	639			#NA	0	0	A-101	WTR			85, no record of XFER	0	0	0.000	2	V	HWN-1991-3
A-106	1959	2	XIN	47	686			#NA	0	0	A-103	WTR			42, no record of XFER	0	0	0.000	2	V	HWN-1991-23
A-106	1959	2	XIN	133	819			#NA	0	0	A-101	WTR			128, no record of XFER	0	0	0.000	2	V	HWN-1991-3
A-106	1959	2	XIN	150	979			#NA	0	0	A-102	WTR			149, no record of XFER	0	0	0.000	2	V	HWN-1991-21
A-106	1959	2	OUTX	203	776			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	1		
A-106	1959	2	OUTX	119	657			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	1		
A-106	1959	2	OUTX	343	314			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	1		
A-106	1959	2	STAT		314			#NA	0	0	P			Condensate collector		0	0	0.000	1		
A-106	1959	3	XIN	90	404			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-23
A-106	1959	3	XIN	113	517			#NA	0	0	A-101	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-3
A-106	1959	3	XIN	213	730			#NA	0	0	A-102	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-21
A-106	1959	3	XIN	36	765			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-23
A-106	1959	3	XIN	59	825			#NA	0	0	A-104	WTR			No record of XFER	0	0	0.000	3	O	HW-61952-6
A-106	1959	3	XIN	69	894			#NA	0	0	A-101	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-3
A-106	1959	3	XIN	325	1219			#NA	0	0	A-102	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-21
A-106	1959	3	XIN	22	1241			#NA	0	0	A-101	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-19
A-106	1959	3	XIN	43	1284			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-23
A-106	1959	3	XIN	239	1523			#NA	0	0	A-102	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-23
A-106	1959	3	OUTX	408	1115			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	1		
A-106	1959	3	OUTX	475	640			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	1		
A-106	1959	3	OUTX	298	342			#NA	0	0	A-024	CRIB			No record of XFER	0	0	0.000	1		
A-106	1959	3	STAT		342			#NA	0	0	P			Condensate collector		0	0	0.000	1		
A-106	1959	4	XIN	6	348			#NA	0	0	A-103	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-23
A-106	1959	4	XIN	35	383			#NA	0	0	A-104	WTR			No record of XFER	0	0	0.000	3	O	HW-62723-5
A-106	1959	4	XIN	67	450			#NA	0	0	A-101	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-19
A-106	1959	4	XIN	249	589			#NA	0	0	A-102	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-21
A-106	1959	4	XIN	35	734			#NA	0	0	A-101	WTR			No record of XFER	0	0	0.000	3	O	HWN-1991-19

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tent	DWXT	LALI comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CI	O/A	Document/Pg #
A-106	1959	4	XIN	64	798			#N/A	0	COND	A-104	WTR	OC 67 to 64		Total 184 w/ , no record of XFER	0	0	0.000		2	V	HWN-1991-9
A-106	1959	4	XIN	334	1132			#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1959	4	XIN	17	1149			#N/A	0	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1959	4	XIN	80	1229			#N/A	0	COND	A-101	WTR			No record of XFER	0	0	0.000		2	V	HWN-1991-19
A-106	1959	4	XIN	120	1349			#N/A	0	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1959	4	XIN	390	1739			#N/A	0	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1959	4	OUTX	-327	1412			#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	4	OUTX	-428	984			#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	4	OUTX	-607	377			#N/A	0	SU	A-024	CRIB				0	0	0.000		1		
A-106	1959	4	STAT		380			3	3	P				Condensate collector		0	0	0.000		1		
A-106	1960	1	XIN	26	506			#N/A	3	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-23
A-106	1960	1	XIN	100	506			#N/A	3	COND	A-104	WTR	OC 65 to 100		100, no record of XFER	0	0	0.000		3	O	HW-63896-8
A-106	1960	1	XIN	317	823			#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	1	XIN	68	899			#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-64373-8
A-106	1960	1	XIN	270	1159			#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	1	XIN	40	1199			#N/A	3	COND	A-103	WTR	OC 35 to 40		No record of XFER	0	0	0.000		2	V	HWN-1991-23
A-106	1960	1	XIN	234	1433			#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	1	XIN	243	1676			#N/A	3	COND	A-104	WTR	OC 285 to 243		No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	1	OUTX	-428	1248			#N/A	3	SU	A-024	CRIB			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	1	OUTX	-300	948			#N/A	3	SU	A-024	CRIB			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	1	OUTX	-532	416			#N/A	3	SU	A-024	CRIB			243, no record of XFER	0	0	0.000		1		
A-106	1960	1	XIN	0	416			#N/A	3	COND	A-101	WTR	added due to OC in A-101, TAKEN OFF			0	0	0.000		1		
A-106	1960	2	STAT		416			0	3	P				Condensate collector		0	0	0.000		1		
A-106	1960	2	XIN	11	427			#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-65272-8
A-106	1960	2	XIN	34	461			#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	2	XIN	376	837			#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	2	XIN	90	927			#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	2	XIN	356	1283			#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	2	XIN	291	1574			#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		2	V	HWN-1991-9
A-106	1960	2	XIN	667	2241			#N/A	3	COND	A-104	WTR	OC 411 to 291		No record of XFER	0	0	0.000		2	V	HWN-1991-21
A-106	1960	2	OUTX	-402	1839			#N/A	3	SU	A-024	CRIB	L.C. ogden corr ignored		291, No record of XFER	0	0	0.000		2	V	HWN-1991-9
A-106	1960	2	OUTX	-441	1398			#N/A	3	SU	A-024	CRIB			217, No record of XFER	0	0	0.000		1		
A-106	1960	2	OUTX	-600	796			#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	2	OUTX	-558	440			#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	2	STAT		440			0	3	P				Condensate collector		0	0	0.000		1		
A-106	1960	3	XIN	35	475			#N/A	3	COND	A-103	WTR	OC 30 to 35		35, no record of XFER	0	0	0.000		2	V	HW-66557-8
A-106	1960	3	XIN	90	565			#N/A	3	COND	A-101	WTR				0	0	0.000		1		
A-106	1960	3	XIN	107	672			#N/A	3	COND	A-102	WTR			107, no record of XFER	0	0	0.000		2	V	HWN-1991-21
A-106	1960	3	XIN	473	1145			#N/A	3	COND	A-104	WTR	OC 198 to 107		No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	3	XIN	68	1213			#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-66827-8
A-106	1960	3	XIN	217	1430			#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		2	V	HWN-1991-21
A-106	1960	3	XIN	369	1799			#N/A	3	COND	A-103	WTR	OC 339 to 217		217, no record of XFER	0	0	0.000		2	V	HW-66827-8
A-106	1960	3	XIN	365	2164			#N/A	3	COND	A-104	WTR	OC 385 to 369		369, no record of XFER	0	0	0.000		2	V	HW-66827-8
A-106	1960	3	XIN	9	2173			#N/A	3	CTW		WTR	OC 407 to 365		365, no record of XFER	0	0	0.000		4	O	HW-67696-8
A-106	1960	3	XIN	15	2188			#N/A	3	COND	A-103	WTR			No record of XFER	0	0	0.000		3	O	HW-67696-8
A-106	1960	3	XIN	30	2218			#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-67696-8
A-106	1960	3	XIN	129	2347			#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HW-67696-8
A-106	1960	3	XIN	369	2716			#N/A	3	SU	A-024	CRIB			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	3	OUTX	-590	2126			#N/A	3	SU	A-024	CRIB			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	3	OUTX	-201	1825			#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	3	OUTX	-750	1175			#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	3	OUTX	-449	726			#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	3	OUTX	-277	449			#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	3	STAT		449			0	3	P				Rec'd 9M flush H2O from diversion box		0	0	0.000		1		
A-106	1960	4	XIN	33	482			#N/A	3	PL		P1				0	0	0.000		4	O	HW-67705-8



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	O/A	Document/Pg #
A-106	1960	4	XIN	2		484		#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-67705-8
A-106	1960	4	XIN	158		642		#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	4	XIN	168		810		#N/A	3	COND	A-102	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1960	4	XIN	36		846		#N/A	3	COND	A-103	WTR	OC 17 to 36		36, no record of XFER	0	0	0.000		2	V	HW-68292-8
A-106	1960	4	XIN	25		871		#N/A	3	COND	A-101	WTR			No record of XFER	0	0	0.000		3	O	HW-68291-8
A-106	1960	4	XIN	308		1179		#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	4	XIN	214		1393		#N/A	3	COND	A-101	WTR	OC 79 to 214		214, no record of XFER	0	0	0.000		2	V	HW-68292-8
A-106	1960	4	XIN	497		1890		#N/A	3	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	4	OUTX	-328		1562		#N/A	3	SU	A-024	CRIB			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1960	4	OUTX	-483		1079		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	4	OUTX	-576		503		#N/A	3	SU	A-024	CRIB				0	0	0.000		1		
A-106	1960	4	STAT		485	485	0	-18	-15	P					Rec'd 33M Latest electrode rdg	0	0	0.000		1		
A-106	1961	1	XIN	392		867		#N/A	-15	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-21
A-106	1961	1	XIN	396		1263		#N/A	-15	COND	A-102	WTR			319, no record of XFER	0	0	0.000		2	V	HWN-1991-21
A-106	1961	1	XIN	586		1849		#N/A	-15	COND	A-101	WTR			503, no record of XFER	0	0	0.000		2	V	HWN-1991-19
A-106	1961	1	OUTX	-580		1269		#N/A	-15	SU	A-024	CRIB	900 TO 580			0	0	0.000		1		
A-106	1961	1	OUTX	-500		769		#N/A	-15	SU	A-024	CRIB				0	0	0.000		1		
A-106	1961	1	OUTX	-389		380		#N/A	-15	SU	A-024	CRIB				0	0	0.000		1		
A-106	1961	1	STAT		380	380	0	#N/A	-15	P					6 Months report	0	0	0.000		1		
A-106	1961	2	XIN	600		980		#N/A	-15	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1961	2	XIN	868		1848		#N/A	-15	COND	A-104	WTR			No record of XFER	0	0	0.000		3	O	HWN-1991-9
A-106	1961	2	OUTX	-1056		792		#N/A	-15	SU	A-024	CRIB				0	0	0.000		1		
A-106	1961	2	OUTX	-548		244		#N/A	-15	SU	A-024	CRIB				0	0	0.000		1		
A-106	1961	2	STAT		N/A	244		#N/A	-15						* Leak detection dry wells drilled: 10-06-02, 10-06-04, 10-06-05, 10-06-07, 10-06-09, 10-06-10, 10-06-12	0	0	0.000		1		
A-106	1961	3	STAT		N/A	244		#N/A	-15							0	0	0.000		1		
A-106	1961	4	XIN	500		744		#N/A	-15	P		P1				0	0	0.000		4	O	HWN-1991-12
A-106	1961	4	XIN	559		1303		#N/A	-15	P		P1				0	0	0.000		4	O	HWN-1991-12
A-106	1961	4	XIN	136		1439		#N/A	-15	COND	A-102	WTR				0	0	0.000		1		
A-106	1961	4	OUTX	-724		715		#N/A	-15	COND	A-024	PCOND				0	0	0.000		1		
A-106	1961	4	STAT		715	715	0	#N/A	-15	P			XIN total 1059		Rec'd 1059M - 6 months report	0	0	0.000		1		
A-106	1962	1	XIN	640		1355		#N/A	-15	P		P1				0	0	0.000		4	O	HWN-1991-12
A-106	1962	1	OUTX	-647		708		#N/A	-15	COND	A-024	PCOND			No indic. XFER to A024	0	0	0.000		3	O	HWN-1991-13
A-106	1962	1	STAT		699	699	0	-9	-24	P			XIN from qtr 1 & 2 total 1370		Rec'd 1370M - 6 months report	0	0	0.000		1		
A-106	1962	2	XIN	730		1429		#N/A	-24	P		P1				0	0	0.000		4	O	HWN-1991-12
A-106	1962	2	OUTX	-600		829		#N/A	-24	COND	A-024	PCOND			No indic. XFER to A024	0	0	0.000		3	O	HWN-1991-13
A-106	1962	2	OUTX	-139		690		#N/A	-24	COND	A-024	PCOND			No indic. XFER to A024	0	0	0.000		3	O	HWN-1991-13
A-106	1962	2	STAT		N/A	690		#N/A	-24							0	0	0.000		1		
A-106	1962	3	XIN	210		900		#N/A	-24	CARB		OWW1				0	0	0.000		4	O	HWN-1991-29
A-106	1962	3	XIN	409		1309		#N/A	-24	IWW		P1				0	0	0.000		4	O	HWN-1991-29
A-106	1962	3	OUTX	-600		709		#N/A	-24	COND	A-024	PCOND				0	0	0.000		1		
A-106	1962	3	STAT		N/A	709		#N/A	-24							0	0	0.000		1		
A-106	1962	4	XIN	679		1388		#N/A	-24	IWW		P1				0	0	0.000		4	O	HWN-1991-29
A-106	1962	4	OUTX	-523		865		#N/A	-24	COND	A-024	PCOND				0	0	0.000		1		
A-106	1962	4	STAT		863	863	0	18	-6	P			XIN from qtr 3 & 4 total 11088		6 Months report Rec'd 1088M IWW; 210M carbonate	0	0	0.000		1		
A-106	1963	1	XIN	152		1035		#N/A	-6	IWW		P2				0	0	0.000		4	O	HWN-1991-29
A-106	1963	1	OUTX	-46		989		#N/A	-6	COND	A-024	PCOND				0	0	0.000		1		
A-106	1963	1	STAT		N/A	989	0	#N/A	-6	P					6 Months report Rec'd 152M IWW	0	0	0.000		1		
A-106	1963	2	OUTX	-65		924		#N/A	-6	COND	A-024	PCOND	924 TO N/A			0	0	0.000		1		
A-106	1963	2	STAT		N/A	924		#N/A	-6							0	0	0.000		1		

Trank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trk	Cum unk	Waste type	Trans tank	DWAT	LAML comment	Anderson comment	Opdrn comment	sol vol%	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #
A-106	1963	3	STAT		N/A	924		#N/A	-6								0	0.000				
A-106	1963	4	XIN	327		1251		#N/A	-6	CARB							0	0.000			0	HWN-1991-29
A-106	1963	4	OUTX	-335		915		#N/A	-6	COND	A-024						0	0.000			1	
A-106	1963	4	STAT		915	915		#N/A	-6	P				6 Months report Rec'd 327M carbonate			0	0.000			1	
A-106	1964	1	XIN	47		962		#N/A	-6	CARB							0	0.000			0	HWN-1991-29
A-106	1964	1	send	-46		916		#N/A	-6								0	0.000			0	
A-106	1964	1	STAT		916	916		#N/A	-6	P				Rec'd 47M carbonate 6 months report			0	0.000			1	
A-106	1964	2	STAT		N/A	916		#N/A	-6								0	0.000			1	
A-106	1964	3	XIN	372		1295		#N/A	-6	CARB							0	0.000			1	
A-106	1964	3	STAT		N/A	1295		#N/A	-6								0	0.000			4	HWN-1991-29
A-106	1964	4	send	-484		811		#N/A	-6								0	0.000			1	
A-106	1964	4	STAT		811	811		#N/A	-6	P				Rec'd 379M carbonate 6 months report			0	0.000			1	
A-106	1965	1	XIN	64		875		#N/A	-6								0	0.000			1	
A-106	1965	1	STAT		875	875	118	#N/A	-6	P				6 months report			0	0.000			1	
A-106	1965	2	XIN	389		1264		#N/A	-6	OWW							0	0.000			1	
A-106	1965	2	STAT		N/A	1264		#N/A	-6					rec'd 389M OWW			0	0.000			4	HWN-1991-29
A-106	1965	3	XIN	221		1485		#N/A	-6	OWW							0	0.000			1	
A-106	1965	3	send	-605		880		#N/A	-6								0	0.000			4	HWN-1991-29
A-106	1965	3	STAT		880	880	118	#N/A	-6	P				Rec'd 221M OWW			0	0.000			1	
A-106	1965	4	XIN	146		1026		#N/A	-6	OWW							0	0.000			1	
A-106	1965	4	send	-146		880		#N/A	-6								0	0.000			4	HWN-1991-29
A-106	1965	4	STAT		880	880	118	#N/A	-6	P				Rec'd 146M OWW			0	0.000			1	
A-106	1966	1	XIN	138		1018		#N/A	-6	OWW							0	0.000			1	
A-106	1966	1	send	-141		877		#N/A	-6	P				Rec'd 138M OWW			0	0.000			1	ISO-226-8
A-106	1966	1	STAT		877	877	118	#N/A	-6	OWW							0	0.000			1	
A-106	1966	2	XIN	104		981		#N/A	-6	OWW							0	0.000			1	
A-106	1966	2	send	-104		877		#N/A	-6					Rec'd 138M OWW			0	0.000			4	ISO-404-8
A-106	1966	2	STAT		877	877	118	#N/A	-6	P				Rec'd 104M OWW			0	0.000			1	
A-106	1966	3	XIN	137		1014		#N/A	-6	OWW							0	0.000			1	
A-106	1966	3	send	-137		877		#N/A	-6								0	0.000			4	ISO-538-8
A-106	1966	3	STAT		877	877	118	#N/A	-6	P				Rec'd 137M			0	0.000			1	
A-106	1966	4	XIN	122		999		#N/A	-6	OWW							0	0.000			1	
A-106	1966	4	send	-119		880		#N/A	-6								0	0.000			4	ISO-674-8
A-106	1966	4	STAT		880	880	118	#N/A	-6	P				Rec'd 122M OWW			0	0.000			1	
A-106	1967	1	XIN	74		954		#N/A	-6	OWW							0	0.000			1	
A-106	1967	1	send	-30		864		#N/A	-6								0	0.000			4	ISO-906-8
A-106	1967	1	STAT		864	864	118	#N/A	-6	P				Rec'd 74M OWW			0	0.000			1	
A-106	1967	2	XIN	98		962		#N/A	-6	OWW							0	0.000			1	
A-106	1967	2	XIN	22		984		#N/A	-6	FLSH							0	0.000			1	
A-106	1967	2	send	-114		870		#N/A	-6								0	0.000			4	ISO-967-8
A-106	1967	2	STAT		870	870	118	#N/A	-6	P				Rec'd 98M OWW			0	0.000			1	
A-106	1967	3	XIN	114		984		#N/A	-6	OWW							0	0.000			1	
A-106	1967	3	send	-123		861		#N/A	-6								0	0.000			4	ARH-95-9
A-106	1967	3	STAT		861	861	140	#N/A	-6	P				Rec'd 114M OWW			0	0.000			1	
A-106	1967	4	XIN	107		968		#N/A	-6	OWW							0	0.000			1	
A-106	1967	4	send	-107		861		#N/A	-6								0	0.000			4	ARH-326-9
A-106	1967	4	STAT		861	861	176	#N/A	-6	P				Rec'd 107M OWW			0	0.000			1	
A-106	1968	1	XIN	135		996		#N/A	-6	OWW							0	0.000			1	
A-106	1968	1	send	-102		894		#N/A	-6								0	0.000			4	ARH-534-9
A-106	1968	1	STAT		894	894	173	#N/A	-6	P				Tank equipped for boiling waste rec'd 135M OWW			0	0.000			1	
A-106	1968	2	XIN	20		914		#N/A	-6	OWW							0	0.000			4	ARH-721-9
A-106	1968	2	STAT		936	936	171	#N/A	-6	P				Rec'd 20M OWW			0	0.000			1	
A-106	1968	3	send	-61		875		#N/A	-6								0	0.000			4	
A-106	1968	3	REC		80	935		#N/A	-6	SL	A-105						0	0.000			1	

Tank n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum Unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/fg #
A-106	1969	3	STAT		935	935	168	#N/A	16	P						0	0	0				
A-106	1969	4	STAT		936	936	176	#N/A	17	P						0	0	0				
A-106	1969	1	WIP	2		938			17	SL A-10	AR					0.160305	0.3205	0.321	AR	1		
A-106	1969	2	STAT		935	935	175	#N/A	3	14 P						0	0	0				
A-106	1969	2	WIP	19		954			14	SL A-10	AR					0.160305	3.0458	3.366	AR	0		
A-106	1969	2	SEND	-331		623			14	SU	A-102					0	0	0				
A-106	1969	2	SEND	-183		430			14	SU	A-102					0	0	0				
A-106	1969	2	REC	43		473			14	SU	A-104					0	0	0				
A-106	1969	2	REC	27		500			14	SU	A-104					0	0	0				
A-106	1969	2	REC	83		583			14	SL	A-101					0	0	0				
A-106	1969	2	REC	49		632			14	SL	A-102					0	0	0				
A-106	1969	2	REC	753		1385			14	SL	A-103					0	0	0				
A-106	1969	2	SEND	-26		1359			14	SL	AX-102					0	0	0				
A-106	1969	2	OUTX	-787		572			14	SL	PCOND					0	0	0				
A-106	1969	2	STAT		572	572	227	#N/A	14	P						0	0	0				
A-106	1969	3	WIP	13		585			14	SL A-10	AR					0	0	0				
A-106	1969	3	REC	475		1060			14	SL A-10	AR					0.160305	2.084	5.450	AR	2		
A-106	1969	3	SEND	473		587			14	SU	AX-102					0	0	0				
A-106	1969	3	SEND	204		383			14	SU	A-102					0	0	0				
A-106	1969	3	REC	330		713			14	SU	A-104					0	0	0				
A-106	1969	3	REC	126		839			14	SU	A-104					0	0	0				
A-106	1969	3	REC	65		900			14	SU	A-104					0	0	0				
A-106	1969	3	REC	35		935			14	SL	A-104					0	0	0				
A-106	1969	3	REC	80		1015			14	SL	A-101					0	0	0				
A-106	1969	3	REC	88		1103			14	SL	A-102					0	0	0				
A-106	1969	3	REC	24		1127			14	SL	A-103					0	0	0				
A-106	1969	3	REC	14		1141			14	SL	AX-103					0	0	0				
A-106	1969	3	OUTX	-541		600			14	SL	PCOND					0	0	0				
A-106	1969	3	STAT		600	600	254	#N/A	14	P						0	0	0				
A-106	1969	4	SEND	-328		272			14	P	A-102					0	0	0				
A-106	1969	4	REC	27		299			14	P	A-101					0	0	0				
A-106	1969	4	REC	98		397			14	P	A-102					0	0	0				
A-106	1969	4	REC	47		444			14	P	A-103					0	0	0				
A-106	1969	4	REC	1035		1479			14	P	AX-102					0	0	0				
A-106	1969	4	REC	21		1500			14	P	AX-103					0	0	0				
A-106	1969	4	OUTX	-1237		263			14	P	PCOND					0	0	0				
A-106	1969	4	STAT		263	263	234	#N/A	14	P						0	0	0				
A-106	1970	1	REC	124		387			14	P	A-102					0	0	0				
A-106	1970	1	REC	548		933			14	P	AX-102					0	0	0				
A-106	1970	1	SEND	-20		913			14	P	AX-103					0	0	0				
A-106	1970	1	OUTX	-633		280			14	P	PCOND					0	0	0				
A-106	1970	1	OUTX	-28		252			14	P	SRR					0	0	0				
A-106	1970	1	STAT		252	252	195	#N/A	14	P						0	0	0				
A-106	1970	2	REC	105		357			14	P	A-101					0	0	0				
A-106	1970	2	REC	370		727			14	P	AX-102					0	0	0				
A-106	1970	2	OUTX	-472		255			14	P	PCOND					0	0	0				
A-106	1970	2	OUTX	-10		245			14	P	SRR					0	0	0				

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Opern comment	sol vol%	TLM solids	Cum solids	sol type	QI	D/A	Document/Fig #
A-106	1970	2	STAT		245	245	185	#N/A	14 P	A-101	A-101					0	0	5,450	1			
A-106	1970	3	rec	108		353		#N/A	14	A-101	A-101					0	0	5,450	0			
A-106	1970	3	rec	103		456		#N/A	14	A-104	A-104					0	0	5,450	0			
A-106	1970	3	outx	-185		271		#N/A	14	PCOND	PCOND					0	0	5,450	0			
A-106	1970	3	outx	-22		249		#N/A	14 SL	SRR	SRR		4 AR at C-106			0	0	5,450	0			
A-106	1970	3	STAT		249	249	163	#N/A	14 P							0	0	5,450	0			
A-106	1970	4	SEND	-50		199		#N/A	14	A-102	A-102			Omission		0	0	5,450	3 V	ARH-1666D-10		
A-106	1970	4	rec	84		283		#N/A	14	A-101	A-101					0	0	5,450	0			
A-106	1970	4	rec	114		397		#N/A	14	A-102	A-102					0	0	5,450	0			
A-106	1970	4	rec	118		515		#N/A	14	A-104	A-104					0	0	5,450	0			
A-106	1970	4	outx	-322		193		#N/A	14	PCOND	PCOND					0	0	5,450	0			
A-106	1970	4	outx	-39		154		#N/A	14 SL	SRR	SRR		8 AR at C-106			0	0	5,450	0			
A-106	1970	4	STAT		154	154	124	#N/A	14 P							0	0	5,450	0			
A-106	1971	1	rec	42		196		#N/A	14	A-101	A-101					0	0	5,450	0			
A-106	1971	1	rec	116		312		#N/A	14	A-104	A-104					0	0	5,450	0			
A-106	1971	1	outx	-147		165		#N/A	14	PCOND	PCOND					0	0	5,450	0			
A-106	1971	1	outx	-26		139		#N/A	14 SL	SRR	SRR		5 AR at C-106			0	0	5,450	0			
A-106	1971	1	STAT		139	139	98	#N/A	14 P					Stacking to AR Vault		0	0	5,450	0			
A-106	1971	2	bin	681		800		#N/A	14	WTR	WTR					0	0	5,450	0			
A-106	1971	2	rec	66		866		#N/A	14	A-104	A-104					0	0	5,450	0			
A-106	1971	2	send	-507		359		#N/A	14	AY-101	AY-101					0	0	5,450	0			
A-106	1971	2	send	-217		142		#N/A	14	AY-102	AY-102					0	0	5,450	0			
A-106	1971	2	STAT		142	142	98	#N/A	14 P					No Stacking activity		0	0	5,450	0			
A-106	1971	3	rec	617		759		#N/A	14	AY-101	AY-101					0	0	5,450	0			
A-106	1971	3	rec	107		866		#N/A	14	A-104	A-104					0	0	5,450	0			
A-106	1971	3	outx	-715		151		#N/A	14	PCOND	PCOND					0	0	5,450	0			
A-106	1971	3	STAT		151	151	98	#N/A	14 P							0	0	5,450	0			
A-106	1971	4	SEND	-39		112		#N/A	14 SU	A-102	A-102					0	0	5,450	0			
A-106	1971	4	rec	547		659		#N/A	14	AY-101	AY-101					0	0	5,450	0			
A-106	1971	4	rec	105		764		#N/A	14	A-104	A-104					0	0	5,450	0			
A-106	1971	4	rec	43		807		#N/A	14	A-105	A-105					0	0	5,450	0			
A-106	1971	4	send	-37		770		#N/A	14	C-105	C-105					0	0	5,450	0			
A-106	1971	4	outx	-549		221		#N/A	14	PCOND	PCOND					0	0	5,450	0			
A-106	1971	4	OUTX	-99		122		#N/A	14	AR-002	SRR		Omis AR waste type changed to SRR			0	0	5,450	0			
A-106	1971	4	STAT		122	122	88	#N/A	14 P					39M to 102-A, 59M to AR Vault		0	0	5,450	3 V	ARH-2074D-10		
A-106	1972	1	rec	626		748		#N/A	14	AY-101	AY-101					0	0	5,450	0			
A-106	1972	1	rec	30		778		#N/A	14	AY-102	AY-102					0	0	5,450	0			
A-106	1972	1	rec	89		867		#N/A	14	A-104	A-104					0	0	5,450	0			
A-106	1972	1	outx	-771		96		#N/A	14	PCOND	PCOND					0	0	5,450	0			
A-106	1972	1	STAT		96	96	96	#N/A	14 P							0	0	5,450	0			
A-106	1972	2	rec	238		334		#N/A	14	AY-101	AY-101					0	0	5,450	0			
A-106	1972	2	rec	50		384		#N/A	14	AY-102	AY-102					0	0	5,450	0			
A-106	1972	2	outx	-237		147		#N/A	14	PCOND	PCOND					0	0	5,450	0			
A-106	1972	2	outx	-77		70		#N/A	14 SL	SRR	SRR					0	0	5,450	0			
A-106	1972	2	STAT		70	70	19	#N/A	14 P					Stacking comp. June 1972		0	0	5,450	0			
A-106	1972	3	rec	560		630		#N/A	14	AY-101	AY-101					0	0	5,450	0			
A-106	1972	3	rec	34		664		#N/A	14	AY-102	AY-102					0	0	5,450	0			
A-106	1972	3	rec	81		745		#N/A	14	A-102	A-102					0	0	5,450	0			
A-106	1972	3	rec	61		806		#N/A	14	AX-104	AX-104					0	0	5,450	0			
A-106	1972	3	outx	-699		107		#N/A	14	PCOND	PCOND					0	0	5,450	0			
A-106	1972	3	STAT		107	107	22	#N/A	14 P							0	0	5,450	0			
A-106	1972	4	rec	16		123		#N/A	14	AY-102	AY-102					0	0	5,450	0			
A-106	1972	4	rec	134		257		#N/A	14	AX-103	AX-103					0	0	5,450	0			
A-106	1972	4	rec	33		290		#N/A	14	AX-104	AX-104					0	0	5,450	0			
A-106	1972	4	send	-19		271		#N/A	14	AY-101	AY-101					0	0	5,450	0			
A-106	1972	4	outx	-205		66		#N/A	14	PCOND	PCOND					0	0	5,450	0			

Insk_n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	D/A	Document/Pg #
A-106	1972	4	STAT	66	66	66	11	#NA	14 P								0	0	5,450	1		
A-106	1973	1	rec	54	120	120		#NA	14			AX-102					0	0	5,450	0		
A-106	1973	1	rec	46	166	166		#NA	14			AX-104					0	0	5,450	0		
A-106	1973	1	SEND	-62	104	104		#NA	14			AX-103					0	0	5,450	0		
A-106	1973	1	SEND	-13	91	91		#NA	14			AY-101					0	0	5,450	0		
A-106	1973	1	SEND	-18	73	73		#NA	14			AY-102					0	0	5,450	0		
A-106	1973	1	STAT	99	99	99	11	26	40 P					Sluicing comp. June 1972			0	0	5,450	1		
A-106	1973	2	rec	34	133	133		#NA	40			AX-103					0	0	5,450	0		
A-106	1973	2	rec	22	155	155		#NA	40			AX-104					0	0	5,450	0		
A-106	1973	2	SEND	-104	51	51	11	#NA	40 P			PCOND					0	0	5,450	0		
A-106	1973	3	rec	44	95	95		#NA	40			A-104					0	0	5,450	0		
A-106	1973	3	STAT	69	69	69	11	-26	14 P								0	0	5,450	0		
A-106	1973	4	rec	61	130	130		#NA	14		A-101						0	0	5,450	0		
A-106	1973	4	rec	27	157	157		#NA	14			A-104					0	0	5,450	0		
A-106	1973	4	SEND	-109	48	48	6	#NA	14	H2O		PCOND					0	0	5,450	0		
A-106	1974	1	XIN	138	186	186		#NA	14	SRR		SRR					0	0	5,450	0		
A-106	1974	1	SEND	-23	163	163		#NA	14	SU		A-104					0	0	5,450	0		
A-106	1974	1	STAT	N/A	N/A	163	0	#NA	14	B			"06 TO IVA PHASING ERROR Omits.	139M from B Plant, 23M to 104			0	0	9,513	4	O	ARH-CD-133A-9 ARH-CD-133A-9
A-106	1974	2	XIN	7	170	170		#NA	14	AR		AR					0	0	9,513	1		
A-106	1974	2	XIN	387	557	557		#NA	14	SRR		SRR			Omission		0	0	9,513	3	V	ARH-CD-133B-9 ARH-CD-133B-9
A-106	1974	2	STAT	N/A	557	557	0	#NA	14	B			"686 TO IVA PHASING ERROR	387M from B Plant, 7M from AR Vault			0	0	22,029	4	O	ARH-CD-133B-9 ARH-CD-133B-9
A-106	1974	3	XIN	407	964	964		#NA	14	SRR		SRR					0	0	22,029	1		
A-106	1974	3	REC	23	987	987		#NA	14	SL	A-104						0	0	24,012	1		
A-106	1974	3	STAT	987	987	987	12	#NA	14	B							0	0	34,012	1		
A-106	1974	4	SEND	-276	711	711		#NA	14	SU		A-102					0	0	34,012	1	O	ARH-CD-133D-9
A-106	1974	4	REC	32	743	743		#NA	14	SL	A-104						0	0	34,012	1		
A-106	1974	4	STAT	751	751	751	11	8	22 B			A-104					0	0	34,012	1		
A-106	1975	1	rec	63	814	814		#NA	22	B			historical use of tank rule	276M to 102-A			0	0	34,012	0		
A-106	1975	1	STAT	814	814	814	11	#NA	22	B							0	0	34,012	1		
A-106	1975	2	XIN	7	821	821		#NA	22	WTR		WTR					0	0	34,012	1		
A-106	1975	2	XIN	9	830	830		#NA	22	WTR		WTR					0	0	34,012	1		
A-106	1975	2	STAT	842	842	842	11	12	34 B								0	0	34,012	1		
A-106	1975	3	XIN	90	932	932		#NA	34	AR		AR					0	0	34,012	1		
A-106	1975	3	XIN	53	985	985		#NA	34	SRR		SRR					0	0	34,012	3	V	ARH-CD-336C-9
A-106	1975	3	XIN	2	987	987		#NA	34	WTR		WTR					0	0	34,012	4	O	ARH-CD-336C-9
A-106	1975	3	SEND	-318	669	669		#NA	34	SU		WTR					0	0	34,012	4	O	ARH-CD-336C-9
A-106	1975	3	SEND	-174	495	495		#NA	34	SU		A-101					0	0	34,012	4	O	ARH-CD-336C-9
A-106	1975	3	REC	168	663	663		#NA	34			A-103					0	0	34,012	3	MV	ARH-CD-336C-9
A-106	1975	3	REC	168	663	663		#NA	34			A-103					0	0	34,012	3	V	ARH-CD-336C-9
A-106	1975	3	STAT	663	663	663	11	#NA	34	B							0	0	34,012	1		
A-106	1975	4	rec	154	817	817		#NA	34			A-101					0	0	34,012	1		
A-106	1975	4	REC	11	828	828		#NA	34	SL		A-101					0	0	34,012	1		
A-106	1975	4	STAT	817	817	817	11	-11	23 B								0	0	34,012	1		
A-106	1976	1	SEND	-155	662	662		#NA	23	SU		A-101					0	0	34,012	3	V	ARH-CD-702A-9
A-106	1976	1	REC	163	825	825		#NA	23	SU		A-102					0	0	34,012	4	O	ARH-CD-702A-9
A-106	1976	1	REC	16	841	841		#NA	23	SL		A-102					0	0	34,012	1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	D/A	Document/Pg #
A-106	1976	1	STAT		820	820	91	-21		2 B				Pumping to & receiving from 101-A for sluicing 172m to 101-A		0	0	50.000		1		
A-106	1976	2	REC	13		833		#N/A		2 SU	A-103	A-103				0	0	50.000		4	O	ARH-CD-702B-9
A-106	1976	2	STAT		N/A	833		91		2 B			quest. stat? 872 to N/A	13M from 103-A		0	0	50.000		1		
A-106	1976	3	STAT		822	822		-11		-9 EVAP				In farm sluicing		0	0	50.000		1		
A-106	1976	4	rec	149		971		#N/A		-9	A-102	A-102				0	0	50.000		1		
A-106	1976	4	REC	8		979		#N/A		-9 SL	A-103	A-103				0	0	50.000		0		
A-106	1976	4	STAT		979	979	102	#N/A		-9 EVAP						0	0	50.000		1		
A-106	1977	1	send	-30		949		#N/A		-9		A-102				0	0	50.000		1		
A-106	1977	1	STAT		949	949	102	#N/A		-9 EVAP				Sluice mixed		0	0	50.000		0		
A-106	1977	2	send	-388		561		#N/A		-9		SY-102				0	0	50.000		1		
A-106	1977	2	STAT		561	561	102	#N/A		-9 EVAP						0	0	50.000		0		
A-106	1977	3	send	-432		129		#N/A		-9		SY-101				0	0	50.000		1		
A-106	1977	3	STAT		129	129	80	#N/A		-9 EVAP				Being sluiced, sluice mix'd sludge		0	0	50.000		0		
A-106	1977	4	rec	0		129		#N/A		-9		A-102				0	0	50.000		1		
A-106	1977	4	send	0		129		#N/A		-9		C-105				0	0	50.000		0		
A-106	1977	4	send	-13		116		#N/A		-9		A-102				0	0	50.000		0		
A-106	1977	4	STAT		116	116	52	#N/A		-9 EVAP						0	0	50.000		0		
A-106	1978	1	rec	46		162		#N/A		-9	A-102	A-102				0	0	50.000		1		
A-106	1978	1	STAT		162	162	52	#N/A		-9 EVAP						0	0	50.000		0		
A-106	1978	2	send	-79		83		#N/A		-9		A-102				0	0	50.000		1		
A-106	1978	2	STAT		83	83	50	#N/A		-9 NCPLX				New Solids Level 4/30/78 New Photo 2/22/78		0	0	50.000		0		
A-106	1978	3	send	-17		66		#N/A		-9		C-105				0	0	50.000		1		
A-106	1978	3	send	-11		55		#N/A		-9		A-102				0	0	50.000		0		
A-106	1978	3	STAT		72	72	50	17		8				Sluice Mxd. Sludge		0	0	50.000		0		
A-106	1978	4	send	-16		56		#N/A		8		C-105				0	0	50.000		1		
A-106	1978	4	STAT		72	72	50	16		24 NCPLX						0	0	50.000		0		
A-106	1979	1	rec	55		127		#N/A		24	A-102	A-102				0	0	50.000		1		
A-106	1979	1	STAT		127	127	50	#N/A		24 NCPLX						0	0	50.000		0		
A-106	1979	2	rec	13		140		#N/A		24	A-102	A-102				0	0	50.000		1		
A-106	1979	2	STAT		140	140	50	#N/A		24				New Photo 5/15/79		0	0	50.000		0		
A-106	1979	3	STAT		140	140	50	#N/A		24 NCPLX						0	0	50.000		1		
A-106	1979	4	REC	525		665		#N/A		24 SU	A-102	A-102				0	0	50.000		1		
A-106	1979	4	SEND	-533		132		#N/A		24 SU	A-102	A-102	*+521 to			0	0	50.000		1		
A-106	1979	4	REC	525		657		#N/A		24 SU	A-101	A-101				0	0	50.000		1		
A-106	1979	4	REC	0		657		#N/A		24 SU	A-102	A-102	*+777 to 0			0	0	50.000		1		
A-106	1979	4	STAT		657	657	50	#N/A		24 CCPLX						0	0	50.000		1		
A-106	1980	1	rec	6		663		#N/A		24	A-102	A-102				0	0	50.000		1		
A-106	1980	1	STAT		663	663	50	#N/A		24 CCPLX						0	0	50.000		0		
A-106	1980	2	rec	2		665		#N/A		24	A-102	A-102				0	0	50.000		1		
A-106	1980	2	STAT		665	665	96	#N/A		24 CCPLX				New Solids Level 8/23/79		0	0	50.000		0		
A-106	1980	3	SEND	-541		124		#N/A		24 SU		AW-106				0	0	50.000		1		
A-106	1980	3	rec	4		128		#N/A		24 SU	A-102	A-102	-538 to			0	0	50.000		1		
A-106	1980	3	STAT		128	128	94	#N/A		24				Inactive - New Solids Level 8/14/80 - New Photo 8/6/80.		0	0	50.000		0		
A-106	1980	4	STAT		128	128	94	#N/A		24 CCPLX						0	0	50.000		1		
A-106	1993	2	STAT		125	125	125	-3		21		CP				0	0	50.000		1		
A-106	1993	4	STAT		125	125	125	#N/A		21						0	0	50.000		1		
A-106	1994	1	STAT		125	125	125	#N/A		21						0	0	50.000		1		
A-106	2000				125	125	125	#N/A		21						0	0	50.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum Unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Orphan comment	sol vol%	TLM solts	Cum solts	sol type	Q/A	Document/Pq #
AX-101	1965	1	XIN	263	263	263	#N/A	0	0	FP	P2				Omission	0.03300333	8.68	P2	2	HWN-1991-26	
AX-101	1965	1	XIN	91	354	354	#N/A	0	0	OWW	OWW2	Omiss.			Omission	0	0	3 V	3 V	HWN-1991-26	
AX-101	1965	1	REC	491	845	845	#N/A	0	0	A-103	A-103				Omission	0	0	4 V	4 V	HWN-1991-26	
AX-101	1965	1	STAT		847	847	0	2	2					6 months report, rec'd 491M from 103-A; 93M OWW and 263M FP		0	0		1		
AX-101	1965	2	REC	263	1110	1110	#N/A	0	0	SU	B-112	B-112				0	0	8.68	4 O	HWN-1991-30	
AX-101	1965	2	STAT		N/A	N/A	#N/A	2	2							0	0	8.68	1		
AX-101	1965	3	SEND	-262			#N/A	2	2							0	0	8.68	4 O		
AX-101	1965	3	REC	137	965	965	#N/A	2	2	SU	B-112	B-112				0	0	8.68	0		
AX-101	1965	3	SEND	-339	646	646	#N/A	2	2	SU	AX-103	AX-103				0	0	8.68	4 O	HWN-1991-30	
AX-101	1965	3	STAT		646	646	0	0	0	FP				138M from 112-B; 339M to 103-		0	0	8.68	1		
AX-101	1965	4	REC	207	853	853	#N/A	2	2	SU	B-112	B-112				0	0	8.68	4 O	RL-SEP-923-4	
AX-101	1965	4	SEND	-394	459	459	#N/A	2	2	SU	AX-103	AX-103				0	0	8.68	4 O	RL-SEP-923-8	
AX-101	1966	4	STAT		459	459	0	0	0	FP						0	0	8.68	1		
AX-101	1966	1	STAT		490	490	0	31	33	FP						0	0	8.68	1		
AX-101	1966	2	XIN	367	857	857	#N/A	33	33	OWW	OWW2					0	0	8.68	4 O	ISO-404-8	
AX-101	1966	2	SEND	-103	754	754	#N/A	33	33	OWW	A-102	A-102				0	0	8.68	0		
AX-101	1966	2	REC	66	820	820	#N/A	33	33	SU	A-103	A-103				0	0	8.68	4 O	ISO-404-8	
AX-101	1966	2	STAT		820	820	0	0	0	FP				Rec'd 433M from 103-A; 101 AX & OWW		0	0	8.68	1		
AX-101	1966	3	XIN	170	990	990	#N/A	33	33	OWW	OWW2					0	0	8.68	4 O	ISO-538-8	
AX-101	1966	3	STAT		990	990	0	0	0	FP				Rec'd 170M		0	0	8.68	1		
AX-101	1966	4	XIN	27	1017	1017	#N/A	33	33	OWW	OWW2					0	0	8.68	4 O	ISO-574-8	
AX-101	1966	4	SEND	-295	722	722	#N/A	33	33	COND	AX-102	AX-102				0	0	8.68	3 V	ISO-574-8	
AX-101	1966	4	OUTX	-88	634	634	#N/A	33	33	COND	PCONID	PCONID	Omiss.			0	0	8.68	3 V	ISO-574-8	
AX-101	1966	4	STAT		682	682	0	28	61	FP				Equipped with steam coil, rec'd 27M OWW; 68M boiled off		0	0	8.68	1		
AX-101	1967	1	XIN	455	1137	1137	#N/A	61	61	OWW	OWW2	OC 150 to 455			Shows 455 mol 150	0	0	8.68	3 V	ISO-806-8	
AX-101	1967	1	SEND	-305	832	832	#N/A	61	61	OWW	A-102	A-102				0	0	8.68	0		
AX-101	1967	1	REC	305	1137	1137	#N/A	61	61	SU	AX-102	AX-102				0	0	8.68	4 O	ISO-806-8	
AX-101	1967	1	OUTX	-463	674	674	#N/A	61	61	COND	CRIB?	PCONID	Omiss.			0	0	8.68	3 V	ISO-806-8	
AX-101	1967	1	STAT		674	674	0	0	0	FP				Rec'd 455M boiled off 463M		0	0	8.68	1		
AX-101	1967	2	XIN	470	1144	1144	#N/A	61	61	OWW	OWW2	OC 204 to 470			Shows 470 mol 204	0	0	8.68	3 V	ISO-967-8	
AX-101	1967	2	SEND	-226	918	918	#N/A	61	61	OWW	A-102	A-102				0	0	8.68	0		
AX-101	1967	2	REC	226	1144	1144	#N/A	61	61	COND	AX-102	AX-102	OC report 226 and 266			0	0	8.68	3 V	ISO-967-8	
AX-101	1967	2	OUTX	-472	672	672	#N/A	61	61	COND	CRIB?	PCONID	Omiss.			0	0	8.68	3 V	ISO-967-8	
AX-101	1967	2	STAT		672	672	0	0	0	P				Rec'd 470M; boiled off 472M		0	0	8.68	1		
AX-101	1967	3	XIN	131	803	803	#N/A	61	61	OWW	OWW2	OWW2				0	0	8.68	4 O	ARIH-95-9	
AX-101	1967	3	SEND	-410	393	393	#N/A	61	61	OWW	A-102	A-102				0	0	8.68	0		
AX-101	1967	3	REC	459	852	852	#N/A	61	61	SU	AX-102	AX-102				0	0	8.68	1		
AX-101	1967	3	REC	360	1212	1212	#N/A	61	61	SU	AX-102	AX-102				0	0	8.68	0		
AX-101	1967	3	OUTX	-497	715	715	#N/A	61	61	COND	CRIB?	PCONID	Omiss.			0	0	8.68	4 O	ARIH-95-9	
AX-101	1967	3	OUTX	-49	666	666	#N/A	61	61	COND	CRIB?	PCONID	LC added as per AND comment			0	0	8.68	2 V	ARIH-95-9	
AX-101	1967	3	STAT		666	666	0	0	0	P-OWW				Rec'd 491M OWW; Boiled off 49		0	0	8.68	1		
AX-101	1967	4	XIN	149	815	815	#N/A	61	61	OWW	OWW2	XIN & REC total 491				0	0	8.68	3 V	ARIH-326-9	
AX-101	1967	4	REC	704	1519	1519	#N/A	61	61	OWW	A-102	A-102				0	0	8.68	0		
AX-101	1967	4	SEND	-459	1060	1060	#N/A	61	61	SU	AX-102	AX-102				0	0	8.68	2		
AX-101	1967	4	OUTX	-317	743	743	#N/A	61	61	COND	CRIB?	PCONID	Omiss. AND reports - 3 pgs no left out.			0	0	8.68	2 V	ARIH-326-9	



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk fr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-101	1967	4	STAT		743	743	0	#NA	61	P				Rec'd 149M OWW;; boiled off 3?		0	0	8.68		1		
AX-101	1968	1	XIN	128		871		#NA	61	B		B				0	0	8.68		3	O	ARH-534-9
AX-101	1968	1	XIN	128		999		#NA	61	B		B				0	0	8.68		1		
AX-101	1968	1	XIN	128		1127		#NA	61	B		B				0	0	8.68		1		
AX-101	1968	1	send	-288		839		#NA	61			A-102				0	0	8.68		0		
AX-101	1968	1	STAT		839	839	0	#NA	61				XIN total 384	Rec'd 384M from cell 25, B Plant--receiving B Plant waste--equipped for boiling waste		0	0	8.68		1		
AX-101	1968	2	XIN	275		1114		#NA	61	B		B	OC 271 to 275			0	0	8.68		3	V	ARH-721-9
AX-101	1968	2	XIN	274		1388		#NA	61	B		B			Combined total is 823	0	0	8.68		3	V	ARH-721-9
AX-101	1968	2	XIN	274		1662		#NA	61	B		B			Combined total is 823	0	0	8.68		3	V	ARH-721-9
AX-101	1968	2	XIN	14		1676		#NA	61	P		P2				0.0330033	0.462	9.14	P2	4	O	ARH-721-9
AX-101	1968	2	XIN	13		1689		#NA	61	P		P2				0.0330033	0.429	9.57	P2	4	O	ARH-721-9
AX-101	1968	2	XIN	13		1702		#NA	61	P		P2				0.0330033	0.429	10.00	P2	2		
AX-101	1968	2	XIN	62		1764		#NA	61	PL		PL1				0	0	10.00		4	O	ARH-721-9
AX-101	1968	2	send	-925		839		#NA	61			A-102				0	0	10.00		0		
AX-101	1968	2	STAT		839	839	0	#NA	61	B			XIN total 40 & 823	Rec'd 40MF-16, 62M F-18, 823B		0	0	10.00		1		
AX-101	1968	3	XIN	185		1024		#NA	61	B		B				0	0	10.00		4	O	ARH-871-9
AX-101	1968	3	XIN	186		1210		#NA	61	B		B				0	0	10.00		4	O	ARH-871-9
AX-101	1968	3	XIN	186		1396		#NA	61	B		B				0	0	10.00		2		
AX-101	1968	3	XIN	156		1552		#NA	61	PL		PL1				0	0	10.00		4	O	ARH-871-9
AX-101	1968	3	send	-721		831		#NA	61			A-102				0	0	10.00		0		
AX-101	1968	3	STAT		831	831	0	#NA	61	B			XIN total 557	156 from 202-A; 557 from 221		0	0	10.00		1		
AX-101	1968	4	XIN	324		1155		#NA	61	B		B				0	0	10.00		1		
AX-101	1968	4	XIN	325		1480		#NA	61	B		B				0	0	10.00		1		
AX-101	1968	4	XIN	325		1805		#NA	61	B		B				0	0	10.00		1		
AX-101	1968	4	XIN	84		1889		#NA	61	PL		PL1				0	0	10.00		4	O	ARH-1061-10
AX-101	1968	4	send	-1056		833		#NA	61			A-102				0	0	10.00		0		
AX-101	1968	4	STAT		833	833	41	#NA	61	B				84M from Purex ( F-18 & R B)		0	0	10.00		1		
AX-101	1969	1	XIN	98		931		#NA	61	B		B			(a) Combined Total is Correct	0	0	10.00		4	O	ARH-1200A-10
AX-101	1969	1	XIN	98		1029		#NA	61	B		B			(a) Combined Total is Correct	0	0	10.00		4	O	ARH-1200A-10
AX-101	1969	1	XIN	98		1127		#NA	61	B		B			(a) Combined Total is Correct	0	0	10.00		4	O	ARH-1200A-10
AX-101	1969	1	XIN	84		1211		#NA	61	PL		PL1				0	0	10.00		4	O	ARH-1200A-10
AX-101	1969	1	send	-226		985		#NA	61			A-102				0	0	10.00		0		
AX-101	1969	1	STAT		985	985	39	#NA	61	B			XIN total 294	294M from 221-B; 84 from 202- removed from service as prima boiling waste receiver		0	0	10.00		1		
AX-101	1969	2	XIN	3		988		#NA	61	PL		PL1				0	0	10.00		4	O	ARH-1200B-10
AX-101	1969	2	STAT		985	985	25	-3	58	B				3M from Purex		0	0	10.00		1		
AX-101	1969	3	STAT		990	990	26	5	63	B						0	0	10.00		1		
AX-101	1969	4	STAT		985	985	30	-5	58	B						0	0	10.00		1		
AX-101	1970	1	STAT		976	976	41	-9	49	B						0	0	10.00		1		
AX-101	1970	2	STAT		987	987	69	11	60	B						0	0	10.00		1		
AX-101	1970	3	STAT		985	985	69	-2	58	B						0	0	10.00		1		
AX-101	1970	4	STAT		989	989	69	4	62	B						0	0	10.00		1		
AX-101	1971	1	STAT		985	985	56	-4	58	B						0	0	10.00		1		
AX-101	1971	2	STAT		990	990	56	5	63	B						0	0	10.00		1		
AX-101	1971	3	STAT		990	990	56	#NA	63	B						0	0	10.00		1		
AX-101	1971	4	STAT		990	990	56	#NA	63	B						0	0	10.00		1		
AX-101	1972	1	STAT		987	987	56	-3	60	B						0	0	10.00		1		



Tank ID	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unit tfr	Cum untk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Organ comment	sol vol%	TLM solids	Cum solids	sol type	Q/A	Document/Pg #
AX-101	1972	2	STAT		984	984	56	-3	57 B								0	0			
AX-101	1972	3	STAT		976	976	56	-8	49 B								0	0			
AX-101	1972	4	SEND	-932		144		#N/A	49 SU		AX-103		832M to 103-AX				0	0		O	ARH-2456D-9
AX-101	1973	1	STAT		111	111	58	-1	15 B								0	0			
AX-101	1973	2	REC	525		635		#N/A	15 SU		A-104		825M from 104-A; 510 to 103-A				0	0		O	ARH-2794B-9
AX-101	1973	2	SEND	-510		125		#N/A	15 SU		AX-103						0	0		O	ARH-2794B-9
AX-101	1973	2	STAT		111	111	58	-14	1 PSS								0	0			
AX-101	1973	3	STAT		132	132	56	21	22 PSS								0	0			
AX-101	1973	4	REC	217		349		#N/A	22		A-104		Omission				0	0		3 V	ARH-2794D-9
AX-101	1973	4	STAT		329	329	77	-20	2 PSS				217M from 104-A				0	0			
AX-101	1974	1	REC	643		972		#N/A	2 SU		A-104						0	0		O	ARH-133A-9/ARH-CD-133A-9 SEND
AX-101	1974	1	SEND	-173		799		#N/A	2 SU		AX-103						0	0		O	ARH-CD-133A-9/ARH-133A-9 SEND
AX-101	1974	1	STAT		796	796	77	-3	1 PSS				643M from 104-A; 173M to 103-				0	0		1	
AX-101	1974	2	SEND	-98		698		#N/A	-1 SU		AX-103						0	0		O	ARH-CD-133B-9
AX-101	1974	2	STAT		714	714	77	16	15 PSS				99M to 103-AX				0	0		O	
AX-101	1974	3	XIN	20		734		#N/A	15 WTR		WTR						0	0		1	
AX-101	1974	3	REC	46		780		#N/A	15 SU		A-104						0	0		2	
AX-101	1974	3	STAT		784	784	77	4	19 PSS				20 Water; 46M from 104-A				0	0		2	
AX-101	1974	4	STAT		787	787	69	3	22 PSS				* Leak detection dry wells installed: 11-01-01, 11-01-02, 11-01-09, 11-01-11				0	0		1	
AX-101	1975	1	SEND	-278		509		#N/A	22 SU		AX-103						0	0		O	ARH-CD-335A-9
AX-101	1975	1	STAT		495	495	69	-14	8 PSS				278M to 103-AX ** Leak detection dry wells installed 11-01-04, 11-01-05, 11-01-07				0	0		1	
AX-101	1975	2	SEND	-128		367		#N/A	8 SU		A-103						0	0		O	ARH-CD-335B-9
AX-101	1975	2	REC	139		506		#N/A	8 SU		AX-102						0	0		O	ARH-CD-335B-9
AX-101	1975	2	SEND	-188		318		#N/A	8 SU		AX-103						0	0		O	ARH-CD-335B-9
AX-101	1975	2	STAT		330	330	69	12	20 PSS				139M from 102-AX, 188M to 103-AX; 128M to 103-A				0	0		1	
AX-101	1975	3	XIN	6		336		#N/A	20 SRR		SRR						0	0		1	
AX-101	1975	3	OUTX	-259		77		#N/A	20 SU		CSR						0.01485149	0.0991		O	ARH-CD-335C-9
AX-101	1975	3	OUTX	-8		69		#N/A	20 SL		SRR						0	0		O	
AX-101	1975	3	STAT		74	74	61	5	25 H2O		SRR		2 AR at C-105				0	0		O	
AX-101	1975	4	OUTX	-16		58		#N/A	25 SL		SRR						0	0		O	
AX-101	1975	4	STAT		80	80	45	22	47 H2O		SRR						0.01485149	2.0792		1	
AX-101	1976	1	XIN	140		220		#N/A	47 SRR		SRR						0	0		1	
AX-101	1976	1	SEND	-159		65		#N/A	47		AX-103						0	0		0	
AX-101	1976	1	OUTX	-37		28		#N/A	47 SL		SRR						0	0		0	
AX-101	1976	1	STAT		28	28	8	#N/A	47 H2O		SRR		7 AR at C-105				0	0		1	
AX-101	1976	2	XIN	56		84		#N/A	47 SRR		SRR						0.01485149	0.8317		1	
AX-101	1976	2	SEND	-68		16		#N/A	47		AX-103						0	0		O	
AX-101	1976	2	SEND	-4		12		#N/A	47 SU		AX-103						0	0		O	
AX-101	1976	2	OUTX	-4		8		#N/A	47 SL		SRR		1 AR at C-105				0	0		O	
AX-101	1976	2	STAT		8	8	4	#N/A	47 H2O								0	0		1	
AX-101	1976	3	STAT		3	3	3	-5	42 H2O								0	0		1	
AX-101	1976	4	REC	63		66		#N/A	42		A-102						0	0		1	
AX-101	1976	4	STAT		66	66	3	#N/A	42		A-102						0	0		0	
AX-101	1977	1	REC	220		286		#N/A	42		A-102						0	0		1	
AX-101	1977	1	STAT		286	286	3	#N/A	42		A-102						0	0		1	
AX-101	1977	2	REC	674		960		#N/A	42		A-102						0	0		1	

Tank n	Year	Qty	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	L-ANL comment	Anderson comment	Cyden comment	sol vof%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
AX-101	1977	2	STAT	960	960	960	184	#NA	42	RESID				Resid liquor slurry receiv		0	0	13.00		1		
AX-101	1977	3	STAT	954	954	954	578	6	36	RESID						0	0	13.00		1		
AX-101	1977	4	STAT	963	963	963	627	9	45	RESID						0	0	13.00		1		
AX-101	1978	1	STAT	963	963	963	627	#NA	45					Active HDRL		0	0	13.00		1		
AX-101	1978	2	STAT	963	963	963	627	#NA	45	DSSF						0	0	13.00		1		
AX-101	1978	3	STAT	723	723	723	627	#NA	45			A-102		Photo 8/5/78		0	0	13.00		1		
AX-101	1978	4	STAT	723	723	723	627	#NA	45							0	0	13.00		1		
AX-101	1979	1	STAT	723	723	723	627	#NA	45							0	0	13.00		1		
AX-101	1979	2	STAT	723	723	723	627	#NA	45							0	0	13.00		1		
AX-101	1979	3	STAT	723	723	723	627	#NA	45	DSSF						0	0	13.00		1		
AX-101	1979	4	SEND	577	577	577	146	#NA	45	SU			*369 to			0	0	13.00		1		
AX-101	1979	4	REC	481	481	481	627	#NA	45	SU						0	0	13.00		1		
AX-101	1979	4	STAT	627	627	627	627	#NA	45	DSSF						0	0	13.00		1		
AX-101	1980	1	STAT	616	616	616	600	11	34	NCPLX				New Photo 2/25/80		0	0	13.00		1		
AX-101	1980	2	SEND	366	366	366	605	#NA	34	SU						0	0	13.00		1		
AX-101	1980	2	REC	355	355	355	605	#NA	34							0	0	13.00		1		
AX-101	1980	2	STAT	605	605	605	600	#NA	34	CPLX						0	0	13.00		1		
AX-101	1980	3	SEND	381	381	381	224	#NA	34	SU						0	0	13.00		1		
AX-101	1980	3	REC	1534	1534	1534	1758	#NA	34	SU			*124 to			0	0	13.00		1		
AX-101	1980	3	SEND	366	366	366	1392	#NA	34	SU						0	0	13.00		1		
AX-101	1980	3	SEND	360	360	360	1032	#NA	34	SU						0	0	13.00		1		
AX-101	1980	3	SEND	226	226	226	806	#NA	34	SU						0	0	13.00		1		
AX-101	1980	3	SEND	107	107	107	699	#NA	34	SU						0	0	13.00		1		
AX-101	1980	3	SEND	8	8	8	691	#NA	34	SU						0	0	13.00		1		
AX-101	1980	3	REC	348	348	348	1039	#NA	34	SU						0	0	13.00		1		
AX-101	1980	3	SEND	208	208	208	831	#NA	34	SU				Adjustment in Salt Cake due to pumping 101-AX to 102-A		0	0	13.00		1		
AX-101	1980	3	STAT	931	931	931	299	#NA	34	DSSF						0	0	13.00		1		
AX-101	1980	4	SEND	295	295	295	536	#NA	34	SU						0	0	13.00		1		
AX-101	1980	4	SEND	182	182	182	374	#NA	34	SU						0	0	13.00		1		
AX-101	1980	4	SEND	129	129	129	245	#NA	34	SU						0	0	13.00		1		
AX-101	1980	4	SEND	110	110	110	135	#NA	34	SU						0	0	13.00		1		
AX-101	1980	4	SEND	96	96	96	39	#NA	34	SU						0	0	13.00		1		
AX-101	1980	4	REC	723	723	723	782	#NA	34							0	0	13.00		1		
AX-101	1980	4	STAT	762	762	762	525	#NA	34	DSSF				New Solids Level 11/3/80		0	0	13.00		1		
AX-101	1987	4	SEND	14	14	14	748	#NA	34					Inactive		0	0	13.00		1		
AX-101	1993	2	STAT	748	748	748	748	#NA	34	DSSF						0	0	13.00		1		
AX-101	1994	1	STAT	748	748	748	748	#NA	34							0	0	13.00		1		
AX-101	2000	1	STAT	748	748	748	748	#NA	34							0	0	13.00		1		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solts	Cum solts	sol type	Cl	I/OA	Document/Pg #
AX-102	1960																					
AX-102	1965	1	STAT		N/A	0	#N/A	0	#N/A	0				6 months report			0	0.00	1			
AX-102	1965	3	XIN	179	179	179	0	#N/A	0	WTR							0	0.00	3	O	HWN-1991-31	
AX-102	1965	3	STAT		179	179	0	#N/A	0	WTR							0	0.00	1			
AX-102	1965	4	XIN	184	363	363	0	#N/A	0	WTR							0	0.00	3	O	HWN-1991-31	
AX-102	1965	4	send	179	184	184	0	#N/A	0								0	0.00	0			
AX-102	1965	4	STAT		184	184	0	#N/A	0								0	0.00	1			
AX-102	1966	1	STAT		184	184	0	#N/A	0								0	0.00	1			
AX-102	1966	2	STAT		184	184	0	#N/A	0								0	0.00	1			
AX-102	1966	3	XIN	146	330	330	0	#N/A	0	OWW				Rec'd 108M OWW			0	0.00	1			
AX-102	1966	3	STAT		330	330	0	#N/A	0								0	0.00	4	O	ISO-538-8	
AX-102	1966	4	XIN	258	588	588	0	#N/A	0	OWW							0	0.00	4	O	ISO-674-8	
AX-102	1966	4	REC	295	883	883	0	#N/A	0	OWW					Omission		0	0.00	3	V	ISO-674-8	
AX-102	1966	4	STAT		883	883	0	#N/A	0	P				Rec'd 233M OWW; 295M from 101-AX			0	0.00	1			
AX-102	1967	1	SEND	305	578	578	0	#N/A	0	SU							0	0.00	4	O	ISO-806-8	
AX-102	1967	1	STAT		578	578	0	#N/A	0	P				305M to 101-AX			0	0.00	1			
AX-102	1967	2	XIN	47	625	625	0	#N/A	0	OWW							0	0.00	4	O	ISO-967-8	
AX-102	1967	2	send	124	501	501	0	#N/A	0								0	0.00	0			
AX-102	1967	2	SEND	226	275	275	0	#N/A	0								0	0.00	3	V	ISO-967-8	
AX-102	1967	2	REC	84	359	359	0	#N/A	0						Omission		0	0.00	3	V	ISO-967-9	
AX-102	1967	2	STAT		359	359	0	#N/A	0	P				Rec'd 47M OWW; 266M to 101-AX			0	0.00	1			
AX-102	1967	3	XIN	40	399	399	0	#N/A	0	OWW							0	0.00	1			
AX-102	1967	3	rec	555	954	954	0	#N/A	0								0	0.00	4	O	ARH-95-9	
AX-102	1967	3	SEND	459	495	495	0	#N/A	0	SU							0	0.00	0			
AX-102	1967	3	SEND	360	135	135	0	#N/A	0								0	0.00	4	O	ARH-95-9	
AX-102	1967	3	STAT		135	135	0	#N/A	0	P				Rec'd 40M OWW; 360M to 101-AX			0	0.00	1			
AX-102	1967	4	REC	459	594	594	0	#N/A	0	SU							0	0.00	2			
AX-102	1967	4	STAT		594	594	0	#N/A	0	P/OWW							0	0.00	1			
AX-102	1968	1	rec	42	636	636	0	#N/A	0								0	0.00	1			
AX-102	1968	1	REC	778	1414	1414	0	#N/A	0	SU							0	0.00	0			
AX-102	1968	1	SEND	25	1389	1389	0	#N/A	0								0	0.00	4	O	ARH-534-9	
AX-102	1968	1	SEND	195	1194	1194	0	#N/A	0	SU							0	0.00	3	O	ARH-534-9	
AX-102	1968	1	SEND	546	648	648	0	#N/A	0	SU							0	0.00	4	O	ARH-534-9	
AX-102	1968	1	STAT		648	648	0	#N/A	0	P				Rec'd 469M OWW; rec'd 778M from T1105-A; 195M to 105-C as PSN feed for B Plant-- back up tank			0	0.00	1			
AX-102	1968	2	REC	560	1208	1208	0	#N/A	0	SU							0	0.00	4	O	ARH-721-9	
AX-102	1968	2	SEND	264	944	944	0	#N/A	0	SU							0	0.00	3	V	ARH-721-5	
AX-102	1968	2	STAT		944	944	0	#N/A	0						Shows 264 not 257		0	0.00	1			
AX-102	1968	2	STAT		964	964	0	#N/A	0	P							0	0.00	1			
AX-102	1968	3	SEND	255	709	709	0	#N/A	0	SU					Shows 255 not 260		0	0.00	4	V	ARH-871-5	
AX-102	1968	3	STAT		704	704	0	#N/A	0								0	0.00	1			
AX-102	1968	4	SEND	410	284	284	0	#N/A	0	P							0	0.00	1			
AX-102	1968	4	STAT		294	294	14	#N/A	15	P							0	0.00	4	O	ARH-1061-5	
AX-102	1969	1	XIN	967	1261	1261	0	#N/A	0								0	0.00	1			
AX-102	1969	1	SEND	334	927	927	0	#N/A	0	SU							0	0.00	0			
AX-102	1969	1	SEND	264	663	663	0	#N/A	0								0	0.00	4	O	ARH-1200A-5	
AX-102	1969	1	STAT		663	663	0	#N/A	0								0	0.00	2	V	ARH-1200A-10	
AX-102	1969	2	XIN	289	952	952	0	#N/A	0	B				Flushed & preheated for service; 264M (plus flushes) to 105-C			0	0.00	1			
AX-102	1969	2	STAT		952	952	0	#N/A	0	B							0	0.00	4	O	ARH-1200B-10	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
AX-102	1969	2	XIN	289		1241		#N/A	15	B		B				0.00113688	0.3286	1.76	B	2		
AX-102	1969	2	XIN	289		1530		#N/A	15	B		B				0.00113688	0.3286	2.09	B	2		
AX-102	1969	2	XIN	43		1573		#N/A	15	PL		PL1				0.01282051	0.5513	2.64	PL1	4	O	ARH-1200B-10
AX-102	1969	2	send	-753		820		#N/A	15			A-106				0	0	2.64		0		
AX-102	1969	2	STAT		820	820	17	#N/A	15	B			XIN total 867	867M from B Plant; 43M from Purex; current high level waste receiver		0	0	2.64		1		
AX-102	1969	3	send	-475		345		#N/A	15			A-106				0	0	2.64		0		
AX-102	1969	3	XIN	171		516		#N/A	15	B		B				0.00113688	0.1944	2.83	B	3	O	ARH-1200C-10
AX-102	1969	3	XIN	172		688		#N/A	15	B		B				0.00113688	0.1955	3.03	B	3	O	ARH-1200C-10
AX-102	1969	3	XIN	172		860		#N/A	15	B		B				0.00113688	0.1955	3.22	B	1		
AX-102	1969	3	XIN	35		895		#N/A	15	PL		PL1				0.01282051	0.4487	3.67	PL1	3	O	ARH-1200C-10
AX-102	1969	3	STAT		895	895	19	#N/A	15	B				515M from B Plant; 33M from Purex current high level waste receiver		0	0	3.67		1		
AX-102	1969	4	XIN	332		1227		#N/A	15	B		B				0.00113688	0.3774	4.05	B	4	O	ARH-1200D-10
AX-102	1969	4	XIN	333		1560		#N/A	15	B		B				0.00113688	0.3788	4.43	B	4	O	ARH-1200D-10
AX-102	1969	4	XIN	333		1893		#N/A	15	B		B				0.00113688	0.3786	4.81	B	2		
AX-102	1969	4	send	-1035		858		#N/A	15			A-106				0	0	4.81		0		
AX-102	1969	4	STAT		858	858	10	#N/A	15	B			XIN total 998	998M from B Plant; current high level waste receiver		0	0	4.81		1		
AX-102	1970	1	XIN	190		1048		#N/A	15	B		B				0.00113688	0.216	5.02	B	4	O	ARH-1666A-10
AX-102	1970	1	XIN	189		1237		#N/A	15	B		B				0.00113688	0.2149	5.24	B	4	O	ARH-1666A-10
AX-102	1970	1	XIN	189		1426		#N/A	15	B		B				0.00113688	0.2149	5.45	B	2		
AX-102	1970	1	send	-546		880		#N/A	15			A-106				0	0	5.45		0		
AX-102	1970	1	STAT		880	880	12	#N/A	15	B			XIN total 568	568M from B Plant current high level waste receiver		0	0	5.45		1		
AX-102	1970	2	XIN	146		1026		#N/A	15	B		B				0.00113688	0.166	5.62	B	4	O	ARH-1666B-10
AX-102	1970	2	XIN	145		1171		#N/A	15	B		B				0.00113688	0.1648	5.78	B	4	O	ARH-1666B-10
AX-102	1970	2	XIN	145		1316		#N/A	15	B		B				0.00113688	0.1648	5.95	B	2		
AX-102	1970	2	send	-370		946		#N/A	15			A-106				0	0	5.95		0		
AX-102	1970	2	STAT		946	946	17	#N/A	15	B			XIN total 436	436M from B Plant, current high level waste receiver		0	0	5.95		1		
AX-102	1970	3	XIN	7		953		#N/A	15	B		B				0.00113688	0.008	5.95	B	4	O	ARH-1666C-10
AX-102	1970	3	XIN	7		960		#N/A	15	B		B				0.00113688	0.008	5.96	B	2		
AX-102	1970	3	XIN	6		966		#N/A	15	B		B				0.00113688	0.0068	5.97	B	4	O	ARH-1666C-10
AX-102	1970	3	STAT		954	954	11	-12	3	B			XIN total 20	20M from B Plant, current high level waste receiver		0	0	5.97		1		
AX-102	1970	4	XIN	3		957		#N/A	3	B		B				0.00113688	0.0034	5.97	B	4	O	ARH-1666D-10
AX-102	1970	4	XIN	2		959		#N/A	3	B		B				0.00113688	0.0023	5.97	B	4	O	ARH-1666D-10
AX-102	1970	4	XIN	2		961		#N/A	3	B		B				0.00113688	0.0023	5.98	B	2		
AX-102	1970	4	STAT		954	954	28	-7	4	B			XIN total 7	7M from B Plant, current high level waste receiver		0	0	5.98		1		
AX-102	1971	1	XIN	4		958		#N/A	4	B		B				0.00113688	0.0045	5.98	B	3	O	ARH-2074A-10
AX-102	1971	1	XIN	5		963		#N/A	4	B		B				0.00113688	0.0057	5.99	B	3	O	ARH-2074A-10
AX-102	1971	1	XIN	5		968		#N/A	4	B		B				0.00113688	0.0057	5.99	B	1		
AX-102	1971	1	STAT		954	954	38	-14	-18	B						0	0	5.99		1		
AX-102	1971	2	XIN	15		969		#N/A	-18	AR		AR	Orms.			0	0	5.99		3	V	ARH-2074B-10
AX-102	1971	2	STAT		954	954	32	-15	-33	B				15 from AR vault		0	0	5.99		1		
AX-102	1971	3	STAT		963	963	38	9	-24	B						0	0	5.99		1		
AX-102	1971	4	STAT		960	960	38	-3	-27	B						0	0	5.99		1		
AX-102	1972	1	STAT		953	953	38	-7	-34	B						0	0	5.99		1		
AX-102	1972	2	STAT		957	957	50	4	-30	B						0	0	5.99		1		
AX-102	1972	3	STAT		952	952	63	-5	-35	B						0	0	5.99		1		
AX-102	1972	4	STAT		954	954	47	2	-33	B						0	0	5.99		1		
AX-102	1973	1	send	-54		900		#N/A	-33			A-106				0	0	5.99		0		
AX-102	1973	1	SEND	-787		113		#N/A	-33	SU		AX-103				0	0	5.99		4	O	ARH-2794A-9
AX-102	1973	1	STAT		113	113	50	#N/A	-33	B				787M to 103-AX		0	0	5.99		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	C/A	Document/Pg #
AX-102	1973	2	STAT		113	113	50	#N/A	-33	B						0	0	5.99		1		
AX-102	1973	3	STAT		126	126	50	13	-20	B						0	0	5.99		1		
AX-102	1973	4	STAT		129	129	50	3	-17	B						0	0	5.99		1		
AX-102	1974	1	STAT		132	132	50	3	-14	B						0	0	5.99		1		
AX-102	1974	2	STAT		151	151	50	19	5	B						0	0	5.99		1		
AX-102	1974	3	REC	47		198		#N/A	5	SU	A-104	A-104				0	0	5.99		1		
AX-102	1974	3	rec	40		238		#N/A	5		AX-103	AX-103				0	0	5.99		1		
AX-102	1974	3	STAT		238	238	50	#N/A	5	B				17 Water; 47M from 104-A		0	0	5.99		0		
AX-102	1974	4	rec	76		314		#N/A	5		AX-103	AX-103				0	0	5.99		1		
AX-102	1974	4	STAT		314	314	50	#N/A	5	B						0	0	5.99		0		
AX-102	1975	1	rec	35		349		#N/A	5		AX-103	AX-103				0	0	5.99		1		
AX-102	1975	1	STAT		349	349	50	#N/A	5	B						0	0	5.99		0		
AX-102	1975	2	SEND	-139		210		#N/A	5	SU						0	0	5.99		1		
AX-102	1975	2	SEND	-158		52		#N/A	5	SU	AX-101					0	0	5.99		4	O	ARH-CD-336B-9
											AX-103					0	0	5.99		4	O	ARH-CD-336B-9
														139M to 101-AX; 158M to 103. * Leak detection dry wells installed: 10-02-01, 10-02-04, 10-02-05, 10-02-07, 10-02-08, 10-02-10, 10-02-11, 10-02-12, 10-02-22		0	0	5.99		1		
AX-102	1975	2	STAT		50	50	50	-2	3							0	0	5.99		1		
AX-102	1975	3	XIN	19		69		#N/A	3	AR		AR	Omis.			0	0	5.99		3	V	ARH-CD-336C-9
AX-102	1975	3	XIN	6		75		#N/A	3	B	B PLAN	B	Omis.			0	0	5.99		3	V	ARH-CD-336C-9
AX-102	1975	3	XIN	46		121		#N/A	3	WTR		WTR	Omis. REC 417 TANK			0.00113688	0.0068	6.00	B	3	V	ARH-CD-336C-9
AX-102	1975	3	send	-44		77		#N/A	3			AX-103				0	0	6.00		3	V	ARH-CD-336C-9
														6 from B plant; 46M from 417 TK; 19M from AR Vault sludging		0	0	6.00		0		
AX-102	1975	3	STAT		77	77	50	#N/A	3	B						0	0	6.00		1		
AX-102	1975	4	outx	-3		74		#N/A	3	SL	SRR	SRR	1 AR at C-105			0	0	6.00		0		
AX-102	1975	4	STAT		66	66	47	-8	-5	H2O						0	0	6.00		0		
AX-102	1976	1	XIN	140		206		#N/A	-5	WTR	B PLAN	WTR	omis. sludging			0	0	6.00		1		
AX-102	1976	1	rec	67		273		#N/A	-5		AX-103	AX-103				0	0	6.00		3	V	ARH-702A-9
AX-102	1976	1	outx	-25		248		#N/A	-5	SL	SRR	SRR	5 AR at C-105			0	0	6.00		0		
AX-102	1976	1	STAT		248	248	22	#N/A	-5	H2O				sludging 140M from B Plant		0	0	6.00		0		
AX-102	1976	2	XIN	56		304		#N/A	-5	WTR	B PLAN	WTR	omis. sludging			0	0	6.00		1		
AX-102	1976	2	rec	284		588		#N/A	-5		AX-103	AX-103				0	0	6.00		3	V	ARH-702B-9
AX-102	1976	2	outx	-5		583		#N/A	-5	SL	SRR	SRR	1 AR at C-105			0	0	6.00		0		
AX-102	1976	2	STAT		583	583	17	#N/A	-5	H2O				56M from B Plant sludging		0	0	6.00		0		
AX-102	1976	3	rec	184		767		#N/A	-5		AX-103	AX-103				0	0	6.00		1		
AX-102	1976	3	STAT		767	767	17	#N/A	-5	EVAP				B Plant Waste Recovery		0	0	6.00		0		
AX-102	1976	4	send	-695		72		#N/A	-5			A-102				0	0	6.00		1		
AX-102	1976	4	STAT		72	72	19	#N/A	-5	EVAP						0	0	6.00		0		
AX-102	1977	1	send	-53		19		#N/A	-5							0	0	6.00		1		
AX-102	1977	1	outx	-8		11		#N/A	-5	SL	SRR	SRR	2 AR at C-105			0	0	6.00		0		
AX-102	1977	1	STAT		11	11	11	#N/A	-5	EVAP				St. sludge sludging complete		0	0	6.00		0		
AX-102	1977	2	send	-5		6		#N/A	-5			A-102				0	0	6.00		1		
AX-102	1977	2	STAT		6	6	6	#N/A	-5	EVAP						0	0	6.00		0		
AX-102	1977	3	rec	24		30		#N/A	-5		A-102	A-102				0	0	6.00		1		
AX-102	1977	3	STAT		30	30	6	#N/A	-5	RESD				Resid. liquor, slurry receive		0	0	6.00		0		
AX-102	1977	4	send	-2		28		#N/A	-5			A-102				0	0	6.00		1		
AX-102	1977	4	STAT		28	28	6	#N/A	-5	RESD						0	0	6.00		0		
AX-102	1978	1	STAT		28	28	6	#N/A	-5	MDRL						0	0	6.00		1		
AX-102	1978	2	rec	928		956		#N/A	-5		A-102	A-102				0	0	6.00		0		
AX-102	1978	2	SEND	-762		194		#N/A	-5	SU			AZ-102			0	0	6.00		1		
AX-102	1978	2	SEND	-45		149		#N/A	-5	SU			AZ-102			0	0	6.00		1		
														*Leak Detection Dry Well 11-02-01		0	0	6.00		1		
AX-102	1978	2	STAT		149	149	6	#N/A	-5	CCPLX						0	0	6.00		0		
AX-102	1978	3	send	-121		28		#N/A	-5			A-102				0	0	6.00		1		
AX-102	1978	3	REC	108		136		#N/A	-5	SU	C-104	C-104				0	0	6.00		1		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk str	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Chyden comment	sol wt%	TLM solids	Cum solids	sol type	QIA	Document/Log #
AX-102	1978	3	SEND	21		115		#N/A	-5	SU		AZ-102				0	0	6.00		1	
AX-102	1978	3	SEND	14		101		#N/A	-5	SU		AZ-102				0	0	6.00		1	
AX-102	1978	3	SEND	-7		94		#N/A	-5	SU		AZ-102				0	0	6.00		1	
AX-102	1978	3	STAT		94	94		6		COPLX						0	0	6.00		1	
AX-102	1978	4	SEND	-3		91		#N/A	-5			A-102				0	0	6.00		1	
AX-102	1978	4	STAT		91	91		6		COPLX						0	0	6.00		1	
AX-102	1979	1	REC	14		105		#N/A	-5			A-102				0	0	6.00		1	
AX-102	1979	1	STAT		105	105		6		COPLX				New Photo 2/26/79		0	0	6.00		1	
AX-102	1979	2	REC	63		168		#N/A	-5			C-105				0	0	6.00		1	
AX-102	1979	2	STAT		168	168		39		COPLX				New Solids Level Adj. 5/21/79		0	0	6.00		1	
AX-102	1979	3	REC	220		388		#N/A	-5			A-102	*+108 to			0	0	6.00		1	
AX-102	1979	3	STAT		388	388		39		CPLX						0	0	6.00		1	
AX-102	1979	4	REC	151		539		#N/A	-5			A-102				0	0	6.00		1	
AX-102	1979	4	STAT		539	539		39		COPLX						0	0	6.00		1	
AX-102	1980	1	REC	201		740		#N/A	-5			A-102				0	0	6.00		1	
AX-102	1980	1	STAT		740	740		39		CPLX						0	0	6.00		1	
AX-102	1980	2	REC	507		1247		#N/A	-5			A-102	+250 to			0	0	6.00		1	
AX-102	1980	2	SEND	-401		846		#N/A	-5	SU						0	0	6.00		1	
AX-102	1980	2	SEND	-380		466		#N/A	-5	SU						0	0	6.00		1	
AX-102	1980	2	SEND	-261		205		#N/A	-5	SU						0	0	6.00		1	
AX-102	1980	2	REC	150		355		#N/A	-5	SU						0	0	6.00		1	
AX-102	1980	2	SEND	-268		87		#N/A	-5	CPLX						0	0	6.00		1	
AX-102	1980	2	STAT		87	87		39				AY-101				0	0	6.00		1	
AX-102	1980	3	REC	139		226		#N/A	-5							0	0	6.00		1	
AX-102	1980	3	SEND	-172		54		#N/A	-5	SU						0	0	6.00		1	
AX-102	1980	3	STAT		54	54		29								0	0	6.00		1	
AX-102	1980	4	STAT		54	54		29		COPLX				Inactive-New Solids 9/8/80		0	0	6.00		1	
AX-102	1983	2	SEND	-15		39		#N/A	-5			AN-101				0	0	6.00		1	
AX-102	1993	2	STAT		39	39		36								0	0	6.00		1	
AX-102	1993	4	STAT		39	39		36		CC						0	0	6.00		1	
AX-102	1994	1	STAT		39	39		36								0	0	6.00		1	
AX-102	2000							36								0	0	6.00		1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Eg #	
AX-103	1900																						
AX-103	1965	1	XIN	100		100		#N/A	0	IWW		P2											
AX-103	1965	1	XIN	99		199		#N/A	0	IWW		P2				0.005905	0.5905	0.59	P2	2			
AX-103	1965	1	XIN	99		298		#N/A	0	IWW		P2				0.005905	0.5846	1.18	P2	2			
AX-103	1965	1	XIN	66		364		#N/A	0	OWW		OWW2				0.005905	0.5846	1.76	P2	2			
AX-103	1965	1	rec	480		844		#N/A	0			A-102				0	0	1.76		2			
AX-103	1965	1	STAT		844	844	0	#N/A	0				XIN from qtr 1 & 2 total 596	6 months report; rec'd 596M IWW; 68M OWW, receiving at end of period		0	0	1.76		0			
AX-103	1965	2	XIN	100		944		#N/A	0	IWW		P2											
AX-103	1965	2	XIN	99		1043		#N/A	0	IWW		P2				0.005905	0.5905	2.35	P2	3	V	HWN-1991-32	
AX-103	1965	2	XIN	99		1142		#N/A	0	IWW		P2				0.005905	0.5846	2.93	P2	3	V	HWN-1991-32	
AX-103	1965	2	STAT		N/A	1142		#N/A	0							0.005905	0.5846	3.52	P2	3	V	HWN-1991-32	
AX-103	1965	3	XIN	160		1302		#N/A	0	OWW		OWW2					0	0	3.52		1		
AX-103	1965	3	XIN	112		1414		#N/A	0	IWW		P2	OC 112 to 501, LC 501 to 112										
AX-103	1965	3	XIN	111		1525		#N/A	0	IWW		P2				0.005905	0.6613	4.18	P2	3	V	HWN-1991-32	
AX-103	1965	3	XIN	111		1636		#N/A	0	IWW		P2				0.005905	0.6564	4.84	P2	3	V	HWN-1991-32	
AX-103	1965	3	send	-1059		577		#N/A	0			A-102				0.005905	0.6554	5.49	P2	3	V	HWN-1991-32	
AX-103	1965	3	REC	339		916		#N/A	0	SU	AX-101	AX-101				0	0	5.49		0			
AX-103	1965	3	STAT		916	916	0	#N/A	0	P			XIN total 334	Rec'd 334MIWW; 160M OWW & 339M from 101-AX		0	0	5.49		1			
AX-103	1965	4	XIN	282		1198		#N/A	0	OWW		OWW2					0	0	5.49		3	V	HWN-1991-32
AX-103	1965	4	XIN	154		1352		#N/A	0	IWW		P2	OC 120 to 154										
AX-103	1965	4	XIN	380		1712		#N/A	0	IWW		P2				0.005905	0.9093	6.40	P2	2	V	HWN-1991-32	
AX-103	1965	4	XIN	120		1832		#N/A	0	IWW		P2				0.005905	2.1257	8.53	P2	3	V	HWN-1991-32	
AX-103	1965	4	XIN	120		1952		#N/A	0	IWW		P2				0.005905	0.7086	9.23	P2	2	V	HWN-1991-32	
AX-103	1965	4	send	-1463		489		#N/A	0			A-102				0.005905	0.7086	9.94	P2	2	V	HWN-1991-32	
AX-103	1965	4	REC	394		883		#N/A	0	SU	AX-101	AX-101				0	0	9.94		0			
AX-103	1965	4	STAT		883	883	0	#N/A	0	P				Rec'd 360M IWW; 282M OWW; 394 from 101-AX		0	0	9.94		4	O	RL-SEP-923-8	
AX-103	1966	1	XIN	251		1134		#N/A	0	OWW		OWW2					0	0	9.94		1		
AX-103	1966	1	XIN	0		1134		#N/A	0	IWW		P2	LC dup trans 126 to 0				0	0	9.94		4	O	ISO-226-8
AX-103	1966	1	XIN	376		1510		#N/A	0	IWW		P2				0.005905	2.2202	12.16	P2	4	O	ISO-226-8	
AX-103	1966	1	XIN	0		1510		#N/A	0	IWW		P2	LC dup trans 125 to 0				0	0	12.16		1		
AX-103	1966	1	XIN	0		1510		#N/A	0	IWW		P2	LC dup trans 125 to 0				0	0	12.16		1		
AX-103	1966	1	send	-622		888		#N/A	0			A-102				0	0	12.16		0			
AX-103	1966	1	XIN	0		888		#N/A	0	IWW		P2	LC dup trans 126 to 0				0	0	12.16		1		
AX-103	1966	1	XIN	0		888		#N/A	0	IWW		P2	LC dup trans 125 to 0				0	0	12.16		1		
AX-103	1966	1	XIN	0		888		#N/A	0	IWW		P2	LC dup trans 125 to 0				0	0	12.16		1		
AX-103	1966	1	XIN	0		888		#N/A	0	IWW		P2	LC dup trans 125 to 0				0	0	12.16		1		
AX-103	1966	1	STAT		888	888	0	#N/A	0	P				Rec'd 376M IWW; 251M OWW		0	0	12.16		1			
AX-103	1966	2	XIN	58		946		#N/A	0	OWW		OWW2					0	0	12.16		4	O	ISO-404-8
AX-103	1966	2	XIN	103		1049		#N/A	0	IWW		P2				0.005905	0.6082	12.77	P2	4	O	ISO-404-8	
AX-103	1966	2	XIN	104		1153		#N/A	0	IWW		P2				0.005905	0.6141	13.39	P2	4	O	ISO-404-8	
AX-103	1966	2	XIN	104		1257		#N/A	0	IWW		P2				0.005905	0.6141	14.00	P2	1			
AX-103	1966	2	send	-261		996		#N/A	0			A-102				0	0	14.00		0			
AX-103	1966	2	STAT		996	996	0	#N/A	0	P			XIN total 311	Rec'd 311M IWW & 58M OWW		0	0	14.00		1			
AX-103	1966	3	STAT		987	987	0	-9	-9	P						0	0	14.00		1			
AX-103	1966	4	STAT		985	985	0	-2	-11	P						0	0	14.00		1			
AX-103	1967	1	STAT		967	967	0	-18	-29	P						0	0	14.00		1			
AX-103	1967	2	send	-50		917		#N/A	-29			A-102				0	0	14.00		0			
AX-103	1967	2	STAT		917	917	0	#N/A	-29	P						0	0	14.00		0			
AX-103	1967	3	STAT		908	908	14	-9	-38	P						0	0	14.00		1			
AX-103	1967	4	XIN	98		1006		#N/A	-38	OWW		OWW2				0	0	14.00		4	O	ARH-326-9	
AX-103	1967	4	send	-60		946		#N/A	-38			A-102				0	0	14.00		0			
AX-103	1967	4	STAT		946	946	14	#N/A	-38	P				Rec'd 98M OWW		0	0	14.00		0			



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
AX-103	1968	1	XIN	118		1064		#N/A	-38	OWW		OWW3				0	0	14.00		4	O	ARH-534-9
AX-103	1968	1	send	-79		985		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1968	1	STAT		985	985	14	#N/A	-38	P				Equipped for boiling waste;; rec'd 118M OWW		0	0	14.00		1		
AX-103	1968	2	XIN	10		995		#N/A	-38	BL		BL				0	0	14.00		1		
AX-103	1968	2	XIN	25		1020		#N/A	-38	OWW		OWW3				0	0	14.00		4	O	AEH-721-9
AX-103	1968	2	XIN	1		1021		#N/A	-38	PL		PL1				0	0	14.00		1		
AX-103	1968	2	XIN	89		1110		#N/A	-38	PL		PL1				0	0	14.00		4	O	AEH-721-9
AX-103	1968	2	send	-134		976		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1968	2	STAT		976	976	14	#N/A	-38	P				Rec'd 88M F-18 & 25M OWW		0	0	14.00		1		
AX-103	1968	3	XIN	4		980		#N/A	-38	PL		PL1				0	0	14.00		4	O	ARH-871-9
AX-103	1968	3	send	-48		932		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1968	3	STAT		932	932	14	#N/A	-38	P				4 from 202-A		0	0	14.00		1		
AX-103	1968	4	XIN	58		990		#N/A	-38	PL		PL1				0	0	14.00		4	O	ARH-1061-10
AX-103	1968	4	send	-44		946		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1968	4	STAT		946	946	77	#N/A	-38	P				58M from Purex (F-18 & R-8)		0	0	14.00		1		
AX-103	1969	1	XIN	4		950		#N/A	-38	B		B				0	0	14.00		4	O	ARH-1200A-10
AX-103	1969	1	XIN	4		954		#N/A	-38	B		B				0	0	14.00		2		
AX-103	1969	1	XIN	3		957		#N/A	-38	B		B				0	0	14.00		4	O	ARH-1200A-10
AX-103	1969	1	XIN	45		1002		#N/A	-38	PL		PL1				0	0	14.00		4	O	ARH-1200A-10
AX-103	1969	1	send	-28		974		#N/A	-38			A-102				0	0	14.00		0		
AX-103	1969	1	STAT		974	974	83	#N/A	-38	P				11M from 221-B;; 45M from 202-A		0	0	14.00		1		
AX-103	1969	2	rec	26		1000		#N/A	-38			A-106				0	0	14.00		0		
AX-103	1969	2	STAT		1000	1000	76	#N/A	-38	P						0	0	14.00		1		
AX-103	1969	3	send	-14		986		#N/A	-38			A-106				0	0	14.00		0		
AX-103	1969	3	STAT		986	986	83	#N/A	-38	P						0	0	14.00		1		
AX-103	1969	4	send	-21		965		#N/A	-38			A-106				0	0	14.00		0		
AX-103	1969	4	STAT		965	965	83	#N/A	-38	P						0	0	14.00		1		
AX-103	1970	1	rec	20		985		#N/A	-38			A-106				0	0	14.00		0		
AX-103	1970	1	STAT		985	985	80	#N/A	-38	P						0	0	14.00		1		
AX-103	1970	2	STAT		986	986	83	1	-37	P						0	0	14.00		1		
AX-103	1970	3	STAT		971	971	69	-15	-52							0	0	14.00		1		
AX-103	1970	4	STAT		971	971	69	#N/A	-52	P						0	0	14.00		1		
AX-103	1971	1	STAT		974	974	66	3	-49							0	0	14.00		1		
AX-103	1971	2	STAT		974	974	66	#N/A	-49							0	0	14.00		1		
AX-103	1971	3	STAT		974	974	66	#N/A	-49	P						0	0	14.00		1		
AX-103	1971	4	STAT		971	971	66	-3	-52	P						0	0	14.00		1		
AX-103	1972	1	STAT		976	976	66	5	-47	P						0	0	14.00		1		
AX-103	1972	2	STAT		976	976	66	#N/A	-47	P						0	0	14.00		1		
AX-103	1972	3	REC	678		1654		#N/A	-47	SU	AX-104	AX-104				0	0	14.00		4	O	ARH-2456C-9
AX-103	1972	3	SEND	-969		685		#N/A	-47	SU		C-105				0	0	14.00		4	O	ARH-2456C-4
AX-103	1972	3	STAT		685	685	66	#N/A	-47	P				678M from 104-AX;; 969M to 105-C		0	0	14.00		1		
AX-103	1972	4	XIN	3		688		#N/A	-47	B		B				0	0	14.00		4	O	ARH-2456D-9
AX-103	1972	4	send	-134		554		#N/A	-47			A-106				0	0	14.00		0		
AX-103	1972	4	REC	832		1386		#N/A	-47	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-2456D-9
AX-103	1972	4	REC	102		1488		#N/A	-47	SU	AX-104	AX-104				0	0	14.00		4	O	ARH-2456D-9
AX-103	1972	4	SEND	-921		567		#N/A	-47	SU		C-105				0	0	14.00		4	O	ARH-2456D-4
AX-103	1972	4	STAT		567	567	69	#N/A	-47	P				3 From B Plant;; 832 from 101-AX;; 102 from 104-AX 921M to 105-C		0	0	14.00		1		
AX-103	1973	1	rec	62		629		#N/A	-47			A-106				0	0	14.00		0		
AX-103	1973	1	REC	787		1416		#N/A	-47	SU	AX-102	AX-102				0	0	14.00		4	O	ARH-2794A-9
AX-103	1973	1	REC	82		1498		#N/A	-47	SU	AX-104	AX-104				0	0	14.00		4	O	ARH-2794A-9
AX-103	1973	1	SEND	-844		654		#N/A	-47	SU		C-105				0	0	14.00		4	O	ARH-2794A-4
AX-103	1973	1	STAT		654	654	69	#N/A	-47	PSS				787M from 102-AX;; 82M from 104-AX;; 844 to 104-C		0	0	14.00		1		



Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans limit	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum sol	sol type	QI	OIA	Document/Pg #
1973	2	send	-34		820		#N/A	47	A-106						0	0	14.00		0		
AX-103	1973	2	REC	510	1130		#N/A	47	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-2794B-9
AX-103	1973	2	REC	694	1824		#N/A	47	SU	AX-104	AX-104				0	0	14.00		4	O	ARH-2794B-9
AX-103	1973	2	SEND	1266	558		#N/A	47	SU	C-105					0	0	14.00		4	O	ARH-2794B-4
AX-103	1973	2	STAT		558		#N/A	47	PSS			510M from 101-AX; 694 from 104-AX, 1266 M to 105-C			0	0	14.00		1		
AX-103	1973	3	STAT		556		69	2	49	PSS					0	0	14.00		1		
AX-103	1973	4	STAT		575		69	19	30	PSS					0	0	14.00		1		
AX-103	1974	1	rec	14	589		#N/A	30		AY-102	AY-102				0	0	14.00		0		
AX-103	1974	1	rec	19	608		#N/A	30		A-104					0	0	14.00		0		
AX-103	1974	1	REC	173	781		#N/A	30	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-CD-133A-9/ARH-133A-9 SEND
AX-103	1974	1	SEND	-1	780		#N/A	30	SU	C-104					0	0	14.00		4	O	ARH-CD-133A-4
AX-103	1974	1	SEND	-219	561		#N/A	30	SU	C-105					0	0	14.00		4	O	ARH-CD-133A-4
AX-103	1974	1	send	-41	520		#N/A	30		A-102					0	0	14.00		0		
AX-103	1974	1	STAT		568		69	48	18	PSS		173M from 101-AX; 219M to 105-C, 1 to 104-C			0	0	14.00		1		
AX-103	1974	2	rec	35	603		#N/A	18		A-104					0	0	14.00		0		
AX-103	1974	2	REC	99	701		#N/A	18	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-CD-133B-9
AX-103	1974	2	STAT		653		69	48	30	PSS		98M from 101-AX			0	0	14.00		1		
AX-103	1974	3	rec	148	801		#N/A	30		A-104					0	0	14.00		0		
AX-103	1974	3	send	-40	761		#N/A	30		AX-102					0	0	14.00		0		
AX-103	1974	3	REC	221	982		#N/A	30	SU	C-106					0	0	14.00		0		
AX-103	1974	3	send	-60	922		#N/A	30		AX-104					0	0	14.00		0		
AX-103	1974	3	STAT		870		72	8	38	PSS		221M from 106-C			0	0	14.00		0		
AX-103	1974	4	rec	12	882		#N/A	38		AY-101	AY-101				0	0	14.00		0		
AX-103	1974	4	rec	261	1143		#N/A	38		A-103					0	0	14.00		0		
AX-103	1974	4	rec	554	1697		#N/A	38		A-104					0	0	14.00		0		
AX-103	1974	4	rec	31	1728		#N/A	38		AX-104					0	0	14.00		0		
AX-103	1974	4	send	-76	1652		#N/A	38		AX-102					0	0	14.00		0		
AX-103	1974	4	SEND	-59	1593		#N/A	38	SU	C-105					0	0	14.00		0		
AX-103	1974	4	send	-70	1523		#N/A	38		A-102					0	0	14.00		0		
AX-103	1974	4	outx	-701	822		#N/A	38		PCOND		59M to 105-C * Leak detection dry well 11-03-12 drilled.			0	0	14.00		0		
AX-103	1974	4	STAT		822		88	38	38	PSS					0	0	14.00		1		
AX-103	1975	1	XIN	7	829		#N/A	38	WTR						0	0	14.00		3	V	ARH-CD-336A-9
AX-103	1975	1	rec	187	1016		#N/A	38		A-104					0	0	14.00		0		
AX-103	1975	1	rec	42	1058		#N/A	38		AX-104					0	0	14.00		0		
AX-103	1975	1	send	-35	1023		#N/A	38		AX-102					0	0	14.00		0		
AX-103	1975	1	REC	278	1301		#N/A	38	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-CD-336A-9
AX-103	1975	1	SEND	-127	1174		#N/A	38	SU	C-105					0	0	14.00		4	O	ARH-CD-336A-4
AX-103	1975	1	outx	-187	987		#N/A	38		PCOND					0	0	14.00		0		
AX-103	1975	1	STAT		987		88	38	38	PSS					0	0	14.00		1		
AX-103	1975	2	XIN	18	1005		#N/A	38	WTR						0	0	14.00		2	V	ARH-CD-336B-9
AX-103	1975	2	rec	17	1022		#N/A	38		AY-101	AY-101				0	0	14.00		0		
AX-103	1975	2	REC	46	1068		#N/A	38		AX-104					0	0	14.00		0		
AX-103	1975	2	REC	188	1256		#N/A	38	SU	AX-101	AX-101				0	0	14.00		4	O	ARH-CD-336B-9
AX-103	1975	2	REC	158	1414		#N/A	38	SU	AX-102	AX-102				0	0	14.00		4	O	ARH-CD-336B-9
AX-103	1975	2	SEND	-525	889		#N/A	38		C-105					0	0	14.00		3	V	ARH-CD-336B-4
AX-103	1975	2	outx	-61	828		#N/A	38		PCOND					0	0	14.00		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unit tfr	Cum unit	Waste type	Trans bank	DWXT	LANL comment	Anderson comment	Oyden comment	sol vol%	TLM solids	Cum solids	sol type	Q/A	Document/Pg #
AX-103	1975	2	STAT	828	828	828	88	#NA	-38	PSS							0	14.00		1	
AX-103	1975	3	XIN	342	1170	1214		#NA	-38	AR	AR				Omission		0	14.00		3V	ARH-CD-336C-9
AX-103	1975	3	rec	44	1272	1272		#NA	-38		AX-102						0	14.00		0	
AX-103	1975	3	SEND	544	728	728		#NA	-38	SU	AX-104						0	14.00		0	
AX-103	1975	3	outx	-106	622	622		#NA	-38		PCOND						0	14.00		4O	ARH-CD-336C-4
AX-103	1975	3	STAT	622	622	622	88	#NA	-38	PSS				342 from AR vault; 544M to 1?		0	14.00		1		
AX-103	1975	4	XIN	51	673	673		#NA	-38	AR	AR				Omission		0	14.00		3V	ARH-CD-336D-9
AX-103	1975	4	XIN	6	679	679		#NA	-38	WTR	WTR				Omission		0	14.00		3V	ARH-CD-336D-9
AX-103	1975	4	rec	39	718	718		#NA	-38		AX-104						0	14.00		0	
AX-103	1975	4	SEND	490	228	228		#NA	-38	SU	C-105						0	14.00		4O	ARH-CD-336D-4
AX-103	1975	4	outx	-55	173	173		#NA	-38		PCOND						0	14.00		0	
AX-103	1975	4	STAT	173	173	173	88	#NA	-38	PSS				51M from AR Vault; 8M from 152-AX C.T.; 490M to 105-C		0	14.00		1		
AX-103	1978	1	rec	172	345	345		#NA	-38		AY-102	AY-102					0	14.00		0	
AX-103	1978	1	rec	155	500	500		#NA	-38		AX-101	AX-101					0	14.00		0	
AX-103	1978	1	SEND	87	433	433		#NA	-38		AX-102	AX-102					0	14.00		0	
AX-103	1978	1	SEND	29	404	404		#NA	-38	SU	AX-104						0	14.00		4O	ARH-CD-702A-9
AX-103	1978	1	SEND	28	376	376		#NA	-38		AZ-102						0	14.00		4O	ARH-CD-702A-9
AX-103	1978	1	SEND	36	340	340		#NA	-38	SU	C-105						0	14.00		4O	ARH-CD-702A-4
AX-103	1978	1	SEND	155	185	185		#NA	-38		A-103						0	14.00		0	
AX-103	1978	1	outx	-98	87	87		#NA	-38		PCOND						0	14.00		0	
AX-103	1978	1	STAT	88	88	88	88	1	-37					36M to 106-C; 29M to 104-AX		0	14.00		1		
AX-103	1978	2	ini	187	275	275		#NA	-37		WTR	WTR					0	14.00		0	
AX-103	1978	2	rec	88	343	343		#NA	-37		AX-101	AX-101					0	14.00		0	
AX-103	1978	2	rec	27	370	370		#NA	-37		AX-104	AX-104					0	14.00		0	
AX-103	1978	2	SEND	284	86	86		#NA	-37		AX-102	AX-102					0	14.00		0	
AX-103	1978	2	REC	4	90	90		#NA	-37	SU	AX-101	AX-101					0	14.00		4O	ARH-CD-702B-9
AX-103	1978	2	outx	-18	72	72		#NA	-37	SL	SRR	SRR		4M from 103-AX Sluicing		0	14.00		0		
AX-103	1978	2	STAT	515	587	587	70	#NA	-37	H2O							0	14.00		1	
AX-103	1978	3	ini	151	436	436		#NA	-37		WTR	WTR					0	14.00		0	
AX-103	1978	3	SEND	64	500	500		#NA	-37		A-101	A-101					0	14.00		0	
AX-103	1978	3	rec	184	316	316		#NA	-37		AX-104	AX-104					0	14.00		0	
AX-103	1978	3	SEND	-77	239	239		#NA	-37		AZ-102	AZ-102					0	14.00		0	
AX-103	1978	3	SEND	-134	105	105		#NA	-37		C-105	C-105					0	14.00		0	
AX-103	1978	3	outx	-53	52	52		#NA	-37	SI	SRR	SRR					0	14.00		0	
AX-103	1978	3	STAT	52	52	52	17	#NA	-37	EVAP				Sluicing		0	14.00		1		
AX-103	1978	4	STAT	17	6	6	6	-35	-72	EVAP							0	14.00		1	
AX-103	1977	1	STAT	11	11	11	11	-6	-78	EVAP							0	14.00		1	
AX-103	1977	2	STAT	6	6	6	6	-5	-83	EVAP							0	14.00		1	
AX-103	1977	3	outx	-6	0	0		#NA	-83	SL	SRR	SRR					0	14.00		0	
AX-103	1977	3	STAT	25	25	25	6	25	-58	EVAP							0	14.00		1	
AX-103	1977	4	STAT	17	17	17	6	-8	-66	EVAP							0	14.00		1	
AX-103	1978	1	STAT	39	39	39	6	22	-44	CC				New Solids Level 1/19/78 Active-Being Sluiced Wait Sluice Eval		0	14.00		1		
AX-103	1978	2	STAT	28	28	28	6	-11	-55	NCPLX							0	14.00		1	
AX-103	1978	3	STAT	33	33	33	6	5	-50	NCPLX							0	14.00		1	
AX-103	1978	4	STAT	44	44	44	6	11	-39	NCPLX							0	14.00		1	
AX-103	1979	1	rec	966	1010	1010		#NA	-39	SU	A-102	A-102					0	14.00		0	
AX-103	1979	1	SEND	287	723	723		#NA	-39	SU	A-102	A-102					0	14.00		1	
AX-103	1979	1	SEND	-176	547	547		#NA	-39	SU	A-102	A-102					0	14.00		1	
AX-103	1979	1	STAT	547	547	547	6	#NA	-39	CLPX							0	14.00		1	

Tank_n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LAINL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Cl/A	Document/Pg #
AX-103	1979	2	STAT		545	545	6	-2	-41	CCPLX	A-102	A-102		New Solids Level 5/21/79 New Photo 4/11/79		0	0	14.00		1		
AX-103	1979	3	rec	343	888	888	6	#N/A	-41		A-102	A-102				0	0	14.00		0		
AX-103	1979	3	STAT		888	888	6	#N/A	-41	PSSF						0	0	14.00		1		
AX-103	1979	4	REC	0	888	888	6	#N/A	-41	SU			*545 to			0	0	14.00		1		
AX-103	1979	4	STAT		888	888	6	#N/A	-41	DSSF						0	0	14.00		1		
AX-103	1980	1	STAT		891	891	6	3	-38	DSSF				Slurry Receiver		0	0	14.00		1		
AX-103	1980	2	rec	25	916	916	6	#N/A	-38	SU	A-102	A-102				0	0	14.00		1		
AX-103	1980	2	REC	28	944	944	10	#N/A	-38	SU	A2-101	A2-101				0	0	14.00		0		
AX-103	1980	2	STAT		944	944	10	#N/A	-38	DSSF				New Solids 6/20/80 Log storage-New Photo 4/2/80		0	0	14.00		1		
AX-103	1980	3	SEND	-255	689	689	10	#N/A	-38	SU		A-102				0	0	14.00		1		
AX-103	1980	3	SEND	-176	513	513	10	#N/A	-38	SU		A-102				0	0	14.00		1		
AX-103	1980	3	SEND	-13	500	500	10	#N/A	-38	SU		A-102				0	0	14.00		1		
AX-103	1980	3	rec	379	879	879	0	#N/A	-38	NCPLEX		A-102				0	0	14.00		0		
AX-103	1980	3	STAT		879	879	0	#N/A	-38	NCPLEX		A-102				0	0	14.00		1		
AX-103	1980	4	send	-758	121	121	121	#N/A	-38			A-102				0	0	14.00		0		
AX-103	1980	4	STAT		121	121	121	#N/A	-38	NCPLEX				Inertive-New Solids Level 10-8-80		0	0	14.00		1		
AX-103	1987	2	send	-9	112	112	112	#N/A	-38	swllq		AN-101				0	0	14.00		1		
AX-103	1993	2	STAT		112	112	112	#N/A	-38	CC						0	0	14.00		1		
AX-103	1993	4	STAT		112	112	112	#N/A	-38							0	0	14.00		1		
AX-103	1994	1	STAT		112	112	112	#N/A	-38							0	0	14.00		1		
AX-103	2000				112	112	112	#N/A	-38							0	0	14.00		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
AX-104	1900																					
AX-104	1965	1	STAT		N/A	0		#N/A	0					Back-up tank in event of tank failure 6 months report								
AX-104	1965	3	XIN	344		344		#N/A	0	WTR		WTR					0	0.00		1		
AX-104	1965	3	STAT		344			#N/A	0	P							0	0.00		3	O	HWN-1991-33
AX-104	1965	4	XIN	355		699		#N/A	0	WTR		WTR		Back-up tank			0	0.00		1		
AX-104	1965	4	send	-344				#N/A	0								0	0.00		1		
AX-104	1965	4	STAT		355	355		#N/A	0			A-102					0	0.00		3	O	HWN-1991-33
AX-104	1966	1	STAT		355	355		#N/A	0	P							0	0.00		0		
AX-104	1966	2	rec	45		400		#N/A	0					Back-up tank			0	0.00		1		
AX-104	1966	2	STAT		400	400		#N/A	0	P		A-102					0	0.00		1		
AX-104	1966	3	XIN	24		424		#N/A	0	P		P2					0	0.00		0		
AX-104	1966	3	XIN	25		449		#N/A	0	P		P2					0	0.00		1		
AX-104	1966	3	XIN	25		474		#N/A	0	P		P2				0.0035229	0.0845	0.08	P2	4	O	ISO-538-8
AX-104	1966	3	rec	288		762		#N/A	0			A-102				0.0035229	0.0881	0.17	P2	4	O	ISO-538-8
AX-104	1966	3	STAT		762	762		#N/A	0	P							0	0.00		2		
AX-104	1966	4	XIN	130		892		#N/A	0	P		P2	XIN total 74	Rec'd 74M			0	0.26		0		
AX-104	1966	4	XIN	129		1021		#N/A	0	P		P2					0	0.26		1		
AX-104	1966	4	XIN	129		1150		#N/A	0	P		P2				0.0035229	0.458	0.72	P2	4	O	ISO-674-8
AX-104	1966	4	send	-264		886		#N/A	0			A-102				0.0035229	0.4545	1.17	P2	4	O	ISO-674-8
AX-104	1966	4	STAT		886	886		#N/A	0	P							0	0.00		2		
AX-104	1967	1	XIN	85		971		#N/A	0	P		P2	XIN total 388	Rec'd 388M			0	1.63		0		
AX-104	1967	1	XIN	86		1057		#N/A	0	P		P2					0	1.63		1		
AX-104	1967	1	XIN	86		1143		#N/A	0	P		P2				0.0035229	0.2994	1.93	P2	4	O	ISO-806-8
AX-104	1967	1	send	-271		872		#N/A	0			A-102				0.0035229	0.303	2.23	P2	4	O	ISO-806-8
AX-104	1967	1	STAT		872	872		#N/A	0	P							0	2.53		2		
AX-104	1967	2	XIN	155		1027		#N/A	0	P		P2	XIN total 257	Rec'd 257M			0	2.53		0		
AX-104	1967	2	XIN	155		1182		#N/A	0	P		P2					0	2.53		1		
AX-104	1967	2	XIN	155		1337		#N/A	0	P		P2				0.0035229	0.546	3.08	P2	4	O	ISO-967-8
AX-104	1967	2	send	-465		872		#N/A	0			A-102				0.0035229	0.546	3.63	P2	2		
AX-104	1967	2	STAT		872	872		#N/A	0	P							0	4.17		2		
AX-104	1967	3	XIN	148		1020		#N/A	0	IWW		P2	XIN total 465	Rec'd 465M			0	4.17		0		
AX-104	1967	3	XIN	149		1169		#N/A	0	IWW		P2					0	4.17		1		
AX-104	1967	3	XIN	149		1318		#N/A	0	IWW		P2				0.0035229	0.5214	4.69	P2	4	O	ARH-95-9
AX-104	1967	3	send	-449		869		#N/A	0			A-102				0.0035229	0.5249	5.22	P2	4	O	ARH-95-9
AX-104	1967	3	STAT		869	869		#N/A	0	P							0	5.74		2		
AX-104	1967	4	XIN	113		982		#N/A	0	IWW		P2	XIN total 446	Rec'd 446M IWW & sumps			0	5.74		0		
AX-104	1967	4	XIN	113		1095		#N/A	0	IWW		P2					0	5.74		1		
AX-104	1967	4	XIN	113		1208		#N/A	0	IWW		P2				0.0035229	0.3981	6.14	P2	4	O	ARH-326-9
AX-104	1967	4	send	-339		869		#N/A	0			A-102				0.0035229	0.3981	6.54	P2	2		
AX-104	1967	4	STAT		869	869		#N/A	0	P							0	6.94		2		
AX-104	1968	1	XIN	235		1104		#N/A	0	O	O	O	XIN total 339	Rec'd 339M IWW & sumps			0	6.94		0		
AX-104	1968	1	send	-152		952		#N/A	0			A-102					0	6.94		1		
AX-104	1968	1	STAT		952	952		#N/A	0	P				Receives Purex waste except 36M PAW which was received in AR vault--rec'd 235M IWW--equipped for boiling waste			0	6.94		0		
AX-104	1968	2	XIN	4		956		#N/A	0	B		B					0	6.94		1		
AX-104	1968	2	XIN	4		960		#N/A	0	B		B					0	6.94		1		
AX-104	1968	2	XIN	4		964		#N/A	0	B		B					0	6.94		1		
AX-104	1968	2	XIN	2		966		#N/A	0	O	O	O					0	6.94		1		
AX-104	1968	2	XIN	6		972		#N/A	0	P		P2					0	6.94		4	O	ARH-721-9
AX-104	1968	2	XIN	6		978		#N/A	0	P		P2				0.0035229	0.0211	6.96	P2	4	O	ARH-721-9
AX-104	1968	2	XIN	6		984		#N/A	0	P		P2				0.0035229	0.0211	6.98	P2	2		
AX-104	1968	2	XIN	88		1072		#N/A	0	PL		PL1				0.0035229	0.0211	7.00	P2	2		
AX-104	1968	2	send	-93		979		#N/A	0			A-102					0	7.00		4	O	ARH-721-9
AX-104	1968	2	STAT		979	979		#N/A	0	P							0	7.00		0		

Bank #	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk lit	Cum Unk	Waste Type	Trans tank	DWCT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
AX-104	1968	2	STAT	979	979	979	0	#N/A	0	0 P			XIN total 18	Rec'd 88M F-18; 18M from F-15, 2M DWW		0	0	7.00	1			
AX-104	1968	3	STAT	985	985	985	0	6	6 P	0 P						0	0	7.00	1			
AX-104	1968	4	STAT	979	979	979	10	6	0 P	0 P						0	0	7.00	1			
AX-104	1969	1	XIN	13	992	992	0	#N/A	0 B	0 B						0	0	7.00	4	O	ARH-1200A-10	
AX-104	1969	1	XIN	12	1004	1004	0	#N/A	0 B	0 B						0	0	7.00	4	O	ARH-1200A-10	
AX-104	1969	1	XIN	12	1016	1016	0	#N/A	0 B	0 B						0	0	7.00	2	O	ARH-1200A-10	
AX-104	1969	1	XIN	37	1053	1053	0	#N/A	0 PL	0 PL						0	0	7.00	4	O	ARH-1200A-10	
AX-104	1969	1	SEND	-96	957	957	0	#N/A	0	0						0	0	7.00	0			
AX-104	1969	1	STAT	957	957	957	8	#N/A	0 P	0 P			XIN total 37	37M from 221-B; 37M from 202		0	0	7.00	1			
AX-104	1969	2	XIN	3	960	960	0	#N/A	0 PL	0 PL						0	0	7.00	4	O	ARH-1200B-10	
AX-104	1969	2	STAT	963	963	963	8	7	7 P	7 P			3M from Purex			0	0	7.00	1			
AX-104	1969	3	STAT	964	964	964	11	11	4 P	4 P						0	0	7.00	1			
AX-104	1969	4	STAT	987	987	987	27	23	27 P	27 P						0	0	7.00	1			
AX-104	1970	1	XIN	198	1185	1185	0	#N/A	27 WTR	27 WTR						0	0	7.00	1			
AX-104	1970	1	SEND	-198	987	987	0	#N/A	27 SU	27 SU						0	0	7.00	4	O	ARH-1666A-10	
AX-104	1970	1	STAT	998	998	998	58	11	38 P	38 P				188M to 101-A; Rec'd 198M H2O		0	0	7.00	1			
AX-104	1970	2	XIN	195	1193	1193	0	#N/A	38 WTR	38 WTR						0	0	7.00	4	O	ARH-1666B-10	
AX-104	1970	2	SEND	-195	995	995	0	#N/A	38 SU	38 SU						0	0	7.00	4	O	ARH-1666B-10	
AX-104	1970	2	STAT	998	998	998	48	3	41 P	41 P						0	0	7.00	1			
AX-104	1970	3	STAT	1000	1000	1000	44	2	43 P	43 P						0	0	7.00	1			
AX-104	1971	1	STAT	1000	1000	1000	52	#N/A	43 P	43 P						0	0	7.00	1			
AX-104	1971	2	STAT	1001	1001	1001	47	1	44	44 P						0	0	7.00	1			
AX-104	1971	3	STAT	989	989	989	47	-12	32 P	32 P						0	0	7.00	1			
AX-104	1971	4	STAT	990	990	990	47	1	33 P	33 P						0	0	7.00	1			
AX-104	1972	1	STAT	984	984	984	47	-6	27	27 P						0	0	7.00	1			
AX-104	1972	2	STAT	984	984	984	47	#N/A	27 P	27 P						0	0	7.00	1			
AX-104	1972	3	SEND	-61	923	923	0	#N/A	27 SU	27 SU						0	0	7.00	1			
AX-104	1972	3	SEND	-678	245	245	0	#N/A	27 SU	27 SU						0	0	7.00	4	O	ARH-2456C-9	
AX-104	1972	3	STAT	245	245	245	47	#N/A	27 P	27 P				678M from 104-A; 969M to 105		0	0	7.00	1			
AX-104	1972	4	SEND	-33	212	212	0	#N/A	27	27						0	0	7.00	0			
AX-104	1972	4	SEND	-102	110	110	0	#N/A	27 SU	27 SU						0	0	7.00	4	O	ARH-2456D-9	
AX-104	1972	4	REC	567	677	677	0	#N/A	27 SU	27 SU			OC A-103 to A-104	Shows XFER from A-104. Omission		0	0	7.00	3	MV	ARH-2456D-9	
AX-104	1972	4	STAT	677	677	677	55	#N/A	27 P	27 P				567M from 104-A; 102 to 103-A		0	0	7.00	1			
AX-104	1973	1	SEND	-46	631	631	0	#N/A	27	27						0	0	7.00	0			
AX-104	1973	1	SEND	-82	549	549	0	#N/A	27 SU	27 SU						0	0	7.00	4	O	ARH-2794A-9	
AX-104	1973	1	REC	276	825	825	0	#N/A	27 SU	27 SU						0	0	7.00	4	O	ARH-2794A-9	
AX-104	1973	1	STAT	825	825	825	55	#N/A	27 PSS	27 PSS				276M from 104-A; 82 to 103-A		0	0	7.00	1			
AX-104	1973	2	SEND	-22	803	803	0	#N/A	27	27						0	0	7.00	0			
AX-104	1973	2	SEND	-694	109	109	0	#N/A	27 SU	27 SU						0	0	7.00	4	O	ARH-2794B-9	
AX-104	1973	2	STAT	109	109	109	55	#N/A	27 PSS	27 PSS				694M to 103-A		0	0	7.00	1			
AX-104	1973	3	STAT	105	105	105	4	23	23 PSS	23 PSS						0	0	7.00	1			
AX-104	1973	4	STAT	126	126	126	44	21	44 PSS	44 PSS						0	0	7.00	1			
AX-104	1974	1	STAT	114	114	114	44	-12	32 PSS	32 PSS						0	0	7.00	1			
AX-104	1974	2	STAT	111	111	111	44	-3	29 PSS	29 PSS						0	0	7.00	1			
AX-104	1974	3	XIN	146	257	257	0	#N/A	29 WTR	29 WTR						0	0	7.00	1			
AX-104	1974	3	REC	446	703	703	0	#N/A	29 SU	29 SU						0	0	7.00	1			
AX-104	1974	3	REC	60	763	763	0	#N/A	29	29						0	0	7.00	2			
AX-104	1974	3	STAT	763	763	763	44	#N/A	29 PSS	29 PSS			146 water; 446M from 104-A			0	0	7.00	2			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk Hfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	Ch	QA	Document/Pg #
AX-104	1974	4	SEND	-31	732	732	47	#N/A	29			AX-103				0	0	7.00		0		
AX-104	1974	4	STAT		732	732	47	#N/A	29	PSS				1 Leak detection dry well 11-D4-G1 drilled		0	0	7.00		1		
AX-104	1975	1	SEND	-42	690	690	47	#N/A	29			AX-103				0	0	7.00		0		
AX-104	1975	1	STAT		690	690	47	#N/A	29	PSS						0	0	7.00		1		
AX-104	1975	2	SEND	-46	644	644	47	#N/A	29	PSS						0	0	7.00		0		
AX-104	1975	2	STAT		644	644	47	#N/A	29	PSS						0	0	7.00		1		
AX-104	1975	3	SEND	-58	586	586	47	#N/A	29	PSS						0	0	7.00		0		
AX-104	1975	3	STAT		586	586	47	#N/A	29	PSS						0	0	7.00		1		
AX-104	1975	4	SEND	-39	547	547	47	#N/A	29	PSS						0	0	7.00		0		
AX-104	1975	4	STAT		547	547	47	#N/A	29	PSS						0	0	7.00		1		
AX-104	1976	1	XIN	9	556	556	47	#N/A	29	PSS						0	0	7.00		0		
AX-104	1976	1	REC	29	585	585	47	#N/A	29	SU						0	0	7.00		3 V		ARH-CD-702A-9
AX-104	1976	1	SEND	-234	351	351	44	#N/A	29	SU						0	0	7.00		4 O		ARH-CD-702A-9
AX-104	1976	1	STAT		352	352	44	#N/A	30	PSS				234M to 105-C; 29M from 103-A, 9 from 002-AR		0	0	7.00		4 O		ARH-CD-702A-4
AX-104	1976	2	SEND	-27	325	325	44	#N/A	30	PSS						0	0	7.00		1		
AX-104	1976	2	STAT		325	325	44	#N/A	30	PSS						0	0	7.00		0		
AX-104	1976	3	SEND	-64	261	261	47	#N/A	30	EVAP						0	0	7.00		1		
AX-104	1976	3	STAT		261	261	47	#N/A	30	EVAP						0	0	7.00		0		
AX-104	1976	4	REC	528	789	789	47	#N/A	30	EVAP						0	0	7.00		1		
AX-104	1976	4	STAT		789	789	47	#N/A	30	EVAP						0	0	7.00		0		
AX-104	1977	1	SEND	-618	171	171	55	#N/A	30	EVAP						0	0	7.00		1		
AX-104	1977	1	STAT		171	171	55	#N/A	30	EVAP						0	0	7.00		0		
AX-104	1977	2	SEND	-110	61	61	22	#N/A	30	EVAP						0	0	7.00		1		
AX-104	1977	2	STAT		61	61	22	#N/A	30	EVAP						0	0	7.00		0		
AX-104	1977	3	SEND	-44	17	17	11	#N/A	30	EVAP						0	0	7.00		1		
AX-104	1977	3	STAT		17	17	11	#N/A	30	EVAP						0	0	7.00		0		
AX-104	1977	4	STAT		25	25	3	8	38	EVAP						0	0	7.00		1		
AX-104	1978	1	STAT		22	22	6	3	35	EVAP						0	0	7.00		1		
AX-104	1978	2	STAT		11	11	3	11	24	NCPLX						0	0	7.00		1		
AX-104	1978	3	STAT		3	3	3	8	16	NCPLX						0	0	7.00		1		
AX-104	1978	4	STAT		3	3	3	#N/A	16	NCPLX						0	0	7.00		1		
AX-104	1979	1	STAT		6	6	3	3	19							0	0	7.00		1		
AX-104	1979	2	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1979	3	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1979	4	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1980	1	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1980	2	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1980	3	STAT		6	6	3	#N/A	19							0	0	7.00		1		
AX-104	1980	4	STAT		6	6	3	#N/A	19	NCPLX						0	0	7.00		1		
AX-104	1983	2	STAT		7	7	7	1	20	NCPLX						0	0	7.00		1		
AX-104	1983	4	STAT		7	7	7	#N/A	20							0	0	7.00		1		
AX-104	1984	1	STAT		7	7	7	#N/A	20							0	0	7.00		1		
AX-104	2000				7	7	7	#N/A	20							0	0	7.00		1		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
B-101	1900																					
B-101	1945	2	CSEND	0		0		#N/A	0	SET	B-102						0	0.000		1		
B-101	1945	2	XIN	127		127		#N/A	0	MW						0.00188679	0.2396	0.240	MW1	1		
B-101	1945	2	XIN	42		169		#N/A	0	MW						0.00188679	0.0792	0.319	MW1	1		
B-101	1945	2	STAT		169	169		#N/A	0	MW						0	0.319	0.498	MW1	1		
B-101	1945	3	XIN	95		264		#N/A	0	MW						0.00188679	0.1792	0.498	MW1	1		
B-101	1945	3	XIN	113		377		#N/A	0	MW						0.00188679	0.2132	0.711	MW1	1		
B-101	1945	3	XIN	137		514		#N/A	0	MW						0.00188679	0.2585	0.970	MW1	1		
B-101	1945	3	STAT		514	514		#N/A	0	MW						0	0.970	0.970	MW1	1		
B-101	1945	4	XIN	195		709		#N/A	0	MW						0.00188679	0.3679	1.338	MW1	1		
B-101	1945	4	send	-179		530		#N/A	0	ces						0	1.338	0		1		
B-101	1945	4	XIN	232		762		#N/A	0	MW						0.00188679	0.4377	1.775	MW1	1		
B-101	1945	4	send	-232		530		#N/A	0	ces						0	1.775	0		1		
B-101	1945	4	XIN	185		715		#N/A	0	MW						0.00188679	0.3491	2.125	MW1	1		
B-101	1945	4	send	-185		530		#N/A	0	ces						0	2.125	0		1		
B-101	1945	4	STAT		530	530		#N/A	0	MW						0.00188679	0.3556	2.481	MW1	1		
B-101	1946	1	XIN	189		719		#N/A	0	MW						0.00188679	0.3509	2.832	MW1	1		
B-101	1946	1	send	-189		530		#N/A	0	ces						0	2.832	0		1		
B-101	1946	1	XIN	186		716		#N/A	0	MW						0.00188679	0.3509	2.832	MW1	1		
B-101	1946	1	send	-186		530		#N/A	0	ces						0	2.832	0		1		
B-101	1946	1	XIN	89		619		#N/A	0	MW						0.00188679	0.1679	3.000	MW1	1		
B-101	1946	1	send	-89		530		#N/A	0	ces						0	3.000	0		1		
B-101	1946	1	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1946	2	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1946	3	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1947	1	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1947	2	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1947	3	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1947	4	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1948	1	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1948	2	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1948	3	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1948	4	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1949	1	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1949	2	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1949	3	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1949	4	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1950	1	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1950	2	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1950	3	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1950	4	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1951	1	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1951	2	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1951	3	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1951	4	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1952	1	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1952	2	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1952	3	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1952	4	STAT		530	530		#N/A	0	MW						0	3.000	0		1		
B-101	1953	1	SEND	-530		0		#N/A	0	SL	B-103					0	3.000	0		1		
B-101	1953	1	STAT		0	0		#N/A	0	MW						0	3.000	0		1		
B-101	1953	2	STAT		N/A	0		#N/A	0							0	3.000	0		1		

288 removed thru BR 1032  
and sludge used 1291,  
New processing for feed to  
sluicing op see B-103  
Small sludge heel. Less than  
1" of water



Tank n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste tank type	DWXT	LANL comment	Anderson comment	Oxidan comment	act vol%	TLM solides	Cum solides	sol type	Ch	O/A	Document/Pg #	
B-101	1953	3	STAT	0	0	0	0	#N/A	0	#N/A	B-105		Small sludge heel. Less than 1" or water		0	0	3,000		1			
B-101	1953	4	REC	223	223	223	223	#N/A	0	B-105	B-105		Finished sludging 12-28-53. Rec'd from 105-B		0	0	3,000		1			
B-101	1953	4	STAT	304	223	223	223	#N/A	0	EB					0	0	3,000		1			
B-101	1954	1	REC		527	527	527	#N/A	0	SU	B-105		Rec'd from 105-B		0	0	3,000		1			
B-101	1954	2	STAT	527	527	527	527	#N/A	0	SU	B-105				0	0	3,000		1			
B-101	1954	3	STAT	527	527	527	527	#N/A	0						0	0	3,000		1			
B-101	1954	4	STAT	527	527	527	527	#N/A	0						0	0	3,000		1			
B-101	1955	1	STAT	527	527	527	527	#N/A	0						0	0	3,000		1			
B-101	1955	2	STAT	527	527	527	527	#N/A	0						0	0	3,000		1			
B-101	1955	3	STAT	527	527	527	527	#N/A	0						0	0	3,000		1			
B-101	1955	4	OUTX	-524	527	527	527	#N/A	0		BEVAP				0	0	3,000		1			
B-101	1955	4	STAT	524	527	527	527	#N/A	0		BSICK				0	0	3,000	BEVA	0			
B-101	1955	4	STAT	524	527	527	527	#N/A	0						0.162214	65	88,000	BSICI	0			
B-101	1956	1	STAT	527	527	527	527	#N/A	0						0	0	88,000		1			
B-101	1956	2	STAT	527	527	527	527	#N/A	0						0	0	88,000		1			
B-101	1956	3	STAT	527	527	527	527	#N/A	0						0	0	88,000		1			
B-101	1956	4	STAT	527	527	527	527	#N/A	0	EB					0	0	88,000		1			
B-101	1957	1	STAT	538	538	538	538	11	11	EB			Latest electrode reading		0	0	88,000		1			
B-101	1957	2	STAT	541	541	541	541	108	3	14			Latest electrode reading		0	0	88,000		1			
B-101	1957	3	OUTX	202	339	339	339	#N/A	14	T19		OC (223,292) to (202,271) in (B-101,B-103)			0	0	88,000		2	V	N-54-293	
B-101	1957	3	STAT	318	318	318	318	-21	-7	EB	C-109		223 Scavenged	Total 473 B-101 B-103	0	0	88,000		1			
B-101	1957	4	STAT	318	318	318	318	#N/A	-7	EB					0	0	88,000		1			
B-101	1958	1	STAT	318	318	318	318	#N/A	-7	EB					0	0	88,000		1			
B-101	1958	2	STAT	321	321	321	321	3	-4						0	0	88,000		1			
B-101	1958	3	STAT	321	321	321	321	#N/A	-4						0	0	88,000		1			
B-101	1958	4	STAT	321	321	321	321	#N/A	-4						0	0	88,000		1			
B-101	1959	1	STAT	321	321	321	321	#N/A	-4	EB					0	0	88,000		1			
B-101	1959	2	STAT	313	313	313	313	-8	-12						0	0	88,000		1			
B-101	1959	3	STAT	313	313	313	313	#N/A	-12	EB					0	0	88,000		1			
B-101	1959	4	STAT	316	316	316	316	3	-9						0	0	88,000		1			
B-101	1960	1	STAT	316	316	316	316	#N/A	-9	EB					0	0	88,000		1			
B-101	1960	2	XIN	87	403	403	403	#N/A	-9	WTR		OC 85 to 87	Shows 87 not 85		0	0	88,000		3	V	HW-66187-4	
B-101	1960	2	STAT	403	403	403	403	#N/A	-9				87 water leaked into pipe increase-ment which drained to 101-B		0	0	88,000		1			
B-101	1960	3	STAT	403	403	403	403	#N/A	-9						0	0	88,000		1			
B-101	1960	4	STAT	403	403	403	403	#N/A	-9						0	0	88,000		1			
B-101	1961	1	STAT	403	403	403	403	#N/A	-9						0	0	88,000		1			
B-101	1961	2	STAT	403	403	403	403	#N/A	-9						0	0	88,000		1			
B-101	1961	3	STAT	403	403	403	403	#N/A	-9						0	0	88,000		1			
B-101	1961	4	STAT	403	403	403	403	#N/A	-9						0	0	88,000		1			
B-101	1962	1	STAT	403	403	403	403	#N/A	-9						0	0	88,000		1			
B-101	1962	2	STAT	403	403	403	403	#N/A	-9						0	0	88,000		1			
B-101	1962	3	STAT	403	403	403	403	#N/A	-9						0	0	88,000		1			
B-101	1962	4	STAT	403	403	403	403	#N/A	-9	EB					0	0	88,000		1			
B-101	1963	1	STAT	N/A	403	403	403	#N/A	-9						0	0	88,000		1			
B-101	1963	2	STAT	403	403	403	403	#N/A	-9	EB					0	0	88,000		1			
B-101	1963	3	REC	86	499	499	499	#N/A	-9	SU	C-102				0	0	88,000		1			
B-101	1963	3	REC	17	506	506	506	#N/A	-9	SU	C-103				0	0	88,000		1			
B-101	1963	3	REC	101	607	607	607	#N/A	-9	SU	C-106				0	0	88,000		1			
B-101	1963	3	send	-77	530	530	530	#N/A	-9	cas	B-102				0	0	88,000		0			
B-101	1963	3	REC	0	530	530	530	#N/A	-9	SU	C-101			Shows CW not from C-101		0	0	88,000		3	V	HW-60378-4
B-101	1963	3	STAT	N/A	530	530	530	#N/A	-9						0	0	88,000		1			



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk mfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol Type	Q/A	Document/Pg #
B-101	1963	4	REC	125		655		#N/A	-9 SU		C-102					0	0	88,000	1		
B-101	1963	4	SEND	-125		530		#N/A	-9 CAS		B-102					0	0	88,000	0		
B-101	1963	4	STAT		525	525	202	-5	-14 CW					Rec'd 122 CW		0	0	88,000	1		
B-101	1964	1	STAT		525	525	202	#N/A	-14 CW							0	0	88,000	1		
B-101	1964	2	STAT		525	525	202	#N/A	-14 CW							0	0	88,000	1		
B-101	1964	3	STAT		525	525	202	#N/A	-14 CW							0	0	88,000	1		
B-101	1964	4	STAT		525	525	202	#N/A	-14 EB,CW							0	0	88,000	1		
B-101	1965	1	STAT		N/A	525		#N/A	-14							0	0	88,000	1		
B-101	1965	2	STAT		527	527	161	2	-12 CW					Data report covered 6 months		0	0	88,000	1		
B-101	1965	3	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1965	4	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1966	1	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1966	2	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1966	3	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1966	4	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1967	1	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1967	2	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1967	3	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1967	4	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1968	1	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1968	2	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1968	3	STAT		527	527	161	#N/A	-12 CW							0	0	88,000	1		
B-101	1968	4	STAT		528	528	161	1	-11 EB,CW							0	0	88,000	1		
B-101	1969	1	SEND	-373		155		#N/A	-11		BY-103					0	0	88,000	1		
B-101	1969	1	STAT		151	151	151	-4	-15		B			373 to 103-BY		0	0	88,000	3 V	ARH-1200A-5	
B-101	1969	2	XIN	205		356		#N/A	-15 B					205 from B Plant		0	0	88,000	4 O	ARH-1200B-5	
B-101	1969	2	STAT		356	356	151	#N/A	-15 EB							0	0	88,000	4 O	ARH-1200C-5	
B-101	1969	3	XIN	122		478		#N/A	-15 B							0	0	88,000	4 O	ARH-1200C-5	
B-101	1969	3	XIN	14		492		#N/A	-15 WTR		WTR					0	0	88,000	3 V	ARH-1200C-5	
B-101	1969	3	SEND	-202		290		#N/A	-15 SU		B-102					0	0	88,000	4 O	ARH-1000C-5	
B-101	1969	3	STAT		290	290	151	#N/A	-15 BLEB							0	0	88,000	1		
B-101	1969	4	XIN	213		503		#N/A	-15 B							0	0	88,000	4 O	ARH-1200D-5	
B-101	1969	4	SEND	-285		218		#N/A	-15 SU							0	0	88,000	4 O	ARH-1000D-5	
B-101	1969	4	STAT		220	220	151	2	-13 BLEB							0	0	88,000	1		
B-101	1970	1	XIN	129		349		#N/A	-13 B							0	0	88,000	4 O	ARH-1666A-5	
B-101	1970	1	STAT		349	349	151	#N/A	-13 BLEB							0	0	88,000	4 O	ARH-1666B-5	
B-101	1970	2	XIN	336		685		#N/A	-13 B							0	0	88,000	4 O	ARH-1666B-5	
B-101	1970	2	SEND	-281		404		#N/A	-13 SU		BX-103					0	0	88,000	4 O	ARH-1666B-5	
B-101	1970	2	STAT		403	403	150	-1	-14 BLEB							0	0	88,000	1		
B-101	1970	3	XIN	388		791		#N/A	-14 BL		BL					0	0	88,000	3 V	ARH-1666C-5	
B-101	1970	3	SEND	-437		354		#N/A	-14 SU		BX-101					0	0	88,000	3 MV	ARH-1666C-5	
B-101	1970	3	STAT		355	355	106	1	-13 BLEB							0	0	88,000	1		
B-101	1970	4	XIN	591		946		#N/A	-13 BL		BL					0	0	88,000	3 V	ARH-1666D-5	
B-101	1970	4	SEND	-448		498		#N/A	-13 SU		BX-101					0	0	88,000	3 MV	ARH-1666D-5	
B-101	1970	4	STAT		497	497	103	-1	-14 BLEB							0	0	88,000	1		
B-101	1971	1	XIN	469		966		#N/A	-14 BL		BL					0	0	88,000	4 O	ARH-2074A-5	
B-101	1971	1	SEND	-529		437		#N/A	-14 SU		BX-101					0	0	88,000	4 O	ARH-2074A-5	
B-101	1971	1	STAT		436	436	103	-1	-15 BLEB							0	0	88,000	1		
B-101	1971	2	XIN	277		713		#N/A	-15 BL		BL					0	0	88,000	4 O	ARH-2074B-5	
B-101	1971	2	SEND	-454		259		#N/A	-15 SU		BX-101					0	0	88,000	4 O	ARH-2074B-5	

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans bank	DWXT	L.A.N.L. comment	Anderson comment	Order comment	sol vol%	T.M. solids	Cum solids	sol type	Cl	O/A	Document/Upg #
B-101	1971	2	STAT		259	259	103	#NA	-15	BLEB				277 from B Plant, 454 to 101-BX		0	0	101.571	1			
B-101	1971	3	XIN	226	485	485	#NA	#NA	-15	BL						0.004969	1.123	102.694	4	O	ARH-2074C-5	
B-101	1971	3	XIN	19	504	504	#NA	#NA	-15	WTR			Omis_REC BX-002	Omission		0	102.684	3	V		ARH-2074C-5	
B-101	1971	3	STAT		502	502	103	2	-17	BLEB				226 from B Plant, 19 from 002-BXR		0	102.684	1				
B-101	1971	4	XIN	157	659	659	#NA	#NA	-17	BL						0.004969	0.760	103.475	4	O	ARH-2074D-5	
B-101	1971	4	SEND	-190	469	469	#NA	#NA	-17	SU						0	103.475	4	O		ARH-2074D-5	
B-101	1971	4	STAT		469	469	103	#NA	-17	BLEB				157 from B Plant, 190 to 101-BX		0	103.475	1				
B-101	1972	1	XIN	256	725	725	#NA	#NA	-17	BL						0.004969	1.272	104.747	4	O	ARH-2456A-4	
B-101	1972	1	XIN	4	729	729	#NA	#NA	-17	WTR						0	104.747	4	O		ARH-2456A-4	
B-101	1972	1	SEND	-15	714	714	#NA	#NA	-17	SU						0	104.747	4	O		ARH-2456A-4	
B-101	1972	1	SEND	-208	506	506	#NA	#NA	-17	SU						0	104.747	4	O		ARH-2456A-4	
B-101	1972	1	STAT		508	508	103	2	-15	BLEB				256 from B Plant, 4 water, 15 to 102-A, 208 to 101-BX		0	104.747	1				
B-101	1972	2	XIN	444	952	952	#NA	#NA	-15	BL						0.004969	2.2062	106.953	4	O	ARH-2456B-4	
B-101	1972	2	SEND	-520	432	432	#NA	#NA	-15	SU			OC 530 to 520	Shows 520 not 530		0	106.953	3	V		ARH-2456B-4	
B-101	1972	2	STAT		433	433	103	1	-14	BLEB				444 from B Plant, 520 to 101-BX		0	106.953	1				
B-101	1972	3	XIN	324	757	757	#NA	#NA	-14	BL						0.004969	1.6099	108.563	4	O	ARH-2456C-4	
B-101	1972	3	SEND	-254	503	503	#NA	#NA	-14	SU						0	108.563	4	O		ARH-2456C-4	
B-101	1972	3	STAT		502	502	109	-1	-15	BLEB				324 from B Plant, 254 to 101-BX		0	108.563	1				
B-101	1972	4	XIN	425	927	927	#NA	#NA	-15	BL						0.004969	2.1119	110.675	4	O	ARH-2456D-4	
B-101	1972	4	SEND	-199	728	728	#NA	#NA	-15	SU						0	110.675	4	O		ARH-2456D-4	
B-101	1972	4	SEND	-192	536	536	#NA	#NA	-15	SU						0	110.675	4	O		ARH-2456D-4	
B-101	1972	4	STAT		535	535	109	-1	-18	BLEB				425 from B Plant, 192 to 101-BX, 195 to 104-BX		0	110.675	1				
B-101	1973	1	XIN	468	1003	1003	#NA	#NA	-16	BL						0.004969	2.3255	113.000	4	O	ARH-2794A-4	
B-101	1973	1	SEND	-4	999	999	#NA	#NA	-16	SU						0	113.000	4	O		ARH-2794A-4	
B-101	1973	1	SEND	-484	515	515	#NA	#NA	-16	SU						0	113.000	4	O		ARH-2794A-4	
B-101	1973	1	STAT		514	514	109	-1	-17	BLEB				468 from B Plant, 4 to 102-B, 484 to 104-BX *Dry Well 20-01-03 drilled		0	113.000	1				
B-101	1973	2	STAT		513	513	109	-1	-18	BLEB				It's an exhauster, New tape		0	113.000	1				
B-101	1973	3	STAT		512	512	109	-1	-19	BLEB						0	113.000	1				
B-101	1973	4	STAT		511	511	109	-1	-20	BLEB				**Dry Wells 20-01-01, 20-01-05, 20-01-07, and 20-01-11 were drilled.		0	113.000	1				
B-101	1974	1	STAT		509	509	109	-2	-22	BLEB				84 to 106-BX		0	113.000	1				
B-101	1974	2	SEND	-64	445	445	#NA	#NA	-22	SU						0	113.000	4	O		ARH-CD-133B-4	
B-101	1974	2	STAT		440	440	109	-5	-27	BLEB						0	113.000	1				
B-101	1974	3	rec	72	512	512	#NA	#NA	-27							0	113.000	0				
B-101	1974	3	STAT		512	512	109	#NA	-27							0	113.000	1				
B-101	1974	4	SEND	-89	423	423	#NA	#NA	-27	SU						0	113.000	4	O		ARH-CD-133D-4	
B-101	1974	4	SEND	-89	334	334	#NA	#NA	-27					Removed from Service, 89 to 103-BX		0	113.000	0				
B-101	1974	4	STAT		334	334	136	#NA	-27	BLEB						0	113.000	1				
B-101	1975	1	SEND	-201	133	133	#NA	#NA	-27							0	113.000	3	V		ARH-CD-336A-5	
B-101	1975	1	STAT		136	136	136	3	-24					Removed from Service **Dry Wells 20-01-05 and 20-01-06 were drilled.		0	113.000	1				
B-101	1975	2	SEND	-1	135	135	#NA	#NA	-24							0	113.000	3	V		ARH-CD-336B-4	
B-101	1975	2	STAT		136	136	136	1	-23							0	113.000	1				
B-101	1975	3	STAT		136	136	136	#NA	-23					Removed from Service		0	113.000	1				
B-101	1975	4	STAT		136	136	136	#NA	-23					Removed from Service		0	113.000	1				
B-101	1976	1	SEND	-33	103	103	#NA	#NA	-23					Removed from Service		0	113.000	0				

Tank n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum un	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	act vol%	TLM solids	Cum solids	act type	Cl	O/A	Document/Pg #
B-101	1976	1	STAT	103	103	103	103	#N/A	-23					Removed from Service		0	0	113,000	1			
B-101	1976	2	STAT	103	103	103	103	#N/A	-23					Removed from Service		0	0	113,000	1			
B-101	1976	3	STAT	103	103	103	103	#N/A	-23					Inactive		0	0	113,000	1			
B-101	1976	4	STAT	103	103	103	103	#N/A	-23					Salt Well Comp.		0	0	113,000	1			
B-101	1977	1	STAT	103	103	103	103	#N/A	-23					Questionable Integrity Isolated and Stabilized		0	0	113,000	1			
B-101	1977	2	STAT	103	103	103	103	#N/A	-23					Inactive		0	0	113,000	1			
B-101	1977	3	STAT	103	103	103	103	#N/A	-23					Inactive Current Phase I complete		0	0	113,000	1			
B-101	1977	4	STAT	103	103	103	103	#N/A	-23					Inactive Current Phase I complete		0	0	113,000	1			
B-101	1978	1	STAT	103	103	103	103	#N/A	-23					Inactive		0	0	113,000	1			
B-101	1978	2	STAT	103	103	103	103	#N/A	-23					Primary Stabilized		0	0	113,000	1			
B-101	1978	3	STAT	103	103	103	103	#N/A	-23					P-10 Pmp. removed		0	0	113,000	1			
B-101	1978	4	STAT	103	103	103	103	#N/A	-23	BLEB?						0	0	113,000	1			
B-101	1979	1	STAT	103	103	103	103	#N/A	-23							0	0	113,000	1			
B-101	1979	2	STAT	103	103	103	103	#N/A	-23					Questionable Integrity		0	0	113,000	1			
B-101	1979	3	STAT	103	103	103	103	#N/A	-23							0	0	113,000	1			
B-101	1979	4	STAT	103	103	103	103	#N/A	-23							0	0	113,000	1			
B-101	1980	1	STAT	103	103	103	103	#N/A	-23							0	0	113,000	1			
B-101	1980	2	STAT	103	103	103	103	#N/A	-23							0	0	113,000	1			
B-101	1980	3	STAT	103	103	103	103	#N/A	-23	BLEB?						0	0	113,000	1			
B-101	1980	4	STAT	103	103	103	103	#N/A	-23							0	0	113,000	1			
B-101	1983	2	STAT	113	113	113	113	10	-13	BLEB						0	0	113,000	1			
B-101	1993	4	STAT	113	113	113	113	13	-13	NOPLX						0	0	113,000	1			
B-101	1994	1	STAT	113	113	113	113	#N/A	-13							0	0	113,000	1			
B-101	2000			113	113	113	113	#N/A	-13							0	0	113,000	1			



Trank n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tit	Cum unkl	Waste type	Trans tank	DWXT	LAIL comment	Anderson comment	Oxidn comment	sol vol%	TL# solts	Cum solts	sol type	Cl	O/A	Document/fg #
B-102	1955	1	STAT	530	530	530	0	#N/A	0							0	0	3,000				
B-102	1955	2	STAT	530	530	530	0	#N/A	0							0	0	3,000				
B-102	1955	3	STAT	530	530	530	0	#N/A	0							0	0	3,000				
B-102	1955	4	enrk	-527			3	#N/A	0			BEVAP				0	0	3,000				
B-102	1955	4	fill	527			3	#N/A	0			BSNCK				0.045541	24	27,000	BEVA			
B-102	1955	4	STAT	530	530	530	0	#N/A	0							0	0	27,000	BSIC1			
B-102	1956	1	STAT	530	530	530	0	#N/A	0							0	0	27,000				
B-102	1956	2	STAT	530	530	530	0	#N/A	0							0	0	27,000				
B-102	1956	3	STAT	530	530	530	0	#N/A	0							0	0	27,000				
B-102	1956	4	STAT	530	530	530	0	#N/A	0							0	0	27,000				
B-102	1957	1	STAT	502	502	502	0	#N/A	0	EB				Latest electrode reading		0	0	27,000				
B-102	1957	2	STAT	502	502	502	0	#N/A	0	EB						0	0	27,000				
B-102	1957	3	OUTX	-446			56	#N/A	-28	EB						0	0	27,000				
B-102	1957	3	STAT	64	64	64	0	#N/A	0	EB				423 Scavenged.		0	0	27,000				N-54-284
B-102	1957	4	XIN	44			128	#N/A	0	EB						0	0	27,000				
B-102	1957	4	STAT	114	114	114	14	#N/A	-14	WTR						0	0	27,000				
B-102	1958	1	STAT	114	114	114	14	#N/A	-14					New electrode reading		0	0	27,000				
B-102	1958	2	STAT	114	114	114	14	#N/A	-14					CW (1535 TU)		0	0	27,000				
B-102	1958	3	STAT	114	114	114	14	#N/A	-14					CW (1535 TU)		0	0	27,000				
B-102	1958	4	STAT	114	114	114	14	#N/A	-14					CW (1817 TU)		0	0	27,000				
B-102	1959	1	STAT	114	114	114	14	#N/A	-14	EB				CW (1817 TU)		0	0	27,000				
B-102	1959	2	STAT	120	120	120	8	#N/A	-8					New Electrode		0	0	27,000				
B-102	1959	3	STAT	120	120	120	8	#N/A	-8							0	0	27,000				
B-102	1959	4	STAT	120	120	120	8	#N/A	-8							0	0	27,000				
B-102	1960	1	STAT	120	120	120	8	#N/A	-8							0	0	27,000				
B-102	1960	2	STAT	120	120	120	8	#N/A	-8							0	0	27,000				
B-102	1960	3	STAT	120	120	120	8	#N/A	-8							0	0	27,000				
B-102	1960	4	STAT	120	120	120	8	#N/A	-8							0	0	27,000				
B-102	1961	1	STAT	120	120	120	8	#N/A	-8							0	0	27,000				
B-102	1961	2	STAT	120	120	120	8	#N/A	-8							0	0	27,000				
B-102	1961	3	STAT	N/A	N/A	N/A	20	#N/A	0							0	0	27,000				
B-102	1961	4	STAT	125	125	125	8	#N/A	-8					New electrode		0	0	27,000				
B-102	1962	1	STAT	123	123	123	3	#N/A	-3	EB						0	0	27,000				
B-102	1962	2	STAT	123	123	123	3	#N/A	-3					Latest electrode reading		0	0	27,000				
B-102	1962	3	STAT	123	123	123	3	#N/A	-3							0	0	27,000				
B-102	1962	4	STAT	123	123	123	3	#N/A	-3							0	0	27,000				
B-102	1963	1	REC	154			84	#N/A	-5	EB						0	0	27,000				
B-102	1963	1	STAT	N/A	N/A	N/A	277	#N/A	0	SU						0	0	27,000				HW-78279-4
B-102	1963	2	REC	217			494	#N/A	0	SU						0	0	27,000				
B-102	1963	3	XIN	48	48	48	40	#N/A	-5	EB,CW				371 from 102-C		0	0	27,000				HW-78279-4
B-102	1963	3	rec	77			619	#N/A	0	CWP						0.02083333	1	28,000	CWPZ			HW-80379-4
B-102	1963	3	send	-89			530	#N/A	-5	CAS				Omission		0	0	28,000				
B-102	1963	3	STAT	125	125	125	5	#N/A	-5	CAS						0	0	28,000				
B-102	1963	4	rec	125			655	#N/A	-5	CAS						0	0	28,000				
B-102	1963	4	send	-125			530	#N/A	-5	CAS						0	0	28,000				
B-102	1963	4	STAT	542	542	542	40	#N/A	-7	CW				48 CW		0	0	28,000				
B-102	1964	1	STAT	542	542	542	40	#N/A	-7	CW						0	0	28,000				
B-102	1964	2	STAT	542	542	542	40	#N/A	-7	EB,CW						0	0	28,000				
B-102	1964	3	STAT	N/A	N/A	N/A	542	#N/A	7							0	0	28,000				
B-102	1964	4	STAT	535	535	535	40	#N/A	-7	EB,CW				New electrode (Reading Confirmed)		0	0	28,000				
B-102	1965	1	STAT	N/A	N/A	N/A	535	#N/A	0							0	0	28,000				
B-102	1965	2	STAT	532	532	532	24	#N/A	-3	CW						0	0	28,000				
B-102	1965	3	STAT	532	532	532	24	#N/A	-3	CW						0	0	28,000				
B-102	1965	4	STAT	532	532	532	24	#N/A	-3	CW						0	0	28,000				
B-102	1966	1	STAT	532	532	532	24	#N/A	-3	CW						0	0	28,000				
B-102	1966	2	STAT	532	532	532	24	#N/A	-3	CW						0	0	28,000				

Year	Qtr	Type	Trans vol	Stat vol	Total vol	Selfds vol	Unk ltr	Cum unit	Waste type	Trans tant	DWXT	LANL comment	Anderson comment	Ordan comment	sol vol%	TLM scilts	Cum scilts	sol type	Cl	O/A	Document/Pg #
1966	3	STAT	532	532	532	24	#N/A	-3	CW						0	0	28,000		1		
1966	4	STAT	532	532	532	24	#N/A	-3	CW						0	0	28,000		1		
1967	1	STAT	532	532	532	24	#N/A	-3	CW						0	0	28,000		1		
1967	2	STAT	532	532	532	24	#N/A	-3	CW						0	0	28,000		1		
1967	3	STAT	532	532	532	24	#N/A	-3	CW						0	0	28,000		1		
1967	4	STAT	532	532	532	24	#N/A	-3	EB,CW						0	0	28,000		1		
1968	1	STAT	531	531	531	24	-1	-1	EB,CW						0	0	28,000		1		
1968	2	STAT	534	534	534	24	3	3	CW						0	0	28,000		1		
1968	3	STAT	534	534	534	24	#N/A	-1	CW						0	0	28,000		1		
1968	4	STAT	534	534	534	24	#N/A	-1	EB,CW						0	0	28,000		1		
1969	1	SEND	-506				#N/A				BY-103				0	0	28,000		1		ARH-1200A-6/ARH-1000A-5 SEND
1969	1	STAT	26	26	26	24	-2	-1	SU				506 to 103-BY		0	0	28,000		4	O	
1969	2	STAT	25	25	25	24	-1	-1	EB						0	0	28,000		1		
1969	3	REC	202	202	202	24	#N/A	-4	EB		B-101				0	0	28,000		1		
1969	3	STAT	228	228	228	24	1	1	BLEB		B-101		202 from 101-B		0	0	28,000		4	O	ARH-1000C-5
1969	4	REC	285	285	285	24	#N/A	-3	SU		B-101		285 from 101-B		0	0	28,000		4	O	ARH-1000D-5
1968	4	STAT	513	513	513	24	#N/A	-3	BLEB						0	0	28,000		1		
1970	1	STAT	514	514	514	24	1	-2	BLEB						0	0	28,000		1		
1970	2	SEND	-415				#N/A				C-103		415 to 103-C		0	0	28,000		4	O	ARH-1666B-5
1970	2	STAT	98	98	98	55	-1	-1	BLEB						0	0	28,000		1		
1970	3	REC	179	179	179	55	#N/A	-3	SU		BX-104		179 from 104-BX		0	0	28,000		4	O	ARH-1666C-5
1970	3	STAT	272	272	272	55	-5	-5	BLIX						0	0	28,000		1		
1970	4	STAT	271	271	271	55	-1	-1	BLIX						0	0	28,000		1		
1971	1	STAT	277	277	277	55	6	6	IX				*Dry well 20-02-11 drilled.		0	0	28,000		1		
1971	2	STAT	277	277	277	55	#N/A	-3	BLIX						0	0	28,000		1		
1971	3	REC	223	223	223	55	#N/A	-3	SU		B-110		223 From 110-B		0	0	28,000		4	O	ARH-2074C-5
1971	3	STAT	499	499	499	55	-1	-1	BLIX						0	0	28,000		1		
1971	4	SEND	-419				#N/A				TX-101				0	0	28,000		1		
1971	4	STAT	81	81	81	55	1	1	BLIX				419 to 101-TX		0	0	28,000		4	O	ARH-2074D-5
1972	1	REC	15	15	15		#N/A	-3	SU		B-101				0	0	28,000		1		
1972	1	STAT	95	95	95	34	-1	-1	BLIX				15 from 101-B * Dry Wells 20-02-03, 20-02-05, 20-02-07, 20-02-09 were drilled.		0	0	28,000		1		
1972	2	MIN	35	35	130		#N/A	-4	WTR		WTR				0	0	28,000		3	V	ARH-2456B-4
1972	2	REC	6	6	136		#N/A	-4	SU		B-104				0	0	28,000		4	O	ARH-2456B-4
1972	2	REC	30	30	166		#N/A	-4	SU		B-105				0	0	28,000		4	O	ARH-2456B-4
1972	2	REC	18	18	164		#N/A	-4	SU		B-107				0	0	28,000		4	O	ARH-2456B-4
1972	2	STAT	186	186	186	34	2	2	EB,BLIX				6 from 104-B, 30 from 105-B, 18 from 107-B, 35 pit flushes		0	0	28,000		1		
1972	3	REC	102	102	288		#N/A	-2	SU		B-105				0	0	28,000		4	O	ARH-2456C-4
1972	3	REC	24	24	312		#N/A	-2	SU		B-110				0	0	28,000		4	O	ARH-2456C-4
1972	3	STAT	310	310	310	33	-2	-2	EB,BLIX				102 from 105-B, 24 from 110-B		0	0	28,000		1		
1972	4	REC	69	69	379		#N/A	-4	SU		B-105				0	0	28,000		4	O	ARH-2456D-4
1972	4	REC	14	14	383		#N/A	-4	SU		B-110				0	0	28,000		4	O	ARH-2456D-4
1972	4	STAT	395	395	395	33	2	2	EB,BLIX				69 from 105-B, 14 from 110-B		0	0	28,000		1		
1973	1	REC	4	4	389		#N/A	-2	SU		B-101				0	0	28,000		4	O	ARH-2794A-4
1973	1	REC	75	75	474		#N/A	-2	SU		B-105				0	0	28,000		3	V	ARH-2794A-4
1973	1	REC	2	2	476		#N/A	-2	SU		B-107				0	0	28,000		3	V	ARH-2794A-4
1973	1	REC	3	3	479		#N/A	-2	SU		B-110				0	0	28,000		4	O	ARH-2794A-4
1973	1	STAT	485	485	485	33	6	6	EB,BLIX				4 from 101-B, 75 from 105-B, 2 from 107-B, 3 from 110-B		0	0	28,000		1		
1973	2	REC	3	3	488		#N/A	-4	SU		B-105				0	0	28,000		4	O	ARH-2794B-4
1973	2	REC	1	1	489		#N/A	-4	SU		B-107				0	0	28,000		4	O	ARH-2794B-4

Trk. #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unsk	Waste type	Trans tank	DWAT	LAKL comment	Anderson comment	Ogden comment	% sol vol	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #
B-102	1973	2	REC	3	492	492	492	#N/A	4	SU	B-110	B-110		3 from 105-B, 1 from 107-B, 3 from 110-B, New tape		0	0	28,000	4	O	ARH-2794B-4	
B-102	1973	2	STAT		492	492	33	#N/A	4	EB, BL, X						0	0	28,000	1			
B-102	1973	3	STAT		493	493	33	1	5	EB, BL, X						0	0	28,000	1			
B-102	1973	4	STAT		497	497	33	4	9	BL, X						0	0	28,000	1			
B-102	1974	1	STAT		497	497	33	#N/A	9	EB, BL, X						0	0	28,000	1			
B-102	1974	2	REC	4	501	501		#N/A	9		B-107	B-107		Omission		0	0	28,000	3	V	ARH-2794B-4/ARH-CD-133B-4 SEND	
B-102	1974	2	REC	6	509	509		#N/A	9		B-110	B-110	Omis.	Omission		0	0	28,000	3	V	ARH-2794B-4/ARH-CD-133B-4 SEND	
B-102	1974	2	STAT		511	511	33	2	11	EB, BL, X				4 from 107-B, 8 from 110-B		0	0	28,000	1			
B-102	1974	3	REC	6	517	517		#N/A	11	SU	B-107	B-107				0	0	28,000	4	O	ARH-CD-133C-4	
B-102	1974	3	REC	15	532	532		#N/A	11	SU	B-110	B-110				0	0	28,000	3	V	ARH-2794C-4/ARH-CD-133B-4 SEND	
B-102	1974	3	SEND	-19	513	513		#N/A	11	SU	B-103	B-103				0	0	28,000	4	O	ARH-CD-133C-4	
B-102	1974	3	SEND	-63	450	450		#N/A	11	SU	B-106	B-106				0	0	28,000	4	O	ARH-CD-133C-4	
B-102	1974	3	STAT		452	452	33	2	13	EB, BL, X				6 from 107-B, 15 from 110-B, 19 to 103-B, 63 to 106-B		0	0	28,000	1			
B-102	1974	4	REC	5	457	457		#N/A	13	SU	B-107	B-107				0	0	28,000	4	O	ARH-CD-133D-4	
B-102	1974	4	REC	7	464	464		#N/A	13	SU	B-110	B-110				0	0	28,000	4	O	ARH-CD-133D-4	
B-102	1974	4	STAT		462	462	35	2	11	EB, BL, X				5 from 107-B, 7 from 110-B		0	0	28,000	1			
B-102	1975	1	REC	1	463	463		#N/A	11	SU	B-107	B-107				0	0	28,000	4	O	ARH-CD-336A-4	
B-102	1975	1	REC	2	465	465		#N/A	11	SU	B-110	B-110				0	0	28,000	4	O	ARH-CD-336A-4	
B-102	1975	1	STAT		469	469	35	4	15	EB, BL, X				1 from 107-B, 2 from 110-B		0	0	28,000	1			
B-102	1975	2	REC	1	470	470		#N/A	15	SU	B-101	B-101				0	0	28,000	3	V	ARH-CD-336B-4	
B-102	1975	2	REC	3	473	473		#N/A	15	SU	B-107	B-107				0	0	28,000	4	O	ARH-CD-336B-4	
B-102	1975	2	REC	3	476	476		#N/A	15	SU	B-110	B-110				0	0	28,000	4	O	ARH-CD-336B-4	
B-102	1975	2	SEND	-279	197	197		#N/A	15	SU	SX-106					0	0	28,000	4	O	ARH-CD-336B-4	
B-102	1975	2	STAT		200	200	35	3	18	EB, BL				Interstitial Liquid storage, 1 from 101-B, 3 from 107-B, 3 from 110-B, 279 to 106-Sx		0	0	28,000	1			
B-102	1975	3	REC	3	203	203		#N/A	18		B-107	B-107				0	0	28,000	3	V	ARH-CD-336C-4	
B-102	1975	3	REC	5	208	208		#N/A	18	SU	B-110	B-110				0	0	28,000	4	O	ARH-CD-336C-4	
B-102	1975	3	STAT		208	208	35	#N/A	18	EB, BL, X				Interstitial Liquid Storage 3 M from 107-B		0	0	28,000	1			
B-102	1975	4	REC	3	211	211		#N/A	18		B-107	B-107				0	0	28,000	3	V	ARH-CD-336D-4	
B-102	1975	4	REC	5	216	216		#N/A	18	SU	B-110	B-110	LC 43 to 44			0	0	28,000	4	O	ARH-CD-336C-4	
B-102	1975	4	STAT		219	219	35	3	21	EB, BL, X				Interstitial Liquid Storage 3 M from 107-B		0	0	28,000	1			
B-102	1976	1	REC	2	221	221		#N/A	21	SU	B-110	B-110		Interstitial Liquid Storage 3 M 107-B 5 M from 101-B		0	0	28,000	4	O	ARH-CD-702A-4	
B-102	1976	1	SEND	-179	42	42		#N/A	21	SU	B-103	B-103				0	0	28,000	4	O	ARH-CD-702A-4	
B-102	1976	1	STAT		43	43	35	1	22	EB, BL, X				Interstitial Liquid Storage 179 M to 103-B 2 M from 110-B		0	0	28,000	1			
B-102	1976	2	REC	1	44	44		#N/A	22		B-107	B-107				0	0	28,000	3	V	ARH-CD-702B-4	
B-102	1976	2	REC	1	45	45		#N/A	22	SU	B-110	B-110				0	0	28,000	4	O	ARH-CD-702B-4	
B-102	1976	2	STAT		48	48	35	3	25	EB, BL, X				1 from 107-B, 1 from 110-B		0	0	28,000	1			
B-102	1976	3	STAT		59	59	35	11	36	EFD				Interstitial Liquid Storage		0	0	28,000	1			
B-102	1976	4	STAT		68	68	51	9	45	EFD				Interstitial Liquid Storage		0	0	28,000	1			
B-102	1977	1	STAT		73	73	40	5	50	EFD				Interstitial Liquid Storage		0	0	28,000	1			
B-102	1977	2	STAT		79	79	40	6	56	EFD				Interstitial Liquid Storage		0	0	28,000	1			
B-102	1977	3	SEND	-36	43	43		#N/A	56		A-102					0	0	28,000	0			
B-102	1977	3	STAT		43	43	40	#N/A	56	EFD				Salt Well Recovery		0	0	28,000	1			
B-102	1977	4	STAT		48	48	40	5	61	EFD				Salt Well Recovery		0	0	28,000	1			
B-102	1978	1	STAT		51	51	40	3	64	DILFD				Evap. Feed Receiver		0	0	28,000	1			
B-102	1978	2	STAT		54	54	37	3	67					Salt Well Receiver		0	0	28,000	1			
B-102	1978	3	STAT		54	54	37	#N/A	67					Solid Level Adj. 9/30/78		0	0	28,000	1			
B-102	1978	4	STAT		54	54	37	#N/A	67	NGPLX				Inactive		0	0	28,000	1			

Tank #	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol %	TLM solids	Cum solids	sol type	Cl	Document/Pg #
B-102	1979	1	STAT	51	51	51	37	-3	64							0	0	28,000		1	
B-102	1979	2	STAT	51	51	51	37	#NA	64							0	0	28,000		1	
B-102	1979	3	STAT	51	51	51	37	#NA	64							0	0	28,000		1	
B-102	1979	4	STAT	51	51	51	37	#NA	64							0	0	28,000		1	
B-102	1980	1	STAT	51	51	51	37	#NA	64							0	0	28,000		1	
B-102	1980	2	STAT	51	51	51	37	#NA	64					New Photo 4/3/80		0	0	28,000		1	
B-102	1980	3	STAT	51	51	51	37	#NA	64							0	0	28,000		1	
B-102	1980	4	STAT	51	51	51	37	#NA	64							0	0	28,000		1	
B-102	1984	3	bern	17	17	34	34	#NA	64	NCPLX		AN-103				0	0	28,000		1	
B-102	1993	2	STAT	32	32	32	28	-2	62	NCPLX						0	0	28,000		0	
B-102	1993	4	STAT	32	32	32	28	#NA	62							0	0	28,000		1	
B-102	1994	1	STAT	32	32	32	28	#NA	62							0	0	28,000		1	
B-102	2000															0	0	28,000		1	



Tank n	Year	Qtr	Type	Trans vol	Slat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oyden comment	sol vol%	TLM solids	Cum solids	sol type	Q/A	Document/fg #	
B-103	1900																					
B-103	1945	2	CREC	0		0	0	#N/A	0	0 SET	B-102					0	0	0	0	1		
B-103	1945	3	STAT					#N/A	0	0						0	0	0	0	1		
B-103	1945	4	rec	66		66	66	#N/A	0	0 cas	B-102	B-102				0.00188679	0.1245	0.125	MW1	0		
B-103	1945	4	STAT			66	66	#N/A	0	0 MW				First used Dec. 1945, Last in Cascade.		0	0	0	0.125	1		
B-103	1946	1	rec	189		255	255	#N/A	0	0 cas	B-102	B-102				0.00188679	0.3586	0.481	MW1	0		
B-103	1946	1	rec	186		441	441	#N/A	0	0 cas	B-102	B-102				0.00188679	0.3509	0.832	MW1	0		
B-103	1946	1	rec	89		530	530	#N/A	0	0 cas	B-102	B-102				0.00188679	0.1679	1.000	MW1	0		
B-103	1946	1	STAT			530	530	#N/A	0	0				Filled in March, 1946		0	0	0	1.000	1		
B-103	1946	2	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1946	3	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1946	4	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1947	1	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1947	2	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1947	3	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1947	4	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1948	1	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1948	2	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1948	3	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1948	4	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1949	1	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1949	2	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1949	3	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1949	4	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1950	1	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1950	2	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1950	3	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1950	4	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1951	1	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1951	2	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1951	3	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1951	4	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1952	1	STAT			530	530	#N/A	0	0						0	0	0	1.000	1		
B-103	1952	2	STAT			519	519	#N/A	-11	0						0	0	0	1.000	1		
B-103	1952	3	STAT			519	519	#N/A	-11	0						0	0	0	1.000	1		
B-103	1952	4	STAT			519	519	#N/A	-11	0						0	0	0	1.000	1		
B-103	1953	1	sepd	-128		391	391	#N/A	-11	0		BY-109				0	0	0	1.000	1		
B-103	1953	1	REC	530		921	921	#N/A	-11	0	B-101	B-101				0.00188679	1	2.000	MW1	1		
B-103	1953	1	REC	530		1451	1451	#N/A	-11	0	B-102	B-102				0.00188679	1	3.000	MW1	1		
B-103	1953	1	REC	70		1521	1521	#N/A	-11	0	BY-102	BY-102				0	0	0	3.000	MW1	1	
B-103	1953	1	OUTX	-230		1291	1291	#N/A	-11	0	UR	UR				0	0	0	3.000		1	
B-103	1953	1	STAT			1291	1291	#N/A	-11	0				Now processing for feed to TBP Plant, 288 removed thru BR 1032		0	0	0	3.000		1	
B-103	1953	2	in	487		1778	1778	#N/A	-11	0		WTR				0	0	0	3.000		1	
B-103	1953	2	OUTX	-470		1308	1308	#N/A	-11	0	UR	UR				0	0	0	3.000		1	
B-103	1953	2	OUTX	-507		801	801	#N/A	-11	0	UR	UR				0	0	0	3.000		1	
B-103	1953	2	OUTX	-442		359	359	#N/A	-11	0	UR	UR				0	0	0	3.000		1	
B-103	1953	2	STAT			359	359	#N/A	-11	0				Supernatant		0	0	0	3.000		1	
B-103	1953	3	outx	-32		327	327	#N/A	-11	0	UR	UR				0	0	0	3.000		1	
B-103	1953	3	STAT			327	327	#N/A	-11	0						0	0	0	3.000		1	
B-103	1953	4	outx	-315		12	12	#N/A	-11	0	UR	UR				0	0	0	3.000		1	
B-103	1953	4	STAT			12	12	#N/A	-11	0				Trans. to 102-BY. Contains H2O used in slicing		0	0	0	3.000		1	
B-103	1954	1	REC	284		284	284	#N/A	-11	0	B-105	B-105				0	0	0	3.000		1	
B-103	1954	1	REC	258		554	554	#N/A	-11	0	B-105	B-105				0	0	0	3.000		1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Document/Pg #
B-103	1954	1	STAT	554	554	554	0	#NA	-11					Fixed from 105-B		0	0	3,000		1	
B-103	1954	2	STAT	554	554	554	0	#NA	-11							0	0	3,000		1	
B-103	1954	3	STAT	554	554	554	0	#NA	-11							0	0	3,000		1	
B-103	1954	4	STAT	554	554	554	0	#NA	-11							0	0	3,000		1	
B-103	1955	1	STAT	554	554	554	0	#NA	-11							0	0	3,000		1	
B-103	1955	2	STAT	554	554	554	0	#NA	-11							0	0	3,000		1	
B-103	1955	3	STAT	554	554	554	0	#NA	-11							0	0	3,000		1	
B-103	1955	4	DUX	-551		3		#NA	-11			BEVAP				0	0	3,000	BEVA	0	
B-103	1955	4	WIN	551		554		#NA	-11			BSICK				0.101633	56	59,000	BSICK	0	
B-103	1955	4	STAT	554	554	554	0	#NA	-11							0	0	59,000		1	
B-103	1956	1	STAT	554	554	554	0	#NA	-11							0	0	59,000		1	
B-103	1956	2	STAT	554	554	554	0	#NA	-11							0	0	59,000		1	
B-103	1956	3	STAT	554	554	554	0	#NA	-11							0	0	59,000		1	
B-103	1956	4	STAT	554	554	554	0	#NA	-11							0	0	59,000		1	
B-103	1957	1	STAT	554	554	554	0	#NA	-11					Latest electrode reading		0	0	59,000		1	
B-103	1957	2	SEND	-71		483		#NA	-11	SU		B-106		Shows 71 not 17		0	0	59,000		3 V	HW-50617-4
B-103	1957	2	STAT	530	530	530	0	47	36	EB			Latest electrode reading, 71 to 106B		0	0	59,000		1		
B-103	1957	3	OUTX	-271		269		#NA	36	T19	C-109	Tf=CN	OC (223,292) to (202,271) in (B-101, B-103)	Total 473 for B-101, B-103	0	0	59,000		2 V	N-54-293	
B-103	1957	3	STAT	230	230	230	227	29	7	EB			Latest electrode reading, 292 scavenged.		0	0	59,000		1		
B-103	1957	4	STAT	235	235	235	227	5	12				Latest electrode reading.		0	0	59,000		1		
B-103	1958	1	STAT	235	235	235	227	#NA	12	EB			CW (1069TU)		0	0	59,000		1		
B-103	1958	2	STAT	238	238	238	227	3	15				CW (1077TU), Latest electrode reading		0	0	59,000		1		
B-103	1958	3	STAT	238	238	238	227	#NA	15				CW (1275TU)		0	0	59,000		1		
B-103	1958	4	STAT	238	238	238	227	#NA	15				CW (1275TU)		0	0	59,000		1		
B-103	1959	1	STAT	238	238	238	227	#NA	15						0	0	59,000		1		
B-103	1959	2	STAT	238	238	238	227	#NA	15						0	0	59,000		1		
B-103	1959	3	STAT	238	238	238	227	#NA	15						0	0	59,000		1		
B-103	1959	4	STAT	238	238	238	227	#NA	15						0	0	59,000		1		
B-103	1960	1	STAT	238	238	238	227	#NA	15						0	0	59,000		1		
B-103	1960	2	STAT	238	238	238	227	#NA	15						0	0	59,000		1		
B-103	1960	3	STAT	238	238	238	227	#NA	15						0	0	59,000		1		
B-103	1960	4	STAT	238	238	238	227	#NA	15	EB					0	0	59,000		1		
B-103	1961	1	STAT	N/A	N/A	238		#NA	15						0	0	59,000		1		
B-103	1961	2	STAT	241	241	241	227	3	18						0	0	59,000		1		
B-103	1961	3	STAT	241	241	241	227	#NA	18						0	0	59,000		1		
B-103	1961	4	STAT	241	241	241	227	#NA	18						0	0	59,000		1		
B-103	1962	1	DUX	-16		225		#NA	18	ADJ	CORR	COND			0	0	59,000		0		
B-103	1962	1	STAT	N/A	N/A	225		#NA	18						0	0	59,000		0		
B-103	1962	2	STAT	222	222	222	222	-3	15	EB					0	0	59,000		1		
B-103	1962	3	STAT	222	222	222	222	#NA	15	EB					0	0	59,000		1		
B-103	1962	4	STAT	222	222	222	220	#NA	15	EB					0	0	59,000		1		
B-103	1963	1	STAT	222	222	222	220	#NA	15	EB					0	0	59,000		1		
B-103	1963	2	STAT	222	222	222	220	#NA	15	EB					0	0	59,000		1		
B-103	1963	3	XIN	281		503		#NA	15	CWP					0	0	59,000		1		
B-103	1963	3	lec	89		592		#NA	15	cas	B-102			Omission	0	0	59,000		3 V	HW-60379-4	
B-103	1963	3	STAT	N/A	N/A	592		#NA	15	cas	B-102				0	0	59,000		0		
B-103	1963	4	lec	125		717		#NA	15	cas	B-102				0	0	59,000		0		
B-103	1963	4	send	-214		503		#NA	15		A-102		stuffing input		0	0	59,000		0		
B-103	1963	4	STAT	503	503	503	59	#NA	15	EB/CW					0	0	59,000		1		
B-103	1964	1	STAT	N/A	N/A	536		#NA	15	CWP				281 CW	0	0	59,000		1		
B-103	1964	2	STAT	536	536	536	59	#NA	15	EB/CW					0	0	59,000		1		
B-103	1964	3	STAT	N/A	N/A	536		#NA	15					33 CW	0	0	59,000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
B-103	1964	4	STAT	552	552	552	59	16	31	EB,CW				New electrode (Read confirmed)		0	0	59,000		1		
B-103	1965	1	STAT	N/A	552	552	N/A	31	31							0	0	59,000		1		
B-103	1965	2	STAT	560	560	560	59	8	39	CW				New electrode		0	0	59,000		1		
B-103	1965	3	STAT	560	560	560	59	N/A	39	CW						0	0	59,000		1		
B-103	1965	4	STAT	560	560	560	59	N/A	39	CW						0	0	59,000		1		
B-103	1966	1	STAT	560	560	560	59	N/A	39	CW						0	0	59,000		1		
B-103	1966	2	STAT	560	560	560	59	N/A	39	CW						0	0	59,000		1		
B-103	1966	3	STAT	560	560	560	59	N/A	39	CW						0	0	59,000		1		
B-103	1966	4	STAT	560	560	560	59	N/A	39	CW						0	0	59,000		1		
B-103	1967	1	STAT	560	560	560	59	N/A	39	CW						0	0	59,000		1		
B-103	1967	2	STAT	560	560	560	59	N/A	39	CW						0	0	59,000		1		
B-103	1967	3	STAT	560	560	560	59	N/A	39	CW						0	0	59,000		1		
B-103	1967	4	STAT	560	560	560	59	N/A	39	CW						0	0	59,000		1		
B-103	1968	1	STAT	558	558	558	59	-2	37	CW						0	0	59,000		1		
B-103	1968	2	STAT	568	568	568	59	N/A	37	EB,CW						0	0	59,000		1		
B-103	1968	3	STAT	559	559	559	59	1	38	EB,CW						0	0	59,000		1		
B-103	1968	4	STAT	560	560	560	59	1	39	EB,CW						0	0	59,000		1		
B-103	1969	1	REC	212	212	772	N/A	39	SU		B-108					0	0	59,000		4	O	ARH-1200A-5
B-103	1969	1	SEND	-706	-706	66	N/A	39	SU		BY-103			212 From 108-B, 706 to 103-BY		0	0	59,000		4	O	ARH-1200A-6
B-103	1969	1	STAT	66	66	66	59	N/A	39	EB						0	0	59,000		1		
B-103	1969	2	XIN	33	33	99	N/A	39	FLSH							0	0	59,000		3	V	ARH-1200B-5
B-103	1969	2	REC	124	223	364	N/A	39	SU		B-104		OC 0 to 33	Shows 33 not 0		0	0	59,000		4	O	ARH-1200B-5
B-103	1969	2	REC	207	430	637	N/A	39	SU		B-106					0	0	59,000		4	O	ARH-1200B-5
B-103	1969	2	REC	597	1027	1624	N/A	39	SU		B-112					0	0	59,000		4	O	ARH-1200B-5
B-103	1969	2	REC	1556	2583	4139	N/A	39	SU		BX-103					0	0	59,000		4	O	ARH-1200B-5
B-103	1969	2	SEND	-2425	-2425	158	N/A	39	SU		BY-103					0	0	59,000		4	O	ARH-1200B-5
B-103	1969	2	STAT	158	158	158	59	N/A	39	CW,OWW						0	0	59,000		1		
B-103	1969	3	REC	206	364	570	N/A	39	SU		B-106					0	0	59,000		4	O	ARH-1200C-5
B-103	1969	3	REC	327	691	1018	N/A	39	SU		B-107					0	0	59,000		4	O	ARH-1200C-5
B-103	1969	3	REC	393	1084	1477	N/A	39	SU		B-109					0	0	59,000		4	O	ARH-1200C-5
B-103	1969	3	REC	339	1423	1762	N/A	39	SU		B-112					0	0	59,000		4	O	ARH-1200C-5
B-103	1969	3	REC	724	2147	2871	N/A	39	SU		BX-103					0	0	59,000		4	O	ARH-1200C-5
B-103	1969	3	SEND	-2085	-2085	92	N/A	39	SU		BY-103					0	0	59,000		4	O	ARH-1200C-5
B-103	1969	3	STAT	55	55	55	55	3	42							0	0	59,000		1		
B-103	1969	4	STAT	208	208	263	N/A	42	42	SU		B-111				0	0	59,000		4	O	ARH-1666A-5
B-103	1970	1	REC	0	0	263	N/A	42	42	SU		B-110		*+208 to		0	0	59,000		1		
B-103	1970	1	STAT	263	263	526	N/A	42	42	IX		B-111		208 from 111-B		0	0	59,000		1		
B-103	1970	2	REC	279	542	821	N/A	42	42	SU		B-110				0	0	59,000		4	O	ARH-1666B-5
B-103	1970	2	REC	0	0	542	N/A	42	42	SU		B-110		*+279 to		0	0	59,000		1		
B-103	1970	2	STAT	541	541	541	55	-1	41							0	0	59,000		1		
B-103	1970	3	STAT	541	541	541	55	N/A	41							0	0	59,000		1		
B-103	1970	4	STAT	541	541	541	55	N/A	41							0	0	59,000		1		
B-103	1971	1	STAT	540	540	540	55	N/A	41	IX						0	0	59,000		1		
B-103	1971	2	STAT	540	540	540	59	-1	40	IX						0	0	59,000		1		
B-103	1971	3	STAT	539	539	539	59	-1	39	IX						0	0	59,000		1		
B-103	1971	4	REC	490	1029	1519	N/A	39	39	SU		B-112				0	0	59,000		4	O	ARH-2074D-5
B-103	1971	4	SEND	-824	-824	206	N/A	39	39	SU		TX-101		490 from 112-B, 824 to 101-TX		0	0	59,000		4	O	ARH-2074D-5
B-103	1971	4	STAT	206	206	206	20	1	40	BL,IX						0	0	59,000		1		

Tank #	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM soltes	Cum soltes	sol type	Cl	QA	Document/Gr #
B-103	1972	1	REC	417	623					40 SU	B-108	B-108				0	0	59,000	4	O	ARH-2456A-4	
B-103	1972	1	REC	333	956					40 SU	B-109	B-109				0	0	59,000	4	O	ARH-2456A-4	
B-103	1972	1	REC	239	1195					40 SU	B-111	B-111				0	0	59,000	3	O	ARH-2456A-4	
B-103	1972	1	SEND	326	869					40 SU	B-109	B-109				0	0	59,000	4	O	ARH-2456A-4	
B-103	1972	1	SEND	264	605					40 SU	C-105	C-105				0	0	59,000	3	O	ARH-2456A-4	
B-103	1972	1	SEND	553	52					40 SU	TX-101	TX-101				0	0	59,000	4	O	ARH-2456A-4	
B-103	1972	1	REC	0	52					40 SU	B-110	B-110	*2239 to			0	0	59,000	1			
B-103	1972	1	STAT		52		52			40				417 From 108-B, 333 From 109-B, 239 from 111-B, 326 to 109-B, 264 to 108-C, 553 to 101-TX "Dry Wells 20-03-02, 20-03-03, 20-03-06, 20-03-09, 20-03-11 drilled.			0	0				
B-103	1972	2	XIN	7	59		52			40 FLSH	WTR	WTR	OC 0 to 7	Shows 7 not 0.		0	0	59,000	3	V	ARH-2456B-4	
B-103	1972	3	XIN	9	68		52			40 FLSH	WTR	WTR	AC 0 to 9	7 pit flushes		0	0	59,000	1			
B-103	1972	4	STAT		68		52			40 H2O				9 pit flushes		0	0	59,000	1			
B-103	1972	4	STAT		87		52	19		59				New tape		0	0	59,000	1			
B-103	1973	1	STAT		87		52			59 H2O						0	0	59,000	1			
B-103	1973	2	REC	184	271		52			59 SU	BX-104	BX-104		184 from 104-BX		0	0	59,000	4	O	ARH-2794B-4	
B-103	1973	3	STAT		251		52			58 IX				New tape		0	0	59,000	1			
B-103	1973	4	REC	307	568		52			39 IX	C-104	C-104				0	0	59,000	1			
B-103	1973	4	SEND	70	488		52			39 SU	B-109	B-109				0	0	59,000	4	O	ARH-2794D-4	
B-103	1973	4	STAT		489		52			40	BNW,NLW,R,CW,DW,IX,TBP			307 from 104-C, 70 to 109-B		0	0	59,000	1			
B-103	1974	1	STAT		489		52			40	BNW,NLW,R,CW,DW,IX,TBP					0	0	59,000	1			
B-103	1974	3	REC	19	504		52			40 SU	B-102	B-102				0	0	59,000	1			
B-103	1974	4	STAT		504		52			36	BNW,NLW,R,CW,IX,TBP,EB			19 from 102-B		0	0	59,000	4	O	ARH-CD-133C-4	
B-103	1975	1	STAT		499		52			31	BNW,NLW,R,CW,DW,IX,TBP,EB					0	0	59,000	1			
B-103	1975	2	STAT		499		52			31	BNW,NLW,R,CW,DW,IX,TBP,EB					0	0	59,000	1			
B-103	1975	3	STAT		499		52			31	BNW,NLW,R,CW,DW,IX,TBP,EB					0	0	59,000	1			
B-103	1975	4	XIN	5	505		52			37	WTR	WTR		5 water		0	0	59,000	3	V	ARH-CD-335C-4	
B-103	1975	4	XIN	13	510		52			37	WTR	WTR		Shows 4th Qtr		0	0	59,000	4	O	ARH-CD-336D-4	
B-103	1975	4	REC	145	668		52			37 SU	B-106	B-106		Shows 4th Qtr		0	0	59,000	4	IMV	ARH-CD-336D-4	
B-103	1975	4	REC	305	973		52			37 SU	B-109	B-109		Shows 4th Qtr		0	0	59,000	4	O	ARH-CD-336D-4	
B-103	1975	4	SEND	669	304		52			37 SU	SX-110	SX-110				0	0	59,000	4	O	ARH-CD-336D-4	
B-103	1975	4	STAT		299		68			32	224,IX,EB			669 to 110-SX, 13 water, 145 from 106-B, 305 from 109-B		0	0	59,000	1			
B-103	1976	1	XIN	10	309		68			32	WTR	WTR				0	0	59,000	3	O	ARH-CD-702A-4	
B-103	1976	1	REC	179	488		68			32 SU	B-102	B-102				0	0	59,000	4	O	ARH-CD-702A-4	
B-103	1976	1	REC	4	492		68			32 SU	B-109	B-109				0	0	59,000	4	O	ARH-CD-702A-4	
B-103	1976	2	XIN	5	497		68			32	WTR	WTR				0	0	59,000	1			
B-103	1976	2	SEND	367	130		68			32 SU	SX-110	SX-110		Shows 2nd Qtr		0	0	59,000	3	O	ARH-CD-702B-4	
B-103	1976	3	STAT		130		68			32						0	0	59,000	1			
B-103	1976	4	STAT		130		68			32						0	0	59,000	1			
B-103	1977	1	STAT		131		68			33						0	0	59,000	1			
B-103	1977	2	SEND	41	90		68			33	A-102	A-102		Evap. Feed Dil.		0	0	59,000	0			
B-103	1977	3	STAT		90		68			33				Evap. Feed Dil.		0	0	59,000	1			
B-103	1977	4	STAT		90		68			33				Inactivity current		0	0	59,000	1			
B-103	1978	1	STAT		90		68			33	NCPLX	NCPLX		Inactivity current		0	0	59,000	1			
B-103	1978	2	STAT		92		68			35				Inactivity current		0	0	59,000	1			
B-103	1978	3	STAT		92		68			35				P-10 Fmp. Removed		0	0	59,000	1			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk idr	Cum unk	Waste type	Trans tank	DWXT	LANK comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	QI	Document/Fg #
B-103	1978	4	STAT		92	92	68	#N/A	35								0	59,000		1	
B-103	1979	1	STAT		92	92	68	#N/A	35								0	59,000		1	
B-103	1979	2	STAT		92	92	68	#N/A	35					Questionable integrity			0	59,000		1	
B-103	1979	3	STAT		92	92	68	#N/A	35								0	59,000		1	
B-103	1979	4	STAT		92	92	68	#N/A	35								0	59,000		1	
B-103	1980	1	STAT		92	92	68	#N/A	35					Photo taken 2/7/80			0	59,000		1	
B-103	1980	2	STAT		92	92	68	#N/A	35								0	59,000		1	
B-103	1980	3	STAT		92	92	68	#N/A	35								0	59,000		1	
B-103	1980	4	STAT		92	92	68	#N/A	35								0	59,000		1	
B-103	1988	3	send	-32		60	60	#N/A	35	NCPLX		AY-101					0	59,000		1	
B-103	1993	2	STAT		59	59	59	-1	34	NCPLX							0	59,000		1	
B-103	1993	4	STAT		59	59	59	#N/A	34								0	59,000		1	
B-103	1994	1	STAT		59	59	59	#N/A	34								0	59,000		1	
B-103	2000																0	59,000		1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	L.A.N.L. comment	Anderson comment	Objctn comment	sol vol%	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #
B-104	1900																					
B-104	1946	3	CSEND	0	0	0	0	#NA	0	0 SET	B-105					0.067873	0	0.000		1		
B-104	1946	3	XIN	76	76	76	76	#NA	0	0 2C		2C1				0.067873	5.1584	5.1584 2C1		1		
B-104	1946	3	XIN	89	165	165	165	#NA	0	0 2C		2C1		First used in Aug. 1946 (1st in Cascade)		0.067873	6.0407	11.199 2C1		1		
B-104	1946	3	STAT	165	165	165	165	#NA	0	0 2C		2C1				0	11.199			1		
B-104	1946	4	XIN	123	288	288	288	#NA	0	0 2C		2C1				0.067873	8.3484	19.548 2C1		1		
B-104	1946	4	XIN	79	367	367	367	#NA	0	0 2C		2C1				0.067873	5.362	24.910 2C1		1		
B-104	1946	4	XIN	123	490	490	490	#NA	0	0 2C		2C1				0.067873	8.3484	33.258 2C1		1		
B-104	1946	4	STAT	490	490	490	490	#NA	0	0 2C		2C1				0	33.258			1		
B-104	1947	1	XIN	73	563	563	563	#NA	0	0 2C		2C1				0.067873	4.9548	38.213 2C1		1		
B-104	1947	1	send	-33	530	530	530	#NA	0	0 cas		B-105				0.067873	0	38.213		0		
B-104	1947	1	XIN	41	571	571	571	#NA	0	0 2C		2C1				0.067873	2.7828	40.995 2C1		1		
B-104	1947	1	send	-41	530	530	530	#NA	0	0 cas		B-105				0	40.995			0		
B-104	1947	1	XIN	97	627	627	627	#NA	0	0 2C		2C1				0.067873	6.5837	47.579 2C1		1		
B-104	1947	1	send	-97	530	530	530	#NA	0	0 cas		B-105				0	47.579			0		
B-104	1947	1	STAT	530	530	530	530	#NA	0	0				Filled in Feb. 1947		0	47.579			1		
B-104	1947	2	XIN	62	592	592	592	#NA	0	0 2C		2C1				0.067873	4.2081	51.787 2C1		1		
B-104	1947	2	send	-62	530	530	530	#NA	0	0 cas		B-105				0	51.787			0		
B-104	1947	2	XIN	81	611	611	611	#NA	0	0 2C		2C1				0.067873	5.4977	57.285 2C1		1		
B-104	1947	2	send	-81	530	530	530	#NA	0	0 cas		B-105				0	57.285			0		
B-104	1947	2	XIN	65	585	585	585	#NA	0	0 2C		2C1				0.067873	4.4118	61.697 2C1		1		
B-104	1947	2	send	-65	530	530	530	#NA	0	0 cas		B-105				0	61.697			0		
B-104	1947	2	STAT	530	530	530	530	#NA	0	0						0	61.697			1		
B-104	1947	3	XIN	82	612	612	612	#NA	0	0 2C		2C1				0.067873	5.5658	67.262 2C1		1		
B-104	1947	3	send	-82	530	530	530	#NA	0	0 cas		B-105				0	67.262			0		
B-104	1947	3	XIN	65	595	595	595	#NA	0	0 2C		2C1				0.067873	4.4118	71.674 2C1		1		
B-104	1947	3	send	-65	530	530	530	#NA	0	0 cas		B-105				0	71.674			0		
B-104	1947	3	XIN	62	582	582	582	#NA	0	0 2C		2C1				0.067873	4.2081	75.882 2C1		1		
B-104	1947	3	send	-62	530	530	530	#NA	0	0 cas		B-105				0	75.882			0		
B-104	1947	3	STAT	530	530	530	530	#NA	0	0						0	75.882			1		
B-104	1947	4	XIN	55	585	585	585	#NA	0	0 2C		2C1				0.067873	3.733	79.615 2C1		1		
B-104	1947	4	send	-55	530	530	530	#NA	0	0 cas		B-105				0	79.615			0		
B-104	1947	4	XIN	53	583	583	583	#NA	0	0 2C		2C1				0.067873	3.5973	83.213 2C1		1		
B-104	1947	4	send	-53	530	530	530	#NA	0	0 cas		B-105				0	83.213			0		
B-104	1947	4	XIN	49	579	579	579	#NA	0	0 2C		2C1				0.067873	3.3258	86.538 2C1		1		
B-104	1947	4	send	-49	530	530	530	#NA	0	0 cas		B-105				0	86.538			0		
B-104	1947	4	STAT	530	530	530	530	#NA	0	0						0	86.538			1		
B-104	1948	1	XIN	75	605	605	605	#NA	0	0 2C		2C1				0.067873	5.0905	91.629 2C1		1		
B-104	1948	1	send	-75	530	530	530	#NA	0	0 cas		B-105				0	91.629			0		
B-104	1948	1	XIN	71	676	676	676	#NA	0	0 2C		2C1				0.067873	4.819	96.448 2C1		1		
B-104	1948	1	send	-71	530	530	530	#NA	0	0 cas		B-105				0	96.448			0		
B-104	1948	1	XIN	72	602	602	602	#NA	0	0 2C		2C1				0.067873	4.8669	101.335 2C1		1		
B-104	1948	1	send	-72	530	530	530	#NA	0	0 cas		B-105				0	101.335			0		
B-104	1948	1	STAT	530	530	530	530	#NA	0	0						0	101.335			1		
B-104	1948	2	XIN	65	595	595	595	#NA	0	0 2C		2C1				0.067873	4.4118	105.747 2C1		1		
B-104	1948	2	send	-65	530	530	530	#NA	0	0 cas		B-105				0	105.747			0		
B-104	1948	2	XIN	32	582	582	582	#NA	0	0 2C		2C1				0.067873	2.1719	107.919 2C1		1		
B-104	1948	2	send	-32	530	530	530	#NA	0	0 cas		B-105				0	107.919			0		
B-104	1948	2	STAT	530	530	530	530	#NA	0	0						0	107.919			1		
B-104	1948	3	OUTX	75	455	455	455	#NA	0	0 SU		B-008				0	107.919			1		
B-104	1948	3	OUTX	285	170	170	170	#NA	0	0 SU		B-008				0	107.919			1		
B-104	1948	3	OUTX	27	143	143	143	#NA	0	0 SU		B-008				0	107.919			1		
B-104	1948	3	STAT	188	188	188	188	0	45	45 2C			and stats at 216			0	107.919			1		
B-104	1948	4	XIN	46	236	236	236	#NA	45	2C		2C1				0.067873	3.2579	111.176 2C1		1		
B-104	1948	4	STAT	224	224	224	224	0	12	33 2C			and stats at 216			0	111.176			1		
B-104	1949	1	XIN	98	322	322	322	#NA	33	2C		2C1				0.067873	6.6516	117.828 2C1		1		
B-104	1949	1	XIN	68	390	390	390	#NA	33	2C		2C1				0.067873	4.6154	122.443 2C1		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
B-104	1949	1	XIN	110		500		#N/A	33	2C		2C1				0.067873	7.4661	129.909	2C1	1		
B-104	1949	1	STAT		530	530	0	30	63	2C			fj stats at 463	Filled in March 1949		0	0	129.909		1		
B-104	1949	2	XIN	63		593		#N/A	63	2C		2C1				0.067873	4.276	134.186	2C1	1		
B-104	1949	2	XIN	62		655		#N/A	63	2C		2C1				0.067873	4.2081	136.394	2C1	1		
B-104	1949	2	XIN	57		712		#N/A	63	2C		2C1				0.067873	3.8668	142.262	2C1	1		
B-104	1949	2	send	-125		587		#N/A	63	cas		B-105				0	0	142.262		0		
B-104	1949	2	STAT		N/A	587	0	#N/A	63				phasing error with cascades? 530 to n/a			0	0	142.262		1		
B-104	1949	3	send	-57		530		#N/A	63	cas		B-105				0	0	142.262		0		
B-104	1949	3	XIN	53		583		#N/A	63	2C		2C1				0.067873	3.5973	145.860	2C1	1		
B-104	1949	3	send	-53		530		#N/A	63	cas		B-105				0	0	145.860		0		
B-104	1949	3	XIN	46		576		#N/A	63	2C		2C1				0.067873	3.1222	148.982	2C1	1		
B-104	1949	3	send	-46		530		#N/A	63	cas		B-105				0	0	148.982		0		
B-104	1949	3	XIN	67		597		#N/A	63	2C		2C1				0.067873	4.5475	153.529	2C1	1		
B-104	1949	3	send	-67		530		#N/A	63	cas		B-105				0	0	153.529		0		
B-104	1949	3	STAT		530	530	0	#N/A	63							0	0	153.529		1		
B-104	1949	4	XIN	90		620		#N/A	63	2C		2C1				0.067873	6.1086	159.638	2C1	1		
B-104	1949	4	send	-90		530		#N/A	63	cas		B-105				0	0	159.638		0		
B-104	1949	4	XIN	86		616		#N/A	63	2C		2C1				0.067873	5.8371	165.475	2C1	1		
B-104	1949	4	send	-86		530		#N/A	63	cas		B-105				0	0	165.475		0		
B-104	1949	4	XIN	99		629		#N/A	63	2C		2C1				0.067873	6.7195	172.195	2C1	1		
B-104	1949	4	send	-99		530		#N/A	63	cas		B-105				0	0	172.195		0		
B-104	1949	4	STAT		530	530	0	#N/A	63							0	0	172.195		1		
B-104	1950	1	XIN	108		638		#N/A	63	2C		2C1				0.067873	7.3303	179.525	2C1	1		
B-104	1950	1	send	-108		530		#N/A	63	cas		B-105				0	0	179.525		0		
B-104	1950	1	XIN	97		627		#N/A	63	2C		2C1				0.067873	6.5837	186.109	2C1	1		
B-104	1950	1	send	-97		530		#N/A	63	cas		B-105				0	0	186.109		0		
B-104	1950	1	XIN	78		608		#N/A	63	2C		2C1				0.067873	5.2941	191.403	2C1	1		
B-104	1950	1	send	-78		530		#N/A	63	cas		B-105				0	0	191.403		0		
B-104	1950	1	STAT		530	530	0	#N/A	63							0	0	191.403		1		
B-104	1950	2	XIN	53		583		#N/A	63	2C		2C1				0.067873	3.5973	195.000	2C1	1		
B-104	1950	2	send	-53		530		#N/A	63	cas		B-105				0	0	195.000		0		
B-104	1950	2	STAT		530	530	0	#N/A	63	2C			and stats at 501	cribbed		0	0	195.000		0		
B-104	1950	3	XIN	98		628		#N/A	63	1C		1C1				0.13786	13.51	206.510	1C1	1		
B-104	1950	3	XIN	211		839		#N/A	63	1C		1C1				0.13786	29.088	237.599	1C1	1		
B-104	1950	3	XIN	177		1016		#N/A	63	1C		1C1				0.13786	24.401	262.000	1C1	1		
B-104	1950	3	send	-211		805		#N/A	63	cas		B-105				0	0	262.000		0		
B-104	1950	3	send	-177		628		#N/A	63	cas		B-105				0	0	262.000		0		12.00000096
B-104	1950	3	send	-98		530		#N/A	63	cas		B-105				0	0	262.000		0		
B-104	1950	3	CSEND	0		530		#N/A	63	END		B-105				0	0	262.000		0		
B-104	1950	3	STAT		530	530	0	#N/A	63							0	0	262.000		1		
B-104	1950	4	STAT		530	530	0	#N/A	63	1C						0	0	262.000		1		
B-104	1951	1	STAT		530	530	0	#N/A	63							0	0	262.000		1		
B-104	1951	2	STAT		530	530	0	#N/A	63							0	0	262.000		1		
B-104	1951	3	STAT		N/A	530		#N/A	63							0	0	262.000		1		
B-104	1951	4	STAT		N/A	530		#N/A	63							0	0	262.000		1		
B-104	1952	1	STAT		530	530	0	#N/A	63							0	0	262.000		1		
B-104	1952	2	STAT		530	530	0	#N/A	63	1C						0	0	262.000		1		
B-104	1952	3	SEND	-120		410		#N/A	63	SU		B-106				0	0	262.000		1		
B-104	1952	3	STAT		410	410	0	#N/A	63	1C				Partially pumped to 106-B. Not down to sludge.		0	0	262.000		1		
B-104	1952	4	REC	121		531		#N/A	63	SL	B-106	B-106	BSItck			0	0	262.000		1		
B-104	1952	4	STAT		531	531	0	#N/A	63	EB						0	0	262.000		1		
B-104	1953	1	STAT		531	531	309	#N/A	63	EB				Started filling 12-4-52		0	0	262.000		1		
B-104	1953	2	SEND	-169		362		#N/A	63	SU		B-106				0	0	262.000		1		
B-104	1953	2	STAT		354	354	309	-8	55	EB						0	0	262.000		1		
B-104	1953	3	REC	154		508		#N/A	55	SL	B-106	B-106	BSItck			0	0	262.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unkl	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Origin comment	sol vol%	TLM accl'ds	Cum accl'ds	sol type	OK	O/A	Document/g #
B-104	1953	3	STAT		508	508	309	#NA	55	EB				Rec'd TBP Waste Evap. bottoms		0	0	262,000		1		
B-104	1953	4	REC	17		525		#NA	55	SL	B-106	B-106	BSICK			0	0	262,000		1		
B-104	1953	4	STAT		525	525	309	#NA	55					IC sludge and TBP Evap. bottoms		0	0	262,000		1		
B-104	1954	1	STAT		525	525	309	#NA	55							0	0	262,000		1		
B-104	1954	2	STAT		525	525	309	#NA	55	EB						0	0	262,000		1		
B-104	1954	3	XIN	8		533		#NA	55	WTR						0	0	262,000		1		
B-104	1954	3	STAT		537	537	309	4	59					Rec'd drainage from 151-B diversion box		0	0	262,000		1		
B-104	1954	4	STAT	318		537		#NA	59							0.191824	61	323,000	BEVA	0		
B-104	1955	4	XIN			537		#NA	59							0	0	323,000		1		
B-104	1955	4	STAT		537	537	309	#NA	59							0	0	323,000		1		
B-104	1956	1	STAT		537	537	309	#NA	59							0	0	323,000		1		
B-104	1956	2	STAT		537	537	309	#NA	59							0	0	323,000		1		
B-104	1956	3	STAT		537	537	309	#NA	59	EB						0	0	323,000		1		
B-104	1957	4	STAT		536	536	309	-2	57	EB						0	0	323,000		1		
B-104	1957	2	STAT		535	535	40	#NA	57	EB				Latest electrode reading		0	0	323,000		1		
B-104	1957	3	STAT		535	535	365	#NA	57	EB				Latest electrode reading		0	0	323,000		1		
B-104	1957	4	STAT		535	535	309	#NA	57	EB						0	0	323,000		1		
B-104	1958	1	STAT		532	532	530	-3	54							0	0	323,000		1		
B-104	1958	2	STAT		532	532	530	54	54							0	0	323,000		1		
B-104	1958	3	STAT		532	532	530	#NA	54							0	0	323,000		1		
B-104	1958	4	STAT		532	532	530	#NA	54							0	0	323,000		1		
B-104	1959	1	STAT		532	532	530	#NA	54	EB						0	0	323,000		1		
B-104	1959	2	XIN	5		537		#NA	54	WTR						0	0	323,000		1		
B-104	1959	2	STAT		546	546	530	9	63					New Electrode		0	0	323,000		1		
B-104	1959	3	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1959	4	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1960	1	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1960	2	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1960	3	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1960	4	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1961	1	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1961	2	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1961	3	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1961	4	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1962	1	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1962	2	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1962	3	STAT		546	546	530	#NA	63							0	0	323,000		1		
B-104	1962	4	STAT		546	546	530	#NA	63	EB						0	0	323,000		1		
B-104	1963	1	STAT		546	546	530	#NA	63	EB						0	0	323,000		1		
B-104	1963	2	STAT		546	546	409	#NA	63							0	0	323,000		1		
B-104	1963	3	STAT		546	546	409	#NA	63							0	0	323,000		1		
B-104	1963	4	STAT		546	546	409	#NA	63	EB						0	0	323,000		1		
B-104	1964	1	STAT		546	546	409	#NA	63							0	0	323,000		1		
B-104	1964	2	STAT		542	542	409	-4	59					New electrode		0	0	323,000		1		
B-104	1964	3	STAT		542	542	409	#NA	59							0	0	323,000		1		
B-104	1964	4	STAT		542	542	409	#NA	59							0	0	323,000		1		
B-104	1965	1	STAT		542	542	409	#NA	59							0	0	323,000		1		
B-104	1965	2	STAT		542	542	409	#NA	59							0	0	323,000		1		
B-104	1965	3	STAT		542	542	409	#NA	59							0	0	323,000		1		
B-104	1965	4	STAT		542	542	409	#NA	59							0	0	323,000		1		



Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unit ttr	Cum Unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Organ comment	eci vol%	TLM scales	Cum scales	sol type	Q/A	Document/Pg #
B-104	1966	1	STAT	542	542	409	#N/A	59							0	0	323,000	1		
B-104	1966	2	STAT	542	542	409	#N/A	59							0	0	323,000	1		
B-104	1966	3	STAT	542	542	409	#N/A	59							0	0	323,000	1		
B-104	1966	4	STAT	542	542	409	#N/A	59							0	0	323,000	1		
B-104	1967	1	STAT	541	541	409	-1	58							0	0	323,000	1		
B-104	1967	2	STAT	541	541	409	#N/A	58							0	0	323,000	1		
B-104	1967	3	STAT	541	541	409	#N/A	58							0	0	323,000	1		
B-104	1967	4	STAT	541	541	409	#N/A	58							0	0	323,000	1		
B-104	1968	1	STAT	541	541	409	#N/A	58							0	0	323,000	1		
B-104	1968	2	STAT	541	541	409	#N/A	58							0	0	323,000	1		
B-104	1968	3	STAT	541	541	409	#N/A	58							0	0	323,000	1		
B-104	1968	4	STAT	541	541	409	#N/A	58							0	0	323,000	1		
B-104	1969	1	STAT	541	541	409	#N/A	58							0	0	323,000	1		
B-104	1969	2	SEND	417	417	417	#N/A	58	SU		B-103				0	0	323,000	4	0	ARH01200B-5
B-104	1969	3	STAT	417	417	409	#N/A	58	EB			124 to 103-B			0	0	323,000	1		
B-104	1969	4	STAT	417	417	409	#N/A	58							0	0	323,000	1		
B-104	1970	1	STAT	417	417	409	#N/A	58	EB						0	0	323,000	1		
B-104	1970	2	STAT	417	417	414	#N/A	58	EB						0	0	323,000	1		
B-104	1970	3	STAT	418	418	400	1	58	EB						0	0	323,000	1		
B-104	1970	4	STAT	417	417	400	-1	58							0	0	323,000	1		
B-104	1971	1	STAT	417	417	400	#N/A	58	EB						0	0	323,000	1		
B-104	1971	2	STAT	418	418	400	1	59							0	0	323,000	1		
B-104	1971	3	STAT	418	418	400	#N/A	59							0	0	323,000	1		
B-104	1971	4	STAT	418	418	400	#N/A	59							0	0	323,000	1		
B-104	1972	1	STAT	418	418	400	#N/A	59	EB						0	0	323,000	1		
B-104	1972	2	XIN	6	424	424	#N/A	59	FLSH		WTR				0	0	323,000	4	0	ARH-2456B-4
B-104	1972	2	SEND	-6	418	418	#N/A	59	SU		B-102				0	0	323,000	4	0	ARH-2456B-4
B-104	1972	3	STAT	414	414	400	-1	55	EB			6 flush water, 8 to 102-B			0	0	323,000	1		
B-104	1972	4	STAT	411	411	400	-3	52	EB						0	0	323,000	1		
B-104	1973	1	STAT	408	408	400	-3	49	EB						0	0	323,000	1		
B-104	1973	2	STAT	403	403	400	5	44	EB						0	0	323,000	1		
B-104	1973	3	STAT	404	404	400	1	45							0	0	323,000	1		
B-104	1973	4	STAT	404	404	400	#N/A	45	EB						0	0	323,000	1		
B-104	1974	1	STAT	405	405	400	1	46	EB						0	0	323,000	1		
B-104	1974	2	STAT	407	407	400	2	48							0	0	323,000	1		
B-104	1974	3	STAT	407	407	400	#N/A	48	EB						0	0	323,000	1		
B-104	1975	1	STAT	400	400	400	#N/A	41							0	0	323,000	1		
B-104	1975	2	STAT	400	400	400	#N/A	41							0	0	323,000	1		
B-104	1975	3	STAT	400	400	400	#N/A	41							0	0	323,000	1		
B-104	1975	4	STAT	400	400	400	#N/A	41							0	0	323,000	1		
B-104	1976	1	STAT	400	400	400	#N/A	41							0	0	323,000	1		
B-104	1976	2	STAT	409	409	395	9	50							0	0	323,000	1		
B-104	1976	3	STAT	409	409	395	#N/A	50							0	0	323,000	1		
B-104	1976	4	STAT	409	409	395	#N/A	50							0	0	323,000	1		
B-104	1977	1	STAT	409	409	395	#N/A	50							0	0	323,000	1		
B-104	1977	2	STAT	409	409	395	#N/A	50							0	0	323,000	1		
B-104	1977	3	STAT	409	409	395	#N/A	50							0	0	323,000	1		
B-104	1977	4	STAT	409	409	395	#N/A	50							0	0	323,000	1		
B-104	1978	1	STAT	409	409	395	#N/A	50	EB						0	0	323,000	1		
B-104	1978	2	STAT	409	409	395	#N/A	50							0	0	323,000	1		
B-104	1978	3	STAT	409	409	395	#N/A	50							0	0	323,000	1		
B-104	1978	4	STAT	409	409	395	#N/A	50							0	0	323,000	1		
B-104	1979	1	STAT	409	409	395	#N/A	50							0	0	323,000	1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DW/XT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-104	1979	2	STAT		409	409	395	#N/A	50							0	0	323,000		1		
B-104	1979	3	STAT		409	409	395	#N/A	50							0	0	323,000		1		
B-104	1979	4	STAT		409	409	395	#N/A	50							0	0	323,000		1		
B-104	1980	1	STAT		409	409	395	#N/A	50					New Photo 1/3/80		0	0	323,000		1		
B-104	1980	2	STAT		409	409	395	#N/A	50							0	0	323,000		1		
B-104	1980	3	STAT		409	409	395	#N/A	50							0	0	323,000		1		
B-104	1980	4	STAT		409	409	395	#N/A	50	NCPLX						0	0	323,000		1		
B-104	1989	3	send	.38		371		#N/A	50	swllq		AN-101				0	0	323,000		1		
B-104	1993	2	STAT		371	371	370	#N/A	50	NCPLX						0	0	323,000		0		
B-104	1993	4	STAT		371	371	370	#N/A	50							0	0	323,000		1		
B-104	1994	1	STAT		371	371	370	#N/A	50							0	0	323,000		1		
B-104	2000															0	0	323,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum soljds	sol type	QI	Q/A	Document/Pg #
B-105	1900																					
B-105	1946	3	CREC	0		0		#N/A	0	SET	B-104						0	0.000		1		
B-105	1946	3	CSEND	0		0		#N/A	0	SET	B-106						0	0.000		1		
B-105	1946	3	STAT		N/A	0		#N/A	0								0	0.000		1		
B-105	1946	4	STAT		0	0	0	#N/A	0								0	0.000		1		
B-105	1947	1	rec	33		33		#N/A	0	cas	B-104	B-104				0.00792472	0.2615	0.262	2C1	0		
B-105	1947	1	rec	41		74		#N/A	0	cas	B-104	B-104				0.00792472	0.3249	0.586	2C1	0		
B-105	1947	1	rec	97		171		#N/A	0	cas	B-104	B-104				0.00792472	0.7687	1.355	2C1	0		
B-105	1947	1	STAT		171	171	0	#N/A	0	2C				First used Feb. 1947, 2nd in Cascade		0	0	1.355		1		
B-105	1947	2	rec	62		233		#N/A	0	cas	B-104	B-104				0.00792472	0.4913	1.846	2C1	0		
B-105	1947	2	rec	81		314		#N/A	0	cas	B-104	B-104				0.00792472	0.6419	2.488	2C1	0		
B-105	1947	2	rec	65		379		#N/A	0	cas	B-104	B-104				0.00792472	0.5151	3.003	2C1	0		
B-105	1947	2	STAT		379	379	0	#N/A	0	2C						0	0	3.003		1		
B-105	1947	3	rec	82		461		#N/A	0	cas	B-104	B-104				0.00792472	0.6498	3.653	2C1	0		
B-105	1947	3	rec	65		526		#N/A	0	cas	B-104	B-104				0.00792472	0.5151	4.168	2C1	0		
B-105	1947	3	rec	62		588		#N/A	0	cas	B-104	B-104				0.00792472	0.4913	4.660	2C1	0		
B-105	1947	3	send	-58		530		#N/A	0	cas		B-106				0	0	4.660		0		
B-105	1947	3	STAT		530	530	0	#N/A	0					Filled in Aug. 1947		0	0	4.660		1		
B-105	1947	4	rec	55		585		#N/A	0	cas	B-104	B-104				0.00792472	0.4359	5.096	2C1	0		
B-105	1947	4	send	-55		530		#N/A	0	cas		B-106				0	0	5.096		0		
B-105	1947	4	rec	53		583		#N/A	0	cas	B-104	B-104				0.00792472	0.42	5.516	2C1	0		
B-105	1947	4	send	-53		530		#N/A	0	cas		B-106				0	0	5.516		0		
B-105	1947	4	rec	49		579		#N/A	0	cas	B-104	B-104				0.00792472	0.3883	5.904	2C1	0		
B-105	1947	4	send	-49		530		#N/A	0	cas		B-106				0	0	5.904		0		
B-105	1947	4	STAT		530	530	0	#N/A	0							0	0	5.904		1		
B-105	1948	1	rec	146		676		#N/A	0	cas	B-104	B-104				0.00792472	1.157	7.061	2C1	0		
B-105	1948	1	send	-146		530		#N/A	0	cas		B-106				0	0	7.061		0		
B-105	1948	1	rec	72		602		#N/A	0	cas	B-104	B-104				0.00792472	0.5706	7.632	2C1	0		
B-105	1948	1	send	-72		530		#N/A	0	cas		B-106				0	0	7.632		0		
B-105	1948	1	STAT		530	530	0	#N/A	0							0	0	7.632		1		
B-105	1948	2	rec	65		595		#N/A	0	cas	B-104	B-104				0.00792472	0.5151	8.147	2C1	0		
B-105	1948	2	send	-65		530		#N/A	0	cas		B-106				0	0	8.147		0		
B-105	1948	2	rec	32		562		#N/A	0	cas	B-104	B-104				0.00792472	0.2536	8.400	2C1	0		
B-105	1948	2	send	-32		530		#N/A	0	cas		B-106				0	0	8.400		0		
B-105	1948	2	STAT		530	530	0	#N/A	0	2C						0	0	8.400		1		
B-105	1948	3	OUTX	-14		516		#N/A	0	SU	B-008	CRIB				0	0	8.400		1		
B-105	1948	3	OUTX	-150		366		#N/A	0	SU	B-008	CRIB				0	0	8.400		2		
B-105	1948	3	STAT		378	378	0	12	12	2C			fj stats at 428	150 to crib in Sept.		0	0	8.400		1		
B-105	1948	4	OUTX	-61		317		#N/A	12	SU	B-008	CRIB				0	0	8.400		2		
B-105	1948	4	OUTX	-207		110		#N/A	12	SU	B-008	CRIB				0	0	8.400		2		
B-105	1948	4	OUTX	-105		5		#N/A	12	SU	B-008	CRIB				0	0	8.400		2		
B-105	1948	4	STAT		20	20	0	15	27				and stats at 0	378 to crib		0	0	8.400		1		
B-105	1949	1	STAT		20	20	0	#N/A	27	2C				Began fill in March 1949		0	0	8.400		1		
B-105	1949	2	rec	125		145		#N/A	27	cas	B-104	B-104				0.00792472	0.9906	9.391	2C1	0		
B-105	1949	2	STAT		135	135	0	-10	17	2C			and stats at 201			0	0	9.391		1		
B-105	1949	3	rec	57		192		#N/A	17	cas	B-104	B-104				0.00792472	0.4517	9.843	2C1	0		
B-105	1949	3	rec	53		245		#N/A	17	cas	B-104	B-104				0.00792472	0.42	10.263	2C1	0		
B-105	1949	3	rec	46		291		#N/A	17	cas	B-104	B-104				0.00792472	0.3645	10.627	2C1	0		
B-105	1949	3	rec	67		358		#N/A	17	cas	B-104	B-104				0.00792472	0.531	11.158	2C1	0		
B-105	1949	3	STAT		366	366	0	8	25	2C			fj stats at 301			0	0	11.158		1		
B-105	1949	4	rec	90		456		#N/A	25	cas	B-104	B-104				0.00792472	0.7132	11.871	2C1	0		
B-105	1949	4	rec	86		542		#N/A	25	cas	B-104	B-104				0.00792472	0.6815	12.553	2C1	0		
B-105	1949	4	rec	99		641		#N/A	25	cas	B-104	B-104				0.00792472	0.7845	13.337	2C1	0		
B-105	1949	4	send	-111		530		#N/A	25	cas		B-106				0	0	13.337		0		
B-105	1949	4	STAT		530	530	0	#N/A	25					Filled in Nov. 1949		0	0	13.337		1		
B-105	1950	1	rec	108		638		#N/A	25	cas	B-104	B-104				0.00792472	0.8559	14.193	2C1	0		
B-105	1950	1	send	-108		530		#N/A	25	cas		B-106				0	0	14.193		0		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-105	1950	1	rec	97		627		#N/A	25	cas	B-104	B-104				0.00792472	0.7687	14.962	2C1	0	0	
B-105	1950	1	send	-97		530		#N/A	25	cas		B-106				0	0	14.962		0	0	
B-105	1950	1	rec	78		608		#N/A	25	cas	B-104	B-104				0.00792472	0.6181	15.580	2C1	0	0	
B-105	1950	1	send	-78		530		#N/A	25	cas		B-106				0	0	15.580		0	0	
B-105	1950	1	STAT		530	530	0	#N/A	25	2C						0	0	15.580		1	1	
B-105	1950	2	rec	53		583		#N/A	25	cas	B-104	B-104				0.00792472	0.42	16.000	2C1	0	0	
B-105	1950	2	send	-53		530		#N/A	25	cas		B-106				0	0	16.000		0	0	
B-105	1950	2	OUTX	-486		44		#N/A	25	SU	B-008	CFIB	AND reports -530			0	0	16.000		1	1	
B-105	1950	2	STAT		44	44	0	#N/A	25	2C			and stats at 0	530 to crib		0	0	16.000		1	1	
B-105	1950	3	rec	211		255		#N/A	25	cas	B-104	B-104				0.02469136	5.2099	21.210	1C1	0	0	
B-105	1950	3	rec	177		432		#N/A	25	cas	B-104	B-104				0.02469136	4.3704	25.580	1C1	0	0	
B-105	1950	3	rec	98		530		#N/A	25	cas	B-104	B-104				0.02469136	2.4198	28.000	1C1	0	0	
B-105	1950	3	CREC	0		530		#N/A	25	END	B-104					0	0	28.000		1	1	
B-105	1950	3	CSEND	0		530		#N/A	25	END	B-106					0	0	28.000		1	1	
B-105	1950	3	STAT		530	530	0	#N/A	25							0	0	28.000		1	1	
B-105	1950	4	STAT		530	530	0	#N/A	25	1C						0	0	28.000		1	1	
B-105	1951	1	STAT		530	530	0	#N/A	25							0	0	28.000		1	1	
B-105	1951	2	STAT		530	530	0	#N/A	25							0	0	28.000		1	1	
B-105	1951	3	STAT		530	530	0	#N/A	25							0	0	28.000		1	1	
B-105	1951	4	STAT		530	530	0	#N/A	25							0	0	28.000		1	1	
B-105	1952	1	STAT		530	530	0	#N/A	25							0	0	28.000		1	1	
B-105	1952	2	STAT		530	530	0	#N/A	25	1C						0	0	28.000		1	1	
B-105	1952	3	SEND	-309		221		#N/A	25	SU		B-106				0	0	28.000		1	1	
B-105	1952	3	SEND	-49		172		#N/A	25	SU		B-106				0	0	28.000		1	1	
B-105	1952	3	STAT		172	172	0	#N/A	25	EB				Completed pumping 9-11-52		0	0	28.000		1	1	
B-105	1952	4	REC	55		227		#N/A	25	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1952	4	STAT		227	227	0	#N/A	25	EB						0	0	28.000		1	1	
B-105	1953	1	REC	197		424		#N/A	25	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1953	1	REC	79		503		#N/A	25	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1953	1	STAT		491	491	39	-12	13	EB				Active bottoms tank		0	0	28.000		1	1	
B-105	1953	2	SEND	-475		16		#N/A	13	SU		B-106				0	0	28.000		1	1	
B-105	1953	2	STAT		28	28	28	12	25							0	0	28.000		1	1	
B-105	1953	3	STAT		28	28	28	#N/A	25	EB						0	0	28.000		1	1	
B-105	1953	4	REC	397		425		#N/A	25	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1953	4	REC	376		801		#N/A	25	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1953	4	REC	296		1097		#N/A	25	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1953	4	SEND	-223		874		#N/A	25	SU		B-101				0	0	28.000		1	1	
B-105	1953	4	SEND	-530		344		#N/A	25	SU		B-102				0	0	28.000		1	1	
B-105	1953	4	STAT		344	344	28	#N/A	25	EB				Active bottoms tank. Pumping to 101-B		0	0	28.000		1	1	
B-105	1954	1	REC	383		727		#N/A	25	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1954	1	REC	332		1059		#N/A	25	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1954	1	REC	193		1252		#N/A	25	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1954	1	SEND	-304		948		#N/A	25	SU		B-101				0	0	28.000		1	1	
B-105	1954	1	SEND	-284		664		#N/A	25	SU		B-103				0	0	28.000		1	1	
B-105	1954	1	SEND	-258		406		#N/A	25	SU		B-103				0	0	28.000		1	1	
B-105	1954	1	STAT		396	396	28	-10	15	EB				Active bottoms tank. Pumped to 101-B and 103-B		0	0	28.000		1	1	
B-105	1954	2	SEND	-170		226		#N/A	15	SU		B-111				0	0	28.000		1	1	
B-105	1954	2	SEND	-111		115		#N/A	15	SU		B-111				0	0	28.000		1	1	
B-105	1954	2	REC	396		511		#N/A	15	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1954	2	REC	314		825		#N/A	15	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1954	2	REC	218		1043		#N/A	15	SL	B-106	B-106	BSitCk			0	0	28.000		1	1	
B-105	1954	2	SEND	-294		749		#N/A	15	SU		BX-110				0	0	28.000		1	1	
B-105	1954	2	SEND	-247		502		#N/A	15	SU		BX-111				0	0	28.000		1	1	
B-105	1954	2	SEND	-155		347		#N/A	15	SU		B-110				0	0	28.000		1	1	
B-105	1954	2	STAT		342	342	28	-5	10	EB				Active bottoms tank. Pumped to 110-B and 111-B		0	0	28.000		1	1	

Tank n	Year	Qty	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trf	Cum Unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Cyden comment	sol vol%	TLM solids	Cum solids	sol type	QA	Document/Pg #
B-105	1954	3	REC	409		751				10 SL	B-106	B-106					0	28,000		1	
B-105	1954	3	REC	106		859				10 SL	B-106	B-106	BSICK				0	28,000		1	
B-105	1954	3	SEND	-71		788				10 SU	B-106	BX-112	BSICK				0	28,000		1	
B-105	1954	3	SEND	274		514				10 SU	B-106	BX-111					0	28,000		1	
B-105	1954	3	STAT		519	519	28	5	15	EB				Active bokloms tank. Pumped to 109-B			0	28,000		1	
B-105	1954	4	STAT		516	516	28	3	12								0	28,000		1	
B-105	1955	1	STAT		516	516	28										0	28,000		1	
B-105	1955	2	STAT		516	516	28										0	28,000		1	
B-105	1955	3	STAT		516	516	28										0	28,000		1	
B-105	1955	4	unlx		516	516	28										0	28,000		1	
B-105	1955	4	unlx	488		488											0	28,000		1	
B-105	1955	4	unlx	488		488											0	28,000		1	
B-105	1955	4	STAT		516	516	28										0	28,000		1	
B-105	1956	1	STAT		516	516	28										0	28,000		1	
B-105	1956	2	STAT		516	516	28										0	28,000		1	
B-105	1956	3	STAT		516	516	28										0	28,000		1	
B-105	1956	4	STAT		516	516	28										0	28,000		1	
B-105	1957	1	STAT		497	497	28										0	28,000		1	
B-105	1957	2	STAT		497	497	28										0	28,000		1	
B-105	1957	3	STAT		497	497	28										0	28,000		1	
B-105	1957	4	STAT		497	497	28										0	28,000		1	
B-105	1958	1	STAT		494	494	490										0	306,000		1	
B-105	1958	2	STAT		494	494	490										0	306,000		1	
B-105	1958	3	STAT		494	494	490										0	306,000		1	
B-105	1958	4	STAT		494	494	490										0	306,000		1	
B-105	1959	1	STAT		494	494	490										0	306,000		1	
B-105	1959	2	STAT		494	494	490										0	306,000		1	
B-105	1959	3	STAT		494	494	490										0	306,000		1	
B-105	1959	4	STAT		494	494	490										0	306,000		1	
B-105	1960	1	STAT		494	494	490										0	306,000		1	
B-105	1960	2	STAT		494	494	490										0	306,000		1	
B-105	1960	3	STAT		494	494	490										0	306,000		1	
B-105	1960	4	STAT		494	494	490										0	306,000		1	
B-105	1961	1	CORR		494	494	490										0	306,000		1	
B-105	1961	2	STAT		494	494	490										0	306,000		1	
B-105	1961	3	STAT		491	491	490										0	306,000		1	
B-105	1961	4	STAT		491	491	490										0	306,000		1	
B-105	1962	1	STAT		491	491	490										0	306,000		1	
B-105	1962	2	STAT		491	491	490										0	306,000		1	
B-105	1962	3	STAT		491	491	490										0	306,000		1	
B-105	1962	4	STAT		491	491	490										0	306,000		1	
B-105	1963	1	STAT		491	491	490										0	306,000		1	
B-105	1963	2	STAT		491	491	490										0	306,000		1	
B-105	1963	3	STAT		491	491	490										0	306,000		1	
B-105	1963	4	STAT		491	491	490										0	306,000		1	
B-105	1964	1	STAT		491	491	490										0	306,000		1	
B-105	1964	2	STAT		491	491	490										0	306,000		1	
B-105	1964	3	STAT		491	491	490										0	306,000		1	
B-105	1964	4	STAT		505	505	490										0	306,000		1	
B-105	1965	1	STAT		505	505	490										0	306,000		1	
B-105	1965	2	STAT		505	505	490										0	306,000		1	
B-105	1965	3	STAT		505	505	490										0	306,000		1	
B-105	1965	4	STAT		505	505	490										0	306,000		1	
B-105	1966	1	STAT		505	505	490										0	306,000		1	
B-105	1966	2	STAT		505	505	490										0	306,000		1	
B-105	1966	3	STAT		505	505	490										0	306,000		1	

Bank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oxygen comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
B-105	1966	4	STAT		505	505	490	#N/A	1							0	0	306,000		1		
B-105	1967	1	STAT		505	505	490	#N/A	1							0	0	306,000		1		
B-105	1967	2	STAT		505	505	490	#N/A	1							0	0	306,000		1		
B-105	1967	3	STAT		505	505	490	#N/A	1							0	0	306,000		1		
B-105	1968	1	STAT		505	505	490	#N/A	1	EB						0	0	306,000		1		
B-105	1968	2	STAT		505	505	490	#N/A	1							0	0	306,000		1		
B-105	1968	3	STAT		503	503	490	#N/A	1							0	0	306,000		1		
B-105	1968	4	STAT		503	503	490	#N/A	1							0	0	306,000		1		
B-105	1969	1	STAT		503	503	490	#N/A	1							0	0	306,000		1		
B-105	1969	2	STAT		503	503	490	#N/A	1							0	0	306,000		1		
B-105	1969	3	STAT		503	503	490	#N/A	1							0	0	306,000		1		
B-105	1969	4	STAT		503	503	490	#N/A	1							0	0	306,000		1		
B-105	1970	1	STAT		502	502	490	#N/A	1	EB						0	0	306,000		1		
B-105	1970	2	STAT		502	502	490	#N/A	2							0	0	306,000		1		
B-105	1970	3	STAT		502	502	490	#N/A	2	EB						0	0	306,000		1		
B-105	1970	4	STAT		503	503	490	#N/A	1	EB						0	0	306,000		1		
B-105	1971	1	STAT		502	502	490	#N/A	1							0	0	306,000		1		
B-105	1971	2	STAT		502	502	490	#N/A	2							0	0	306,000		1		
B-105	1971	3	STAT		502	502	490	#N/A	2	EB						0	0	306,000		1		
B-105	1971	4	STAT		503	503	490	#N/A	1	EB						0	0	306,000		1		
B-105	1972	1	STAT		501	501	490	#N/A	2	EB						0	0	306,000		1		
B-105	1972	2	XIN		505	505	490	#N/A	3	FLSH						0	0	306,000		1		
B-105	1972	3	SEND		475	475	490	#N/A	3	SU						0	0	306,000		1		
B-105	1972	4	STAT		501	501	490	#N/A	3	EB						0	0	306,000		1		
B-105	1972	1	STAT		507	507	490	#N/A	3	FLSH						0	0	306,000		1		
B-105	1972	2	STAT		507	507	490	#N/A	3	SU						0	0	306,000		1		
B-105	1972	3	SEND		405	405	490	#N/A	3							0	0	306,000		1		
B-105	1972	4	STAT		490	490	490	#N/A	3							0	0	306,000		1		
B-105	1972	1	XIN		494	494	490	#N/A	3	FLSH						0	0	306,000		1		
B-105	1972	2	SEND		425	425	490	#N/A	3	SU						0	0	306,000		1		
B-105	1972	3	XIN		65	65	490	#N/A	3							0	0	306,000		1		
B-105	1972	4	STAT		490	490	490	#N/A	3							0	0	306,000		1		
B-105	1973	1	XIN		483	483	490	#N/A	3	WTR						0	0	306,000		1		
B-105	1973	2	XIN		418	418	490	#N/A	3							0	0	306,000		1		
B-105	1973	3	SEND		490	490	490	#N/A	3							0	0	306,000		1		
B-105	1973	4	STAT		490	490	490	#N/A	3							0	0	306,000		1		
B-105	1973	1	STAT		490	490	490	#N/A	3							0	0	306,000		1		
B-105	1973	2	XIN		492	492	490	#N/A	3	WTR						0	0	306,000		1		
B-105	1973	3	SEND		489	489	490	#N/A	3	SU						0	0	306,000		1		
B-105	1973	4	STAT		490	490	490	#N/A	2							0	0	306,000		1		
B-105	1973	1	STAT		490	490	490	#N/A	2							0	0	306,000		1		
B-105	1973	2	STAT		490	490	490	#N/A	2							0	0	306,000		1		
B-105	1973	3	STAT		490	490	490	#N/A	2							0	0	306,000		1		
B-105	1973	4	STAT		490	490	490	#N/A	2							0	0	306,000		1		
B-105	1974	1	STAT		490	490	490	#N/A	2							0	0	306,000		1		
B-105	1974	2	STAT		490	490	490	#N/A	2							0	0	306,000		1		
B-105	1974	3	STAT		490	490	490	#N/A	2							0	0	306,000		1		
B-105	1974	4	STAT		491	491	491	#N/A	1							0	0	306,000		1		
B-105	1975	1	STAT		491	491	491	#N/A	1							0	0	306,000		1		
B-105	1975	2	STAT		491	491	491	#N/A	1							0	0	306,000		1		
B-105	1975	3	SEND		293	293	293	#N/A	1							0	0	306,000		1		
B-105	1975	4	STAT		293	293	293	#N/A	1							0	0	306,000		1		
B-105	1976	1	STAT		293	293	293	#N/A	1							0	0	306,000		1		
B-105	1976	2	STAT		293	293	293	#N/A	1							0	0	306,000		1		
B-105	1976	3	STAT		293	293	293	#N/A	1							0	0	306,000		1		
B-105	1977	1	STAT		293	293	293	#N/A	1							0	0	306,000		1		
B-105	1977	2	STAT		293	293	293	#N/A	1							0	0	306,000		1		

Tank n.	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Original comment	sol vol%	TLM solids	Cum solids	sol type	Of	O/A	Document/Pi #
B-105	1977	3	STAT	293	293	293	293	#N/A	-1					Inactive Current- Stabilized Phase I		0	0	306,000		1		
B-105	1977	4	STAT	293	293	293	293	#N/A	-1					Inactive Current- Stabilized Phase I		0	0	306,000		1		
B-105	1978	1	STAT	293	293	293	293	#N/A	-1					Inactive - Primary stabilized		0	0	306,000		1		
B-105	1978	2	STAT	293	293	293	293	#N/A	-1							0	0	306,000		1		
B-105	1978	3	STAT	293	293	293	293	#N/A	-1							0	0	306,000		1		
B-105	1978	4	STAT	293	293	293	293	#N/A	-1							0	0	306,000		1		
B-105	1979	1	STAT	293	293	293	293	#N/A	-1							0	0	306,000		1		
B-105	1979	2	STAT	293	293	293	293	#N/A	-1							0	0	306,000		1		
B-105	1979	3	STAT	293	293	293	293	#N/A	-1					Questionable Integrity New Photo 9/26/79		0	0	306,000		1		
B-105	1979	4	STAT	293	293	293	293	#N/A	-1							0	0	306,000		1		
B-105	1980	1	STAT	293	293	293	293	#N/A	-1							0	0	306,000		1		
B-105	1980	2	STAT	293	293	293	293	#N/A	-1							0	0	306,000		1		
B-105	1980	3	STAT	293	293	293	293	#N/A	-1							0	0	306,000		1		
B-105	1980	4	STAT	293	293	293	293	#N/A	-1							0	0	306,000		1		
B-105	1985	3	send	-135		156		#N/A	-1	EB		AW-102				0	0	306,000		1		
B-105	1993	2	STAT		158	158	158	#N/A	-1	NCPLX			*306 to 158, boyles 123+183 slick. ledge of slick in tank from pictures.			0	0	306,000		1		
B-105	1993	4	STAT		158	158	158	#N/A	-1				*306 to 158, boyles 123+183 slick. ledge of slick in tank from pictures.			0	0	306,000		1		
B-105	1994	1	STAT		158	158	158	#N/A	-1				*306 to 158, boyles 123+183 slick. ledge of slick in tank from pictures.			0	0	306,000		1		
B-105	2000															0	0	306,000		1		



Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unkl	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ordain comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
B-106	1900																					
B-106	1946	3	CREC	0		0	0	#N/A	0	SET	B-105						0	0.000	1			
B-106	1946	3	STAT		N/A	0	0	#N/A	0								0	0.000	1			
B-106	1946	4	STAT		N/A	0	0	#N/A	0								0	0.000	1			
B-106	1947	1	STAT		N/A	0	0	#N/A	0								0	0.000	1			
B-106	1947	2	STAT		0	0	0	#N/A	0								0	0.000	1			
B-106	1947	3	rec	58		58	58	#N/A	0	cas	B-105					0	0.000	0				
B-106	1947	3	STAT		58	58	58	#N/A	0	2C				first used in Aug. 1947 (last in Cascade)		0	0.000	1				
B-106	1947	4	rec	55		113	113	#N/A	0	cas	B-105					0	0.000	0				
B-106	1947	4	rec	53		166	166	#N/A	0	cas	B-105					0	0.000	0				
B-106	1947	4	rec	49		215	215	#N/A	0	cas	B-105					0	0.000	0				
B-106	1947	4	STAT		215	215	215	#N/A	0	2C						0	0.000	0				
B-106	1948	1	rec	146		361	361	#N/A	0	cas	B-105					0	0.000	1				
B-106	1948	1	rec	72		433	433	#N/A	0	cas	B-105					0	0.000	0				
B-106	1948	1	STAT		432	432	432	#N/A	-1	2C						0	0.000	1				
B-106	1948	2	rec	65		497	497	#N/A	-1	cas	B-105					0	0.000	0				
B-106	1948	2	rec	32		529	529	#N/A	0	cas	B-105					0	0.000	0				
B-106	1948	2	STAT		530	530	530	#N/A	0	2C				filled in May 1948		0	0.000	1				
B-106	1948	3	STAT		530	530	530	#N/A	0	SU	B-008	CRIB				0	0.000	1				
B-106	1948	4	OUTX		235	293	293	#N/A	-2	2C						0	0.000	2				
B-106	1948	4	STAT		293	293	293	#N/A	-2	SU	B-008	CRIB		235 to crib in Dec.		0	0.000	1				
B-106	1949	1	OUTX		-223	70	70	#N/A	-2	SU	B-008	CRIB				0	0.000	2				
B-106	1949	1	OUTX		0	70	70	#N/A	-4	-6 2C				and stats at 0, OUTX total 293		0	0.000	1				
B-106	1949	1	STAT		66	66	66	#N/A	-6	-6 2C				293 to crib		0	0.000	1				
B-106	1949	2	STAT		66	66	66	#N/A	-6	-6 2C						0	0.000	1				
B-106	1949	3	STAT		66	66	66	#N/A	-6	-6 2C						0	0.000	1				
B-106	1949	4	rec	111		177	177	#N/A	-6	SU	B-105					0	0.000	1				
B-106	1949	4	outx	-65		112	112	#N/A	-6	SU	B-008	CRIB				0	0.000	0				
B-106	1949	4	STAT		112	112	112	#N/A	-6	2C						0	0.000	1				
B-106	1949	4	STAT		108	220	220	#N/A	-6	cas	B-105					0	0.000	0				
B-106	1950	1	rec	97		317	317	#N/A	-6	cas	B-105					0	0.000	0				
B-106	1950	1	rec	78		395	395	#N/A	-6	cas	B-105					0	0.000	0				
B-106	1950	1	OUTX		156	239	239	#N/A	-6	SU	B-008	CRIB				0	0.000	0				
B-106	1950	1	STAT		239	239	239	#N/A	-6	2C				AND reports - 165 pos typo		0	0.000	1				
B-106	1950	2	rec	53		292	292	#N/A	-6	cas	B-105					0	0.000	0				
B-106	1950	2	OUTX		-283	9	9	#N/A	-6	SU	B-008	CRIB				0	0.000	2				
B-106	1950	2	STAT		9	9	9	#N/A	-6	2C				239 to crib		0	0.000	1				
B-106	1950	3	CREC		0	9	9	#N/A	-6	END	B-105					0	0.000	1				
B-106	1950	3	STAT		0	0	0	#N/A	-15							0	0.000	1				
B-106	1950	4	STAT		0	0	0	#N/A	-15							0	0.000	1				
B-106	1951	1	STAT		0	0	0	#N/A	-15							0	0.000	1				
B-106	1951	2	STAT		0	0	0	#N/A	-15							0	0.000	1				
B-106	1951	3	STAT		N/A	0	0	#N/A	-15	1C						0	0.000	1				
B-106	1951	4	REC	530		530	530	#N/A	-15	SU	B-108					0	0.000	1				
B-106	1951	4	OUTX		-207	323	323	#N/A	-15	COND	B-008	CRIB				0	0.000	1				
B-106	1951	4	SEND		-73	250	250	#N/A	-15	SL	B-108					0	0.000	1				
B-106	1951	4	OUTX		0	250	250	#N/A	-15	SU	242-B	BIEVAP				0	0.000	1				
B-106	1951	4	STAT		259	259	259	#N/A	-6	1C	B-107					0	0.000	1				
B-106	1952	1	REC	310		569	569	#N/A	-6	SU	B-107					0	0.000	1				
B-106	1952	1	REC	520		1089	1089	#N/A	-6	SU	B-109					0	0.000	1				
B-106	1952	1	REC	131		1220	1220	#N/A	-6	SU	C-107					0	0.000	1				
B-106	1952	1	OUTX		-327	893	893	#N/A	-6	COND	B-008	CRIB				0	0.000	1				



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWYT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	O/A	Document/Pg #
B-106	1952	1	OUTX	-207		686		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	1	OUTX	-334		352		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	1	SEND	-125		227		#N/A	-6	SL		B-108	BSitck			0	0	0.000		1		
B-106	1952	1	SEND	-103		124		#N/A	-6	SL		B-106	BSitck			0	0	0.000		1		
B-106	1952	1	SEND	-77		47		#N/A	-6	SL		B-108	BSitck			0	0	0.000		1		
B-106	1952	1	OUTX	0		47		#N/A	-6	SU	242-B	B1EVAP	LC -430 to 0, split to SL and COND				0	0.000		1		
B-106	1952	1	OUTX	0		47		#N/A	-6	SU	242-B	B1EVAP	LC -284 to 0, split to SL and COND				0	0.000		1		
B-106	1952	1	OUTX	0		47		#N/A	-6	SU	242-B	B1EVAP	LC -459 to 0, split to SL and COND				0	0.000		1		
B-106	1952	1	STAT		N/A	47		#N/A	-6								0	0.000		1		
B-108	1952	2	REC	496		543		#N/A	-6	SU	C-108	C-108				0	0	0.000		1		
B-106	1952	2	REC	214		757		#N/A	-6	SU	C-109	C-109				0	0	0.000		1		
B-106	1952	2	REC	426		1183		#N/A	-6	SU	C-112	C-112				0	0	0.000		1		
B-106	1952	2	OUTX	-319		864		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	2	OUTX	-209		655		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	2	OUTX	-148		507		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	2	SEND	-123		384		#N/A	-6	SL		B-108	BSitck			0	0	0.000		1		
B-106	1952	2	SEND	-29		355		#N/A	-6	SL		B-108	BSitck			0	0	0.000		1		
B-106	1952	2	SEND	-98		257		#N/A	-6	SL		B-109	BSitck			0	0	0.000		1		
B-106	1952	2	SEND	-64		193		#N/A	-6	SL		B-109	BSitck			0	0	0.000		1		
B-106	1952	2	OUTX	0		193		#N/A	-6	SU	242-B	B1EVAP	LC -442 to 0, split to SL and COND				0	0.000		1		
B-106	1952	2	OUTX	0		193		#N/A	-6	SU	242-B	B1EVAP	LC -338 to 0, split to SL and COND				0	0.000		1		
B-106	1952	2	OUTX	0		193		#N/A	-6	SU	242-B	B1EVAP	LC -246 to 0, split to SL and COND				0	0.000		1		
B-108	1952	2	STAT		193	193	0	#N/A	-6	1C				1st cycle evaporator feed tank		0	0	0.000		1		
B-106	1952	3	REC	120		313		#N/A	-6	SU	B-104	B-104				0	0	0.000		1		
B-106	1952	3	REC	309		622		#N/A	-6	SU	B-105	B-105				0	0	0.000		1		
B-106	1952	3	REC	49		671		#N/A	-6	SU	B-105	B-105				0	0	0.000		1		
B-106	1952	3	REC	424		1095		#N/A	-6	SU	BY-107	BY-107	LC 414 TO 424			0	0	0.000		1		
B-106	1952	3	REC	301		1396		#N/A	-6	SU	C-109	C-109				0	0	0.000		1		
B-106	1952	3	REC	299		1695		#N/A	-6	SU	C-110	C-110				0	0	0.000		1		
B-106	1952	3	REC	293		1988		#N/A	-6	SU	C-111	C-111				0	0	0.000		1		
B-106	1952	3	REC	201		2189		#N/A	-6	SU	C-111	C-111				0	0	0.000		1		
B-106	1952	3	REC	82		2271		#N/A	-6	SU	C-112	C-112				0	0	0.000		1		
B-106	1952	3	OUTX	-555		1716		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	3	OUTX	-273		1443		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	3	OUTX	-374		1069		#N/A	-6	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	3	SEND	-163		906		#N/A	-6	SL		B-107	BSitck			0	0	0.000		1		
B-106	1952	3	SEND	-78		828		#N/A	-6	SL		B-107	BSitck			0	0	0.000		1		
B-106	1952	3	SEND	-221		607		#N/A	-6	SL		B-109	BSitck			0	0	0.000		1		
B-106	1952	3	SEND	-149		458		#N/A	-6	SL		B-109	BSitck			0	0	0.000		1		
B-106	1952	3	OUTX	0		458		#N/A	-6	SU	242-B	B1EVAP	LC -776 to 0, split to SL and COND				0	0.000		1		
B-106	1952	3	OUTX	0		458		#N/A	-6	SU	242-B	B1EVAP	LC -500 to 0, split to SL and COND				0	0.000		1		
B-106	1952	3	OUTX	0		458		#N/A	-6	SU	242-B	B1EVAP	LC -537 to 0, split to SL and COND				0	0.000		1		
B-106	1952	3	STAT		448	448	0	#N/A	-16	1C				Evaporator Feed tank		0	0	0.000		1		
B-106	1952	4	REC	93		541		#N/A	-16	SU	BX-107	BX-107				0	0	0.000		1		
B-106	1952	4	REC	486		1027		#N/A	-16	SU	BX-108	BX-108				0	0	0.000		1		
B-106	1952	4	REC	333		1360		#N/A	-16	SU	BY-107	BY-107	LC 343 TO 333			0	0	0.000		1		
B-106	1952	4	OUTX	-138		1222		#N/A	-16	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1952	4	OUTX	-571		651		#N/A	-16	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		

Bank n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk mtr	Cum unit	Waste typ	Trans tank	DWXT	LANL comment	Anderson comment	Oyden comment	sol vol%	TLM solids	Cum solids	sol type	O/A	Document/Pg #
B-106	1952	4	SEND	-121	530	#NVA	-16 SL	#NVA	-16 SL	B-104	BSNCK					0	0	0.000		1	
B-106	1952	4	SEND	-55	475	#NVA	-16 SL	#NVA	-16 SL	B-105	BSNCK					0	0	0.000		1	
B-106	1952	4	SEND	-63	412	#NVA	-16 SL	#NVA	-16 SL	B-107	BSNCK					0	0	0.000		1	
B-106	1952	4	SEND	-7	405	#NVA	-16 SL	#NVA	-16 SL	B-107	BSNCK					0	0	0.000		1	
B-106	1952	4	OUTX	0	405	#NVA	-16 SU	#NVA	-16 SU	242-B	B1EVAP	COND	LC-201 to 0, split to SL and			0	0	0.000		1	
B-106	1952	4	OUTX	0	405	#NVA	-16 SU	#NVA	-16 SU	242-B	B1EVAP	COND	LC-754 to 0, split to SL and			0	0	0.000		1	
B-106	1953	4	STAT	443	858	#NVA	-6 SU	#NVA	-6 SU	B-108	B-108		Evaporator Feed Tank			0	0	0.000		1	
B-106	1953	1	REC	206	1063	#NVA	-6 SU	#NVA	-6 SU	B-109	B-109					0	0	0.000		1	
B-106	1953	1	REC	11	1074	#NVA	-6 SU	#NVA	-6 SU	BX-108	BX-108					0	0	0.000		3	HW-2775-5
B-106	1953	1	REC	496	1570	#NVA	-6 SU	#NVA	-6 SU	BX-109	BX-109					0	0	0.000		1	
B-106	1953	1	REC	403	1973	#NVA	-6 SU	#NVA	-6 SU	BY-108	BY-108					0	0	0.000		1	
B-106	1953	1	REC	79	2052	#NVA	-6 SU	#NVA	-6 SU	BY-108	BY-108					0	0	0.000		1	
B-106	1953	1	OUTX	-442	1610	#NVA	-6 COND	#NVA	-6 COND	CRIB	BCOND		LC added COND to CRIB			0	0	0.000		1	
B-106	1953	1	OUTX	-317	1293	#NVA	-6 COND	#NVA	-6 COND	CRIB	BCOND		LC added COND to CRIB			0	0	0.000		1	
B-106	1953	1	OUTX	-441	852	#NVA	-6 COND	#NVA	-6 COND	CRIB	BCOND		LC added COND to CRIB			0	0	0.000		1	
B-106	1953	1	SEND	-197	655	#NVA	-6 SL	#NVA	-6 SL	B-105	BSNCK					0	0	0.000		1	
B-106	1953	1	SEND	-79	576	#NVA	-6 SL	#NVA	-6 SL	B-105	BSNCK					0	0	0.000		1	
B-106	1953	1	SEND	-257	319	#NVA	-6 SL	#NVA	-6 SL	B-106	BSNCK					0	0	0.000		1	
B-106	1953	1	SEND	-17	302	#NVA	-6 SL	#NVA	-6 SL	B-106	BSNCK					0	0	0.000		1	
B-106	1953	1	OUTX	0	302	#NVA	-6 SU	#NVA	-6 SU	242-B	B1EVAP	COND	LC-639 to 0, split to SL and			0	0	0.000		1	
B-106	1953	1	OUTX	0	302	#NVA	-6 SU	#NVA	-6 SU	242-B	B1EVAP	COND	LC-413 to 0, split to SL and			0	0	0.000		1	
B-106	1953	1	OUTX	0	302	#NVA	-6 SU	#NVA	-6 SU	242-B	B1EVAP	COND	LC-698 to 0, split to SL and			0	0	0.000		1	
B-106	1953	1	STAT	302	302	#NVA	-6 1C	#NVA	-6 1C	B-104	B-104		Evaporator Feed tank			0	0	0.000		1	
B-106	1953	2	REC	169	471	#NVA	-6 SU	#NVA	-6 SU	B-105	B-105					0	0	0.000		1	
B-106	1953	2	REC	475	946	#NVA	-6 SU	#NVA	-6 SU	B-107	B-107					0	0	0.000		1	
B-106	1953	2	REC	297	1243	#NVA	-6 SU	#NVA	-6 SU	B-107	B-107					0	0	0.000		1	
B-106	1953	2	REC	10	1253	#NVA	-6 SU	#NVA	-6 SU	B-109	B-109					0	0	0.000		1	
B-106	1953	2	REC	254	1507	#NVA	-6 SU	#NVA	-6 SU	BY-108	BY-108					0	0	0.000		1	
B-106	1953	2	REC	271	1778	#NVA	-6 SU	#NVA	-6 SU	BY-108	BY-108					0	0	0.000		1	
B-106	1953	2	OUTX	-357	1421	#NVA	-6 COND	#NVA	-6 COND	CRIB	BCOND		LC added COND to CRIB			0	0	0.000		1	
B-106	1953	2	OUTX	-86	1335	#NVA	-6 COND	#NVA	-6 COND	CRIB	BCOND		LC added COND to CRIB			0	0	0.000		1	
B-106	1953	2	OUTX	-212	1123	#NVA	-6 COND	#NVA	-6 COND	CRIB	BCOND		LC added COND to CRIB			0	0	0.000		1	
B-106	1953	2	SEND	-299	824	#NVA	-6 SL	#NVA	-6 SL	B-107	BSNCK					0	0	0.000		1	
B-106	1953	2	SEND	-166	658	#NVA	-6 SL	#NVA	-6 SL	B-108	BSNCK					0	0	0.000		1	
B-106	1953	2	SEND	-5	653	#NVA	-6 SL	#NVA	-6 SL	B-109	BSNCK					0	0	0.000		1	
B-106	1953	2	SEND	-339	314	#NVA	-6 SL	#NVA	-6 SL	B-109	BSNCK					0	0	0.000		1	
B-106	1953	2	SEND	-101	213	#NVA	-6 SL	#NVA	-6 SL	B-109	BSNCK					0	0	0.000		1	
B-106	1953	2	OUTX	0	213	#NVA	-6 SU	#NVA	-6 SU	242-B	B1EVAP	COND	LC-624 to 0, split to SL and			0	0	0.000		1	
B-106	1953	2	OUTX	0	213	#NVA	-6 SU	#NVA	-6 SU	242-B	B1EVAP	COND	LC-430 to 0, split to SL and			0	0	0.000		1	
B-106	1953	2	OUTX	0	213	#NVA	-6 SU	#NVA	-6 SU	242-B	B1EVAP	COND	LC-511 to 0, split to SL and			0	0	0.000		1	
B-106	1953	3	STAT	213	213	#NVA	-6 EB	#NVA	-6 EB	C-112	C-112		Evaporator Feed tank			0	0	0.000		1	
B-106	1953	3	REC	239	452	#NVA	-6 SU	#NVA	-6 SU	C-112	C-112					0	0	0.000		1	
B-106	1953	3	REC	100	552	#NVA	-6 SU	#NVA	-6 SU	C-112	C-112					0	0	0.000		1	
B-106	1953	3	OUTX	-89	463	#NVA	-6 COND	#NVA	-6 COND	CRIB	BCOND		LC added COND to CRIB			0	0	0.000		1	
B-106	1953	3	OUTX	-87	376	#NVA	-6 COND	#NVA	-6 COND	CRIB	BCOND		LC added COND to CRIB			0	0	0.000		1	
B-106	1953	3	SEND	-154	222	#NVA	-6 SL	#NVA	-6 SL	B-104	BSNCK					0	0	0.000		1	
B-106	1953	3	SEND	-7	215	#NVA	-6 SL	#NVA	-6 SL	B-107	BSNCK					0	0	0.000		1	
B-106	1953	3	SEND	-11	204	#NVA	-6 SL	#NVA	-6 SL	B-109	BSNCK					0	0	0.000		1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Organ comment	sol vol%	TLM solids	Cum solids	sol type	Qtr	DVA	Document/Pg #
B-106	1953	3	OUTX	0	204	204		#N/A	-6 SU	242-B	B1EVAP	LC -107 to 0, spill to SL and COND				0	0.000		1			
B-106	1953	3	OUTX	0	204	204		#N/A	-6 SU	242-B	B1EVAP	LC -241 to 0, spill to SL and COND				0	0.000		1			
B-106	1953	3	STAT	197	197	197	0	-7	-13 TRP				Evaporator Feed tank, Rec'd TBP waste from 112-C			0	0.000		1			
B-106	1953	4	REC	675	872	872		#N/A	-13 SU	BX-109	BX-109					0	0.000		1			
B-106	1953	4	REC	655	1507	1507		#N/A	-13 SU	BX-109	BX-109					0	0.000		1			
B-106	1953	4	REC	542	2049	2049		#N/A	-13 SU	BX-109	BX-109					0	0.000		1			
B-106	1953	4	REC	33	2082	2082		#N/A	-13 SU	C-112	C-112					0	0.000		1			
B-106	1953	4	OUTX	-188	1894	1894		#N/A	-13 COND	CRIB	BCOND					0	0.000		1			
B-106	1953	4	OUTX	-198	1756	1756		#N/A	-13 COND	CRIB	BCOND					0	0.000		1			
B-106	1953	4	OUTX	-236	1520	1520		#N/A	-13 COND	CRIB	BCOND					0	0.000		1			
B-106	1953	4	SEND	-17	1503	1503		#N/A	-13 SL							0	0.000		1			
B-106	1953	4	SEND	-397	1106	1106		#N/A	-13 SL							0	0.000		1			
B-106	1953	4	SEND	-376	730	730		#N/A	-13 SL							0	0.000		1			
B-106	1953	4	SEND	-296	434	434		#N/A	-13 SL							0	0.000		1			
B-106	1953	4	OUTX	0	434	434		#N/A	-13 SU	242-B	B1EVAP	LC -581 to 0, spill to SL and COND				0	0.000		1			
B-106	1953	4	OUTX	0	434	434		#N/A	-13 SU	242-B	B1EVAP	LC -434 to 0, spill to SL and COND				0	0.000		1			
B-106	1953	4	OUTX	0	444	444	0	#N/A	-13 SU	242-B	B1EVAP	LC -574 to 0, spill to SL and COND				0	0.000		1			
B-106	1954	1	WTR	64	508	508		#N/A	-3				Evaporator Feed tank			0	0.000		0			
B-106	1954	1	REC	596	1044	1044		#N/A	-3 SU	BX-109	BX-109					0	0.000		0			
B-106	1954	1	REC	258	1302	1302		#N/A	-3 SU	BX-109	BX-109					0	0.000		0			
B-106	1954	1	REC	282	1554	1554		#N/A	-3 SU	BX-109	BX-109					0	0.000		0			
B-106	1954	1	REC	7	1561	1561		#N/A	-3 SU	C-101	C-101					0	0.000		0			
B-106	1954	1	OUTX	-127	1434	1434		#N/A	-3 COND	CRIB	BCOND					0	0.000		0			
B-106	1954	1	OUTX	-175	1259	1259		#N/A	-3 COND	CRIB	BCOND					0	0.000		0			
B-106	1954	1	OUTX	112	1147	1147		#N/A	-3 COND	CRIB	BCOND					0	0.000		0			
B-106	1954	1	SEND	-383	764	764		#N/A	-3 SL							0	0.000		0			
B-106	1954	1	SEND	-332	432	432		#N/A	-3 SL							0	0.000		0			
B-106	1954	1	SEND	-193	239	239		#N/A	-3 SL							0	0.000		0			
B-106	1954	1	OUTX	0	239	239		#N/A	-3 SU	242-B	B1EVAP	LC -320 to 0, spill to SL and COND				0	0.000		0			
B-106	1954	1	OUTX	0	239	239		#N/A	-3 SU	242-B	B1EVAP	LC -507 to 0, spill to SL and COND				0	0.000		0			
B-106	1954	1	OUTX	0	239	239		#N/A	-3 SU	242-B	B1EVAP	LC -495 to 0, spill to SL and COND				0	0.000		0			
B-106	1954	1	STAT	239	239	239	0	#N/A	-3 TBP				Evaporator Feed Tank			0	0.000		1			
B-106	1954	2	REC	717	986	986		#N/A	-3 SU	BX-109	BX-109					0	0.000		0			
B-106	1954	2	REC	521	1477	1477		#N/A	-3 SU	BX-109	BX-109					0	0.000		0			
B-106	1954	2	REC	357	1834	1834		#N/A	-3 SU	BX-109	BX-109					0	0.000		0			
B-106	1954	2	OUTX	-78	1756	1756		#N/A	-3 COND	CRIB	BCOND					0	0.000		0			
B-106	1954	2	OUTX	-228	1528	1528		#N/A	-3 COND	CRIB	BCOND					0	0.000		0			
B-106	1954	2	OUTX	-185	1343	1343		#N/A	-3 COND	CRIB	BCOND					0	0.000		0			
B-106	1954	2	SEND	-396	947	947		#N/A	-3 COND	CRIB	BCOND					0	0.000		0			
B-106	1954	2	SEND	-314	633	633		#N/A	-3 SL							0	0.000		0			
B-106	1954	2	SEND	-218	415	415		#N/A	-3 SL							0	0.000		0			
B-106	1954	2	OUTX	0	415	415		#N/A	-3 SU	242-B	B1EVAP	LC -296 to 0, spill to SL and COND				0	0.000		0			
B-106	1954	2	OUTX	0	415	415		#N/A	-3 SU	242-B	B1EVAP	LC -526 to 0, spill to SL and COND				0	0.000		0			
B-106	1954	2	OUTX	0	415	415		#N/A	-3 SU	242-B	B1EVAP	LC -499 to 0, spill to SL and COND				0	0.000		0			
B-106	1954	2	STAT	415	415	415	0	#N/A	-3 TBP				Evaporator Feed Tank			0	0.000		1			

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/P/g #
B-106	1954	3	REC	336		751		#N/A	-3	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1954	3	REC	220		971		#N/A	-3	SU	BX-109	BX-109				0	0	0.000		1		
B-106	1954	3	REC	578		1549		#N/A	-3	SU	BY-107	BY-107				0	0	0.000		1		
B-106	1954	3	REC	79		1628		#N/A	-3	SU	BY-107	BY-107				0	0	0.000		1		
B-106	1954	3	REC	436		2064		#N/A	-3	SU	BY-108	BY-108				0	0	0.000		1		
B-106	1954	3	OUTX	-212		1852		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	3	OUTX	-178		1674		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	3	OUTX	-177		1497		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	3	SEND	-409		1088		#N/A	-3	SL		B-106	BSitck			0	0	0.000		1		
B-106	1954	3	SEND	-108		980		#N/A	-3	SL		B-106	BSitck			0	0	0.000		1		
B-106	1954	3	SEND	-50		930		#N/A	-3	SL		B-107	BSitck			0	0	0.000		1		
B-106	1954	3	SEND	-202		728		#N/A	-3	SL		B-109	BSitck			0	0	0.000		1		
B-106	1954	3	SEND	-138		590		#N/A	-3	SL		B-109	BSitck			0	0	0.000		1		
B-106	1954	3	OUTX	0		590		#N/A	-3	SU	242-B	B1EVAP	LC -621 to 0, split to SL and COND				0	0.000		1		
B-106	1954	3	OUTX	0		590		#N/A	-3	SU	242-B	B1EVAP	LC -424 to 0, split to SL and COND				0	0.000		1		
B-106	1954	3	OUTX	0		590		#N/A	-3	SU	242-B	B1EVAP	LC -429 to 0, split to SL and COND				0	0.000		1		
B-106	1954	3	STAT		N/A	590	137	#N/A	-3	TBP			phase prob 338 to N/A	Evaporator Feed Tank		0	0	0.000		1		
B-106	1954	4	REC	259		849		#N/A	-3	SU	BY-108	BY-108				0	0	0.000		1		
B-106	1954	4	OUTX	-193		656		#N/A	-3	COND	CRIB	BCOND	LC added COND to CRIB			0	0	0.000		1		
B-106	1954	4	SEND	-230		426		#N/A	-3	SL		B-107	BSitck			0	0	0.000		1		
B-106	1954	4	OUTX	0		426		#N/A	-3	SU	242-B	B1EVAP	LC -423 to 0, split to SL and COND				0	0.000		1		
B-106	1954	4	STAT		426	426	137	#N/A	-3							0	0	0.000		1		
B-106	1955	1	STAT		426	426	137	#N/A	-3							0	0	0.000		1		
B-106	1955	2	STAT		426	426	137	#N/A	-3							0	0	0.000		1		
B-106	1955	3	STAT		426	426	137	#N/A	-3							0	0	0.000		1		
B-106	1955	4	outx	-426		0		#N/A	-3							0	0	0.000		1		
B-106	1955	4	xin	426		426		#N/A	-3			BEVAP				0.2723	116	116.000	BSitck	0		
B-106	1955	4	STAT		426	426	137	#N/A	-3			BSitck				0	0	116.000		1		
B-106	1956	1	STAT		426	426	137	#N/A	-3							0	0	116.000		1		
B-106	1956	2	STAT		426	426	137	#N/A	-3							0	0	116.000		1		
B-106	1956	3	STAT		426	426	137	#N/A	-3	TBP						0	0	116.000		1		
B-106	1956	4	STAT		426	426	100	#N/A	-3	TBP						0	0	116.000		1		
B-106	1957	1	xin	54		480		#N/A	-3			WTR				0	0	116.000		0		
B-106	1957	1	STAT		480	480	100	#N/A	-3	TBP				Latest electrode reading		0	0	116.000		1		
B-106	1957	2	REC	71		551		#N/A	-3	SU	B-103	B-103		Shows 71 not 17		0	0	116.000		3	V	HW-50617-4
B-106	1957	2	STAT		551	551	125	#N/A	-3	TBP				71 from 103-B		0	0	116.000		1		
B-106	1957	3	STAT		552	552	125	1	-2	TBP				Latest electrode reading		0	0	116.000		1		
B-106	1957	4	OUTX	-380		172		#N/A	-2	T24	C-112	TFeCN	461 TO 380 as per anderson			0	0	116.000		3	O	N-54-298
B-106	1957	4	STAT		172	172	167	#N/A	-2	TBP				380 Scavenged		0	0	116.000		1		
B-106	1958	1	STAT		172	172	167	#N/A	-2	TBP				CW (1321 TU)		0	0	116.000		1		
B-106	1958	2	STAT		N/A	172	167	#N/A	-2	TBP				CW (1107 TU) New electrode reading		0	0	116.000		1		
B-106	1958	3	STAT		N/A	172	167	#N/A	-2	TBP				bad stat? 230 to N/A		0	0	116.000		1		
B-106	1958	4	STAT		N/A	172	167	#N/A	-2	TBP				bad stat? 227 to N/A		0	0	116.000		1		
B-106	1959	1	STAT		167	167	167	-5	-7	TBP				CW (1323 TU)		0	0	116.000		1		
B-106	1959	2	XIN	11		178		#N/A	-7	FLSH		WTR	OC 71 to 11			0	0	116.000		1		
B-106	1959	2	STAT		178	178	167	#N/A	-7	TBP				Latest electrode reading		0	0	116.000		1		
B-106	1959	3	XIN	11		189		#N/A	-7	HLO		WTR		Shows 11 not 71		0	0	116.000		2	V	HW-60419-4
B-106	1959	3	STAT		189	189	167	#N/A	-7	TBP				11-242-B water flush		0	0	116.000		1		
B-106	1959	4	XIN	13		202		#N/A	-7	HLO		WTR				0	0	116.000		1		
B-106	1959	4	XIN	7		209		#N/A	-7	HLO		WTR				0	0	116.000		4	O	HW-62723-4
B-106	1959	4	XIN	21		230		#N/A	-7	HLO		WTR	LC added as per AND comment			0	0	116.000		1		
B-106	1959	4	STAT		209	209	167	-21	-26	TBP,HLO			anderson omission?	20 from 242-B (HLO)		0	0	116.000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-106	1960	1	xin	16		225		#N/A	-28	HLO		WTR	LC added as per AND comment			0	0	116.000		1		
B-106	1960	1	STAT		230	230	167	5	-23	TBP,HLO			anderson omission?	21 from 242-B (HLO)		0	0	116.000		1		
B-106	1960	2	xin	22		252		#N/A	-23	HLO		WTR	LC added as per AND comment			0	0	116.000		1		
B-106	1960	2	STAT		246	246	167	-6	-29	TBP,HLO			anderson omission?	16 from 242-B (HLO)		0	0	116.000		1		
B-106	1960	3	xin	5		251		#N/A	-29	HLO		WTR	LC added as per AND comment			0	0	116.000		1		
B-106	1960	3	STAT		268	268	167	17	-12	TBP,HLO			anderson omission?	22 from 242-B (HLO)		0	0	116.000		1		
B-106	1960	4	STAT		273	273	167	5	-7	TBP,HLO			anderson omission?	5 from 242-B (HLO)		0	0	116.000		1		
B-106	1961	1	xin	15		288		#N/A	-7	HLO		WTR	LC added as per AND comment			0	0	116.000		1		
B-106	1961	1	STAT		N/A	288		#N/A	-7							0	0	116.000		1		
B-106	1961	2	STAT		288	288	167	#N/A	-7	TBP,HLO			anderson omission?	15 from 242-B (HLO)		0	0	116.000		1		
B-106	1961	3	XIN	16		304		#N/A	-7	HLO		WTR	Omis.		Omission	0	0	116.000		3	V	HW-72625-4
B-106	1961	3	STAT		N/A	304		#N/A	-7							0	0	116.000		1		
B-106	1961	4	STAT		304	304	167	#N/A	-7	TBP,HLO				16 from 242-B (HLO)		0	0	116.000		1		
B-106	1962	1	XIN	11		315		#N/A	-7	HLO		WTR	Omis.		Omission	0	0	116.000		3	V	HW-74647-4
B-106	1962	1	STAT		N/A	315		#N/A	-7							0	0	116.000		1		
B-106	1962	2	STAT		315	315	167	#N/A	-7	TBP,HLO				11 from 242-B (HLO)		0	0	116.000		1		
B-106	1962	3	XIN	22		337		#N/A	-7	HLO		WTR	Omis.		Omission	0	0	116.000		3	V	HW-75223-4
B-106	1962	3	STAT		N/A	337		#N/A	-7							0	0	116.000		1		
B-106	1962	4	STAT		337	337	167	#N/A	-7	TBP,HLO				22 from 242-B (HLO)		0	0	116.000		1		
B-106	1963	1	XIN	6		343		#N/A	-7	HLO		WTR	Omis.		Omission	0	0	116.000		2	V	HW-78279-4
B-106	1963	1	STAT		N/A	343		#N/A	-7							0	0	116.000		1		
B-106	1963	2	STAT		343	343	114	#N/A	-7	TBP,HLO				6 from 242-B (HLO)		0	0	116.000		1		
B-106	1963	3	XIN	6		349		#N/A	-7	HLO		WTR	Omis.		Omission	0	0	116.000		3	V	HW-80379-4
B-106	1963	3	STAT		N/A	349		#N/A	-7							0	0	116.000		1		
B-106	1963	4	STAT		349	349	114	#N/A	-7	TBP,HLO				6 from 242-B (HLO)		0	0	116.000		1		
B-106	1964	1	STAT		N/A	349		#N/A	-7							0	0	116.000		1		
B-106	1964	2	XIN	5		354		#N/A	-7	HLO		WTR				0	0	116.000		4	O	HW-83308-4
B-106	1964	2	STAT		354	354	114	#N/A	-7	TBP,HLO				5 from 242-B (HLO)		0	0	116.000		1		
B-106	1964	3	XIN	2		356		#N/A	-7	HLO		WTR	Omis.		Omission	0	0	116.000		3	V	RL-SEP-260-4
B-106	1964	3	STAT		N/A	356		#N/A	-7							0	0	116.000		1		
B-106	1964	4	XIN	2		358		#N/A	-7	HLO		WTR				0	0	116.000		1		
B-106	1964	4	STAT		356	356	114	-2	-9	TBP,HLO						0	0	116.000		1		
B-106	1965	1	STAT		N/A	356		#N/A	-9					2 from HLO		0	0	116.000		1		
B-106	1965	2	XIN	36		392		#N/A	-9	HLO		WTR				0	0	116.000		1		
B-106	1965	2	STAT		392	392	145	#N/A	-9	HLO				36 from HLO		0	0	116.000		4	O	RL-SEP-659-4
B-106	1965	3	STAT		392	392	145	#N/A	-9	TBP,HLO						0	0	116.000		1		
B-106	1965	4	XIN	11		403		#N/A	-9	HLO		WTR				0	0	116.000		4	O	RL-SEP-923-4
B-106	1965	4	STAT		403	403	145	#N/A	-9	TBP,HLO				11 from HLO		0	0	116.000		1		
B-106	1966	1	XIN	4		407		#N/A	-9	HLO		WTR				0	0	116.000		4	O	ISO-226-4
B-106	1966	1	STAT		407	407	145	#N/A	-9	HLO				4 from HLO		0	0	116.000		1		
B-106	1966	2	STAT		407	407	145	#N/A	-9	HLO						0	0	116.000		1		
B-106	1966	3	STAT		407	407	145	#N/A	-9	HLO						0	0	116.000		1		
B-106	1966	4	STAT		407	407	145	#N/A	-9	TBP,HLO						0	0	116.000		1		
B-106	1967	1	STAT		409	409	145	2	-7	HLO						0	0	116.000		1		
B-106	1967	2	STAT		409	409	145	#N/A	-7	TBP,HLO						0	0	116.000		1		
B-106	1967	3	STAT		410	410	145	1	-6	HLO						0	0	116.000		1		
B-106	1967	4	STAT		410	410	145	#N/A	-6	TBP,HLO						0	0	116.000		1		
B-106	1968	1	XIN	8		418		#N/A	-6	HLO		WTR				0	0	116.000		1		
B-106	1968	1	STAT		418	418	145	#N/A	-6	HLO				8 from 242-B		0	0	116.000		4	O	ARH-534-5
B-106	1968	2	STAT		418	418	145	#N/A	-6	HLO						0	0	116.000		1		
B-106	1968	3	STAT		418	418	145	#N/A	-6	HLO						0	0	116.000		1		
B-106	1968	4	STAT		418	418	145	#N/A	-6	BNW						0	0	116.000		1		
B-106	1969	1	STAT		418	418	145	#N/A	-6	BNW						0	0	116.000		1		
B-106	1969	2	STAT		418	418	145	#N/A	-6	TBP,BNW						0	0	116.000		1		



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	O/A	Document/Pg #	
B-106	1969	3	SEND	-206		212		#N/A	-6	SU		B-103					0	0	116.000		4	O	ARH01200C-5
B-106	1969	3	STAT		215	215	145	3	-3	BNW							0	0	116.000		1		
B-106	1969	4	STAT		216	216	145	1	-2	BNW				206 to 103-B			0	0	116.000		1		
B-106	1970	1	STAT		215	215	145	-1	-3	BNW							0	0	116.000		1		
B-106	1970	2	STAT		215	215	172	#N/A	-3								0	0	116.000		1		
B-106	1970	3	STAT		215	215	112	#N/A	-3	BNW							0	0	116.000		1		
B-106	1970	4	STAT		216	216	172	1	-2								0	0	116.000		1		
B-106	1971	1	STAT		216	216	172	#N/A	-2	BNW							0	0	116.000		1		
B-106	1971	2	XIN	22		238		#N/A	-2	HLO			WTR				0	0	116.000		1		
B-106	1971	2	REC	22		260		#N/A	-2	SU	B-201	B-201					0	0	116.000		1		
B-106	1971	2	send	-23		237		#N/A	-2			BY-112					0	0	116.000		4	O	ARH-2074B-5
B-106	1971	2	STAT		237	237	172	#N/A	-2	BNW				22 from 201-B			0	0	116.000		0		
B-106	1971	3	STAT		237	237	172	#N/A	-2	BNW							0	0	116.000		1		
B-106	1971	4	STAT		237	237	172	#N/A	-2	BNW							0	0	116.000		1		
B-106	1972	1	STAT		237	237	172	#N/A	-2	224, BNW				*Dry Well 20-06-02, 20-06-03, 20-06-08, 20-06-11 drilled			0	0	116.000		1		
B-106	1972	2	send	-15		222		#N/A	-2			BY-112					0	0	116.000		0		
B-106	1972	2	STAT		222	222	153	#N/A	-2	224, BNW				New tape			0	0	116.000		1		
B-106	1972	3	STAT		227	227	153	5	3	224, BNW							0	0	116.000		1		
B-106	1972	4	STAT		228	228	153	1	4	224, BNW							0	0	116.000		1		
B-106	1973	1	STAT		228	228	147	#N/A	4	BNW							0	0	116.000		1		
B-106	1973	2	STAT		228	228	147	#N/A	4	224, BNW							0	0	116.000		1		
B-106	1973	3	STAT		229	229	147	1	5	BNW							0	0	116.000		1		
B-106	1973	4	STAT		229	229	147	#N/A	5	BNW							0	0	116.000		1		
B-106	1974	1	STAT		229	229	147	#N/A	5	BNW							0	0	116.000		1		
B-106	1974	2	STAT		229	229	147	#N/A	5	224, BNW							0	0	116.000		1		
B-106	1974	3	REC	63		292		#N/A	5	SU	B-102	B-102					0	0	116.000		1		
B-106	1974	3	STAT		289	289	147	-3	2	224, BNW, EB, BL, IX, EB				63 from 102-B			0	0	116.000		4	O	ARH-CD-133C-4
B-106	1974	4	STAT		285	285	125	-4	-2	BNW, EB, BL, IX				Has an exhauster			0	0	116.000		1		
B-106	1975	1	STAT		285	285	125	#N/A	-2	BNW, EB, BL, IX							0	0	116.000		1		
B-106	1975	2	STAT		285	285	125	#N/A	-2	224, BNW, EB, BL, IX							0	0	116.000		1		
B-106	1975	3	STAT		285	285	125	#N/A	-2	224, BNW, EB, BL, IX				145 to 103-B			0	0	116.000		1		
B-106	1975	4	SEND	-145		140		#N/A	-2	SU	B-103	OC qtr3 to qtr4			Shows 4th Qtr		0	0	116.000		4	MV	ARH-CD-336D-4
B-106	1975	4	STAT		142	142	125	2	0	BNW, EB, BL, IX							0	0	116.000		1		
B-106	1976	1	STAT		142	142	125	#N/A	0	224, BNW, EB, BL, IX							0	0	116.000		1		
B-106	1976	2	STAT		142	142	125	#N/A	0	224, BNW, EB, BL, IX							0	0	116.000		1		
B-106	1976	3	STAT		142	142	125	#N/A	0								0	0	116.000		1		
B-106	1976	4	STAT		142	142	125	#N/A	0								0	0	116.000		1		
B-106	1977	1	STAT		142	142	125	#N/A	0					Evap. Feed Dil			0	0	116.000		1		
B-106	1977	2	STAT		142	142	125	#N/A	0					Evap. Feed Dil			0	0	116.000		1		
B-106	1977	3	STAT		142	142	125	#N/A	0					Evap. Feed Dil			0	0	116.000		1		
B-106	1977	4	STAT		142	142	125	#N/A	0					Inactive Current			0	0	116.000		1		
B-106	1978	1	STAT		139	139	125	-3	-3					Inactive Current			0	0	116.000		1		
B-106	1978	2	STAT		139	139	125	#N/A	-3					Inactive			0	0	116.000		1		
B-106	1978	3	STAT		139	139	125	#N/A	-3								0	0	116.000		1		
B-106	1978	4	STAT		139	139	125	#N/A	-3					P-10 Pmp. removed New Solid Level 12/1/78 New Photo's 10/19/78			0	0	116.000		1		
B-106	1979	1	STAT		139	139	125	#N/A	-3								0	0	116.000		1		
B-106	1979	2	STAT		139	139	125	#N/A	-3								0	0	116.000		1		
B-106	1979	3	STAT		139	139	125	#N/A	-3								0	0	116.000		1		
B-106	1979	4	STAT		139	139	125	#N/A	-3								0	0	116.000		1		
B-106	1980	1	STAT		139	139	125	#N/A	-3								0	0	116.000		1		
B-106	1980	2	STAT		139	139	125	#N/A	-3								0	0	116.000		1		
B-106	1980	3	STAT		139	139	125	#N/A	-3								0	0	116.000		1		
B-106	1980	4	STAT		139	139	125	#N/A	-3	NCPLX							0	0	116.000		1		
B-106	1987	3	send	-22		117		#N/A	-3	swlg		AN-101					0	0	116.000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol Type	Q/A	Document/Pg #
B-106	1993	2	STAT		117	117	116	#N/A	-3	NCPLX						0	0	116.000		1	
B-106	1993	4	STAT		117	117	116	#N/A	-3							0	0	116.000		1	
B-106	1994	1	STAT		117	117	116	#N/A	-3							0	0	116.000		1	
B-106	2000															0	0	116.000		1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk mfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
B-107	1900																					
B-107	1945	2	CSEND	0	0	0	0	#N/A	0	SET	B-108					0.10314465	0	0.000				
B-107	1945	2	XIN	130	130	130	130	#N/A	0	IC						0.10314465	13,409	13,409	IC			
B-107	1945	2	XIN	39		169	169	#N/A	0	IC				First used in May 1945 (First in Cascade)		0.10314465	17,431	17,431	IC			
B-107	1945	2	STAT		169	169	169	#N/A	0	IC						0	17,431					
B-107	1945	3	XIN	73	242	242	242	#N/A	0	IC						0.10314465	7,529	24,961	IC			
B-107	1945	3	XIN	113	355	355	355	#N/A	0	IC						0.10314465	11,655	36,616	IC			
B-107	1945	3	XIN	122	477	477	477	#N/A	0	IC						0.10314465	12,584	49,200	IC			
B-107	1945	3	STAT		477	477	477	#N/A	0	IC						0	49,200					
B-107	1945	4	XIN	173	650	650	650	#N/A	0	IC						0.10314465	17,844	67,044	IC			
B-107	1945	4	XIN	218	868	868	868	#N/A	0	IC						0.10314465	22,486	89,530	IC			
B-107	1945	4	XIN	113	981	991	991	#N/A	0	IC						0.10314465	11,655	101,185	IC			
B-107	1945	4	SEND	-218	763	763	763	#N/A	0	cas	B-108					0.10314465	11,655	101,185	IC			
B-107	1945	4	SEND	-120	643	643	643	#N/A	0	cas	B-108					0	101,185					
B-107	1945	4	SEND	-113	530	530	530	#N/A	0	cas	B-108					0	101,185					
B-107	1946	1	STAT	148	530	530	530	#N/A	0	IC				Filled in Oct. 1945		0	101,185					
B-107	1946	1	XIN	168	698	698	698	#N/A	0	IC						0.10314465	15,285	116,450	IC			
B-107	1946	1	XIN	123	821	821	821	#N/A	0	IC						0.10314465	17,268	133,719	IC			
B-107	1946	1	SEND	-168	653	653	653	#N/A	0	cas	B-108					0.10314465	12,687	146,405	IC			
B-107	1946	1	SEND	-148	500	500	500	#N/A	0	cas	B-108					0	146,405					
B-107	1946	1	STAT	-123	377	377	377	#N/A	0	cas	B-108					0	146,405					
B-107	1946	2	XIN	170	700	700	700	#N/A	0	IC						0.10314465	17,555	164,000	IC			
B-107	1946	2	SEND	-170	530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1946	2	CSEND	0	530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1946	2	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1946	3	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1946	4	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1947	1	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1947	2	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1947	3	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1947	4	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1948	1	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1948	2	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1948	3	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1949	1	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1949	2	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1949	3	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1949	4	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1950	1	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1950	2	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1950	3	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1950	4	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1951	1	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1951	2	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1951	3	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1951	4	STAT		530	530	530	#N/A	0	END	B-108					0	164,000					
B-107	1952	1	SEND	-310	220	220	220	#N/A	0	IC	B-108					0	164,000					
B-107	1952	1	STAT		220	220	220	#N/A	0	SU	B-108					0	164,000					
B-107	1952	2	STAT		220	220	220	#N/A	0	EB	B-108					0	164,000					
B-107	1952	3	REC	163	383	383	383	#N/A	0	SL	B-106	BSICK				0	164,000					
B-107	1952	3	REC	78	461	461	461	#N/A	0	SL	B-106	BSICK				0	164,000					
B-107	1952	3	STAT		461	461	461	#N/A	0	EB	B-106	BSICK				0	164,000					
B-107	1952	4	REC	63	524	524	524	#N/A	0	SL	B-106	BSICK		Active bottoms tank		0	164,000					
B-107	1952	4	REC	71	531	531	531	#N/A	0	SL	B-106	BSICK				0	164,000					



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk fr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
B-107	1952	4	STAT		531	531	0	#N/A	0	EB						0	0	164,000		1		
B-107	1953	1	STAT		531	531	220	#N/A	0	EB				Cascade to 108-B, 11-25-52		0	0	164,000		1		
B-107	1953	2	SEND	-297		234		#N/A	0	SU		B-106				0	0	164,000		1		
B-107	1953	2	SEND	-10		224		#N/A	0	SU		B-106				0	0	164,000		1		
B-107	1953	2	REC	299		523		#N/A	0	SL	B-106	B-106	BSiCk			0	0	164,000		1		
B-107	1953	2	STAT		523	523	220	#N/A	0	EB				Re-evaporated bottoms		0	0	164,000		1		
B-107	1953	3	REC	7		530		#N/A	0	SL	B-106	B-106	BSiCk			0	0	164,000		1		
B-107	1953	3	STAT		530	530	172	#N/A	0							0	0	164,000		1		
B-107	1953	4	STAT		530	530	172	#N/A	0					1C re-evaporated bottoms		0	0	164,000		1		
B-107	1954	1	STAT		530	530	172	#N/A	0					1C re-evaporated bottoms		0	0	164,000		1		
B-107	1954	1	STAT		530	530	172	#N/A	0					1C re-evaporated bottoms		0	0	164,000		1		
B-107	1954	2	STAT		530	530	172	#N/A	0	EB				Scheduled to be pumped to ditch		0	0	164,000		1		
B-107	1954	3	REC	50		580		#N/A	0	SL	B-106	B-106	BSiCk			0	0	164,000		1		
B-107	1954	3	OUTX	-322		258		#N/A	0	SU	B-037	CRIB				0	0	164,000		1		
B-107	1954	3	STAT		225	225	225	-33	-33					Pumped to ditch #3		0	0	164,000		1		
B-107	1954	4	REC	230		455		#N/A	-33	SL	B-106	B-106	BSiCk			0	0	164,000		1		
B-107	1954	4	STAT		488	488	225	33	0	EB						0	0	164,000		1		
B-107	1955	1	STAT		530	530	225	42	42					Received TBP evap. bottoms from 110-B Tank		0	0	164,000		1		
B-107	1955	2	STAT		530	530	225	#N/A	42							0	0	164,000		1		
B-107	1955	3	STAT		530	530	225	#N/A	42							0	0	164,000		1		
B-107	1955	4	outx	-366		164		#N/A	42							0	0	164,000	BEVA	0		
B-107	1955	4	in	366		530		#N/A	42			BEVAP				0	0	164,000	BSiCk	0		
B-107	1955	4	STAT		530	530	225	#N/A	42							0	0	164,000		1		
B-107	1956	1	STAT		530	530	225	#N/A	42							0	0	164,000		1		
B-107	1956	2	STAT		530	530	225	#N/A	42							0	0	164,000		1		
B-107	1956	3	STAT		530	530	225	#N/A	42							0	0	164,000		1		
B-107	1956	4	STAT		530	530	225	#N/A	42	EB						0	0	164,000		1		
B-107	1957	1	STAT		496	496	225	-34	8	EB				Latest electrode reading		0	0	164,000		1		
B-107	1957	2	STAT		532	532	230	36	44	EB				New		0	0	164,000		1		
B-107	1957	3	OUTX	-242		290		#N/A	44	T23	C-109	TFeCN	OC 217 to 242, AND reports - 264		Shows 242 not 230 ???	0	0	164,000		2	V	N-54-297
B-107	1957	3	STAT		271	271	230	-19	25	EB				264 Scavenged		0	0	164,000		1		
B-107	1957	4	STAT		271	271	261	#N/A	25	EB						0	0	164,000		1		
B-107	1958	1	STAT		274	274	261	3	28	EB						0	0	164,000		1		
B-107	1958	2	STAT		271	271	261	-3	25					CW (945 TU)		0	0	164,000		1		
B-107	1958	3	STAT		271	271	261	#N/A	25					CW (956 TU) Latest electrode read.		0	0	164,000		1		
B-107	1958	4	STAT		271	271	261	#N/A	25					CW (1131 TU)		0	0	164,000		1		
B-107	1959	1	STAT		271	271	261	#N/A	25							0	0	164,000		1		
B-107	1959	2	STAT		271	271	261	#N/A	25							0	0	164,000		1		
B-107	1959	3	STAT		271	271	261	#N/A	25							0	0	164,000		1		
B-107	1959	4	STAT		271	271	261	#N/A	25							0	0	164,000		1		
B-107	1960	1	STAT		271	271	261	#N/A	25							0	0	164,000		1		
B-107	1960	2	STAT		271	271	261	#N/A	25							0	0	164,000		1		
B-107	1960	3	STAT		271	271	261	#N/A	25	EB						0	0	164,000		1		
B-107	1960	4	STAT	N/A	271	271	237	#N/A	25	EB			STAT PHASE ERROR 237 TO N/A			0	0	164,000		1		
B-107	1961	1	STAT	N/A	271	271		#N/A	25					Previous readings/incorrect		0	0	164,000		1		
B-107	1961	2	STAT	N/A	271	271		#N/A	25	EB				STAT 268 TO N/A		0	0	164,000		1		
B-107	1961	3	STAT	N/A	271	271		#N/A	25							0	0	164,000		1		
B-107	1961	4	STAT		271	271	261	#N/A	25							0	0	164,000		1		
B-107	1962	1	STAT		271	271	261	#N/A	25					Latest electrode reading		0	0	164,000		1		
B-107	1962	2	STAT		271	271	261	#N/A	25							0	0	164,000		1		
B-107	1962	3	STAT		271	271	261	#N/A	25							0	0	164,000		1		
B-107	1962	4	STAT		271	271	261	#N/A	25	EB						0	0	164,000		1		
B-107	1963	1	STAT		271	271	261	#N/A	25	EB						0	0	164,000		1		
B-107	1963	2	STAT		271	271	271	#N/A	25	EB						0	0	164,000		1		

Tank n.	Year	Qty	Type	Trans vol	Stat vol	Total vol	Solids vol	Ink ltr	Cum unk	Waste type	Trans bank	DWXT	LANL comment	Anderson comment	Oxygen comment	sol vol%	TLM solids	Cum solids	sol type	Q/A	Document/fig #
B-107	1963	3	CSEND	0	271	271				25 ISET	B-108						0	164,000			
B-107	1963	3	XIN	264	536	800				25 CWP					Omission		0	164,000	3 V		HW-80378-4
B-107	1963	3	REC	308	843	1151				25 SU	C-101						0	164,000	1		
B-107	1963	3	REC	214	1057	1271				25 SU	C-102						0	164,000	1		
B-107	1963	3	REC	44	1101	1145				25 SU	C-103						0	164,000	1		
B-107	1963	3	REC	252	1353	1605				25 SU	C-106						0	164,000	1		
B-107	1963	3	SEND	308	1045	1353				25 cas	B-108						0	164,000	0		
B-107	1963	3	SEND	264	781	1045				25 cas	B-108						0	164,000	0		
B-107	1963	3	SEND	251	530	781				25 cas	B-108						0	164,000	0		
B-107	1963	3	STAT		530	530				25							0	164,000	0		
B-107	1963	4	REC	313	843	1156				25 SU	C-102						0	164,000	1		
B-107	1963	4	SEND	-313	530	217				25 cas	B-108						0	164,000	0		
B-107	1964	1	STAT		535	535				30							0	164,000	0		
B-107	1964	2	STAT		535	1070				30 CW				264 CW			0	164,000	1		
B-107	1964	3	STAT		535	1605				30 CW							0	164,000	1		
B-107	1964	4	STAT		541	2116				36 CW				Latest electrode reaching			0	164,000	1		
B-107	1965	1	STAT		N/A	541				36				New electrode			0	164,000	1		
B-107	1965	2	STAT		541	1082				36 IC/EB/CW							0	164,000	1		
B-107	1965	3	STAT		549	1631				44 IC/EB/CW							0	164,000	1		
B-107	1965	4	STAT		546	2177				41 IC/EB/CW							0	164,000	1		
B-107	1966	1	STAT		543	2720				38 EB/CW							0	164,000	1		
B-107	1966	2	STAT		543	3263				38 IC/EB/CW							0	164,000	1		
B-107	1966	3	STAT		541	3804				36 EB/CW							0	164,000	1		
B-107	1966	4	STAT		541	4345				36 IC/EB/CW							0	164,000	1		
B-107	1967	1	STAT		538	4883				33 IC/EB/CW							0	164,000	1		
B-107	1967	2	STAT		535	5418				30 EB/CW							0	164,000	1		
B-107	1967	3	STAT		535	5953				30 EB/CW							0	164,000	1		
B-107	1967	4	STAT		535	6488				30 EB/CW							0	164,000	1		
B-107	1968	1	STAT		531	7019				26 IC/EB/CW							0	164,000	1		
B-107	1968	2	STAT		530	7549				25 EB/CW							0	164,000	1		
B-107	1968	3	STAT		530	8079				25 IC/EB/CW							0	164,000	1		
B-107	1968	4	STAT		528	8607				23 EB/CW							0	164,000	1		
B-107	1969	1	STAT		528	9135				23 IC/EB/CW							0	164,000	1		
B-107	1969	2	STAT		527	9662				22 IC/EB/CW							0	164,000	1		
B-107	1969	3	SEND	327	200	1193				22 SU		B-103				0	164,000	4			ARH-2100C-5
B-107	1969	4	STAT		200	1393								327 to 103-B		0	164,000	1			
B-107	1970	1	STAT		200	1593								*Dry Wells 20-07-06, 20-07-09, 20-07-11 drilled.		0	164,000	1			
B-107	1970	2	STAT		200	1793										0	164,000	1			
B-107	1970	3	STAT		200	1993										0	164,000	1			
B-107	1970	4	STAT		200	2193										0	164,000	1			
B-107	1971	1	STAT		200	2393										0	164,000	1			
B-107	1971	2	STAT		200	2593										0	164,000	1			
B-107	1971	3	STAT		200	2793										0	164,000	1			
B-107	1971	4	STAT		200	2993										0	164,000	1			
B-107	1972	1	STAT		200	3193										0	164,000	1			
B-107	1972	2	XIN	2	202	3195				22 FL SH		WTR				0	164,000	1			
B-107	1972	3	SEND	-18	184	2987				22 SU	B-102					0	164,000	4			ARH-2456B-4 ARH-2456B-4
B-107	1972	4	STAT		193	3180										0	164,000	1			
B-107	1972	5	STAT		193	3373										0	164,000	1			
B-107	1972	6	STAT		193	3566										0	164,000	1			
B-107	1972	7	STAT		193	3759										0	164,000	1			
B-107	1973	1	SEND	2	191	3761										0	164,000	1			
B-107	1973	2	SEND	-1	192	3569										0	164,000	1			
B-107	1973	3	STAT		193	3762										0	164,000	1			
B-107	1973	4	STAT		193	3955										0	164,000	1			
B-107	1973	5	STAT		193	4148										0	164,000	1			

Tank n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum Unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Dyesin comment	sol vol%	TLM solids	Cum solids	sol type	Ch	O/A	Document/Pg #
B-107	1973	4	STAT		193	193	193	193	#N/A	34				Suspect leaker Dry Well 20-107-02 drilled		0	0	164,000	1			
B-107	1974	1	STAT		193	193	193	193	#N/A	34				Suspect leaker	Omission	0	0	164,000	1			ARH-279AB-4/ARH-CD-133B-4 SEND
B-107	1974	2	SEND	-4	193	189	189		#N/A	34	B-102			Suspect leaker		0	0	164,000	3	V		
B-107	1974	2	STAT		193	193	193	4	38	SU				Suspect leaker		0	0	164,000	1			ARH-CD-133C-4
B-107	1974	3	SEND	-6	193	187	187		#N/A	38	B-102			Suspect leaker, 6 to 102-B		0	0	164,000	4	O		
B-107	1974	3	STAT		193	193	193	6	44					Suspect leaker, 4 water, 5 to 102-B		0	0	164,000	4	O		ARH-CD-133D-4
B-107	1974	4	XIN	4	197	197	197		#N/A	44	WTR					0	0	164,000	4	O		ARH-CD-133D-4
B-107	1974	4	SEND	-5	192	192	192		#N/A	44	B-102					0	0	164,000	4	O		ARH-CD-133B-4
B-107	1974	4	STAT		194	194	194	2	46	SU						0	0	164,000	1			ARH-CD-336A-4
B-107	1975	1	SEND	-1	193	193	193		#N/A	46	B-102			Suspect leaker, 1 to 102-B		0	0	164,000	4	O		
B-107	1975	1	STAT		194	194	194	1	47							0	0	164,000	1			ARH-CD-336B-4
B-107	1975	2	SEND	-3	191	191	191		#N/A	47	B-102			Removed from service 2 to 102-B	Omission	0	0	164,000	4	O		
B-107	1975	2	STAT		194	194	194	3	50					Removed from service 3 to 102-B		0	0	164,000	1			ARH-CD-336C-4
B-107	1975	3	SEND	-3	191	191	191		#N/A	50	B-102			Removed from service 3 to 102-B	Omission	0	0	164,000	3	V		
B-107	1975	3	STAT		194	194	194	3	53					Removed from service 3 to 102-B		0	0	164,000	1			ARH-CD-336D-4
B-107	1975	4	SEND	-3	191	191	191		#N/A	53	B-102	LC q3 to q4				0	0	164,000	3	V		
B-107	1975	4	STAT		194	194	194	3	56					Removed from service 3 to 102-B		0	0	164,000	1			ARH-CD-336D-4
B-107	1976	1	STAT		194	194	194	3	56					Removed from service		0	0	164,000	1			
B-107	1976	2	SEND	-1	193	193	193		#N/A	56	B-102			Removed from service		0	0	164,000	1			ARH-CD-702B-4
B-107	1976	2	STAT		194	194	194	1	57					Removed from service		0	0	164,000	1			
B-107	1976	3	STAT		194	194	194		#N/A	57				Inactive		0	0	164,000	1			
B-107	1976	4	STAT		194	194	194		#N/A	57				Inactive		0	0	164,000	1			
B-107	1977	1	STAT		194	194	194		#N/A	57				Questionable Integrity Salt Well Pumping		0	0	164,000	1			
B-107	1977	2	STAT		194	194	194		#N/A	57				Inactive		0	0	164,000	1			
B-107	1977	3	STAT		194	194	194		#N/A	57				Inactive Current		0	0	164,000	1			
B-107	1977	4	STAT		194	194	194		#N/A	57				Inactive - Salt Well Installed		0	0	164,000	1			
B-107	1978	1	STAT		194	194	194		#N/A	57				P-10 Pmp. removed		0	0	164,000	1			
B-107	1978	2	STAT		194	194	194		#N/A	57						0	0	164,000	1			
B-107	1978	3	STAT		194	194	194		#N/A	57				New Photo's 2/28/79		0	0	164,000	1			
B-107	1978	4	STAT		194	194	194		#N/A	57				Questionable Integrity Primary Stabilized <100 gal. pool		0	0	164,000	1			
B-107	1979	1	STAT		194	194	194		#N/A	57				New Solids Level 2/28/80		0	0	164,000	1			
B-107	1979	2	STAT		194	194	194		#N/A	57						0	0	164,000	1			
B-107	1979	3	STAT		194	194	194		#N/A	57						0	0	164,000	1			
B-107	1979	4	STAT		194	194	194		#N/A	57						0	0	164,000	1			
B-107	1980	1	STAT		194	194	194		#N/A	57						0	0	164,000	1			
B-107	1980	2	STAT		194	194	194		#N/A	57						0	0	164,000	1			
B-107	1980	3	STAT		194	194	194		#N/A	57						0	0	164,000	1			
B-107	1980	4	STAT		194	194	194		#N/A	57						0	0	164,000	1			
B-107	1987	2	send	-29	165	165	165		#N/A	57	AN-101					0	0	164,000	0			
B-107	1993	2	STAT		165	165	165		#N/A	57						0	0	164,000	1			
B-107	1993	4	STAT		165	165	165		#N/A	57						0	0	164,000	1			
B-107	1994	1	STAT		165	165	165		#N/A	57						0	0	164,000	1			
B-107	2000															0	0	164,000	1			

Tank n.	Year	Con	Type	Trans vol	Stat vol	Total vol	Solids vol	Unit	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
B-108	1900																					
B-108	1945	1	STAT					#N/A	0								0	0.000				
B-108	1945	2	CREC	0				#N/A	0	0	B-107						0	0.000				
B-108	1945	2	CSEND	0				#N/A	0	0	B-109						0	0.000				
B-108	1945	2	STAT					#N/A	0								0	0.000				
B-108	1945	3	STAT					#N/A	0								0	0.000				
B-108	1945	4	rec	218				#N/A	0	0	B-107	B-107				0.03207547	6.9925	6.9925	1C1			
B-108	1945	4	rec	120				#N/A	0	0	B-107	B-107				0.03207547	3.8491	10.842	1C1			
B-108	1945	4	rec	113				#N/A	0	0	B-107	B-107				0.03207547	3.6245	14.468	1C1			
B-108	1945	4	STAT		451			#N/A	0	0				First used Oct. 1945 (2nd in Cascade)			0	14.465				
B-108	1946	1	rec	168				#N/A	0	0	B-107	B-107				0.03207547	5.3987	19.855	1C1			
B-108	1946	1	rec	149				#N/A	0	0	B-107	B-107				0.03207547	4.7472	24.602	1C1			
B-108	1946	1	rec	123				#N/A	0	0	B-107	B-107				0.03207547	3.9463	28.547	1C1			
B-108	1946	1	send	-168				#N/A	0	0	B-109						0	28.547				
B-108	1946	1	send	-123				#N/A	0	0	B-109						0	28.547				
B-108	1946	1	send	-69				#N/A	0	0	B-109						0	28.547				
B-108	1946	1	STAT		530			#N/A	0	0				Fill in Jan. 1946			0	28.547				
B-108	1946	2	rec	170				#N/A	0	0	B-107	B-107				0.03207547	5.4528	34.000	1C1			
B-108	1946	2	send	-170				#N/A	0	0	B-109						0	34.000				
B-108	1946	2	CREC	0				#N/A	0	0	B-107						0	34.000				
B-108	1946	2	CSEND	0				#N/A	0	0	B-109						0	34.000				
B-108	1946	2	STAT		530			#N/A	0	0							0	34.000				
B-108	1946	3	STAT		530			#N/A	0	0							0	34.000				
B-108	1946	4	STAT		530			#N/A	0	0							0	34.000				
B-108	1947	1	STAT		530			#N/A	0	0							0	34.000				
B-108	1947	2	STAT		530			#N/A	0	0							0	34.000				
B-108	1947	3	STAT		530			#N/A	0	0							0	34.000				
B-108	1947	4	STAT		530			#N/A	0	0							0	34.000				
B-108	1948	1	STAT		530			#N/A	0	0							0	34.000				
B-108	1948	2	STAT		530			#N/A	0	0							0	34.000				
B-108	1948	3	STAT		530			#N/A	0	0							0	34.000				
B-108	1948	4	STAT		530			#N/A	0	0							0	34.000				
B-108	1949	1	STAT		530			#N/A	0	0							0	34.000				
B-108	1949	2	STAT		530			#N/A	0	0							0	34.000				
B-108	1949	3	STAT		530			#N/A	0	0							0	34.000				
B-108	1949	4	STAT		530			#N/A	0	0							0	34.000				
B-108	1950	1	STAT		530			#N/A	0	0							0	34.000				
B-108	1950	2	STAT		530			#N/A	0	0							0	34.000				
B-108	1950	3	STAT		530			#N/A	0	0							0	34.000				
B-108	1950	4	STAT		530			#N/A	0	0							0	34.000				
B-108	1951	1	STAT		530			#N/A	0	0							0	34.000				
B-108	1951	2	STAT		530			#N/A	0	0							0	34.000				
B-108	1951	3	STAT		530			#N/A	0	0							0	34.000				
B-108	1951	4	SEND	-530				#N/A	0	0							0	34.000				
B-108	1951	4	REC	73				#N/A	0	0	B-106	B-106				0	34.000					
B-108	1951	4	STAT	73				#N/A	0	0	B-106	B-106				0	34.000					
B-108	1952	1	REC	125				#N/A	0	0	B-106	B-106				0	34.000					
B-108	1952	1	REC	103				#N/A	0	0	B-106	B-106				0	34.000					
B-108	1952	1	REC	77				#N/A	0	0	B-106	B-106				0	34.000					
B-108	1952	1	STAT		N/A			#N/A	0	0							0	34.000				
B-108	1952	2	REC	123				#N/A	0	0	B-106	B-106				0	34.000					
B-108	1952	2	REC	29				#N/A	0	0	B-106	B-106				0	34.000					
B-108	1952	2	STAT		530			#N/A	0	0							0	34.000				
B-108	1952	3	STAT		530			#N/A	0	0							0	34.000				
B-108	1952	4	STAT		530			#N/A	0	0							0	34.000				
B-108	1953	1	SEND	-443				#N/A	0	0				Cascade to 109-B-11-30-52			0	34.000				
B-108	1953	1	REC	257				#N/A	0	0	B-106	B-106				0	34.000					

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	Cum vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
B-108	1953	1	REC	17		361		N/A	0	SL	B-106	B-106	BSICK			0	0	34,000		1		
B-108	1953	1	STAT		359		34	-2	-2	EB				Active bottoms tank. Pumped to 106-B on 2-18-53		0	0	34,000		1		
B-108	1953	2	REC	166		525		N/A	-2	SL	B-106	B-106	BSICK			0	0	34,000		1		
B-108	1953	2	REC	5		530		N/A	-2	SL	B-106	B-106	BSICK			0	0	34,000		1		
B-108	1953	3	STAT		530		34	N/A	-2					Re-evaporated bottoms		0	0	34,000		1		
B-108	1953	3	STAT		530		34	N/A	-2					1C re-evaporated bottoms		0	0	34,000		1		
B-108	1953	4	STAT		530		34	N/A	-2					1C re-evaporated bottoms		0	0	34,000		1		
B-108	1954	1	STAT		530		34	N/A	-2					Scheduled to be pumped to ditch		0	0	34,000		1		
B-108	1954	2	STAT		530		34	N/A	-2	EB						0	0	34,000		1		
B-108	1954	3	OUTX	465		65		N/A	-2	SU	B-037	CRIB		Pumped to ditch		0	0	34,000		1		
B-108	1954	3	STAT		65		65	N/A	-2							0	0	34,000		1		
B-108	1954	4	STAT		65		65	N/A	-2							0	0	34,000		1		
B-108	1955	1	REC	182		247		N/A	-2	SU	B-110	B-110				0	0	34,000		1		
B-108	1955	1	STAT		233		65	-14	-16					Rec'd TBP evap. bottoms from 110-B		0	0	34,000		1		
B-108	1955	2	STAT		233		65	N/A	-16	EB						0	0	34,000		1		
B-108	1955	3	REC	281		514		N/A	-15	SU	B-111	B-111	qtr 2 to 3			0	0	34,000		1		
B-108	1955	3	STAT		526		65	12	-4					Rec'd from 111-B		0	0	34,000		1		
B-108	1955	4	OMK	492		34		N/A	-4							0	0	34,000	BEVA	0		
B-108	1955	4	MH	492		526		N/A	-4							0.121951	60	94,000	BSICK	0		
B-108	1955	4	STAT		526		65	N/A	-4							0	0	94,000		1		
B-108	1956	1	STAT		526		65	N/A	-4							0	0	94,000		1		
B-108	1956	2	STAT		526		65	N/A	-4							0	0	94,000		1		
B-108	1956	3	STAT		526		65	N/A	-4							0	0	94,000		1		
B-108	1956	4	STAT		526		65	N/A	-4	EB						0	0	94,000		1		
B-108	1957	1	STAT		527		65	1	-3	EB						0	0	94,000		1		
B-108	1957	2	STAT		526		114	-1	-4	EB				Latest electrode reading		0	0	94,000		1		
B-108	1957	3	OUTX	365		161		N/A	-4	T21	C-108	TFCN	AND reports -396 total	Shows 465 not 365		0	0	94,000		2	V	N-54-295
B-108	1957	3	OUTX	31		130		N/A	-4	T22	C-111	TFCN	AND -398 total	Shows 40 not 31		0	0	94,000		2	V	N-54-296
B-108	1957	3	STAT		128		114	-2	-6	EB						0	0	94,000		1		
B-108	1957	4	STAT		128		114	N/A	-6	EB						0	0	94,000		1		
B-108	1958	1	STAT		131		114	3	-3	EB				396 Scavenged		0	0	94,000		1		
B-108	1958	2	STAT		134		114	3	0	EB						0	0	94,000		1		
B-108	1958	3	STAT		131		114	-3	-3	EB				CW (1472 TU) Latest electrode rdg.		0	0	94,000		1		
B-108	1958	4	STAT		134		114	3	0	EB				CW (1461 TU) Latest electrode rdg.		0	0	94,000		1		
B-108	1959	1	STAT		130		114	-4	-4					CW (1742 TU) Latest electrode rdg.		0	0	94,000		1		
B-108	1959	2	STAT		130		114	N/A	-4					CW (1729 TU) Latest electrode rdg.		0	0	94,000		1		
B-108	1959	3	STAT		130		114	N/A	-4					CW (1746 TU) Latest electrode rdg.		0	0	94,000		1		
B-108	1959	4	STAT		130		114	N/A	-4							0	0	94,000		1		
B-108	1960	1	STAT		130		114	N/A	-4							0	0	94,000		1		
B-108	1960	2	STAT		130		114	N/A	-4							0	0	94,000		1		
B-108	1960	3	STAT		130		114	N/A	-4							0	0	94,000		1		
B-108	1960	4	STAT		130		114	N/A	-4	EB						0	0	94,000		1		
B-108	1961	1	STAT		130		114	N/A	-4							0	0	94,000		1		
B-108	1961	2	STAT		128		114	-2	-6							0	0	94,000		1		
B-108	1961	3	STAT		128		114	N/A	-6							0	0	94,000		1		
B-108	1961	4	STAT		128		114	N/A	-6							0	0	94,000		1		
B-108	1962	1	STAT		128		114	N/A	-6							0	0	94,000		1		
B-108	1962	2	STAT		128		114	N/A	-6							0	0	94,000		1		
B-108	1962	3	STAT		128		114	N/A	-6							0	0	94,000		1		
B-108	1962	4	STAT		128		114	N/A	-6	EB						0	0	94,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
B-108	1963	1	STAT		N/A	128		#N/A	-6								0	94,000		1		
B-108	1963	2	STAT		131	131	120	3	-3	EB							0	94,000		1		
B-108	1963	3	CREC	0		131		#N/A	-3	SET	B-107						0	94,000		1		
B-108	1963	3	CSEND	0		131		#N/A	-3	SET	B-109						0	94,000		1		
B-108	1963	3	XIN	410		541		#N/A	-3	CWP		CWP2	Omiss.		Omission		0	94,000		3	V	HW-80379-4
B-108	1963	3	rec	308		849		#N/A	-3	cas	B-107	B-107					0	94,000		0		
B-108	1963	3	rec	264		1113		#N/A	-3	cas	B-107	B-107					0	94,000		0		
B-108	1963	3	rec	251		1364		#N/A	-3	cas	B-107	B-107					0	94,000		0		
B-108	1963	3	send	-410		954		#N/A	-3	cas		B-109					0	94,000		0		
B-108	1963	3	send	-264		690		#N/A	-3	cas		B-109					0	94,000		0		
B-108	1963	3	send	-160		530		#N/A	-3	cas		B-109					0	94,000		0		
B-108	1963	3	STAT		N/A	530		#N/A	-3								0	94,000		1		
B-108	1963	4	rec	313		843		#N/A	-3	cas	B-107	B-107					0	94,000		0		
B-108	1963	4	send	-313		530		#N/A	-3	cas		B-109					0	94,000		0		
B-108	1963	4	STAT		541	541	120	11	8	CW				410 CW			0	94,000		1		
B-108	1964	1	STAT		541	541	120	#N/A	8	CW							0	94,000		1		
B-108	1964	2	STAT		541	541	120	#N/A	8	CW							0	94,000		1		
B-108	1964	3	STAT		541	541	120	#N/A	8	CW							0	94,000		1		
B-108	1964	4	STAT		541	541	120	#N/A	8	EB,CW							0	94,000		1		
B-108	1965	1	STAT		N/A	541		#N/A	8								0	94,000		1		
B-108	1965	2	STAT		538	538	125	-3	5	CW							0	94,000		1		
B-108	1965	3	STAT		538	538	125	#N/A	5	EB,CW							0	94,000		1		
B-108	1965	4	STAT		538	538	125	#N/A	5	CW							0	94,000		1		
B-108	1966	1	STAT		538	538	125	#N/A	5	CW							0	94,000		1		
B-108	1966	2	STAT		538	538	125	#N/A	5	CW							0	94,000		1		
B-108	1966	3	STAT		538	538	125	#N/A	5	CW							0	94,000		1		
B-108	1966	4	STAT		538	538	125	#N/A	5	CW							0	94,000		1		
B-108	1967	1	STAT		538	538	125	#N/A	5	CW							0	94,000		1		
B-108	1967	2	STAT		538	538	125	#N/A	5	CW							0	94,000		1		
B-108	1967	3	STAT		538	538	125	#N/A	5	CW							0	94,000		1		
B-108	1967	4	STAT		538	538	125	#N/A	5	EB,CW							0	94,000		1		
B-108	1968	1	STAT		538	538	125	-2	3	EB,CW							0	94,000		1		
B-108	1968	2	STAT		538	538	125	2	5	EB,CW							0	94,000		1		
B-108	1968	3	STAT		538	538	125	#N/A	5	EB,CW							0	94,000		1		
B-108	1968	4	STAT		538	538	125	-2	3	EB,CW							0	94,000		1		
B-108	1969	1	SEND	-212		324		#N/A	3	SU		B-103					0	94,000		4	O	ARH01200A-5
B-108	1969	1	STAT		324	324	125	#N/A	3	EB,CW				212 to 103-B			0	94,000		1		
B-108	1969	2	SEND	-207		117		#N/A	3	SU		B-103					0	94,000		4	O	ARH01200B-5
B-108	1969	2	STAT		117	117	117	#N/A	3					207 to 103-B			0	94,000		1		
B-108	1969	3	STAT		117	117	117	#N/A	3								0	94,000		1		
B-108	1969	4	REC	428		545		#N/A	3	SU	B-111	B-111					0	94,000		4	O	ARH-1200D-5
B-108	1969	4	REC	0		545		#N/A	3	SU	B-110	B-110	*428 to				0	94,000		1		
B-108	1969	4	STAT		545	545	117	#N/A	3	IX				428 from 111-B			0	94,000		1		
B-108	1970	1	STAT		543	543	117	-2	1								0	94,000		1		
B-108	1970	2	STAT		543	543	117	#N/A	1								0	94,000		1		
B-108	1970	3	STAT		543	543	117	#N/A	1								0	94,000		1		
B-108	1970	4	STAT		543	543	117	#N/A	1	IX							0	94,000		1		
B-108	1971	1	STAT		542	542	117	-1	0	IX							0	94,000		1		
B-108	1971	2	STAT		542	542	122	#N/A	0	IX							0	94,000		1		
B-108	1971	3	STAT		543	543	122	1	1	IX							0	94,000		1		
B-108	1971	4	STAT		543	543	78	#N/A	1	IX							0	94,000		1		
B-108	1972	1	SEND	-417		126		#N/A	1	SU		B-103					0	94,000		4	O	ARH-2456A-4
B-108	1972	1	STAT		125	125	113	-1	0	IX				417 to 103-B * Dry Wells 20-08-03, 20-08-05, 20-08-07, 20-08-09 drilled.			0	94,000		1		
B-108	1972	2	STAT		125	125	113	#N/A	0	IX							0	94,000		1		
B-108	1972	3	STAT		127	127	113	2	2								0	94,000		1		
B-108	1972	4	STAT		113	113	113	-14	-12					New tape			0	94,000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LAML comment	Anderson comment	Dyden comment	sol vol%	TLM solids	Cum solids	sol type	OI	O/A	Document/Pg #
B-108	1973	1	STAT	112	112	112	112	1	-13								0	94,000		1		
B-108	1973	2	STAT	111	111	111	111	1	-14								0	94,000		1		
B-108	1973	3	STAT	111	111	111	111	1	-14								0	94,000		1		
B-108	1973	4	STAT	111	111	111	111	1	-14								0	94,000		1		
B-108	1974	1	STAT	114	114	114	114	3	-11								0	94,000		1		
B-108	1974	2	REC	39	153	153	153	1	-11	SU	BY-107	BY-107				0	94,000		1			
B-108	1974	2	STAT	156	156	156	156	3	-8								0	94,000		1		
B-108	1974	3	STAT	156	156	156	156	1	-8	EB							0	94,000		1		
B-108	1974	4	STAT	156	156	156	156	1	-8	EB							0	94,000		1		
B-108	1975	1	STAT	156	156	156	156	1	-8								0	94,000		1		
B-108	1975	2	STAT	156	156	156	156	1	-8								0	94,000		1		
B-108	1975	3	STAT	156	156	156	156	1	-8								0	94,000		1		
B-108	1975	4	STAT	156	156	156	156	1	-8								0	94,000		1		
B-108	1976	1	STAT	156	156	156	156	1	-8								0	94,000		1		
B-108	1976	2	STAT	156	156	156	156	1	-8								0	94,000		1		
B-108	1976	3	STAT	156	156	156	156	1	-8								0	94,000		1		
B-108	1976	4	STAT	156	156	156	156	1	-8								0	94,000		1		
B-108	1977	1	STAT	156	156	156	156	1	-8								0	94,000		1		
B-108	1977	2	send	44	112	112	112	1	-8								0	94,000		1		
B-108	1977	3	STAT	112	112	112	112	1	-8								0	94,000		1		
B-108	1977	4	send	9	103	103	103	1	-8								0	94,000		1		
B-108	1977	4	STAT	103	103	103	103	1	-8								0	94,000		1		
B-108	1978	1	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1978	2	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1978	3	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1978	4	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1979	1	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1979	2	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1979	3	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1979	4	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1980	1	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1980	2	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1980	3	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1980	4	STAT	103	103	103	103	70	-8								0	94,000		1		
B-108	1987	2	send	9	94	94	94	1	-8	NOPLX							0	94,000		1		
B-108	1987	2	STAT	94	94	94	94	1	-8	NOPLX	AN-101						0	94,000		1		
B-108	1993	2	STAT	94	94	94	94	1	-8	NOPLX							0	94,000		1		
B-108	1993	4	STAT	94	94	94	94	1	-8	NOPLX							0	94,000		1		
B-108	1994	1	STAT	94	94	94	94	1	-8	NOPLX							0	94,000		1		
B-108	2000			94	94	94	94	1	-8	NOPLX							0	94,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soilids vol	Unk ttr	Cum unit	Waste type	Trans tank	DWAT	LANL comment	Anderson comment	Orgden comment	act vol%	TLM soilids	Cum soilids	sol type	Ol	O/A	Document/Pg #
B-109	1900																					
B-109	1945	2	CREC	0		0	0	#N/A	0	D.SET	B-108					0	0	0.000	1			
B-109	1945	2	STAT		N/A	0	0	#N/A	0							0	0	0.000	1			
B-109	1945	3	STAT		N/A	0	0	#N/A	0							0	0	0.000	1			
B-109	1945	4	STAT			0	0	#N/A	0							0	0	0.000	1			
B-109	1946	1	rec	168		168	168	#N/A	0	0 cas	B-108	B-108				0	0	0.000	0			
B-109	1946	1	rec	123		291	291	#N/A	0	0 cas	B-108	B-108				0	0	0.000	0			
B-109	1946	1	rec	69		360	360	#N/A	0	0 cas	B-108	B-108				0	0	0.000	0			
B-109	1946	1	STAT		360	360	360	#N/A	0	0 1C				First used Jan. 1946 (Last in Cascade)		0	0	0.000	1			
B-109	1946	2	rec	170		530	530	#N/A	0	0 cas	B-108	B-108				0	0	0.000	0			
B-109	1946	2	CREC	0		0	0	#N/A	0	0 END	B-108					0	0	0.000	0			
B-109	1946	2	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1946	3	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1946	4	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1947	1	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1947	2	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1947	3	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1947	4	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1948	1	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1948	2	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1948	3	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1948	4	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1949	1	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1949	2	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1949	3	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1949	4	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1950	1	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1950	2	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1950	3	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1950	4	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1951	1	STAT		530	530	530	#N/A	0							0	0	0.000	1			
B-109	1951	2	STAT		530	530	530	#N/A	0	0 1C						0	0	0.000	1			
B-109	1951	3	STAT		N/A	530	530	#N/A	0							0	0	0.000	1			
B-109	1951	4	STAT		N/A	530	530	#N/A	0							0	0	0.000	1			
B-109	1952	1	SEND	-520		10	10	#N/A	0	0 SU		B-106				0	0	0.000	1			
B-109	1952	1	STAT		N/A	10	10	#N/A	0							0	0	0.000	1			
B-109	1952	2	REC	98		108	108	#N/A	0	0 SL	B-106	B-106	BSICK			0	0	0.000	1			
B-109	1952	2	REC	64		172	172	#N/A	0	0 SL	B-106	B-106	BSICK			0	0	0.000	1			
B-109	1952	2	STAT		172	172	172	#N/A	0	0 EB						0	0	0.000	1			
B-109	1952	3	REC	221		393	393	#N/A	0	0 SL	B-106	B-106	BSICK			0	0	0.000	1			
B-109	1952	3	REC	149		542	542	#N/A	0	0 SL	B-106	B-106	BSICK			0	0	0.000	1			
B-109	1952	3	STAT		518	518	518	#N/A	0	0 EB				Aug 21, 1952, Switched to 107-B		0	0	0.000	1			
B-109	1952	4	XIN	24		542	542	#N/A	0	0 FLSH	WTR					0	0	0.000	1			
B-109	1952	4	STAT		535	535	535	#N/A	0	0 EB				Completed filling 12-4-52		0	0	0.000	1			
B-109	1953	1	SEND	-205		330	330	#N/A	0	0 SU		B-106				0	0	0.000	3	0	HW-27775-5	
B-109	1953	1	STAT		330	330	330	#N/A	0	0 EB				Pumped to 106-B		0	0	0.000	1			
B-109	1953	2	SEND	-254		76	76	#N/A	0	0 SU		B-106				0	0	0.000	1			
B-109	1953	2	REC	339		415	415	#N/A	0	0 SL	B-106	B-106	BSICK			0	0	0.000	1			
B-109	1953	2	REC	101		516	516	#N/A	0	0 SL	B-106	B-106	BSICK			0	0	0.000	1			
B-109	1953	2	STAT		516	516	516	#N/A	0	0 EB				Re-evaporated bottoms		0	0	0.000	1			
B-109	1953	3	REC	11		527	527	#N/A	0	0 SL	B-106	B-106	BSICK			0	0	0.000	1			
B-109	1953	3	STAT		530	530	530	#N/A	0	0 EB				1C re-evaporated bottoms		0	0	0.000	1			
B-109	1953	4	STAT		527	527	527	#N/A	0	0 EB				1C re-evaporated bottoms		0	0	0.000	1			
B-109	1954	1	STAT		527	527	527	#N/A	0	0 EB				Scheduled to be pumped to ditch		0	0	0.000	1			
B-109	1954	2	STAT		527	527	527	#N/A	0	0 EB						0	0	0.000	1			



Yank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Q1	Q/A	Document/Pg #
B-109	1954	3	REC	202		729		#N/A	-31	SL	B-106	B-106	BSiCk			0	0	0.000			1	
B-109	1954	3	REC	138		867		#N/A	-31	SL	B-106	B-106	BSiCk			0	0	0.000			1	
B-109	1954	3	OUTX	-380		487		#N/A	-31	SU	B-037	CFRIB				0	0	0.000			1	
B-109	1954	3	STAT		497	497	128	10	-21	EB				Pumped to ditch. Rec'd from 105-B		0	0	0.000			1	
B-109	1954	4	STAT		494	494	128	-3	-24							0	0	0.000			1	
B-109	1955	1	STAT		494	494	128	#N/A	-24							0	0	0.000			1	
B-109	1955	2	STAT		494	494	128	#N/A	-24							0	0	0.000			1	
B-109	1955	3	STAT		494	494	128	#N/A	-24							0	0	0.000			1	
B-109	1955	4	outx	-494		0		#N/A	-24			BEVAP				0	0	0.000	BEVA		0	
B-109	1955	4	xin	494		494		#N/A	-24			BSiCk				0.17004	84	84.000	BSiCk		0	
B-109	1955	4	STAT		494	494	128	#N/A	-24							0	0	84.000			1	
B-109	1956	1	STAT		494	494	128	#N/A	-24	EB						0	0	84.000			1	
B-109	1956	2	STAT		494	494	128	#N/A	-24							0	0	84.000			1	
B-109	1956	3	STAT		494	494	128	#N/A	-24							0	0	84.000			1	
B-109	1956	4	STAT		494	494	128	#N/A	-24	B						0	0	84.000			1	
B-109	1957	1	STAT		485	485	128	-9	-33	B				Latest electrode reading		0	0	84.000			1	
B-109	1957	2	STAT		485	485	232	#N/A	-33	B						0	0	84.000			1	
B-109	1957	3	OUTX	-412		73		#N/A	-33	T22	C-111	TFeCN		Shows 465 not 412		0	0	84.000			2	V N-54-296
B-109	1957	3	STAT		76	76	76	3	-30					410 Scavenged		0	0	84.000			1	
B-109	1957	4	STAT		76	76	76	#N/A	-30							0	0	84.000			1	
B-109	1958	1	STAT		76	76	76	#N/A	-30	EB				CW (1675 TU)		0	0	84.000			1	
B-109	1958	2	STAT		79	79	76	3	-27	EB				CW (1664 TU)		0	0	84.000			1	
B-109	1958	3	STAT		70	70	70	-9	-36	EB				CW (2009 TU) Latest electrode rdg.		0	0	84.000			1	
B-109	1958	4	STAT		73	73	70	3	-33	EB				CW (1996 TU) Latest electrode rdg.		0	0	84.000			1	
B-109	1959	1	STAT		76	76	70	3	-30	EB				CW (1982 TU) Latest electrode rdg.		0	0	84.000			1	
B-109	1959	2	STAT		79	79	70	3	-27					Latest electrode reading		0	0	84.000			1	
B-109	1959	3	STAT		79	79	70	#N/A	-27							0	0	84.000			1	
B-109	1959	4	STAT		79	79	70	#N/A	-27							0	0	84.000			1	
B-109	1960	1	XIN	8		87		#N/A	-27	WTR		WTR				0	0	84.000			1	
B-109	1960	1	STAT		79	79	70	-8	-35							0	0	84.000			1	
B-109	1960	2	STAT		79	79	70	#N/A	-35							0	0	84.000			1	
B-109	1960	3	STAT		79	79	70	#N/A	-35							0	0	84.000			1	
B-109	1960	4	STAT		79	79	70	#N/A	-35							0	0	84.000			1	
B-109	1961	1	STAT		79	79	70	#N/A	-35							0	0	84.000			1	
B-109	1961	2	STAT		79	79	70	#N/A	-35							0	0	84.000			1	
B-109	1961	3	STAT		79	79	70	#N/A	-35							0	0	84.000			1	
B-109	1961	4	STAT		79	79	70	#N/A	-35							0	0	84.000			1	
B-109	1962	1	STAT		79	79	70	#N/A	-35							0	0	84.000			1	
B-109	1962	2	STAT		79	79	70	#N/A	-35	EB						0	0	84.000			1	
B-109	1962	3	STAT		N/A	79		#N/A	-35							0	0	84.000			1	
B-109	1962	4	STAT		81	81	70	2	-33	EB				Latest electrode reading		0	0	84.000			1	
B-109	1963	1	STAT		N/A	81		#N/A	-33							0	0	84.000			1	
B-109	1963	2	STAT		84	84	84	3	-30	EB						0	0	84.000			1	
B-109	1963	3	CREC	0		84		#N/A	-30	SET	B-108					0	0	84.000			1	
B-109	1963	3	rec	410		494		#N/A	-30	cas	B-108	B-108				0	0	84.000			0	
B-109	1963	3	rec	264		758		#N/A	-30	cas	B-108	B-108				0	0	84.000			0	
B-109	1963	3	rec	160		918		#N/A	-30	cas	B-108	B-108				0	0	84.000			0	
B-109	1963	3	STAT		N/A	918		#N/A	-30							0	0	84.000			1	
B-109	1963	4	XIN	457		1375		#N/A	-30	CWP		CWP2	Omis.		Omission	0.02844635	13	97.000	CWP2	3	V HW-80379-4	
B-109	1963	4	send	-1147		228		#N/A	-30			A-102	sluicing input, whereto??			0	0	97.000			0	
B-109	1963	4	rec	313		541		#N/A	-30	cas	B-108	B-108				0	0	97.000			0	
B-109	1963	4	STAT		541	541	84	#N/A	-30					457 CW		0	0	97.000			1	
B-109	1964	1	STAT		541	541	84	#N/A	-30							0	0	97.000			1	
B-109	1964	2	STAT		541	541	84	#N/A	-30	CW						0	0	97.000			1	

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unkltr	Waste type	Trans lant	DWXT	LANL comment	Anderson comment	Origin comment	sol vol%	TLM solids	Cum solids	sol type	Ql	D/A	Document/Pg #
B-109	1984	3	STAT		N/A	541		#N/A	-30								0	97,000		1		
B-109	1984	4	STAT		538	538	84	-3	-33	CW				Latest electrode reading		0	0	97,000		1		
B-109	1985	1	STAT		N/A	538		#N/A	-33					New Electrode		0	0	97,000		1		
B-109	1985	2	STAT		538	538	134		-33	CW						0	0	97,000		1		
B-109	1985	3	STAT		532	532	134	-6	-39	CW						0	0	97,000		1		
B-109	1985	4	REC	33		565		#N/A	-39		BY-101			New Electrode		0	0	97,000		0		
B-109	1985	4	STAT		565	565	134		-39				ITSprolytype			0	0	97,000		1		
B-109	1986	1	STAT		565	565	134		-39							0	0	97,000		1		
B-109	1986	2	STAT		565	565	134		-39							0	0	97,000		1		
B-109	1986	3	STAT		565	565	134		-39							0	0	97,000		1		
B-109	1986	4	STAT		565	565	134		-39							0	0	97,000		1		
B-109	1987	1	STAT		565	565	134		-39							0	0	97,000		1		
B-109	1987	2	STAT		565	565	134		-39							0	0	97,000		1		
B-109	1987	3	STAT		565	565	134		-39							0	0	97,000		1		
B-109	1987	4	STAT		565	565	134		-39							0	0	97,000		1		
B-109	1988	1	STAT		565	565	134		-39							0	0	97,000		1		
B-109	1988	2	STAT		565	565	134		-39	CW						0	0	97,000		1		
B-109	1988	3	STAT		565	565	134		-39	CW						0	0	97,000		1		
B-109	1988	4	STAT		565	565	134		-39							0	0	97,000		1		
B-109	1989	1	STAT		565	565	134		-39	CW						0	0	97,000		1		
B-109	1989	2	STAT		564	564	134		-1	CW						0	0	97,000		1		
B-109	1989	3	SEND	393		171		#N/A	-40	SU						0	0	97,000		4	O	ARH01200C-5
B-109	1989	3	STAT		171	171	134		-40	CW				393 to 103-B		0	0	97,000		1		
B-109	1989	4	REC	367		538		#N/A	-40	SU			also 367 from B-110???? removed			0	0	97,000		4	O	ARH-1200D-5
B-109	1989	4	STAT		538	538	134		-40	IX				367 from 111-B		0	0	97,000		1		
B-109	1970	1	STAT		538	538	134		-40	CW/IX						0	0	97,000		1		
B-109	1970	2	STAT		538	538	161	-2	-42	IX						0	0	97,000		1		
B-109	1970	3	STAT		536	536	161		-42	CW/IX						0	0	97,000		1		
B-109	1970	4	STAT		538	538	161	-2	-40	CW/IX						0	0	97,000		1		
B-109	1971	1	STAT		536	536	161	-2	-42	IX						0	0	97,000		1		
B-109	1971	2	STAT		536	536	161		-42	IX						0	0	97,000		1		
B-109	1971	3	STAT		536	536	161		-42	IX						0	0	97,000		1		
B-109	1971	4	STAT		536	536	161		-42	CW/IX						0	0	97,000		1		
B-109	1971	4	SEND	333		203		#N/A	-42	SU						0	0	97,000		4	O	ARH-2456A-4
B-109	1972	1	STAT		205	205	136	-2	-40	CW/IX						0	0	97,000		1		
B-109	1972	2	STAT		189	189	136	-16	-56	IX						0	0	97,000		1		
B-109	1972	3	STAT		206	206	136	-17	-39	IX						0	0	97,000		1		
B-109	1972	4	STAT		198	198	136	-8	-47	IX						0	0	97,000		1		
B-109	1973	1	STAT		199	199	136	-1	-46							0	0	97,000		1		
B-109	1973	2	STAT		199	199	136		-46	IX				1 Dry wells 20-09-02, 20-09-06, 20-09-11 drilled.		0	0	97,000		1		
B-109	1973	3	STAT		198	198	136	-1	-47	IX						0	0	97,000		1		
B-109	1973	4	REC	70		268		#N/A	-47	SU						0	0	97,000		4	O	ARH-2794D-4
B-109	1973	4	STAT		268	268	136		-47	IX						0	0	97,000		1		
B-109	1974	1	REC	1		269		#N/A	-47	SU				70 from 103-B		0	0	97,000		4	O	ARH-CD-133A-4
B-109	1974	1	REC	3		272		#N/A	-47	SU						0	0	97,000		4	O	ARH-CD-133A-4
B-109	1974	1	REC	6		278		#N/A	-47	SU						0	0	97,000		4	O	ARH-CD-133A-4
B-109	1974	1	REC	6		284		#N/A	-47	SU						0	0	97,000		4	O	ARH-CD-133A-4
B-109	1974	1	STAT		284	284	136		-47	224 IX				1 from 201-B, 3 from 202-B, 6 from 203-B, 6 from 204-B		0	0	97,000		1		
B-109	1974	2	REC	2		286		#N/A	-47	SU						0	0	97,000		4	O	ARH-CD-133B-4
B-109	1974	2	REC	103		369		#N/A	-47	SU						0	0	97,000		4	O	ARH-CD-133B-4
B-109	1974	2	STAT		393	393	136	-4	-43	224 IX EB				2 from 201-B, 103 from 107-BY		0	0	97,000		1		
B-109	1974	3	REC	4		397		#N/A	-43	SU						0	0	97,000		4	O	ARH-CD-133C-4
B-109	1974	3	STAT		397	397	136		-43	224 IX EB				4 from 201-B		0	0	97,000		1		
B-109	1974	4	REC	6		403		#N/A	-43	SU						0	0	97,000		4	O	ARH-CD-133D-4

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
B-109	1974	4	STAT		403	403	117	#N/A	-43	224.IX,EB				6 from 201-B		0	0	97.000			1	
B-109	1975	1	REC	2	405	405		#N/A	-43	SU	B-201					0	0	97.000			4	ARH-CD-336A-4
B-109	1975	1	STAT		409	409	117	4	-39	224.IX,EB				2 from 201-B		0	0	97.000			1	
B-109	1975	2	REC	1	410	410		#N/A	-39	SU	B-201	B-201				0	0	97.000			4	ARH-CD-336B-4
B-109	1975	2	STAT		406	406	117	-4	-43	224.IX,EB				1 from 201-B		0	0	97.000			1	
B-109	1975	3	REC	1	407	407		#N/A	-43	SU	B-201	B-201				0	0	97.000			4	ARH-CD-336C-4
B-109	1975	3	STAT		409	409	117	2	-41	224.IX,EB				1 from 201-B		0	0	97.000			1	
B-109	1975	4	SEND	-305	104	104		#N/A	-41	SU		B-103				0	0	97.000			4	ARH-CD-336D-4
B-109	1975	4	rec	30	134	134		#N/A	-41		BY-112	BY-112				0	0	97.000			0	
B-109	1975	4	STAT		134	134	117	#N/A	-41	224.IX,EB				305 to 303-B		0	0	97.000			1	
B-109	1976	1	SEND	-4	130	130		#N/A	-41	SU		B-103				0	0	97.000			4	ARH-CD-702A-4
B-109	1976	1	REC	102	232	232		#N/A	-41	SU	S-107	S-107				0	0	97.000			4	ARH-CD-702A-4
B-109	1976	1	rec	28	260	260		#N/A	-41		BY-112	BY-112				0	0	97.000			0	
B-109	1976	1	outx	-163	97	97		#N/A	-41			BYEVAP				0	0	97.000			0	
B-109	1976	1	xin	163	260	260		#N/A	-41			BYStck				0	0	97.000			0	
B-109	1976	1	STAT		260	260	117	#N/A	-41	224.IX,EB				4 to 103-B, 102 from 107-S		0	0	97.000			1	
B-109	1976	2	STAT		260	260	117	#N/A	-41	224.IX,EB				28 water		0	0	97.000			1	
B-109	1976	3	STAT		260	260	117	#N/A	-41							0	0	97.000			1	
B-109	1976	4	STAT		260	260	117	#N/A	-41					Evap. Feed Concentrate Residual Liquor Dilution		0	0	97.000			1	
B-109	1977	1	STAT		260	260	117	#N/A	-41					Evap. feed Conc.-Resid. Liq. Dil.		0	0	97.000			1	
B-109	1977	2	send	-110	150	150		#N/A	-41			A-102				0	0	97.000			0	
B-109	1977	2	STAT		150	150	117	#N/A	-41					Evap. feed Conc.-Resid. Liq. Dil.		0	0	97.000			1	
B-109	1977	3	send	-11	139	139		#N/A	-41			A-102				0	0	97.000			0	
B-109	1977	3	STAT		139	139	120	#N/A	-41					Evap. feed Conc.-Resid. Liq. Dil.		0	0	97.000			1	
B-109	1977	4	STAT		139	139	120	#N/A	-41					Inactive Current-Solid Level Adj.		0	0	97.000			1	
B-109	1978	1	STAT		139	139	120	#N/A	-41					Inactive		0	0	97.000			1	
B-109	1978	2	STAT		139	139	120	#N/A	-41	NCPLX				New Photo 4/18/78		0	0	97.000			1	
B-109	1978	3	STAT		134	134	120	-5	-46							0	0	97.000			1	
B-109	1978	4	STAT		134	134	120	#N/A	-46							0	0	97.000			1	
B-109	1979	1	STAT		134	134	120	#N/A	-46							0	0	97.000			1	
B-109	1979	2	STAT		134	134	120	#N/A	-46							0	0	97.000			1	
B-109	1979	3	STAT		134	134	120	#N/A	-46							0	0	97.000			1	
B-109	1979	4	STAT		134	134	120	#N/A	-46							0	0	97.000			1	
B-109	1980	1	STAT		134	134	120	#N/A	-46					New Photo 2/6/80		0	0	97.000			1	
B-109	1980	2	STAT		134	134	120	#N/A	-46							0	0	97.000			1	
B-109	1980	3	STAT		134	134	120	#N/A	-46	NCPLX						0	0	97.000			1	
B-109	1980	4	STAT		128	128	120	-6	-52	NCPLX						0	0	97.000			1	
B-109	1985	1	send	-4	124	124		#N/A	-52	swliq		AW-101				0	0	97.000			0	
B-109	1992	4	send	-1	123	123		#N/A	-52	swliq		AW-106				0	0	97.000			0	
B-109	1993	2	STAT		127	127	127	4	-48	NCPLX						0	0	97.000			1	
B-109	1993	4	STAT		127	127	127	#N/A	-48							0	0	97.000			1	
B-109	1994	1	STAT		127	127	127	#N/A	-48							0	0	97.000			1	
B-109	2000																					

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oxyden comment	sol vol%	TLM solids	Cum solids	sol type	QI	DFA	Document/Pg #	
B-110	1940																						
B-110	1945	2	CSEND	0		0	0	#NA	0	SET	B-111						0	0.000					
B-110	1945	2	XIN	103		103	103	#NA	0	2C		2C1				0.046587	4.7985	4.799	2C1	1			
B-110	1945	2	XIN	26		129	129	#NA	0	2C		2C1		First used May (1st in Cascade		0.046587	1.2113	6.010	2C1	1			
B-110	1945	2	STAT		129			0	#NA	0	2C					0	0	6.010		1			
B-110	1945	3	XIN	47		176	176	#NA	0	2C		2C1				0.046587	2.1896	8.199	2C1	1			
B-110	1945	3	XIN	80		256	256	#NA	0	2C		2C1				0.046587	3.727	11.926	2C1	1			
B-110	1945	3	XIN	95		351	351	#NA	0	2C		2C1				0.046587	4.4258	16.352	2C1	1			
B-110	1945	3	STAT		351			0	#NA	0	2C					0	0	16.352		1			
B-110	1945	4	XIN	120		471	471	#NA	0	2C		2C1				0.046587	5.5905	21.943	2C1	1			
B-110	1945	4	XIN	98		569	569	#NA	0	2C		2C1				0.046587	4.5656	26.508	2C1	1			
B-110	1945	4	XIN	142		711	711	#NA	0	2C		2C1				0.046587	6.6194	33.124	2C1	1			
B-110	1945	4	send	-142		569	569	#NA	0	cas		B-111				0	0	33.124		0			
B-110	1945	4	send	-98		530	530	#NA	0	cas		B-111		Filled in Dec. 1945		0	0	33.124		0			
B-110	1946	1	STAT		530			0	#NA	0						0	0	33.124		0			
B-110	1946	1	XIN	121		651	651	#NA	0	2C		2C1				0.046587	5.6371	38.761	2C1	1			
B-110	1946	1	XIN	109		760	760	#NA	0	2C		2C1				0.046587	5.078	43.839	2C1	1			
B-110	1946	1	XIN	70		830	830	#NA	0	2C		2C1				0.046587	3.2611	47.100	2C1	1			
B-110	1946	1	send	-121		709	709	#NA	0	cas		B-111				0	0	47.100		0			
B-110	1946	1	send	-109		600	600	#NA	0	cas		B-111				0	0	47.100		0			
B-110	1946	1	send	-70		530	530	#NA	0	cas		B-111				0	0	47.100		0			
B-110	1946	2	STAT		530			0	#NA	0	2C					0	0	47.100		0			
B-110	1946	2	XIN	81		611	611	#NA	0	2C		2C1				0.046587	6.4757	53.576	2C1	1			
B-110	1946	3	XIN	107		718	718	#NA	0	2C		2C1				0.046587	6.0564	59.632	2C1	1			
B-110	1946	3	send	-107		611	611	#NA	0	cas		B-111				0	0	59.632		0			
B-110	1946	3	send	-81		530	530	#NA	0	cas		B-111				0	0	53.576		0			
B-110	1946	3	STAT		530			0	#NA	0	2C					0	0	53.576		0			
B-110	1946	4	STAT		530			0	#NA	0						0	0	53.576		0			
B-110	1947	1	STAT		530			0	#NA	0						0.046587	3.7795	69.089	2C1	1			
B-110	1947	2	STAT		530			0	#NA	0						0.046587	4.9849	74.074	2C1	1			
B-110	1947	3	STAT		530			0	#NA	0						0	0	74.074		0			
B-110	1947	4	STAT		530			0	#NA	0						0	0	74.074		0			
B-110	1948	1	STAT		530			0	#NA	0						0	0	74.074		0			
B-110	1948	2	XIN	33		563	563	#NA	0	2C		2C1				0.046587	1.5374	75.611	2C1	1			
B-110	1948	2	XIN	99		662	662	#NA	0	2C		2C1				0.046587	4.6122	80.224	2C1	1			
B-110	1948	2	send	-99		563	563	#NA	0	cas		B-111				0	0	80.224		0			
B-110	1948	2	send	-33		530	530	#NA	0	cas		B-111				0	0	80.224		0			
B-110	1948	2	STAT		530			0	#NA	0	2C					0	0	80.224		0			
B-110	1948	3	XIN	63		613	613	#NA	0	2C		2C1				0.046587	3.8668	84.090	2C1	1			
B-110	1948	3	XIN	67		680	680	#NA	0	2C		2C1				0.046587	3.1214	87.212	2C1	1			
B-110	1948	3	XIN	56		736	736	#NA	0	2C		2C1				0.046587	2.6089	89.821	2C1	1			
B-110	1948	3	send	-63		613	613	#NA	0	cas		B-111				0	0	89.821		0			
B-110	1948	3	send	-67		566	566	#NA	0	cas		B-111				0	0	89.821		0			
B-110	1948	3	send	-56		530	530	#NA	0	cas		B-111				0	0	89.821		0			
B-110	1948	3	STAT		530			0	#NA	0	2C					0.046587	2.4225	92.243	2C1	1			
B-110	1948	4	XIN	52		582	582	#NA	0	2C		2C1				0.046587	3.0282	95.271	2C1	1			
B-110	1948	4	XIN	65		647	647	#NA	0	2C		2C1				0.046587	2.7021	97.973	2C1	1			
B-110	1948	4	XIN	58		705	705	#NA	0	2C		2C1				0.046587	0	0	97.973		0		
B-110	1948	4	send	-65		640	640	#NA	0	cas		B-111				0	0	97.973		0			
B-110	1948	4	send	-58		582	582	#NA	0	cas		B-111				0	0	97.973		0			

Tank n	Year	Qt	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol %	TLM solids	Cum solids	sol type	Oil	Document/Pg #
B-10	1948	4	send	-52		530		#N/A	0	cas		B-111				0	0	97,973		0	
B-10	1948	4	STAT		530	530	530	0	#N/A	0	2C					0	0	97,973		1	
B-10	1949	1	STAT		530	530	530	0	#N/A	0						0	0	97,973		1	
B-10	1949	2	STAT		530	530	530	0	#N/A	0						0	0	97,973		1	
B-10	1949	3	STAT		530	530	530	0	#N/A	0						0	0	97,973		1	
B-10	1949	4	STAT		530	530	530	0	#N/A	0						0	0	97,973		1	
B-10	1950	1	STAT		530	530	530	0	#N/A	0						0	0	97,973		1	
B-10	1950	2	XIN	48		578		#N/A	0	2C		2C1				0.046587	22362	100,210	2C1	1	
B-10	1950	2	XIN	136		714		#N/A	0	2C		2C1				0.046587	63359	106,545	2C1	1	
B-10	1950	2	OUTX	-517		197		#N/A	0	SU	B-008	CRIB				0	0	108,545		1	
B-10	1950	2	STAT		N/A	197		0	#N/A	0											
B-10	1950	3	XIN	215		412		#N/A	0	2C		2C1				0.046587	10,016	116,562	2C1	1	
B-10	1950	3	XIN	159		571		#N/A	0	2C		2C1				0.046587	7,4074	123,969	2C1	1	
B-10	1950	3	XIN	148		719		#N/A	0	2C		2C1				0.046587	6,8949	130,864	2C1	1	
B-10	1950	3	send	-148		571		#N/A	0	cas		B-111				0	0	130,864		0	
B-10	1950	3	send	-41		530		#N/A	0	cas		B-111				0	0	130,864		0	
B-10	1950	3	STAT		530	530	530	0	#N/A	0	2C					0.046587	7,5472	138,411	2C1	1	
B-10	1950	4	XIN	162		692		#N/A	0	2C		2C1				0.046587	6,8949	145,306	2C1	1	
B-10	1950	4	XIN	148		840		#N/A	0	2C		2C1				0.046587	8,1062	153,412	2C1	1	
B-10	1950	4	XIN	174		1014		#N/A	0	2C		2C1				0.046587	8,1062	153,412	2C1	1	
B-10	1950	4	send	-174		840		#N/A	0	cas		B-111				0	0	153,412		0	
B-10	1950	4	send	-162		678		#N/A	0	cas		B-111				0	0	153,412		0	
B-10	1950	4	send	-148		530		#N/A	0	cas		B-111				0	0	153,412		0	
B-10	1950	4	STAT		530	530	530	0	#N/A	0	2C					0.046587	9,9231	163,336	2C1	1	
B-10	1951	1	XIN	213		743		#N/A	0	2C		2C1				0.046587	6,3625	169,718	2C1	1	
B-10	1951	1	XIN	137		880		#N/A	0	2C		2C1				0.046587	6,5688	176,287	2C1	1	
B-10	1951	1	XIN	141		1021		#N/A	0	2C		2C1				0.046587	0	176,287		0	
B-10	1951	1	send	-213		809		#N/A	0	cas		B-111				0	0	176,287		0	
B-10	1951	1	send	-141		667		#N/A	0	cas		B-111				0	0	176,287		0	
B-10	1951	1	send	-137		530		#N/A	0	cas		B-111				0	0	176,287		0	
B-10	1951	1	STAT		530	530	530	0	#N/A	0	2C					0.046587	8,3391	184,626	2C1	1	
B-10	1951	2	XIN	179		709		#N/A	0	2C		2C1				0.046587	8,246	192,872	2C1	1	
B-10	1951	2	XIN	177		886		#N/A	0	2C		2C1				0.046587	4,0531	196,925	2C1	1	
B-10	1951	2	XIN	87		973		#N/A	0	2C		2C1				0.046587	0	196,925		0	
B-10	1951	2	send	-179		794		#N/A	0	cas		B-111				0	0	196,925		0	
B-10	1951	2	send	-87		617		#N/A	0	cas		B-111				0	0	196,925		0	
B-10	1951	2	STAT		530	530	530	0	#N/A	0	2C					0.046587	3,9599	200,885	2C1	1	
B-10	1951	3	XIN	85		615		#N/A	0	2C		2C1				0.046587	7,0347	207,920	2C1	1	
B-10	1951	3	XIN	151		766		#N/A	0	2C		2C1				0.046587	7,8733	215,793	2C1	1	
B-10	1951	3	XIN	169		935		#N/A	0	2C		2C1				0	0	215,793		0	
B-10	1951	3	send	-169		786		#N/A	0	cas		B-111				0	0	215,793		0	
B-10	1951	3	send	-151		615		#N/A	0	cas		B-111				0	0	215,793		0	
B-10	1951	3	send	-85		530		#N/A	0	cas		B-111				0	0	215,793		0	
B-10	1951	3	STAT		530	530	530	0	#N/A	0	2C					0.046587	9,4572	225,250	2C1	1	
B-10	1951	4	XIN	203		733		#N/A	0	2C		2C1				0.046587	8,9914	234,242	2C1	1	
B-10	1951	4	XIN	193		926		#N/A	0	2C		2C1				0.046587	8,7684	243,000	2C1	1	
B-10	1951	4	XIN	188		1114		#N/A	0	2C		2C1				0	0	243,000		0	
B-10	1951	4	send	-203		911		#N/A	0	cas		B-111				0	0	243,000		0	
B-10	1951	4	send	-193		718		#N/A	0	cas		B-111				0	0	243,000		0	
B-10	1951	4	send	-188		530		#N/A	0	cas		B-111				0	0	243,000		0	
B-10	1951	4	STAT		530	530	530	0	#N/A	0	2C					0.046587	0	243,000		0	
B-10	1952	1	XIN	166		696		#N/A	0	2C		2C2				0	0	243,000		0	
B-10	1952	1	XIN	151		847		#N/A	0	2C		2C2				0	0	243,000		0	
B-10	1952	1	XIN	122		969		#N/A	0	2C		2C2				0	0	243,000		0	
B-10	1952	1	send	-166		803		#N/A	0	cas		B-111				0	0	243,000		0	
B-10	1952	1	send	-151		652		#N/A	0	cas		B-111				0	0	243,000		0	
B-10	1952	1	send	-122		530		#N/A	0	cas		B-111				0	0	243,000		0	

and stats at Oil stats at 530



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
B-110	1952	1	STAT		530	530	0	#N/A	0	2C						0	0	243,000		1		
B-110	1952	2	XIN	120		650		#N/A	0	2C		2C2				0	0	243,000		1		
B-110	1952	2	XIN	21		671		#N/A	0	2C		2C2				0	0	243,000		1		
B-110	1952	2	XIN	15		686		#N/A	0	2C		2C2				0	0	243,000		1		
B-110	1952	2	send	-120		566		#N/A	0	cas		B-111				0	0	243,000		0		
B-110	1952	2	send	-21		545		#N/A	0	cas		B-111				0	0	243,000		0		
B-110	1952	2	send	-15		530		#N/A	0	cas		B-111				0	0	243,000		0		
B-110	1952	2	STAT		530	530	0	#N/A	0	2C						0	0	243,000		1		
B-110	1952	3	XIN	21		551		#N/A	0	2C		2C2				0	0	243,000		1		
B-110	1952	3	XIN	89		640		#N/A	0	2C		2C2				0	0	243,000		1		
B-110	1952	3	send	-89		551		#N/A	0	cas		B-111				0	0	243,000		0		
B-110	1952	3	send	-21		530		#N/A	0	cas		B-111				0	0	243,000		0		
B-110	1952	3	STAT		530	530	0	#N/A	0	2C				Active Cascade		0	0	243,000		1		
B-110	1952	4	XIN	131		661		#N/A	0	2C		2C2				0	0	243,000		1		
B-110	1952	4	XIN	97		758		#N/A	0	2C		2C2				0	0	243,000		1		
B-110	1952	4	XIN	188		946		#N/A	0	2C		2C2				0	0	243,000		1		
B-110	1952	4	send	-188		758		#N/A	0	cas		B-111				0	0	243,000		0		
B-110	1952	4	send	-131		627		#N/A	0	cas		B-111				0	0	243,000		0		
B-110	1952	4	send	-97		530		#N/A	0	cas		B-111				0	0	243,000		0		
B-110	1952	4	STAT		530	530	0	#N/A	0	5-6-1C-2C				Active Cascade		0	0	243,000		1		
B-110	1953	1	XIN	52		582		#N/A	0	2C		2C2				0	0	243,000		1		
B-110	1953	1	XIN	38		620		#N/A	0	2C		2C2				0	0	243,000		1		
B-110	1953	1	XIN	22		642		#N/A	0	2C		2C2				0	0	243,000		1		
B-110	1953	1	send	-52		590		#N/A	0	cas		B-111				0	0	243,000		0		
B-110	1953	1	send	-38		552		#N/A	0	cas		B-111				0	0	243,000		0		
B-110	1953	1	send	-22		530		#N/A	0	cas		B-111				0	0	243,000		0		
B-110	1953	1	STAT		530	530	0	#N/A	0	2C				Receives B Plant flushes		0	0	243,000		1		
B-110	1953	2	STAT		530	530	0	#N/A	0	2C				Receives B Plant flushes		0	0	243,000		1		
B-110	1953	3	STAT		530	530	378	#N/A	0	2C				Receives B Plant flushes		0	0	243,000		1		
B-110	1953	4	STAT		530	530	243	#N/A	0	2C			fj stats at 530, and 425	Pumped to 111-C		0	0	243,000		1		
B-110	1954	1	xin	72		602		#N/A	0			DW				0	0	243,000		0		
B-110	1954	1	SEND	-72		530		#N/A	0	SU		B-112				0	0	243,000		0		
B-110	1954	1	STAT		530	530	243	#N/A	0	2C			fj stats at 530, and 421			0	0	243,000		1		
B-110	1954	2	send	0		530		#N/A	0	cas		B-111	B-111			0	0	243,000		0		
B-110	1954	2	REC	155		685		#N/A	0	SU		B-105	B-105			0	0	243,000		1		
B-110	1954	2	outx	-155		530		#N/A	0			CRIB		added as per and comments		0	0	243,000		1		
B-110	1954	2	STAT		530	530	243	#N/A	0	2C-EB				Supernatant cribbed. Rec'd from 105B		0	0	243,000		1		
B-110	1954	3	CSEND	0		530		#N/A	0	END		B-111				0	0	243,000		1		
B-110	1954	3	STAT		530	530	243	#N/A	0	2C-EB						0	0	243,000		1		
B-110	1954	4	STAT		530	530	243	#N/A	0	2C-EB						0	0	243,000		1		
B-110	1955	1	SEND	-182		348		#N/A	0	SU		B-108				0	0	243,000		1		
B-110	1955	1	STAT		348	348	348	#N/A	0					Pumped to 107-B and 108-B		0	0	243,000		1		
B-110	1955	2	STAT		348	348	348	#N/A	0	EB			fj stats at 530			0	0	243,000		1		
B-110	1955	3	STAT		348	348	243	#N/A	0	2C			fj stats at 249			0	0	243,000		1		
B-110	1955	4	xin	103		451		#N/A	0			DW				0	0	243,000		0		
B-110	1955	4	STAT		451	451	243	#N/A	0	5-6-1C-2C			anderson stat	Rec'd B Plant flush water		0	0	243,000		1		
B-110	1956	1	xin	50		501		#N/A	0			DW				0	0	243,000		0		
B-110	1956	1	STAT		501	501	243	#N/A	0	5-6-1C-2C			and stats at 501	Rec'd B Plant flush water		0	0	243,000		1		
B-110	1956	2	xin	29		530		#N/A	0			DW				0	0	243,000		0		
B-110	1956	2	STAT		530	530	243	#N/A	0	5-6-1C-2C			and stats at 530	Rec'd B Plant flush water		0	0	243,000		1		
B-110	1956	3	STAT		530	530	243	#N/A	0	5-6-1C-2C			and stats at 530	Rec'd B Plant flush water		0	0	243,000		1		
B-110	1956	4	STAT		530	530	243	#N/A	0	5-6-1C-2C			and stats at 530	Rec'd B Plant flush water		0	0	243,000		1		
B-110	1957	1	STAT		532	532	243	2	2	5-6#			and stats at 532	Rec'd B Plant flush water		0	0	243,000		1		
B-110	1957	2	STAT		535	535	243	3	5	5-6#			and stats at 535	Latest electrode reading		0	0	243,000		1		
B-110	1957	3	STAT		535	535	243	#N/A	5	5-6#						0	0	243,000		1		
B-110	1957	4	STAT		535	535	243	#N/A	5	5-6#						0	0	243,000		1		
B-110	1958	1	STAT		535	535	243	#N/A	5	5-6#			and stats at 535	CW		0	0	243,000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderstn comment	Copydn comment	sol vol%	TLM solids	Cum solids	sol type	Qt	O/A	Document/Pg #
B-110	1958	2	STAT	535	535	535	243	#NA	5	5-6#			and stats at 535	CW		0	0	243,000		1		
B-110	1958	3	STAT	535	535	535	243	#NA	5	5-6#			and stats at 535	CW		0	0	243,000		1		
B-110	1958	4	STAT	535	535	535	243	#NA	5	5-6#			and stats at 535	CW		0	0	243,000		1		
B-110	1959	1	STAT	532	532	532	243	-3	2	5-6#			and stats at 532		Latest electrode reading	0	0	243,000		1		
B-110	1959	2	STAT	532	532	532	243	#NA	2	5-6#						0	0	243,000		1		
B-110	1959	3	STAT	532	532	532	243	#NA	2	5-6#						0	0	243,000		1		
B-110	1959	4	STAT	532	532	532	243	#NA	2	5-6#						0	0	243,000		1		
B-110	1960	1	STAT	532	532	532	243	#NA	2	5-6#						0	0	243,000		1		
B-110	1960	2	STAT	532	532	532	243	#NA	2	5-6#						0	0	243,000		1		
B-110	1960	3	STAT	532	532	532	243	#NA	2	5-6#						0	0	243,000		1		
B-110	1960	4	STAT	532	532	532	243	#NA	2	5-6#						0	0	243,000		1		
B-110	1961	1	STAT	N/A	532	532	243	#NA	2							0	0	243,000		1		
B-110	1961	2	STAT	500	500	500	243	-2	0	5-6#						0	0	243,000		1		
B-110	1961	3	STAT	N/A	530	530	243	#NA	0							0	0	243,000		1		
B-110	1961	4	XIN	5	5	5	5	#NA	0	5-6#		DW				0	0	243,000		1		
B-110	1961	4	XIN	8	8	8	543	#NA	0	5-6#		DW				0	0	243,000		1		
B-110	1961	4	STAT	538	538	538	243	#NA	5	5-6#			and stats at 538			0	0	243,000		1		
B-110	1962	1	STAT	N/A	538	538	243	#NA	-6					B from B Plant		0	0	243,000		4	O	HW-72625-4
B-110	1962	2	STAT	532	532	532	243	-6	-11							0	0	243,000		1		
B-110	1962	3	STAT	532	532	532	243	#NA	-11							0	0	243,000		1		
B-110	1962	4	STAT	532	532	532	243	#NA	-11	5-6#						0	0	243,000		1		
B-110	1963	1	STAT	N/A	532	532	243	#NA	-11							0	0	243,000		1		
B-110	1963	2	XIN	12	12	12	544	#NA	-11	5-6#		DW				0	0	243,000		1		
B-110	1963	2	SEND	-20	-20	-20	524	#NA	-11	SU		B-112				0	0	243,000		1		
B-110	1963	2	SEND	-2	-2	-2	522	#NA	-11	SU		B-112				0	0	243,000		1		
B-110	1963	2	STAT	530	530	530	282	8	-3	5-6#			and stats at 530	Pumping to 112-B		0	0	243,000		1		
B-110	1963	3	STAT	N/A	530	530	282	#NA	-3							0	0	243,000		1		
B-110	1963	4	XIN	122	122	122	652	#NA	-3	5-6#		DW				0	0	243,000		1		
B-110	1963	4	SEND	-285	-285	-285	367	#NA	-3	SU		B-112				0	0	243,000		1		
B-110	1963	4	STAT	365	365	365	282	-2	-5	FP			and stats at 365	Rec'd from 221-B. Pumped to 112-B		0	0	243,000		1		
B-110	1964	1	STAT	N/A	365	365	282	#NA	-5							0	0	243,000		1		
B-110	1964	2	XIN	169	169	169	534	#NA	-5	FP		P2				0.004451	0.7522	243,752	P2	1		
B-110	1964	2	SEND	-6	-6	-6	528	#NA	-5	SU		B-112				0	0	243,752		1		
B-110	1964	2	STAT	528	528	528	282	#NA	-5	FP						0	0	243,752		1		
B-110	1964	3	STAT	N/A	528	528	282	#NA	-5							0	0	243,752		1		
B-110	1964	4	STAT	528	528	528	282	#NA	-5	FP						0	0	243,752		1		
B-110	1965	1	STAT	684	684	684	282	#NA	-5	FP		P2				0.004451	0.7389	244,491	P2	1		
B-110	1965	2	send	-151	-151	-151	543	#NA	-5				to set boiling??	New electrode		0	0	244,491		0		
B-110	1965	3	STAT	61	61	61	543	#NA	-5	FP		A-102	and stats at 543			0	0	244,491		1		
B-110	1965	3	send	-61	-61	-61	604	#NA	-5	FP		P2				0.004451	0.2715	244,763	P2	1		
B-110	1965	4	XIN	35	35	35	578	#NA	-5	FP		A-102	to set boiling??			0	0	244,763		0		
B-110	1965	4	send	-35	-35	-35	543	#NA	-5	FP		P2				0.004451	0.1558	244,818	P2	1		
B-110	1965	4	STAT	543	543	543	332	#NA	-5	FP		A-102	to set boiling??			0	0	244,818		0		
B-110	1966	1	XIN	97	97	97	640	#NA	-5	FP		P2				0.004451	0.4318	245,350	P2	1		
B-110	1966	1	send	-99	-99	-99	541	#NA	-5			A-102	to set boiling??			0	0	245,350		0		
B-110	1966	1	STAT	541	541	541	332	#NA	-5	FP						0	0	245,350		0		
B-110	1966	2	SEND	0	0	0	541	#NA	-5	SU		B-112	OC xfer 94 removed	Was not xfer from B-110		0	0	245,350		1		ISO-404-4
B-110	1966	2	XIN	0	0	0	541	#NA	-5	FP		P2	OC add 81 removed	Was not added to B-110		0	0	245,350		2	V	ISO-404-4
B-110	1966	2	STAT	541	541	541	332	#NA	-5	FP						0	0	245,350		1		
B-110	1966	3	SEND	0	0	0	541	#NA	-5	SU		B-112	OC xfer 33 removed	Was not xfer from B-110		0	0	245,350		2	V	ISO-538-4
B-110	1966	3	XIN	0	0	0	541	#NA	-5	FP		P2	OC add 39 removed	Was not added to B-110		0	0	245,350		2	V	ISO-538-4
B-110	1966	3	STAT	541	541	541	332	#NA	-5	FP						0	0	245,350		1		
B-110	1966	4	XIN	0	0	0	541	#NA	-5	FP		P2	OC add 19 removed	Was not added to B-110		0	0	245,350		2	V	ISO-674-4
B-110	1966	4	STAT	541	541	541	332	#NA	-5	FP						0	0	245,350		1		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #	
B-110	1967	1	XIN	0		541		#N/A	-5	FP		P2	OC add 36 removed		Was not xfer from B-110		0	245.350		2	V	ISO-806-4	
B-110	1967	1	STAT		541	541	332	#N/A	-5	FP						0	0	245.350		1			
B-110	1967	2	SEND	0		541		#N/A	-5	SU	B-112	B-112	OC xfer 191 removed		Was not xfer from B-110		0	245.350		2	V	ISO-967-4	
B-110	1967	2	XIN	0		541		#N/A	-5	FP		P2	OC add 89 removed		Was not added to B-110		0	245.350		2	V	ISO-967-4	
B-110	1967	2	STAT		541	541	332	#N/A	-5	FP						0	0	245.350		1			
B-110	1967	3	XIN	31		572		#N/A	-5	FP		P2				0.004451	0.138	245.488	P2	1			
B-110	1967	3	SEND	-36		536		#N/A	-5	FP		BY-102				0	0	245.488		0			
B-110	1967	3	STAT		536	536	243	#N/A	-5	FP						0	0	245.488		1			
B-110	1967	4	XIN	115		651		#N/A	-5	FP		P2				0.004451	0.5119	246.000	P2	4	O	ARH-326-5	
B-110	1967	4	SEND	-32		619		#N/A	-5	SU		BY-102				0	0	246.000		0			
B-110	1967	4	SEND	-153		466		#N/A	-5	SU		B-112				0	0	246.000		4	O	ARH-326-5	
B-110	1967	4	STAT		466	466	243	#N/A	-5	FP			and stats at 466	115 from B Plant, 153 to 112-B		0	0	246.000		1			
B-110	1968	1	XIN	135		601		#N/A	-5	B		B	OC 1355 to 135		Shows 135 not 1355		0	0	246.000		3	V	ARH-534-5
B-110	1968	1	rec	311		912		#N/A	-5		CELL 2	BY-112	Omis. evap B plant bottoms		Omission		0	0	246.000		3	V	ARH-534-5
B-110	1968	1	SEND	-366		546		#N/A	-5	SU		B-112				0	0	246.000		4	O	ARH-534-5	
B-110	1968	1	STAT		546	546	243	#N/A	-5	FP,EB			and stats at 546	311 from cell 23, 135 from B Plant 366 to 112-B		0	0	246.000		1			
B-110	1968	2	STAT		546	546	297	#N/A	-5	FP,EB						0	0	246.000		1			
B-110	1968	3	STAT		546	546	297	#N/A	-5	FP,EB						0	0	246.000		1			
B-110	1968	4	STAT		545	545	297	-1	-6	BL,EB						0	0	246.000		1			
B-110	1969	1	STAT		542	542	297	-3	-9	BL,EB						0	0	246.000		1			
B-110	1969	2	SEND	0		542		#N/A	-9	SU	B-112	B-112	NEVER SENT? 127 TO 0			0	0	246.000		1			
B-110	1969	2	STAT		541	541	297	-1	-10	BL,EB						0	0	246.000		1			
B-110	1969	3	XIN	199		740		#N/A	-10	CSR		CSR				0	0	246.000		4	O	ARH-1200C-5	
B-110	1969	3	SEND	-206		534		#N/A	-10	SU		B-112				0	0	246.000		4	O	ARH-1200C-5	
B-110	1969	3	SEND	0		534		#N/A	-10	SU	BY 112	BY-112	OC from B-111 xfer 312 removed		To BY-112 from B-111		0	246.000		2	V	ARH-1200C-5	
B-110	1969	3	STAT		534	534	297	#N/A	-10	BL,IX			and stats at 534	199 from B Plant(IX), 206 to 112-B		0	0	246.000		1			
B-110	1969	4	SEND	0		534		#N/A	-10	SU	B-108	B-108	*-428 to			0	0	246.000		1			
B-110	1969	4	SEND	0		534		#N/A	-10	SU	B-112	B-112	*-275 to			0	0	246.000		1			
B-110	1969	4	STAT		534	534	297	#N/A	-10	BL,IX						0	0	246.000		1			
B-110	1970	1	SEND	0		534		#N/A	-10	SU	B-103	B-103	*-206 to			0	0	246.000		1			
B-110	1970	1	STAT		531	531	297	-3	-13	BL,IX						0	0	246.000		1			
B-110	1970	2	XIN	11		542		#N/A	-13	FLSH		WTR				0	0	246.000		1			
B-110	1970	2	SEND	0		542		#N/A	-13	SU	B-103	B-103	*-279 to			0	0	246.000		1			
B-110	1970	2	STAT		530	530	297	-12	-25	BL,IX						0	0	246.000		1			
B-110	1970	3	STAT		530	530	297	#N/A	-25	BL,IX						0	0	246.000		1			
B-110	1970	4	STAT		530	530	297	#N/A	-25	BL,IX						0	0	246.000		1			
B-110	1971	1	STAT		527	527	297	-3	-28	BL,IX						0	0	246.000		1			
B-110	1971	2	STAT		525	525	297	-2	-30	BL,IX						0	0	246.000		1			
B-110	1971	3	SEND	-223		302		#N/A	-30	SU		B-102				0	0	246.000		4	O	ARH-2074C-5	
B-110	1971	3	STAT		301	301	297	-1	-31	BL,IX						0	0	246.000		1			
B-110	1971	4	STAT		301	301	297	#N/A	-31	BL,IX						0	0	246.000		1			
B-110	1972	1	SEND	0		301		#N/A	-31	SU	B-103	B-103	*-239 to			0	0	246.000		1			
B-110	1972	1	STAT		299	299	297	-2	-33	IX						0	0	246.000		1			
B-110	1972	2	STAT		288	288	282	-11	-44				and stats at 288	New tape		0	0	246.000		1			
B-110	1972	3	XIN	6		294		#N/A	-44	IX FLSH WTR	WTR	WTR	omis fish water		Omission		0	0	246.000		3	V	ARH-2456C-4
B-110	1972	3	SEND	-24		270		#N/A	-44	SU		B-102				0	0	246.000		4	O	ARH-2456C-4	
B-110	1972	3	STAT		282	282	282	12	-32	IX			and stats at 282	6 flush water, 24 to 102-B		0	0	246.000		1			
B-110	1972	4	XIN	3		285		#N/A	-32	IX FLSH WTR	WTR	WTR	omis fish water		Omission		0	0	246.000		3	V	ARH-2456D-4
B-110	1972	4	SEND	-14		271		#N/A	-32	SU		B-102				0	0	246.000		4	O	ARH-2456D-4	
B-110	1972	4	STAT		282	282	282	11	-21	IX			and stats at 282	3 flush water, 14 to 102-B		0	0	246.000		1			
B-110	1973	1	XIN	1		283		#N/A	-21	WTR		WTR				0	0	246.000		4	O	ARH-2794A-4	
B-110	1973	1	SEND	-3		280		#N/A	-21	SU		B-102				0	0	246.000		4	O	ARH-2794A-4	





Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
B-110	1980	2	STAT		282	282	282	#N/A	28							0	0	246,000		1		
B-110	1980	3	STAT		282	282	282	#N/A	28							0	0	246,000		1		
B-110	1980	4	STAT		282	282	282	#N/A	28							0	0	246,000		1		
B-110	1983	3	send	-36		246		#N/A	28	swld		AN-101				0	0	246,000		0		
B-110	1993	2	STAT		246	246	245	#N/A	28							0	0	246,000		1		
B-110	1993	4	STAT		246	246	246	#N/A	28							0	0	246,000		1		
B-110	1994	1	STAT		246	246	245	#N/A	28							0	0	246,000		1		
B-110	2000															0	0	246,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-111	1900																					
B-111	1945	2	CREC	0		0		#N/A	0	SET	B-110						0	0.000		1		
B-111	1945	2	STAT		N/A	0		#N/A	0								0	0.000		1		
B-111	1945	3	STAT		0	0		0	#N/A	0							0	0.000		1		
B-111	1945	4	CSEND	0		0		#N/A	0	SET	B-112						0	0.000		1		
B-111	1945	4	rec	142		142		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1945	4	rec	39		181		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1945	4	STAT		181	181		0	#N/A	0	2C			First used Dec. 1945, (2nd in Cascade)			0	0.000		1		
B-111	1946	1	rec	121		302		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1946	1	rec	109		411		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1946	1	rec	70		481		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1946	1	STAT		481	481		0	#N/A	0	2C		and stats at 473				0	0.000		1		
B-111	1946	2	rec	139		620		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1946	2	rec	130		750		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1946	2	rec	122		872		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1946	2	send	-130		742		#N/A	0	cas		B-112					0	0.000		0		
B-111	1946	2	send	-122		620		#N/A	0	cas		B-112					0	0.000		0		
B-111	1946	2	send	-90		530		#N/A	0	cas		B-112					0	0.000		0		
B-111	1946	2	STAT		530	530		0	#N/A	0				Filled in April 1946			0	0.000		1		
B-111	1946	3	rec	107		637		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1946	3	rec	81		718		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1946	3	send	-107		611		#N/A	0	cas		B-112					0	0.000		0		
B-111	1946	3	send	-81		530		#N/A	0	cas		B-112					0	0.000		0		
B-111	1946	3	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1946	4	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1947	1	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1947	2	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1947	3	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1947	4	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1948	1	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1948	2	rec	99		629		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1948	2	rec	33		662		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1948	2	send	-99		563		#N/A	0	cas		B-112					0	0.000		0		
B-111	1948	2	send	-33		530		#N/A	0	cas		B-112					0	0.000		0		
B-111	1948	2	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1948	3	rec	83		613		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1948	3	rec	67		680		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1948	3	rec	56		736		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1948	3	send	-83		653		#N/A	0	cas		B-112					0	0.000		0		
B-111	1948	3	send	-67		586		#N/A	0	cas		B-112					0	0.000		0		
B-111	1948	3	send	-56		530		#N/A	0	cas		B-112					0	0.000		0		
B-111	1948	3	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1948	4	rec	65		595		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1948	4	rec	56		653		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1948	4	rec	52		705		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1948	4	send	-65		640		#N/A	0	cas		B-112					0	0.000		0		
B-111	1948	4	send	-58		582		#N/A	0	cas		B-112					0	0.000		0		
B-111	1948	4	send	-52		530		#N/A	0	cas		B-112					0	0.000		0		
B-111	1948	4	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1949	1	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1949	2	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1949	3	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1949	4	STAT		530	530		0	#N/A	0							0	0.000		1		
B-111	1950	1	STAT		530	530		0	#N/A	0	2C						0	0.000		1		
B-111	1950	2	STAT		530	530		0	#N/A	0			and stats at 1	Cribbed			0	0.000		1		
B-111	1950	3	rec	148		678		#N/A	0	cas	B-110	B-110					0	0.000		0		
B-111	1950	3	rec	41		719		#N/A	0	cas	B-110	B-110					0	0.000		0		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk lit	Cum Unk	Waste Type	Trans Tank	DWXT	LANL comment	Anderson comment	Cydrin comment	sol vol%	TLM solids	Cum solids	sol type	Ct	Document/Pg #
B-111	1950	3	send	-148		571		#N/A		0 cas		B-112					0	0	0		
B-111	1950	3	send	-41		530		#N/A		0 cas		B-112					0	0	0		
B-111	1950	3	STAT		530			#N/A													
B-111	1950	4	rec	174		704		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1950	4	rec	162		866		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1950	4	rec	148		1014		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1950	4	send	-174		840		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1950	4	send	-162		678		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1950	4	send	-148		530		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1950	4	STAT		530			#N/A													
B-111	1951	1	rec	213		743		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	1	rec	141		884		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	1	rec	137		1021		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	1	send	-213		808		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	1	send	-141		667		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1951	1	send	-137		530		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1951	1	STAT		530			#N/A													
B-111	1951	2	rec	179		709		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	2	rec	177		886		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	2	rec	87		973		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	2	send	-179		794		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	2	send	-177		617		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1951	2	send	-87		530		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1951	2	STAT		530			#N/A													
B-111	1951	3	rec	169		699		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	3	rec	151		850		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	3	rec	85		935		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	3	send	-169		766		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	3	send	-151		615		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1951	3	send	-85		530		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1951	3	STAT		530			#N/A													
B-111	1951	4	rec	203		733		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	4	rec	193		926		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	4	rec	188		1114		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	4	send	-203		911		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1951	4	send	-193		718		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1951	4	send	-188		530		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1951	4	STAT		530			#N/A													
B-111	1952	1	rec	186		696		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1952	1	rec	151		847		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1952	1	rec	122		969		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1952	1	send	-166		803		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1952	1	send	-151		652		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1952	1	send	-122		530		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1952	1	STAT		530			#N/A													
B-111	1952	2	rec	120		650		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1952	2	rec	21		671		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1952	2	rec	15		686		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1952	2	send	-120		566		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1952	2	send	-21		545		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1952	2	send	-15		530		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1952	2	STAT		530			#N/A													
B-111	1952	3	rec	89		619		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1952	3	rec	21		640		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1952	3	send	-89		551		#N/A		0 cas	B-110	B-110					0	0	0		
B-111	1952	3	send	-21		530		#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1952	3	STAT		530			#N/A		0 cas	B-112	B-112					0	0	0		
B-111	1952	4	rec	188		718		#N/A		0 cas	B-110	B-110					0	0	0		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LAML comment	Anderson comment	Ordgm comment	sol vol%	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #
B-111	1952	4	rec	131	849	849		#N/A	0	cas	B-110	B-110				0.169505	22,208	173,573	2C2	0		
B-111	1952	4	rec	97	946	946		#N/A	0	cas	B-110	B-110				0.169505	16,442	190,015	2C2	0		
B-111	1952	4	send	-188	758	758		#N/A	0	cas	B-110	B-112				0	0	190,015		0		
B-111	1952	4	send	-131	627	627		#N/A	0	cas	B-110	B-112				0	0	190,015		0		
B-111	1952	4	send	-97	530	530		#N/A	0	cas	B-110	B-112				0	0	190,015		0		
B-111	1952	4	STAT	530	530	530	0	#N/A	0	5-6#				Active cascade		0	0	190,015		1		
B-111	1953	1	rec	52	582	582		#N/A	0	cas	B-110	B-110				0.169505	8,814.3	198,830	2C2	0		
B-111	1953	1	rec	38	620	620		#N/A	0	cas	B-110	B-110				0.169505	6,441.2	205,271	2C2	0		
B-111	1953	1	send	-22	642	642		#N/A	0	cas	B-110	B-110				0.169505	3,729.1	209,000	2C2	0		
B-111	1953	1	send	-52	590	590		#N/A	0	cas	B-110	B-112				0	0	209,000		0		
B-111	1953	1	send	-38	552	552		#N/A	0	cas	B-110	B-112				0	0	209,000		0		
B-111	1953	1	send	-22	530	530		#N/A	0	cas	B-110	B-112				0	0	209,000		0		
B-111	1953	1	STAT	530	530	530	0	#N/A	0	cas						0	0	209,000		0		
B-111	1953	2	STAT	530	530	530	0	#N/A	0	5-6#				Receives B plant flushes		0	0	209,000		0		
B-111	1953	3	STAT	530	530	530	237	#N/A	0	5-6#				Receives B plant flushes		0	0	209,000		1		
B-111	1953	4	STAT	530	530	530	161	#N/A	0	5-6#				Receives B plant flushes		0	0	209,000		1		
B-111	1954	1	STAT	530	530	530	161	#N/A	0					Receives B plant flushes		0	0	209,000		1		
B-111	1954	2	REC	170	700	700		#N/A	0	SU	B-105	B-105				0	0	209,000		1		
B-111	1954	2	REC	111	811	811		#N/A	0	SU	B-105	B-105				0	0	209,000		1		
B-111	1954	2	rec	0	811	811		#N/A	0	cas	B-110	B-110				0	0	209,000		1		
B-111	1954	2	send	-170	641	641		#N/A	0	cas	B-110	B-110				0	0	209,000		0		
B-111	1954	2	send	-111	530	530		#N/A	0	cas	B-110	B-112				0	0	209,000		0		
B-111	1954	2	send	0	530	530		#N/A	0	cas	B-112	B-112				0	0	209,000		0		
B-111	1954	2	STAT	530	530	530		#N/A	0					Supernatant cribbed Rec'd from 105B		0	0	209,000		0		
B-111	1954	2	STAT	530	530	530	161	#N/A	0	5-6#						0	0	209,000		1		
B-111	1954	3	CREC	0	530	530		#N/A	0	END	B-110	B-110				0	0	209,000		1		
B-111	1954	3	CSEND	0	530	530		#N/A	0	END	B-112	B-112				0	0	209,000		1		
B-111	1954	3	STAT	530	530	530	161	#N/A	0	5-6#						0	0	209,000		1		
B-111	1954	4	STAT	530	530	530	195	#N/A	0							0	0	209,000		1		
B-111	1955	1	STAT	530	530	530	195	#N/A	0	EB						0	0	209,000		1		
B-111	1955	2	STAT	530	530	530	195	#N/A	0	SU						0	0	209,000		1		
B-111	1955	3	SEND	-281	249	249		#N/A	0			B-108	qtr 2 to 3			0	0	209,000		1		
B-111	1955	3	STAT	249	249	249	249	#N/A	0					Send to 108-B		0	0	209,000		1		
B-111	1955	4	STAT	249	249	249	249	#N/A	0							0	0	209,000		1		
B-111	1956	1	STAT	249	249	249	249	#N/A	0							0	0	209,000		1		
B-111	1956	2	STAT	251	251	251	249	2	2	5-6#				Rec'd B plant flush water		0	0	209,000		1		
B-111	1956	3	STAT	265	265	265	249	14	16	5-6#				Rec'd B plant flush water		0	0	209,000		1		
B-111	1956	4	STAT	270	270	270	243	5	21	5-6#				Rec'd B plant flush water		0	0	209,000		1		
B-111	1957	1	STAT	270	270	270	161	#N/A	21	5-6#				Rec'd B plant flush water		0	0	209,000		1		
B-111	1957	2	XIN	31	301	301		#N/A	21	WTR		WTR				0	0	209,000		1		
B-111	1957	2	STAT	279	279	279	161	-22	-1					Rec'd B plant flush water		0	0	209,000		1		
B-111	1957	3	STAT	279	279	279	161	#N/A	-1							0	0	209,000		1		
B-111	1957	4	STAT	279	279	279	161	#N/A	-1	5-6#						0	0	209,000		1		
B-111	1958	1	STAT	282	282	282	161	3	2					Latest electrode reading,CW(915 TU)		0	0	209,000		1		
B-111	1958	2	STAT	282	282	282	161	#N/A	2	5-6#				Latest electrode reading,CW(1096 TU)		0	0	209,000		1		
B-111	1958	3	STAT	279	279	279	161	-3	-1							0	0	209,000		1		
B-111	1958	4	STAT	279	279	279	161	#N/A	-1	5-6#						0	0	209,000		1		
B-111	1959	1	XIN	52	331	331		#N/A	-1	WTR		WTR				0	0	209,000		1		
B-111	1959	1	STAT	334	334	334	161	3	2							0	0	209,000		1		
B-111	1959	2	STAT	334	334	334	161	#N/A	2							0	0	209,000		1		
B-111	1959	3	STAT	334	334	334	161	#N/A	2							0	0	209,000		1		
B-111	1959	4	STAT	334	334	334	161	#N/A	2							0	0	209,000		1		
B-111	1960	1	STAT	334	334	334	161	#N/A	2							0	0	209,000		1		
B-111	1960	2	STAT	334	334	334	161	#N/A	2							0	0	209,000		1		
B-111	1960	3	STAT	334	334	334	161	#N/A	2							0	0	209,000		1		



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ol	Q/A	Document/Pg #
B-111	1960	4	STAT		334	334	161	#N/A	2	5-6#												
B-111	1961	1	STAT		N/A	334		#N/A	2							0	0	209.000		1		
B-111	1961	2	STAT		332	332	161	-2	0	5-6#						0	0	209.000		1		
B-111	1961	3	STAT		N/A	332		#N/A	0							0	0	209.000		1		
B-111	1961	4	XIN	148		480		#N/A	0	5-6#						0.00462963	0.6852	209.685	DW	4	O	HW-72625-4
B-111	1961	4	STAT		480	480	161	#N/A	0	5-6#						0	0	209.685		1		
B-111	1962	1	STAT		N/A	480		#N/A	0				148 from B plant			0	0	209.685		1		
B-111	1962	2	XIN	68		548		#N/A	0	5-6#						0.00462963	0.3148	210.000	DW	3	V	HW-74647-4
B-111	1962	2	STAT		554	554	161	6	6							0	0	210.000		1		
B-111	1962	3	STAT		554	554	161	#N/A	6				68 from B plant		Shows 68 not 74	0	0	210.000		1		
B-111	1962	4	STAT		554	554	161	#N/A	6	5-6#						0	0	210.000		1		
B-111	1963	1	STAT		N/A	554		#N/A	6							0	0	210.000		1		
B-111	1963	2	SEND	-221		333		#N/A	6	SU						0	0	210.000		1		
B-111	1963	2	STAT		343	343	300	10	16	5-6#						0	0	210.000		1		
B-111	1963	3	STAT		N/A	343		#N/A	16				Pumping to 112-B			0	0	210.000		1		
B-111	1963	4	STAT		337	337	300	-6	10	FP						0	0	210.000		1		
B-111	1964	1	STAT		N/A	337		#N/A	10				Rec'd from 221-B and pumped to 112-B			0	0	210.000		1		
B-111	1964	2	STAT		338	338	300	1	11	FP						0	0	210.000		1		
B-111	1964	3	STAT		N/A	338		#N/A	11				Rec'd from 221-B and pumped to 112-B			0	0	210.000		1		
B-111	1964	4	xin	54		392		#N/A	11							0.038864	2.0967	212.099	P2	0		
B-111	1964	4	STAT		392	392	300	#N/A	11	FP						0	0	212.099		1		
B-111	1965	1	STAT		N/A	392		#N/A	11				Rec'd from 221-B and pumped to 112-B			0	0	212.099		1		
B-111	1965	2	XIN	166		558		#N/A	11	FP	221-B	P2				0.038864	6.4514	218.550	P2	4	O	RL-SEP-659-4
B-111	1965	2	SEND	-177		381		#N/A	11	SU		B-112				0	0	218.550		4	O	RL-SEP-659-4
B-111	1965	2	STAT		381	381	310	#N/A	11	FP						0	0	218.550		1		
B-111	1965	3	XIN	61		442		#N/A	11	FP						0.038864	2.3707	220.921	P2	4	O	RL-SEP-821-4
B-111	1965	3	STAT		442	442	310	#N/A	11	FP						0	0	220.921		1		
B-111	1965	4	XIN	35		477		#N/A	11	FP						0.038864	1.3602	222.281	P2	4	O	RL-SEP-923-4
B-111	1965	4	STAT		477	477	310	#N/A	11	FP						0	0	222.281		1		
B-111	1966	1	XIN	97		574		#N/A	11	FP	221-B	P2	Omis.			0.038864	3.7698	226.051	P2	3	V	ISO-226-4
B-111	1966	1	SEND	-105		469		#N/A	11							0	0	226.051		3	V	ISO-226-4
B-111	1966	1	STAT		469	469	310	#N/A	11	FP						0	0	226.051		1		
B-111	1966	2	XIN	61		530		#N/A	11	FP						0.038864	2.3707	228.422	P2	3	V	ISO-404-4
B-111	1966	2	SEND	-94		436		#N/A	11	SU						0	0	228.422		3	V	ISO-404-4
B-111	1966	2	STAT		436	436	310	#N/A	11	FP						0	0	228.422		1		
B-111	1966	3	XIN	39		475		#N/A	11	FP						0.038864	1.5157	229.937	P2	3	V	ISO-538-4
B-111	1966	3	SEND	-33		442		#N/A	11	SU						0	0	229.937		3	V	ISO-538-4
B-111	1966	3	STAT		442	442	310	#N/A	11	FP						0	0	229.937		1		
B-111	1966	4	XIN	19		461		#N/A	11	WTR						0	0	229.937		3	V	ISO-674-4
B-111	1966	4	STAT		461	461	310	#N/A	11	FP						0	0	229.937		1		
B-111	1967	1	XIN	36		497		#N/A	11	FP						0.038864	1.3991	231.336	P2	4	O	ISO-806-4
B-111	1967	1	STAT		497	497	310	#N/A	11	FP						0	0	231.336		1		
B-111	1967	2	XIN	89		586		#N/A	11	FP	221-B	P2	Omis.			0.038864	3.4589	234.795	P2	3	V	ISO-967-4
B-111	1967	2	SEND	-191		395		#N/A	11	SU						0	0	234.795		3	V	ISO-967-4
B-111	1967	2	STAT		395	395	310	#N/A	11	FP						0	0	234.795		1		
B-111	1967	3	XIN	31		426		#N/A	11	FP						0.038864	1.2048	236.000	P2	4	O	ARH-95-5
B-111	1967	3	STAT		426	426	181	#N/A	11	FP						0	0	236.000		1		
B-111	1967	4	rec	97		523		#N/A	11		B-112	B-112	bottomstanks??			0	0	236.000		0		
B-111	1967	4	STAT		523	523	161	#N/A	11	FP-EB						0	0	236.000		1		
B-111	1968	1	STAT		521	521	161	-2	9	FP-EB						0	0	236.000		1		
B-111	1968	2	STAT		519	519	241	-2	7							0	0	236.000		1		
B-111	1968	3	STAT		519	519	241	#N/A	7	EB						0	0	236.000		1		
B-111	1968	4	STAT		517	517	241	-2	5	EB						0	0	236.000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans unit	DWXT	LANL comment	Anderson comment	Oyden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
B-111	1969	1	STAT		513	513	241	-4	1	EB						0	0	236,000	1	1		
B-111	1969	2	SEND	-127	388	388	N/A	2	3	SU	B-112		127 to 112-B		0	0	236,000	4	0		ARH-1200B-5	
B-111	1969	3	XIN	214	602	602	N/A	3	3	CSR	CSR				0	0	236,000	1	1			
B-111	1969	3	SEND	-312	290	290	N/A	3	3	SU	B-112			Rec at BY-112	0	0	236,000	4	0		ARH-1200C-5	
B-111	1969	3	rec	10	300	300	N/A	3	3	SU	BY-112				0	0	236,000	2	M		ARH-1200C-5	
B-111	1969	3	STAT		300	300	241	N/A	3	EB-IX				214 from B plant(IX) 312 to 112-BY	0	0	236,000	0	0			
B-111	1969	4	XIN	1119	1419	1419	N/A	3	3	CSR	CSR				0	0	236,000	1	1		ARH-1200D-5	
B-111	1969	4	SEND	-428	991	991	N/A	3	3	SU	B-108				0	0	236,000	4	0		ARH-1200D-5	
B-111	1969	4	SEND	-367	624	624	N/A	3	3	SU	B-109				0	0	236,000	4	0		ARH-1200D-5	
B-111	1969	4	SEND	-275	349	349	N/A	3	3	SU	B-112			also 367 from B-110777 removed	0	0	236,000	4	0		ARH-1200D-5	
B-111	1969	4	STAT		349	349	241	N/A	3	IX				1119 from B plant(IX) 428 to 108-B, 367 to 108-B, 275 to 112-B	0	0	236,000	1	1			
B-111	1970	1	XIN	276	625	625	N/A	3	3	CSR	CSR				0	0	236,000	4	0		ARH-1666A-5	
B-111	1970	1	SEND	-208	417	417	N/A	3	3	SU	B-103				0	0	236,000	4	0		ARH-1666A-5	
B-111	1970	1	rec	14	431	431	N/A	3	3	SU	BY-112				0	0	236,000	0	0			
B-111	1970	1	STAT		431	431	232	N/A	3	IX				276 from B plant(IX), 208 to 103-B	0	0	236,000	1	1			
B-111	1970	2	XIN	265	696	696	N/A	3	3	CSR	CSR				0	0	236,000	4	0		ARH-1666B-5	
B-111	1970	2	XIN	11	707	707	N/A	3	3	WTR	WTR				0	0	236,000	3	V		ARH-1666B-5	
B-111	1970	2	XIN	7	714	714	N/A	3	3	WTR	WTR				0	0	236,000	3	V		ARH-1666B-5	
B-111	1970	2	SEND	-279	435	435	N/A	3	3	SU	B-103				0	0	236,000	4	0		ARH-1666B-5	
B-111	1970	2	rec	68	503	503	N/A	3	3	SU	BY-112				0	0	236,000	0	0			
B-111	1970	2	SEND	-299	282	282	N/A	1	1	SU	B-103				0	0	236,000	1	1		ARH-2456A-4	
B-111	1972	1	send	-21	241	241	N/A	1	1	SU	BY-112			268 from B plant(IX), 11 flush, 7 from 301-B, 279 to 103-B	0	0	236,000	3	0			
B-111	1972	1	STAT		241	241	241	N/A	1	IX					0	0	236,000	1	1			
B-111	1972	2	STAT		246	246	246	5	6	IX					0	0	236,000	1	1			
B-111	1972	3	STAT		263	263	246	17	23	IX					0	0	236,000	1	1			
B-111	1972	4	STAT		249	249	246	14	9	IX					0	0	236,000	1	1			
B-111	1973	1	STAT		249	249	249	N/A	9	IX					0	0	236,000	1	1			
B-111	1973	2	STAT		249	249	249	N/A	9	IX					0	0	236,000	1	1			
B-111	1973	3	STAT		249	249	249	N/A	9	IX					0	0	236,000	1	1			
B-111	1973	4	STAT		249	249	249	N/A	9	IX					0	0	236,000	1	1			
B-111	1974	1	STAT		249	249	249	N/A	9	IX					0	0	236,000	1	1			
B-111	1974	2	STAT		249	249	249	N/A	9	IX					0	0	236,000	1	1			
B-111	1974	3	STAT		249	249	249	N/A	9	IX					0	0	236,000	1	1			
B-111	1974	4	STAT		249	249	249	N/A	9	IX					0	0	236,000	1	1			
B-111	1975	1	STAT		249	249	246	N/A	9	IX					0	0	236,000	1	1			
B-111	1975	2	STAT		249	249	246	N/A	9	IX					0	0	236,000	1	1			
B-111	1975	3	STAT		249	249	246	N/A	9	IX					0	0	236,000	1	1			
B-111	1975	4	STAT		249	249	246	N/A	9	IX					0	0	236,000	1	1			
B-111	1976	1	ouk	-13	249	249	246	N/A	9	IX					0	0	236,000	1	1			
B-111	1976	1	XIN	13	249	249	246	N/A	9	IX					0	0	236,000	1	1			
B-111	1976	1	STAT		249	249	246	N/A	9	IX					0	0	236,000	1	1			
B-111	1976	2	STAT		249	249	246	N/A	9	IX					0	0	236,000	1	1			
B-111	1976	3	STAT		249	249	246	N/A	9	IX				Removed from Service	0	0	236,000	1	1			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Q/A	Document/Pg #
B-111	1976	4	STAT	249	249	249	246	#N/A	9					Evap. Feed Oil.		0	0	236.000		1	
B-111	1977	1	STAT	249	249	249	246	#N/A	9					Inactive-Minimum Heel		0	0	236.000		1	
B-111	1977	2	STAT	249	249	249	246	#N/A	9					Inactive-Minimum Heel		0	0	236.000		1	
B-111	1977	3	STAT	249	249	249	246	#N/A	9					Inactive Current-Minimum Heel		0	0	236.000		1	
B-111	1977	4	STAT	249	249	249	246	#N/A	9					Inactive Current-Minimum Heel		0	0	236.000		1	
B-111	1978	1	STAT	249	249	249	246	#N/A	9					Inactive		0	0	236.000		1	
B-111	1978	2	STAT	249	249	249	246	#N/A	9					Inactive		0	0	236.000		1	
B-111	1978	3	STAT	249	249	249	246	#N/A	9							0	0	236.000		1	
B-111	1978	4	STAT	249	249	249	246	#N/A	9							0	0	236.000		1	
B-111	1979	1	STAT	249	249	249	246	#N/A	9					New Photo's 11/13/78		0	0	236.000		1	
B-111	1979	2	STAT	249	249	249	246	#N/A	9							0	0	236.000		1	
B-111	1979	3	STAT	249	249	249	246	#N/A	9					Questionable Integrity		0	0	236.000		1	
B-111	1979	4	STAT	249	249	249	246	#N/A	9							0	0	236.000		1	
B-111	1980	1	STAT	249	249	249	246	#N/A	9							0	0	236.000		1	
B-111	1980	2	STAT	249	249	249	246	#N/A	9							0	0	236.000		1	
B-111	1980	3	STAT	249	249	249	246	#N/A	9							0	0	236.000		1	
B-111	1980	4	STAT	249	249	249	246	#N/A	9	NCPLX						0	0	236.000		1	
B-111	1983	4	send	-12		237		#N/A	9	NCPLX	AN-103					0	0	236.000		1	
B-111	1993	2	STAT	237	237	237	236	#N/A	9							0	0	236.000		0	
B-111	1993	4	STAT	237	237	237	236	#N/A	9	NCPLX						0	0	236.000		1	
B-111	1994	1	STAT	237	237	237	236	#N/A	9							0	0	236.000		1	
B-111	2000															0	0	236.000		1	



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Link ttr	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
B-112	1940																					
B-112	1945	4	CREC	0	0	0	0	#NA	0	SET	B-111						0	0.000		1		
B-112	1945	4	STAT		N/A	0	0	#NA	0								0	0.000		1		
B-112	1946	1	STAT		0	0	0	#NA	0								0	0.000		1		
B-112	1946	2	rec	130	130	130	130	#NA	0	cas	B-111	B-111				0	0.000		0			
B-112	1946	2	rec	122	122	252	252	#NA	0	cas	B-111	B-111				0	0.000		0			
B-112	1946	2	rec	90	90	342	342	#NA	0	cas	B-111	B-111				0	0.000		0			
B-112	1946	2	STAT		342	342	342	#NA	0	2C				First used April 1946 (t. ast in Cascade)			0	0.000		1		
B-112	1946	3	rec	107	107	449	449	#NA	0	cas	B-111	B-111				0	0.000		0			
B-112	1946	3	rec	81	81	530	530	#NA	0	cas	B-111	B-111				0	0.000		0			
B-112	1946	3	STAT		530	530	530	#NA	0	2C				Filled in August 1946			0	0.000		1		
B-112	1946	4	STAT		530	530	530	#NA	0								0	0.000		1		
B-112	1947	1	STAT		530	530	530	#NA	0								0	0.000		1		
B-112	1947	2	STAT		530	530	530	#NA	0								0	0.000		1		
B-112	1947	3	STAT		530	530	530	#NA	0								0	0.000		1		
B-112	1947	4	STAT		530	530	530	#NA	0	2C							0	0.000		1		
B-112	1948	1	OUTX	-39	491	452	452	#NA	0	SU	B-008	CRIB					0	0.000		1		
B-112	1948	1	OUTX	-25	466	466	466	#NA	0	SU	B-008	CRIB					0	0.000		1		
B-112	1948	2	rec	99	99	565	565	#NA	0	cas	B-111	B-111				0	0.000		1			
B-112	1948	2	rec	33	33	598	598	#NA	0	cas	B-111	B-111				0	0.000		0			
B-112	1948	2	OUTX	-251	347	347	347	#NA	0	SU	B-008	CRIB				0	0.000		0			
B-112	1948	2	OUTX	-198	149	149	149	#NA	0	SU	B-008	CRIB				0	0.000		0			
B-112	1948	2	STAT		148	148	148	-1	-1	2C				Cribbed 415. Started receiving in May			0	0.000		1		
B-112	1948	3	rec	83	231	231	231	#NA	-1	cas	B-111	B-111				0	0.000		0			
B-112	1948	3	rec	67	298	298	298	#NA	-1	cas	B-111	B-111				0	0.000		0			
B-112	1948	3	rec	56	354	354	354	#NA	-1	cas	B-111	B-111				0	0.000		0			
B-112	1948	3	STAT		354	354	354	#NA	-1	2C							0	0.000		0		
B-112	1948	4	rec	65	419	419	419	#NA	-1	cas	B-111	B-111				0	0.000		0			
B-112	1948	4	rec	58	477	477	477	#NA	-1	cas	B-111	B-111				0	0.000		0			
B-112	1948	4	rec	52	529	529	529	#NA	-1	cas	B-111	B-111				0	0.000		0			
B-112	1948	4	STAT		530	530	530	0	0					Filled in December 1948			0	0.000		0		
B-112	1949	1	STAT		530	530	530	#NA	0								0	0.000		1		
B-112	1949	2	STAT		530	530	530	#NA	0								0	0.000		1		
B-112	1949	3	STAT		530	530	530	#NA	0	2C							0	0.000		1		
B-112	1949	4	OUTX	-180	350	350	350	#NA	0	SU	B-008	CRIB				0	0.000		0			
B-112	1949	4	STAT		350	350	350	#NA	0	2C							0	0.000		1		
B-112	1950	1	OUTX	-180	170	170	170	#NA	0	SU	B-008	CRIB				0	0.000		0			
B-112	1950	1	OUTX	-158	12	12	12	#NA	0	2C							0	0.000		1		
B-112	1950	2	STAT		37	37	37	#NA	0	25							0	0.000		1		
B-112	1950	3	rec	148	165	165	165	#NA	25	cas	B-111	B-111				0	0.000		0			
B-112	1950	3	rec	41	226	226	226	#NA	25	cas	B-111	B-111				0	0.000		0			
B-112	1950	3	STAT		226	226	226	#NA	25	cas	B-111	B-111				0	0.000		0			
B-112	1950	4	rec	174	400	400	400	#NA	25	cas	B-111	B-111				0	0.000		0			
B-112	1950	4	rec	162	582	582	582	#NA	25	cas	B-111	B-111				0	0.000		0			
B-112	1950	4	rec	148	710	710	710	#NA	25	cas	B-111	B-111				0	0.000		0			
B-112	1950	4	OUTX	-295	414	414	414	#NA	25	SU	B-008	CRIB				0	0.000		0			
B-112	1950	4	OUTX	-249	165	165	165	#NA	25	SU	B-008	CRIB				0	0.000		0			
B-112	1950	4	OUTX	0	165	165	165	#NA	25	SU	B-008	CRIB				0	0.000		0			
B-112	1950	4	STAT		176	176	176	#NA	36	2C				755 to crib			0	0.000		0		
B-112	1951	1	rec	213	399	399	399	#NA	36	cas	B-111	B-111				0	0.000		1			
B-112	1951	1	rec	141	530	530	530	#NA	36	cas	B-111	B-111				0	0.000		0			
B-112	1951	1	rec	137	667	667	667	#NA	36	cas	B-111	B-111				0	0.000		0			
B-112	1951	1	OUTX	-119	548	548	548	#NA	36	SU	B-008	CRIB				0	0.000		0			

Bank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk	Cum	Waste	Trans	DWXT	LANL comment	Anderson comment	Order comment	sol vol	Cum	THM	sol vol%	QA	Document/Pg #
B-112	1951	1	OUTX	-377		171		#N/A	36 SU	B-008	CRIB		and stats at 396, OUTX total 496	496 to crib		0	0.000			2	
B-112	1951	1	STAT		197	197	0	26	62 2C	B-008	B-111					0	0.000			1	
B-112	1951	2	CSEND	0		197		#N/A	62 SET	B-008	B-111					0	0.000			1	
B-112	1951	2	rec	179		376		#N/A	62 cas	B-111	B-111					0	0.000			0	
B-112	1951	2	rec	177		553		#N/A	62 cas	B-111	B-111					0	0.000			0	
B-112	1951	2	rec	87		640		#N/A	62 cas	B-111	B-111					0	0.000			0	
B-112	1951	2	OUTX	-123		517		#N/A	62 SU	B-008	CRIB					0	0.000			0	
B-112	1951	2	STAT		495	495	0	22	40 2C	B-111	B-111		f stats at 530	Continuous overflow to crib		0	0.000			1	
B-112	1951	3	rec	169		664		#N/A	40 cas	B-111	B-111					0	0.000			0	
B-112	1951	3	rec	151		815		#N/A	40 cas	B-111	B-111					0	0.000			0	
B-112	1951	3	rec	85		900		#N/A	40 cas	B-111	B-111					0	0.000			0	
B-112	1951	3	ouix	-60		850		#N/A	40 cas	B-008	CRIB					0	0.000			0	
B-112	1951	3	ouix	-151		699		#N/A	40 cas	B-008	CRIB					0	0.000			0	
B-112	1951	3	ouix	-169		530		#N/A	40 cas	B-008	CRIB					0	0.000			0	
B-112	1951	3	STAT		542	542	0	12	52	B-008	CRIB					0	0.000			0	
B-112	1951	4	rec	203		745		#N/A	52 cas	B-111	B-111					0	0.000			0	
B-112	1951	4	rec	193		938		#N/A	52 cas	B-111	B-111					0	0.000			0	
B-112	1951	4	rec	188		1126		#N/A	52 cas	B-111	B-111					0	0.000			0	
B-112	1951	4	ouix	-215		911		#N/A	52 cas	B-008	CRIB					0	0.000			0	
B-112	1951	4	ouix	-193		718		#N/A	52 cas	B-008	CRIB					0	0.000			0	
B-112	1951	4	ouix	-186		530		#N/A	52 cas	B-008	CRIB					0	0.000			0	
B-112	1951	4	STAT		542	542	0	12	64	B-008	CRIB					0	0.000			0	
B-112	1952	1	rec	166		708		#N/A	64 cas	B-111	B-111					0	0.000			0	
B-112	1952	1	rec	151		859		#N/A	64 cas	B-111	B-111					0.01135442	1.8648			1	
B-112	1952	1	rec	122		981		#N/A	64 cas	B-111	B-111					0.01135442	1.7145			0	
B-112	1952	1	ouix	-178		803		#N/A	64 cas	B-008	CRIB					0.01135442	1.3852			0	
B-112	1952	1	ouix	-151		652		#N/A	64 cas	B-008	CRIB					0	4.985			0	
B-112	1952	1	ouix	-122		530		#N/A	64 cas	B-008	CRIB					0	4.985			0	
B-112	1952	1	STAT		542	542	0	12	76	B-008	CRIB					0	4.985			0	
B-112	1952	2	rec	120		662		#N/A	76 cas	B-111	B-111					0.01135442	1.3625			1	
B-112	1952	2	rec	21		683		#N/A	76 cas	B-111	B-111					0.01135442	1.3625			0	
B-112	1952	2	rec	15		698		#N/A	76 cas	B-111	B-111					0.01135442	0.2384			0	
B-112	1952	2	ouix	-132		566		#N/A	76 cas	B-008	CRIB					0.01135442	0.1703			0	
B-112	1952	2	ouix	-143		423		#N/A	76 cas	B-008	CRIB					0	6.756			0	
B-112	1952	2	ouix	-15		530		#N/A	76 cas	B-008	CRIB					0	6.756			0	
B-112	1952	2	STAT		542	542	0	12	88	B-008	CRIB					0	6.756			0	
B-112	1952	3	rec	89		631		#N/A	88 cas	B-111	B-111					0.01135442	1.0105			1	
B-112	1952	3	rec	33		652		#N/A	88 cas	B-111	B-111					0.01135442	0.2384			0	
B-112	1952	3	ouix	-89		530		#N/A	88 cas	B-008	CRIB					0	8.005			0	
B-112	1952	3	STAT		542	542	0	12	100 2C	B-008	CRIB					0	8.005			0	
B-112	1952	4	rec	186		730		#N/A	100 cas	B-111	B-111					0	8.005			1	
B-112	1952	4	rec	131		861		#N/A	100 cas	B-111	B-111					0.01135442	2.1346			0	
B-112	1952	4	rec	97		958		#N/A	100 cas	B-111	B-111					0.01135442	1.4874			0	
B-112	1952	4	ouix	-143		815		#N/A	100 cas	B-111	B-111					0.01135442	1.1014			0	
B-112	1952	4	ouix	-97		718		#N/A	100 cas	B-008	CRIB					0	12.728			0	
B-112	1952	4	ouix	-188		530		#N/A	100 cas	B-008	CRIB					0	12.728			0	
B-112	1952	4	STAT		542	542	0	12	112 1C,2C	B-008	CRIB					0	12.728			0	
B-112	1953	1	rec	52		584		#N/A	112 cas	B-111	B-111					0	12.728			0	
B-112	1953	1	rec	38		632		#N/A	112 cas	B-111	B-111					0.01135442	0.9504			1	
B-112	1953	1	rec	22		654		#N/A	112 cas	B-111	B-111					0.01135442	0.4315			0	
B-112	1953	1	ouix	-64		590		#N/A	112 cas	B-008	CRIB					0.01135442	0.2498			0	
B-112	1953	1	ouix	-38		552		#N/A	112 cas	B-008	CRIB					0	14.000			0	
B-112	1953	1	ouix	-22		530		#N/A	112 cas	B-008	CRIB					0	14.000			0	
B-112	1953	1	STAT		542	542	0	12	124 1C,2C	B-008	CRIB					0	14.000			0	
B-112	1953	2	STAT		542	542	0	#N/A	124 1C,2C							0	14.000			0	
B-112	1953	3	STAT		542	542	0	#N/A	124 1C,2C							0	14.000			0	

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solites vol	Unit tfr	Cum untk	Waste type	Trans tank	DWAT	LAML comment	Anderson comment	Ogden comment	sol vol%	TLM solites	Cum solites	sol type	Cl	O/A	Document/Pg #
B-112	1953	4	STAT	542	542	542	0	#N/A	124	1C,2C	B-110	B-110		Continuous overflow to crib		0	0	14,000	1			
B-112	1954	1	REC	72	614	614	0	#N/A	124	SU	B-008	CRIB				0	0	14,000	1			
B-112	1954	1	OUT	-84	530	530	0	#N/A	124	CAS	B-008	CRIB				0	0	14,000	1			
B-112	1954	1	STAT	542	542	542	0	#N/A	124	1C,2C	B-111	B-111		Continuous overflow to crib		0	0	14,000	1			
B-112	1954	2	REC	170	712	712	0	#N/A	136	CAS	B-111	B-111				0	0	14,000	1			
B-112	1954	2	REC	111	823	823	0	#N/A	136	CAS	B-111	B-111				0	0	14,000	1			
B-112	1954	2	OUT	0	823	823	0	#N/A	136	CAS	B-111	B-111				0	0	14,000	1			
B-112	1954	2	OUT	-182	641	641	0	#N/A	136	CAS	B-008	CRIB				0	0	14,000	1			
B-112	1954	2	OUT	-111	530	530	0	#N/A	136	CAS	B-008	CRIB				0	0	14,000	1			
B-112	1954	2	OUT	0	530	530	0	#N/A	136	CAS	B-008	CRIB		Cascades to crib		0	0	14,000	1			
B-112	1954	3	STAT	542	542	542	0	#N/A	148	1C,2C	B-111	B-111				0	0	14,000	1			
B-112	1954	3	CREC	0	542	542	0	#N/A	148	END	B-008	B-008				0	0	14,000	1			
B-112	1954	3	CSEND	0	542	542	0	#N/A	148	END	B-008	B-008				0	0	14,000	1			
B-112	1954	3	STAT	542	542	542	0	#N/A	148	1C,2C	B-111	B-111				0	0	14,000	1			
B-112	1954	4	STAT	542	542	542	0	#N/A	148	5-6#,1C,2C	B-111	B-111				0	0	14,000	1			
B-112	1955	1	STAT	542	542	542	0	#N/A	148	1C,2C	B-111	B-111				0	0	14,000	1			
B-112	1955	2	STAT	542	542	542	0	#N/A	148	1C,2C	B-111	B-111				0	0	14,000	1			
B-112	1955	3	STAT	542	542	542	0	#N/A	148	1C,2C	B-111	B-111				0	0	14,000	1			
B-112	1955	4	STAT	542	542	542	0	#N/A	148	1C,2C	B-111	B-111				0	0	14,000	1			
B-112	1956	1	STAT	542	542	542	0	#N/A	148	1C,2C	B-111	B-111				0	0	14,000	1			
B-112	1956	2	STAT	542	542	542	0	#N/A	148	1C,2C	B-111	B-111				0	0	14,000	1			
B-112	1956	3	STAT	542	542	542	0	#N/A	148	1C,2C	B-111	B-111				0	0	14,000	1			
B-112	1956	4	STAT	542	542	542	0	#N/A	148	5-6#,1C,2C	B-111	B-111				0	0	14,000	1			
B-112	1957	1	STAT	538	538	538	0	-4	144					Contaminated with EB		0	0	14,000	1			
B-112	1957	2	STAT	538	538	538	23	#N/A	144	5-6#				Contaminated with EB		0	0	14,000	1			
B-112	1957	3	STAT	538	538	538	23	#N/A	144	5-6#				Contaminated with EB		0	0	14,000	1			
B-112	1957	4	OUTX	-451	87	87	0	#N/A	144	T25	C-108	TF-CN				0	0	14,000	1			
B-112	1957	4	OUTX	-44	43	43	0	#N/A	144	T26	C-111	TF-CN				0	0	14,000	1			
B-112	1957	4	STAT	43	43	43	43	#N/A	144							0	0	14,000	1			
B-112	1958	1	STAT	43	43	43	43	#N/A	144	5-6#						0	0	14,000	1			
B-112	1958	2	STAT	46	46	46	43	#N/A	147							0	0	14,000	1			
B-112	1958	3	STAT	46	46	46	43	#N/A	147							0	0	14,000	1			
B-112	1958	4	STAT	46	46	46	43	#N/A	147							0	0	14,000	1			
B-112	1959	1	STAT	46	46	46	43	#N/A	147							0	0	14,000	1			
B-112	1959	2	STAT	46	46	46	43	#N/A	147							0	0	14,000	1			
B-112	1959	3	STAT	45	45	45	43	#N/A	147	5-6#						0	0	14,000	1			
B-112	1959	4	STAT	43	43	43	43	#N/A	144							0	0	14,000	1			
B-112	1960	1	STAT	43	43	43	43	#N/A	144							0	0	14,000	1			
B-112	1960	2	STAT	43	43	43	43	#N/A	144							0	0	14,000	1			
B-112	1960	3	STAT	43	43	43	43	#N/A	144	5-6#						0	0	14,000	1			
B-112	1960	4	STAT	32	32	32	32	#N/A	133	5-6#						0	0	14,000	1			
B-112	1961	1	STAT	N/A	32	32	29	#N/A	133							0	0	14,000	1			
B-112	1961	2	STAT	29	29	29	29	#N/A	130	5-6#						0	0	14,000	1			
B-112	1961	3	STAT	N/A	29	29	29	#N/A	130							0	0	14,000	1			
B-112	1961	4	STAT	40	40	40	29	#N/A	141	5-6#						0	0	14,000	1			
B-112	1962	1	STAT	N/A	40	40	40	#N/A	141							0	0	14,000	1			
B-112	1962	2	STAT	35	35	35	35	#N/A	136	5-6#						0	0	14,000	1			
B-112	1962	3	STAT	N/A	35	35	35	#N/A	136							0	0	14,000	1			
B-112	1962	4	XIN	5	40	40	40	#N/A	136	5-6#						0	0	14,000	1			
B-112	1962	4	STAT	40	40	40	40	#N/A	136	5-6#						0	0	14,000	1			
B-112	1963	1	STAT	N/A	40	40	40	#N/A	136							0	0	14,000	1			
B-112	1963	2	REC	20	60	60	60	#N/A	136	SU	B-110	B-110				0	0	14,000	1			
B-112	1963	2	REC	2	62	62	62	#N/A	136	SU	B-110	B-110				0	0	14,000	1			
B-112	1963	2	REC	221	283	283	283	#N/A	136	SU	B-111	B-111				0	0	14,000	1			

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soiltes vol	Unit tfr	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Organ comment	Waste pct%	TLM soiltes	Cum soiltes	soil type	Q/A	Document/Pg #
B-112	1963	2	STAT		271	271	35	-12	124	5-64				Receiving from 110-B and 111-B		0	0	14,000	1		
B-112	1963	3	STAT		N/A	271	N/A	124	124	SU	B-110	B-110				0	0	14,000	1		
B-112	1963	4	REC	285		556										0	0	14,000	1		
B-112	1964	1	STAT		524	524	35	32	92	FP				Receiving from 110-B and 111-B		0	0	14,000	1		
B-112	1964	2	REC	6	N/A	524	N/A	92	92	SU	B-110	B-110		Receiving from 110-B and 111-B		0	0	14,000	1		
B-112	1964	2	STAT		536	536	35	6	98							0	0	14,000	1		
B-112	1964	3	STAT		536	536	35	N/A	98							0	0	14,000	1		
B-112	1964	4	STAT		536	536	35	N/A	98	FP						0	0	14,000	1		
B-112	1965	1	STAT		N/A	536	N/A	98	98							0	0	14,000	1		
B-112	1965	2	SEND	-263		273	N/A	98	98	SU	AX-101					0	0	14,000	4	O	HWN-1991-30
B-112	1965	2	REC	177		450	N/A	98	98	SU	B-111	B-111		117 from 111-B, 263 to 101-AX		0	0	14,000	4	O	RL-SEP-659-4
B-112	1965	2	STAT		450	450	35	N/A	98	FP						0	0	14,000	1		
B-112	1965	3	SEND	-137		313	N/A	98	98	SU	AX-101					0	0	14,000	4	O	HWN-1991-30
B-112	1965	3	STAT		313	313	35	N/A	98	FP				137 to 101-AX		0	0	14,000	1		
B-112	1965	4	SEND	-207		106	N/A	98	98	FP	AX-101					0	0	14,000	4	O	RL-SEP-923-4
B-112	1965	4	STAT		106	106	35	N/A	98	FP	B-111	B-111		207 to 101-AX		0	0	14,000	1		
B-112	1966	1	REC	105		211	N/A	98	98	FP						0	0	14,000	3	V	ISO-226-4
B-112	1966	2	REC	94		305	N/A	98	98	SU	B-111	B-111		105 from 111-B		0	0	14,000	1		
B-112	1966	2	STAT		304	304	35	-1	97	FP				94 from 111-B		0	0	14,000	3	V	ISO-404-4
B-112	1966	3	REC	33		337	N/A	97	97	FP	B-111	B-111		Rec from B-111, Omission		0	0	14,000	1		
B-112	1966	3	STAT		337	337	35	N/A	97	SU						0	0	14,000	3	V	ISO-538-4
B-112	1966	4	STAT		337	337	35	N/A	97	FP						0	0	14,000	1		
B-112	1967	1	STAT		337	337	35	N/A	97	FP						0	0	14,000	1		
B-112	1967	2	REC	191		528	N/A	97	97	SU	B-111	B-111		33 from 111-B		0	0	14,000	1		
B-112	1967	2	STAT		528	528	35	N/A	97	FP						0	0	14,000	3	V	ISO-967-4
B-112	1967	3	STAT		528	528	40	N/A	97	FP						0	0	14,000	1		
B-112	1967	4	SEND	-97		431	N/A	97	97	SU						0	0	14,000	4	O	ARH-326-5
B-112	1967	4	REC	193		584	N/A	97	97	SU	B-110	B-110		bottom tanks??		0	0	14,000	4	O	ARH-326-5
B-112	1967	4	REC	392		976	N/A	97	97	SU	9X-101	9X-101				0	0	14,000	4	O	ARH-326-5
B-112	1967	4	STAT		169	169	40	N/A	97	FP,EB				Cell 23 conc. test tank		0	0	14,000	1		
B-112	1968	1	REC	366		535	N/A	97	97	SU	B-110	B-110		366 from 110-B		0	0	14,000	4	O	ARH-534-5
B-112	1968	1	STAT		535	535	40	N/A	97	FP,EB						0	0	14,000	1		
B-112	1968	2	STAT		547	547	18	12	109	EB						0	0	14,000	1		
B-112	1968	3	STAT		547	547	18	N/A	109	FP,EB						0	0	14,000	1		
B-112	1968	4	STAT		547	547	18	N/A	109	BL,EB						0	0	14,000	1		
B-112	1969	1	STAT		550	550	18	N/A	109	BL,EB	P2					0	0	14,000	3	V	ARH-1200A-5
B-112	1969	2	XIN	21		571	N/A	109	109	WTR						0	0	14,000	3	V	ARH-1200B-5
B-112	1969	2	REC	127		698	N/A	109	109	SU	B-111	B-111				0	0	14,000	4	O	ARH-1200B-5
B-112	1969	2	SEND	-597		101	N/A	109	109	SU	B-103					0	0	14,000	4	O	ARH-1200B-5
B-112	1969	2	REC	0		101	N/A	109	109	SU	B-110	B-110				0	0	14,000	1		
B-112	1969	2	STAT		101	101	18	N/A	109	EB						0	0	14,000	1		
B-112	1969	3	REC	312		413	N/A	109	109	SU	B-111	B-111				0	0	14,000	2	M	ARH-1200C-5
B-112	1969	3	REC	206		619	N/A	109	109	SU	B-110	B-110				0	0	14,000	4	O	ARH-1200C-5
B-112	1969	3	SEND	-339		280	N/A	109	109	SU	B-103					0	0	14,000	3	V	ARH-1200C-5
B-112	1969	3	REC	0		280	N/A	109	109	SU	B-111	B-111				0	0	14,000	2	V	ARH-1200C-5
B-112	1969	3	STAT		279	279	18	-1	106	EB,IX						0	0	14,000	1		
B-112	1969	4	REC	275		554	N/A	108	108	SU	B-111	B-111				0	0	14,000	4	O	ARH-1200D-5
B-112	1969	4	REC	0		554	N/A	108	108	SU	B-110	B-110				0	0	14,000	1		

Bank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids Vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	excl vol%	TLM solids	Cum solids	sol type	Ch	O/A	Document/Pg #	
B-112	1969	4	STAT	554	554	554	18	#NA	108	EBJX				275 from 11-B			0	14,000					
B-112	1970	1	STAT	553	553	553	18	-1	107	EBJX							0	14,000					
B-112	1970	2	STAT	558	558	558	18	5	112	IX							0	14,000					
B-112	1970	3	STAT	558	558	558	18	#NA	112	IX							0	14,000					
B-112	1970	4	STAT	558	558	558	18	#NA	112	EBJX							0	14,000					
B-112	1971	1	STAT	557	557	557	18	-1	111	EBJX							0	14,000					
B-112	1971	2	STAT	556	556	556	18	-1	110	EBJX							0	14,000					
B-112	1971	3	STAT	557	557	557	18	1	111	EBJX							0	14,000					
B-112	1971	4	SEND	-490				#NA	111	SU		B-103					0	14,000				ARH-2074D-5	
B-112	1971	4	STAT	67	67	67	19	1	112	EBJX							0	14,000					
B-112	1972	1	XIN	19	19	19		#NA	112	WTR		WTR	Omis REC B-301	490 to 103-B	Omission		0	14,000				ARH-2356A-4	
B-112	1972	1	STAT	87	87	87	18	#NA	112	EBJX				19 from 301-B * Dry Wells 20-12-02, 20-12-03, 20-12-06, 20-12-07, 20-12-11 drilled			0	14,000					
B-112	1972	2	STAT	90	90	90	18	3	115	EBJX							0	14,000					
B-112	1972	3	SEND	-13				#NA	115			BY-112					0	14,000					
B-112	1972	3	STAT	77	77	77	14	#NA	115	IX				New tape			0	14,000					
B-112	1972	4	STAT	77	77	77	14	#NA	115	EBJX							0	14,000					
B-112	1973	1	rec	225	302	302	302	#NA	115	ITS		BY-112					0	14,000					
B-112	1973	1	STAT	0	302	302	14	#NA	115	EB		BY-112					0	14,000					
B-112	1973	2	GREC	0	303	303	14	1	116	ITS		BY-112					0	14,000					
B-112	1973	3	GREC	0	303	303	14	#NA	116	ITS		BY-112					0	14,000					
B-112	1973	4	GREC	0	305	305	14	2	118								0	14,000					
B-112	1973	4	STAT	0	305	305	14	#NA	118	ITS		BY-112					0	14,000					
B-112	1974	1	GREC	0	305	305	14	#NA	118								0	14,000					
B-112	1974	1	STAT	23	305	305	14	#NA	118	EB		BY-107					0	14,000					
B-112	1974	2	GREC	0	305	305	14	#NA	118	ITS		BY-112					0	14,000					
B-112	1974	2	STAT	328	328	328	14	#NA	118	SU		BY-107					0	14,000					
B-112	1974	3	GREC	0	328	328	14	#NA	118	EB		BY-112					0	14,000					
B-112	1974	3	STAT	0	328	328	14	1	119	EB		BY-112					0	14,000					
B-112	1974	4	GREC	0	329	329	14	1	119	ITS		BY-112					0	14,000					
B-112	1974	4	STAT	0	329	329	35	#NA	119	ITS		BY-112					0	14,000					
B-112	1975	1	STAT	0	329	329	35	#NA	119			BY-112					0	14,000					
B-112	1975	2	GREC	0	329	329	35	#NA	119	ITS		BY-112					0	14,000					
B-112	1975	2	STAT	0	329	329	35	#NA	119	ITS		BY-112					0	14,000					
B-112	1975	3	GREC	0	329	329	35	#NA	119	ITS		BY-112					0	14,000					
B-112	1975	3	STAT	0	329	329	35	#NA	119	ITS		BY-112					0	14,000					
B-112	1975	4	GREC	0	329	329	35	#NA	119	ITS		BY-112					0	14,000					
B-112	1975	4	STAT	0	329	329	35	#NA	119	ITS		BY-112					0	14,000					
B-112	1976	1	outk	315	315	315	14	#NA	119			BYEVAP					0	14,000					
B-112	1976	1	xin	315	315	315	35	#NA	119	ITS		BYSHCK				0.050784	16	30,000	BYSHCK				
B-112	1976	1	GREC	0	329	329	35	#NA	119	ITS		BY-112					0	30,000					
B-112	1976	1	STAT	0	329	329	35	#NA	119	ITS		BY-112					0	30,000					
B-112	1976	2	GREC	0	329	329	35	#NA	119	ITS		BY-109					0	30,000					

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANT comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
B-112	1976	2	STAT		329	329		35	#NA	EB				<p>ITS bottoms and recycle (2) (2) Due to the characteristics of the solids in the bottoms tanks and the inability to measure them precisely, there is a significant degree of uncertainty in the liquid to solid ratio of B, BX, BY Farm Tanks.</p> <p>Evap. Feed Con.</p> <p>Evap. Feed Con.</p> <p>Evap. Feed Con.</p> <p>Evap. Feed Con.</p> <p>Inactive Current</p> <p>Inactive Current</p> <p>Inactive</p> <p>Questionable integrity</p>		0	0	30,000	1			
B-112	1976	3	STAT		332	332		35	3								0	0	30,000			
B-112	1976	4	STAT		332	332		35	#NA								0	0	30,000			
B-112	1977	1	STAT		332	332		35	#NA								0	0	30,000			
B-112	1977	2	send	258	73	73		35	#NA		A-102						0	0	30,000			
B-112	1977	2	STAT		73	73		35	#NA								0	0	30,000			
B-112	1977	3	send	-33	40	40		37	#NA		A-102						0	0	30,000			
B-112	1977	3	STAT		40	40		37	#NA								0	0	30,000			
B-112	1977	4	STAT		40	40		37	#NA								0	0	30,000			
B-112	1978	1	STAT		40	40		37	#NA								0	0	30,000			
B-112	1978	2	STAT		40	40		37	#NA	NCPLX							0	0	30,000			
B-112	1978	3	STAT		43	43		37	3								0	0	30,000			
B-112	1978	4	STAT		43	43		37	#NA								0	0	30,000			
B-112	1979	1	STAT		43	43		37	#NA								0	0	30,000			
B-112	1979	2	STAT		43	43		37	#NA								0	0	30,000			
B-112	1979	3	STAT		43	43		37	#NA							0	0	30,000				
B-112	1979	4	STAT		43	43		37	#NA							0	0	30,000				
B-112	1980	1	STAT		43	43		37	#NA							0	0	30,000				
B-112	1980	2	STAT		43	43		37	#NA							0	0	30,000				
B-112	1980	3	STAT		43	43		37	#NA							0	0	30,000				
B-112	1980	4	STAT		43	43		37	#NA	NCPLX						0	0	30,000				
B-112	1983	2	STAT		33	33		30	10							0	0	30,000				
B-112	1983	4	STAT		33	33		30	#NA	NCPLX						0	0	30,000				
B-112	1984	1	STAT		33	33		30	#NA							0	0	30,000				
B-112	2000															0	0	30,000				

Tank_n	Year	Otr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unit	Cum unlk	Waste type	Trans tank	DWXT	LAINL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	O/A	Document/Pg #
B-201	1900																				
B-201	1946	4	CSEND	0		0		#N/A	0	SET	B-007						0	0.000			
B-201	1946	4	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1947	1	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1947	2	STAT		0	0		0	0	CB						0	0.000				
B-201	1947	3	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1947	4	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1948	1	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1948	2	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1948	3	CSEND	0		0		0	0	END	B-007					0	0.000				
B-201	1948	3	STAT		N/A	0		#N/A	0	CBBCD						0	0.000				
B-201	1948	4	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1949	1	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1949	2	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1949	3	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1949	4	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1950	1	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1950	2	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1950	3	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1950	4	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1951	1	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1951	2	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1951	3	STAT		N/A	0		#N/A	0								0	0.000			
B-201	1951	4	STAT		0	0		0	0								0	0.000			
B-201	1952	1	Stat	56		55		#N/A	0			224				0.50909091	28	28.000	224		
B-201	1952	1	STAT		55	55		#N/A	0					Active cascade to crib		0	0	28.000			
B-201	1952	2	STAT		55	55		#N/A	0					Active cascade to crib		0	0	28.000			
B-201	1952	3	STAT		55	55		#N/A	0					Active cascade to crib		0	0	28.000			
B-201	1952	4	STAT		55	55		#N/A	0	MW				Active cascade to crib		0	0	28.000			
B-201	1953	1	STAT		55	55		#N/A	0	224, MW				Receives B plant flushes		0	0	28.000			
B-201	1953	2	STAT		55	55		#N/A	0	MW						0	0	28.000			
B-201	1953	3	STAT		55	55		#N/A	0	MW						0	0	28.000			
B-201	1953	4	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1954	1	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1954	2	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1954	3	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1954	4	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1955	1	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1955	2	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1955	3	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1955	4	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1956	1	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1956	2	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1956	3	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1956	4	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1957	1	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1957	2	STAT		55	55		#N/A	0	224				Latest electrode reading		0	0	28.000			
B-201	1957	3	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1957	4	STAT		55	55		#N/A	0							0	0	28.000			
B-201	1958	1	STAT		53	53		#N/A	0							0	0	28.000			
B-201	1958	2	STAT		53	53		#N/A	0							0	0	28.000			
B-201	1958	3	STAT		53	53		#N/A	0							0	0	28.000			
B-201	1958	4	STAT		51	51		#N/A	0							0	0	28.000			
B-201	1959	1	STAT		51	51		#N/A	0							0	0	28.000			
B-201	1959	2	STAT		51	51		#N/A	0							0	0	28.000			
B-201	1959	3	STAT		51	51		#N/A	0							0	0	28.000			
B-201	1960	4	STAT		52	52		#N/A	0							0	0	28.000			
B-201	1960	1	STAT		52	52		#N/A	0							0	0	28.000			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
B-201	1960	2	STAT		52	52	52	#N/A	-3							0	0	28,000		1		
B-201	1960	3	STAT		52	52	52	#N/A	-3							0	0	28,000		1		
B-201	1960	4	STAT		55	55	55	3	0	224						0	0	28,000		1		
B-201	1961	1	STAT		N/A	55		#N/A	0							0	0	28,000		1		
B-201	1961	2	STAT		50	50	50	-5	-5							0	0	28,000		1		
B-201	1961	3	STAT		50	50	50	#N/A	-5							0	0	28,000		1		
B-201	1961	4	STAT		50	50	50	#N/A	-5							0	0	28,000		1		
B-201	1962	1	STAT		50	50	50	#N/A	-5							0	0	28,000		1		
B-201	1962	2	STAT		55	55	54.5	5	0	224						0	0	28,000		1		
B-201	1962	3	STAT		N/A	55		#N/A	0							0	0	28,000		1		
B-201	1962	4	STAT		51	51	50	-4	-4							0	0	28,000		1		
B-201	1963	1	STAT		51	51	50	#N/A	-4							0	0	28,000		1		
B-201	1963	2	STAT		51	51	50	#N/A	-4	224						0	0	28,000		1		
B-201	1963	3	STAT		N/A	51		#N/A	-4							0	0	28,000		1		
B-201	1963	4	STAT		53	53	50	2	-2					Latest electrode reading		0	0	28,000		1		
B-201	1964	1	STAT		53	53	50	#N/A	-2							0	0	28,000		1		
B-201	1964	2	STAT		53	53	50	#N/A	-2							0	0	28,000		1		
B-201	1964	3	STAT		53	53	50	#N/A	-2							0	0	28,000		1		
B-201	1964	4	STAT		53	53	50	#N/A	-2	224						0	0	28,000		1		
B-201	1965	1	STAT		N/A	53		#N/A	-2							0	0	28,000		1		
B-201	1965	2	STAT		56	56	50	3	1							0	0	28,000		1		
B-201	1965	3	STAT		56	56	50	#N/A	1							0	0	28,000		1		
B-201	1965	4	STAT		56	56	50	#N/A	1							0	0	28,000		1		
B-201	1966	1	STAT		56	56	50	#N/A	1							0	0	28,000		1		
B-201	1966	2	STAT		56	56	50	#N/A	1							0	0	28,000		1		
B-201	1966	3	STAT		56	56	50	#N/A	1							0	0	28,000		1		
B-201	1966	4	STAT		56	56	50	#N/A	1							0	0	28,000		1		
B-201	1967	1	STAT		56	56	50	#N/A	1							0	0	28,000		1		
B-201	1967	2	STAT		56	56	50	#N/A	1							0	0	28,000		1		
B-201	1967	3	STAT		56	56	50	#N/A	1							0	0	28,000		1		
B-201	1967	4	STAT		56	56	50	#N/A	1	224						0	0	28,000		1		
B-201	1968	1	STAT		55	55	50	-1	0							0	0	28,000		1		
B-201	1968	2	STAT		55	55	50	#N/A	0							0	0	28,000		1		
B-201	1968	3	STAT		55	55	50	#N/A	0							0	0	28,000		1		
B-201	1968	4	STAT		55	55	50	#N/A	0							0	0	28,000		1		
B-201	1969	1	STAT		55	55	50	#N/A	0							0	0	28,000		1		
B-201	1969	2	STAT		55	55	50	#N/A	0							0	0	28,000		1		
B-201	1969	3	STAT		55	55	50	#N/A	0							0	0	28,000		1		
B-201	1969	4	STAT		55	55	50	#N/A	0	224						0	0	28,000		1		
B-201	1970	1	STAT		55	55	30	#N/A	0							0	0	28,000		1		
B-201	1970	2	STAT		55	55	30	#N/A	0							0	0	28,000		1		
B-201	1970	3	STAT		55	55	30	#N/A	0	224						0	0	28,000		1		
B-201	1970	4	STAT		54	54	30	-1	-1							0	0	28,000		1		
B-201	1971	1	STAT		54	54	30	#N/A	-1	224						0	0	28,000		1		
B-201	1971	2	SEND	-22		32		#N/A	-1	SU	B-106					0	0	28,000		4	O	ARH-2074B-5
B-201	1971	2	CSEND	0		32		#N/A	-1	END						0	0	28,000		1		
B-201	1971	2	STAT		33	33	30	1	0					22 to 106-B		0	0	28,000		1		
B-201	1971	3	STAT		33	33	30	#N/A	0							0	0	28,000		1		
B-201	1971	4	STAT		33	33	30	#N/A	0	224						0	0	28,000		1		
B-201	1972	1	STAT		33	33	26	#N/A	0							0	0	28,000		1		
B-201	1972	2	STAT		33	33	26	#N/A	0							0	0	28,000		1		
B-201	1972	3	STAT		33	33	26	#N/A	0							0	0	28,000		1		
B-201	1972	4	STAT		33	33	26	#N/A	0							0	0	28,000		1		
B-201	1973	1	STAT		33	33	26	#N/A	0					Suspect leaker		0	0	28,000		1		
B-201	1973	2	STAT		33	33	26	#N/A	0					Suspect leaker		0	0	28,000		1		
B-201	1973	3	STAT		33	33	26	#N/A	0					Suspect leaker		0	0	28,000		1		
B-201	1973	4	STAT		33	33	26	#N/A	0	224				Suspect leaker		0	0	28,000		1		
B-201	1974	1	SEND	-1		32		#N/A	0	SU	B-109					0	0	28,000		4	O	ARH-CD-133A-4



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-201	1974	1	STAT		32	32	26	#N/A	0	224						0	0	28,000		1		
B-201	1974	2	SEND	-2		30		#N/A	0	SU		B-109		Suspect leaker, 1 to 109-B		0	0	28,000		4	O	ARH-CD-133B-4
B-201	1974	2	STAT		31	31	26	1	1	224						0	0	28,000		1		
B-201	1974	3	SEND	-4		27		#N/A	1	SU		B-109		Suspect leaker, 2 to 109-B		0	0	28,000		1		
B-201	1974	3	STAT		29	29	26	2	3	224						0	0	28,000		4	O	ARH-CD-133C-4
B-201	1974	4	XIN	4		33		#N/A	3	WTR		WTR				0	0	28,000		1		
B-201	1974	4	SEND	-6		27		#N/A	3	SU		B-109				0	0	28,000		4	O	ARH-CD-133D-4
B-201	1974	4	STAT		29	29	29	2	5					Suspect leaker, 4 water, 6 to 109-B		0	0	28,000		4	O	ARH-CD-133D-4
B-201	1975	1	SEND	-2		27		#N/A	5	SU		B-109				0	0	28,000		1		
B-201	1975	1	STAT		29	29	29	2	7							0	0	28,000		4	O	ARH-CD-336A-4
B-201	1975	2	SEND	-1		28		#N/A	7	SU		B-109		Suspect leaker, 2 to 102-B		0	0	28,000		1		
B-201	1975	2	STAT		29	29	29	1	8					Removed-from service, 1 to 109-B		0	0	28,000		4	O	ARH-CD-336B-4
B-201	1975	3	SEND	-1		28		#N/A	8	SU		B-109				0	0	28,000		1		
B-201	1975	3	STAT		29	29	29	1	9					Removed-from service, 1 to 109-B		0	0	28,000		4	O	ARH-CD-336C-4
B-201	1975	4	STAT		29	29	29	#N/A	9					Removed-from service, 1 to 109-B		0	0	28,000		1		
B-201	1976	1	STAT		29	29	29	#N/A	9					Removed-from service, 1 to 109-B		0	0	28,000		1		
B-201	1976	2	STAT		29	29	29	#N/A	9							0	0	28,000		1		
B-201	1976	3	STAT		29	29	29	#N/A	9							0	0	28,000		1		
B-201	1976	4	STAT		29	29	29	#N/A	9							0	0	28,000		1		
B-201	1977	1	STAT		29	29	29	#N/A	9					Salt Well Comp.		0	0	28,000		1		
B-201	1977	2	STAT		29	29	29	#N/A	9					Questionable Integrity		0	0	28,000		1		
B-201	1977	3	STAT		29	29	29	#N/A	9							0	0	28,000		1		
B-201	1977	4	STAT		29	29	29	#N/A	9					Inactive-Stabilized		0	0	28,000		1		
B-201	1978	1	STAT		29	29	29	#N/A	9					Inactive Current-Stabilized Phase I		0	0	28,000		1		
B-201	1978	2	STAT		29	29	29	#N/A	9					Inactive - Primary Stabilized		0	0	28,000		1		
B-201	1978	3	STAT		29	29	29	#N/A	9							0	0	28,000		1		
B-201	1978	4	STAT		29	29	29	#N/A	9	224				P-10 Pmp. Removed		0	0	28,000		1		
B-201	1979	1	STAT		28	28	27	-1	8							0	0	28,000		1		
B-201	1979	2	STAT		28	28	27	#N/A	8					New Solids Level 1/29/79		0	0	28,000		1		
B-201	1979	3	STAT		28	28	27	#N/A	8					Questionable integrity		0	0	28,000		1		
B-201	1979	4	STAT		28	28	27	#N/A	8							0	0	28,000		1		
B-201	1980	1	STAT		28	28	27	#N/A	8							0	0	28,000		1		
B-201	1980	2	STAT		28	28	27	#N/A	8	224				New Photo 2/4/80		0	0	28,000		1		
B-201	1980	3	STAT		29	29	28	1	9							0	0	28,000		1		
B-201	1980	4	STAT		29	29	28	#N/A	9	224						0	0	28,000		1		
B-112	1983	4	send	-10		19		#N/A	9	sw/1q		AN-103				0	0	28,000		1		
B-201	1993	2	STAT		29	29	28	10	19	NCPLX						0	0	28,000		0		
B-201	1993	4	STAT		29	29	28	#N/A	19							0	0	28,000		1		
B-201	1994	1	STAT		29	29	28	#N/A	19							0	0	28,000		1		
B-201	2000															0	0	28,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
B-202	1900																					
B-202	1948	4	CREC	0		0		#N/A	0	SET	B-203											
B-202	1948	4	CSEND	0		0		#N/A	0	SET	B-007											
B-202	1948	4	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1949	1	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1949	2	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1949	3	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1949	4	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1950	1	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1950	2	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1950	3	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1950	4	STAT		0	0	0	#N/A	0								0	0.000				1
B-202	1951	1	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1951	2	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1951	3	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1951	4	STAT		0	0	0	#N/A	0								0	0.000				1
B-202	1952	1	STAT		N/A	0		#N/A	0								0	0.000				1
B-202	1952	2	rec	4		4		#N/A	0	cas	B-203	B-203	phase prob 55 to N/A	Active cascade to crib			0	0.000				1
B-202	1952	2	rec	40		44		#N/A	0	cas	B-203	B-203				0.194245	0.777		224		0	
B-202	1952	2	STAT		55	55	0	11	11								0.194245	7.7698	8.547	224		0
B-202	1952	3	rec	42		97		#N/A	11	cas	B-203	B-203				0	0	8.547			1	
B-202	1952	3	rec	29		126		#N/A	11	cas	B-203	B-203				0.194245	8.1583	16.705	224		0	
B-202	1952	3	rec	24		150		#N/A	11	cas	B-203	B-203				0.194245	5.6331	22.338	224		0	
B-202	1952	3	outx	-24		126		#N/A	11	cas	B-007	CRIB				0.194245	4.6619	27.000	224		0	
B-202	1952	3	outx	-29		97		#N/A	11	cas	B-007	CRIB				0	0	27.000			0	
B-202	1952	3	outx	-42		55		#N/A	11	cas	B-007	CRIB				0	0	27.000			0	
B-202	1952	3	STAT		55	55	0	#N/A	11								0	0	27.000			0
B-202	1952	4	rec	42		97		#N/A	11	cas	B-203	B-203		Active cascade to crib		0	0	27.000			1	
B-202	1952	4	rec	24		121		#N/A	11	cas	B-203	B-203				0	0	27.000			0	
B-202	1952	4	rec	13		134		#N/A	11	cas	B-203	B-203				0	0	27.000			0	
B-202	1952	4	outx	-42		92		#N/A	11	cas	B-007	CRIB				0	0	27.000			0	
B-202	1952	4	outx	-24		68		#N/A	11	cas	B-007	CRIB				0	0	27.000			0	
B-202	1952	4	outx	-13		55		#N/A	11	cas	B-007	CRIB				0	0	27.000			0	
B-202	1952	4	STAT		55	55	0	#N/A	11	MW				Active cascade to crib		0	0	27.000			0	
B-202	1953	1	rec	21		76		#N/A	11	cas	B-203	B-203				0	0	27.000			1	
B-202	1953	1	rec	14		90		#N/A	11	cas	B-203	B-203				0	0	27.000			0	
B-202	1953	1	rec	9		99		#N/A	11	cas	B-203	B-203				0	0	27.000			0	
B-202	1953	1	outx	-9		90		#N/A	11	cas	B-007	CRIB				0	0	27.000			0	
B-202	1953	1	outx	-14		76		#N/A	11	cas	B-007	CRIB				0	0	27.000			0	
B-202	1953	1	outx	-21		55		#N/A	11	cas	B-007	CRIB				0	0	27.000			0	
B-202	1953	1	STAT		55	55	0	#N/A	11	224 MW				Receives B plant flushes		0	0	27.000			1	
B-202	1953	2	STAT		55	55	0	#N/A	11	224 MW						0	0	27.000			1	
B-202	1953	3	STAT		55	55	26	#N/A	11	MW			anomalous solids of 55			0	0	27.000			1	
B-202	1953	4	STAT		55	55	25	#N/A	11							0	0	27.000			1	
B-202	1954	1	STAT		55	55	25	#N/A	11							0	0	27.000			1	
B-202	1954	2	STAT		55	55	25	#N/A	11							0	0	27.000			1	
B-202	1954	3	STAT		55	55	25	#N/A	11							0	0	27.000			1	
B-202	1954	4	STAT		55	55	25	#N/A	11							0	0	27.000			1	
B-202	1955	1	STAT		55	55	25	#N/A	11					Rec'd 5-6 water. Cascades to crib		0	0	27.000			1	
B-202	1955	2	STAT		55	55	25	#N/A	11							0	0	27.000			1	
B-202	1955	3	STAT		55	55	25	#N/A	11					Cascades to crib		0	0	27.000			1	
B-202	1955	4	STAT		55	55	25	#N/A	11					Rec'd 224-B flush water. Cascades to crib		0	0	27.000			1	
B-202	1956	1	STAT		55	55	25	#N/A	11							0	0	27.000			1	
B-202	1956	2	STAT		55	55	25	#N/A	11							0	0	27.000			1	
B-202	1956	3	STAT		55	55	25	#N/A	11							0	0	27.000			1	
B-202	1956	4	STAT		55	55	25	#N/A	11	224						0	0	27.000			1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soillets vol	Unk tfr	Cum unit	Waste type	Trans tank	DWKT	LANL comment	Anderson comment	Oxygen comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
B-202	1967	1	STAT	56	56	56	25	1	12	224						0	0	27,000		1		
B-202	1967	2	STAT	56	56	56	25	N/A	12					Latest electrode reading		0	0	27,000		1		
B-202	1967	3	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1967	4	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1968	1	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1968	2	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1968	3	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1968	4	STAT	56	56	56	25	N/A	12					Latest electrode reading		0	0	27,000		1		
B-202	1969	1	STAT	56	56	56	25	N/A	12					New electrode		0	0	27,000		1		
B-202	1969	2	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1969	3	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1969	4	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1970	1	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1970	2	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1970	3	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1970	4	STAT	56	56	56	25	N/A	12							0	0	27,000		1		
B-202	1962	2	STAT	55	55	55	26	4	5	224				7.5 from 221-B		0	0	27,000		4	O	HW-74647-4
B-202	1962	3	STAT	N/A	55	55	25	N/A	5							0	0	27,000		1		
B-202	1962	4	STAT	55	55	55	25	N/A	5							0	0	27,000		1		
B-202	1963	1	STAT	55	55	55	25	N/A	5							0	0	27,000		1		
B-202	1963	2	STAT	55	55	55	25	N/A	5							0	0	27,000		1		
B-202	1963	3	STAT	N/A	55	55	25	N/A	5							0	0	27,000		1		
B-202	1963	4	STAT	54	54	54	25	1	4					Latest electrode reading		0	0	27,000		1		
B-202	1964	1	STAT	54	54	54	25	N/A	4							0	0	27,000		1		
B-202	1964	2	STAT	54	54	54	25	N/A	4							0	0	27,000		1		
B-202	1964	3	STAT	54	54	54	25	N/A	4							0	0	27,000		1		
B-202	1964	4	STAT	54	54	54	25	N/A	4							0	0	27,000		1		
B-202	1965	1	STAT	N/A	54	54	25	N/A	4							0	0	27,000		1		
B-202	1965	2	STAT	58	58	58	25	4	8	224						0	0	27,000		1		
B-202	1965	3	STAT	56	56	56	25	2	6							0	0	27,000		1		
B-202	1965	4	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1966	1	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1966	2	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1966	3	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1966	4	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1967	1	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1967	2	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1967	3	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1967	4	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1968	1	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1968	2	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1968	3	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1968	4	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1969	1	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1969	2	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1969	3	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1969	4	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1970	1	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1970	2	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1970	3	STAT	56	56	56	25	N/A	6							0	0	27,000		1		
B-202	1970	4	STAT	56	56	56	25	N/A	6							0	0	27,000		1		

Tank n	Year	Qty	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk mtr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	QI	OVA	Document/Pg #
B-202	1971	1	STAT	56	56	56	29	#N/A	6	END						0	0	27,000		1		
B-202	1971	2	CSEND	0	56	56	29	#N/A	6	END						0	0	27,000		1		
B-202	1971	2	STAT		56	56	29	#N/A	6	END						0	0	27,000		1		
B-202	1971	3	STAT		56	56	29	#N/A	6	END						0	0	27,000		1		
B-202	1971	4	STAT		56	56	29	#N/A	6	224						0	0	27,000		1		
B-202	1972	1	STAT		56	56	27	#N/A	6							0	0	27,000		1		
B-202	1972	2	STAT		56	56	27	#N/A	6							0	0	27,000		1		
B-202	1972	3	STAT		56	56	27	#N/A	6							0	0	27,000		1		
B-202	1972	4	STAT		56	56	27	#N/A	6							0	0	27,000		1		
B-202	1973	1	STAT		56	56	27	#N/A	6							0	0	27,000		1		
B-202	1973	2	STAT		56	56	27	#N/A	6							0	0	27,000		1		
B-202	1973	3	STAT		56	56	27	#N/A	6							0	0	27,000		1		
B-202	1973	4	STAT		56	56	27	#N/A	6	224						0	0	27,000		1		
B-202	1974	1	SEND		53	53	53	#N/A	6	SU		B-109				0	0	27,000		4	O	ARH-CD-133A-4
B-202	1974	1	STAT	3	53	53	27	#N/A	6	224				3 to 109-B		0	0	27,000		1		
B-202	1974	2	STAT		53	53	27	#N/A	6							0	0	27,000		1		
B-202	1974	3	STAT		53	53	27	#N/A	6							0	0	27,000		1		
B-202	1974	4	STAT		53	53	27	#N/A	6							0	0	27,000		1		
B-202	1975	1	STAT		53	53	27	#N/A	6							0	0	27,000		1		
B-202	1975	2	STAT		53	53	27	#N/A	6							0	0	27,000		1		
B-202	1975	3	STAT		53	53	27	#N/A	6							0	0	27,000		1		
B-202	1975	4	STAT		53	53	27	#N/A	6							0	0	27,000		1		
B-202	1976	1	STAT		53	53	27	#N/A	6							0	0	27,000		1		
B-202	1976	2	STAT		53	53	27	#N/A	6	224						0	0	27,000		1		
B-202	1976	3	STAT		53	53	27	#N/A	6							0	0	27,000		1		
B-202	1976	4	STAT		53	53	27	#N/A	6							0	0	27,000		1		
B-202	1977	1	STAT		53	53	27	#N/A	6							0	0	27,000		1		
B-202	1977	2	STAT		30	30	27	-23	-17					Restricted		0	0	27,000		1		
B-202	1977	3	STAT		27	27	27	-3	-20					Restricted		0	0	27,000		1		
B-202	1977	4	STAT		27	27	27	#N/A	-20					Restricted		0	0	27,000		1		
B-202	1978	1	STAT		27	27	27	#N/A	-20					Inactive		0	0	27,000		1		
B-202	1978	2	STAT		27	27	27	#N/A	-20					Inactive		0	0	27,000		1		
B-202	1978	3	STAT		27	27	27	#N/A	-20							0	0	27,000		1		
B-202	1978	4	STAT		27	27	27	#N/A	-20							0	0	27,000		1		
B-202	1979	1	STAT		27	27	27	#N/A	-20							0	0	27,000		1		
B-202	1979	2	STAT		27	27	27	#N/A	-20							0	0	27,000		1		
B-202	1979	3	STAT		27	27	27	#N/A	-20							0	0	27,000		1		
B-202	1979	4	STAT		27	27	27	#N/A	-20							0	0	27,000		1		
B-202	1980	1	STAT		27	27	27	#N/A	-20							0	0	27,000		1		
B-202	1980	2	STAT		27	27	27	#N/A	-20	224				New Photo 2/4/80		0	0	27,000		1		
B-202	1980	3	STAT		28	28	28	1	-19							0	0	27,000		1		
B-202	1980	4	STAT		28	28	28	#N/A	-19	224						0	0	27,000		1		
B-202	1993	2	STAT		27	27	27	-1	-20	NCPLX						0	0	27,000		1		
B-202	1993	4	STAT		27	27	27	#N/A	-20							0	0	27,000		1		
B-202	1994	1	STAT		27	27	27	#N/A	-20							0	0	27,000		1		
B-202	2000				27	27	27	#N/A	-20							0	0	27,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #	
B-203	1900																						
B-203	1948	4	CREC	0		0		#N/A	0	SET	B-204						0	0.000				1	
B-203	1948	4	CSEND	0		0		#N/A	0	SET	B-202						0	0.000				1	
B-203	1948	4	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1949	1	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1949	2	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1949	3	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1949	4	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1950	1	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1950	2	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1950	3	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1950	4	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1951	1	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1951	2	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1951	3	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1951	4	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1952	1	STAT		N/A	0		#N/A	0								0	0.000				1	
B-203	1952	2	rec	33		33		#N/A	0	cas	B-204	B-204	phase prob 55 to N/A)	Active cascade to crib			0	0.000				1	
B-203	1952	2	rec	40		73		#N/A	0	cas	B-204	B-204				0.25773196	8.5052	8.505	224		0		
B-203	1952	2	rec	26		99		#N/A	0	cas	B-204	B-204				0.25773196	10.309	18.814	224		0		
B-203	1952	2	send	-4		95		#N/A	0	cas		B-202				0.25773196	6.701	25.515	224		0		
B-203	1952	2	send	-40		55		#N/A	0	cas		B-202				0	0	25.515				0	
B-203	1952	2	STAT		55	55		0	#N/A	0							0	0	25.515				0
B-203	1952	3	rec	42		97		#N/A	0	cas	B-204	B-204				0	0	25.515				1	
B-203	1952	3	rec	29		126		#N/A	0	cas	B-204	B-204				0.25773196	10.825	36.340	224		0		
B-203	1952	3	rec	24		150		#N/A	0	cas	B-204	B-204				0.25773196	7.4742	43.814	224		0		
B-203	1952	3	send	-42		108		#N/A	0	cas		B-202				0.25773196	6.1856	50.000	224		0		
B-203	1952	3	send	-29		79		#N/A	0	cas		B-202				0	0	50.000				0	
B-203	1952	3	send	-24		55		#N/A	0	cas		B-202				0	0	50.000				0	
B-203	1952	3	STAT		55	55		0	#N/A	0							0	0	50.000				0
B-203	1952	4	rec	42		97		#N/A	0	cas	B-204	B-204				0	0	50.000				1	
B-203	1952	4	rec	24		121		#N/A	0	cas	B-204	B-204				0	0	50.000				0	
B-203	1952	4	rec	13		134		#N/A	0	cas	B-204	B-204				0	0	50.000				0	
B-203	1952	4	send	-42		92		#N/A	0	cas		B-202				0	0	50.000				0	
B-203	1952	4	send	-24		68		#N/A	0	cas		B-202				0	0	50.000				0	
B-203	1952	4	send	-13		55		#N/A	0	cas		B-202				0	0	50.000				0	
B-203	1952	4	STAT		55	55		0	#N/A	0	MW					0	0	50.000				0	
B-203	1953	1	rec	21		76		#N/A	0	cas	B-204	B-204				0	0	50.000				1	
B-203	1953	1	rec	14		90		#N/A	0	cas	B-204	B-204				0	0	50.000				0	
B-203	1953	1	rec	9		99		#N/A	0	cas	B-204	B-204				0	0	50.000				0	
B-203	1953	1	send	-21		78		#N/A	0	cas		B-202				0	0	50.000				0	
B-203	1953	1	send	-14		64		#N/A	0	cas		B-202				0	0	50.000				0	
B-203	1953	1	send	-9		55		#N/A	0	cas		B-202				0	0	50.000				0	
B-203	1953	1	STAT		55	55		0	#N/A	0	224, MW					0	0	50.000				0	
B-203	1953	2	STAT		55	55		55	#N/A	0	MW					0	0	50.000				1	
B-203	1953	3	STAT		55	55		55	#N/A	0	MW					0	0	50.000				1	
B-203	1953	4	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	
B-203	1954	1	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	
B-203	1954	2	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	
B-203	1954	3	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	
B-203	1954	4	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	
B-203	1955	1	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	
B-203	1955	2	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	
B-203	1955	3	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	
B-203	1955	4	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	
B-203	1956	1	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	
B-203	1956	2	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	
B-203	1956	3	STAT		55	55		54.5	#N/A	0						0	0	50.000				1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
B-203	1956	4	STAT		55	55	54.5	#N/A	0	224							0	0	50.000		1	
B-203	1957	1	STAT		56	56	54.5	1	1					Latest electrode reading		0	0	50.000		1		
B-203	1957	2	STAT		56	56	54.5	#N/A	1							0	0	50.000		1		
B-203	1957	3	STAT		56	56	54.5	#N/A	1							0	0	50.000		1		
B-203	1957	4	STAT		56	56	54.5	#N/A	1							0	0	50.000		1		
B-203	1958	1	STAT		56	56	54.5	#N/A	1							0	0	50.000		1		
B-203	1958	2	STAT		56	56	54.5	#N/A	1							0	0	50.000		1		
B-203	1958	3	STAT		56	56	54.5	#N/A	1	224						0	0	50.000		1		
B-203	1958	4	STAT		55	55	54.5	-1	0					Latest electrode reading		0	0	50.000		1		
B-203	1959	1	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1959	2	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1959	3	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1959	4	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1960	1	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1960	2	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1960	3	STAT		55	55	54.5	#N/A	0							0	0	50.000		1		
B-203	1960	4	STAT		55	55	54.5	#N/A	0	224						0	0	50.000		1		
B-203	1961	1	STAT		N/A	55		#N/A	0							0	0	50.000		1		
B-203	1961	2	STAT		54	54	54	-1	-1							0	0	50.000		1		
B-203	1961	3	STAT		54	54	54	#N/A	-1							0	0	50.000		1		
B-203	1961	4	STAT		55	55	54.5	1	0	224						0	0	50.000		1		
B-203	1962	1	STAT		N/A	55		#N/A	0							0	0	50.000		1		
B-203	1962	2	STAT		56	56	54.5	1	1	224						0	0	50.000		1		
B-203	1962	3	STAT		56	56	54.5	#N/A	1	224						0	0	50.000		1		
B-203	1962	4	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1963	1	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1963	2	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1963	3	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1963	4	STAT		56	56	54	#N/A	1	224				Latest electrode reading		0	0	50.000		1		
B-203	1964	1	STAT		N/A	56		#N/A	1							0	0	50.000		1		
B-203	1964	2	STAT		55	55	54	-1	0					New electrode		0	0	50.000		1		
B-203	1964	3	STAT		55	55	54	#N/A	0							0	0	50.000		1		
B-203	1964	4	STAT		55	55	54	#N/A	0	224						0	0	50.000		1		
B-203	1965	1	STAT		N/A	55		#N/A	0							0	0	50.000		1		
B-203	1965	2	STAT		58	58	54	3	3	224						0	0	50.000		1		
B-203	1965	3	STAT		56	56	54	-2	1							0	0	50.000		1		
B-203	1965	4	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1966	1	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1966	2	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1966	3	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1966	4	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1967	1	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1967	2	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1967	3	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1967	4	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1968	1	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1968	2	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1968	3	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1968	4	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1969	1	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1969	2	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1969	3	STAT		56	56	54	#N/A	1							0	0	50.000		1		
B-203	1969	4	STAT		56	56	54	#N/A	1	224						0	0	50.000		1		
B-203	1970	1	STAT		56	56	49	#N/A	1							0	0	50.000		1		
B-203	1970	2	STAT		56	56	49	#N/A	1							0	0	50.000		1		
B-203	1970	3	STAT		56	56	49	#N/A	1							0	0	50.000		1		
B-203	1970	4	STAT		56	56	49	#N/A	1							0	0	50.000		1		
B-203	1971	1	STAT		56	56	49	#N/A	1							0	0	50.000		1		



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
B-203	1971	2	CSEND	0		56		#N/A	1	END								0	50,000		1	
B-203	1971	2	STAT		56	56	49	#N/A	1									0	50,000		1	
B-203	1971	3	STAT		56	56	49	#N/A	1									0	50,000		1	
B-203	1971	4	STAT		56	56	49	#N/A	1	224								0	50,000		1	
B-203	1972	1	STAT		56	56	44	#N/A	1									0	50,000		1	
B-203	1972	2	STAT		56	56	44	#N/A	1									0	50,000		1	
B-203	1972	3	STAT		56	56	44	#N/A	1									0	50,000		1	
B-203	1972	4	STAT		56	56	44	#N/A	1									0	50,000		1	
B-203	1973	1	STAT		56	56	44	#N/A	1									0	50,000		1	
B-203	1973	2	STAT		56	56	44	#N/A	1									0	50,000		1	
B-203	1973	3	STAT		56	56	44	#N/A	1									0	50,000		1	
B-203	1973	4	STAT		56	56	44	#N/A	1									0	50,000		1	
B-203	1973	4	STAT		56	56	44	#N/A	1	224								0	50,000		1	
B-203	1974	1	SEND	-6		50		#N/A	1	SU		B-109						0	50,000		1	
B-203	1974	1	STAT		50	50	44	#N/A	1	224								0	50,000		4	ARH-CD-133A-4
B-203	1974	2	STAT		50	50	44	#N/A	1				6 to 109-B				0	50,000		1		
B-203	1974	3	STAT		50	50	44	#N/A	1									0	50,000		1	
B-203	1974	4	STAT		50	50	44	#N/A	1									0	50,000		1	
B-203	1975	1	STAT		50	50	44	#N/A	1									0	50,000		1	
B-203	1975	2	STAT		50	50	44	#N/A	1									0	50,000		1	
B-203	1975	3	STAT		50	50	44	#N/A	1									0	50,000		1	
B-203	1975	4	STAT		50	50	44	#N/A	1									0	50,000		1	
B-203	1976	1	STAT		50	50	44	#N/A	1									0	50,000		1	
B-203	1976	2	STAT		50	50	44	#N/A	1	224								0	50,000		1	
B-203	1976	3	STAT		50	50	45	#N/A	1									0	50,000		1	
B-203	1976	4	STAT		50	50	45	#N/A	1					Restricted				0	50,000		1	
B-203	1977	1	STAT		50	50	45	#N/A	1					Restricted				0	50,000		1	
B-203	1977	2	STAT		50	50	45	#N/A	1					Restricted				0	50,000		1	
B-203	1977	3	STAT		50	50	47	#N/A	1					Inactive Current-Solid Level Adj.				0	50,000		1	
B-203	1977	4	STAT		50	50	47	#N/A	1					Inactive Current-Solid Level Adj.				0	50,000		1	
B-203	1978	1	STAT		50	50	47	#N/A	1					Inactive				0	50,000		1	
B-203	1978	2	STAT		50	50	47	#N/A	1									0	50,000		1	
B-203	1978	3	STAT		50	50	47	#N/A	1									0	50,000		1	
B-203	1978	4	STAT		50	50	47	#N/A	1									0	50,000		1	
B-203	1979	1	STAT		50	50	47	#N/A	1									0	50,000		1	
B-203	1979	2	STAT		50	50	47	#N/A	1					New Photo's 3/1/79				0	50,000		1	
B-203	1979	3	STAT		50	50	47	#N/A	1									0	50,000		1	
B-203	1979	4	STAT		50	50	47	#N/A	1									0	50,000		1	
B-203	1980	1	STAT		50	50	47	#N/A	1									0	50,000		1	
B-203	1980	2	STAT		50	50	47	#N/A	1	NCPLX				New Photo 2/5/80				0	50,000		1	
B-203	1980	3	STAT		50	50	48	#N/A	1									0	50,000		1	
B-203	1980	4	STAT		50	50	48	#N/A	1	NCPLX								0	50,000		1	
B-203	1993	2	STAT		51	51	50	1	2	NCPLX								0	50,000		1	
B-203	1993	4	STAT		51	51	50	#N/A	2									0	50,000		1	
B-203	1994	1	STAT		51	51	50	#N/A	2									0	50,000		1	
B-203	2000																	0	50,000		1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #	
B-204	1943																						
B-204	1948	4	CSEND	0		0		#N/A	0	SET	B-203												
B-204	1948	4	STAT		N/A	0		#N/A	0								0	0.000			1		
B-204	1949	1	STAT		N/A	0		#N/A	0								0	0.000			1		
B-204	1949	2	STAT		N/A	0		#N/A	0								0	0.000			1		
B-204	1949	3	STAT		N/A	0		#N/A	0								0	0.000			1		
B-204	1949	4	STAT		N/A	0		#N/A	0								0	0.000			1		
B-204	1950	1	STAT		N/A	0		#N/A	0								0	0.000			1		
B-204	1950	2	STAT		N/A	0		#N/A	0								0	0.000			1		
B-204	1950	3	STAT		N/A	0		#N/A	0								0	0.000			1		
B-204	1950	4	STAT		N/A	0		#N/A	0								0	0.000			1		
B-204	1951	1	STAT		N/A	0	0	#N/A	0	CB&CD							0	0.000			1		
B-204	1951	2	STAT		N/A	0		#N/A	0								0	0.000			1		
B-204	1951	3	STAT		N/A	0		#N/A	0								0	0.000			1		
B-204	1951	4	STAT		N/A	0	0	#N/A	0	CB&CD							0	0.000			1		
B-204	1952	1	STAT		N/A	0	0	#N/A	0								0	0.000			1		
B-204	1952	2	XIN	88		88		#N/A	0	224		224					0	0.000			1		
B-204	1952	2	XIN	26		114		#N/A	0	224		224				0.19678715	17.317	17.317	224		1		
B-204	1952	2	XIN	40		154		#N/A	0	224		224				0.19678715	5.1165	22.434	224		1		
B-204	1952	2	send	-33		121		#N/A	0	cas		B-203				0.19678715	7.8715	30.305	224		1		
B-204	1952	2	send	-40		81		#N/A	0	cas		B-203				0	0	30.305			0		
B-204	1952	2	send	-26		55		#N/A	0	cas		B-203				0	0	30.305			0		
B-204	1952	2	STAT		55	55		0	#N/A	0							0	0	30.305			1	
B-204	1952	3	XIN	24		79		#N/A	0	224		224					0	0	30.305			1	
B-204	1952	3	XIN	29		108		#N/A	0	224		224					0.19678715	4.7229	35.028	224		1	
B-204	1952	3	XIN	42		150		#N/A	0	224		224					0.19678715	5.7068	40.735	224		1	
B-204	1952	3	send	-42		108		#N/A	0	cas		B-203					0.19678715	8.2651	49.000	224		1	
B-204	1952	3	send	-29		79		#N/A	0	cas		B-203					0	0	49.000			0	
B-204	1952	3	send	-24		55		#N/A	0	cas		B-203					0	0	49.000			0	
B-204	1952	3	STAT		55	55		0	#N/A	0							0	0	49.000			1	
B-204	1952	4	XIN	42		97		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.				0	0	49.000			1	
B-204	1952	4	XIN	24		121		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.				0	0	49.000			1	
B-204	1952	4	XIN	13		134		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.				0	0	49.000			1	
B-204	1952	4	send	-42		92		#N/A	0	cas		B-203					0	0	49.000			0	
B-204	1952	4	send	-24		68		#N/A	0	cas		B-203					0	0	49.000			0	
B-204	1952	4	send	-13		55		#N/A	0	cas		B-203					0	0	49.000			0	
B-204	1952	4	STAT		55	55		0	#N/A	0	MW						0	0	49.000			1	
B-204	1953	1	XIN	9		64		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.				0	0	49.000			1	
B-204	1953	1	XIN	14		78		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.				0	0	49.000			1	
B-204	1953	1	XIN	21		99		#N/A	0	BFSH		DW	LC from 224 to BFSH, conflict between trans type and waste type in SD-WM-TI-058.				0	0	49.000			1	



Bank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unit	Waste type	Trans tank	DWXT	LANIL comment	Anderson comment	Open comment	act vol%	TLM solts	Cum solts	sol type	Cl	QA	Document/Pg #
B-204	1953	1	send			78		#N/A	0 cas			B-203					0	0				
B-204	1953	1	send	-14		64		#N/A	0 cas			B-203					0	0				
B-204	1953	1	send			55		#N/A	0 cas			B-203					0	0				
B-204	1953	2	STAT		55	55		0	0	0 224 MW				Active cascade to crib			0	0				
B-204	1953	3	STAT		55	55		55	55	0 MW							0	0				
B-204	1953	4	STAT		55	55		55	55	0 MW							0	0				
B-204	1954	1	STAT		55	55		54.5	54.5								0	0				
B-204	1954	2	STAT		55	55		54.5	54.5								0	0				
B-204	1954	3	STAT		55	55		54.5	54.5								0	0				
B-204	1954	4	STAT		55	55		54.5	54.5								0	0				
B-204	1955	1	STAT		55	55		54.5	54.5								0	0				
B-204	1955	2	STAT		55	55		54.5	54.5								0	0				
B-204	1955	3	STAT		55	55		54.5	54.5								0	0				
B-204	1955	4	STAT		55	55		54.5	54.5								0	0				
B-204	1956	1	STAT		55	55		54.5	54.5								0	0				
B-204	1956	2	STAT		55	55		54.5	54.5								0	0				
B-204	1956	3	STAT		55	55		54.5	54.5								0	0				
B-204	1956	4	STAT		55	55		54.5	54.5								0	0				
B-204	1957	1	STAT		56	56		54.5	54.5								0	0				
B-204	1957	2	STAT		56	56		54.5	54.5					Latest electrode reading			0	0				
B-204	1957	3	STAT		56	56		54.5	54.5								0	0				
B-204	1957	4	STAT		56	56		54.5	54.5								0	0				
B-204	1958	1	STAT		56	56		54.5	54.5								0	0				
B-204	1958	2	STAT		56	56		54.5	54.5								0	0				
B-204	1958	3	STAT		56	56		54.5	54.5								0	0				
B-204	1958	4	STAT		56	56		54.5	54.5								0	0				
B-204	1959	1	STAT		56	56		54.5	54.5								0	0				
B-204	1959	2	STAT		56	56		54.5	54.5								0	0				
B-204	1959	3	STAT		56	56		54.5	54.5								0	0				
B-204	1959	4	STAT		54	54		54	54								0	0				
B-204	1960	1	STAT		54	54		54	54								0	0				
B-204	1960	2	STAT		54	54		54	54								0	0				
B-204	1960	3	STAT		54	54		54	54								0	0				
B-204	1960	4	STAT		54	54		54	54								0	0				
B-204	1961	1	STAT		54	54		54	54								0	0				
B-204	1961	2	STAT		54	54		54	54								0	0				
B-204	1961	3	STAT		54	54		54	54								0	0				
B-204	1961	4	STAT		54	54		54	54								0	0				
B-204	1962	1	STAT		N/A	54		#N/A	1	224							0	0				
B-204	1962	2	STAT		56	56		54.5	54.5								0	0				
B-204	1962	3	STAT		56	56		54	54								0	0				
B-204	1962	4	STAT		56	56		54	54								0	0				
B-204	1963	1	STAT		56	56		54	54								0	0				
B-204	1963	2	STAT		56	56		54	54								0	0				
B-204	1963	3	STAT		56	56		54	54								0	0				
B-204	1963	4	STAT		56	56		54	54								0	0				
B-204	1964	1	STAT		N/A	56		#N/A	1	224							0	0				
B-204	1964	2	STAT		55	55		54	54								0	0				
B-204	1964	3	STAT		55	55		54	54								0	0				
B-204	1964	4	STAT		55	55		54	54								0	0				
B-204	1965	1	STAT		N/A	55		#N/A	0	224							0	0				
B-204	1965	2	STAT		58	58		54	54								0	0				
B-204	1965	3	STAT		56	56		54	54								0	0				
B-204	1965	4	STAT		56	56		54	54								0	0				
B-204	1966	1	STAT		56	56		54	54								0	0				
B-204	1966	2	STAT		56	56		54	54								0	0				
B-204	1966	3	STAT		56	56		54	54								0	0				

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
B-204	1966	4	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1967	1	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1967	2	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1967	3	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1967	4	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1968	1	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1968	2	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1968	3	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1968	4	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1969	1	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1969	2	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1969	3	STAT		56	56	54	#N/A	1	224						0	0	49,000		1		
B-204	1969	4	STAT		56	56	54	#N/A	1							0	0	49,000		1		
B-204	1970	1	STAT		56	56	48	#N/A	1							0	0	49,000		1		
B-204	1970	2	STAT		56	56	48	#N/A	1							0	0	49,000		1		
B-204	1970	3	STAT		56	56	48	#N/A	1							0	0	49,000		1		
B-204	1970	4	STAT		56	56	48	#N/A	1							0	0	49,000		1		
B-204	1971	1	STAT		56	56	48	#N/A	1							0	0	49,000		1		
B-204	1971	2	CSEND	0		56		#N/A	1	END						0	0	49,000		1		
B-204	1971	2	STAT		56	56	48	#N/A	1							0	0	49,000		1		
B-204	1971	3	STAT		56	56	48	#N/A	1							0	0	49,000		1		
B-204	1971	4	STAT		56	56	48	#N/A	1	224						0	0	49,000		1		
B-204	1972	1	STAT		56	56	46	#N/A	1							0	0	49,000		1		
B-204	1972	2	STAT		56	56	46	#N/A	1							0	0	49,000		1		
B-204	1972	3	STAT		56	56	46	#N/A	1							0	0	49,000		1		
B-204	1972	4	STAT		56	56	46	#N/A	1							0	0	49,000		1		
B-204	1973	1	STAT		56	56	46	#N/A	1							0	0	49,000		1		
B-204	1973	2	STAT		56	56	46	#N/A	1							0	0	49,000		1		
B-204	1973	3	STAT		56	56	46	#N/A	1							0	0	49,000		1		
B-204	1973	4	STAT		56	56	46	#N/A	1	224						0	0	49,000		1		
B-204	1974	1	SEND	-6		50		#N/A	1	SU	B-109					0	0	49,000		1		
B-204	1974	1	STAT		49	49	46	-1	0	224				6 to 109-B		0	0	49,000		1	O	ARH-CD-133A-4
B-204	1974	2	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1974	3	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1974	4	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1975	1	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1975	2	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1975	3	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1975	4	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1976	1	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1976	2	STAT		49	49	46	#N/A	0	224				Removed from Service		0	0	49,000		1		
B-204	1976	3	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1976	4	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1977	1	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1977	2	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1977	3	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1977	4	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1978	1	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1978	2	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1978	3	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1978	4	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1979	1	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1979	2	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1979	3	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1979	4	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1980	1	STAT		49	49	46	#N/A	0							0	0	49,000		1		
B-204	1980	2	STAT		49	49	46	#N/A	0	NCPLX						0	0	49,000		1		
B-204	1980	3	STAT		50	50	47	1	1							0	0	49,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	O/A	Document/Eq #
B-204	1980	4	STAT	50	50	50	47	#N/A	1	NCPLX						0	0	49,000	1		
B-204	1993	2	STAT	50	50	50	49	#N/A	1	NCPLX						0	0	49,000	1		
B-204	1993	4	STAT	50	50	50	49	#N/A	1	NCPLX						0	0	49,000	1		
B-204	1994	1	STAT	50	50	50	49	#N/A	1							0	0	49,000	1		
B-204	2000																				

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids	Wtr	Unk	Cum	Waste	Trans	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM	solids	Cum	solids	type	QI	O/A	Document/Pg #
BX-101	1900	1	CSEND	0	0	0												0	0.000						
BX-101	1948	1	STAT	307	307	307												2.741	2.741	MW1					
BX-101	1948	1	XIN	110	125	197											0.008929	1.161	1.759	MW1					
BX-101	1948	1	XIN	125	159	197											0.008929	0.643	0.643	MW1					
BX-101	1948	1	XIN	100	100	407											0.008929	0.6429	0.643	MW1					
BX-101	1948	2	XIN	73	480	407											0.008929	0.9929	3.634	MW1					
BX-101	1948	2	STAT	109	159	407											0.008929	0.6518	4.286	MW1					
BX-101	1948	2	send	109	159	407											0.008929	0.6518	4.286	MW1					
BX-101	1948	2	STAT	174	141	704											0.008929	5.706	7.259	MW1					
BX-101	1948	3	XIN	141	845	704											0.008929	7.259	8.518	MW1					
BX-101	1948	3	XIN	111	956	782											0.008929	9.509	9.509	MW1					
BX-101	1948	3	send	174	141	641											0.008929	9.509	9.509	MW1					
BX-101	1948	3	send	141	141	641											0.008929	9.509	9.509	MW1					
BX-101	1948	3	STAT	111	111	530											0.008929	9.509	9.509	MW1					
BX-101	1948	3	STAT	129	669	530											0.008929	1.518	10.661	MW1					
BX-101	1948	4	XIN	146	804	804											0.008929	1.2946	11.855	MW1					
BX-101	1948	4	XIN	215	1019	804											0.008929	1.9196	13.875	MW1					
BX-101	1948	4	send	215	804	804											0.008929	1.9196	13.875	MW1					
BX-101	1948	4	send	129	659	530											0.008929	13.875	13.875	MW1					
BX-101	1948	4	STAT	33	530	530											0.008929	14.170	14.170	MW1					
BX-101	1949	1	STAT	33	530	530											0.008929	14.170	14.170	MW1					
BX-101	1949	1	send	33	530	530											0.008929	14.170	14.170	MW1					
BX-101	1949	1	STAT	159	889	889											0.008929	1.4196	15.589	MW1					
BX-101	1950	1	XIN	126	815	889											0.008929	1.126	16.714	MW1					
BX-101	1950	1	send	159	656	889											0.008929	1.126	16.714	MW1					
BX-101	1950	1	send	126	556	889											0.008929	1.126	16.714	MW1					
BX-101	1950	1	STAT	126	530	530											0.008929	16.714	16.714	MW1					
BX-101	1950	2	XIN	136	666	666											0.008929	1.2143	17.929	MW1					
BX-101	1950	2	XIN	116	782	666											0.008929	1.0357	18.964	MW1					
BX-101	1950	2	send	136	646	666											0.008929	1.1161	20.080	MW1					
BX-101	1950	2	send	125	446	666											0.008929	20.080	20.080	MW1					
BX-101	1950	2	send	125	407	666											0.008929	20.080	20.080	MW1					
BX-101	1950	2	STAT	167	697	697											0.008929	1.6339	25.179	MW1					
BX-101	1950	3	XIN	183	880	880											0.008929	1.6339	25.179	MW1					
BX-101	1950	3	send	221	918	880											0.008929	1.9732	23.545	MW1					
BX-101	1950	3	XIN	221	918	918											0.008929	1.9732	23.545	MW1					
BX-101	1950	3	STAT	167	697	697											0.008929	21.571	21.571	MW1					
BX-101	1950	3	XIN	167	697	697											0.008929	21.571	21.571	MW1					
BX-101	1950	3	STAT	183	880	880											0.008929	25.179	25.179	MW1					
BX-101	1950	3	send	221	918	880											0.008929	25.179	25.179	MW1					
BX-101	1950	3	STAT	167	697	697											0.008929	25.179	25.179	MW1					
BX-101	1950	3	STAT	167	697	697											0.008929	25.179	25.179	MW1					
BX-101	1950	4	XIN	243	773	773											0.008929	2.1696	27.348	MW1					
BX-101	1950	4	XIN	185	958	773											0.008929	2.1696	27.348	MW1					
BX-101	1950	4	send	243	958	773											0.008929	2.1696	27.348	MW1					
BX-101	1950	4	STAT	185	958	773											0.008929	2.1696	27.348	MW1					
BX-101	1950	4	STAT	185	958	958											0.008929	2.1696	27.348	MW1					
BX-101	1951	1	XIN	243	773	773											0.008929	2.1696	27.348	MW1					
BX-101	1951	1	XIN	243	773	773											0.008929	2.1696	27.348	MW1					
BX-101	1951	1	STAT	243	773	773											0.008929	2.1696	27.348	MW1					

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Ol	O/A	Document/Pg #
BX-101	1951	1	XIN	59		1050		#NA	0	MW		MW1				0	0	29,000		1		
BX-101	1951	1	send	-243		817		#NA	0	cas		BX-102				0	0	29,000				
BX-101	1951	1	send	-136		681		#NA	0	cas		BX-102				0	0	29,000				
BX-101	1951	1	send	-59		622		#NA	0	cas		BX-102				0	0	29,000				
BX-101	1951	1	outr	92		530		#NA	0	LEAK	CORR	LEAK				0	0	29,000				
BX-101	1951	1	STAT		530	530		0	#NA	0			Cascade full			0	0	29,000				
BX-101	1951	2	STAT		530	530		0	#NA	0			Cascade full			0	0	29,000				
BX-101	1951	3	STAT		N/A	530		#NA	0							0	0	29,000				
BX-101	1951	4	STAT		N/A	530		#NA	0							0	0	29,000				
BX-101	1952	1	STAT		N/A	530		0	#NA	0						0	0	29,000				
BX-101	1952	2	STAT		530	530		0	#NA	0						0	0	29,000				
BX-101	1952	3	STAT		530	530		0	#NA	0						0	0	29,000				
BX-101	1952	4	STAT		530	530		0	#NA	0						0	0	29,000				
BX-101	1953	1	STAT		530	530		0	#NA	0						0	0	29,000				
BX-101	1953	2	outr	-319		211		#NA	0		UR					0	0	29,000				
BX-101	1953	2	STAT		211	211		0	#NA	0			Removing Suprematant, MW removal in progress			0	0	29,000				
BX-101	1953	3	outr	-46		165		#NA	0		UR					0	0	29,000				
BX-101	1953	3	STAT		165	165		165	#NA	0			MW removal in progress, sludge estimate			0	0	29,000				
BX-101	1953	4	xin	35		200		#NA	0		WTR					0	0	29,000				
BX-101	1953	4	STAT		200	200		150	#NA	0			Sludge estimate, MW removal in progress			0	0	29,000				
BX-101	1954	1	xin	357		557		#NA	0		WTR					0	0	29,000				
BX-101	1954	1	SEND	-467		90		#NA	0	SL		BX-103				0	0	29,000				
BX-101	1954	1	STAT		90	90		90	#NA	0			MW removal in progress			0	0	29,000				
BX-101	1954	2	outr	-90		0		#NA	0		UR					0	0	29,000				
BX-101	1954	2	STAT		0	0		0	#NA	0			MW removal in progress, was emptied on 6-10-54			0	0	29,000				
BX-101	1954	3	STAT		0	0		0	#NA	0						0	0	29,000				
BX-101	1954	4	STAT		0	0		0	#NA	0						0	0	29,000				
BX-101	1955	1	STAT		0	0		0	#NA	0						0	0	29,000				
BX-101	1955	2	STAT		0	0		0	#NA	0						0	0	29,000				
BX-101	1955	3	STAT		0	0		0	#NA	0						0	0	29,000				
BX-101	1955	4	STAT		0	0		0	#NA	0						0	0	29,000				
BX-101	1956	1	STAT		0	0		0	#NA	0						0	0	29,000				
BX-101	1956	2	STAT		0	0		0	#NA	0						0	0	29,000				
BX-101	1956	3	xin	78		78		#NA	0		WTR					0	0	29,000				
BX-101	1956	3	REC	446		524		#NA	0	SU		BY-106				0	0	29,000				
BX-101	1956	3	STAT		524	524		0	#NA	0	TBP					0	0	29,000				
BX-101	1956	4	OUTX	-490		34		#NA	0	SU		BC-13	OC-412 to 490, B-026 to BC-13		Shows 490 & BC-13 Trench	0	0	29,000			N-54-115	
BX-101	1956	4	STAT		34	34		0	#NA	0	TBP					0	0	29,000				
BX-101	1957	1	XIN	67		101		#NA	0	WTR		WTR				0	0	29,000				HW-48144-4
BX-101	1957	1	STAT		114	114		0	13							0	0	29,000				
BX-101	1957	2	STAT		114	114		0	#NA	13						0	0	29,000				
BX-101	1957	3	STAT		114	114		0	#NA	13	TBP					0	0	29,000				
BX-101	1957	4	STAT		120	120		6	19	TBP						0	0	29,000				
BX-101	1958	1	STAT		123	123		0	3							0	0	29,000				
BX-101	1958	2	STAT		123	123		0	#NA	24	TBP					0	0	29,000				
BX-101	1958	3	STAT		125	125		0	2							0	0	29,000				
BX-101	1958	4	STAT		125	125		0	#NA	24	TBP					0	0	29,000				
BX-101	1959	1	STAT		128	128		0	3	TBP						0	0	29,000				
BX-101	1959	2	STAT		130	130		0	2	TBP						0	0	29,000				
BX-101	1959	3	STAT		130	130		0	#NA	29	TBP					0	0	29,000				
BX-101	1959	4	STAT		131	131		0	1							0	0	29,000				
BX-101	1960	1	STAT		131	131		0	#NA	30						0	0	29,000				

Task n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #	
BX-101	1960	2	STAT		131	131	0	#N/A	30							0	0	29,000		1			
BX-101	1960	3	STAT		131	131	0	#N/A	30							0	0	29,000		1			
BX-101	1960	4	STAT		131	131	0	#N/A	30	TBP						0	0	29,000		1			
BX-101	1961	1	STAT		N/A	131	0	#N/A	30							0	0	29,000		1			
BX-101	1961	2	STAT		145	145	0	14	44	TBP						0	0	29,000		1			
BX-101	1961	3	STAT		N/A	145	0	#N/A	44					6 Month Report		0	0	29,000		1			
BX-101	1961	4	STAT		145	145	0	#N/A	44	TBP						0	0	29,000		1			
BX-101	1962	1	CSEND	0		145	0	#N/A	44	SET	BX-102					0	0	29,000		1			
BX-101	1962	1	REC	399		544	0	#N/A	44	SU	C-102	C-102	OC 377 to 399		Shows 399 not 377	0	0	29,000		3	V	HW-74647-5	
BX-101	1962	1	REC	300		844	0	#N/A	44	SU	C-103	C-103	OC 322 to 300		Shows 300 not 322	0	0	29,000		2	V	HW-74647-5	
BX-101	1962	1	send	-314		530	0	#N/A	44	cas		BX-102				0	0	29,000		0			
BX-101	1962	1	STAT		N/A	530	0	#N/A	44							0	0	29,000		1			
BX-101	1962	2	STAT		546	546	0	16	60	TBP,CW				399 from 102-C and 103-C 6		0	0	29,000		1			
BX-101	1962	3	STAT		N/A	546	0	#N/A	60					6 Month Report		0	0	29,000		1			
BX-101	1962	4	xin	6		552	0	#N/A	60	ADJ	CORR	WTR				0	0	29,000		0			
BX-101	1962	4	STAT		552	552	0	#N/A	60	CW				New electrode installed 6		0	0	29,000		1			
BX-101	1963	1	STAT		N/A	552	0	#N/A	60					6 Month Report		0	0	29,000		1			
BX-101	1963	2	STAT		554	554	84	2	62	TBP,CW						0	0	29,000		1			
BX-101	1963	3	STAT		N/A	554	0	#N/A	62					6 Month Report		0	0	29,000		1			
BX-101	1963	4	outx	-2		552	0	#N/A	62	ADJ	CORR	COND				0	0	29,000		1			
BX-101	1963	4	STAT		554	554	84	2	64	TBP,CW						0	0	29,000		1			
BX-101	1964	1	STAT		N/A	554	0	#N/A	64					6 Month Report		0	0	29,000		1			
BX-101	1964	2	STAT		554	554	84	#N/A	64	TBP,CW						0	0	29,000		1			
BX-101	1964	3	STAT		N/A	554	0	#N/A	64					6 Month Report		0	0	29,000		1			
BX-101	1964	4	STAT		557	557	84	3	67	TBP,CW				Latest electrode reading 6		0	0	29,000		1			
BX-101	1965	1	STAT		N/A	557	0	#N/A	67					6 Month Report		0	0	29,000		1			
BX-101	1965	2	STAT		560	560	68	3	70	CW						0	0	29,000		1			
BX-101	1965	3	STAT		560	560	68	#N/A	70	TBP,CW						0	0	29,000		1			
BX-101	1965	4	STAT		563	563	68	3	73	CW						0	0	29,000		1			
BX-101	1966	1	STAT		563	563	68	#N/A	73	CW						0	0	29,000		1			
BX-101	1966	2	STAT		563	563	68	#N/A	73	CW						0	0	29,000		1			
BX-101	1966	3	STAT		563	563	68	#N/A	73	CW						0	0	29,000		1			
BX-101	1966	4	STAT		563	563	68	#N/A	73	TBP,CW						0	0	29,000		1			
BX-101	1967	1	STAT		565	565	68	2	75	CW						0	0	29,000		1			
BX-101	1967	2	STAT		565	565	68	#N/A	75	CW						0	0	29,000		1			
BX-101	1967	3	STAT		565	565	68	#N/A	75	TBP,CW						0	0	29,000		1			
BX-101	1967	4	SEND	-392		173	0	#N/A	75	SU		B-112				0	0	29,000		1			
BX-101	1967	4	STAT		173	173	68	#N/A	75	TBP,CW				392 to 112-B		0	0	29,000		4	O	ARH-326-5	
BX-101	1968	1	rec	73		246	0	#N/A	75		CELL 23 BY-112		Omis. evap B plant bottoms			0	0	29,000		1			
BX-101	1968	1	STAT		246	246	68	#N/A	75	TBP,CW,EB			REC		Omission	0	0	29,000		3	V	ARH-534-6	
BX-101	1968	2	rec	102		348	0	#N/A	75		CELL 23 BY-112		Omis. evap B plant bottoms			0	0	29,000		1			
BX-101	1968	2	STAT		348	348	59	#N/A	75	TBP,CW,EB			REC		Omission	0	0	29,000		3	V	ARH-721-6	
BX-101	1968	3	SEND	-274		74	0	#N/A	75	SU		BX-102		102 from cell 23 conc.		0	0	29,000		1			
BX-101	1968	3	rec	76		150	0	#N/A	75		CELL 23 BY-112		Omis. evap B plant bottoms			0	0	29,000		4	O	ARH-871-6	
BX-101	1968	3	STAT		150	150	59	#N/A	75	EB				REC		Omission	0	0	29,000		3	V	ARH-871-6
BX-101	1968	4	XIN	144		294	0	#N/A	75	BL				76 from cell 23 conc. 274 to 102-B		0	0	29,000		1			
BX-101	1968	4	SEND	-94		200	0	#N/A	75	BL		BL				0.02719665	3,9163	32,916	BL	4	O	ARH-1061-6	
BX-101	1968	4	STAT		200	200	57	#N/A	75	BL				144 from 221-B (23-1) 94 to 102-BX		0	0	32,916		4	O	ARH-1061-6	
BX-101	1969	1	XIN	330		530	0	#N/A	75	BL		BL				0	0	32,916		1			
BX-101	1969	1	STAT		530	530	51	#N/A	75	BL				330 from 221-B (23-1)		0.02719665	8,9749	41,891	BL	44	O	ARH-1200A-6	



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
BX-101	1969	2	XIN	4		534		#N/A	75	BL		BL										
BX-101	1969	2	STAT		534	534		#N/A	75	BL							42,000	BL	4	O	ARH-1200B-6	
BX-101	1969	3	STAT		501	501	28	-33	42	BL				4 from 221-B (23-1)		0	0	42,000		1		
BX-101	1969	4	STAT		499	499	43	-2	40	BL						0	0	42,000		1		
BX-101	1970	1	SEND	-385		114		#N/A	40	SU						0	0	42,000		1		
BX-101	1970	1	STAT		114	114		#N/A	40	BL						0	0	42,000		1		
BX-101	1970	2	XIN	877		991	48	#N/A	40	CSR				385 to 103-C		0	0	42,000		4	O	ARH-1666A-5
BX-101	1970	2	SEND	-403		588		#N/A	40	CSR						0	0	42,000		1		
BX-101	1970	2	SEND	-299		289		#N/A	40	SU						0	0	42,000		4	O	ARH-1666B-6
																0	0	42,000		4	O	ARH-1666B-6
																0	0	42,000		4	O	ARH-1666B-6
																0	0	42,000		4	O	ARH-1666B-6
BX-101	1970	2	STAT		290	290	62	1	41	BL				403 to 103-BX, 299 to 106-BX, 877 from B Plant IX (BL waste that was processed for removal of cesium in preparation for in-tank solidification) * Leak Detection Dry Wells drilled: 21-01-01m 21-01-03								
BX-101	1970	3	XIN	550		840		#N/A	41	CSR						0	0	42,000		1		
BX-101	1970	3	REC	437		1277		#N/A	41	SU	B-101	B-101				0	0	42,000		4	O	ARH-1666C-6
BX-101	1970	3	REC	848		2125		#N/A	41	SU	C-104	C-104	OC qtr2 to qtr3		3rd Qtr	0	0	42,000		3	MV	ARH-1666C-5
BX-101	1970	3	SEND	-1877		248		#N/A	41	SU		BX-103				0	0	42,000		4	O	ARH-1666C-6/ARH-1666C-5 SEND
																0	0	42,000		4	O	ARH-1666C-6
BX-101	1970	3	STAT		249	249	46	1	42	OWW,CW,IWW				437 from 101-B, 849 from 104-C, to 1877 to 103-BX, 550 from B Plant IX (Recalpts from B Plant IX included: the zeolite IX bed & flushes, 251 dilutes redox supernatant, the zeolon IX bed & flushes)								
BX-101	1970	4	XIN	1796		2045		#N/A	42	CSR						0	0	42,000		1		
BX-101	1970	4	REC	1614		3659		#N/A	42	SU	C-104	C-104				0	0	42,000		4	O	ARH-1666D-6
BX-101	1970	4	SEND	-2495		1164		#N/A	42	SU		BX-103				0	0	42,000		4	O	ARH-1666D-5
BX-101	1970	4	REC	448		1612		#N/A	42	SU	B-101	B-101	OC 71q1 to 70q4			0	0	42,000		4	O	ARH-1666D-6
BX-101	1970	4	SEND	-1251		361		#N/A	42	SU		BX-106			4th Qtr 1970	0	0	42,000		3	MV	ARH-1666D-5
																0	0	42,000		4	O	ARH-1666D-6
BX-101	1970	4	STAT		360	360	46	-1	41	CW,OWW,RIX				1796 from B Plant IX, 448 from 101-B, 1614 from 104-C, 2495 to 103-BX, 1251 to 106-BX								
BX-101	1971	1	XIN	1833		2193		#N/A	41	CSR						0	0	42,000		1		
BX-101	1971	1	REC	348		2541		#N/A	41	SU	C-104	C-104				0	0	42,000		4	O	ARH-2074A-6
BX-101	1971	1	SEND	-1830		711		#N/A	41	SU		BX-103				0	0	42,000		4	O	ARH-2074A-6
BX-101	1971	1	REC	529		1240		#N/A	41	SU	B-101	B-101				0	0	42,000		4	O	ARH-2074A-6
BX-101	1971	1	SEND	-1027		213		#N/A	41	SU		BX-106				0	0	42,000		4	O	ARH-2074A-5
																0	0	42,000		4	O	ARH-2074A-6
BX-101	1971	1	STAT		213	213	51	#N/A	41	EB,SIX,RIX				1830 to 103-BX, 1027 to 106-BX, 529 from 101-B, 348 from 104-C, 1833 from B Plant IX								
BX-101	1971	2	XIN	1489		1702		#N/A	41	CSR						0	0	42,000		1		
BX-101	1971	2	XIN	12		1714		#N/A	41	WTR		WTR	Omision		Omision	0	0	42,000		2	V	ARH-2074B-6
BX-101	1971	2	REC	782		2496		#N/A	41	SU	BY-101	BY-101	Omision REC A-302		Omision	0	0	42,000		2	V	ARH-2074B-6
BX-101	1971	2	REC	1092		3588		#N/A	41	SU	C-104	C-104				0	0	42,000		4	O	ARH-2074B-6
BX-101	1971	2	SEND	-1196		2392		#N/A	41							0	0	42,000		4	O	ARH-2074B-5
BX-101	1971	2	SEND	-2297		95		#N/A	41							0	0	42,000		3	V	ARH-2074B-6
BX-101	1971	2	REC	454		549		#N/A	41	SU	B-101	B-101				0	0	42,000		2	V	ARH-2074B-6
BX-101	1971	2	SEND	-85		464		#N/A	41							0	0	42,000		4	O	ARH-2074B-5
BX-101	1971	2	STAT		466	466	51	2	43	BL,CW,OWW,RIX						0	0	42,000		3	V	ARH-2074B-6
BX-101	1971	3	XIN	1523		1999		#N/A	43	CSR						0	0	42,000		1		
																0	0	42,000		4	O	ARH-2074C-6



Tank n	Year	Otr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-101	1971	3	REC	89		2078		#N/A	43	SU	C-104	C-104				0	0	42,000		4	O	ARH-2074C-5
BX-101	1971	3	SEND	-360		1718		#N/A	43	SU		SX-103				0	0	42,000		4	O	ARH-2074C-6
BX-101	1971	3	SEND	-1375		343		#N/A	43	SU		SX-105				0	0	42,000		4	O	ARH-2074C-5
BX-101	1971	3	SEND	-200		143		#N/A	43	SU		TX-101				0	0	42,000		4	O	ARH-2074C-6
BX-101	1971	3	STAT		143	143	51	#N/A	43	RIX				1523 from Plant IX, 89 from 104-C, 1375 to 105-SX, 200 to 101-TX, 360 to 103-SX		0	0	42,000		1		
BX-101	1971	4	XIN	1430		1573		#N/A	43	CSR		CSR				0	0	42,000		4	O	ARH-2074D-6
BX-101	1971	4	REC	102		1675		#N/A	43	SU	C-104	C-104				0	0	42,000		4	O	ARH-2074D-5
BX-101	1971	4	SEND	-424		1251		#N/A	43	SU		SX-101				0	0	42,000		4	O	ARH-2074D-6
BX-101	1971	4	SEND	-1196		55		#N/A	43	SU		SX-105				0	0	42,000		4	O	ARH-2074D-6
BX-101	1971	4	REC	190		245		#N/A	43	SU	B-101	B-101				0	0	42,000		4	O	ARH-2074D-5
BX-101	1971	4	STAT		245	245	57	#N/A	43	BL,CW,OWW,RIX				1430 from B Plant IX, 190 from 101-B, 102 from 104-C, 424 to 101-SX, 1196 to 105-SX		0	0	42,000		1		
BX-101	1972	1	XIN	1010		1255		#N/A	43	CSR		CSR				0	0	42,000		4	O	ARH-2456A-5
BX-101	1972	1	SEND	-1125		130		#N/A	43	SU		SX-105				0	0	42,000		4	O	ARH-2456A-5
BX-101	1972	1	REC	208		338		#N/A	43	SU	B-101	B-101				0	0	42,000		4	O	ARH-2456A-4
BX-101	1972	1	STAT		337	337	57	-1	42	BL,RIX				1010 from B Plant IX, 208 from 101-B, 1125 to 105-SX		0	0	42,000		1		
BX-101	1972	2	XIN	1414		1751		#N/A	42	CSR		CSR				0	0	42,000		4	O	ARH-2456B-5
BX-101	1972	2	SEND	-443		1308		#N/A	42	SU		BX-103				0	0	42,000		4	O	ARH-2456B-5
BX-101	1972	2	SEND	-742		566		#N/A	42	SU		SX-102				0	0	42,000		4	O	ARH-2456B-5
BX-101	1972	2	SEND	-390		176		#N/A	42	SU		SX-105				0	0	42,000		4	O	ARH-2456B-5
BX-101	1972	2	SEND	-165		11		#N/A	42	SU		TX-101				0	0	42,000		4	O	ARH-2456B-5
BX-101	1972	2	REC	520		531		#N/A	42	SU	B-101	B-101	OC 530 to 520		Shows 520 not 530	0	0	42,000		3	V	ARH-2456B-4
BX-101	1972	2	STAT		531	531	57	#N/A	42	BL,SIX				1414 from B Plant IX, 520 from 101-B, 443 to 103-BX, 742 to 102-SX, 390 to 105-SX, 165 to 101-TX		0	0	42,000		1		
BX-101	1972	3	XIN	1100		1631		#N/A	42	CSR		CSR	3 duplicate lines removed			0	0	42,000		4	O	ARH-2456C-5
BX-101	1972	3	SEND	-498		1133		#N/A	42	SU		T-101				0	0	42,000		4	O	ARH-2456C-5
BX-101	1972	3	SEND	-907		226		#N/A	42	SU		TX-101				0	0	42,000		4	O	ARH-2456C-5
BX-101	1972	3	REC	254		480		#N/A	42	SU	B-101	B-101				0	0	42,000		4	O	ARH-2456C-4
BX-101	1972	3	OUTX	0		480		#N/A	42		UX-241	UNK	Omiss., LC -4 to 0, allowing for waste concentration in srm		Omission	0	0	42,000		3	V	ARH-2456C-5
BX-101	1972	3	STAT		475	475	29	-5	37	BL,IX			and stats at 146	1100 from B Plant IX, 254 from 101-B, 498 to 101-T, 907 to 101-TX, 4 to 241-UX catch tank		0	0	42,000		1		
BX-101	1972	4	XIN	368		843		#N/A	37	CSR		CSR				0	0	42,000		4	O	ARH-2456D-5
BX-101	1972	4	SEND	-686		157		#N/A	37	SU		TX-101				0	0	42,000		4	O	ARH-2456D-5
BX-101	1972	4	REC	192		349		#N/A	37	SU	B-101	B-101				0	0	42,000		4	O	ARH-2456D-4
BX-101	1972	4	SEND	-205		144		#N/A	37	SU		BX-104				0	0	42,000		4	O	ARH-2456D-5
BX-101	1972	4	STAT		146	146	29	2	39	BL,IX			and stats at 475	368 from B Plant IX, 192 from 101-B, 205 to 104-BX, 686 to 101-TX		0	0	42,000		1		
BX-101	1973	1	STAT		142	142	29	-4	35	BL,IX						0	0	42,000		1		
BX-101	1973	2	STAT		149	149	29	7	42	BL,IX						0	0	42,000		1		
BX-101	1973	3	STAT		151	151	29	2	44	BL,IX						0	0	42,000		1		
BX-101	1973	4	STAT		157	157	46	6	50	BL,IX				Suspect Leaker		0	0	42,000		1		
BX-101	1974	1	STAT		160	160	46	3	53	BL,IX				Suspect leaker		0	0	42,000		1		
BX-101	1974	2	SEND	-115		45		#N/A	53	SU		BX-104				0	0	42,000		4	O	ARH-CD-133B-5
BX-101	1974	2	STAT		46	46	46	1	54					Suspect leaker, 115 to 104-BX		0	0	42,000		1		
BX-101	1974	3	SEND	-1		45		#N/A	54	SU		BX-104				0	0	42,000		2		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unit tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BX-101	1974	3	STAT		46	46	46	46	1	55 IX				Suspect leaker, 1 to 104-BX		0	0	42,000	1			
BX-101	1974	4	STAT		46	46	46	43	#N/A	55 IX				Suspect leaker		0	0	42,000	1			
BX-101	1975	1	STAT		46	46	46	43	#N/A	55 BL IX				Suspect leaker		0	0	42,000	1			
BX-101	1975	2	SEND	-1		45	45	#N/A	55 SU		BX-104					0	0	42,000	4	O	ARH-CD-336B-5	
BX-101	1975	2	STAT		46	46	46	43	1	56 IX				Removed from service, 1 to 104-BX		0	0	42,000	1			
BX-101	1975	3	REC	1		47	47	#N/A	56 SU		BX-104			Removed from service, 1 to 104-BX		0	0	42,000	3	O	ARH-CD-336C-5	
BX-101	1975	3	SEND	-1		46	46	#N/A	56 SU		BX-104			Removed from service, 1 to 104-BX		0	0	42,000	4	O	ARH-CD-336C-5	
BX-101	1975	3	STAT		46	46	46	43	#N/A	56 BL IX				Removed from service		0	0	42,000	1			
BX-101	1975	4	STAT		46	46	46	43	#N/A	56 BL IX				Removed from service		0	0	42,000	1			
BX-101	1976	1	SEND	-1		45	45	#N/A	56 SU		BX-104					0	0	42,000	4	O	ARH-CD-702A-5	
BX-101	1976	1	unk	-4		41	41	#N/A	56		BYEVAP					0	0	42,000	BYEV	0		
BX-101	1976	1	in	4		45	45	#N/A	56		BYSLICK					0	0	42,000	BYSLIK	0		
BX-101	1976	1	STAT		46	46	46	43	1	57 BL IX				Removed from service, 1 to 104-BX		0	0	42,000	1			
BX-101	1976	2	SEND	-1		45	45	#N/A	57 SU		BX-104			Removed from service, 1 to 104-BX		0	0	42,000	1			
BX-101	1976	2	STAT		46	46	46	46	1	58				Removed from service, salt well		0	0	42,000	1			
BX-101	1976	3	STAT		46	46	46	46	#N/A	58				Salt well pumped		0	0	42,000	1			
BX-101	1976	4	STAT		46	46	46	46	#N/A	58				Salt well pumped		0	0	42,000	1			
BX-101	1977	1	STAT		46	46	46	46	#N/A	58				Salt well pumped		0	0	42,000	1			
BX-101	1977	2	STAT		46	46	46	46	#N/A	58				Inactive current		0	0	42,000	1			
BX-101	1977	3	STAT		46	46	46	46	#N/A	58				Inactive current-salt well installed		0	0	42,000	1			
BX-101	1977	4	STAT		46	46	46	46	#N/A	58				Inactive - Primary Stabilized		0	0	42,000	1			
BX-101	1978	1	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1978	2	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1978	3	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1978	4	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1979	1	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1979	2	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1979	3	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1979	4	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1980	1	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1980	2	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1980	3	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1980	4	STAT		46	46	46	46	#N/A	58						0	0	42,000	1			
BX-101	1980	4	SEND	-3		43	43	#N/A	58	BLIX						0	0	42,000	1			
BX-101	1992	4	SEND		43	43	43	#N/A	58	BLIX						0	0	42,000	1			
BX-101	1993	2	STAT		43	43	42	#N/A	58	NCPLX		AW-106				0	0	42,000	1			
BX-101	1993	4	STAT		43	43	43	#N/A	58							0	0	42,000	1			
BX-101	1994	1	STAT		43	43	43	#N/A	58							0	0	42,000	1			
BX-101	2000				43	43	43	#N/A	58							0	0	42,000	1			

Task_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	GI	G/A	Document/Pg #	
BX-102	1900																						
BX-102	1948	1	CREC	0		0		#N/A	0	SET	BX-101						0	0.000		1			
BX-102	1948	1	CSEND	0		0		#N/A	0	SET	BX-103						0	0.000		1			
BX-102	1948	1	STAT		0	0		#N/A	0								0	0.000		1			
BX-102	1948	2	rec	109		109		#N/A	0	cas	BX-101	BX-101				0.007288	0.7944	0.794	MW1	0			
BX-102	1948	2	STAT		112	112		0	3	MW				Cascade began filling June			0	0	0.794		1		
BX-102	1948	3	rec	174		286		#N/A	3	cas	BX-101	BX-101				0.007288	1.2681	2.062	MW1	0			
BX-102	1948	3	rec	141		427		#N/A	3	cas	BX-101	BX-101				0.007288	1.0276	3.090	MW1	0			
BX-102	1948	3	rec	111		538		#N/A	3	cas	BX-101	BX-101				0.007288	0.8089	3.899	MW1	0			
BX-102	1948	3	send	-8		530		#N/A	3	cas		BX-103					0	0	3.899		0		
BX-102	1948	3	STAT		530	530		0	#N/A	3			and stats at 523	Cascade full in September			0	0	3.899		1		
BX-102	1948	4	rec	215		745		#N/A	3	cas	BX-101	BX-101				0.007288	1.5669	5.466	MW1	0			
BX-102	1948	4	rec	145		890		#N/A	3	cas	BX-101	BX-101				0.007288	1.0567	6.522	MW1	0			
BX-102	1948	4	rec	129		1019		#N/A	3	cas	BX-101	BX-101				0.007288	0.9401	7.463	MW1	0			
BX-102	1948	4	send	-215		804		#N/A	3	cas		BX-103					0	0	7.463		0		
BX-102	1948	4	send	-145		659		#N/A	3	cas		BX-103					0	0	7.463		0		
BX-102	1948	4	send	-129		530		#N/A	3	cas		BX-103					0	0	7.463		0		
BX-102	1948	4	STAT		530	530		0	#N/A	3			and stats at 523				0	0	7.463		1		
BX-102	1949	1	rec	33		563		#N/A	3	cas	BX-101	BX-101				0.007288	0.2405	7.703	MW1	0			
BX-102	1949	1	send	-33		530		#N/A	3	cas		BX-103					0	0	7.703		0		
BX-102	1949	1	STAT		530	530		0	#N/A	3			and stats at 523	Cascade full			0	0	7.703		1		
BX-102	1949	2	STAT		530	530		0	#N/A	3			and stats at 523	Cascade full			0	0	7.703		1		
BX-102	1949	3	STAT		530	530		0	#N/A	3			and stats at 523	Cascade full			0	0	7.703		1		
BX-102	1949	4	STAT		530	530		0	#N/A	3			and stats at 523	Cascade full			0	0	7.703		1		
BX-102	1950	1	rec	159		689		#N/A	3	cas	BX-101	BX-101				0.007288	1.1587	8.862	MW1	0			
BX-102	1950	1	rec	126		815		#N/A	3	cas	BX-101	BX-101				0.007288	0.9183	9.780	MW1	0			
BX-102	1950	1	send	-159		656		#N/A	3	cas		BX-103					0	0	9.780		0		
BX-102	1950	1	send	-126		530		#N/A	3	cas		BX-103					0	0	9.780		0		
BX-102	1950	1	STAT		530	530		0	#N/A	3			and stats at 523	Cascade full			0	0	9.780		1		
BX-102	1950	2	rec	136		666		#N/A	3	cas	BX-101	BX-101				0.007288	0.9911	10.771	MW1	0			
BX-102	1950	2	rec	125		791		#N/A	3	cas	BX-101	BX-101				0.007288	0.911	11.682	MW1	0			
BX-102	1950	2	rec	116		907		#N/A	3	cas	BX-101	BX-101				0.007288	0.8454	12.528	MW1	0			
BX-102	1950	2	send	-136		771		#N/A	3	cas		BX-103					0	0	12.528		0		
BX-102	1950	2	send	-125		646		#N/A	3	cas		BX-103					0	0	12.528		0		
BX-102	1950	2	send	-116		530		#N/A	3	cas		BX-103					0	0	12.528		0		
BX-102	1950	2	STAT		530	530		0	#N/A	3			and stats at 523	Cascade full			0	0	12.528		1		
BX-102	1950	3	rec	221		751		#N/A	3	cas	BX-101	BX-101				0.007288	1.6106	14.138	MW1	0			
BX-102	1950	3	rec	183		934		#N/A	3	cas	BX-101	BX-101				0.007288	1.3337	15.472	MW1	0			
BX-102	1950	3	rec	167		1101		#N/A	3	cas	BX-101	BX-101				0.007288	1.217	16.689	MW1	0			
BX-102	1950	3	send	-221		880		#N/A	3	cas		BX-103					0	0	16.689		0		
BX-102	1950	3	send	-183		697		#N/A	3	cas		BX-103					0	0	16.689		0		
BX-102	1950	3	send	-167		530		#N/A	3	cas		BX-103					0	0	16.689		0		
BX-102	1950	3	STAT		530	530		0	#N/A	3			and stats at 523	Cascade full			0	0	16.689		1		
BX-102	1950	4	rec	243		773		#N/A	3	cas	BX-101	BX-101				0.007288	1.7709	18.460	MW1	0			
BX-102	1950	4	rec	185		958		#N/A	3	cas	BX-101	BX-101				0.007288	1.3482	19.808	MW1	0			
BX-102	1950	4	send	-243		715		#N/A	3	cas		BX-103					0	0	19.808		0		
BX-102	1950	4	send	-185		530		#N/A	3	cas		BX-103					0	0	19.808		0		
BX-102	1950	4	STAT		530	530		0	#N/A	3			and stats at 523	Cascade full			0	0	19.808		1		
BX-102	1951	1	rec	243		773		#N/A	3	cas	BX-101	BX-101				0.007288	1.7709	21.579	MW1	0			
BX-102	1951	1	rec	136		909		#N/A	3	cas	BX-101	BX-101				0.007288	0.9911	22.570	MW1	0			
BX-102	1951	1	rec	59		968		#N/A	3	cas	BX-101	BX-101				0.007288	0.43	23.000	MW1	0			
BX-102	1951	1	send	-243		725		#N/A	3	cas		BX-103					0	0	23.000		0		
BX-102	1951	1	send	-136		589		#N/A	3	cas		BX-103					0	0	23.000		0		
BX-102	1951	1	SEND	-30		559		#N/A	3	SU		BX-103					0	0	23.000		1		
BX-102	1951	1	send	-29		530		#N/A	3	cas		BX-103					0	0	23.000		0		
BX-102	1951	1	STAT		530	530		0	#N/A	3			and stats at 523	Cascade full supermate jetting from 103 to 102, then cascades to 101-B			0	0	23.000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BX-102	1951	2	STAT		530	530	0	#N/A	3	MW			and stais at 523	Cascade full		0	0	23,000		1		
BX-102	1951	3	STAT		N/A	530		#N/A	3							0	0	23,000		1		
BX-102	1951	4	STAT		N/A	530		#N/A	3							0	0	23,000		1		
BX-102	1952	1	STAT		N/A	530		#N/A	3							0	0	23,000		1		
BX-102	1952	2	outx	-63		467		#N/A	3			UR				0	0	23,000		0		
BX-102	1952	2	STAT		467	467	0	#N/A	3							0	0	23,000		1		
BX-102	1952	3	STAT		467	467	0	#N/A	3							0	0	23,000		1		
BX-102	1952	4	STAT		467	467	0	#N/A	3							0	0	23,000		1		
BX-102	1953	1	STAT		467	467	0	#N/A	3	MW						0	0	23,000		1		
BX-102	1953	2	outx	-87		380		#N/A	3			UR				0	0	23,000		0		
BX-102	1953	2	STAT		380	380	0	#N/A	3	MW				MW removal in progress		0	0	23,000		1		
BX-102	1953	3	outx	-34		346		#N/A	3			UR				0	0	23,000		0		
BX-102	1953	3	STAT		346	346	0	#N/A	3	MW				MW removal in progress		0	0	23,000		1		
BX-102	1953	4	xdn	40		386		#N/A	3			WTR				0	0	23,000		0		
BX-102	1953	4	STAT		386	386	0	#N/A	3	MW				Rec'd MW supervantant from 103-B. MW removal in progress		0	0	23,000		1		
BX-102	1954	1	xdn	280		666		#N/A	3			WTR				0	0	23,000		0		
BX-102	1954	1	SEND	-530		136		#N/A	3	SL		BX-103				0	0	23,000		1		
BX-102	1954	1	STAT		136	136	0	#N/A	3	MW				MW removal in progress		0	0	23,000		1		
BX-102	1954	2	outx	-124		12		#N/A	3			UR				0	0	23,000		1		
BX-102	1954	2	STAT		12	12	0	#N/A	3	MW				MW removal in progress		0	0	23,000		0		
BX-102	1954	3	outx	-12		0		#N/A	3			UR				0	0	23,000		1		
BX-102	1954	3	STAT		0	0	0	#N/A	3							0	0	23,000		0		
BX-102	1954	4	STAT		0	0	0	#N/A	3					Sludge only remaining		0	0	23,000		1		
BX-102	1955	1	STAT		0	0	0	#N/A	3							0	0	23,000		1		
BX-102	1955	2	STAT		0	0	0	#N/A	3							0	0	23,000		1		
BX-102	1955	3	STAT		0	0	0	#N/A	3							0	0	23,000		1		
BX-102	1955	4	STAT		0	0	0	#N/A	3							0	0	23,000		1		
BX-102	1956	1	STAT		0	0	0	#N/A	3							0	0	23,000		1		
BX-102	1956	2	STAT		0	0	0	#N/A	3							0	0	23,000		1		
BX-102	1956	3	REC	420		420		#N/A	3	SU	BY-107	BY-107			Shows 402 not 420	0	0	23,000		2	V	N-54-39
BX-102	1956	3	STAT		439	439	0	19	22	TBP				Rec'd from 107-BY		0	0	23,000		1		
BX-102	1956	4	OUTX	-352		87		#N/A	22	SU	BC-12	CRIB	OC B-025 to BC-12, OUTX total -396, AND -401 total		Shows BC-12 Ditch	0	0	23,000		4	O	N-54-116
BX-102	1956	4	OUTX	-44		43		#N/A	22	SU	BC-13	CRIB	OC B-026 to BC-13, OUTX total -396, AND -401 total		Shows BC-13 Ditch	0	0	23,000		4	O	N-54-116
BX-102	1956	4	STAT		43	43	0	#N/A	22	TBP				344 to 12 BC ditch, 57 to 13 BC ditch		0	0	23,000		1		
BX-102	1957	1	STAT		51	51	0	8	30					Latest electrode reading		0	0	23,000		1		
BX-102	1957	2	STAT		51	51	0	#N/A	30							0	0	23,000		1		
BX-102	1957	3	STAT		51	51	0	#N/A	30							0	0	23,000		1		
BX-102	1957	4	STAT		51	51	0	#N/A	30	TBP						0	0	23,000		1		
BX-102	1958	1	STAT		54	54	0	3	33	TBP				Latest electrode reading		0	0	23,000		1		
BX-102	1958	2	STAT		57	57	0	3	36	TBP				Latest electrode reading		0	0	23,000		1		
BX-102	1958	3	STAT		54	54	0	-3	33					Latest electrode reading		0	0	23,000		1		
BX-102	1958	4	STAT		54	54	0	#N/A	33							0	0	23,000		1		
BX-102	1959	1	STAT		54	54	0	#N/A	33							0	0	23,000		1		
BX-102	1959	2	STAT		54	54	0	#N/A	33							0	0	23,000		1		
BX-102	1959	3	STAT		54	54	0	#N/A	33							0	0	23,000		1		
BX-102	1959	4	STAT		54	54	0	#N/A	33							0	0	23,000		1		
BX-102	1960	1	STAT		54	54	0	#N/A	33							0	0	23,000		1		
BX-102	1960	2	STAT		54	54	0	#N/A	33							0	0	23,000		1		
BX-102	1960	3	STAT		54	54	0	#N/A	33							0	0	23,000		1		
BX-102	1960	4	STAT		54	54	0	#N/A	33	TBP						0	0	23,000		1		
BX-102	1961	1	STAT		N/A	54		#N/A	33							0	0	23,000		1		
BX-102	1961	2	STAT		57	57	0	3	36	TBP				6 month report		0	0	23,000		1		
BX-102	1961	3	STAT		N/A	57		#N/A	36							0	0	23,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-102	1961	4	STAT		59	59	0	2	38	TBP				Latest electrode reading 6 month report		0	0	23.000		1		
BX-102	1962	1	CREC	0		59		#N/A	38	SET	BX-101					0	0	23.000		1		
BX-102	1962	1	rec	314		373		#N/A	38	cas	BX-101	BX-101				0	0	23.000		0		
BX-102	1962	1	STAT		N/A	373		#N/A	38							0	0	23.000		1		
BX-102	1962	2	STAT		359	359	0	-14	24	TBP				300 from 102-C and 103-C		0	0	23.000		1		
BX-102	1962	3	REC	190		549		#N/A	24	SU	C-102	C-102	OC C-103 to C-102, AND reports -300, LC qtr4 to qtr3		Shows C-102, Omission	0	0	23.000		3	V	HW-76233-5
BX-102	1962	3	STAT		N/A	549		#N/A	24					6 month report		0	0	23.000		1		
BX-102	1962	4	STAT		549	549	0	#N/A	24	TBP,CW				190 from 102-C		0	0	23.000		1		
BX-102	1963	1	STAT		N/A	549		#N/A	24							0	0	23.000		1		
BX-102	1963	2	STAT		549	549	0	#N/A	24	TBP,CW				6 month report		0	0	23.000		1		
BX-102	1963	3	STAT		N/A	549		#N/A	24							0	0	23.000		1		
BX-102	1963	4	STAT		549	549	0	#N/A	24	TBP,CW				6 month report		0	0	23.000		1		
BX-102	1964	1	STAT		N/A	549		#N/A	24							0	0	23.000		1		
BX-102	1964	2	STAT		549	549	95	#N/A	24	CW				6 month report		0	0	23.000		1		
BX-102	1964	3	STAT		N/A	549		#N/A	24							0	0	23.000		1		
BX-102	1964	4	STAT		549	549	94	#N/A	24	CW				6 month report		0	0	23.000		1		
BX-102	1965	1	STAT		N/A	549		#N/A	24							0	0	23.000		1		
BX-102	1965	2	STAT		543	543	62	-6	18					New elect.		0	0	23.000		1		
BX-102	1965	3	STAT		543	543	62	#N/A	18							0	0	23.000		1		
BX-102	1965	4	STAT		543	543	62	#N/A	18							0	0	23.000		1		
BX-102	1966	1	STAT		543	543	62	#N/A	18							0	0	23.000		1		
BX-102	1966	2	STAT		543	543	62	#N/A	18							0	0	23.000		1		
BX-102	1966	3	STAT		543	543	62	#N/A	18	CW						0	0	23.000		1		
BX-102	1966	4	STAT		546	546	62	3	21							0	0	23.000		1		
BX-102	1967	1	STAT		546	546	62	#N/A	21							0	0	23.000		1		
BX-102	1967	2	STAT		546	546	62	#N/A	21							0	0	23.000		1		
BX-102	1967	3	STAT		546	546	62	#N/A	21	CW						0	0	23.000		1		
BX-102	1967	4	STAT		543	543	62	-3	18	CW						0	0	23.000		1		
BX-102	1968	1	REC	641		1184		#N/A	18	SU	BX-103	BX-103				0	0	23.000		1		
BX-102	1968	1	send	-673		511		#N/A	18				Omis. evap B plant bottoms REC			0	0	23.000		4	O	ARH-534-6
BX-102	1968	1	STAT		513	513	62	2	20	CW		BY-112			Omission	0	0	23.000		3	V	ARH-534-6
BX-102	1968	2	REC	576		1089		#N/A	20	SU	BX-103	BX-103				0	0	23.000		1		
BX-102	1968	2	SEND	-550		539		#N/A	20	SU		BY-103				0	0	23.000		4	O	ARH-721-6
BX-102	1968	2	STAT		539	539	62	#N/A	20	CW				550 to 103-BY, 576 from 103-BX		0	0	23.000		4	O	ARH-721-6
BX-102	1968	3	REC	274		813		#N/A	20	SU	BX-101	BX-101				0	0	23.000		1		
BX-102	1968	3	REC	392		1205		#N/A	20	SU	BX-103	BX-103				0	0	23.000		4	O	ARH-871-6
BX-102	1968	3	SEND	-780		425		#N/A	20	SU		TY-103				0	0	23.000		4	O	ARH-871-6
BX-102	1968	3	STAT		426	426	62	1	21	CW,EB				667 from 101 & 103-BX, 780 to 103-TY		0	0	23.000		1		
BX-102	1968	4	REC	94		520		#N/A	21	SU	BX-101	BX-101				0	0	23.000		4	O	ARH-1061-6
BX-102	1968	4	STAT		520	520	61	#N/A	21	CW,BL				94 from 101-BX		0	0	23.000		1		
BX-102	1969	1	STAT		520	520	63	#N/A	21	CW,BL						0	0	23.000		1		
BX-102	1969	2	STAT		520	520	72	#N/A	21	CW,BL						0	0	23.000		1		
BX-102	1969	3	STAT		487	487	51	-33	-12	CW,BL						0	0	23.000		1		
BX-102	1969	4	REC	1909		2396		#N/A	-12	SU	BX-103	BX-103				0.00134553	2.5688	25.569	CWP2	4	O	ARH-12000-6
BX-102	1969	4	SEND	-1888		508		#N/A	-12	SU		BY-103				0	0	25.569		4	O	ARH-12000-6
BX-102	1969	4	STAT		508	508	40	#N/A	-12	CW,BL				1909 from 103-BX, 1888 to 103-BY		0	0	25.569		1		
BX-102	1970	1	REC	1394		1902		#N/A	-12	SU	BX-103	BX-103				0.00134553	1.8757	27.444	CWP2	4	O	ARH-1666A-6
BX-102	1970	1	SEND	-608		1294		#N/A	-12	SU		BY-103				0	0	27.444		4	O	ARH-1666A-6
BX-102	1970	1	SEND	-564		630		#N/A	-12	SU		BY-109	OC 644 to 664		Shows 664 not 644	0	0	27.444		3	V	ARH-1666A-6
BX-102	1970	1	SEND	-399		231		#N/A	-12	SU		BY-102				0	0	27.444		4	O	ARH-1666A-6



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
BX-102	1970	1	STAT		233	233	35	2	-10	CW,OWW				644 to 109-BY, 1394 from 103-BX, 608 to 103-BY, 399 to 102-BY		0	0	27,444		1		
BX-102	1970	2	REC	413		646		#N/A	-10	SU	BX-103	BX-103				0.00134553	0.5557	28,000	CWP2	4	O	ARH-1666B-6
BX-102	1970	2	SEND	-602		44		#N/A	-10	SU		BY-109				0	0	28,000		4	O	ARH-1666B-6
BX-102	1970	2	STAT		41	41	35	-3	-13	BL				413 from 103-BX, 602 to 109-BY *Leak detection dry wells drilled: *21-02-01, 21-02-03, 21-02-04, 21-02-06, 21-02-07, 21-02-11, **21-27-01, 21-27-02, 21-27-06, 21-27-07, 21-27-09, 21-27-09, 21-27-10		0	0	28,000		1		
BX-102	1970	3	STAT		40	40	40	-1	-14					** 21-27-01, 21-27-02, 21-27-06, 21-27-07, 21-27-08, 21-27-09, 21-27-10		0	0	28,000		1		
BX-102	1970	4	STAT		40	40	40	#N/A	-14							0	0	28,000		1		
BX-102	1971	1	STAT		40	40	40	#N/A	-14							0	0	28,000		1		
BX-102	1971	2	STAT		40	40	40	#N/A	-14					Tank leaks		0	0	28,000		1		
BX-102	1971	3	STAT		40	40	40	#N/A	-14					Tank leaks		0	0	28,000		1		
BX-102	1971	4	XIN	68		108		#N/A	-14	DE		DE	105 x .651kga/ton=			1	68	96,000	DE	4	O	ARH-2074D-6
BX-102	1971	4	STAT		96	96	96	-12	-26					Tank leaks approximately 105 tons of diatomaceous earth added to the tank		0	0	96,000		1		
BX-102	1972	1	STAT		96	96	96	#N/A	-26					*41 to 96,, lanl evaluation		0	0	96,000		1		
BX-102	1972	2	STAT		96	96	96	#N/A	-26					Tank leaks		0	0	96,000		1		
BX-102	1972	3	STAT		96	96	96	#N/A	-26					*41 to 96,, lanl evaluation		0	0	96,000		1		
BX-102	1972	4	STAT		96	96	96	#N/A	-26					Tank leaks, contains diatomaceous earth		0	0	96,000		1		
BX-102	1973	1	STAT		96	96	96	#N/A	-26					Tank leaks, contains diatomaceous earth		0	0	96,000		1		
BX-102	1973	2	STAT		96	96	96	#N/A	-26					*41 to 96,, lanl evaluation		0	0	96,000		1		
BX-102	1973	3	STAT		96	96	96	#N/A	-26					Tank leaks, contains diatomaceous earth		0	0	96,000		1		
BX-102	1973	4	STAT		96	96	96	#N/A	-26					*41 to 96,, lanl evaluation		0	0	96,000		1		
BX-102	1974	1	STAT		96	96	96	#N/A	-26					Tank leaks; contains diatomaceous earth		0	0	96,000		1		
BX-102	1974	2	STAT		96	96	96	#N/A	-26					Tank leaks; contains diatomaceous earth		0	0	96,000		1		
BX-102	1974	3	STAT		96	96	96	#N/A	-26					*41 to 96,, lanl evaluation		0	0	96,000		1		
BX-102	1974	4	STAT		96	96	96	#N/A	-26					Tank leaks; contains diatomaceous earth		0	0	96,000		1		
BX-102	1975	1	STAT		96	96	96	#N/A	-26					*41 to 96,, lanl evaluation		0	0	96,000		1		
BX-102	1975	2	STAT		96	96	96	#N/A	-26					Tank leaks; contains diatomaceous earth		0	0	96,000		1		
BX-102	1975	3	STAT		96	96	96	#N/A	-26					*41 to 96,, lanl evaluation		0	0	96,000		1		
BX-102	1975	4	STAT		96	96	96	#N/A	-26					Tank leaks; contains diatomaceous earth		0	0	96,000		1		
BX-102	1976	1	STAT		96	96	96	#N/A	-26					*41 to 96,, lanl evaluation		0	0	96,000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	Q/A	Document/Pg #
BX-102	1976	2	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Tank leaks; contains diatomaceous earth		0	0	96.000		1		
BX-102	1976	3	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Cont. desiccant		0	0	96.000		1		
BX-102	1976	4	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Leaker desicant add cmp		0	0	96.000		1		
BX-102	1977	1	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Stabilized and Isolated; leaks		0	0	96.000		1		
BX-102	1977	2	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Stabilized and Isolated; leaks		0	0	96.000		1		
BX-102	1977	3	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Stabilized Phase I, Isolated Phase A		0	0	96.000		1		
BX-102	1977	4	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Stabilized Phase I, Isolated Phase A		0	0	96.000		1		
BX-102	1978	1	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	Leaker-Primary Stabilized Interim Isolated		0	0	96.000		1		
BX-102	1978	2	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1978	3	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1978	4	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1979	1	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation	New Photo 11/13/78		0	0	96.000		1		
BX-102	1979	2	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1979	3	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1979	4	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1980	1	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1980	2	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1980	3	STAT		96	96	96	#N/A	-26				*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1980	4	STAT		96	96	96	#N/A	-26	BL			*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1993	2	STAT		96	96	96	#N/A	-26	NCPLX			*41 to 96,, lanl evaluation			0	0	96.000		1		
BX-102	1993	4	STAT		96	96	96	#N/A	-26							0	0	96.000		1		
BX-102	1994	1	STAT		96	96	96	#N/A	-26							0	0	96.000		1		
BX-102	2000				96	96	96	#N/A	-26							0	0	96.000		1		



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	O/A	Document/Pg #
BX-103	1900																					
BX-103	1948	1	CREC	0		0		#N/A	0	SET	BX-102											
BX-103	1948	1	STAT		N/A	0		#N/A	0								0	0.000			1	
BX-103	1948	2	STAT		0	0		#N/A	0								0	0.000			1	
BX-103	1948	3	rec	8		8		#N/A	0	cas	BX-102	BX-102				0.02077722	0.1662	0.166	MW1	0		
BX-103	1948	3	STAT		8	8		0	#N/A	MW				Cascade begin filling September			0	0.166			1	
BX-103	1948	4	rec	215		223		#N/A	0	cas	BX-102	BX-102				0.02077722	4.4671	4.633	MW1	0		
BX-103	1948	4	rec	145		368		#N/A	0	cas	BX-102	BX-102				0.02077722	3.0127	7.646	MW1	0		
BX-103	1948	4	rec	129		497		#N/A	0	cas	BX-102	BX-102				0.02077722	2.6803	10.326	MW1	0		
BX-103	1948	4	STAT		491	491		0	-6	MW							0	10.326			1	
BX-103	1949	1	rec	33		524		#N/A	-6	cas	BX-102	BX-102				0.02077722	0.6856	11.012	MW1	0		
BX-103	1949	1	STAT		530	530		0	6								0	0			1	
BX-103	1949	2	STAT		530	530		0	#N/A				and stats at 523	Filled in January			0	0	11.012		1	
BX-103	1949	3	STAT		530	530		0	#N/A				and stats at 523	Cascade full			0	0	11.012		1	
BX-103	1949	4	CSEND	0		530		#N/A	0	SET	BY-101						0	0	11.012		1	
BX-103	1949	4	STAT		530	530		0	#N/A				and stats at 523	Cascade full			0	0	11.012		1	
BX-103	1950	1	rec	159		689		#N/A	0	cas	BX-102	BX-102				0.02077722	3.3036	14.316	MW1	0		
BX-103	1950	1	rec	126		815		#N/A	0	cas	BX-102	BX-102				0.02077722	2.6179	16.933	MW1	0		
BX-103	1950	1	send	-159		656		#N/A	0	cas		BY-101					0	16.933			0	
BX-103	1950	1	send	-126		530		#N/A	0	cas		BY-101					0	16.933			0	
BX-103	1950	1	STAT		530	530		0	#N/A	0			and stats at 523	Cascade full			0	16.933			1	
BX-103	1950	2	rec	136		666		#N/A	0	cas	BX-102	BX-102				0.02077722	2.8257	19.759	MW1	0		
BX-103	1950	2	rec	125		791		#N/A	0	cas	BX-102	BX-102				0.02077722	2.5972	22.356	MW1	0		
BX-103	1950	2	rec	116		907		#N/A	0	cas	BX-102	BX-102				0.02077722	2.4102	24.766	MW1	0		
BX-103	1950	2	send	-136		771		#N/A	0	cas		BY-101					0	24.766			0	
BX-103	1950	2	send	-125		646		#N/A	0	cas		BY-101					0	24.766			0	
BX-103	1950	2	send	-116		530		#N/A	0	cas		BY-101					0	24.766			0	
BX-103	1950	2	STAT		530	530		0	#N/A	0			and stats at 523	Cascade full			0	24.766			0	
BX-103	1950	3	rec	221		751		#N/A	0	cas	BX-102	BX-102				0.02077722	4.5918	29.358	MW1	0		
BX-103	1950	3	rec	183		934		#N/A	0	cas	BX-102	BX-102				0.02077722	3.8022	33.160	MW1	0		
BX-103	1950	3	rec	167		1101		#N/A	0	cas	BX-102	BX-102				0.02077722	3.4698	36.630	MW1	0		
BX-103	1950	3	send	-221		880		#N/A	0	cas		BY-101					0	36.630			0	
BX-103	1950	3	send	-183		697		#N/A	0	cas		BY-101					0	36.630			0	
BX-103	1950	3	send	-167		530		#N/A	0	cas		BY-101					0	36.630			0	
BX-103	1950	3	STAT		530	530		0	#N/A	0			and stats at 523	Cascade full			0	36.630			0	
BX-103	1950	4	rec	243		773		#N/A	0	cas	BX-102	BX-102				0.02077722	5.0489	41.679	MW1	0		
BX-103	1950	4	rec	185		958		#N/A	0	cas	BX-102	BX-102				0.02077722	3.8438	45.523	MW1	0		
BX-103	1950	4	send	-243		715		#N/A	0	cas		BY-101					0	45.523			0	
BX-103	1950	4	send	-185		530		#N/A	0	cas		BY-101					0	45.523			0	
BX-103	1950	4	STAT		530	530		0	#N/A	0			and stats at 523	Cascade full			0	45.523			1	
BX-103	1951	1	rec	243		773		#N/A	0	cas	BX-102	BX-102				0.02077722	5.0489	50.572	MW1	0		
BX-103	1951	1	rec	136		909		#N/A	0	cas	BX-102	BX-102				0.02077722	2.8257	53.397	MW1	0		
BX-103	1951	1	REC	30		939		#N/A	0	SU	BX-102	BX-102				0	0	53.397			1	
BX-103	1951	1	rec	29		968		#N/A	0	cas	BX-102	BX-102				0.02077722	0.6025	54.000	MW1	0		
BX-103	1951	1	send	-243		725		#N/A	0	cas		BY-101					0	54.000			0	
BX-103	1951	1	send	-136		589		#N/A	0	cas		BY-101					0	54.000			0	
BX-103	1951	1	send	-30		559		#N/A	0	cas		BY-101					0	54.000			0	
BX-103	1951	1	send	-29		530		#N/A	0	cas		BY-101					0	54.000			0	
BX-103	1951	1	CSEND	0		530		#N/A	0	END	BY-101						0	54.000			1	
BX-103	1951	1	STAT		530	530		0	#N/A	0			and stats at 523	Cascade full, supermate letting to 102-BX			0	54.000			1	
BX-103	1951	2	STAT		530	530		0	#N/A	MW			and stats at 523	Cascade full			0	54.000			1	
BX-103	1951	3	STAT		N/A	530		#N/A	0								0	54.000			1	
BX-103	1951	4	STAT		N/A	530		#N/A	0								0	54.000			1	
BX-103	1952	1	STAT		N/A	530		#N/A	0								0	54.000			1	
BX-103	1952	2	STAT		530	530		0	#N/A	0							0	54.000			1	
BX-103	1952	3	STAT		530	530		0	#N/A	0							0	54.000			1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BX-103	1952	4	STAT		530	530	0	#N/A	0								0	0	54,000		1	
BX-103	1953	1	STAT		530	530	0	#N/A	0								0	0	54,000		1	
BX-103	1953	2	STAT		530	530	0	#N/A	0	MW							0	0	54,000		1	
BX-103	1953	3	STAT		530	530	0	#N/A	0								0	0	54,000		1	
BX-103	1953	4	STAT		530	530	0	#N/A	0	MW							0	0	54,000		1	
BX-103	1954	1	REC	467		997		#N/A	0	SL	BX-101	BX-101					0	0	54,000		1	
BX-103	1954	1	REC	530		1527		#N/A	0	SL	BX-102	BX-102					0	0	54,000		1	
BX-103	1954	1	REC	758		2285		#N/A	0	SU	BY-101	BY-101					0	0	54,000		1	
BX-103	1954	1	REC	526		2811		#N/A	0	SU	BY-102	BY-102					0	0	54,000		1	
BX-103	1954	1	REC	546		3357		#N/A	0	SU	BY-103	BY-103					0	0	54,000		1	
BX-103	1954	1	OUTX	-381		2976		#N/A	0	SL	UR	UR					0	0	54,000		1	
BX-103	1954	1	OUTX	-479		2497		#N/A	0	SL	UR	UR					0	0	54,000		1	
BX-103	1954	1	OUTX	-775		1722		#N/A	0	SL	UR	UR					0	0	54,000		1	
BX-103	1954	1	STAT		N/A	1722	0	#N/A	0				BAD STAT? 0 TO N/A				0	0	54,000		1	
BX-103	1954	2	REC	430		2152		#N/A	0	SU	BY-104	BY-104	LC qtr1 to qtr2				0	0	54,000		1	
BX-103	1954	2	OUTX	-1062		1090		#N/A	0	SL	UR	UR					0	0	54,000		1	
BX-103	1954	2	OUTX	-1090		0		#N/A	0	SL	UR	UR					0	0	54,000		1	
BX-103	1954	2	STAT		N/A	0	0	#N/A	0	MW			phase prob and stats-61 to N/A				0	0	54,000		1	
BX-103	1954	3	STAT		0	0	0	#N/A	0					Was emptied on 7-16-54			0	0	54,000		1	
BX-103	1954	4	STAT		0	0	0	#N/A	0								0	0	54,000		1	
BX-103	1955	1	STAT		0	0	0	#N/A	0								0	0	54,000		1	
BX-103	1955	2	STAT		0	0	0	#N/A	0								0	0	54,000		1	
BX-103	1955	3	STAT		0	0	0	#N/A	0								0	0	54,000		1	
BX-103	1955	4	STAT		0	0	0	#N/A	0								0	0	54,000		1	
BX-103	1956	1	STAT		0	0	0	#N/A	0								0	0	54,000		1	
BX-103	1956	2	STAT		0	0	0	#N/A	0								0	0	54,000		1	
BX-103	1956	3	REC	520		520		#N/A	0	SU	BY-106	BY-106					0	0	54,000		1	
BX-103	1956	3	STAT		530	530	0	10	10	TBP				Rec'd from 108-BY			0	0	54,000		3 O	N-54-40
BX-103	1956	4	OUTX	-437		93		#N/A	10	SU	B-025	CRIB	OC 398 to 437, AND reports-417				0	0	54,000		2 V	N-54-117
BX-103	1956	4	OUTX	-77		16		#N/A	10	SU	B-024	CRIB			Show 437 BC-12 Ditch BC-11 Ditch		0	0	54,000		4 O	N-54-117
BX-103	1956	4	STAT		45	45	0	29	39	TBP				74 to 11 BC ditch, 417 to 12 BC ditch			0	0	54,000		1	
BX-103	1957	1	STAT		45	45	0	#N/A	39	TBP				Estimated reading			0	0	54,000		1	
BX-103	1957	2	STAT		54	54	0	9	48	TBP				New electrode reading			0	0	54,000		1	
BX-103	1957	3	STAT		40	40	0	-14	34					New electrode reading			0	0	54,000		1	
BX-103	1957	4	STAT		40	40	0	#N/A	34	TBP				New electrode reading			0	0	54,000		1	
BX-103	1958	1	STAT		37	37	0	-3	31					Latest electrode reading			0	0	54,000		1	
BX-103	1958	2	STAT		37	37	0	#N/A	31					Latest electrode reading			0	0	54,000		1	
BX-103	1958	3	STAT		37	37	0	#N/A	31								0	0	54,000		1	
BX-103	1958	4	STAT		37	37	0	#N/A	31								0	0	54,000		1	
BX-103	1959	1	STAT		37	37	0	#N/A	31								0	0	54,000		1	
BX-103	1959	2	STAT		37	37	0	#N/A	31								0	0	54,000		1	
BX-103	1959	3	STAT		37	37	0	#N/A	31	TBP							0	0	54,000		1	
BX-103	1959	4	STAT		45	45	0	8	39								0	0	54,000		1	
BX-103	1960	1	STAT		45	45	0	#N/A	39	TBP							0	0	54,000		1	
BX-103	1960	2	STAT		48	48	0	3	42					Reading will be re-checked			0	0	54,000		1	
BX-103	1960	3	STAT		48	48	0	#N/A	42								0	0	54,000		1	
BX-103	1960	4	STAT		48	48	0	#N/A	42	TBP							0	0	54,000		1	
BX-103	1961	1	STAT		N/A	48		#N/A	42								0	0	54,000		1	
BX-103	1961	2	STAT		54	54	0	6	48	TBP				6 month report			0	0	54,000		1	
BX-103	1961	3	STAT		N/A	54		#N/A	48								0	0	54,000		1	
BX-103	1961	4	STAT		54	54	0	#N/A	48	TBP				Latest electrode reading 6 month report			0	0	54,000		1	
BX-103	1962	1	STAT		N/A	54		#N/A	48								0	0	54,000		1	
BX-103	1962	2	STAT		54	54	0	#N/A	48	TBP				6 month report			0	0	54,000		1	
BX-103	1962	3	STAT		N/A	54		#N/A	48								0	0	54,000		1	

Tank n	Year	Ch	Type	Trans Vol	Slut Vol	Total Vol	Solids Vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	CI	QA	Document/Pg #
BX-103	1962	4	REC	484								C-102			Shows C-102 Omission		0	0	3	V	HW-76223-5
BX-103	1962	4	STAT	538	538	538	0	0	0	#N/A	48	C-102	484 from 102-C-6 month report			0	0	1			
BX-103	1963	2	STAT	538	538	538	0	0	0	#N/A	48	TBP CW				0	0	1			
BX-103	1963	2	STAT	538	538	538	0	0	0	#N/A	48	TBP CW				0	0	1			
BX-103	1963	3	STAT	538	538	538	0	0	0	#N/A	48	TBP CW				0	0	1			
BX-103	1963	4	STAT	538	538	538	0	0	0	#N/A	48	TBP CW				0	0	1			
BX-103	1964	1	STAT	516	516	516	0	0	0	#N/A	26	CW				0	0	1			
BX-103	1964	4	STAT	516	516	516	0	0	0	#N/A	26	CW				0	0	1			
BX-103	1964	3	STAT	522	522	522	0	0	0	#N/A	32	CW				0	0	1			
BX-103	1964	2	STAT	522	522	522	0	0	0	#N/A	16	CW				0	0	1			
BX-103	1964	3	STAT	522	522	522	0	0	0	#N/A	32	CW				0	0	1			
BX-103	1964	4	STAT	522	522	522	0	0	0	#N/A	16	CW				0	0	1			
BX-103	1965	1	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1965	2	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1965	3	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1965	4	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1966	1	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1966	2	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1966	3	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1966	4	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1967	1	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1967	2	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1967	3	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1967	4	STAT	527	527	527	0	0	0	#N/A	37	CW				0	0	1			
BX-103	1967	1	REC	423						#N/A	90	C-102	557 TO 527 BAD STAT			0	0	1			
BX-103	1968	1	REC	423						#N/A	90	C-102				0	0	1			
BX-103	1968	1	SEND	641						#N/A	37	SU				0	0	3	V		
BX-103	1968	1	STAT	307	307	307	0	0	0	#N/A	2	CW				0	0	4	O		
BX-103	1968	2	REC	496						#N/A	803	C-102				0	0	4	O		
BX-103	1968	2	SEND	576						#N/A	803	C-102				0	0	4	O		
BX-103	1968	2	STAT	797	N/A	N/A	227	90	35	#N/A	35	CW	PHASING 209 TO N/A			0	0	4	O		
BX-103	1968	3	REC	797						#N/A	35	SU				0	0	4	O		
BX-103	1968	3	SEND	992						#N/A	35	SU				0	0	4	O		
BX-103	1968	3	STAT	289						#N/A	35	SU				0	0	4	O		
BX-103	1968	3	SEND	289						#N/A	35	SU				0	0	4	O		
BX-103	1968	4	REC	883						#N/A	35	SU				0	0	4	O		
BX-103	1968	4	SEND	883						#N/A	35	SU				0	0	4	O		
BX-103	1968	4	SEND	431						#N/A	35	SU				0	0	4	O		
BX-103	1968	4	SEND	481						#N/A	35	SU				0	0	4	O		
BX-103	1968	4	STAT	314	314	314	0	0	0	#N/A	74	CW,O,W	883 from 102-C, 481 to 103-TY, 431 to 106-BX			0	0	4	O		
BX-103	1969	1	STAT	378	378	378	0	0	0	#N/A	34	CW,O,W	478 from 102-C, 413 to 103-TY			0	0	4	O		
BX-103	1969	2	REC	1421						#N/A	34	C-102				0	0	4	O		
BX-103	1969	2	SEND	1556						#N/A	34	SU				0	0	4	O		
BX-103	1969	2	STAT	243	243	243	0	0	0	#N/A	76	CW,O,W	1421 from 102-C, 1556 to 103-B			0	0	4	O		
BX-103	1969	3	REC	738						#N/A	34	SU				0	0	4	O		
BX-103	1969	3	SEND	724						#N/A	34	SU				0	0	4	O		
BX-103	1969	3	SEND	-33						#N/A	34	SU				0	0	4	O		
BX-103	1969	3	STAT	224	224	224	0	0	0	#N/A	18	CW,O,W	738 from 102-C, 724 to 103-B			0	0	4	O		
BX-103	1969	4	REC	941						#N/A	34	SU				0	0	4	O		
BX-103	1969	4	STAT	1165						#N/A	34	SU				0	0	4	O		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Dgden comment	sol vol%	TLM solids	Cum solids	sol type	Ol	O/A	Document/Pg #
BX-103	1969	4	REC	1048	2213	304		#/A	34	SU	C-104	C-104					0	54,000		4	V	ARRH-1200D-5
BX-103	1969	4	SEND	-1909				#/A	34	SU		BX-102					0	54,000		4	O	ARRH-1200D-6
BX-103	1969	4	STAT		304		62	#/A	34	CW,OWW							0	54,000		1		
BX-103	1970	1	XIN	17	321			#/A	34	WTR	WTR						0	54,000		3	V	ARRH-1666A-6
BX-103	1970	1	REC	1182	1503			#/A	34	SU	C-104		Omiss. REC ER-311		Omission		0	54,000		4	O	ARRH-1666A-5
BX-103	1970	1	SEND	-1394	109			#/A	34	SU		BX-102					0	54,000		4	O	ARRH-1666A-6
BX-103	1970	1	STAT		110		37	1	35	CW,OWW							0	54,000		1		
BX-103	1970	2	REC	281	391			#/A	35	SU	B-101	B-101					0	54,000		4	O	ARRH-1666B-5
BX-103	1970	2	REC	403	794			#/A	35	SU	BX-101	BX-101					0	54,000		4	O	ARRH-1666B-6
BX-103	1970	2	REC	1007	1801			#/A	35	SU	C-104	C-104					0	54,000		4	O	ARRH-1666B-5
BX-103	1970	2	SEND	-413	1388			#/A	35	SU		BX-102				0.00338924	3,4136	57,414	CWP	4	O	ARRH-1666B-6
BX-103	1970	2	SEND	-749	639			#/A	35	SU		BY-109					0	57,414		4	O	ARRH-1666B-6
BX-103	1970	2	SEND	-213	426			#/A	35	SU		BY-102					0	57,414		4	O	ARRH-1666B-6
BX-103	1970	2	STAT		426		51	-1	34	CW,PSS,BL			REC total 1691				0	57,414		1		
BX-103	1970	3	REC	1877	2302			#/A	34	SU	BX-101	BX-101					0	57,414		4	O	ARRH-1666C-6
BX-103	1970	3	REC	104	2406			#/A	34	SU	C-104	C-104					0	57,414		4	O	ARRH-1666C-5
BX-103	1970	3	SEND	-1413	993			#/A	34	SU		BY-109					0	57,414		4	O	ARRH-1666C-6
BX-103	1970	3	SEND	-603	390			#/A	34	SU		BY-102					0	57,414		4	O	ARRH-1666C-6
BX-103	1970	3	STAT		399		48	-1	33	OWW,CW							0	57,414		1		
BX-103	1970	4	REC	2495	2884			#/A	33	SU	BX-101	BX-101					0	57,414		4	O	ARRH-1666D-6
BX-103	1970	4	SEND	-1561	1323			#/A	33	SU		BY-109					0	57,414		4	O	ARRH-1666D-5
BX-103	1970	4	SEND	-780	543			#/A	33	SU		BY-102					0	57,414		4	O	ARRH-1666D-6
BX-103	1970	4	STAT		542		51	-1	32	CW,OWW,RIX							0	57,414		1		
BX-103	1971	1	REC	1850	2372			#/A	32	SU	BX-101	BX-101					0	57,414		4	O	ARRH-2074A-6
BX-103	1971	1	SEND	-785	1587			#/A	32	SU		BY-109					0	57,414		4	O	ARRH-2074A-5
BX-103	1971	1	SEND	-1147	440			#/A	32	SU		BY-102					0	57,414		4	O	ARRH-2074A-6
BX-103	1971	1	STAT		442		51	2	34	EB,SIX							0	57,414		1		
BX-103	1971	2	REC	1198	1638			#/A	34	SU	BX-101	BX-101					0	57,414		4	O	ARRH-2074B-6
BX-103	1971	2	SEND	-198	1440			#/A	34	SU		BY-109					0	57,414		4	O	ARRH-2074B-5
BX-103	1971	2	SEND	-899	541			#/A	34	SU		BY-102					0	57,414		4	O	ARRH-2074B-6
BX-103	1971	2	STAT		541		51	#/A	34	BL,CW,OWW,RIX							0	57,414		1		
BX-103	1971	3	REC	896	1437			#/A	34	SU	C-104	C-104					0	57,414		4	O	ARRH-2074D-5
BX-103	1971	3	SEND	-70	1367			#/A	34	SU		BY-102					0	57,414		4	O	ARRH-2074D-6
BX-103	1971	3	SEND	-505	862			#/A	34	SU		BY-109					0	57,414		4	O	ARRH-2074C-6
BX-103	1971	3	SEND	-425	437			#/A	34	SU		SX-103					0	57,414		4	O	ARRH-2074C-5
BX-103	1971	3	STAT		437		51	#/A	34	CW,OWW							0	57,414		1		
BX-103	1971	4	REC	1230	1667			#/A	34	SU	C-104	C-104					0	57,414		4	O	ARRH-2074D-5
BX-103	1971	4	SEND	-1260	407			#/A	34	SU		BY-109					0	57,414		4	O	ARRH-2074D-6
BX-103	1971	4	STAT		406		54	-1	33	CW,OWW							0	57,414		1		
BX-103	1972	1	REC	1262	1668			#/A	33	SU	C-104	C-104					0	57,414		4	O	ARRH-2456A-4
BX-103	1972	1	SEND	-1088	579			#/A	33	SU		BY-109					0	57,414		4	O	ARRH-2456A-5
BX-103	1972	1	SEND	-160	419			#/A	33	SU		C-110					0	57,414		4	O	ARRH-2456A-4
BX-103	1972	1	STAT		420		54	1	34	CW,OWW							0	57,414		1		
BX-103	1972	2	REC	443	863			#/A	34	SU	BX-101	BX-101					0	57,414		4	O	ARRH-2456B-5

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk hfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #	
BX-103	1972	2	REC	315		1178		#N/A	34	SU	BX-105	BX-105				0	0	57,414		4	O	ARH-2456B-5	
BX-103	1972	2	REC	135		1313		#N/A	34		BX-106	BX-106				0	0	57,414		2	V	ARH-2456B-5	
BX-103	1972	2	REC	595		1908		#N/A	34	SU	C-104	C-104				0.00338983	2,0169	59,431	CWP2	4	O	ARH-2456B-4	
BX-103	1972	2	SEND	-1365		543		#N/A	34	SU		BY-109				0	0	59,431		4	O	ARH-2456B-5	
BX-103	1972	2	STAT		542	542	54	-1	33	P, SIX, BL, CW, OWW, RIX				443 from 101-BX, 315 from 105-BX, from 106B, 595 from 104-C, 1365 to 109-BY			0	0	59,431		1		
BX-103	1972	3	REC	104		646		#N/A	33	SU	BX-106	BX-106				0	0	59,431		4	O	ARH-2456C-4	
BX-103	1972	3	REC	758		1404		#N/A	33	SU	C-104	C-104				0.00338983	2,5695	62,000	CWP2	4	O	ARH-2456C-4	
BX-103	1972	3	SEND	-1042		362		#N/A	33	SU		BY-109				0	0	62,000		4	O	ARH-2456C-5	
BX-103	1972	3	STAT		362	362	11	#N/A	33	BL, CW, OWW, RIX				104 from 106-BX, 758 from 104-C, 1042 to 109-BY			0	0	62,000		1		
BX-103	1972	4	XIN	6		368		#N/A	33	WTR		WTR	Omis.			0	0	62,000		2	V	ARH-2456D-5	
BX-103	1972	4	REC	132		500		#N/A	33	SU	BX-106	BX-106				0	0	62,000		4	O	ARH-2456D-5	
BX-103	1972	4	REC	918		1418		#N/A	33	SU	C-104	C-104				0	0	62,000		4	O	ARH-2456D-4	
BX-103	1972	4	SEND	-986		432		#N/A	33			BY-109	LC BX-104 to BX-103			0	0	62,000		3	MV	ARH-2456D-5	
BX-103	1972	4	STAT		N/A	432	11	#N/A	33	CW, OWW			PHASING 399 TO N/A	132 from 106-BX, 918 from 104-C			0	0	62,000		1		
BX-103	1973	1	REC	130		562		#N/A	33	SU	BX-105	BX-105				0	0	62,000		4	O	ARH-2794A-5	
BX-103	1973	1	REC	133		695		#N/A	33	SU	BX-106	BX-106				0	0	62,000		4	O	ARH-2794A-5	
BX-103	1973	1	REC	611		1306		#N/A	33	SU	C-104	C-104				0	0	62,000		4	O	ARH-2794A-4	
BX-103	1973	1	SEND	-980		326		#N/A	33	SU		BY-109				0	0	62,000		4	O	ARH-2794A-5	
BX-103	1973	1	STAT		322	322	34	-4	29	IX, DW, BNW, PL, N				611 from 104-C, 130 from 105-BX, 133 from 106-BX, 980 to 109-BY			0	0	62,000		1		
BX-103	1973	2	REC	384		706		#N/A	29	SU	BX-105	BX-105				0	0	62,000		4	O	ARH-2794D-5	
BX-103	1973	2	REC	566		1272		#N/A	29	SU	C-104	C-104				0	0	62,000		4	O	ARH-2794B-4	
BX-103	1973	2	SEND	-785		487		#N/A	29	SU		BY-109				0	0	62,000		4	O	ARH-2794B-5	
BX-103	1973	2	STAT		487	487	34	#N/A	29	IX, PL, BNW, N, LW, CW				566 from 104-C, 384 from 105-BX, 785 to 109-BY *Leak detection dry wells drilled: 21-03-03, 21-03-05, 21-03-12			0	0	62,000		1		
BX-103	1973	3	STAT		488	488	34	1	30	IX, PL, BNW, N, LW, CW						0	0	62,000		1			
BX-103	1973	4	XIN	11		499		#N/A	30	WTR		WTR	Omis. REC BXR-002, AND reports -71 pos typo			0	0	62,000		2	V	ARH-2794B-5	
BX-103	1973	4	STAT		503	503	46	4	34	PL, BNW, N, LW, EB				71 from 002-BXR			0	0	62,000		1		
BX-103	1974	1	STAT		503	503	46	#N/A	34	IX, PL, BNW, N, LW, CW						0	0	62,000		1			
BX-103	1974	2	STAT		504	504	46	1	35	IX, PL, BNW, N, LW, CW						0	0	62,000		1			
BX-103	1974	3	STAT		504	504	46	#N/A	35	IX, PL, BNW, N, LW, EB						0	0	62,000		1			
BX-103	1974	4	REC	89		593		#N/A	35	SU	B-101	B-101				0	0	62,000		4	O	ARH-CD-133D-4	
BX-103	1974	4	SEND	-393		200		#N/A	35	SU		S-107	OC 92 to 393, AND reports 92			0	0	62,000		3	V	ARH-CD-133D-5	
BX-103	1974	4	STAT		205	205	65	5	40	BL, IX, PL, BNW, N, LW, CW				92 to 107-S			0	0	62,000		1		
BX-103	1975	1	REC	201		406		#N/A	40		B-101	B-101				0	0	62,000		3	V	ARH-CD-336A-5	
BX-103	1975	1	SEND	-114		292		#N/A	40	SU		SX-106				0	0	62,000		4	O	ARH-CD-336A-5	
BX-103	1975	1	STAT		293	293	54	1	41	BL, IX, PL, BNW, N, LW, CW				201 from 101-B, 114 to 106-SX			0	0	62,000		1		
BX-103	1975	2	REC	647		940		#N/A	41	SU	BX-104	BX-104				0	0	62,000		4	O	ARH-CD-336B-5	
BX-103	1975	2	SEND	-703		237		#N/A	41	SU		SX-106				0	0	62,000		4	O	ARH-CD-336B-5	
BX-103	1975	2	STAT		238	238	54	1	42	IX				647 from 104-BX, 703 to 106-SX			0	0	62,000		1		
BX-103	1975	3	REC	878		1116		#N/A	42	SU	BX-104	BX-104				0	0	62,000		4	O	ARH-CD-336C-5	
BX-103	1975	3	SEND	-618		498		#N/A	42	SU		SX-106				0	0	62,000		4	O	ARH-CD-336C-5	
BX-103	1975	3	STAT		499	499	54	1	43	IX				878 from 104-BX, 618 to 106-SX			0	0	62,000		1		
BX-103	1975	4	REC	275		774		#N/A	43		BX-104	BX-104				0	0	62,000		3	MV	ARH-CD-336D-5	
BX-103	1975	4	SEND	-603		171		#N/A	43	SU		SX-110				0	0	62,000		4	O	ARH-CD-336D-5	



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oden comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
BX-103	1975	4	STAT		169	169	54	-2	41	IX				275 from 104-BX, 603 to 110-SX		0	0	62,000		1		
BX-103	1976	1	REC	358		527		#N/A	41	SU	BX-104	BX-104				0	0	62,000		4	O	ARH-CD-702A-5
BX-103	1976	1	SEND	-322		205		#N/A	41	SU		SX-110				0	0	62,000		4	O	ARH-702A-5
BX-103	1976	1	STAT		208	208	54	3	44	IX				358 from 104-BX, 322 to 110-SX		0	0	62,000		1		
BX-103	1976	2	REC	253		461		#N/A	44	SU	BX-104	BX-104				0	0	62,000		4	O	ARH-CD-702B-5
BX-103	1976	2	SEND	-305		156		#N/A	44	SU		SX-110				0	0	62,000		4	O	ARH-CD-702B-5
BX-103	1976	2	STAT		158	158	54	2	46	IX				253 from 104-BX, 305 to 110-SX		0	0	62,000		1		
BX-103	1976	3	STAT		158	158	54	#N/A	46	EVAP				Low heat * Leak detection dry wells drilled: 21-03-07, 21-03-11		0	0	62,000		1		
BX-103	1976	4	rec	20		178		#N/A	46		A-102	A-102				0	0	62,000		0		
BX-103	1976	4	STAT		178	178	54	#N/A	46	EVAP				Low heat		0	0	62,000		1		
BX-103	1977	1	rec	11		189		#N/A	46		A-102	A-102				0	0	62,000		0		
BX-103	1977	1	STAT		189	189	76	#N/A	46	EVAP				Low heat		0	0	62,000		1		
BX-103	1977	2	send	-113		76		#N/A	46			A-102				0	0	62,000		0		
BX-103	1977	2	STAT		76	76	76	#N/A	46					Inactive-Salt well, pump salt well installed		0	0	62,000		1		
BX-103	1977	3	STAT		76	76	76	#N/A	46					Inactive-Salt well, pump salt well installed		0	0	62,000		1		
BX-103	1977	4	STAT		76	76	76	#N/A	46					Inactive-Sa11 well, pump salt well installed		0	0	62,000		1		
BX-103	1978	1	STAT		76	76	76	#N/A	46					Inactive - Salt well Installed		0	0	62,000		1		
BX-103	1978	2	STAT		76	76	76	#N/A	46							0	0	62,000		1		
BX-103	1978	3	STAT		76	76	76	#N/A	46							0	0	62,000		1		
BX-103	1978	4	STAT		76	76	76	#N/A	46							0	0	62,000		1		
BX-103	1979	1	STAT		76	76	76	#N/A	46					New Photo 3/8/79		0	0	62,000		1		
BX-103	1979	2	STAT		76	76	76	#N/A	46					New Photo 6/22/79		0	0	62,000		1		
BX-103	1979	3	STAT		76	76	76	#N/A	46							0	0	62,000		1		
BX-103	1979	4	STAT		76	76	76	#N/A	46							0	0	62,000		1		
BX-103	1980	1	STAT		76	76	76	#N/A	46					New Photo 2/7/80		0	0	62,000		1		
BX-103	1980	2	STAT		76	76	76	#N/A	46							0	0	62,000		1		
BX-103	1980	3	STAT		76	76	76	#N/A	46							0	0	62,000		1		
BX-103	1980	4	STAT		76	76	76	#N/A	46	EVAP						0	0	62,000		1		
BX-103	1983	4	send	-10		66		#N/A	46	swliq		AN-103				0	0	62,000		0		
BX-103	1993	2	STAT		66	66	62	#N/A	46	NCPLX						0	0	62,000		1		
BX-103	1993	4	STAT		66	66	62	#N/A	46							0	0	62,000		1		
BX-103	1994	1	STAT		66	66	62	#N/A	46							0	0	62,000		1		
BX-103	2000															0	0	62,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Organ comment	sol type	Cum scores	TLM scores	sol vol%	
BX-104	1900																			
BX-104	1949	1	CSEND	0	0	0	0	#N/A	0	0 SET	BX-105					0	0.000			1
BX-104	1949	1	XIN	199	199	199	199	#N/A	0	0 MW						2,969	2,970	0.01442139		1
BX-104	1949	1	XIN	90	289	289	289	#N/A	0	0 MW						1,297	4,168	0.01442139		1
BX-104	1949	1	XIN	229	518	518	518	#N/A	0	0 MW						3,305	7,470	0.01442139		1
BX-104	1949	1	STAT					#N/A	0	0 MW						0	7,470			1
BX-104	1949	2	XIN	139	657	657	657	#N/A	0	0 MW						2,006	9,475	0.01442139		1
BX-104	1949	2	XIN	132	789	789	789	#N/A	0	0 MW						1,906	11,378	0.01442139		1
BX-104	1949	2	XIN	106	895	895	895	#N/A	0	0 MW						1,527	12,907	0.01442139		1
BX-104	1949	2	send	-132	763	763	763	#N/A	0	0 cas						0	12,907			0
BX-104	1949	2	send	-127	636	636	636	#N/A	0	0 cas						0	12,907			0
BX-104	1949	2	send	-106	530	530	530	#N/A	0	0 cas						0	12,907			0
BX-104	1949	2	STAT					#N/A	0	0 MW						0	12,907			0
BX-104	1949	3	XIN	83	613	613	613	#N/A	0	0 MW						0	12,907			0
BX-104	1949	3	XIN	52	665	665	665	#N/A	0	0 MW						0	12,907			0
BX-104	1949	3	XIN	108	773	773	773	#N/A	0	0 MW						1,197	14,104	0.01442139		1
BX-104	1949	3	send	-108	665	665	665	#N/A	0	0 cas						0.7499	14,854	0.01442139		1
BX-104	1949	3	send	-83	582	582	582	#N/A	0	0 cas						1.5575	16,412	0.01442139		1
BX-104	1949	3	send	-52	530	530	530	#N/A	0	0 cas						0	16,412			0
BX-104	1949	3	STAT					#N/A	0	0 MW						0	16,412			0
BX-104	1949	4	XIN	137	667	667	667	#N/A	0	0 MW						0	16,412			0
BX-104	1949	4	XIN	116	783	783	783	#N/A	0	0 MW						0	16,412			0
BX-104	1949	4	XIN	145	928	928	928	#N/A	0	0 MW						1,9757	18,387	0.01442139		1
BX-104	1949	4	send	-145	783	783	783	#N/A	0	0 cas						1,6729	20,060	0.01442139		1
BX-104	1949	4	send	-137	646	646	646	#N/A	0	0 cas						2,0911	22,151	0.01442139		1
BX-104	1949	4	send	-116	530	530	530	#N/A	0	0 cas						0	22,151			0
BX-104	1949	4	STAT					#N/A	0	0 MW						0	22,151			0
BX-104	1950	1	MW	11	541	541	541	#N/A	0	0 MW						0	22,151			0
BX-104	1950	1	send	-11	530	530	530	#N/A	0	0 cas						0.1588	22,310	0.01442139		1
BX-104	1950	1	STAT					#N/A	0	0 MW						0	22,310			0
BX-104	1950	2	STAT					#N/A	0	0 MW						0	22,310			0
BX-104	1950	3	STAT					#N/A	0	0 MW						0	22,310			0
BX-104	1950	4	STAT					#N/A	0	0 MW						0	22,310			0
BX-104	1951	1	XIN	150	690	690	690	#N/A	0	0 MW						0	22,310			0
BX-104	1951	1	send	-150	530	530	530	#N/A	0	0 cas						0	22,310			0
BX-104	1951	1	STAT					#N/A	0	0 MW						0	22,310			0
BX-104	1951	2	XIN	309	530	530	530	#N/A	0	0 MW						0	24,473			0
BX-104	1951	2	XIN	242	1081	1081	1081	#N/A	0	0 MW						0	24,473			0
BX-104	1951	2	XIN	111	1192	1192	1192	#N/A	0	0 MW						0	24,473			0
BX-104	1951	2	send	-309	883	883	883	#N/A	0	0 cas						4,4582	28,929	0.01442139		1
BX-104	1951	2	send	-242	641	641	641	#N/A	0	0 cas						3,49	32,419	0.01442139		1
BX-104	1951	2	send	-111	530	530	530	#N/A	0	0 cas						1,5008	34,020	0.01442139		1
BX-104	1951	2	STAT					#N/A	0	0 MW						0	34,020			0
BX-104	1951	2	STAT					#N/A	0	0 MW						0	34,020			0
BX-104	1951	3	XIN	115	530	530	530	#N/A	0	0 MW						0	34,020			0
BX-104	1951	3	XIN	164	645	645	645	#N/A	0	0 MW						0	34,020			0
BX-104	1951	3	XIN	184	809	809	809	#N/A	0	0 MW						0	34,020			0
BX-104	1951	3	send	-184	645	645	645	#N/A	0	0 cas						1,6535	40,697	0.01442139		1
BX-104	1951	3	send	-115	530	530	530	#N/A	0	0 cas						0	40,697			0
BX-104	1951	3	STAT					#N/A	0	0 MW						0	40,697			0
BX-104	1951	4	XIN	21	551	551	551	#N/A	0	0 MW						0	40,697			0
BX-104	1951	4	send	-21	530	530	530	#N/A	0	0 cas						0	40,697			0
BX-104	1951	4	STAT					#N/A	0	0 MW						0	40,697			0
BX-104	1952	1	STAT					#N/A	0	0 MW						0	40,697			0
BX-104	1952	2	STAT					#N/A	0	0 MW						0	40,697			0
BX-104	1952	3	STAT					#N/A	0	0 MW						0	40,697			0



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk dfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Orden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BX-104	1952	4	STAT	530	530	530	0	#N/A	0	MW						0	0	41,000	1			
BX-104	1953	1	STAT	530	530	530	0	#N/A	0	MW						0	0	41,000	1			
BX-104	1953	2	STAT	530	530	530	0	#N/A	0	MW						0	0	41,000	1			
BX-104	1953	3	STAT	530	530	530	0	#N/A	0	MW						0	0	41,000	1			
BX-104	1953	4	STAT	530	530	530	0	#N/A	0	MW						0	0	41,000	1			
BX-104	1954	1	STAT	530	530	530	0	#N/A	0	MW						0	0	41,000	1			
BX-104	1954	2	Mn	430	430	960	0	#N/A	0	SL		WTR				0.000	0	41,000	1			
BX-104	1954	2	SEND	-530	-530	430	0	#N/A	0	SL		BX-106		Supernatant supply to 244-BXR			0	41,000	1			
BX-104	1954	2	STAT	430	430	430	0	#N/A	0	MW						0	0	41,000	1			
BX-104	1954	3	OUX	-350	-350	80	0	#N/A	0			UR		Active sludging TK			0	41,000	0			
BX-104	1954	3	STAT	80	80	80	80	#N/A	0	MW						0	0	41,000	1			
BX-104	1954	4	Mn	65	65	145	0	#N/A	0			WTR				0	0	41,000	0			
BX-104	1954	4	STAT	145	145	145	7	#N/A	0	MW				Active sludging TK, slurry storage while sludging 105-BX with 221-U inoperative			0	41,000	1			
BX-104	1955	1	STAT	20	20	20	1	#N/A	0	MW		UR				0	0	41,000	0			
BX-104	1955	2	STAT	0	0	0	0	#N/A	-20							0	0	41,000	1			
BX-104	1955	3	STAT	0	0	0	0	#N/A	-20							0	0	41,000	1			
BX-104	1955	4	STAT	0	0	0	0	#N/A	-20							0	0	41,000	1			
BX-104	1956	1	STAT	0	0	0	0	#N/A	-20							0	0	41,000	1			
BX-104	1956	2	REC	498	498	498	0	#N/A	-20	SU		BY-110				0	0	41,000	1			N-54-33
BX-104	1956	2	STAT	530	530	530	0	32	12				Rec'd from 100-BY, filled from 100-BY			0	0	41,000	1			
BX-104	1956	3	STAT	530	530	530	0	#N/A	12	TBP			filled from 100-BY			0	0	41,000	1			
BX-104	1956	4	STAT	530	530	530	0	#N/A	12	TBP						0	0	41,000	1			
BX-104	1957	1	OUTX	-444	-444	86	0	#N/A	12	SU		B-028		Shows 535 Ditch BC-13		0	0	41,000	3	V		N-54-112
BX-104	1957	1	STAT	51	51	51	0	-35	-23	TBP			532 sent to 93-BC ditch, latest electrode reading			0	0	41,000	1			
BX-104	1957	2	STAT	51	51	51	0	#N/A	-23	TBP						0	0	41,000	1			
BX-104	1957	3	STAT	54	54	54	0	3	-20				Latest electrode reading			0	0	41,000	1			
BX-104	1957	4	STAT	54	54	54	0	#N/A	-20							0	0	41,000	1			
BX-104	1958	1	STAT	54	54	54	0	#N/A	-20							0	0	41,000	1			
BX-104	1958	2	STAT	54	54	54	0	#N/A	-20							0	0	41,000	1			
BX-104	1958	3	STAT	54	54	54	0	#N/A	-20							0	0	41,000	1			
BX-104	1958	4	STAT	54	54	54	0	#N/A	-20							0	0	41,000	1			
BX-104	1959	1	STAT	54	54	54	0	#N/A	-20							0	0	41,000	1			
BX-104	1959	2	STAT	54	54	54	0	#N/A	-20							0	0	41,000	1			
BX-104	1959	3	STAT	54	54	54	0	#N/A	-20							0	0	41,000	1			
BX-104	1959	4	Mn	3	3	3	0	#N/A	-20	TBP						0	0	41,000	1			
BX-104	1959	4	STAT	76	76	76	0	19	-1			CORR				0	0	41,000	0			
BX-104	1960	1	STAT	57	57	57	0	-19	-20							0	0	41,000	1			
BX-104	1960	2	STAT	57	57	57	0	#N/A	-20							0	0	41,000	1			
BX-104	1960	3	STAT	57	57	57	0	#N/A	-20							0	0	41,000	1			
BX-104	1960	4	STAT	57	57	57	0	#N/A	-20	TBP						0	0	41,000	1			
BX-104	1961	1	STAT	N/A	N/A	57	0	#N/A	-20							0	0	41,000	1			
BX-104	1961	2	STAT	59	59	59	0	2	-18	TBP						0	0	41,000	1			
BX-104	1961	3	STAT	N/A	N/A	59	0	#N/A	-18							0	0	41,000	1			
BX-104	1961	4	Mn	5	5	64	0	#N/A	-18	ADJ						0	0	41,000	1			
BX-104	1961	4	STAT	62	62	62	0	-2	-20	TBP						0	0	41,000	1			
BX-104	1962	1	STAT	N/A	N/A	62	0	#N/A	-20							0	0	41,000	1			
BX-104	1962	2	STAT	62	62	62	0	#N/A	-20	TBP						0	0	41,000	1			
BX-104	1962	3	STAT	N/A	N/A	62	0	#N/A	-20							0	0	41,000	1			
BX-104	1962	4	REC	468	468	530	0	#N/A	-20	SU						0	0	41,000	3	V		HW-76223-5

Tank n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Soiles vol	Unit	Cum	Waste	Trans	DWXT	LANL comment	Anderson comment	Organ comment	est vol%	TLM	Cum	sol	QA	Document/Pg #
BX-104	1962	4	REC	0	530	530	0	#N/A	-20	SU	C-102	C-102	inc in 468 Xfer	468 from 102-C		0	0	41,000	3	O	HW-76223-5
BX-104	1962	4	STAT		530	530	0	#N/A	-20	TBP	CW					0	0	41,000	1		
BX-104	1963	1	STAT		N/A	530	0	#N/A	-20							0	0	41,000	1		
BX-104	1963	2	XIN	27		557	112	#N/A	-20	ADJ	CORR	WTR		Latest Electrode Reading		0	0	41,000	0		
BX-104	1963	3	STAT		N/A	557	112	#N/A	-20	CW						0	0	41,000	1		
BX-104	1963	4	STAT		N/A	557	112	#N/A	-20	CW						0	0	41,000	1		
BX-104	1964	1	STAT		N/A	557	112	#N/A	-20	CW						0	0	41,000	1		
BX-104	1964	2	XIN	12		569	112	#N/A	-20	CWP	C-108	CWP2	OC insert C-109	12 CW from 108-C	Rec C-108	0	0	41,000	3	V	HW-83308-5
BX-104	1964	2	STAT		569	569	112	#N/A	-20	CW						0	0	41,000	1		
BX-104	1964	3	STAT		N/A	569	112	#N/A	-20	CW						0	0	41,000	1		
BX-104	1964	4	STAT		N/A	569	112	#N/A	-20	CW						0	0	41,000	1		
BX-104	1965	1	STAT		N/A	569	112	#N/A	-20	CW						0	0	41,000	1		
BX-104	1965	2	STAT		571	571	87	#N/A	-18							0	0	41,000	1		
BX-104	1965	3	STAT		571	571	87	#N/A	-18							0	0	41,000	1		
BX-104	1965	4	STAT		571	571	87	#N/A	-18							0	0	41,000	1		
BX-104	1966	1	STAT		571	571	87	#N/A	-18							0	0	41,000	1		
BX-104	1966	2	STAT		571	571	87	#N/A	-18							0	0	41,000	1		
BX-104	1966	3	STAT		571	571	87	#N/A	-18							0	0	41,000	1		
BX-104	1966	4	STAT		571	571	87	#N/A	-18							0	0	41,000	1		
BX-104	1967	1	STAT		571	571	87	#N/A	-18							0	0	41,000	1		
BX-104	1967	2	STAT		571	571	87	#N/A	-18							0	0	41,000	1		
BX-104	1967	3	STAT		571	571	87	#N/A	-18							0	0	41,000	1		
BX-104	1967	4	XIN	99		660	660	#N/A	-18	CSR		CSR	OC 72 to 89	Shows 89 not 72	0	0	41,000	1			
BX-104	1967	4	SEND	-477		183	183	#N/A	-18	SU		BY-103			0	0	41,000	4	O	ARH-326-6 ARH-326-6	
BX-104	1967	4	STAT		183	183	87	#N/A	-18	CW	IX,CEB		477 to 103-BY, Received 89 IX and cell 23 bottom		0	0	41,000	1			
BX-104	1968	1	XIN	112		295	295	#N/A	-18	CSR		CSR			0	0	41,000	4	O	ARH-534-6	
BX-104	1968	1	XIN	359		654	654	#N/A	-18	CSR		CSR			0	0	41,000	4	O	ARH-534-6	
BX-104	1968	1	rec	254		908	908	#N/A	-18	SU		CELL 2: BY-112 REC	Omission		0	0	41,000	2	V	ARH-534-6	
BX-104	1968	1	SEND	-418		490	490	#N/A	-18	SU		BY-106			0	0	41,000	4	O	ARH-534-6	
BX-104	1968	1	STAT		481	481	87	#N/A	-17	EB	IX		Received 112 IX & 254 Cell 23 418 to 106-BX, received 359 IX		0	0	41,000	1			
BX-104	1968	2	XIN	126		617	617	#N/A	-17	CSR		CSR			0	0	41,000	4	O	ARH-721-6	
BX-104	1968	2	SEND	-317		300	300	#N/A	-17	SU		BY-104			0	0	41,000	4	O	ARH-721-6	
BX-104	1968	2	STAT		280	280	87	#N/A	-10	IX			317 to 104 BY 126 IX received		0	0	41,000	1			
BX-104	1968	3	XIN	274		554	554	#N/A	-27	CSR		CSR			0	0	41,000	4	O	ARH-871-6	
BX-104	1968	3	SEND	-184		369	369	#N/A	-27	SU		BY-104			0	0	41,000	4	O	ARH-721-6	
BX-104	1968	3	STAT		389	389	87	#N/A	-8	IX			274 IX received, 184 to 104 BY		0	0	41,000	1			
BX-104	1968	4	XIN	519		918	918	#N/A	-8	CSR		CSR			0	0	41,000	4	O	ARH-1061-6	
BX-104	1968	4	SEND	-437		481	481	#N/A	-8	SU		BY-105			0	0	41,000	4	O	ARH-1061-6	
BX-104	1969	1	XIN	261		742	742	#N/A	-8	IX		CSR	519 from 221-B (18-1), 437 to 106 BX		0	0	41,000	1			
BX-104	1969	1	SEND	-516		226	226	#N/A	-8	SU		BY-106			0	0	41,000	4	O	ARH-1200A-6	
BX-104	1969	1	STAT		227	227	90	#N/A	-7	IX			261 from 221-B (18-1), 516 to 106 BX		0	0	41,000	1			
BX-104	1969	2	XIN	769		996	996	#N/A	-7	CSR		CSR			0	0	41,000	4	O	ARH-1200B-6	
BX-104	1969	2	SEND	-452		544	544	#N/A	-7	SU		BY-108			0	0	41,000	4	O	ARH-2794B-6	
BX-104	1969	2	SEND	-283		261	261	#N/A	-7	SU		BY-111			0	0	41,000	4	O	ARH-1200B-6	
BX-104	1969	2	STAT		260	260	88	#N/A	-8	IX		CSR	769 from 221-B (18-1), 452 to 108 BX, 283 to 111 BX		0	0	41,000	1			
BX-104	1969	3	XIN	611		871	871	#N/A	-8	CSR		BY-107			0	0	41,000	4	O	ARH-1200C-6	
BX-104	1969	3	SEND	-165		706	706	#N/A	-8	SU					0	0	41,000	4	O	ARH-1200C-6	

Tant. n	Year	Ctr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Orgden comment	sol vol%	TLM solids	Cum solids	sol type	QI	GA	Document/Prj #
BX-04	1969	3	SEND	-33		673		#NA	-8	-8 SU		BY-102					0	0	41,000	0	4 O	ARH-1200C-6
BX-04	1969	3	SEND	-149		524		#NA	-8	-8 SU		BX-111		611 from B Plant (18-1), 165 to 107 BX, 149 to 111 BX			0	41,000	0	4 O	ARH-1200C-6	
BX-04	1969	3	STAT		524	524	57	#NA	-8	-8 IX							0	41,000	0	1		
BX-04	1969	4	STAT		519	519	65	-5	-13	-13 IX							0	41,000	0	1		
BX-04	1970	1	STAT		520	520	65	1	-12	-12 IX							0	41,000	0	1		
BX-04	1970	2	REC	479		999		#NA	-12	-12 SU		BX-106					0	41,000	0	4 O	ARH-1666B-6	
BX-04	1970	2	REC	285		1284		#NA	-12	-12 SU		BX-110					0	41,000	0	4 O	ARH-1666B-6	
BX-04	1970	2	SEND	-1191		93		#NA	-12	-12 SU		C-110		764 from 106 & 110 BX, 1191 to 110-C			0	41,000	0	4 O	ARH-1666B-5	
BX-04	1970	2	STAT		96	96	65	3	-9	-9 IX			REC total 764				0	41,000	0	1		
BX-04	1970	3	REC	468		564		#NA	-9	-9 SU		BX-111					0	41,000	0	4 O	ARH-1666C-6	
BX-04	1970	3	SEND	-179		375		#NA	-9	-9 SU		B-102					0	41,000	0	4 O	ARH-1666C-5	
BX-04	1970	3	SEND	-245		130		#NA	-9	-9 SU		C-107					0	41,000	0	4 O	ARH-1666C-5	
BX-04	1970	3	SEND	-66		64		#NA	-9	-9 SU		C-110					0	41,000	0	4 O	ARH-1666C-5	
BX-04	1970	3	REC	0		64		#NA	-9	-9 SU		C-110					0	41,000	0	4 O	ARH-1666C-5	
BX-04	1970	3	SEND	0		64		#NA	-9	-9 SU		BY-112					0	41,000	0	1		
BX-04	1970	3	STAT		65	65	65	1	-8	-8 WTR				458 from 111 BX, 490 to B & C farm			0	41,000	0	1		
BX-04	1970	4	XIN	5		70		#NA	-8	-8 WTR		WTR			4th Qtr 1970		0	41,000	0	3 V	ARH-1666D-6	
BX-04	1970	4	STAT		70	70	65	#NA	-8	-8 EB			OC 71g1 to 70#4				0	41,000	0	1		
BX-04	1971	1	XIN	100		170		#NA	-8	-8 WTR		WTR		5 from fine leak check			0	41,000	0	2		
BX-04	1971	1	REC	376		546		#NA	-8	-8 SU		SX-103					0	41,000	0	4 O	ARH02074A-6	
BX-04	1971	1	OUTX	-23		523		#NA	-8	-8 SU		CSR			Show 23 not 25		0	41,000	0	2 V	ARH02074A-6	
BX-04	1971	2	OUTX	-1311		467		#NA	-8	-8 SU		CSR					0	41,000	0	4 O	ARH02074B-6	
BX-04	1971	2	STAT		523	523	68	#NA	-8	-8 H2O R				Received 100 water, 376 from 103-SX, 25 (5 water and 18 PSN) were transferred from 104-BX to B Plant IX			0	41,000	0	1		
BX-04	1971	2	REC	209		732		#NA	-8	-8 WTR		WTR					0	41,000	0	4 O	ARH02074B-6	
BX-04	1971	2	REC	829		1561		#NA	-8	-8 WTR		SX-102					0	41,000	0	3 V	ARH02074B-6	
BX-04	1971	2	REC	132		1693		#NA	-8	-8 SU		SX-103			Omission		0	41,000	0	4 O	ARH02074B-6	
BX-04	1971	2	REC	85		1778		#NA	-8	-8 SU		SX-103			Omission		0	41,000	0	3 V	ARH02074B-6	
BX-04	1971	2	OUTX	-1311		467		#NA	-8	-8 SU		CSR					0	41,000	0	4 O	ARH02074B-6	
BX-04	1971	2	STAT		466	466	68	-1	-9	-9 H2O R				85 from 101 BX, 829 from 102 SK, 132 from 103-SK, 209 dilution water, 1311 to B Plant (TK-17-2)			0	41,000	0	1		
BX-04	1971	3	XIN	274		740		#NA	-9	-9 WTR		WTR					0	41,000	0	4 O	ARH02074C-6	
BX-04	1971	3	REC	1014		1734		#NA	-9	-9 SU		SX-102					0	41,000	0	4 O	ARH02074C-6	
BX-04	1971	3	OUTX	-1278		476		#NA	-9	-9 SU		CSR					0	41,000	0	4 O	ARH02074C-6	
BX-04	1971	3	STAT		473	473	68	-3	-12	-12 H2O R				1014 from 102-SX, 274 dilution water, 1278 to B Plant (TK-17-2)			0	41,000	0	1		
BX-04	1971	4	XIN	244		717		#NA	-12	-12 WTR		WTR					0	41,000	0	4 O	ARH02074D-6	
BX-04	1971	4	REC	1005		1722		#NA	-12	-12 SU		SX-102					0	41,000	0	4 O	ARH02074D-6	
BX-04	1971	4	OUTX	-1239		483		#NA	-12	-12 SU		CSR					0	41,000	0	4 O	ARH02074D-6	
BX-04	1971	4	STAT		487	487	78	4	-8	-8 R				1005 from 102-SX, 244 dilution water, 1239 to B Plant (TK-17-2)			0	41,000	0	1		
BX-04	1972	1	XIN	136		623		#NA	-8	-8 WTR		WTR					0	41,000	0	4 O	ARH-2456A-5	
BX-04	1972	1	REC	670		1293		#NA	-8	-8 SU		SX-102					0	41,000	0	4 O	ARH-2456A-5	
BX-04	1972	1	OUTX	-850		443		#NA	-8	-8 SU		CSR					0	41,000	0	4 O	ARH-2456A-5	
BX-04	1972	1	STAT		443	443	41	#NA	-8	-8 H2O R				670 from 102-SX, 136 dilution water, 850 to B Plant (TK-17-2)			0	41,000	0	1		
BX-04	1972	2	XIN	38		481		#NA	-8	-8 WTR		WTR					0	41,000	0	4 O	ARH-2456B-5	

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	O/A	Document/Pg #
BX-104	1972	2	REC	203		684		#N/A	-8	SU	SX-102	SX-102				0	0	41,000		4	O	ARH-2456B-5
BX-104	1972	2	OUTX	-440		244		#N/A	-8	SU	CSR	CSR				0	0	41,000		4	O	ARH-2456B-5
BX-104	1972	2	STAT		246	246	41	2	-6	H2O,R						0	0	41,000		1		
BX-104	1972	3	STAT		246	246	41	#N/A	-6	R						0	0	41,000		1		
BX-104	1972	4	XIN	749		995		#N/A	-6	CSR		CSR				0	0	41,000		4	O	ARH-2456D-5
BX-104	1972	4	XIN	6		1001		#N/A	-6	WTR		WTR				0	0	41,000		4	O	ARH-2456D-5
BX-104	1972	4	REC	199		1200		#N/A	-6	SU	B-101	B-101				0	0	41,000		4	O	ARH-2456D-5
BX-104	1972	4	SEND	-141		1059		#N/A	-6			C-105			Omission	0	0	41,000		3	V	ARH-2456D-4
BX-104	1972	4	SEND	-316		743		#N/A	-6	SU		T-105				0	0	41,000		4	O	ARH-2456D-5
BX-104	1972	4	SEND	-582		161		#N/A	-6	SU		TX-101				0	0	41,000		4	O	ARH-2456D-5
BX-104	1972	4	REC	205		366		#N/A	-6	SU	BX-101	BX-101				0	0	41,000		4	O	ARH-2456D-5
BX-104	1972	4	STAT		364	364	41	-2	-8	BL,IX				749 from B Plant IX, 199 from 101-B2 205 from 101-BX, 6 flush H2O.		0	0	41,000		1		
BX-104	1973	1	XIN	961		1325		#N/A	-8	CSR		CSR				0	0	41,000		4	O	ARH-2794A-5
BX-104	1973	1	SEND	-63		1262		#N/A	-8	SU		T-105				0	0	41,000		4	O	ARH-2794A-6
BX-104	1973	1	SEND	-685		577		#N/A	-8	SU		T-107				0	0	41,000		4	O	ARH2794A-5
BX-104	1973	1	SEND	-558		19		#N/A	-8	SU		TX-101				0	0	41,000		4	O	ARH-2794A-5
BX-104	1973	1	REC	484		503		#N/A	-8	SU	B-101	B-101				0	0	41,000		4	O	ARH-2794A-4
BX-104	1973	1	STAT		512	512	62	9	1	BL,IX				961 from B Plant IX, 484 from 101-B to 105-T, 685 to 107-T, 558 to 101-TX.		0	0	41,000		1		
BX-104	1973	2	XIN	1272		1784		#N/A	1	CSR		CSR				0	0	41,000		4	O	ARH-2794B-5
BX-104	1973	2	SEND	-532		1252		#N/A	1	SU		BX-105				0	0	41,000		4	O	ARH-2794B-5
BX-104	1973	2	SEND	-184		1068		#N/A	1	SU		B-103				0	0	41,000		4	O	ARH-2794B-4
BX-104	1973	2	SEND	-573		495		#N/A	1	SU		T-107				0	0	41,000		4	O	ARH2794B-5
BX-104	1973	2	STAT		496	496	62	1	2	IX				1272 from B Plant IX, 184 to 103-B, 532 to 105-BX, 573 to 107-T. * Leak detection dry wells installed: 21-04-03, 21-04-06		0	0	41,000		1		
BX-104	1973	3	STAT		495	495	62	-1	1	IX						0	0	41,000		1		
BX-104	1973	4	STAT		501	501	62	6	7	IX						0	0	41,000		1		
BX-104	1974	1	XIN	10		511		#N/A	7	WTR		WTR	Omis. REC C-302 CT		Omission	0	0	41,000		3	V	ARH-CD-133A-5
BX-104	1974	1	SEND	-363		148		#N/A	7	SU		S-110				0	0	41,000		4	O	ARH-CD-133A-5
BX-104	1974	1	STAT		149	149	106	1	8	IX				10 from 302-C Catch Tank, 363 to 10-S		0	0	41,000		1		
BX-104	1974	2	XIN	14		163		#N/A	8	WTR		WTR	Omis. REC ER-311 CT		Omission	0	0	41,000		3	V	ARH-CD-133B-5
BX-104	1974	2	REC	115		278		#N/A	8	SU	BX-101	BX-101				0	0	41,000		4	O	ARH-CD-133B-5
BX-104	1974	2	STAT		277	277	106	-1	7	BL,IX				14 from 311-ER Catch Tank, 115 from 101-BX		0	0	41,000		1		
BX-104	1974	3	XIN	201		478		#N/A	7	CSR		CSR				0	0	41,000		2		
BX-104	1974	3	XIN	2		480		#N/A	7	WTR		WTR				0	0	41,000		2		
BX-104	1974	3	REC	1		481		#N/A	7	SU	BX-101	BX-101				0	0	41,000		2		
BX-104	1974	3	STAT		480	480	106	-1	6	BL,IX				201 from B Plant, 1 from 101-BX, 2 water		0	0	41,000		1		
BX-104	1974	4	SEND	-92		388		#N/A	6	SU		S-107				0	0	41,000		4	O	ARH-CD-133D-5
BX-104	1974	4	STAT		389	389	65	1	7	BL,IX				92 to 107-S		0	0	41,000		1		
BX-104	1975	1	XIN	204		593		#N/A	7	CSR		CSR				0	0	41,000		4	O	ARH-CD-336A-5
BX-104	1975	1	XIN	10		803		#N/A	7	WTR		WTR	Omis. REC BX-302A		Omission	0	0	41,000		3	V	ARH-CD-336A-5
BX-104	1975	1	XIN	78		681		#N/A	7	WTR		WTR	Omis. REC BXR-001		Omission	0	0	41,000		2	V	ARH-CD-336A-5
BX-104	1975	1	SEND	-278		403		#N/A	7	SU		S-107				0	0	41,000		4	O	ARH-CD-336A-5
BX-104	1975	1	STAT		403	403	65	#N/A	7	IX				204 from B Plant, 10 from BX-302-A, 78 from 001-BXR, 278 to 107-S		0	0	41,000		1		
BX-104	1975	2	XIN	605		1008		#N/A	7	CSR		CSR				0	0	41,000		4	O	ARH-CD-336B-5

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWFT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-104	1975	2	XIN	34		1042		#NA	7	WTR			Omis. REC BXR-001		Omission		0	0	41,000	3	V	ARH-CD-336B-5
BX-104	1975	2	XIN	7		1049		#NA	7	WTR			Omis. REC BXR-011		Omission		0	0	41,000	3	V	ARH-CD-336B-5
BX-104	1975	2	SEND	-647		402		#NA	7	SU							0	0	41,000	4	D	ARH-CD-336B-5
BX-104	1975	2	REC	1		403		#NA	7	SU	BX-101						0	0	41,000	4	D	ARH-CD-336B-5
BX-104	1975	2	STAT		414	414	65	11	18	IX				605 from B Plant, 34 from 001-BXR, 7 from 003-BXR, 13 from 011-BXR, 1 from 101-BX 647 to 103-BX			0	0	41,000	1		
BX-104	1975	3	XIN	674		1088		#NA	18	CSR							0	0	41,000	4	O	ARH-CD-336C-5
BX-104	1975	3	SEND	-878		210		#NA	18	SU							0	0	41,000	4	O	ARH-CD-336C-5
BX-104	1975	3	SEND	-1		209		#NA	18	SU	BX-101						0	0	41,000	3	O	ARH-CD-336C-5
BX-104	1975	3	REC	1		210		#NA	18	SU	BX-101						0	0	41,000	4	O	ARH-CD-336C-5
BX-104	1975	3	STAT		211	211	65	1	19	IX				674 from B Plant, 1 from 101-BX, 978 to 103-BX			0	0	41,000	1		
BX-104	1975	4	XIN	359		570		#NA	19	CSR			Omis.		Omission		0	0	41,000	2	V	ARH-CD-336D-5
BX-104	1975	4	XIN	2		572		#NA	19	WTR							0	0	41,000	2		
BX-104	1975	4	SEND	-275		297		#NA	19		BX-103						0	0	41,000	3	M/V	ARH-CD-336D-5
BX-104	1975	4	STAT		290	290	65	7	12	IX			AND comment belongs in BX 105				0	0	41,000	1		
BX-104	1976	1	XIN	410		700		#NA	12	CSR							0	0	41,000	1		
BX-104	1976	1	XIN	7		707		#NA	12	WTR							0	0	41,000	4	O	ARH-CD-702A-5
BX-104	1976	1	SEND	-368		349		#NA	12	SU	BX-103						0	0	41,000	3	V	ARH-CD-702A-5
BX-104	1976	1	REC	1		350		#NA	12	SU	BX-101						0	0	41,000	4	O	ARH-CD-702A-5
BX-104	1976	1	outx	-310		40		#NA	12		BVEVAP						0	0	41,000	0		
BX-104	1976	1	xin	310		350		#NA	12		BYSICK						0	0	41,000	0		
BX-104	1976	1	STAT		351	351	179	1	13	IX				410 from B Plant, 358 to 103-BX, 7 from 002-BXR			0	0	41,000	1		
BX-104	1976	2	XIN	154		505		#NA	13	CSR							0	0	41,000	4	O	ARH-CD-702B-5
BX-104	1976	2	SEND	-253		252		#NA	13	SU	BX-103						0	0	41,000	4	O	ARH-CD-702B-5
BX-104	1976	2	REC	1		253		#NA	13	SU	BX-101						0	0	41,000	4	O	ARH-CD-702B-5
BX-104	1976	2	STAT		252	252	65	-1	12	IX				154 from B Plant, 253 to 103-BX			0	0	41,000	1		
BX-104	1976	3	rec	47		299		#NA	12	IX	A-102						0	0	41,000	1		
BX-104	1976	3	STAT		299	299	65	#NA	12	EVAP							0	0	41,000	0		
BX-104	1976	4	send	-64		235		#NA	12		A-102			Lo Heat			0	0	41,000	1		
BX-104	1976	4	STAT		235	235	65	#NA	12	EVAP							0	0	41,000	0		
BX-104	1977	1	rec	212		447		#NA	12		A-102			Lo Heat			0	0	41,000	1		
BX-104	1977	1	STAT		447	447	65	#NA	12	EVAP				Customer Waste Receiver, Evap. Feed Trans.			0	0	41,000	1		
BX-104	1977	2	send	-74		373		#NA	12		A-102						0	0	41,000	0		
BX-104	1977	2	STAT		373	373	76	#NA	12	EVAP							0	0	41,000	1		
BX-104	1977	3	send	-132		241		#NA	12		A-102			Customer Waste Receiver, Evap. Feed Trans. **Leak detection dry wells installed 2nd quarter 1977: 21-04-01, 21-04-04, 21-04-08, 21-04-11			0	0	41,000	0		
BX-104	1977	3	STAT		241	241	79	#NA	12	EVAP							0	0	41,000	1		
BX-104	1977	4	send	-99		142		#NA	12		A-102			Customer Waste Receiver, Evap. Feed Trans.			0	0	41,000	0		
BX-104	1977	4	STAT		142	142	79	#NA	12	EVAP							0	0	41,000	1		
BX-104	1978	1	REC	204		346		#NA	12	SU	C-103			Customer Waste Receiver, Evap. Feed Trans.			0	0	41,000	1		
BX-104	1978	1	REC	64		410		#NA	12	SU	C-103						0	0	41,000	1		
BX-104	1978	1	REC	54		464		#NA	12	SU	C-103						0	0	41,000	1		
BX-104	1978	1	REC	50		514		#NA	12	SU	C-103						0	0	41,000	1		
BX-104	1978	1	REC	45		559		#NA	12	SU	C-103						0	0	41,000	1		
BX-104	1978	1	send	-280		279		#NA	12		A-102						0	0	41,000	0		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
BX-104	1978	1	STAT		279	279	114	#N/A	12	NCPLX				Active Wst. received Evap. Feed Trans. TK.		0	0	41,000		1		
BX-104	1978	2	SEND	-250		29		#N/A	12	SU		A-102				0	0	41,000		1		
BX-104	1978	2	rec	290		319		#N/A	12	SU	A-102	A-102	*-188 to			0	0	41,000		0		
BX-104	1978	2	SEND	-56		263		#N/A	12	SU		BX-105				0	0	41,000		1		
BX-104	1978	2	STAT		263	263	134	#N/A	12	NCPLX				Solids Level Detrm. 4/14/78		0	0	41,000		1		
BX-104	1978	3	SEND	-125		138		#N/A	12	SU		A-102	*+216 to 125			0	0	41,000		1		
BX-104	1978	3	REC	133		271		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1978	3	STAT		271	271	134	#N/A	12	NCPLX						0	0	41,000		1		
BX-104	1978	4	rec	558		829		#N/A	12	SU	A-102	A-102	*-138 to			0	0	41,000		0		
BX-104	1978	4	SEND	-213		616		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1978	4	SEND	-142		474		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1978	4	SEND	-77		397		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1978	4	SEND	-74		323		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1978	4	SEND	-11		312		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1978	4	STAT		312	312	136	#N/A	12	DSSF				Solids Level Adj. 12/14/78		0	0	41,000		1		
BX-104	1979	1	SEND	-176		136		#N/A	12	SU		A-102	*+189 to			0	0	41,000		1		
BX-104	1979	1	STAT		136	136	136	#N/A	12					Cross Site Transfer		0	0	41,000		1		
BX-104	1979	2	send	-117		19		#N/A	12			A-102				0	0	41,000		1		
BX-104	1979	2	REC	117		136		#N/A	12	SU	BX-105	BX-105				0	0	41,000		0		
BX-104	1979	2	STAT		136	136	136	#N/A	12	CPLX						0	0	41,000		1		
BX-104	1979	3	REC	385		521		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1979	3	REC	328		849		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1979	3	REC	208		1057		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1979	3	SEND	-430		627		#N/A	12	SU		A-102	*+441 to			0	0	41,000		1		
BX-104	1979	3	SEND	-304		323		#N/A	12	SU		A-102				0	0	41,000		1		
BX-104	1979	3	SEND	-176		147		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1979	3	STAT		147	147	136	#N/A	12	CPLX						0	0	41,000		1		
BX-104	1979	4	REC	295		442		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1979	4	REC	205		647		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1979	4	REC	200		847		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1979	4	REC	49		896		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1979	4	SEND	-161		735		#N/A	12	SU		A-102				0	0	41,000		1		
BX-104	1979	4	SEND	-107		628		#N/A	12	SU		A-102	*+177 to			0	0	41,000		1		
BX-104	1979	4	SEND	-263		365		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1979	4	SEND	-149		216		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1979	4	STAT		216	216	136	#N/A	12	CPLX						0	0	41,000		1		
BX-104	1980	1	REC	204		420		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1980	1	REC	180		600		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1980	1	REC	171		771		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1980	1	REC	111		882		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1980	1	REC	85		967		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1980	1	REC	46		1013		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1980	1	SEND	-210		803		#N/A	12	SU		A-102				0	0	41,000		1		
BX-104	1980	1	SEND	-48		755		#N/A	12	SU		A-102				0	0	41,000		1		
BX-104	1980	1	rec	87		842		#N/A	12	SU	A-102	A-102	*-174 to			0	0	41,000		0		
BX-104	1980	1	SEND	-256		586		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1980	1	SEND	-179		407		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1980	1	SEND	-114		293		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1980	1	SEND	-91		202		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1980	1	SEND	-30		172		#N/A	12	SU		A-101				0	0	41,000		1		
BX-104	1980	1	STAT		172	172	136	#N/A	12	DSSF				Liq. Level Adjusted		0	0	41,000		1		
BX-104	1980	2	REC	360		532		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1980	2	REC	326		858		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1980	2	REC	317		1175		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1980	2	REC	73		1248		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		
BX-104	1980	2	REC	44		1292		#N/A	12	SU	BX-105	BX-105				0	0	41,000		1		

Bank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk Trf	Cum Unk	Waste Type	Trans Unit	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM Solids	Cum Solids	sol type	cl	O/A	Document/Pg #
BX-104	1980	2	SEND	-197		11014		#N/A	12 SU	A-101						0	0	41,000		1		
BX-104	1980	2	SEND	-87		1014		#N/A	12 SU	A-101						0	0	41,000		1		
BX-104	1980	2	SEND	-45		969		#N/A	12 SU	A-101						0	0	41,000		1		
BX-104	1980	2	SEND	-33		936		#N/A	12 SU	A-101						0	0	41,000		1		
BX-104	1980	2	SEND	-315		621		#N/A	12 SU	A-102						0	0	41,000		1		
BX-104	1980	2	SEND	-163		458		#N/A	12 SU	A-102						0	0	41,000		1		
BX-104	1980	2	SEND	-106		352		#N/A	12 SU	A-102						0	0	41,000		1		
BX-104	1980	2	STAT		352		136	#N/A	12 CPLX							0	0	41,000		1		
BX-104	1980	3	REC	289		641		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	REC	279		920		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	REC	187		1107		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	REC	150		1257		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	REC	138		1395		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	REC	117		1512		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	REC	74		1586		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	REC	59		1644		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	REC	36		1680		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	REC	4		1684		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	SEND	-61		1623		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	SEND	-254		1369		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	SEND	-239		1130		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	SEND	-126		1004		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	SEND	-348		656		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	SEND	-300		356		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	SEND	-240		116		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	3	REC	226		342		#N/A	12 DSSF	A-102	A-102					0	0	41,000		1		
BX-104	1980	3	STAT		342		136	#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	4	REC	221		563		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	4	SEND	-86		313		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	4	SEND	-123		110		#N/A	12 SU	BX-105	BX-105					0	0	41,000		1		
BX-104	1980	4	STAT		110		90	#N/A	12 NCPLX							0	0	41,000		1		
BX-104	1983	4	SEND	-11		89		#N/A	12 swllq							0	0	41,000		1		
BX-104	1983	2	STAT		99		96	#N/A	12 NCPLX							0	0	41,000		1		
BX-104	1984	1	STAT		99		96	#N/A	12							0	0	41,000		1		
BX-104	1984	1	STAT		96		96	#N/A	12							0	0	41,000		1		
BX-104	2000															0	0	41,000		1		

New Solids Level 11/17/80  
\*Detached



Tant.n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soilids vol	Unit tfr	Cum unkl	Waste type	Trans tank	DWAT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Document/Pg #
BX-105	1900																				
BX-105	1949	1	CREC	0	0	0	0	N/A	0	0	BX-104						0	0.000		1	
BX-105	1949	1	CSEND	0	0	0	0	N/A	0	0	BX-106						0	0.000		1	
BX-105	1949	1	STAT	0	0	0	0	N/A	0	0							0	0.000		1	
BX-105	1949	2	rec	132	132	132	259	N/A	0	0	BX-104	BX-104				0.01988759	2.6252	MW1	0		
BX-105	1949	2	rec	127	127	127	365	N/A	0	0	BX-104	BX-104				0.01988759	2.5257	MW1	0		
BX-105	1949	2	rec	106	106	106	365	N/A	0	0	BX-104	BX-104				0.01988759	2.1081	MW1	0		
BX-105	1949	2	STAT	365	365	365	365	N/A	0	0				Cascade began filling April		0	7.259	MW1	0		
BX-105	1949	3	rec	108	108	108	473	N/A	0	0	BX-104	BX-104				0.01988759	2.1479	MW1	0		
BX-105	1949	3	rec	83	83	83	556	N/A	0	0	BX-104	BX-104				0.01988759	1.6507	MW1	0		
BX-105	1949	3	rec	52	52	52	608	N/A	0	0	BX-104	BX-104				0.01988759	1.0342	MW1	0		
BX-105	1949	3	send	78	78	78	530	N/A	0	0	BX-106	BX-106				0.000	12.092	MW1	0		
BX-105	1949	3	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade full in September		0	12.092	MW1	0		
BX-105	1949	4	rec	145	145	145	675	N/A	0	0	BX-104	BX-104				0.01988759	2.9837	MW1	0		
BX-105	1949	4	rec	137	137	137	812	N/A	0	0	BX-104	BX-104				0.01988759	2.7246	MW1	0		
BX-105	1949	4	rec	116	116	116	928	N/A	0	0	BX-104	BX-104				0.01988759	2.307	MW1	0		
BX-105	1949	4	send	145	145	145	783	N/A	0	0	BX-106	BX-106				0.000	20.007	MW1	0		
BX-105	1949	4	send	137	137	137	646	N/A	0	0	BX-106	BX-106				0.000	20.007	MW1	0		
BX-105	1949	4	send	116	116	116	530	N/A	0	0	BX-106	BX-106				0.000	20.007	MW1	0		
BX-105	1949	4	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade		0	20.007	MW1	0		
BX-105	1950	1	rec	11	11	11	541	N/A	0	0	BX-104	BX-104				0.01988759	0.2188	MW1	0		
BX-105	1950	1	send	-11	-11	-11	530	N/A	0	0	BX-106	BX-106				0.000	20.226	MW1	0		
BX-105	1950	1	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade full		0	20.226	MW1	0		
BX-105	1950	2	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade full		0	20.226	MW1	0		
BX-105	1950	3	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade full		0	20.226	MW1	0		
BX-105	1950	4	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade full		0	20.226	MW1	0		
BX-105	1951	1	rec	150	150	150	680	N/A	0	0	BX-104	BX-104				0.01988759	2.9831	MW1	0		
BX-105	1951	1	send	-150	-150	-150	530	N/A	0	0	BX-106	BX-106				0.000	23.209	MW1	0		
BX-105	1951	1	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade full		0	23.209	MW1	0		
BX-105	1951	2	rec	309	309	309	839	N/A	0	0	BX-104	BX-104				0.01988759	6.1463	MW1	0		
BX-105	1951	2	rec	242	242	242	1081	N/A	0	0	BX-104	BX-104				0.01988759	4.6128	MW1	0		
BX-105	1951	2	rec	111	111	111	1192	N/A	0	0	BX-104	BX-104				0.01988759	2.2075	MW1	0		
BX-105	1951	2	send	-309	-309	-309	883	N/A	0	0	BX-106	BX-106				0.000	36.374	MW1	0		
BX-105	1951	2	send	-242	-242	-242	641	N/A	0	0	BX-106	BX-106				0.000	36.374	MW1	0		
BX-105	1951	2	send	-111	-111	-111	530	N/A	0	0	BX-106	BX-106				0.000	0	36.374	MW1	0	
BX-105	1951	2	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade full		0	36.374	MW1	0		
BX-105	1951	3	rec	184	184	184	714	N/A	0	0	BX-104	BX-104				0.01988759	3.6693	MW1	0		
BX-105	1951	3	rec	164	164	164	983	N/A	0	0	BX-104	BX-104				0.01988759	3.2616	MW1	0		
BX-105	1951	3	rec	115	115	115	809	N/A	0	0	BX-104	BX-104				0.01988759	2.2871	MW1	0		
BX-105	1951	3	send	-184	-184	-184	809	N/A	0	0	BX-106	BX-106				0.000	0	45.582	MW1	0	
BX-105	1951	3	send	-164	-164	-164	645	N/A	0	0	BX-106	BX-106				0.000	0	45.582	MW1	0	
BX-105	1951	3	send	-115	-115	-115	530	N/A	0	0	BX-106	BX-106				0.000	0	45.582	MW1	0	
BX-105	1951	3	STAT	N/A	N/A	N/A	530	N/A	0	0			and stats at 523	Cascade		0.01988759	0.4178	MW1	0		
BX-105	1951	4	rec	21	21	21	551	N/A	0	0	BX-104	BX-104				0.000	0	46.000	MW1	0	
BX-105	1951	4	send	-24	-24	-24	530	N/A	0	0	BX-106	BX-106				0.000	0	46.000	MW1	0	
BX-105	1951	4	STAT	N/A	N/A	N/A	530	N/A	0	0			and stats at 523	Cascade full		0	46.000	MW1	0		
BX-105	1952	1	STAT	N/A	N/A	N/A	530	N/A	0	0			and stats at 523	Cascade full		0	46.000	MW1	0		
BX-105	1952	2	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade full		0	46.000	MW1	0		
BX-105	1952	3	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade full		0	46.000	MW1	0		
BX-105	1952	4	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade full		0	46.000	MW1	0		
BX-105	1953	1	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade		0	46.000	MW1	0		
BX-105	1953	2	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade		0	46.000	MW1	0		
BX-105	1953	3	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade		0	46.000	MW1	0		
BX-105	1954	1	STAT	530	530	530	530	N/A	0	0			and stats at 523	Cascade		0	46.000	MW1	0		
BX-105	1954	2	xin	512	512	1042	512	N/A	0	0			and stats at 523	Cascade		0	46.000	MW1	0		
BX-105	1954	2	SEND	-530	-530	-530	512	N/A	0	0			and stats at 523	Cascade		0	46.000	MW1	0		
BX-105	1954	2	STAT	512	512	512	512	N/A	0	0			and stats at 523	Cascade		0	46.000	MW1	0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BX-105	1954	3	outx	-464		48		#N/A	0			UR				0	0	46.000		0		
BX-105	1954	3	STAT		48	48	0	#N/A	0	MW				Contains water for sluicing		0	0	46.000		1		
BX-105	1954	4	STAT		54	54	5	6	6	MW				Active sluicing TK		0	0	46.000		1		
BX-105	1955	1	STAT		37	37	1	-17	-11	MW						0	0	46.000		1		
BX-105	1955	2	outx	-36		1		#N/A	-11			UR				0	0	46.000		1		
BX-105	1955	2	STAT		1	1	1	#N/A	-11							0	0	46.000		0		
BX-105	1955	3	STAT		1	1	0	#N/A	-11	MW						0	0	46.000		1		
BX-105	1955	4	xin	59		60		#N/A	-11			WTR				0	0	46.000		1		
BX-105	1955	4	STAT		60	60	0	#N/A	-11							0	0	46.000		1		
BX-105	1956	1	STAT		60	60	0	#N/A	-11					Leach TK to recover U		0	0	46.000		1		
BX-105	1956	2	STAT		60	60	0	#N/A	-11	MW				Leach TK to recover U		0	0	46.000		1		
BX-105	1956	3	REC	521		581		#N/A	-11	SU	BY-110	BY-110	AND reports BY-105			0	0	46.000		1		
BX-105	1956	3	outx	-57		524		#N/A	-11			UR				0	0	46.000		3	O	N-54-37
BX-105	1956	3	STAT		524	524	0	#N/A	-11					Filled from IIO-BY		0	0	46.000		0		
BX-105	1956	4	STAT		524	524	0	#N/A	-11	TBP						0	0	46.000		1		
BX-105	1957	1	OUTX	-305		219		#N/A	-11	SU	B-027	CRIB	AND reports -275		BC-14 Trench	0	0	46.000		2	V	N-54-37
BX-105	1957	1	STAT		224	224	0	5	-6	TBP				275 to #14BC ditch, latest electrode reading		0	0	46.000		1		
BX-105	1957	2	STAT		224	224	0	#N/A	-6	TBP						0	0	46.000		1		
BX-105	1957	3	SEND	-162		62		#N/A	-6	SU		BY-102	OC 156 to 162		Shows 162 not 156	0	0	46.000		3	V	N-54-102
BX-105	1957	3	STAT		62	62	0	#N/A	-6	TBP				162 to 102-BY		0	0	46.000		1		
BX-105	1957	4	STAT		62	62	0	#N/A	-6							0	0	46.000		1		
BX-105	1958	1	STAT		62	62	0	#N/A	-6							0	0	46.000		1		
BX-105	1958	2	STAT		62	62	0	#N/A	-6							0	0	46.000		1		
BX-105	1958	3	STAT		62	62	0	#N/A	-6							0	0	46.000		1		
BX-105	1958	4	STAT		62	62	0	#N/A	-8	TBP						0	0	46.000		1		
BX-105	1959	1	STAT		98	98	0	36	30					New electrode reading		0	0	46.000		1		
BX-105	1959	2	STAT		98	98	0	#N/A	30							0	0	46.000		1		
BX-105	1959	3	STAT		98	98	0	#N/A	30							0	0	46.000		1		
BX-105	1959	4	xin	36		134		#N/A	30	ADJ	CORR	WTR				0	0	46.000		1		
BX-105	1959	4	STAT		98	98	0	-36	-6							0	0	46.000		0		
BX-105	1960	1	STAT		98	98	0	#N/A	-6							0	0	46.000		1		
BX-105	1960	2	STAT		98	98	0	#N/A	-6							0	0	46.000		1		
BX-105	1960	3	STAT		98	98	0	#N/A	-6							0	0	46.000		1		
BX-105	1960	4	STAT		98	98	0	#N/A	-6	TBP						0	0	46.000		1		
BX-105	1961	1	STAT		N/A	98		#N/A	-6							0	0	46.000		1		
BX-105	1961	2	STAT		98	98	0	#N/A	-6					6 month report		0	0	46.000		1		
BX-105	1961	3	STAT		N/A	98		#N/A	-6							0	0	46.000		1		
BX-105	1961	4	xin	3		101		#N/A	-6	ADJ	CORR	WTR				0	0	46.000		1		
BX-105	1961	4	STAT		101	101	0	#N/A	-6	TBP				Latest electrode reading 6 month report		0	0	46.000		0		
BX-105	1962	1	STAT		N/A	101		#N/A	-6							0	0	46.000		1		
BX-105	1962	2	STAT		101	101	0	#N/A	-6	TBP				6 month report		0	0	46.000		1		
BX-105	1962	3	STAT		N/A	101		#N/A	-6							0	0	46.000		1		
BX-105	1962	4	STAT		101	101	0	#N/A	-6	TBP				8 month report		0	0	46.000		1		
BX-105	1963	1	REC	185		286		#N/A	-6	SU	C-102	C-102				0	0	46.000		4	O	HW-78279-5
BX-105	1963	1	STAT		N/A	286		#N/A	-6							0	0	46.000		1		
BX-105	1963	2	REC	260		546		#N/A	-6	SU	C-102	C-102				0	0	46.000		4	O	HW-78279-5
BX-105	1963	2	STAT		546	546	106	#N/A	-6	CW			REC total 445	445 from 102-C 6 month report		0	0	46.000		1		
BX-105	1963	3	STAT		N/A	546		#N/A	-6							0	0	46.000		1		
BX-105	1963	4	STAT		546	546	106	#N/A	-6	CW				6 month report		0	0	46.000		1		
BX-105	1964	1	STAT		N/A	546		#N/A	-6							0	0	46.000		1		
BX-105	1964	2	SEND	-106		440		#N/A	-6	SU		BX-109				0	0	46.000		1		
BX-105	1964	2	STAT		440	440	106	#N/A	-6	CW				Pumping to 109-BX		0	0	46.000		1		
BX-105	1964	3	STAT		N/A	440		#N/A	-6							0	0	46.000		1		
BX-105	1964	4	REC	103		543		#N/A	-6	SU	C-102	C-102				0	0	46.000		4	O	RL-SEP-260-5
BX-105	1964	4	STAT		541	541	106	-2	-8	CW				103-CW from 102-C		0	0	46.000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-105	1965	1	STAT		N/A	541		#N/A	-8								0	46,000		1		
BX-105	1965	2	STAT		538	538	98	-3	-11	CW							0	46,000		1		
BX-105	1965	3	STAT		538	538	98	#N/A	-11	CW							0	46,000		1		
BX-105	1965	4	STAT		538	538	98	#N/A	-11	CW							0	46,000		1		
BX-105	1966	1	STAT		538	538	98	#N/A	-11	CW							0	46,000		1		
BX-105	1966	2	STAT		538	538	98	#N/A	-11	CW							0	46,000		1		
BX-105	1966	3	STAT		538	538	98	#N/A	-11	TBP,CW							0	46,000		1		
BX-105	1966	4	STAT		535	535	98	-3	-14	CW							0	46,000		1		
BX-105	1967	1	STAT		535	535	98	#N/A	-14	CW							0	46,000		1		
BX-105	1967	2	STAT		535	535	98	#N/A	-14	CW							0	46,000		1		
BX-105	1967	3	STAT		535	535	98	#N/A	-14	TBP,CW							0	46,000		1		
BX-105	1967	4	STAT		534	534	98	-1	-15	TBP,CW							0	46,000		1		
BX-105	1968	1	SEND	-321		213		#N/A	-15	SU					BY-103		0	46,000		4	O	ARH-534-6
BX-105	1968	1	REC	222		435		#N/A	-15		C-102	C-102			Omission		0	46,000		3	V	ARH-534-6
BX-105	1968	1	STAT		435	435	95	#N/A	-15	CW				321 to 103-BY, 222 from 102-C			0	46,000		1		
BX-105	1968	2	REC	103		538		#N/A	-15	SU	C-102	C-102					0	46,000		4	O	ARH-721-6
BX-105	1968	2	STAT		538	538	98	#N/A	-15	CW				103 from 102-C			0	46,000		1		
BX-105	1968	3	SEND	-429		109		#N/A	-15	SU					BY-103		0	46,000		4	O	ARH-871-6
BX-105	1968	3	STAT		109	109	98	#N/A	-15	CW				429 to 103-BY			0	46,000		1		
BX-105	1968	4	REC	437		546		#N/A	-15	SU	BX-104	BX-104					0	46,000		4	O	ARH-1061-6
BX-105	1968	4	STAT		546	546	98	#N/A	-15	IX				437 from 104-BX			0	46,000		1		
BX-105	1969	1	STAT		546	546	98	#N/A	-15	IX							0	46,000		1		
BX-105	1969	2	STAT		546	546	98	#N/A	-15	CW,IX							0	46,000		1		
BX-105	1969	3	SEND	-33		513		#N/A	-15						BY-102		0	46,000		0		
BX-105	1969	3	STAT		513	513	65	#N/A	-15	IX							0	46,000		1		
BX-105	1969	4	STAT		513	513	65	#N/A	-15	IX							0	46,000		1		
BX-105	1970	1	STAT		514	514	65	1	-14								0	46,000		1		
BX-105	1970	2	STAT		514	514	65	#N/A	-14	IX							0	46,000		1		
BX-105	1970	3	STAT		513	513	65	-1	-15								0	46,000		1		
BX-105	1970	4	STAT		513	513	65	#N/A	-15	IX							0	46,000		1		
BX-105	1971	1	STAT		514	514	65	1	-14	IX							0	46,000		1		
BX-105	1971	2	STAT		520	520	65	6	-8	IX							0	46,000		1		
BX-105	1971	3	STAT		523	523	65	3	-5					*Leak detection dry wells drilled: 21-05-02; 21-05-03; 21-05-05; 21-05-06; 21-05-10; 21-05-12			0	46,000		1		
BX-105	1971	4	STAT		523	523	65	#N/A	-5	IX							0	46,000		1		
BX-105	1972	1	STAT		516	516	52	-7	-12	IX							0	46,000		1		
BX-105	1972	2	XIN	3		519		#N/A	-12	WTR					WTR		0	46,000		4	O	ARH-2456B-5
BX-105	1972	2	SEND	-315		204		#N/A	-12	SU					BX-103		0	46,000		4	O	ARH-2456B-5
BX-105	1972	2	STAT		201	201	52	-3	-15	IX				3 flush water, 315 to 103-BX			0	46,000		1		
BX-105	1972	3	STAT		194	194	52	-7	-22	IX							0	46,000		1		
BX-105	1972	4	SEND	-133		61		#N/A	-22	SU					BX-106		0	46,000		4	O	ARH-2456D-6
BX-105	1972	4	STAT		56	56	52	-5	-27	IX				133 to 106-BX			0	46,000		1		
BX-105	1973	1	REC	432		488		#N/A	-27	SU	BX-108	BX-108					0	46,000		4	O	ARH-2794A-5
BX-105	1973	1	SEND	-130		358		#N/A	-27	SU					BX-103		0	46,000		4	O	ARH-2794A-5
BX-105	1973	1	STAT		359	359	52	1	-26	IX				432 from 108-BX, 130 to 103-BX			0	46,000		1		
BX-105	1973	2	REC		532	891		#N/A	-26	SU	BX-104	BX-104					0	46,000		4	O	ARH-2794B-5
BX-105	1973	2	SEND	-384		507		#N/A	-26	SU					BX-103		0	46,000		4	O	ARH-2794D-5
BX-105	1973	2	SEND	-17		490		#N/A	-26	SU					BX-106		0	46,000		4	O	ARH-2794B-5
BX-105	1973	2	STAT		486	486	52	-4	-30	IX				531 from 104-BX, 384 to 103-BX, 17 to 106-BX			0	46,000		1		
BX-105	1973	3	STAT		485	485	52	-1	-31	IX							0	46,000		1		
BX-105	1973	4	STAT		481	481	52	-4	-35	IX							0	46,000		1		
BX-105	1974	1	SEND	-381		100		#N/A	-35	SU					S-110		0	46,000		4	O	ARH-CD-133A-5
BX-105	1974	1	STAT		101	101	52	1	-34	IX				381 to 110-S			0	46,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk fr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-105	1974	2	REC	313		414		#N/A		SU	BX-112	BX-112				0	0	46,000		4	O	ARH-CD-133B-5
BX-105	1974	2	STAT		411	411	52	-3	-37	EB,IX				313 from 112-BX		0	0	46,000		1		
BX-105	1974	3	STAT		416	416	52	5	-32	EB,IX						0	0	46,000		1		
BX-105	1974	4	STAT		417	417	54	1	-31	IX						0	0	46,000		1		
BX-105	1975	1	STAT		417	417	54	#N/A	-31	EB,IX						0	0	46,000		1		
BX-105	1975	2	REC	20		437		#N/A	-31	SU	BY-101	BY-101				0	0	46,000		1		
BX-105	1975	2	STAT		436	436	54	-1	-32	IX				20 from 101-BY		0	0	46,000		4	O	ARH-CD-336B-5
BX-105	1975	3	STAT		436	436	54	#N/A	-32	EB,IX						0	0	46,000		1		
BX-105	1975	4	XIN	2		438		#N/A	-32	WTR		WTR				0	0	46,000		1		
BX-105	1975	4	SEND	-283		155		#N/A	-32	SU		SX-110				0	0	46,000		4	O	ARH-CD-336D-5
BX-105	1975	4	REC	32		187		#N/A	-32	SU	BY-112	BY-112				0	0	46,000		4	O	ARH-CD-336D-5
BX-105	1975	4	STAT		189	189	54	2	-30	EB,IX				2 water, 32 from 112-BY, 283 to 110-SX		0	0	46,000		1		
BX-105	1976	1	XIN	9		198		#N/A	-30	WTR		WTR	Omis. REC BXR-003		Omission	0	0	46,000		3	V	ARH-CD-702A-5
BX-105	1976	1	REC	211		409		#N/A	-30	SU	BY-112	BY-112	OC 311 to 211		Shows 211	0	0	46,000		4	O/V	ARH-CD-702A-5
BX-105	1976	1	rec	99		508		#N/A	-30		BY-112	BY-112				0	0	46,000		0		
BX-105	1976	1	outX	-463		45		#N/A	-30			BYEVAP				0	0	46,000	BYEV	0		
BX-105	1976	1	xdn	463		508		#N/A	-30			BYStck				0	0	46,000	BYStck	0		
BX-105	1976	1	STAT		508	508	54	#N/A	-30	IX				211 From 112-BY, 9 from 003 BXR		0	0	46,000		1		
BX-105	1976	2	STAT		508	508	54	#N/A	-30	EB,IX						0	0	46,000		1		
BX-105	1976	3	STAT		508	508	54	#N/A	-30	EVAP						0	0	46,000		1		
BX-105	1976	4	send	-72		436		#N/A	-30			A-102				0	0	46,000		1		
BX-105	1976	4	STAT		436	436	54	#N/A	-30	EVAP						0	0	46,000		0		
BX-105	1977	1	rec	36		472		#N/A	-30		A-102	A-102				0	0	46,000		1		
BX-105	1977	1	STAT		472	472	54	#N/A	-30	EVAP				Active evap. feed concentrate;; Evap. feed storage		0	0	46,000		1		
BX-105	1977	2	send	-45		427		#N/A	-30			A-102				0	0	46,000		0		
BX-105	1977	2	STAT		427	427	62	#N/A	-30	EVAP				Active evap. feed concentrate;; Evap. feed storage		0	0	46,000		1		
BX-105	1977	3	send	-296		131		#N/A	-30			A-102				0	0	46,000		0		
BX-105	1977	3	STAT		131	131	79	#N/A	-30					Active salt well recovery; Evap. feed storage		0	0	46,000		1		
BX-105	1977	4	STAT		131	131	79	#N/A	-30	EVAP				Active salt well recovery;; Evap.feed storage		0	0	46,000		1		
BX-105	1978	1	STAT		134	134	79	3	-27	NCPLX				Active-Salt Well Receiver Evap. Feed Storage		0	0	46,000		1		
BX-105	1978	2	send	-62		72		#N/A	-27			A-102				0	0	46,000		0		
BX-105	1978	2	REC	56		128		#N/A	-27	SU	BX-104	BX-104				0	0	46,000		1		
BX-105	1978	2	STAT		128	128	62	#N/A	-27	NCPLX				Cross Site Receiver		0	0	46,000		1		
BX-105	1978	3	REC	2		130		#N/A	-27	SU	BY-101	BY-101				0	0	46,000		1		
BX-105	1978	3	REC	2		132		#N/A	-27	SU	BY-101	BY-101				0	0	46,000		1		
BX-105	1978	3	REC	1		133		#N/A	-27	SU	BY-101	BY-101				0	0	46,000		1		
BX-105	1978	3	REC	1		134		#N/A	-27	SU	BY-101	BY-101				0	0	46,000		1		
BX-105	1978	3	REC	1		135		#N/A	-27	SU	BY-101	BY-101				0	0	46,000		1		
BX-105	1978	3	REC	5		140		#N/A	-27	SU	BY-102	BY-102				0	0	46,000		1		
BX-105	1978	3	REC	3		143		#N/A	-27	SU	BY-102	BY-102				0	0	46,000		1		
BX-105	1978	3	REC	3		148		#N/A	-27	SU	BY-102	BY-102				0	0	46,000		1		
BX-105	1978	3	REC	1		147		#N/A	-27	SU	BY-102	BY-102				0	0	46,000		1		
BX-105	1978	3	REC	1		148		#N/A	-27	SU	BY-102	BY-102				0	0	46,000		1		
BX-105	1978	3	REC	1		149		#N/A	-27	SU	BY-102	BY-102				0	0	46,000		1		
BX-105	1978	3	rec	96		245		#N/A	-27			S-107	S-107			0	0	46,000		1		
BX-105	1978	3	SEND	-133		112		#N/A	-27	SU		BX-104				0	0	46,000		0		
BX-105	1978	3	REC	2		114		#N/A	-27	SU	BY-111	BY-111				0	0	46,000		1		
BX-105	1978	3	STAT		114	114	65	#N/A	-27	NCPLX						0	0	46,000		1		
BX-105	1978	4	rec	97		211		#N/A	-27		S-107	S-107				0	0	46,000		0		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-105	1978	4	STAT		211	211	73	#N/A	-27	DSSF				Solids Level Adj. 12/14/78		0	0	46,000				1
BX-105	1979	1	rec	36		247		#N/A	-27		S-107	S-107		Cross Site Transfer		0	0	46,000				0
BX-105	1979	1	REC	30		277		#N/A	-27	SU	BY-110	BY-110				0	0	46,000				1
BX-105	1979	1	REC	4		281		#N/A	-27	SU	BY-110	BY-110				0	0	46,000				1
BX-105	1979	1	STAT		281	281	73	#N/A	-27	CPLX				New Photo 3/7/79		0	0	46,000				1
BX-105	1979	2	rec	85		366		#N/A	-27		S-107	S-107				0	0	46,000				0
BX-105	1979	2	SEND	-117		249		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1979	2	STAT		249	249	73	#N/A	-27	CPLX						0	0	46,000				1
BX-105	1979	3	rec	738		987		#N/A	-27		S-107	S-107				0	0	46,000				0
BX-105	1979	3	SEND	-385		602		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1979	3	SEND	-328		274		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1979	3	SEND	-208		66		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1979	3	REC	48		114		#N/A	-27	SU	BY-110	BY-110				0	0	46,000				1
BX-105	1979	3	STAT		114	114	73	#N/A	-27	CPLX				PMP WFLX Float		0	0	46,000				1
BX-105	1979	4	REC	426		540		#N/A	-27	SU	SX-101	SX-101				0	0	46,000				1
BX-105	1979	4	REC	348		888		#N/A	-27	SU	SX-101	SX-101				0	0	46,000				1
BX-105	1979	4	REC	336		1224		#N/A	-27	SU	SX-101	SX-101				0	0	46,000				1
BX-105	1979	4	REC	106		1330		#N/A	-27	SU	Sx-101	SX-101				0	0	46,000				1
BX-105	1979	4	SEND	-295		1035		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1979	4	SEND	-205		830		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1979	4	SEND	-200		630		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1979	4	SEND	-49		581		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1979	4	SEND	-469		112		#N/A	-27	SU		A-102		*+185 to		0	0	46,000				1
BX-105	1979	4	STAT		112	112	73	#N/A	-27	CPLX						0	0	46,000				1
BX-105	1980	1	REC	679		791		#N/A	-27	SU	S-107	S-107		*+185 to		0	0	46,000				1
BX-105	1980	1	REC	92		883		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	1	REC	85		968		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	1	REC	1		969		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	1	SEND	-204		765		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	1	SEND	-180		585		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	1	SEND	-171		414		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	1	SEND	-111		303		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	1	SEND	-85		218		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	1	SEND	-46		172		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	1	STAT		172	172	73	#N/A	-27	DSSF				Cross-Site Transfer		0	0	46,000				1
BX-105	1980	2	REC	551		723		#N/A	-27	SU	S-107	S-107		*+293 to		0	0	46,000				1
BX-105	1980	2	REC	358		1081		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	2	REC	220		1301		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	2	REC	77		1378		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	2	REC	13		1391		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	2	REC	300		1691		#N/A	-27	SU	SX-101	SX-101				0	0	46,000				1
BX-105	1980	2	SEND	-193		1498		#N/A	-27	SU		A-101				0	0	46,000				1
BX-105	1980	2	SEND	-360		1138		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	2	SEND	-326		812		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	2	SEND	-317		495		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	2	SEND	-73		422		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	2	SEND	-44		378		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	2	STAT		378	378	57	#N/A	-27	CPLX				New Solids Level 6/30/80		0	0	46,000				1
BX-105	1980	3	REC	292		670		#N/A	-27	SU	S-107	S-107		*+251 to		0	0	46,000				1
BX-105	1980	3	REC	197		867		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	3	REC	195		1062		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	3	REC	191		1253		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	3	REC	164		1417		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	3	REC	110		1527		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	3	REC	49		1576		#N/A	-27	SU	S-107	S-107				0	0	46,000				1
BX-105	1980	3	SEND	-289		1287		#N/A	-27	SU		BX-104				0	0	46,000				1
BX-105	1980	3	SEND	-279		1008		#N/A	-27	SU		BX-104				0	0	46,000				1

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qf	O/A	Document/Pg #
BX-105	1980	3	SEND	-187		821		#N/A	-27	SU		BX-104				0	0	46,000		1		
BX-105	1980	3	SEND	-150		671		#N/A	-27	SU		BX-104				0	0	46,000		1		
BX-105	1980	3	SEND	-138		533		#N/A	-27	SU		BX-104				0	0	46,000		1		
BX-105	1980	3	SEND	-117		416		#N/A	-27	SU		BX-104				0	0	46,000		1		
BX-105	1980	3	SEND	-74		342		#N/A	-27	SU		BX-104				0	0	46,000		1		
BX-105	1980	3	SEND	-58		284		#N/A	-27	SU		BX-104				0	0	46,000		1		
BX-105	1980	3	SEND	-36		248		#N/A	-27	SU		BX-104				0	0	46,000		1		
BX-105	1980	3	SEND	-4		244		#N/A	-27	SU		BX-104				0	0	46,000		1		
BX-105	1980	3	REC	61		305		#N/A	-27	SU	BX-104	BX-104				0	0	46,000		1		
BX-105	1980	3	STAT		305	305	57	#N/A	-27	DSSF						0	0	46,000		1		
BX-105	1980	4	REC	170		475		#N/A	-27	SU	SX-101	SX-101				0	0	46,000		1		
BX-105	1980	4	SEND	-221		254		#N/A	-27	SU		BX-104				0	0	46,000		1		
BX-105	1980	4	send	-172		82		#N/A	-27			A-102				0	0	46,000		0		
BX-105	1980	4	STAT		82	82	57	#N/A	-27	NCPLX				11/17/80 Deactivated		0	0	46,000		1		
BX-105	1987	2	send	-31		51		#N/A	-27	swliq		AN-101				0	0	46,000		0		
BX-105	1993	2	STAT		51	51	46	#N/A	-27	NCPLX						0	0	46,000		1		
BX-105	1993	4	STAT		51	51	46	#N/A	-27							0	0	46,000		1		
BX-105	1994	1	STAT		51	51	46	#N/A	-27							0	0	46,000		1		
BX-105	2000															0	0	46,000		1		



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANH comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BX-106	1900	1	CREC	0	N/A	0	0	#N/A	0	0 SET	BX-105					0	0.000	0		1		
BX-106	1949	1	STAT	0	N/A	0	0	#N/A	0	0						0	0.000	0		1		
BX-106	1949	2	STAT	0	0	0	0	#N/A	0	0						0	0.000	0		1		
BX-106	1949	3	rec	78	78	78	78	#N/A	0	0 cas	BX-105	BX-105		Cascade began filling September		0.001	0.1012	0.101	MW1	1		
BX-106	1949	3	STAT	0	78	78	78	#N/A	0	0 MW						0	0.101	0		1		
BX-106	1949	4	rec	145	223	223	223	#N/A	0	0 cas	BX-105	BX-105				0.001	0.1881	0.289	MW1	0		
BX-106	1949	4	rec	137	360	360	360	#N/A	0	0 cas	BX-105	BX-105				0.001	0.1777	0.467	MW1	0		
BX-106	1949	4	rec	116	476	476	476	#N/A	0	0 cas	BX-105	BX-105				0.001	0.1505	0.617	MW1	0		
BX-106	1949	4	STAT	0	476	476	476	#N/A	0	0 MW						0	0.617	0		1		
BX-106	1950	1	rec	11	487	487	487	#N/A	0	0 cas	BX-105	BX-105				0.001	0.0143	0.632	MW1	0		
BX-106	1950	1	STAT	0	530	530	530	#N/A	43	0 cas						0	0.632	0		1		
BX-106	1950	2	STAT	0	530	530	530	#N/A	43	0 cas						0	0.632	0		1		
BX-106	1950	3	STAT	0	530	530	530	#N/A	43	0 cas						0	0.632	0		1		
BX-106	1950	4	STAT	0	530	530	530	#N/A	43	0 cas						0	0.632	0		1		
BX-106	1951	1	CSEND	0	530	530	530	#N/A	43	43 SET	BY-104					0	0.632	0		1		
BX-106	1951	1	rec	150	680	680	680	#N/A	43	43 cas	BX-105	BX-105				0.001	0.1946	0.826	MW1	0		
BX-106	1951	1	send	-150	530	530	530	#N/A	43	43 cas	BY-104					0	0.826	0		1		
BX-106	1951	1	STAT	0	530	530	530	#N/A	43	0 cas						0	0.826	0		1		
BX-106	1951	2	rec	309	839	839	839	#N/A	43	43 cas	BX-105	BX-105				0.001	0.4008	1.227	MW1	0		
BX-106	1951	2	rec	242	1081	1081	1081	#N/A	43	43 cas	BX-105	BX-105				0.001	0.3139	1.541	MW1	0		
BX-106	1951	2	rec	111	1192	1192	1192	#N/A	43	43 cas	BX-105	BX-105				0.001	0.144	1.685	MW1	0		
BX-106	1951	2	send	-309	883	883	883	#N/A	43	43 cas	BY-104					0	1.685	0		1		
BX-106	1951	2	send	-242	641	641	641	#N/A	43	43 cas	BY-104					0	1.685	0		1		
BX-106	1951	2	send	-111	530	530	530	#N/A	43	43 cas	BY-104					0	1.685	0		1		
BX-106	1951	2	STAT	0	530	530	530	#N/A	43	0 cas						0	1.685	0		1		
BX-106	1951	3	rec	184	714	714	714	#N/A	43	43 cas	BX-105	BX-105				0.001	0.2387	1.923	MW1	0		
BX-106	1951	3	rec	164	878	878	878	#N/A	43	43 cas	BX-105	BX-105				0.001	0.2127	2.136	MW1	0		
BX-106	1951	3	rec	115	993	993	993	#N/A	43	43 cas	BX-105	BX-105				0.001	0.1492	2.285	MW1	0		
BX-106	1951	3	send	-184	809	809	809	#N/A	43	43 cas	BY-104					0	2.285	0		1		
BX-106	1951	3	send	-164	645	645	645	#N/A	43	43 cas	BY-104					0	2.285	0		1		
BX-106	1951	3	send	-115	530	530	530	#N/A	43	43 cas	BY-104					0	2.285	0		1		
BX-106	1951	3	STAT	0	530	530	530	#N/A	43	0 cas						0.001	0.0272	2.313	MW1	0		
BX-106	1951	4	rec	21	551	551	551	#N/A	43	43 cas	BX-105	BX-105				0	2.313	0		1		
BX-106	1951	4	send	-21	530	530	530	#N/A	43	43 cas	BY-104					0	2.313	0		1		
BX-106	1951	4	CSEND	0	530	530	530	#N/A	43	0 cas						0	2.313	0		1		
BX-106	1951	4	STAT	0	530	530	530	#N/A	43	0 cas	BY-104					0	2.313	0		1		
BX-106	1952	1	STAT	0	530	530	530	#N/A	43	0 cas						0	2.313	0		1		
BX-106	1952	3	STAT	0	530	530	530	#N/A	43	0 cas						0	2.313	0		1		
BX-106	1952	3	STAT	0	530	530	530	#N/A	43	0 cas						0	2.313	0		1		
BX-106	1953	1	STAT	0	530	530	530	#N/A	43	0 cas						0	2.313	0		1		
BX-106	1953	2	STAT	0	530	530	530	#N/A	43	0 cas						0	2.313	0		1		
BX-106	1953	3	STAT	0	530	530	530	#N/A	43	0 cas						0	2.313	0		1		
BX-106	1953	4	STAT	0	530	530	530	#N/A	43	0 cas						0	2.313	0		1		
BX-106	1954	1	STAT	0	530	530	530	#N/A	43	0 cas						0	2.313	0		1		
BX-106	1954	2	REC	590	1080	1080	1080	#N/A	43	43 SL	BX-104	BX-104				0.001	0.6874	3.000	MW1	1		
BX-106	1954	2	REC	530	1590	1590	1590	#N/A	43	43 SL	BX-105	BX-105				0	3.000	0		1		
BX-106	1954	2	REC	328	1918	1918	1918	#N/A	43	43 SU	BY-104	BY-104				0	3.000	0		1		
BX-106	1954	2	REC	495	2922	2922	2922	#N/A	43	43 SU	BY-105	BY-105				0	3.000	0		1		
BX-106	1954	2	REC	509	2922	2922	2922	#N/A	43	43 SU	BY-111	BY-111				0	3.000	0		1		
BX-106	1954	2	OUTX	-272	2650	2650	2650	#N/A	43	43 SL	UR	UR				0	3.000	0		1		
BX-106	1954	2	OUTX	-573	2077	2077	2077	#N/A	43	43 SL	UR	UR				0	3.000	0		1		
BX-106	1954	2	OUTX	-1547	530	530	530	#N/A	43	43 MW	UR	UR				0	3.000	0		1		
BX-106	1954	3	min	1119	1649	1649	1649	#N/A	43	43 MW	UR	UR				0	3.000	0		1		
BX-106	1954	3	OUTX	-926	1123	1123	1123	#N/A	43	43 SL	UR	UR				0	3.000	0		1		



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ftr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-106	1954	3	OUTX	-682		461		#N/A	43	SL	UR	UR				0	0	3,000		1		
BX-106	1954	3	OUTX	-460		1		#N/A	43	SL	UR	UR				0	0	3,000		1		
BX-106	1954	3	STAT		1	1	0	#N/A	43	MW				Supernatant supply for 109-BY, pumped to 109-BY		0	0	3,000		1		
BX-106	1954	4	xin	254		255		#N/A	43			WTR				0	0	3,000		0		
BX-106	1954	4	OUTX	-80		175		#N/A	43	SL	UR	UR				0	0	3,000		1		
BX-106	1954	4	OUTX	-127		48		#N/A	43	SL	UR	UR				0	0	3,000		1		
BX-106	1954	4	OUTX	-47		1		#N/A	43	SL	UR	UR				0	0	3,000		1		
BX-106	1954	4	STAT		1	1	0	#N/A	43	MW						0	0	3,000		1		
BX-106	1955	1	xin	175		176		#N/A	43			WTR				0	0	3,000		0		
BX-106	1955	1	OUTX	-127		49		#N/A	43	SL	UR	UR				0	0	3,000		1		
BX-106	1955	1	OUTX	-15		34		#N/A	43	SL	UR	UR				0	0	3,000		1		
BX-106	1955	1	STAT		34	34	0	#N/A	43	MW						0	0	3,000		1		
BX-106	1955	2	OUTX	-33		1		#N/A	43	SL	UR	UR				0	0	3,000		1		
BX-106	1955	2	STAT		0	0	0	-1	42							0	0	3,000		1		
BX-106	1955	3	STAT		0	0	0	#N/A	42							0	0	3,000		1		
BX-106	1955	4	STAT		0	0	0	#N/A	42							0	0	3,000		1		
BX-106	1956	1	STAT		0	0	0	#N/A	42							0	0	3,000		1		
BX-106	1956	2	REC	520		520		#N/A	42	SU	BY-108	BY-108				0	0	3,000		3	O	N-54-36
BX-106	1956	2	STAT		524	524	0	4	46					Filed from 108-BY		0	0	3,000		1		
BX-106	1956	3	STAT		524	524	0	#N/A	46							0	0	3,000		1		
BX-106	1956	4	STAT		524	524	0	#N/A	46	TBP						0	0	3,000		1		
BX-106	1957	1	STAT		506	506	0	-19	27	TBP				Latest electrode reading		0	0	3,000		1		
BX-106	1957	2	STAT		521	521	0	16	43	TBP				Latest electrode reading		0	0	3,000		1		
BX-106	1957	3	SEND	-489		52		#N/A	43	SU		BY-102				0	0	3,000		4	O	N-54-102
BX-106	1957	3	STAT		57	57	0	5	48	TBP				Latest electrode reading, 467 to 102-BY		0	0	3,000		1		
BX-106	1957	4	STAT		57	57	0	#N/A	48							0	0	3,000		1		
BX-106	1958	1	STAT		57	57	0	#N/A	48							0	0	3,000		1		
BX-106	1958	2	STAT		57	57	0	#N/A	48							0	0	3,000		1		
BX-106	1958	3	STAT		57	57	0	#N/A	48							0	0	3,000		1		
BX-106	1958	4	STAT		57	57	0	#N/A	48	TBP						0	0	3,000		1		
BX-106	1959	1	STAT		98	98	0	41	89					New electrode reading		0	0	3,000		1		
BX-106	1959	2	STAT		98	98	0	#N/A	89							0	0	3,000		1		
BX-106	1959	3	STAT		98	98	0	#N/A	89							0	0	3,000		1		
BX-106	1959	4	xin	41		139		#N/A	89	ADJ	CORR	WTR				0	0	3,000		0		
BX-106	1959	4	STAT		98	98	0	-41	48							0	0	3,000		1		
BX-106	1960	1	STAT		98	98	0	#N/A	48							0	0	3,000		1		
BX-106	1960	2	STAT		98	98	0	#N/A	48							0	0	3,000		1		
BX-106	1960	3	STAT		98	98	0	#N/A	48							0	0	3,000		1		
BX-106	1960	4	STAT		98	98	0	#N/A	48	TBP						0	0	3,000		1		
BX-106	1961	1	STAT		N/A	98		#N/A	48							0	0	3,000		1		
BX-106	1961	2	STAT		98	98	0	#N/A	48	TBP						0	0	3,000		1		
BX-106	1961	3	STAT		N/A	98		#N/A	48							0	0	3,000		1		
BX-106	1961	4	STAT		98	98	0	#N/A	48	TBP						0	0	3,000		1		
BX-106	1962	1	STAT		N/A	98		#N/A	48							0	0	3,000		1		
BX-106	1962	2	STAT		98	98	0	#N/A	48	TBP						0	0	3,000		1		
BX-106	1962	3	STAT		N/A	98		#N/A	48							0	0	3,000		1		
BX-106	1962	4	STAT		98	98	0	#N/A	48	TBP						0	0	3,000		1		
BX-106	1963	1	REC	184		282		#N/A	48	SU	C-102	C-102				0	0	3,000		4	O	HW-78279-5
BX-106	1963	1	STAT		N/A	282		#N/A	48							0	0	3,000		1		
BX-106	1963	2	REC	134		416		#N/A	48	SU	C-102	C-102				0	0	3,000		4	O	HW-78279-5
BX-106	1963	2	REC	125		541		#N/A	48	SU	C-102	C-102				0	0	3,000		4	O	HW-78279-5
BX-106	1963	2	STAT		541	541	0	#N/A	48	TBP,CW			REC total 443	443 from 102-C 6 month report		0	0	3,000		1		
BX-106	1963	3	STAT		N/A	541		#N/A	48							0	0	3,000		1		
BX-106	1963	4	STAT		541	541	0	#N/A	48	TBP,CW				6 month report		0	0	3,000		1		
BX-106	1964	1	STAT		N/A	541		#N/A	48							0	0	3,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tariff	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	C/A	Document/Pg #
BX-106	1964	2	STAT	541	541	541	0	#NA	48	TBP,CW						0	0	3,000	1			
BX-106	1964	3	STAT					#NA	48							0	0	3,000	1			
BX-106	1964	4	STAT	543	543	543	0	2	50	TBP,CW						0	0	3,000	1			
BX-106	1965	1	STAT	NA	NA	NA	0	#NA	50							0	0	3,000	1			
BX-106	1965	2	STAT	543	543	543	54	#NA	50	CW						0	0	3,000	1			
BX-106	1965	3	STAT	543	543	543	54	#NA	50	CW						0	0	3,000	1			
BX-106	1965	4	STAT	543	543	543	54	#NA	50	CW						0	0	3,000	1			
BX-106	1966	1	STAT	543	543	543	54	#NA	50	CW						0	0	3,000	1			
BX-106	1966	2	STAT	543	543	543	54	#NA	50	CW						0	0	3,000	1			
BX-106	1966	3	STAT	543	543	543	54	#NA	50	CW						0	0	3,000	1			
BX-106	1966	4	STAT	543	543	543	54	#NA	50	CW						0	0	3,000	1			
BX-106	1967	1	STAT	541	541	541	54	#NA	48	TBP,CW						0	0	3,000	1			
BX-106	1967	2	STAT	476	541	541	54	#NA	48	TBP,CW						0	0	3,000	1			
BX-106	1967	3	SEND				66	#NA	48	SU	BY-103			476 to 103-BY		0	0	3,000	3	O	ARH-95-6	
BX-106	1967	4	STAT	62	62	62	54	#NA	48	CW						0	0	3,000	1			
BX-106	1967	3	STAT	62	62	62	54	#NA	48	CW						0	0	3,000	1			
BX-106	1968	1	REC	418	480	480	480	#NA	45	SU	BX-104 BX-104			Received 418 from 104-BX		0	0	3,000	1			
BX-106	1968	2	STAT	480	480	480	54	#NA	45	EB,IX						0	0	3,000	1			
BX-106	1968	3	REC	200	680	680	480	#NA	45	CW,EB,IX	BX-112					0	0	3,000	4	O	ARH-871-6	
BX-106	1968	4	REC	485	185	185	485	#NA	45	SU	BY-103					0	0	3,000	3	O	ARH-871-6	
BX-106	1968	3	REC	186	389	389	186	#NA	45	SU	BX-111					0	0	3,000	4	O	ARH-871-6	
BX-106	1968	3	STAT	403	403	403	54	10	55	EB,CW				408 from 118-BX & 112-BX, 485 to 103-BY		0	0	3,000	1			
BX-106	1968	4	REC	431	834	834	54	#NA	55	SU	BX-103 BX-103					0	0	3,000	4	O	ARH-1061-6	
BX-106	1968	4	REC	158	982	982	54	#NA	55	SU	BX-107 BX-107					0	0	3,000	4	O	ARH-1061-6	
BX-106	1968	4	REC	443	1435	1435	54	#NA	55	SU	BX-108 BX-108					0	0	3,000	4	O	ARH-1061-6	
BX-106	1968	4	REC	274	1709	1709	54	#NA	55	SU	BX-109 BX-109					0	0	3,000	4	O	ARH-1061-6	
BX-106	1968	4	REC	236	1945	1945	54	#NA	55	SU	BX-111 BX-111					0	0	3,000	4	O	ARH-1061-6	
BX-106	1968	4	REC	238	2184	2184	54	#NA	55	SU	BX-110 BX-110					0	0	3,000	4	O	ARH-1061-6	
BX-106	1968	4	SEND	2152	32	32	54	#NA	55	SU	BY-103					0	0	3,000	4	O	ARH-1061-6	
BX-106	1968	4	STAT	33	33	33	33	1	56					1782 from BX farm, 2152 to 103-BY		0	0	3,000	1			
BX-106	1969	1	REC	516	549	549	54	#NA	56	SU	BX-104 BX-104					0	0	3,000	4	O	ARH-1200A-6	
BX-106	1969	1	STAT	550	550	550	33	1	57	IX				516 from 104-BX		0	0	3,000	1			
BX-106	1969	2	STAT	552	552	552	33	2	59	IX						0	0	3,000	1			
BX-106	1969	3	SEND	35	517	517	0	#NA	59		BY-102					0	0	3,000	0			
BX-106	1969	4	STAT	517	517	517	0	#NA	59	IX						0	0	3,000	1			
BX-106	1970	1	STAT	516	516	516	0	-1	59	IX						0	0	3,000	1			
BX-106	1970	2	SEND	479	514	514	0	-2	56	IX						0	0	3,000	1			
BX-106	1970	2	SEND	299	334	334	34	#NA	56	SU	BX-104 BX-104					0	0	3,000	4	O	ARH-1666B-6	
BX-106	1970	2	REC	299	334	334	34	#NA	56	SU	BX-101 BX-101			479 to 104-BX, 299 from 101-BX		0	0	3,000	4	O	ARH-1666B-6	
BX-106	1970	2	STAT	334	334	334	0	#NA	56	IX,BL						0	0	3,000	1			
BX-106	1970	3	STAT	334	334	334	0	#NA	56	IX,BL						0	0	3,000	1			
BX-106	1970	4	REC	1251	1585	1585	537	#NA	56	SU	BX-101 BX-101					0	0	3,000	4	O	ARH-1666D-6	
BX-106	1970	4	SEND	1048	537	537	537	#NA	56	SU	TY-103					0	0	3,000	4	O	ARH-1666D-6	
BX-106	1970	4	STAT	541	541	541	37	4	60	BL,OW,RIX				1251 from 101-BX, 1048 to 103-TY		0	0	3,000	1			
BX-106	1971	1	REC	1027	1568	1568	1212	#NA	60	SU	BX-101 BX-101					0	0	3,000	4	O	ARH-2074A-6	
BX-106	1971	1	SEND	356	1212	1212	414	#NA	60	SU	TY-103					0	0	3,000	4	O	ARH-2074A-6	
BX-106	1971	1	SEND	798	414	414	414	#NA	60	SU	TX-11B					0	0	3,000	4	O	ARH-2074A-6	
BX-106	1971	1	STAT	411	411	411	43	-3	57	EB,RIX				1027 from 101-BX, 356 to 103-BY, 798 to 11B-TX		0	0	3,000	1			
BX-106	1971	2	REC	2297	2708	2708	1503	#NA	57	SU	BX-101 BX-101					0	0	3,000	2	V	ARH-2074B-6	
BX-106	1971	2	SEND	1205	1503	1503	537	#NA	57	SU	TX-101					0	0	3,000	4	O	ARH-2074B-6	
BX-106	1971	2	SEND	966	537	537	484	#NA	57	SU	TX-105					0	0	3,000	4	O	ARH-2074B-6	
BX-106	1971	2	SEND	-43	484	484	484	#NA	57	SU	BY-102					0	0	3,000	4	O	ARH-2074B-6	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
BX-106	1971	2	STAT		495	495	43	1	58	BL,CW,OWW,RIX				2297 from 101-BX, 1205 to 101-TX, 966 to 105-TX, 43 to 102-BY *Leak detection dry wells drilled: 21-06-01; 21-06-02; 21-06-03; 21-06-10 <		0	0	3,000		1		
BX-106	1971	3	SEND	-30	465	465		#N/A	58	SU		BY-109				0	0	3,000		4	O	ARH-2074C-6
BX-106	1971	3	STAT		466	466	43	1	59	BL,CW,OWW,RIX				30 to 109-BY		0	0	3,000		1		
BX-106	1971	4	STAT		466	466	51	#N/A	59	BL,CW,OWW,RIX						0	0	3,000		1		
BX-106	1972	1	STAT		465	465	65	-1	58	BL,CW,OWW,RIX						0	0	3,000		1		
BX-106	1972	2	SEND	-135	330	330		#N/A	58			BX-103			Omission	0	0	3,000		2	V	ARH-2456B-5
BX-106	1972	2	STAT		318	318	40	-12	46	BL,CW,OWW,RIX						0	0	3,000		1		
BX-106	1972	3	SEND	-104	214	214		#N/A	46	SU		BX-103				0	0	3,000		4	O	ARH-2456C-4
BX-106	1972	3	STAT		202	202	10	-12	34	BL,CW,OWW,RIX				104 to 103-BX		0	0	3,000		1		
BX-106	1972	4	SEND	-132	70	70		#N/A	34	SU		BX-103				0	0	3,000		4	O	ARH-2456D-5
BX-106	1972	4	REC	133	203	203		#N/A	34	SU	BX-105	BX-105				0	0	3,000		4	O	ARH-2456D-6
BX-106	1972	4	STAT		200	200	10	-3	31	BL,CW,OWW,IX				133 from 105-BX, 132 to 103-BX		0	0	3,000		1		
BX-106	1973	1	XIN	10	210	210		#N/A	31	WTR		WTR				0	0	3,000		4	O	ARH-2794A-5
BX-106	1973	1	SEND	-133	77	77		#N/A	31	SU		BX-103				0	0	3,000		4	O	ARH-2794A-5
BX-106	1973	1	STAT		73	73	10	-4	27	BL,CW,OWW,IX				10 flush water, 133 to 103-BX		0	0	3,000		1		
BX-106	1973	2	REC	271	344	344		#N/A	27	SU	BX-109	BX-109				0	0	3,000		4	O	ARH-2794B-5
BX-106	1973	2	REC	17	361	361		#N/A	27	SU	BX-105	BX-105				0	0	3,000		4	O	ARH-2794B-5
BX-106	1973	2	STAT		347	347	10	-14	13	BL,CW,OWW,IX				17 from 105-BX, 271 from 109-BX		0	0	3,000		1		
BX-106	1973	3	STAT		348	348	10	1	14	CW,OWW,IX						0	0	3,000		1		
BX-106	1973	4	REC	2	350	350		#N/A	14	SU	BX-109	BX-109				0	0	3,000		4	O	ARH-2794D-5
BX-106	1973	4	STAT		348	348	10	-2	12	BL,CW,OWW						0	0	3,000		1		
BX-106	1974	1	REC	43	391	391		#N/A	12	SU	BX-108	BX-108				0	0	3,000		4	O	ARH-CD-133A-5
BX-106	1974	1	STAT		394	394	10	3	15	BL,CW,OWW,IX				43 from 108-BX		0	0	3,000		1		
BX-106	1974	2	REC	2	396	396		#N/A	15	SU	BX-108	BX-108				0	0	3,000		4	O	ARH-CD-133B-5
BX-106	1974	2	SEND	-277	119	119		#N/A	15	SU	S-107					0	0	3,000		4	O	ARH-CD-133B-5
BX-106	1974	2	REC	64	183	183		#N/A	15	SU	B-101	B-101				0	0	3,000		4	O	ARH-CD-133B-4
BX-106	1974	2	STAT		182	182	10	-1	14	BL,CW,OWW,IX				64 from 101-B, 2 from 108-BX, 277 to 107-S		0	0	3,000		1		
BX-106	1974	3	REC	66	248	248		#N/A	14	SU	BX-107	BX-107				0	0	3,000		2		
BX-106	1974	3	REC	1	249	249		#N/A	14	SU	BX-108	BX-108				0	0	3,000		2		
BX-106	1974	3	STAT		251	251	10	2	16	BL,CW,OWW,IX				1 from 108-BX, 66 from 107-BX		0	0	3,000		1		
BX-106	1974	4	REC	1	252	252		#N/A	16	SU	BX-108	BX-108				0	0	3,000		4	O	ARH-CD-133D-5
BX-106	1974	4	REC	61	313	313		#N/A	16	SU	BY-112	BY-112				0	0	3,000		4	O	ARH-CD-133D-5
BX-106	1974	4	STAT		315	315	26	2	18	BL,CW,OWW,IX,EB				1 from 108-BX, 61 from 112-BY		0	0	3,000		1		
BX-106	1975	1	XIN	1	316	316		#N/A	18	WTR		WTR				0	0	3,000		4	O	ARH-CD-336A-5
BX-106	1975	1	REC	25	341	341		#N/A	18	SU	BY-107	BY-107				0	0	3,000		4	O	ARH-CD-336A-5
BX-106	1975	1	REC	123	464	464		#N/A	18	SU	BY-110	BY-110				0	0	3,000		4	O	ARH-CD-336A-5
BX-106	1975	1	STAT		464	464	26	#N/A	18	BL,CW,OWW,IX,EB				1 water, 25 from 107-BY, 123 from 110-BY		0	0	3,000		1		
BX-106	1975	2	SEND	-413	51	51		#N/A	18	SU		SX-106				0	0	3,000		4	O	ARH-CD-336B-5
BX-106	1975	2	REC	66	117	117		#N/A	18	SU	BY-112	BY-112				0	0	3,000		4	O	ARH-CD-336B-5
BX-106	1975	2	REC	114	231	231		#N/A	18	SU	BY-110	BY-110				0	0	3,000		4	O	ARH-CD-336B-5
BX-106	1975	2	STAT		230	230	26	-1	17	EB,IX,BL				114 from 110-BY, 66 from 112-BY, 413 to 106-SX		0	0	3,000		1		
BX-106	1975	3	STAT		230	230	26	#N/A	17	IX,BL						0	0	3,000		1		
BX-106	1975	4	STAT		230	230	26	#N/A	17	EB,IX,BL						0	0	3,000		1		
BX-106	1976	1	REC	46	276	276		#N/A	17	SU	BY-112	BY-112				0	0	3,000		4	O	ARH-CD-702A-5
BX-106	1976	1	outx	-267	9	9		#N/A	17			BYEVAP				0	0	3,000	BYEV	0		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BX-106	1976	1	join	267		276		#N/A	17							0.104869	28	31,000	BYSICK	0		
BX-106	1976	1	STAT		277	277		26	1	18	EB,IX,BL					0	0	31,000		1		
BX-106	1976	2	REC	46		323		#N/A	18	SU	BY-112	BY-112		46 from 112-BY		0	0	31,000		4	O	ARH-CD-702A-5
BX-106	1976	2	STAT		323	323		26	#N/A	18	EB,IX,BL					0	0	31,000		1		
BX-106	1976	3	STAT		323	323		26	#N/A	18	EVAP			46 from 112-BY		0	0	31,000		1		
BX-106	1976	4	send	-222		101		#N/A	18			A-102		Lo Heat		0	0	31,000		1		
BX-106	1976	4	STAT		101	101		26	#N/A	18	EVAP			Lo Heat		0	0	31,000		1		
BX-106	1977	1	rec	132		233		#N/A	18		A-102	A-102				0	0	31,000		0		
BX-106	1977	1	send	0		233		#N/A	18		A-102		REC NOT SEND			0	0	31,000		1		
BX-106	1977	1	STAT		233	233		26	#N/A	18	EVAP			Active - space - low heat		0	0	31,000		1		
BX-106	1977	2	send	-163		70		#N/A	18			A-102				0	0	31,000		0		
BX-106	1977	2	STAT		70	70		26	#N/A	18	EVAP			Active - space - low heat		0	0	31,000		1		
BX-106	1977	3	send	-27		43		#N/A	18			A-102				0	0	31,000		0		
BX-106	1977	3	STAT		43	43		29	#N/A	18				Inactive current		0	0	31,000		1		
BX-106	1977	4	STAT		43	43		29	#N/A	18	EVAP			Inactive current - open hole salt well		0	0	31,000		1		
BX-106	1978	1	STAT		43	43		29	#N/A	18				Inactive-Open Hole Salt Well		0	0	31,000		1		
BX-106	1978	2	STAT		43	43		29	#N/A	18						0	0	31,000		1		
BX-106	1978	3	STAT		43	43		29	#N/A	18						0	0	31,000		1		
BX-106	1978	4	STAT		43	43		29	#N/A	18				Pmp w/fix float new photo 11/2/78		0	0	31,000		1		
BX-106	1979	1	STAT		43	43		29	#N/A	18						0	0	31,000		1		
BX-106	1979	2	STAT		43	43		29	#N/A	18						0	0	31,000		1		
BX-106	1979	3	STAT		43	43		29	#N/A	18						0	0	31,000		1		
BX-106	1979	4	STAT		43	43		29	#N/A	18						0	0	31,000		1		
BX-106	1980	1	STAT		43	43		29	#N/A	18						0	0	31,000		1		
BX-106	1980	2	STAT		43	43		29	#N/A	18						0	0	31,000		1		
BX-106	1980	3	STAT		43	43		29	#N/A	18						0	0	31,000		1		
BX-106	1980	4	STAT		43	43		29	#N/A	18	NCPLX					0	0	31,000		1		
BX-106	1993	2	STAT		46	46		31	3	21	NCPLX					0	0	31,000		1		
BX-106	1993	4	STAT		46	46		31	#N/A	21						0	0	31,000		1		
BX-106	1994	1	STAT		46	46		31	#N/A	21						0	0	31,000		1		
BX-106	2000															0	0	31,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
BX-107	1900																					
BX-107	1948	3	CSEND	0		0		#N/A	0	SET	BX-108						0	0.000		1		
BX-107	1948	3	XIN	41		41		#N/A	0	1C		1C1				0.2163522	8.8704	8.870	1C1	1		
BX-107	1948	3	STAT		41	41	0	#N/A	0	1C				Began filling September		0	8.870		1			
BX-107	1948	4	XIN	77		118		#N/A	0	1C		1C1				0.2163522	16.659	25.530	1C1	1		
BX-107	1948	4	XIN	87		205		#N/A	0	1C		1C1				0.2163522	18.823	44.352	1C1	1		
BX-107	1948	4	XIN	132		337		#N/A	0	1C		1C1				0.2163522	28.558	72.911	1C1	1		
BX-107	1948	4	STAT		337	337	0	#N/A	0	1C			and stats at 332			0	72.911		1			
BX-107	1949	1	XIN	127		464		#N/A	0	1C		1C1				0.2163522	27.477	100.387	1C1	1		
BX-107	1949	1	XIN	58		522		#N/A	0	1C		1C1				0.2163522	12.548	112.936	1C1	1		
BX-107	1949	1	XIN	146		668		#N/A	0	1C		1C1				0.2163522	31.587	144.523	1C1	1		
BX-107	1949	1	send	-138		530		#N/A	0	cas	BX-108					0	144.523		0			
BX-107	1949	1	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full in March		0	144.523		1			
BX-107	1949	2	XIN	94		624		#N/A	0	1C		1C1				0.2163522	20.337	164.860	1C1	1		
BX-107	1949	2	XIN	85		709		#N/A	0	1C		1C1				0.2163522	18.39	183.250	1C1	1		
BX-107	1949	2	XIN	78		787		#N/A	0	1C		1C1				0.2163522	16.875	200.126	1C1	1		
BX-107	1949	2	send	-94		693		#N/A	0	cas	BX-108					0	200.126		0			
BX-107	1949	2	send	-85		608		#N/A	0	cas	BX-108					0	200.126		0			
BX-107	1949	2	send	-78		530		#N/A	0	cas	BX-108					0	200.126		0			
BX-107	1949	2	STAT		530	530	0	#N/A	0				and stats at 523	Cascade		0	200.126		0			
BX-107	1949	3	XIN	75		605		#N/A	0	1C		1C1				0.2163522	16.226	216.352	1C1	1		
BX-107	1949	3	XIN	46		651		#N/A	0	1C		1C1				0.2163522	9.9522	226.304	1C1	1		
BX-107	1949	3	XIN	14		665		#N/A	0	1C		1C1				0.2163522	3.0269	229.333	1C1	1		
BX-107	1949	3	send	-75		590		#N/A	0	cas	BX-108					0	229.333		0			
BX-107	1949	3	send	-46		544		#N/A	0	cas	BX-108					0	229.333		0			
BX-107	1949	3	send	-14		530		#N/A	0	cas	BX-108					0	229.333		0			
BX-107	1949	3	STAT		530	530	0	#N/A	0				and stats at 523	Cascade full		0	229.333		1			
BX-107	1949	4	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	229.333		1			
BX-107	1950	1	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	229.333		1			
BX-107	1950	2	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	229.333		1			
BX-107	1950	3	STAT		530	530	0	#N/A	0				and stats at 523	Full		0	229.333		1			
BX-107	1950	4	XIN	184		714		#N/A	0	1C		1C1				0.2163522	39.809	269.142	1C1	1		
BX-107	1950	4	XIN	216		930		#N/A	0	1C		1C1				0.2163522	46.732	315.874	1C1	1		
BX-107	1950	4	XIN	130		1060		#N/A	0	1C		1C1				0.2163522	28.126	344.000	1C1	1		
BX-107	1950	4	send	-216		844		#N/A	0	cas	BX-108					0	344.000		0			
BX-107	1950	4	send	-184		660		#N/A	0	cas	BX-108					0	344.000		0			
BX-107	1950	4	send	-130		530		#N/A	0	cas	BX-108					0	344.000		0			
BX-107	1950	4	STAT		530	530	0	#N/A	0				and stats at 523	Cascade		0	344.000		1			
BX-107	1951	1	STAT		530	530	0	#N/A	0				and stats at 523	Cascade		0	344.000		1			
BX-107	1951	2	STAT		530	530	0	#N/A	0	1C			and stats at 523	Cascade		0	344.000		1			
BX-107	1951	3	STAT		N/A	530		#N/A	0							0	344.000		1			
BX-107	1951	4	STAT		N/A	530		#N/A	0							0	344.000		1			
BX-107	1952	1	STAT		N/A	530		#N/A	0							0	344.000		1			
BX-107	1952	2	STAT		530	530	0	#N/A	0	1C						0	344.000		1			
BX-107	1952	3	STAT		530	530	0	#N/A	0	1C						0	344.000		1			
BX-107	1952	4	SEND	-93		437		#N/A	0	SU	B-106					0	344.000		1			
BX-107	1952	4	STAT		437	437	0	#N/A	0	1C				Finished pumping 12/18/52: down to sludge		0	344.000		1			
BX-107	1953	1	STAT		437	437	437	#N/A	0							0	344.000		1			
BX-107	1953	2	CSEND	0		437		#N/A	0	SET	BX-108					0	344.000		1			
BX-107	1953	2	XIN	201		638		#N/A	0	UR		UR				0	344.000		1			
BX-107	1953	2	XIN	412		1050		#N/A	0	UR		UR				0	344.000		1			
BX-107	1953	2	send	-412		638		#N/A	0	cas	BX-108					0	344.000		0			
BX-107	1953	2	send	-108		530		#N/A	0	cas	BX-108					0	344.000		0			
BX-107	1953	2	STAT		530	530	437	#N/A	0	TBP						0	344.000		1			
BX-107	1953	3	STAT		530	530	437	#N/A	0							0	344.000		1			
BX-107	1953	4	STAT		530	530	437	#N/A	0							0	344.000		1			
BX-107	1954	1	STAT		530	530	437	#N/A	0							0	344.000		1			

Tank_n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk iftr	Cum unk	Waste type	Trans tank	DWXT	LAMI comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BX-107	1954	2	CSEND	0		530		#NA	0	END	BX-108						0	344,000				
BX-107	1954	2	STAT	530	530	530	437	#NA	0					Overflow to 108 BX plugged		0	0	344,000				
BX-107	1954	3	STAT	530	530	530	437	#NA	0							0	0	344,000				
BX-107	1954	4	STAT	530	530	530	437	#NA	0	TBP						0	0	344,000				
BX-107	1955	1	STAT	530	530	530	437	#NA	0							0	0	344,000				
BX-107	1955	2	STAT	530	530	530	437	#NA	0							0	0	344,000				
BX-107	1955	3	STAT	530	530	530	437	#NA	0							0	0	344,000				
BX-107	1955	4	STAT	530	530	530	437	#NA	0							0	0	344,000				
BX-107	1956	1	STAT	530	530	530	437	#NA	0							0	0	344,000				
BX-107	1956	2	STAT	530	530	530	437	#NA	0							0	0	344,000				
BX-107	1956	3	STAT	530	530	530	437	#NA	0							0	0	344,000				
BX-107	1956	4	STAT	530	530	530	437	#NA	0	TBP						0	0	344,000				
BX-107	1957	1	STAT	530	530	530	437	#NA	35	TBP				Latest electrode reading		0	0	344,000				
BX-107	1957	2	STAT	530	530	530	437	#NA	35	TBP				Latest electrode reading		0	0	344,000				
BX-107	1957	3	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1957	4	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1958	1	STAT	530	530	530	437	#NA	35	TBP				Latest electrode reading		0	0	344,000				
BX-107	1958	2	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1958	3	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1958	4	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1959	1	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1959	2	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1959	3	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1959	4	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1960	1	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1960	2	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1960	3	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1960	4	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1961	1	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1961	2	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1961	3	STAT	530	530	530	437	#NA	35	TBP				6 month report		0	0	344,000				
BX-107	1961	4	STAT	530	530	530	437	#NA	35	TBP				Latest electrode reading 6 month report		0	0	344,000				
BX-107	1962	1	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1962	2	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1962	3	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1962	4	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1963	1	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1963	2	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1963	3	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1963	4	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1964	1	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1964	2	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1964	3	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1964	4	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1965	1	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1965	2	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1965	3	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1965	4	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1966	1	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1966	2	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1966	3	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1966	4	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1967	1	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				
BX-107	1967	2	STAT	530	530	530	437	#NA	35	TBP						0	0	344,000				



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-107	1967	3	STAT		563	563	428	#N/A	33	TBP						0	0	344.000		1		
BX-107	1967	4	STAT		563	563	428	#N/A	33	IC.TBP						0	0	344.000		1		
BX-107	1968	1	STAT		567	567	428	4	37	IC.TBP						0	0	344.000		1		
BX-107	1968	2	STAT		568	568	428	1	38	IC.TBP						0	0	344.000		1		
BX-107	1968	3	STAT		567	567	428	-1	37	IC.TBP						0	0	344.000		1		
BX-107	1968	4	SEND	-158		409		#N/A	37	SU		BX-106				0	0	344.000		1		
BX-107	1968	4	STAT		409	409	409	#N/A	37					158 to 106-BX		0	0	344.000		4	O	ARH-1061-6
BX-107	1969	1	STAT		409	409	409	#N/A	37							0	0	344.000		1		
BX-107	1969	2	STAT		409	409	409	#N/A	37							0	0	344.000		1		
BX-107	1969	3	REC	165		574		#N/A	37	SU	BX-104	BX-104				0	0	344.000		4	O	ARH-1200C-6
BX-107	1969	3	send	-33		541		#N/A	37			BY-102				0	0	344.000		0		
BX-107	1969	3	STAT		541	541	376	#N/A	37					165 from 107-BX		0	0	344.000		1		
BX-107	1969	4	STAT		541	541	376	#N/A	37							0	0	344.000		1		
BX-107	1970	1	STAT		541	541	376	#N/A	37							0	0	344.000		1		
BX-107	1970	2	STAT		541	541	376	#N/A	37							0	0	344.000		1		
BX-107	1970	3	STAT		541	541	376	#N/A	37							0	0	344.000		1		
BX-107	1970	4	STAT		541	541	376	#N/A	37							0	0	344.000		1		
BX-107	1971	1	STAT		541	541	376	#N/A	37	IX						0	0	344.000		1		
BX-107	1971	2	STAT		538	538	376	-3	34							0	0	344.000		1		
BX-107	1971	3	STAT		538	538	376	#N/A	34							0	0	344.000		1		
BX-107	1971	4	STAT		538	538	376	#N/A	34							0	0	344.000		1		
BX-107	1972	1	STAT		538	538	376	#N/A	34							0	0	344.000		1		
BX-107	1972	2	STAT		538	538	376	#N/A	34							0	0	344.000		1		
BX-107	1972	3	STAT		538	538	376	#N/A	34							0	0	344.000		1		
BX-107	1972	4	STAT		538	538	376	#N/A	34	IX						0	0	344.000		1		
BX-107	1973	1	STAT		537	537	376	-1	33	IX						0	0	344.000		1		
BX-107	1973	2	STAT		537	537	376	#N/A	33	IX						0	0	344.000		1		
BX-107	1973	3	STAT		541	541	376	4	37	IX						0	0	344.000		1		
BX-107	1973	4	STAT		539	539	376	-2	35	IX				* Leak detection dry wells drilled: 21-07-03; 21-07-06		0	0	344.000		1		
BX-107	1974	1	STAT		539	539	376	#N/A	35							0	0	344.000		1		
BX-107	1974	2	STAT		539	539	376	#N/A	35							0	0	344.000		1		
BX-107	1974	3	SEND	-66		473		#N/A	35	SU		BX-106				0	0	344.000		2		
BX-107	1974	3	STAT		474	474	376	1	36	IX				66 to 106-BX		0	0	344.000		1		
BX-107	1974	4	STAT		472	472	376	-2	34					Awaiting solidification		0	0	344.000		1		
BX-107	1975	1	STAT		472	472	376	#N/A	34					Awaiting solidification		0	0	344.000		1		
BX-107	1975	2	STAT		472	472	376	#N/A	34							0	0	344.000		1		
BX-107	1975	3	STAT		472	472	376	#N/A	34							0	0	344.000		1		
BX-107	1975	4	STAT		472	472	376	#N/A	34							0	0	344.000		1		
BX-107	1976	1	STAT		472	472	376	#N/A	34							0	0	344.000		1		
BX-107	1976	2	STAT		472	472	376	#N/A	34	IX						0	0	344.000		1		
BX-107	1976	3	STAT		472	472	376	#N/A	34	EVAP				Evap. feed dil.		0	0	344.000		1		
BX-107	1976	4	STAT		475	475	376	3	37							0	0	344.000		1		
BX-107	1977	1	STAT		475	475	376	#N/A	37	EVAP				Evap. feed dil.		0	0	344.000		1		
BX-107	1977	2	send	-99		376		#N/A	37			A-102				0	0	344.000		0		
BX-107	1977	2	STAT		376	376	376	#N/A	37					Evap. feed dil.		0	0	344.000		1		
BX-107	1977	3	STAT		376	376	376	#N/A	37					Inactive current		0	0	344.000		1		
BX-107	1977	4	STAT		376	376	376	#N/A	37					Inactive current, open hole salt well		0	0	344.000		1		
BX-107	1978	1	STAT		376	376	376	#N/A	37					Inactive		0	0	344.000		1		
BX-107	1978	2	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1978	3	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1978	4	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1979	1	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1979	2	STAT		376	376	376	#N/A	37					New photo 3/9/79		0	0	344.000		1		
BX-107	1979	3	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1979	4	STAT		376	376	376	#N/A	37							0	0	344.000		1		
BX-107	1980	1	STAT		376	376	376	#N/A	37							0	0	344.000		1		



Tank n	Year	Dtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	DI	C/A	DocumentPg #
BX-107	1980	2	STAT	376	376	376	376	376	#N/A	37						0	344,000	0	1			
BX-107	1980	3	STAT	376	376	376	376	376	#N/A	37						0	344,000	0	1			
BX-107	1980	4	STAT	376	376	376	376	376	#N/A	37						0	344,000	0	1			
BX-107	1987	2	Send	-31												0	344,000	0	1			
BX-107	1987	4	STAT	376	376	376	376	376	#N/A	37						0	344,000	0	1			
BX-107	1993	2	STAT	345	345	344	344	344	#N/A	37						0	344,000	0	1			
BX-107	1993	4	STAT	345	345	344	344	344	#N/A	37						0	344,000	0	1			
BX-107	1994	1	STAT	345	345	344	344	344	#N/A	37						0	344,000	0	1			
BX-107	2000															0	344,000	0	1			

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unk	Waste type	Trans tank	DWXT	LAMI comment	Anderson comment	Open cement	sol vof%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BX-108	1900																					
BX-108	1948	3	CREC	0		0	0	#NA	0	0	BX-107					0	0	0.000		1		
BX-108	1948	3	CSEND	0		0	0	#NA	0	0	BX-109					0	0	0.000		1		
BX-108	1948	4	STAT	0	0	0	0	#NA	0	0						0	0	0.000		1		
BX-108	1949	1	rec	138	138	138	138	#NA	0	0	BX-107			Cascade begin fill March		0.0245283	3.3849	3.385	1C1	0		
BX-108	1949	1	STAT					#NA	0	0						0	0	0.000		1		
BX-108	1949	2	rec	94	94	232	232	#NA	0	0	BX-107					0.0245283	2.3057	5.691	1C1	0		
BX-108	1949	2	rec	85	85	317	317	#NA	0	0	BX-107					0.0245283	2.0849	7.775	1C1	0		
BX-108	1949	2	rec	78	78	395	395	#NA	0	0	BX-107					0.0245283	1.9132	9.689	1C1	0		
BX-108	1949	2	STAT					#NA	0	0						0	0	0.000		1		
BX-108	1949	3	CSEND	0	395	395	395	#NA	0	0	BX-109			Cascade		0	0	0.000		1		
BX-108	1949	3	rec	75	75	470	470	#NA	0	0	BX-107					0.0245283	1.8396	11.528	1C1	0		
BX-108	1949	3	rec	46	46	530	530	#NA	0	0	BX-107					0.0245283	1.1283	12.657	1C1	0		
BX-108	1949	3	STAT	14	14	530	530	#NA	0	0	BX-107					0.0245283	0.3434	13.000	1C1	0		
BX-108	1949	4	STAT					#NA	0	0						0	0	0.000		1		
BX-108	1950	1	STAT	530	530	530	530	#NA	0	0						0	0	0.000		1		
BX-108	1950	2	STAT	530	530	530	530	#NA	0	0						0	0	0.000		1		
BX-108	1950	3	STAT	530	530	530	530	#NA	0	0						0	0	0.000		1		
BX-108	1950	4	rec	216	216	746	746	#NA	0	0	BX-107					0.0245283	5.2981	18.299	1C1	0		
BX-108	1950	4	rec	184	184	930	930	#NA	0	0	BX-107					0.0245283	4.5132	22.811	1C1	0		
BX-108	1950	4	rec	130	130	1060	1060	#NA	0	0	BX-107					0.0245283	3.1887	26.000	1C1	0		
BX-108	1950	4	send	-216	-216	844	844	#NA	0	0	BX-109					0	0	0.000		0		
BX-108	1950	4	send	-184	-184	660	660	#NA	0	0	BX-109					0	0	0.000		0		
BX-108	1950	4	send	-130	-130	530	530	#NA	0	0	BX-109					0	0	0.000		0		
BX-108	1950	4	STAT					#NA	0	0						0	0	0.000		0		
BX-108	1951	1	STAT	530	530	530	530	#NA	0	0						0	0	0.000		0		
BX-108	1951	2	STAT	530	530	530	530	#NA	0	0						0	0	0.000		0		
BX-108	1951	3	STAT	530	530	530	530	#NA	0	0						0	0	0.000		0		
BX-108	1951	4	STAT					#NA	0	0						0	0	0.000		0		
BX-108	1952	1	STAT					#NA	0	0						0	0	0.000		0		
BX-108	1952	2	STAT					#NA	0	0						0	0	0.000		0		
BX-108	1952	3	STAT					#NA	0	0						0	0	0.000		0		
BX-108	1952	4	SEND	-496	-496	44	44	#NA	0	0	B-106					0	0	0.000		0		
BX-108	1952	4	outx	-23	-23	21	21	#NA	0	0	CORR LEAK					0	0	0.000		2		
BX-108	1952	4	STAT					#NA	0	0						0	0	0.000		0		
BX-108	1953	1	SEND	-11	-11	10	10	#NA	0	0	B-106					0	0	0.000		1		
BX-108	1953	1	STAT					#NA	0	0						0	0	0.000		1		
BX-108	1953	2	CREC	0	0	0	0	#NA	0	0						0	0	0.000		1		
BX-108	1953	2	rec	412	412	422	422	#NA	0	0	BX-107					0	0	0.000		1		
BX-108	1953	2	rec	108	108	530	530	#NA	0	0	BX-107					0	0	0.000		1		
BX-108	1953	3	STAT					#NA	0	0	BX-107					0	0	0.000		0		
BX-108	1953	4	STAT					#NA	0	0	BX-107					0	0	0.000		0		
BX-108	1954	1	outx	-254	-254	276	276	#NA	0	0						0	0	0.000		1		
BX-108	1954	1	STAT					#NA	0	0	UR					0	0	0.000		1		
BX-108	1954	2	xlin	254	254	530	530	#NA	0	0						0	0	0.000		1		
BX-108	1954	2	CREC	0	0	530	530	#NA	0	0	WTR					0	0	0.000		1		
BX-108	1954	2	STAT					#NA	0	0	BX-107					0	0	0.000		1		
BX-108	1954	3	STAT					#NA	0	0						0	0	0.000		1		
BX-108	1954	4	STAT					#NA	0	0						0	0	0.000		1		
BX-108	1955	1	STAT					#NA	0	0						0	0	0.000		1		
BX-108	1955	2	STAT					#NA	0	0						0	0	0.000		1		

Tank n	Year	Qty	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trf	Cum unk	Waste type	Trans tank	D/WKT	LAMt comment	Anderson comment	Ogden comment	sol vol%	TLM Solids	Cum Solids	sol type	Cl	Document/Pg #
BX-108	1955	3	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1955	4	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1956	1	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1956	2	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1956	3	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1956	4	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1957	1	STAT	535	535	535	0	5	5	TBP				Latest electrode reading		0	0	26,000	1		
BX-108	1957	2	STAT	568	568	568	0	33	33	TBP				New electrode reading		0	0	26,000	1		
BX-108	1957	3	STAT	568	568	568	0	#N/A	0							0	0	26,000	1		
BX-108	1957	4	OUTX	-481	-481	-481	0	#N/A	0							0	0	26,000	1		
BX-108	1957	4	STAT	87	87	87	0	#N/A	0						Shows #13 not 443	0	0	26,000	2	V	N-54-272
BX-108	1958	1	STAT	87	87	87	0	#N/A	0					481 scavenged		0	0	26,000	1		
BX-108	1958	2	STAT	84	84	84	0	3	3					Latest electrode reading		0	0	26,000	1		
BX-108	1958	3	STAT	84	84	84	0	#N/A	0							0	0	26,000	1		
BX-108	1958	4	STAT	84	84	84	0	#N/A	0							0	0	26,000	1		
BX-108	1959	1	STAT	84	84	84	0	#N/A	0							0	0	26,000	1		
BX-108	1959	2	STAT	84	84	84	0	#N/A	0							0	0	26,000	1		
BX-108	1959	3	STAT	84	84	84	0	#N/A	0							0	0	26,000	1		
BX-108	1959	4	STAT	84	84	84	0	#N/A	0							0	0	26,000	1		
BX-108	1960	1	STAT	84	84	84	0	#N/A	0							0	0	26,000	1		
BX-108	1960	2	STAT	84	84	84	0	#N/A	0							0	0	26,000	1		
BX-108	1960	3	STAT	84	84	84	0	#N/A	0							0	0	26,000	1		
BX-108	1960	4	STAT	84	84	84	0	#N/A	0							0	0	26,000	1		
BX-108	1961	1	STAT	N/A	N/A	N/A	0	#N/A	0							0	0	26,000	1		
BX-108	1961	2	STAT	84	84	84	0	#N/A	0					6 month report		0	0	26,000	1		
BX-108	1961	3	STAT	N/A	N/A	N/A	0	#N/A	0							0	0	26,000	1		
BX-108	1961	4	STAT	90	90	90	0	6	6	TBP				New electrode 5 month report		0	0	26,000	1		
BX-108	1962	1	STAT	N/A	N/A	N/A	0	#N/A	0							0	0	26,000	1		
BX-108	1962	2	STAT	90	90	90	0	#N/A	0					6 month report		0	0	26,000	1		
BX-108	1962	3	STAT	N/A	N/A	N/A	0	#N/A	0							0	0	26,000	1		
BX-108	1962	4	STAT	90	90	90	0	#N/A	0					6 month report		0	0	26,000	1		
BX-108	1963	1	STAT	N/A	N/A	N/A	0	#N/A	0							0	0	26,000	1		
BX-108	1963	2	STAT	92	92	92	0	2	2	TBP				6 month report		0	0	26,000	1		
BX-108	1963	3	STAT	N/A	N/A	N/A	0	#N/A	0							0	0	26,000	1		
BX-108	1963	4	STAT	90	90	90	0	2	2	TBP				6 month report		0	0	26,000	1		
BX-108	1964	1	STAT	N/A	N/A	N/A	0	#N/A	0							0	0	26,000	1		
BX-108	1964	2	REC	454	454	454	0	#N/A	0					454 from 108-C		0	0	26,000	4	O	HW-83308-5
BX-108	1964	2	STAT	544	544	544	0	#N/A	0							0	0	26,000	1		
BX-108	1964	3	STAT	N/A	N/A	N/A	0	#N/A	0							0	0	26,000	1		
BX-108	1964	4	STAT	544	544	544	0	#N/A	0							0	0	26,000	1		
BX-108	1965	1	STAT	544	544	544	0	#N/A	0							0	0	26,000	1		
BX-108	1965	2	STAT	530	530	530	0	14	14							0	0	26,000	1		
BX-108	1965	3	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1965	4	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1966	1	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1966	2	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1966	3	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1966	4	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1967	1	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1967	2	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1967	3	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1967	4	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1968	1	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1968	2	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1968	3	STAT	530	530	530	0	#N/A	0							0	0	26,000	1		
BX-108	1968	4	SEND	443	443	443	0	#N/A	0							0	0	26,000	4	O	ARH-106-6
BX-108	1968	4	STAT	87	87	87	0	#N/A	0					443 to 106-BX		0	0	26,000	1		

Tank ID	Year	Dir	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unkl	Waste type	Trans tank	DWXT	L.A.N.L. comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	CH	O/A	Document/Upg #
BX-108	1969	1	STAT	87	87	87	87	#NA	27							0	0	26,000		1		
BX-108	1969	2	REC	492	539	539	539	#NA	27	SU	BX-104	BX-104		452 from 104-BX		0	0	26,000		4	O	ARH-2794B-6
BX-108	1969	3	SEND	-33	506	506	506	#NA	27	IX		BY-102				0	0	26,000		1		
BX-108	1969	4	STAT	506	506	506	506	#NA	27							0	0	26,000		0		
BX-108	1970	1	STAT	506	506	506	506	#NA	27							0	0	26,000		1		
BX-108	1970	2	STAT	506	506	506	506	#NA	27	IX						0	0	26,000		1		
BX-108	1970	3	STAT	506	506	506	506	#NA	27	IX						0	0	26,000		1		
BX-108	1970	4	STAT	508	508	508	508	2	29							0	0	26,000		1		
BX-108	1971	1	STAT	508	508	508	508	#NA	29	IX						0	0	26,000		1		
BX-108	1971	2	STAT	505	505	505	505	3	26							0	0	26,000		1		
BX-108	1971	3	STAT	505	505	505	505	#NA	26	IX						0	0	26,000		1		
BX-108	1971	4	STAT	506	506	506	506	1	27	IX				* Leak detection dry well 21-08-12 drilled		0	0	26,000		1		
BX-108	1972	1	STAT	505	505	505	505	-1	28	IX				** Leak detection dry wells drilled: 21-08-06; 21-08-07		0	0	26,000		1		
BX-108	1972	2	STAT	502	502	502	502	-3	23	IX						0	0	26,000		1		
BX-108	1972	3	STAT	505	505	505	505	3	28	IX				* Leak detection dry well 21-08-02 drilled		0	0	26,000		1		
BX-108	1972	4	STAT	508	508	508	508	3	29	IX						0	0	26,000		1		
BX-108	1973	1	SEND	432	76	76	76	#NA	29	SU		BX-105				0	0	26,000		4	O	ARH-2794A-5
BX-108	1973	1	STAT	74	74	74	74	-2	27	IX				432 to 105-BX		0	0	26,000		1		
BX-108	1973	2	STAT	72	72	72	72	-2	25					* Leak detection dry wells drilled: 21-08-04, 21-08-05, 21-08-10		0	0	26,000		1		
BX-108	1973	3	STAT	72	72	72	72	#NA	25	IX						0	0	26,000		1		
BX-108	1973	4	STAT	71	71	71	71	-1	24	IX				Suspect leaker		0	0	26,000		1		
BX-108	1974	1	SEND	43	28	28	28	#NA	24	SU		BX-106				0	0	26,000		4	O	ARH-CD-133A-5
BX-108	1974	1	STAT	34	34	34	34	6	30	SU				Tank leaks, 43 to 105-BX		0	0	26,000		1		
BX-108	1974	2	SEND	2	32	32	32	#NA	30	SU						0	0	26,000		4	O	ARH-CD-133B-5
BX-108	1974	2	STAT	34	34	34	34	2	32					Tank leaks, 2 to 106-BX		0	0	26,000		1		
BX-108	1974	3	SEND	1	33	33	33	#NA	32	SU		BX-106				0	0	26,000		2		
BX-108	1974	3	STAT	34	34	34	34	1	33					Tank leaks, 1 to 106-BX		0	0	26,000		2		
BX-108	1974	4	SEND	1	33	33	33	#NA	33	SU		BX-106				0	0	26,000		2		
BX-108	1974	4	STAT	15	15	15	15	13	15	IX				Tank leaks		0	0	26,000		1		
BX-108	1975	1	STAT	15	15	15	15	13	15					Tank leaks		0	0	26,000		1		
BX-108	1975	2	STAT	15	15	15	15	13	15					Tank leaks		0	0	26,000		1		
BX-108	1975	3	STAT	15	15	15	15	13	15					Tank leaks		0	0	26,000		1		
BX-108	1975	4	STAT	15	15	15	15	13	15					Tank leaks		0	0	26,000		1		
BX-108	1976	1	STAT	15	15	15	15	13	15	IX				Tank leaks		0	0	26,000		1		
BX-108	1976	2	STAT	15	15	15	15	13	15					Tank leaks		0	0	26,000		1		
BX-108	1976	3	STAT	15	15	15	15	15	15					Tank leaks		0	0	26,000		1		
BX-108	1976	4	STAT	15	15	15	15	15	15					Tank leaks, salt well pumped		0	0	26,000		1		
BX-108	1977	1	STAT	15	15	15	15	15	15					Tank leaks		0	0	26,000		1		
BX-108	1977	2	STAT	15	15	15	15	15	15					Tank leaks		0	0	26,000		1		
BX-108	1977	3	STAT	15	15	15	15	15	15					Tank leaks		0	0	26,000		1		
BX-108	1977	4	STAT	15	15	15	15	15	15					Inactive, leaker stabilized Phase I		0	0	26,000		1		
BX-108	1977	4	STAT	15	15	15	15	15	15					Inactive, leaker stabilized Phase I		0	0	26,000		1		
BX-108	1978	1	STAT	26	26	26	26	11	26					Leaker-Primary stabilized - New Solids Rep. 3/31/78		0	0	26,000		1		
BX-108	1978	2	STAT	26	26	26	26	#NA	26							0	0	26,000		1		
BX-108	1978	3	STAT	26	26	26	26	#NA	26							0	0	26,000		1		
BX-108	1978	4	STAT	26	26	26	26	#NA	26							0	0	26,000		1		
BX-108	1979	1	STAT	26	26	26	26	#NA	26							0	0	26,000		1		
BX-108	1979	2	STAT	26	26	26	26	#NA	26							0	0	26,000		1		

Tank ID	Year	Qtr	Type	Trens vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unk	Waste type	Trens tank	DWXT	LANL comment	Anderson comment	Open comment	sol ver%	TLM solids	Cum solids	sol type	QI	Document/Pg #
BX-108	1979	3	STAT	26	26	26	26	#NA	26	26						0	0	26,000		1	
BX-108	1979	4	STAT	26	26	26	26	#NA	26	26						0	0	26,000		1	
BX-108	1980	1	STAT	26	26	26	26	#NA	26	26				New photo 2/29/80		0	0	26,000		1	
BX-108	1980	2	STAT	26	26	26	26	#NA	26	26						0	0	26,000		1	
BX-108	1980	3	STAT	26	26	26	26	#NA	26	26						0	0	26,000		1	
BX-108	1980	4	STAT	26	26	26	26	#NA	26	26	X					0	0	26,000		1	
BX-108	1983	2	STAT	26	26	26	26	#NA	26	26	NCPLX					0	0	26,000		1	
BX-108	1983	4	STAT	26	26	26	26	#NA	26	26						0	0	26,000		1	
BX-108	1984	1	STAT	26	26	26	26	#NA	26	26						0	0	26,000		1	
BX-108	2000															0	0	26,000		1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soil vol	Unk lit	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oyden comment	sol vol%	TLM soills	Cum soills	sol type	DI	O/A	Document/2g #
BX-109	1900																					
BX-109	1948	3	CREC	0				#N/A	0	0 SET	BX-108							0	0.000			
BX-109	1949	1	STAT		N/A			#N/A	0	0								0	0.000			
BX-109	1949	2	STAT		N/A			#N/A	0	0								0	0.000			
BX-109	1949	3	CREC	0				#N/A	0	0 SET	BX-109							0	0.000			
BX-109	1949	4	STAT		N/A			#N/A	0	0				Not used				0	0.000			
BX-109	1950	1	STAT		N/A			#N/A	0	0				Not used				0	0.000			
BX-109	1950	2	STAT		N/A			#N/A	0	0				Not used				0	0.000			
BX-109	1950	3	STAT		N/A			#N/A	0	0				Not used				0	0.000			
BX-109	1950	4	rec	216				#N/A	0	0								0	0.000			
BX-109	1950	4	rec	184				#N/A	0	0 cas	BX-108							0	0.000			
BX-109	1950	4	rec	130				#N/A	0	0 cas	BX-108							0	0.000			
BX-109	1950	4	STAT		N/A			#N/A	0	0 IC	BX-108							0	0.000			
BX-109	1951	1	STAT		N/A			#N/A	0	0				Began filling November				13.857	13.857	1C1		
BX-109	1951	1	STAT		N/A			#N/A	0	0			stat prob? 160 to N/A					11.804	25.660	1C1		
BX-109	1951	2	STAT		N/A			#N/A	0	0			stat prob? 160 to N/A					8.3396	34.000	1C1		
BX-109	1951	3	STAT		N/A			#N/A	0	0			stat prob? 160 to N/A					0	0	34.000		
BX-109	1951	4	STAT		N/A			#N/A	0	0				Cascade				0	0	34.000		
BX-109	1952	1	STAT		N/A			#N/A	0	0				Cascade				0	0	34.000		
BX-109	1952	2	STAT		N/A			#N/A	0	0								0	0	34.000		
BX-109	1952	3	STAT		N/A			#N/A	0	0								0	0	34.000		
BX-109	1952	4	STAT		N/A			#N/A	0	0								0	0	34.000		
BX-109	1953	1	CSEND	0				#N/A	0	0 SET	BY-107							0	0	34.000		
BX-109	1953	1	XIN	590				#N/A	0	0								0	0	34.000		
BX-109	1953	1	XIN	658				#N/A	0	0 UR								0	0	34.000		
BX-109	1953	1	send	-658				#N/A	0	0 cas	BY-107							0	0	34.000		
BX-109	1953	1	send	-84				#N/A	0	0 cas	BY-107							0	0	34.000		
BX-109	1953	1	SEND	-486				#N/A	0	0 cas	B-106							0	0	34.000		
BX-109	1953	1	CSEND	0				#N/A	0	0 END	BY-107							0	0	34.000		
BX-109	1953	1	STAT		530			#N/A	0	0								0	0	34.000		
BX-109	1953	2	STAT		530			#N/A	0	0 TBP								0	0	34.000		
BX-109	1953	3	STAT		524			#N/A	0	-6 TBP								0	0	34.000		
BX-109	1953	4	XIN	318				#N/A	0	-6 UR								0	0	34.000		
BX-109	1953	4	XIN	676				#N/A	0	-6 UR								0	0	34.000		
BX-109	1953	4	XIN	1518				#N/A	0	-6 UR								0	0	34.000		
BX-109	1953	4	XIN	2029				#N/A	0	-6 UR								0	0	34.000		
BX-109	1953	4	SEND	675				#N/A	0	-6 SU								0	0	34.000		
BX-109	1953	4	SEND	-635				#N/A	0	-6 SU								0	0	34.000		
BX-109	1953	4	SEND	-542				#N/A	0	-6 SU								0	0	34.000		
BX-109	1953	4	STAT		183			#N/A	0	0 TBP								0	0	103.482		
BX-109	1954	1	XIN	371				#N/A	0	0 UR								0	0	103.482		
BX-109	1954	1	XIN	566				#N/A	0	0 UR								0	0	103.482		
BX-109	1954	1	XIN	82				#N/A	0	0 UR								0	0	103.482		
BX-109	1954	1	XIN	193				#N/A	0	0 UR								0	0	103.482		
BX-109	1954	1	SEND	-536				#N/A	0	0 SU								0	0	103.482		
BX-109	1954	1	SEND	258				#N/A	0	0 SU								0	0	103.482		
BX-109	1954	1	SEND	252				#N/A	0	0 SU								0	0	103.482		
BX-109	1954	1	STAT		349			#N/A	0	0 TBP								0	0	129.294		
BX-109	1954	2	XIN	530				#N/A	0	0 UR								0	0	129.294		
BX-109	1954	2	XIN	902				#N/A	0	0 UR								0	0	129.294		
BX-109	1954	2	XIN	902				#N/A	0	0 UR								0	0	129.294		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol	Cum solids	TLM solids	sol vol%	Document/Pg #
BX-09	1954	2	XIN	384	2165	#NA	0	UR	0	UR	UR					0	175,294	9,7269	0.02533057	
BX-09	1954	2	SEND	717	1449	#NA	0	SU	0	SU	B-106					0	175,294	0	0	
BX-09	1954	2	SEND	521	927	#NA	0	SU	0	SU	B-106					0	175,294	0	0	
BX-09	1954	2	SEND	357	570	#NA	0	SU	0	SU	B-106					0	175,294	0	0	
BX-09	1954	2	OUK	183	377	#NA	0		0		UR					0	175,294	0	0	
BX-09	1954	2	STAT	377	377	34	#NA	0	TBP	0				Active TBP waste receiver pumps to 106-B Evap. feed tank		0	175,294	0	0	
BX-09	1954	3	XIN	291	668	#NA	0	UR	0	UR	UR					0	182,665	7,3712	0.02533057	
BX-09	1954	3	XIN	140	808	#NA	0	UR	0	UR	UR					0	186,211	3,5463	0.02533057	
BX-09	1954	3	XIN	268	1076	#NA	0	UR	0	UR	UR					0	193,000	6,7886	0.02533057	
BX-09	1954	3	SEND	336	740	#NA	0	SU	0	SU	B-106					0	193,000	0	0	
BX-09	1954	3	SEND	220	520	#NA	0	SU	0	SU	B-106					0	193,000	0	0	
BX-09	1954	3	STAT	520	520	314	#NA	0	TBP	0				In active TBP waste receiver, received TBP waste		0	193,000	0	0	
BX-09	1954	4	STAT	520	520	314	#NA	0	TBP	0						0	193,000	0	0	
BX-09	1955	1	STAT	520	520	298	#NA	0		0						0	193,000	0	0	
BX-09	1955	2	STAT	520	520	298	#NA	0		0						0	193,000	0	0	
BX-09	1955	3	STAT	520	520	298	#NA	0		0						0	193,000	0	0	
BX-09	1955	4	STAT	520	520	298	#NA	0		0						0	193,000	0	0	
BX-09	1956	1	STAT	520	520	298	#NA	0		0						0	193,000	0	0	
BX-09	1956	2	STAT	520	520	298	#NA	0		0						0	193,000	0	0	
BX-09	1956	3	STAT	520	520	298	#NA	0	TBP	0						0	193,000	0	0	
BX-09	1956	4	STAT	520	520	298	#NA	0	TBP	0						0	193,000	0	0	
BX-09	1957	1	STAT	519	519	298	-1	TBP	0							0	193,000	0	0	
BX-09	1957	2	STAT	552	552	320	33	TBP	32	TBP				Latest electrode reading		0	193,000	0	0	
BX-09	1957	3	STAT	549	549	320	-3	TBP	29	TBP				New electrode, latestest electrode reading		0	193,000	0	0	
BX-09	1957	4	OUTX	218	331	298	-27	TBP	29	TBP	C-108	TF&CN	AND reports 2-45	Latest electrode reading		0	193,000	0	0	N 54-273
BX-09	1958	1	STAT	304	304	298	-3	TBP	2	TBP				245 scavenged		0	193,000	0	0	
BX-09	1958	2	STAT	304	304	298	-3	TBP	5	TBP				Latest electrode reading		0	193,000	0	0	
BX-09	1958	3	STAT	304	304	298	#NA	2						Latest electrode reading		0	193,000	0	0	
BX-09	1958	4	STAT	304	304	298	#NA	2								0	193,000	0	0	
BX-09	1959	1	STAT	304	304	298	#NA	2								0	193,000	0	0	
BX-09	1959	2	STAT	304	304	298	#NA	2								0	193,000	0	0	
BX-09	1959	3	STAT	304	304	298	#NA	2								0	193,000	0	0	
BX-09	1959	4	STAT	304	304	298	#NA	2								0	193,000	0	0	
BX-09	1960	1	STAT	304	304	298	#NA	2								0	193,000	0	0	
BX-09	1960	2	STAT	304	304	298	#NA	2								0	193,000	0	0	
BX-09	1960	3	STAT	304	304	298	#NA	2								0	193,000	0	0	
BX-09	1960	4	STAT	304	304	298	#NA	2								0	193,000	0	0	
BX-09	1961	1	STAT	N/A	N/A	304	304	298	#NA	2						0	193,000	0	0	
BX-09	1961	2	STAT	301	301	298	-3	TBP	0					6 month report		0	193,000	0	0	
BX-09	1961	3	STAT	301	301	298	#NA	-1	TBP	0				6 month report		0	193,000	0	0	
BX-09	1961	4	STAT	301	301	298	#NA	-1	TBP	0				6 month report		0	193,000	0	0	
BX-09	1962	1	STAT	N/A	N/A	301	301	298	#NA	-1				6 month report		0	193,000	0	0	
BX-09	1962	2	STAT	301	301	298	#NA	-1	TBP	0				6 month report		0	193,000	0	0	
BX-09	1962	3	STAT	301	301	298	#NA	-1	TBP	0				6 month report		0	193,000	0	0	
BX-09	1962	4	STAT	301	301	298	#NA	-1	TBP	0				6 month report		0	193,000	0	0	
BX-09	1963	1	STAT	N/A	N/A	301	301	298	#NA	-1				6 month report		0	193,000	0	0	
BX-09	1963	2	STAT	301	301	298	#NA	-1	TBP	0				6 month report		0	193,000	0	0	
BX-09	1963	3	STAT	N/A	N/A	301	301	298	#NA	-1				6 month report		0	193,000	0	0	
BX-09	1963	4	STAT	301	301	298	#NA	-1	TBP	0				6 month report		0	193,000	0	0	
BX-09	1964	1	STAT	N/A	N/A	301	301	298	#NA	-1				6 month report		0	193,000	0	0	
BX-09	1964	2	SEND	106	196	#NA	0	SU	0	SU	A-102	silicing				0	193,000	0	0	
BX-09	1964	2	REC	106	301	#NA	0	SU	0	SU	BX-105	BX-105				0	193,000	0	0	



Tank #	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWPT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ch	Document/Pg #	
BX-09	1964	2	STAT	301	301	301	244	#NA	-1	TBP				6 month report		0	0	193,000				
BX-09	1964	3	STAT	N/A	301	301		#NA	-1							0	0	193,000				
BX-09	1964	4	REC	240	541	541		#NA	-1	SU	C-102	C-102		240 CW from 102-C 6 month report		0	0	193,000		4	0	RL-SEP-260-5
BX-09	1964	4	STAT	541	541	541	244	#NA	-1	TBP	CW					0	0	193,000				
BX-09	1965	1	STAT	N/A	541	541		#NA	-1							0	0	193,000				
BX-09	1965	2	STAT	541	541	541	296	#NA	-1	CW						0	0	193,000				
BX-09	1965	3	STAT	541	541	541	296	#NA	-1	CW						0	0	193,000				
BX-09	1965	4	STAT	541	541	541	296	#NA	-1	CW						0	0	193,000				
BX-09	1966	1	STAT	541	541	541	296	#NA	-1	CW						0	0	193,000				
BX-09	1966	2	STAT	541	541	541	296	#NA	-1	CW						0	0	193,000				
BX-09	1966	3	STAT	541	541	541	296	#NA	-1	TBP	CW					0	0	193,000				
BX-09	1966	4	STAT	538	538	538	296	-3	-4	CW						0	0	193,000				
BX-09	1967	1	STAT	538	538	538	296	#NA	-4	CW						0	0	193,000				
BX-09	1967	2	STAT	538	538	538	296	#NA	-4	CW						0	0	193,000				
BX-09	1967	3	STAT	538	538	538	296	#NA	-4	TBP	CW					0	0	193,000				
BX-09	1967	4	XIN	18	538	556		#NA	-4	CSR		CSR		Received 18 IX test runs.		0	0	193,000		4	0	ARH-326-6
BX-09	1967	4	STAT	556	556	556	296	#NA	-4	TBP	CW					0	0	193,000				
BX-09	1968	1	STAT	557	557	557	296	1	-3	CW						0	0	193,000				
BX-09	1968	2	STAT	557	557	557	296	#NA	-3	CW						0	0	193,000				
BX-09	1968	3	STAT	557	557	557	296	#NA	-3	TBP	CW					0	0	193,000				
BX-09	1968	4	SEND	-274	283	283		#NA	-3	SU		BX-106		274 to 106-BX.		0	0	193,000		4	0	ARH-1061-6
BX-09	1968	4	STAT	283	283	283	283	#NA	-3							0	0	193,000				
BX-09	1968	4	XIN	231	514	514		#NA	-3	CSR		CSR		231 from 221-B (18-1)		0	0	193,000		4	0	ARH-1200A-5
BX-09	1969	1	STAT	514	514	514	283	#NA	-3							0	0	193,000				
BX-09	1969	2	STAT	514	514	514	283	#NA	-3	IX		BY-102				0	0	193,000				
BX-09	1969	3	SEND	-27	487	487		#NA	-3							0	0	193,000				
BX-09	1969	3	STAT	487	487	487	250	#NA	-3	IX						0	0	193,000				
BX-09	1969	4	STAT	486	486	486	250	-1	-4							0	0	193,000				
BX-09	1970	1	STAT	486	486	486	250	#NA	-4							0	0	193,000				
BX-09	1970	2	STAT	486	486	486	250	#NA	-4							0	0	193,000				
BX-09	1970	3	STAT	486	486	486	250	#NA	-4	IX						0	0	193,000				
BX-09	1970	4	STAT	483	483	483	250	-3	-7	IX						0	0	193,000				
BX-09	1971	1	STAT	484	484	484	250	1	-6	IX						0	0	193,000				
BX-09	1971	2	STAT	486	486	486	250	2	-4	IX						0	0	193,000				
BX-09	1971	3	STAT	475	475	475	250	-11	-15							0	0	193,000				
BX-09	1971	4	STAT	475	475	475	250	#NA	-15	IX						0	0	193,000				
BX-09	1972	1	STAT	473	473	473	250	-2	-17	IX						0	0	193,000				
BX-09	1972	2	STAT	473	473	473	211	2	-15	IX						0	0	193,000				
BX-09	1972	3	STAT	473	473	473	211	-2	-17	IX						0	0	193,000				
BX-09	1972	4	STAT	481	481	481	211	18	1	IX						0	0	193,000				
BX-09	1973	1	STAT	488	488	488	211	-3	-2	IX						0	0	193,000				
BX-09	1973	2	XIN	4	492	492		#NA	-2	WTR		WTR				0	0	193,000				
BX-09	1973	2	SEND	-271	221	221		#NA	-2	SU		BX-106		4 flush water. 271 to 106-BX Leak detection dry wells drilled: 21-09-02, 21-09-04, 21-09-06, 21-09-12		0	0	193,000		4	0	ARH-2794B-5 ARH-2794B-5
BX-09	1973	2	STAT	213	213	213	211	-8	-10	IX						0	0	193,000				
BX-09	1973	3	STAT	211	211	211	211	-2	-12							0	0	193,000				
BX-09	1973	4	SEND	-2	209	209		#NA	-12	SU		BX-106		2 to 106-BX.		0	0	193,000		4	0	ARH-2794D-5
BX-09	1974	1	STAT	211	211	211	211	2	-10							0	0	193,000				
BX-09	1974	2	STAT	211	211	211	211	#NA	-10							0	0	193,000				
BX-09	1974	3	STAT	211	211	211	211	#NA	-10							0	0	193,000				
BX-09	1974	4	STAT	205	205	205	200	-6	-16	IX				Salt filled.		0	0	193,000				
BX-09	1975	1	STAT	205	205	205	200	#NA	-16	IX				Salt filled.		0	0	193,000				
BX-09	1975	2	STAT	205	205	205	200	#NA	-16					Phosphoric prototype.		0	0	193,000				
BX-09	1975	3	STAT	205	205	205	200	#NA	-16	IX				Phosphoric prototype.		0	0	193,000				

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #
BX-09	1975	4	STAT	208	208	208	208	3	-13							0	0	193,000		1		
BX-09	1976	1	STAT	208	208	208	208	N/A	-13 IX					Phosphoric prototype removed from service		0	0	193,000		1		
BX-09	1976	2	STAT	208	208	208	208	N/A	-13					Removed from service		0	0	193,000		1		
BX-09	1976	3	STAT	208	208	208	208	N/A	-13					Needs longer salt well		0	0	193,000		1		
BX-09	1976	4	STAT	208	208	208	208	N/A	-13					Needs longer salt well		0	0	193,000		1		
BX-09	1977	1	STAT	208	208	208	208	N/A	-13					Contains salt, needs longer salt well		0	0	193,000		1		
BX-09	1977	2	STAT	208	208	208	208	N/A	-13					Contains salt, needs longer salt well		0	0	193,000		1		
BX-09	1977	3	STAT	208	208	208	208	N/A	-13					Inactive current, needs longer salt well		0	0	193,000		1		
BX-09	1977	4	STAT	208	208	208	208	N/A	-13					Inactive current, needs longer salt well		0	0	193,000		1		
BX-09	1978	1	STAT	208	208	208	208	N/A	-13					Inactive - Salt Well installed		0	0	193,000		1		
BX-09	1978	2	STAT	208	208	208	208	N/A	-13							0	0	193,000		1		
BX-09	1978	3	STAT	208	208	208	208	N/A	-13							0	0	193,000		1		
BX-09	1978	4	STAT	208	208	208	208	N/A	-13							0	0	193,000		1		
BX-09	1979	1	STAT	208	208	208	208	N/A	-13							0	0	193,000		1		
BX-09	1979	2	STAT	208	208	208	208	N/A	-13							0	0	193,000		1		
BX-09	1979	3	STAT	208	208	208	208	N/A	-13							0	0	193,000		1		
BX-09	1979	4	STAT	208	208	208	208	N/A	-13							0	0	193,000		1		
BX-09	1980	1	STAT	208	208	208	208	N/A	-13							0	0	193,000		1		
BX-09	1980	2	STAT	208	208	208	208	N/A	-13							0	0	193,000		1		
BX-09	1980	3	STAT	208	208	208	208	N/A	-13							0	0	193,000		1		
BX-09	1980	4	STAT	208	208	208	208	N/A	-13 IX							0	0	193,000		1		
BX-09	1980	3	send	-15	193	193	193	N/A	-13 swllq		AN-101					0	0	193,000		0		
BX-09	1983	2	STAT	193	193	193	193	N/A	-13	MCPLX						0	0	193,000		1		
BX-09	1983	4	STAT	193	193	193	193	N/A	-13							0	0	193,000		1		
BX-09	1984	1	STAT	193	193	193	193	N/A	-13							0	0	193,000		1		
BX-09	2000															0	0	193,000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWPT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BX-110	1900																					
BX-110	1949	3	CSEND	0	0	0	0	#N/A	0	0 SET	BX-111					0.14716981	9.8604	0.0000				
BX-110	1949	3	XIN	67	67	67	67	#N/A	0	0 IC		1C1		Began filling September.		0	9.860	1C1				
BX-110	1949	3	STAT					0		0 IC												
BX-110	1949	4	XIN	117	184	184	184	#N/A	0	0 IC						0.14716981	17.219	27.079	1C1			
BX-110	1949	4	XIN	112	296	296	296	#N/A	0	0 IC						0.14716981	15.483	43.562	1C1			
BX-110	1949	4	XIN	124	420	420	420	#N/A	0	0 IC						0.14716981	18.249	61.811	1C1			
BX-110	1949	4	STAT	414	414	414	414	0		-6 IC						0	61.811					
BX-110	1950	1	XIN	130	544	544	544	#N/A	0	0 IC						0.14716981	19.132	80.943	1C1			
BX-110	1950	1	XIN	115	659	659	659	#N/A	0	0 IC						0.14716981	16.925	97.868	1C1			
BX-110	1950	1	XIN	149	808	808	808	#N/A	0	0 cas						0.14716981	21.928	119.796	1C1			
BX-110	1950	1	send	-149	659	659	659	#N/A	0	0 cas						0	0	0				
BX-110	1950	1	send	-115	544	544	544	#N/A	0	0 cas						0	0	0				
BX-110	1950	1	send	-14	530	530	530	#N/A	0	0 cas						0	0	0				
BX-110	1950	1	STAT		530	530	530	0		-6 IC			and stats at 523	Cascade full in January.		0	0	0				
BX-110	1950	2	XIN	124	654	654	654	#N/A	0	0 IC						0.14716981	18.249	138.045	1C1			
BX-110	1950	2	XIN	122	776	776	776	#N/A	0	0 IC						0.14716981	17.955	156.000	1C1			
BX-110	1950	2	send	-124	652	652	652	#N/A	0	0 cas						0	0	0				
BX-110	1950	2	send	-122	530	530	530	#N/A	0	0 cas						0	0	0				
BX-110	1950	2	STAT		530	530	530	0		-6 cas			and stats at 523	Full.		0	0	0				
BX-110	1950	3	STAT		530	530	530	0		-6 cas			and stats at 523	Full.		0	0	0				
BX-110	1950	4	STAT		530	530	530	0		-6 cas			and stats at 523			0	0	0				
BX-110	1951	1	STAT		530	530	530	0		-6 IC			and stats at 523			0	0	0				
BX-110	1951	2	STAT		530	530	530	0		-6 IC						0	0	0				
BX-110	1951	3	STAT		N/A	N/A	N/A	#N/A	0	0 cas						0	0	0				
BX-110	1951	4	STAT		N/A	N/A	N/A	#N/A	0	0 cas						0	0	0				
BX-110	1952	1	STAT		N/A	N/A	N/A	#N/A	0	0 cas						0	0	0				
BX-110	1952	2	STAT		530	530	530	0		-6 IC						0	0	0				
BX-110	1952	3	STAT		530	530	530	0		-6 IC						0	0	0				
BX-110	1952	4	STAT		530	530	530	0		-6 IC						0	0	0				
BX-110	1953	1	STAT		530	530	530	133		-6 IC						0	0	0				
BX-110	1953	2	STAT		530	530	530	133		-6 IC						0	0	0				
BX-110	1953	3	STAT		530	530	530	133		-6 IC						0	0	0				
BX-110	1953	4	OUTX	-208	322	322	322	133		-6 IC						0	0	0				
BX-110	1953	4	STAT		322	322	322	133		-6 IC						0	0	0				
BX-110	1954	1	OUTX	-86	276	276	276	276		-6 SU						0	0	0				
BX-110	1954	1	STAT		276	276	276	40		34 IC						0	0	0				
BX-110	1954	2	send	-40	236	236	236	#N/A	0	0 cas						0	0	0				
BX-110	1954	2	REC	294	530	530	530	#N/A	0	0 cas						0	0	0				
BX-110	1954	3	CSEND	0	530	530	530	236		34 SU						0	0	0				
BX-110	1954	3	STAT		530	530	530	236		34 END				Received from 105-B.		0	0	0				
BX-110	1954	3	STAT		530	530	530	236		34 EB				Received from 105-B.		0	0	0				
BX-110	1954	4	STAT		530	530	530	236		34 EB						0	0	0				
BX-110	1955	1	STAT		530	530	530	236		34 EB						0	0	0				
BX-110	1955	2	STAT		530	530	530	236		34 EB						0	0	0				
BX-110	1955	3	STAT		530	530	530	236		34 EB						0	0	0				
BX-110	1955	4	STAT		530	530	530	236		34 EB						0	0	0				
BX-110	1956	1	STAT		530	530	530	236		34 EB						0	0	0				
BX-110	1956	2	STAT		530	530	530	236		34 EB						0	0	0				
BX-110	1956	3	STAT		530	530	530	236		34 EB						0	0	0				
BX-110	1956	4	STAT		530	530	530	236		34 EB						0	0	0				
BX-110	1957	1	STAT		487	487	487	236		34 EB				Latest electrode reading.		0	0	0				
BX-110	1957	2	STAT		527	527	527	248		34 EB				Latest electrode reading.		0	0	0				
BX-110	1957	3	STAT		527	527	527	248		34 EB						0	0	0				
BX-110	1957	4	OUTX	-201	326	326	326	248		34 EB						0	0	0				
BX-110	1957	4	STAT		326	326	326	248		34 EB						0	0	0				
BX-110	1958	1	STAT		326	326	326	248		34 EB						0	0	0				
BX-110	1958	2	STAT		367	367	367	41		72						0	0	0				

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	D/A	Document/Pg #
BX-110	1958	3	STAT		367	367	326	#N/A	72							0	0	156.000		1		
BX-110	1958	4	xin	38		405		#N/A	72	ADJ	CORR	WTR				0	0	156.000		0		
BX-110	1958	4	STAT		367	367	326	-38	34							0	0	156.000		1		
BX-110	1959	1	STAT		367	367	326	#N/A	34	EB						0	0	156.000		1		
BX-110	1959	2	STAT		368	368	326	1	35							0	0	156.000		1		
BX-110	1959	3	STAT		368	368	326	#N/A	35							0	0	156.000		1		
BX-110	1959	4	STAT		368	368	326	#N/A	35							0	0	156.000		1		
BX-110	1960	1	STAT		368	368	326	#N/A	35							0	0	156.000		1		
BX-110	1960	2	STAT		368	368	326	#N/A	35							0	0	156.000		1		
BX-110	1960	3	STAT		368	368	326	#N/A	35							0	0	156.000		1		
BX-110	1960	4	STAT		368	368	326	#N/A	35	EB						0	0	156.000		1		
BX-110	1961	1	STAT		N/A	368		#N/A	35							0	0	156.000		1		
BX-110	1961	2	STAT		367	367	326	-1	34	EB				6 month report		0	0	156.000		1		
BX-110	1961	3	STAT		N/A	367		#N/A	34							0	0	156.000		1		
BX-110	1961	4	XIN	22		389		#N/A	34	FLSH		WTR	OC 25 to 22		Shows 22 not 25	0	0	156.000		3	V	HW-72625-5
BX-110	1961	4	STAT		389	389	326	#N/A	34	EB				22 flush from BXR Vault 6 month report		0	0	156.000		1		
BX-110	1962	1	STAT		N/A	389		#N/A	34							0	0	156.000		1		
BX-110	1962	2	STAT		392	392	326	3	37	EB				Latest electrode reading 6 month report		0	0	156.000		1		
BX-110	1962	3	STAT		N/A	392		#N/A	37							0	0	156.000		1		
BX-110	1962	4	STAT		395	395	326	3	40	EB				Latest electrode reading 6 month report		0	0	156.000		1		
BX-110	1963	1	STAT		N/A	395		#N/A	40							0	0	156.000		1		
BX-110	1963	2	STAT		395	395	197	#N/A	40	1C,EB				6 month report		0	0	156.000		1		
BX-110	1963	3	STAT		N/A	395		#N/A	40							0	0	156.000		1		
BX-110	1963	4	STAT		392	392	197	-3	37	1C,EB				Latest electrode reading 6 month report		0	0	156.000		1		
BX-110	1964	1	STAT		N/A	392		#N/A	37							0	0	156.000		1		
BX-110	1964	2	STAT		392	392	197	#N/A	37	1C,EB				6 month report		0	0	156.000		1		
BX-110	1964	3	STAT		N/A	392		#N/A	37							0	0	156.000		1		
BX-110	1964	4	REC	154		546		#N/A	37	SU	C-102	C-102				0	0	156.000		4	O	RL-SEP-260-5
BX-110	1964	4	STAT		546	546	197	#N/A	37	1C,EB,CW				154 CW from 102-C 6 month report		0	0	156.000		1		
BX-110	1965	1	STAT		N/A	546		#N/A	37							0	0	156.000		1		
BX-110	1965	2	STAT		543	543	277	-3	34	CW						0	0	156.000		1		
BX-110	1965	3	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1965	4	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1966	1	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1966	2	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1966	3	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1966	4	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1967	1	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1967	2	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1967	3	STAT		543	543	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1967	4	STAT		543	543	277	#N/A	34	EB,CW						0	0	156.000		1		
BX-110	1968	1	XIN	11		554		#N/A	34	WTR		WTR				0	0	156.000		4	O	ARH-534-6
BX-110	1968	1	STAT		554	554	277	#N/A	34	CW				Received 11 from Catch Tank.		0	0	156.000		1		
BX-110	1968	2	STAT		554	554	277	#N/A	34	CW						0	0	156.000		1		
BX-110	1968	3	STAT		554	554	277	#N/A	34	EB,CW						0	0	156.000		1		
BX-110	1968	4	SEND	-239		315		#N/A	34	SU		BX-106				0	0	156.000		4	O	ARH-1061-6
BX-110	1968	4	STAT		315	315	277	#N/A	34	EB				239 to 106-BX.		0	0	156.000		1		
BX-110	1969	1	XIN	229		544		#N/A	34	CSR		CSR				0	0	156.000		4	O	ARH-1200A-6
BX-110	1969	1	STAT		542	542	277	-2	32	IX				229 from 221-B (18-1)		0	0	156.000		1		
BX-110	1969	2	STAT		542	542	277	#N/A	32	EB,IX						0	0	156.000		1		
BX-110	1969	3	send	-33		509		#N/A	32			BY-102				0	0	156.000		0		
BX-110	1969	3	STAT		509	509	156	#N/A	32	IX						0	0	156.000		1		

Tank n.	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk fr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Q1	Q/A	Document/Pg #
BX-110	1969	4	STAT		509	509	156	#N/A	32	IX						0	0	156.000		1		
BX-110	1970	1	STAT		509	509	156	#N/A	32	EB,IX						0	0	156.000		1		
BX-110	1970	2	SEND	-285		224		#N/A	32	SU		BX-104				0	0	156.000		1		
BX-110	1970	2	STAT		224	224	156	#N/A	32	EB				285 to 104-BX.		0	0	156.000		1		ARH-1666B-6
BX-110	1970	3	STAT		227	227	156	3	35							0	0	156.000		1		
BX-110	1970	4	STAT		227	227	156	#N/A	35							0	0	156.000		1		
BX-110	1971	1	STAT		227	227	156	#N/A	35	EB						0	0	156.000		1		
BX-110	1971	2	STAT		231	231	156	4	39	EB						0	0	156.000		1		
BX-110	1971	3	STAT		224	224	156	-7	32	EB				* Leak detection dry wells drilled: 21-10-01;; 21-10-05; 21-10-07; 21-10-11		0	0	156.000		1		
BX-110	1971	4	STAT		231	231	156	7	39	EB						0	0	156.000		1		
BX-110	1972	1	REC	813		1044		#N/A	39	SU	BY-109	BY-109				0	0	156.000		1		
BX-110	1972	1	send	-560		464		#N/A	39			BY-112				0	0	156.000		0		
BX-110	1972	1	GREC	0		464		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1972	1	STAT		464	464	290	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1972	2	rec	27		491		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		0		
BX-110	1972	2	GREC	0		491		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1972	2	STAT		491	491	227	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1972	3	rec	1		492		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		0		
BX-110	1972	3	GREC	0		492		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1972	3	STAT		492	492	227	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1972	4	rec	2		494		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		0		
BX-110	1972	4	GREC	0		494		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1972	4	STAT		494	494	227	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1973	1	rec	16		510		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		0		
BX-110	1973	1	GREC	0		510		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1973	1	STAT		510	510	227	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1973	2	rec	4		514		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		0		
BX-110	1973	2	GREC	0		514		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1973	2	STAT		514	514	238	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1973	3	send	-13		501		#N/A	39			BY-112				0	0	156.000		0		
BX-110	1973	3	GREC	0		501		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1973	3	STAT		501	501	238	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1973	4	send	-2		499		#N/A	39			BY-112				0	0	156.000		0		
BX-110	1973	4	GREC	0		499		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1973	4	STAT		499	499	238	#N/A	39	EB				ITS bottoms and recycle. * Leak detection dry well 21-10-03 drilled.		0	0	156.000		1		
BX-110	1974	1	GREC	0		499		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1974	1	STAT		499	499	288	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1974	2	GREC	0		499		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1974	2	STAT		500	500	288	1	40					ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1974	3	GREC	0		500		#N/A	40	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1974	3	STAT		500	500	288	#N/A	40	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1974	4	GREC	0		500		#N/A	40	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1974	4	STAT		499	499	249	-1	39					ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1975	1	GREC	0		499		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1975	1	STAT		499	499	249	#N/A	39					ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1975	2	GREC	0		499		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1975	2	STAT		499	499	249	#N/A	39					ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1975	3	GREC	0		499		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1975	3	STAT		499	499	249	#N/A	39					ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1975	4	GREC	0		499		#N/A	39	ITS	BY-112	BY-112				0	0	156.000		1		
BX-110	1975	4	STAT		499	499	249	#N/A	39	EB				ITS bottoms and recycle.		0	0	156.000		1		
BX-110	1976	1	outx	-343		156		#N/A	39			BYEVAP				0	0	156.000	BYEV	0		
BX-110	1976	1	xin	343		499		#N/A	39			BYSICK				0.122449	42	198.000	BYSICK	0		
BX-110	1976	1	GREC	0		499		#N/A	39	ITS	BY-112	BY-112				0	0	198.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANI comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/fig #
BX-110	1976	1	STAT	499	499	499	250	#NA	39	EB				ITS bottoms and recycle.		0	0	198,000		1		
BX-110	1976	2	GREC	0	499	499		#NA	39	ITS	BY-109					0	0	198,000		1		
BX-110	1976	3	STAT	499	499	499	249	#NA	39	EB				ITS bottoms and recycle		0	0	198,000		1		
BX-110	1976	4	STAT	499	499	499	249	#NA	39					Activity restricted.		0	0	198,000		1		
BX-110	1977	1	STAT	499	499	499	249	#NA	39	EVAP				(189 sludge & 60 salt cake)		0	0	198,000		1		
BX-110	1977	2	send	-250	249	249		#NA	39		A-102			Evap. feed concentrate		0	0	198,000		0		
BX-110	1977	2	STAT		249	249	249	#NA	39					(189 sludge & 60 salt cake)		0	0	198,000		1		
BX-110	1977	3	STAT		249	249	249	#NA	39					Inactive salt well, pump salt well installed		0	0	198,000		1		
BX-110	1977	4	STAT		249	249	249	#NA	39					Inactive current, salt well installed		0	0	198,000		1		
BX-110	1978	1	STAT		249	249	249	#NA	39					Inactive current, salt well installed		0	0	198,000		1		
BX-110	1978	2	STAT		249	249	249	#NA	39					Inactive - Salt Well installed		0	0	198,000		1		
BX-110	1978	3	STAT		249	249	249	#NA	39					Questionable Integrity Tank.		0	0	198,000		1		
BX-110	1978	4	STAT		249	249	249	#NA	39					New Photo 11/14/78		0	0	198,000		1		
BX-110	1979	1	STAT		249	249	249	#NA	39							0	0	198,000		1		
BX-110	1979	2	STAT		249	249	249	#NA	39							0	0	198,000		1		
BX-110	1979	3	STAT		249	249	249	#NA	39							0	0	198,000		1		
BX-110	1979	4	STAT		249	249	249	#NA	39							0	0	198,000		1		
BX-110	1980	1	send	-47	202	202	202	#NA	39		A-102					0	0	198,000		0		
BX-110	1980	1	STAT		202	202	200	#NA	39							0	0	198,000		1		
BX-110	1980	2	STAT		202	202	200	#NA	39							0	0	198,000		1		
BX-110	1980	3	STAT		202	202	200	#NA	39							0	0	198,000		1		
BX-110	1980	4	STAT		202	202	200	#NA	39	EVAP						0	0	198,000		1		
BX-110	1988	2	send	-3	199	199	199	#NA	39	swliq	AY-102					0	0	198,000		0		
BX-110	1993	2	send	-1	199	199	199	#NA	39	swliq	AN-101					0	0	198,000		0		
BX-110	1993	4	STAT		199	199	198	1	40	NCPX						0	0	198,000		1		
BX-110	1994	1	STAT		199	199	198	-1	39							0	0	198,000		1		
BX-110	2000				199	199	198	#NA	39							0	0	198,000		1		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unit	Waste type	Trans tank	DWXT	LAKL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BX-111	1900	3	REC	0	0	0	0	#NA	0	0 SET	BX-110						0	0.000		1		
BX-111	1949	4	CSEND	0	0	0	0	#NA	0	0 SET	BX-112						0	0.000		1		
BX-111	1949	4	STAT	0	0	0	0	#NA	0	0							0	0.000		1		
BX-111	1950	1	rec	149	149	149	149	#NA	0	0 cas	BX-110	BX-110				0.061069	9.0992	9.099	1C1	0		
BX-111	1950	1	rec	115	264	264	264	#NA	0	0 cas	BX-110	BX-110				0.061069	7.0229	16.122	1C1	0		
BX-111	1950	1	rec	14	278	278	278	#NA	0	0 cas	BX-110	BX-110				0.061069	0.855	16.977	1C1	0		
BX-111	1950	1	STAT	0	281	281	281	0	3	3 1C				Cascade began filling January.			0	16.977		1		
BX-111	1950	2	rec	124	405	405	405	#NA	3	3 cas	BX-110	BX-110				0.061069	7.5725	24.550	1C1	0		
BX-111	1950	2	rec	122	527	527	527	#NA	3	3 cas	BX-110	BX-110				0.061069	7.4504	32.000	1C1	0		
BX-111	1950	3	STAT	0	530	530	530	0	3	6			and stats at 523				0	32.000		1		
BX-111	1950	3	STAT	0	530	530	530	0	6	6			and stats at 523	Full in May.			0	32.000		1		
BX-111	1950	4	STAT	0	530	530	530	0	6	6 1C			and stats at 523	Full.			0	32.000		1		
BX-111	1951	1	STAT	0	530	530	530	0	6	6			and stats at 523				0	32.000		1		
BX-111	1951	2	STAT	0	530	530	530	0	6	6 1C			and stats at 523				0	32.000		1		
BX-111	1951	3	STAT	0	530	530	530	0	6	6			and stats at 523				0	32.000		1		
BX-111	1951	4	STAT	0	530	530	530	0	6	6							0	32.000		1		
BX-111	1952	1	STAT	0	530	530	530	0	6	6							0	32.000		1		
BX-111	1952	2	STAT	0	530	530	530	0	6	6							0	32.000		1		
BX-111	1952	3	STAT	0	530	530	530	0	6	6							0	32.000		1		
BX-111	1952	4	STAT	0	530	530	530	0	6	6							0	32.000		1		
BX-111	1953	1	STAT	0	530	530	530	0	6	6 1C							0	32.000		1		
BX-111	1953	2	STAT	0	530	530	530	0	6	6 1C							0	32.000		1		
BX-111	1953	3	STAT	0	530	530	530	0	6	6							0	32.000		1		
BX-111	1953	4	STAT	0	530	530	530	0	6	6 1C							0	32.000		1		
BX-111	1954	1	CSEND	0	530	530	530	0	6	6 END	BX-112						0	32.000		1		
BX-111	1954	1	STAT	0	530	530	530	0	6	6 1C							0	32.000		1		
BX-111	1954	2	rec	40	570	570	570	0	6	6 cas	BX-110	BX-110					0	32.000		1		
BX-111	1954	2	REC	247	817	817	817	#NA	6	6 SU	BX-105	BX-105					0	32.000		1		
BX-111	1954	2	OUTX	-457	360	360	360	#NA	6	6 SU	B-040	CRIB					0	32.000		1		
BX-111	1954	2	OUTX	-104	256	256	256	#NA	6	6	CRIB	CRIB					0	32.000		2		
BX-111	1954	2	STAT	0	256	256	256	0	6	6 1C,EB				Pumped to Crib No. 2.			0	32.000		0		
BX-111	1954	3	REC	274	530	530	530	#NA	6	6 SU	B-105	B-105					0	32.000		1		
BX-111	1954	3	REC	0	530	530	530	#NA	6	6 END	BX-110						0	32.000		1		
BX-111	1954	3	STAT	0	530	530	530	#NA	6	6							0	32.000		1		
BX-111	1954	4	STAT	0	530	530	530	#NA	6	6 EB							0	32.000		1		
BX-111	1954	4	STAT	0	530	530	530	#NA	6	6 1C,EB							0	32.000		1		
BX-111	1955	1	STAT	0	530	530	530	#NA	6	6 EB							0	32.000		1		
BX-111	1955	2	STAT	0	530	530	530	#NA	6	6 EB							0	32.000		1		
BX-111	1955	3	STAT	0	530	530	530	#NA	6	6 EB							0	32.000		1		
BX-111	1955	4	STAT	0	530	530	530	#NA	6	6 EB							0	32.000		1		
BX-111	1956	1	STAT	0	530	530	530	#NA	6	6 EB							0	32.000		1		
BX-111	1956	2	STAT	0	530	530	530	#NA	6	6 EB							0	32.000		1		
BX-111	1956	3	STAT	0	530	530	530	#NA	6	6 EB							0	32.000		1		
BX-111	1956	4	STAT	0	530	530	530	#NA	6	6 1C,EB							0	32.000		1		
BX-111	1957	1	WH	32	562	562	562	#NA	6	6 ADJ	CORR	WTR					0	32.000		1		
BX-111	1957	1	STAT	0	535	535	535	#NA	32	32 -27	1C,EB			Latest electrode reading.			0	32.000		0		
BX-111	1957	2	STAT	0	568	568	568	#NA	12	12 EB				Latest electrode reading.			0	32.000		1		
BX-111	1957	3	STAT	0	568	568	568	#NA	12	12 EB				Latest electrode reading.			0	32.000		1		
BX-111	1957	4	OUTX	-514	54	54	54	#NA	12	12 727	C-109	TFaCN	AND_reports-514				0	32.000		1		
BX-111	1957	4	STAT	0	51	51	51	0	3	9				51A scavenged.			0	32.000		3	0	N-54-271
BX-111	1958	1	STAT	0	51	51	51	#NA	9	9							0	32.000		1		
BX-111	1958	2	STAT	0	51	51	51	#NA	9	9							0	32.000		1		
BX-111	1958	3	STAT	0	51	51	51	#NA	9	9							0	32.000		1		
BX-111	1958	4	STAT	0	51	51	51	#NA	9	9							0	32.000		1		
BX-111	1959	1	STAT	0	51	51	51	#NA	9	9							0	32.000		1		
BX-111	1959	2	STAT	0	51	51	51	#NA	9	9							0	32.000		1		
BX-111	1959	3	STAT	0	51	51	51	#NA	9	9							0	32.000		1		



Bank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Q/A	Document/Pg #
BX-111	1959	4	STAT	51	51	51	51	#NA	9							0	0	32,000			
BX-111	1960	1	STAT	51	51	51	51	#NA	9							0	0	32,000			
BX-111	1960	2	STAT	51	51	51	51	#NA	9							0	0	32,000			
BX-111	1960	3	STAT	51	51	51	51	#NA	9							0	0	32,000			
BX-111	1960	4	STAT	51	51	51	51	#NA	9							0	0	32,000			
BX-111	1961	1	STAT	51	51	51	51	#NA	9					6 month report		0	0	32,000			
BX-111	1961	2	STAT	51	51	51	51	#NA	9							0	0	32,000			
BX-111	1961	3	STAT	51	51	51	51	#NA	9							0	0	32,000			
BX-111	1961	4	Mn	6	6	6	6	#NA	9	ADJ	COBR	WTR		New electrode reading 6 Month		0	0	32,000			
BX-111	1961	4	STAT	57	57	57	57	#NA	9	1C						0	0	32,000			
BX-111	1962	1	STAT	57	57	57	57	#NA	9							0	0	32,000			
BX-111	1962	2	STAT	57	57	57	57	#NA	9							0	0	32,000			
BX-111	1962	3	STAT	57	57	57	57	#NA	9							0	0	32,000			
BX-111	1962	4	STAT	57	57	57	57	#NA	9							0	0	32,000			
BX-111	1963	1	STAT	57	57	57	57	#NA	9	1C				6 Month report		0	0	32,000			
BX-111	1963	2	STAT	57	57	57	57	#NA	9							0	0	32,000			
BX-111	1963	3	STAT	57	57	57	57	#NA	9							0	0	32,000			
BX-111	1963	4	STAT	57	57	57	57	#NA	9	1C				6 month report		0	0	32,000			
BX-111	1964	1	STAT	54	54	54	54	#NA	9							0	0	32,000			
BX-111	1964	2	REC	487	487	487	487	#NA	9		C-108			Omission		0	0	32,000			HW-83308-5
BX-111	1964	2	REC	12	12	12	12	#NA	9		C-108			Omission		0	0	32,000			HW-83308-5
BX-111	1964	2	STAT	544	544	544	544	#NA	-12	1C,CW				487 from 108-C, 6 month report		0	0	32,000			
BX-111	1964	3	STAT	544	544	544	544	#NA	-3							0	0	32,000			
BX-111	1964	4	STAT	543	543	543	543	#NA	-4	1C,CW				6 month report		0	0	32,000			
BX-111	1965	1	STAT	543	543	543	543	#NA	-4							0	0	32,000			
BX-111	1965	2	STAT	541	541	541	541	#NA	-2							0	0	32,000			
BX-111	1965	3	STAT	541	541	541	541	#NA	-6							0	0	32,000			
BX-111	1965	4	STAT	541	541	541	541	#NA	-6							0	0	32,000			
BX-111	1966	1	STAT	541	541	541	541	#NA	-6							0	0	32,000			
BX-111	1966	2	STAT	541	541	541	541	#NA	-6							0	0	32,000			
BX-111	1966	3	STAT	541	541	541	541	#NA	-6							0	0	32,000			
BX-111	1966	4	STAT	541	541	541	541	#NA	-6							0	0	32,000			
BX-111	1967	1	STAT	541	541	541	541	#NA	-6							0	0	32,000			
BX-111	1967	2	STAT	541	541	541	541	#NA	-6							0	0	32,000			
BX-111	1967	3	STAT	541	541	541	541	#NA	-6							0	0	32,000			
BX-111	1967	4	STAT	541	541	541	541	#NA	-6							0	0	32,000			
BX-111	1968	1	STAT	540	540	540	540	#NA	-7							0	0	32,000			
BX-111	1968	2	STAT	540	540	540	540	#NA	-7							0	0	32,000			
BX-111	1968	3	SEND	198	198	198	198	#NA	-7			BX-106				0	0	32,000			ARH-971-6
BX-111	1968	3	STAT	343	343	343	343	#NA	-6					198 to 106-BX		0	0	32,000			
BX-111	1968	4	SEND	236	236	236	236	#NA	-6			BX-106		236 to 106-BX		0	0	32,000			ARH-1061-6
BX-111	1968	4	STAT	107	107	107	107	#NA	-6							0	0	32,000			
BX-111	1969	1	STAT	107	107	107	107	#NA	-6							0	0	32,000			
BX-111	1969	2	REC	283	283	283	283	#NA	-6							0	0	32,000			
BX-111	1969	2	STAT	390	390	390	390	#NA	-6			BX-104		283 from 104-BX		0	0	32,000			ARH-12008-6
BX-111	1969	3	SEND	33	33	33	33	#NA	-6							0	0	32,000			
BX-111	1969	3	REC	149	149	149	149	#NA	-6							0	0	32,000			
BX-111	1969	4	STAT	506	506	506	506	#NA	-6			BX-102				0	0	32,000			
BX-111	1969	4	STAT	505	505	505	505	#NA	-6			BX-104		149 from 104-BX		0	0	32,000			ARH-1200C-6
BX-111	1970	1	STAT	505	505	505	505	#NA	-7							0	0	32,000			
BX-111	1970	2	STAT	505	505	505	505	#NA	-7							0	0	32,000			
BX-111	1970	3	SEND	458	458	458	458	#NA	-7							0	0	32,000			
BX-111	1970	3	STAT	47	47	47	47	#NA	-7					458 to 104-BX		0	0	32,000			ARH-1666C-6
BX-111	1970	4	STAT	48	48	48	48	#NA	-6							0	0	32,000			
BX-111	1971	1	STAT	51	51	51	51	#NA	-3							0	0	32,000			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	O/A	Document/Pg #	
BX-111	1971	2	STAT		47	47	33	-4	-7	CW				*Leak detection dry wells drilled: 21-11-04, 21-11-05, 21-11-07, 21-11-10, 21-11-11									
BX-111	1971	3	rec	55		102		#N/A	-7		BY-112	BY-112				0	0	32,000		1			
BX-111	1971	3	STAT		102	102	33	#N/A	-7	EB							0	0	32,000		0		
BX-111	1971	4	rec	133		235		#N/A	-7		BY-112	BY-112				0	0	32,000		1			
BX-111	1971	4	STAT		235	235	33	#N/A	-7	EB							0	0	32,000		0		
BX-111	1972	1	rec	160		395		#N/A	-7	ITS	BY-112	BY-112				0	0	32,000		1			
BX-111	1972	1	GREC	0		395		#N/A	-7	ITS	BY-112					0	0	32,000		0			
BX-111	1972	1	STAT		395	395	118	#N/A	-7	EB				ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1972	2	send	-33		362		#N/A	-7			BY-112				0	0	32,000		1			
BX-111	1972	2	GREC	0		362		#N/A	-7	ITS	BY-112					0	0	32,000		0			
BX-111	1972	2	STAT		362	362	68	#N/A	-7	EB				ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1972	3	rec	1		363		#N/A	-7	ITS	BY-112	BY-112				0	0	32,000		1			
BX-111	1972	3	GREC	0		363		#N/A	-7	ITS	BY-112					0	0	32,000		0			
BX-111	1972	3	STAT		363	363	68	#N/A	-7	EB				ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1972	4	rec	37		400		#N/A	-7	ITS	BY-112	BY-112				0	0	32,000		1			
BX-111	1972	4	GREC	0		400		#N/A	-7	ITS	BY-112					0	0	32,000		0			
BX-111	1972	4	STAT		400	400	68	#N/A	-7	EB				ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1973	1	send	-161		239		#N/A	-7			BY-112				0	0	32,000		1			
BX-111	1973	1	GREC	0		239		#N/A	-7	ITS	BY-112					0	0	32,000		0			
BX-111	1973	1	STAT		239	239	68	#N/A	-7	EB				ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1973	2	rec	56		295		#N/A	-7	ITS	BY-112	BY-112				0	0	32,000		1			
BX-111	1973	2	REC	13		308		#N/A	-7	SU	BY-109	BY-109				0	0	32,000		0			
BX-111	1973	2	GREC	0		308		#N/A	-7	ITS	BY-112					0	0	32,000		1			
BX-111	1973	2	STAT		308	308	128	#N/A	-7	EB				ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1973	3	send	-27		281		#N/A	-7			BY-112				0	0	32,000		1			
BX-111	1973	3	GREC	0		281		#N/A	-7	ITS	BY-112					0	0	32,000		0			
																	0	0	32,000		1		
BX-111	1973	3	STAT		281	281	128	#N/A	-7	EB				ITS bottoms and recycle. * Leak detection dry well 21-11-03 drilled.			0	0	32,000		1		
BX-111	1973	4	rec	40		321		#N/A	-7	ITS	BY-112	BY-112				0	0	32,000		1			
BX-111	1973	4	GREC	0		321		#N/A	-7	ITS	BY-112					0	0	32,000		0			
BX-111	1973	4	STAT		321	321	128	#N/A	-7	EB				ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1974	1	send	-5		316		#N/A	-7			BY-112				0	0	32,000		1			
BX-111	1974	1	REC	71		387		#N/A	-7	SU	BY-109	BY-109				0	0	32,000		0			
BX-111	1974	1	GREC	0		387		#N/A	-7	ITS	BY-112					0	0	32,000		1			
BX-111	1974	1	STAT		387	387	234	#N/A	-7	EB				ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1974	2	rec	17		404		#N/A	-7	ITS	BY-112	BY-112				0	0	32,000		1			
BX-111	1974	2	GREC	0		404		#N/A	-7	ITS	BY-112					0	0	32,000		0			
BX-111	1974	2	STAT		404	404	234	#N/A	-7	EB				ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1974	3	rec	2		406		#N/A	-7	ITS	BY-112	BY-112				0	0	32,000		1			
BX-111	1974	3	REC	102		508		#N/A	-7	SU	BY-102	BY-102				0	0	32,000		0			
BX-111	1974	3	GREC	0		508		#N/A	-7	ITS	BY-112					0	0	32,000		1			
BX-111	1974	3	STAT		508	508	234	#N/A	-7	EB				ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1974	4	GREC	0		508		#N/A	-7	ITS	BY-112					0	0	32,000		1			
BX-111	1974	4	STAT		508	508	216	#N/A	-7					ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1975	1	GREC	0		508		#N/A	-7	ITS	BY-112					0	0	32,000		1			
BX-111	1975	1	STAT		508	508	216	#N/A	-7					ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1975	2	GREC	0		508		#N/A	-7	ITS	BY-112					0	0	32,000		1			
BX-111	1975	2	STAT		508	508	216	#N/A	-7					ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1975	3	GREC	0		508		#N/A	-7	ITS	BY-112					0	0	32,000		1			
BX-111	1975	3	STAT		508	508	216	#N/A	-7					ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1975	4	GREC	0		508		#N/A	-7	ITS	BY-112					0	0	32,000		1			
BX-111	1975	4	STAT		508	508	216	#N/A	-7	EB				ITS bottoms and recycle.			0	0	32,000		1		
BX-111	1976	1	outx	-378		130		#N/A	-7			BYEVAP				0	0	32,000	BYEV	0			
BX-111	1976	1	xdn	378		508		#N/A	-7			BYSICK				0	0	32,000	BYSIK	0			
																0.473545	179	211,000		0			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	GI	Q/A	Document/Pg #
BX-111	1976	1	GREC	0		508		#N/A	-7	ITS	BY-112						0	211.000			1	
BX-111	1976	1	STAT		510	510	216	2	-5					ITS bottoms and recycle.		0	0	211.000			1	
BX-111	1976	2	GREC	0		510		#N/A	-5	ITS	BY-109						0	211.000			1	
BX-111	1976	2	STAT		510	510	216	#N/A	-5	EB				ITS bottoms and recycle.		0	0	211.000			1	
BX-111	1976	3	STAT		510	510	216	#N/A	-5					Activity restricted.		0	0	211.000			1	
BX-111	1976	4	STAT		510	510	216	#N/A	-5	EVAP						0	0	211.000			1	
BX-111	1977	1	send	-35		475		#N/A	-5		A-102					0	0	211.000			0	
BX-111	1977	1	STAT		475	475	216	#N/A	-5	EVAP				(68 sludge & 148 salt cake) Evap feed concentrate salt well installed		0	0	211.000			1	
BX-111	1977	2	send	-215		260		#N/A	-5		A-102					0	0	211.000			0	
BX-111	1977	2	STAT		260	260	216	#N/A	-5	EVAP				(68 sludge & 148 salt cake) Active restricted, Evap. feed conc. SW installed		0	0	211.000			1	
BX-111	1977	3	send	-30		230		#N/A	-5		A-102					0	0	211.000			0	
BX-111	1977	3	STAT		230	230	216	#N/A	-5	EVAP				(68 sludge & 148 salt cake) Inactive current;; salt well installed		0	0	211.000			1	
BX-111	1977	4	rec	3		233		#N/A	-5		A-102	A-102				0	0	211.000			0	
BX-111	1977	4	STAT		233	233	211	#N/A	-5	EVAP				(68 sludge & 143 salt cake) Inactive current;; salt well installed		0	0	211.000			1	
BX-111	1978	1	STAT		233	233	211	#N/A	-5					Inactive - Salt Well Installed		0	0	211.000			1	
BX-111	1978	2	STAT		233	233	211	#N/A	-5					Questionable Integrity Tank		0	0	211.000			1	
BX-111	1978	3	STAT		233	233	211	#N/A	-5							0	0	211.000			1	
BX-111	1978	4	STAT		233	233	211	#N/A	-5							0	0	211.000			1	
BX-111	1979	1	STAT		233	233	211	#N/A	-5							0	0	211.000			1	
BX-111	1979	2	STAT		233	233	211	#N/A	-5							0	0	211.000			1	
BX-111	1979	3	STAT		233	233	211	#N/A	-5							0	0	211.000			1	
BX-111	1979	4	STAT		233	233	211	#N/A	-5							0	0	211.000			1	
BX-111	1980	1	STAT		233	233	211	#N/A	-5					New Photo 3/6/80		0	0	211.000			1	
BX-111	1980	2	STAT		233	233	211	#N/A	-5							0	0	211.000			1	
BX-111	1980	3	STAT		233	233	211	#N/A	-5							0	0	211.000			1	
BX-111	1980	4	STAT		233	233	211	#N/A	-5	NCPLX						0	0	211.000			1	
BX-111	1984	2	send	-3		230		#N/A	-5	swliq	AN-101					0	0	211.000			0	
BX-111	1989	3	send	-17		213		#N/A	-5	swliq	AN-101					0	0	211.000			0	
BX-111	1993	2	STAT		230	230	211	17	12	NCPLX						0	0	211.000			1	
BX-111	1993	4	STAT		211	211	211	-19	-7							0	0	211.000			1	
BX-111	1994	1	STAT		211	211	211	#N/A	-7							0	0	211.000			1	
BX-111	2000															0	0	211.000				

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unkltr	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Opden comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
BX-112	1900																					
BX-112	1949	4	CREC	0	0	0	0	#N/A	0	0	BX-111					0.137736	21,625	0	IC1	1		
BX-112	1951	3	XIN	157	157	157	157	#N/A	0	0	IC1					0.137736	21,625	0	IC1	1		
BX-112	1951	4	XIN	169	346	346	346	#N/A	0	0	IC1					0.137736	47,657	0	IC1	1		
BX-112	1951	4	XIN	179	525	525	525	#N/A	0	0	IC1					0.137736	72,311	0	IC1	1		
BX-112	1951	4	XIN	5	5	5	5	#N/A	0	0	IC1					0.137736	73,000	0	IC1	1		
BX-112	1952	1	STAT		N/A	530	530	#N/A	0	0							73,000	0		1		
BX-112	1952	2	STAT		530	530	530	#N/A	0	0							73,000	0		1		
BX-112	1952	3	STAT		530	530	530	#N/A	0	0							73,000	0		1		
BX-112	1952	4	STAT		530	530	530	#N/A	0	0							73,000	0		1		
BX-112	1953	1	STAT		530	530	530	#N/A	0	0							73,000	0		1		
BX-112	1953	2	STAT		530	530	530	#N/A	0	0							73,000	0		1		
BX-112	1953	3	STAT		530	530	530	#N/A	0	0							73,000	0		1		
BX-112	1953	4	OUTX	-210	320	320	320	#N/A	0	0	B-038	CRIB				0	73,000	0		1		
BX-112	1953	4	STAT		323	323	323	3	3	3	IC			Pumping supernatant to ditch.		0	73,000	0		1		
BX-112	1954	1	CREC	0	0	0	0	#N/A	0	0	BX-111					0	73,000	0		1		
BX-112	1954	1	STAT		323	323	323	#N/A	0	0						0	73,000	0		1		
BX-112	1954	2	STAT		320	320	320	3	3	3	IC					0	73,000	0		1		
BX-112	1954	3	REC	71	71	71	71	#N/A	0	0	B-105	B-105				0	73,000	0		1		
BX-112	1954	3	STAT		391	391	391	#N/A	0	0				To be spare for TBP scavenged waste.		0	73,000	0		1		
BX-112	1954	4	STAT		391	391	391	#N/A	0	0				To be spare for TBP scavenged waste.		0	73,000	0		1		
BX-112	1955	1	STAT		391	391	391	#N/A	0	0				Spare for TBP scavenged waste.		0	73,000	0		1		
BX-112	1955	2	STAT		391	391	391	#N/A	0	0				Spare for TBP scavenged waste.		0	73,000	0		1		
BX-112	1955	3	STAT		391	391	391	#N/A	0	0				Spare for TBP scavenged waste.		0	73,000	0		1		
BX-112	1955	4	OUTX	-259	132	132	132	#N/A	0	0						0	73,000	0		1		
BX-112	1955	4	XIN	259	391	391	391	#N/A	0	0	BEVAP	BEVAP				0	73,000	0	BEVA	0		
BX-112	1955	4	STAT		391	391	391	#N/A	0	0	BSICK	BSICK				0.951351	91	164,000	BS/CI	0		
BX-112	1955	4	STAT		391	391	391	#N/A	0	0				Spare for TBP scavenged waste.		0	164,000	0		1		
BX-112	1956	1	STAT		391	391	391	#N/A	0	0				Spare for TBP scavenged waste.		0	164,000	0		1		
BX-112	1956	2	STAT		391	391	391	#N/A	0	0				Spare for TBP scavenged waste.		0	164,000	0		1		
BX-112	1956	3	STAT		391	391	391	#N/A	0	0				Spare for TBP scavenged waste.		0	164,000	0		1		
BX-112	1956	4	STAT		391	391	391	#N/A	0	0				Spare for TBP scavenged waste.		0	164,000	0		1		
BX-112	1956	4	XIN	42	433	433	433	#N/A	0	0	CORR	WTR				0	164,000	0		0		
BX-112	1957	1	STAT		398	398	398	35	-35	IC/EB				Estimated reading. Latest electrode reading.		0	164,000	0		1		
BX-112	1957	2	STAT		433	433	433	287	35	EB				New electrode reading.		0	164,000	0		1		
BX-112	1957	3	STAT		433	433	433	287	35	EB						0	164,000	0		1		
BX-112	1957	4	OUTX	-31	402	402	402	#N/A	0	0						0	164,000	0		1		
BX-112	1957	4	STAT		433	433	433	287	31	ADJ						0	164,000	0		1		
BX-112	1958	1	STAT		433	433	433	287	31	EB						0	164,000	0		1		
BX-112	1958	2	STAT		433	433	433	287	31	EB						0	164,000	0		1		
BX-112	1958	3	STAT		433	433	433	287	31	EB						0	164,000	0		1		
BX-112	1958	4	STAT		433	433	433	287	31	EB						0	164,000	0		1		
BX-112	1959	1	STAT		433	433	433	287	31	EB						0	164,000	0		1		
BX-112	1959	2	STAT		433	433	433	287	31	EB						0	164,000	0		1		
BX-112	1959	3	STAT		433	433	433	287	31	EB						0	164,000	0		1		
BX-112	1959	4	STAT		433	433	433	287	31	EB						0	164,000	0		1		
BX-112	1960	1	STAT		439	439	439	287	5	EB						0	164,000	0		1		
BX-112	1960	2	STAT		439	439	439	287	5	EB				New electrode installed.		0	164,000	0		1		
BX-112	1960	3	STAT		441	441	441	287	2	EB				Latest electrode reading.		0	164,000	0		1		
BX-112	1960	4	STAT		441	441	441	287	39	IC/EB						0	164,000	0		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #	
BX-112	1961	1	STAT		N/A	441		#N/A	39								0	164,000			1		
BX-112	1961	2	STAT		450	450		287	9	48	1C,EB			6 month report		0	0	164,000			1		
BX-112	1961	3	STAT		N/A	450		#N/A	48	48						0	0	164,000			1		
BX-112	1961	4	xin	20		470		#N/A	48	ADJ	CORR	WTR				0	0	164,000			0		
BX-112	1961	4	STAT		453	453		287	-17	31	1C,EB			Latest electrode reading, 6 month report.		0	0	164,000			1		
BX-112	1962	1	STAT		N/A	453		#N/A	31							0	0	164,000			1		
BX-112	1962	2	STAT		450	450		287	-3	28	1C,EB					0	0	164,000			1		
BX-112	1962	3	STAT		N/A	450		#N/A	28							0	0	164,000			1		
BX-112	1962	4	STAT		450	450		287	#N/A	28	1C,EB					0	0	164,000			1		
BX-112	1963	1	STAT		N/A	450		#N/A	28							0	0	164,000			1		
BX-112	1963	2	STAT		453	453		271	3	31	1C,EB					0	0	164,000			1		
BX-112	1963	3	STAT		N/A	453		#N/A	31							0	0	164,000			1		
BX-112	1963	4	STAT		453	453		271	#N/A	31	1C,EB					0	0	164,000			1		
BX-112	1964	1	STAT		N/A	453		#N/A	31							0	0	164,000			1		
BX-112	1964	2	STAT		450	450		271	-3	28	1C,EB					0	0	164,000			1		
BX-112	1964	3	STAT		N/A	450		#N/A	28							0	0	164,000			1		
BX-112	1964	4	REC	99		549		#N/A	28	SU	C-102	C-102				0	0	164,000			1		
BX-112	1964	4	STAT		549	549		271	#N/A	28	1C,EB,CW			99 CW from 102-C.		0	0	164,000			4	O	RL-SEP-260-5
BX-112	1965	1	STAT		N/A	549		#N/A	28							0	0	164,000			1		
BX-112	1965	2	STAT		546	546		318	-3	25	EB,CW					0	0	164,000			1		
BX-112	1965	3	STAT		546	546		318	#N/A	25	EB,CW					0	0	164,000			1		
BX-112	1965	4	STAT		546	546		318	#N/A	25	EB,CW					0	0	164,000			1		
BX-112	1966	1	STAT		546	546		318	#N/A	25	EB,CW					0	0	164,000			1		
BX-112	1966	2	STAT		546	546		318	#N/A	25	EB,CW					0	0	164,000			1		
BX-112	1966	3	STAT		546	546		318	#N/A	25	EB,CW					0	0	164,000			1		
BX-112	1966	4	STAT		546	546		318	#N/A	25	EB,CW					0	0	164,000			1		
BX-112	1967	1	STAT		546	546		318	#N/A	25	EB,CW					0	0	164,000			1		
BX-112	1967	2	STAT		546	546		318	#N/A	25	1C,EB,CW					0	0	164,000			1		
BX-112	1967	3	STAT		541	541		318	-5	20	EB,CW					0	0	164,000			1		
BX-112	1967	4	STAT		541	541		318	#N/A	20	1C,EB,CW					0	0	164,000			1		
BX-112	1968	1	XIN	13		554		#N/A	20	WTR		WTR				0	0	164,000			1		
BX-112	1968	1	STAT		554	554		318	#N/A	20	EB,CW			Received 13 from CT.		0	0	164,000			4	O	ARH-534-6
BX-112	1968	2	STAT		554	554		318	#N/A	20	1C,EB,CW					0	0	164,000			1		
BX-112	1968	3	SEND	-200		354		#N/A	20	SU		BX-106				0	0	164,000			1		
BX-112	1968	3	STAT		354	354		318	#N/A	20	EB			200 to 106-BX.		0	0	164,000			4	O	ARH-871-6
BX-112	1968	4	STAT		354	354		318	#N/A	20	EB					0	0	164,000			1		
BX-112	1969	1	XIN	179		533		#N/A	20	CSR	221-B	CSR	Omis.			0	0	164,000			3	V	ARH-1200A-6
BX-112	1969	1	STAT		532	532		318	-1	19	IX			179 from 221-B (18-1)		0	0	164,000			1		
BX-112	1969	2	STAT		532	532		318	#N/A	19	EB,IX					0	0	164,000			1		
BX-112	1969	3	send	-33		499		#N/A	19			BY-102				0	0	164,000			0		
BX-112	1969	3	STAT		499	499		134	#N/A	19	IX					0	0	164,000			1		
BX-112	1969	4	STAT		499	499		134	#N/A	19	IX					0	0	164,000			1		
BX-112	1970	1	STAT		499	499		134	#N/A	19	IX					0	0	164,000			1		
BX-112	1970	2	STAT		499	499		134	#N/A	19	IX					0	0	164,000			1		
BX-112	1970	3	STAT		499	499		134	#N/A	19	IX					0	0	164,000			1		
BX-112	1970	4	STAT		499	499		134	#N/A	19	IX					0	0	164,000			1		
BX-112	1971	1	STAT		499	499		134	#N/A	19	IX					0	0	164,000			1		
BX-112	1971	2	STAT		499	499		134	#N/A	19	IX					0	0	164,000			1		
BX-112	1971	3	STAT		499	499		134	#N/A	19	IX			* Leak detection dry wells drilled: 21-12-02, 21-12-05, 21-12-07, 21-12-10		0	0	164,000			1		
BX-112	1971	4	STAT		499	499		134	#N/A	19	EB,IX					0	0	164,000			1		
BX-112	1972	1	STAT		498	498		134	-1	18	EB,IX					0	0	164,000			1		
BX-112	1972	2	STAT		497	497		134	-1	17	EB,IX					0	0	164,000			1		
BX-112	1972	3	STAT		496	496		232	-1	16	EB,IX					0	0	164,000			1		
BX-112	1972	4	STAT		508	508		232	12	28	EB,IX					0	0	164,000			1		
BX-112	1973	1	STAT		512	512		216	4	32	EB,IX					0	0	164,000			1		

Inlt_d	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BX-112	1973	2	STAT		511	511	216	-1	31	EBIX				** Leak deflection dry well 21-12-12 drilled.		0	0	164,000		1		
BX-112	1973	3	STAT		497	497	216	-14	17	EBIX						0	0	164,000		1		
BX-112	1973	4	STAT		496	496	216	-1	16	EBIX						0	0	164,000		1		
BX-112	1974	1	STAT		495	495	216	-1	15	EBIX						0	0	164,000		1		
BX-112	1974	2	SEND	-313	182	182		N/A	15	SU		BX-105		313 to 105-BX.		0	0	164,000		4		ARH-CD-138B-5
BX-112	1974	3	STAT		216	216	216	34	49							0	0	164,000		1		
BX-112	1974	4	STAT		216	216	216	N/A	49					Awaiting solidification.		0	0	164,000		1		
BX-112	1975	1	STAT		194	194	178	-22	27	IX						0	0	164,000		1		
BX-112	1975	2	STAT		194	194	178	N/A	27	IX						0	0	164,000		1		
BX-112	1975	3	STAT		194	194	178	N/A	27	IX						0	0	164,000		1		
BX-112	1975	4	STAT		194	194	178	N/A	27	IX						0	0	164,000		1		
BX-112	1976	1	STAT		194	194	178	N/A	27	IX						0	0	164,000		1		
BX-112	1976	2	STAT		194	194	178	N/A	27	EBIX						0	0	164,000		1		
BX-112	1976	3	STAT		202	202	178	8	35					Evap. Feed dil.		0	0	164,000		1		
BX-112	1976	4	STAT		202	202	178	N/A	35	EVAP				Evap. feed dil.		0	0	164,000		1		
BX-112	1977	1	STAT		202	202	178	N/A	35	EVAP		A-102				0	0	164,000		1		
BX-112	1977	2	send	-24	178	178		N/A	35							0	0	164,000		0		
BX-112	1977	3	STAT		178	178	178	N/A	35					Evap. feed dil - salt well installed		0	0	164,000		1		
BX-112	1977	4	STAT		178	178	178	N/A	35					Inactive spare current installed		0	0	164,000		1		
BX-112	1978	1	STAT		178	178	178	N/A	35					Inactive - Salt Well Installed		0	0	164,000		1		
BX-112	1978	2	STAT		178	178	178	N/A	35	EVAP						0	0	164,000		1		
BX-112	1978	3	STAT		178	178	178	N/A	35	EVAP						0	0	164,000		1		
BX-112	1978	4	send	-9	169	169		N/A	35			A-102				0	0	164,000		0		
BX-112	1978	1	STAT		169	169	169	N/A	35							0	0	164,000		1		
BX-112	1979	1	STAT		169	169	169	N/A	35							0	0	164,000		1		
BX-112	1979	2	STAT		169	169	169	N/A	35							0	0	164,000		1		
BX-112	1979	3	STAT		169	169	169	N/A	35							0	0	164,000		1		
BX-112	1979	4	STAT		169	169	169	N/A	35	EVAP						0	0	164,000		1		
BX-112	1980	1	STAT		169	169	169	N/A	35	EVAP						0	0	164,000		1		
BX-112	1980	2	STAT		169	169	169	N/A	35	EVAP						0	0	164,000		1		
BX-112	1980	3	STAT		169	169	169	N/A	35							0	0	164,000		1		
BX-112	1980	4	STAT		169	169	169	N/A	35	EVAP						0	0	164,000		1		
BX-112	1983	3	send	-4	165	165		N/A	35	swliq		AN-101				0	0	164,000		1		
BX-112	1993	2	STAT		165	165	164	N/A	35							0	0	164,000		1		
BX-112	1993	4	STAT		165	165	164	N/A	35							0	0	164,000		1		
BX-112	1994	1	STAT		165	165	164	N/A	35							0	0	164,000		1		
BX-112	2000	1	STAT		165	165	164	N/A	35							0	0	164,000		1		



Tank_n	Year	Or	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk lit	Cum Unk	Waste type	Trans Unit	DWXT	LANL comment	Anderson comment	Origin comment	sol vol%	TLM solites	Cum solites	sol type	Ol	Document/Pg #
BY-101	1900																				
BY-101	1949	4	CREC	0	0	0	0	#N/A	0	0 SET	BX-103						0	0.000	1		
BY-101	1949	4	CSEND	0	0	0	0	#N/A	0	0 SET	BY-102						0	0.000	1		
BY-101	1949	4	STAT	0	0	0	0	#N/A	0	0							0	0.000	1		
BY-101	1950	1	rec	159	159	159	159	#N/A	0	0 cas	BX-103	BX-103				0.01762744	2.8028	2.803	MW1	0	
BY-101	1950	1	rec	128	128	285	285	#N/A	0	0 cas	BX-103	BX-103				0.01762744	2.2211	5.024	MW1	0	
BY-101	1950	1	STAT		290	290	290	5	5	1 MW				Began billing March.			0	5.024	1		
BY-101	1950	2	rec	136	136	426	426	#N/A	5	5 cas	BX-103	BX-103				0.01762744	2.3973	7.421	MW1	0	
BY-101	1950	2	rec	125	125	551	551	#N/A	5	5 cas	BX-103	BX-103				0.01762744	2.2034	9.625	MW1	0	
BY-101	1950	2	rec	116	116	667	667	#N/A	5	5 cas	BX-103	BX-103				0.01762744	2.0448	11.669	MW1	0	
BY-101	1950	2	STAT		661	661	661	0	-5	-1 MW							0	11.669	1		
BY-101	1950	3	rec	221	221	882	882	#N/A	-1	-1 cas	BX-103	BX-103				0.01762744	3.8957	15.568	MW1	0	
BY-101	1950	3	rec	183	183	1065	1065	#N/A	-1	-1 cas	BX-103	BX-103				0.01762744	3.2258	18.791	MW1	0	
BY-101	1950	3	rec	167	167	1232	1232	#N/A	-1	-1 cas	BX-103	BX-103				0.01762744	2.9438	21.735	MW1	0	
BY-101	1950	3	send	-291	-291	941	941	#N/A	-1	-1 cas							0	21.735	0		0
BY-101	1950	3	send	-183	-183	758	758	#N/A	-1	-1 cas	BY-102						0	21.735	0		0
BY-101	1950	3	STAT		243	1001	1001	#N/A	-1	-1 cas	BX-103	BX-103		Cascade full September.			0	21.735	1		0
BY-101	1950	4	rec	195	195	1196	1196	#N/A	-1	-1 cas	BX-103	BX-103					4.2835	26.018	MW1	0	
BY-101	1950	4	send	-243	-243	943	943	#N/A	-1	-1 cas	BX-103	BX-103					3.2611	29.279	MW1	0	
BY-101	1950	4	send	-185	-185	758	758	#N/A	-1	-1 cas	BY-102						0	29.279	0		0
BY-101	1950	4	STAT		758	758	758	0	#N/A	-1				Cascade full September.			0	29.279	0		0
BY-101	1951	1	rec	243	243	1001	1001	#N/A	-1	-1 cas	BX-103	BX-103					0	29.279	1		0
BY-101	1951	1	rec	137	137	1137	1137	#N/A	-1	-1 cas	BX-103	BX-103					4.2835	33.563	MW1	0	
BY-101	1951	1	rec	30	30	1167	1167	#N/A	-1	-1 cas	BX-103	BX-103					2.3873	35.950	MW1	0	
BY-101	1951	1	rec	29	29	1196	1196	#N/A	-1	-1 cas	BX-103	BX-103					0.5288	36.488	MW1	0	
BY-101	1951	1	send	-243	-243	953	953	#N/A	-1	-1 MW	BY-102						0.5112	37.000	MW1	0	
BY-101	1951	1	send	-136	-136	817	817	#N/A	-1	-1 cas	BY-102						0	37.000	0		0
BY-101	1951	1	send	-30	-30	787	787	#N/A	-1	-1 cas	BY-102						0	37.000	0		0
BY-101	1951	1	send	-29	-29	758	758	#N/A	-1	-1 cas	BY-102						0	37.000	0		0
BY-101	1951	1	CREC	0	0	758	758	#N/A	-1	-1 END	BX-103						0	37.000	1		0
BY-101	1951	2	STAT		758	758	758	0	#N/A	-1				Cascade full.			0	37.000	1		0
BY-101	1951	2	STAT		758	758	758	0	#N/A	-1							0	37.000	1		0
BY-101	1951	3	STAT		N/A	N/A	N/A	#N/A	-1	-1 MW							0	37.000	1		0
BY-101	1951	4	STAT		N/A	N/A	N/A	#N/A	-1	-1							0	37.000	1		0
BY-101	1952	1	STAT		758	758	758	0	#N/A	-1							0	37.000	1		0
BY-101	1952	2	STAT		758	758	758	0	#N/A	-1							0	37.000	1		0
BY-101	1952	3	STAT		758	758	758	0	#N/A	-1							0	37.000	1		0
BY-101	1952	4	STAT		758	758	758	0	#N/A	-1							0	37.000	1		0
BY-101	1953	1	STAT		758	758	758	0	#N/A	-1							0	37.000	1		0
BY-101	1953	2	STAT		758	758	758	0	#N/A	-1							0	37.000	1		0
BY-101	1953	3	STAT		758	758	758	0	#N/A	-1							0	37.000	1		0
BY-101	1953	4	STAT		758	758	758	0	#N/A	-1							0	37.000	1		0
BY-101	1954	1	SEND	-758	-758	758	758	0	#N/A	-1	1 SU	BX-103		Transfer to 103-BY.			0	37.000	1		0
BY-101	1954	1	STAT		1	1	1	0	1	0 MW				Was emptied on May 17, 1954.			0	37.000	1		0
BY-101	1954	2	STAT		0	0	0	0	-1	-1							0	37.000	1		0
BY-101	1954	3	STAT		N/A	N/A	N/A	#N/A	-1	-1							0	37.000	1		0
BY-101	1954	4	STAT		N/A	N/A	N/A	#N/A	-1	-1							0	37.000	1		0
BY-101	1955	1	REC	660	660	660	660	#N/A	-1	-1 SU	BY-108	BY-108			1st Qtr 55	0	0	37.000	2	V	N-54-6
BY-101	1955	1	CSEND	0	0	660	660	#N/A	-1	-1 END	BY-102						0	37.000	1		0
BY-101	1955	1	STAT		681	681	681	0	21	20 TBP				Received from 108-BY.			0	37.000	1		0
BY-101	1955	2	xin	69	69	750	750	#N/A	20	20	WTR						0	37.000	0		0
BY-101	1955	2	REC	0	0	750	750	#N/A	20	20 SU	BY-110	BY-110			REC at BY-102	0	0	37.000	2	V	N-54-102
BY-101	1955	3	STAT		750	750	750	0	#N/A	20							0	37.000	1		0



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Opden comment	sol vol%	TLM solids	Cum solids	sol type	Ol	C/A	Document/Pg #
BY-101	1955	4	STAT		750	750	0	#N/A	20							0	0	37,000		1		
BY-101	1956	1	STAT		750	750	0	#N/A	20					Scvg. waste awaiting rework.		0	0	37,000		1		
BY-101	1956	2	STAT		750	750	0	#N/A	20	TBP				Scvg. waste awaiting rework.		0	0	37,000		1		
BY-101	1956	3	STAT		750	750	0	#N/A	20	MW						0	0	37,000		1		
BY-101	1956	4	STAT		750	750	0	#N/A	20	TBP						0	0	37,000		1		
BY-101	1957	1	STAT		717	717	0	-33	-13	TBP						0	0	37,000		1		
BY-101	1957	2	SEND	-455		262		#N/A	-13			C-101	actually scavenged directly to C-112 and C-109 in 1957q3		Omission	0	0	37,000		2	V	HW-51348-5
BY-101	1957	2	STAT		262	262	0	#N/A	-13	TBP						0	0	37,000		1		
BY-101	1957	3	xin	488		748		#N/A	-13			WTR				0	0	37,000		0		
BY-101	1957	3	OUTX	-474		274		#N/A	-13	T15	C-112	TFeCN				0	0	37,000		3	O	N-54-289
BY-101	1957	3	OUTX	-234		40		#N/A	-13	T16	C-109	TFeCN	AND reports -255			0	0	37,000		3	O	N-54-290
BY-101	1957	3	STAT		40	40	0	#N/A	-13	TBP				225m scavenged. Latest electrode reading.		0	0	37,000		1		
BY-101	1957	4	STAT		40	40	0	#N/A	-13							0	0	37,000		1		
BY-101	1958	1	STAT		40	40	0	#N/A	-13	TBP						0	0	37,000		1		
BY-101	1958	2	STAT		59	59	0	19	6					New electrode reading.		0	0	37,000		1		
BY-101	1958	3	STAT		59	59	0	#N/A	6							0	0	37,000		1		
BY-101	1958	4	STAT		59	59	0	#N/A	6							0	0	37,000		1		
BY-101	1959	1	STAT		59	59	0	#N/A	6							0	0	37,000		1		
BY-101	1959	2	STAT		59	59	0	#N/A	6							0	0	37,000		1		
BY-101	1959	3	STAT		59	59	0	#N/A	6	TBP						0	0	37,000		1		
BY-101	1959	4	STAT		60	60	0	1	7					Latest electrode reading.		0	0	37,000		1		
BY-101	1960	1	STAT		60	60	0	#N/A	7							0	0	37,000		1		
BY-101	1960	2	STAT		60	60	0	#N/A	7							0	0	37,000		1		
BY-101	1960	3	STAT		60	60	0	#N/A	7	TBP						0	0	37,000		1		
BY-101	1960	4	REC	257		317		#N/A	7	SU	C-108	C-108	AND reports 275 pos error			0	0	37,000		4	O	HW-68291-4
BY-101	1960	4	REC	77		394		#N/A	7	SU	C-108	C-108				0	0	37,000		4	O	HW-68292-4
BY-101	1960	4	STAT		394	394	0	#N/A	7	TBP				Received 275m CW from 108-C. Received 77m from 108-C.		0	0	37,000		1		
BY-101	1961	1	STAT		N/A	394		#N/A	7							0	0	37,000		1		
BY-101	1961	2	REC	89		483		#N/A	7	SU	C-108	C-108				0	0	37,000		4	O	HW-71610-5
BY-101	1961	2	STAT		483	483	0	#N/A	7	TBP,CW				Received 89m from 108-C		0	0	37,000		1		
BY-101	1961	3	REC	245		728		#N/A	7	SU	C-107	C-107	OC 258 to 245		Shows 245 not 258	0	0	37,000		3	V	HW-72625-5
BY-101	1961	3	STAT		N/A	728		#N/A	7							0	0	37,000		1		
BY-101	1961	4	STAT		728	728	0	#N/A	7	TBP,1C,CW				Received 245m from 107-C.		0	0	37,000		1		
BY-101	1962	1	STAT		N/A	728		#N/A	7							0	0	37,000		1		
BY-101	1962	2	STAT		728	728	0	#N/A	7	TBP,1C,CW						0	0	37,000		1		
BY-101	1962	3	STAT		N/A	728		#N/A	7							0	0	37,000		1		
BY-101	1962	4	STAT		728	728	0	#N/A	7	TBP,1C,CW						0	0	37,000		1		
BY-101	1963	1	STAT		N/A	728		#N/A	7							0	0	37,000		1		
BY-101	1963	2	STAT		730	730	37	2	9	TBP,1C,CW						0	0	37,000		1		
BY-101	1963	3	STAT		N/A	730		#N/A	9							0	0	37,000		1		
BY-101	1963	4	STAT		741	741	37	11	20	TBP,1C,CW				New electrode installed.		0	0	37,000		1		
BY-101	1964	1	STAT		N/A	741		#N/A	20							0	0	37,000		1		
BY-101	1964	2	STAT		744	744	37	3	23	TBP,1C,CW						0	0	37,000		1		
BY-101	1964	3	STAT		N/A	744		#N/A	23							0	0	37,000		1		
BY-101	1964	4	STAT		744	744	37	#N/A	23	TBP,1C,CW						0	0	37,000		1		
BY-101	1965	1	STAT		N/A	744		#N/A	23							0	0	37,000		1		
BY-101	1965	2	REC	143		887		#N/A	23	SU	BY-103	BY-103				0	0	37,000		4	O	RL-SEP-659-5
BY-101	1965	2	REC	457		1344		#N/A	23	SU	BY-112	BY-112				0	0	37,000		4	O	RL-SEP-659-5
BY-101	1965	2	outx	-762		582		#N/A	23	cond	crib	BYCOND				0	0	37,000		2		
BY-101	1965	2	GROUP	0		582		#N/A	23	ITS					Shows 762 not 0	0	0	37,000		2	V	RL-SEP-659-5
BY-101	1965	2	STAT		582	582	0	#N/A	23	CW				762m ITS boil-off.		0	0	37,000		1		

Year	Trans n	Year	Qty	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum sol	sol type	QI	O/A	Document/Pg #
1963	BY-101	1963	3	REC	1149	1731	1731		N/A	23 SU	23 SU	BY-103	BY-103	*521 to			0	0	37,000	4	O	RL-SEP-821-5	
1965	BY-101	1965	3	OUTX	502	1229	1229		N/A	23 cond	23 cond	BYCOND	BYCOND				0	0	37,000	2			
1965	BY-101	1965	3	OUTX	628	601	601		N/A	23	23	BYCOND	BYCOND				0	0	37,000	2	V	RL-SEP-821-5	
1965	BY-101	1965	3	GROUP	0	601	601		N/A	23 ITS	23 ITS	A-102			Shows 502 not 0		0	0	37,000	1			
1965	BY-101	1965	3	SEND	0	601	601		N/A	23	23						0	0	37,000	1			
1965	BY-101	1965	3	STAT	0	601	601		0	23 CW	23 CW			502m ITS boil-off			0	0	37,000	4	O	RL-SEP-923-5	
1965	BY-101	1965	4	REC	233	834	834		N/A	23 SU	23 SU	BY-103	BY-103				0	0	37,000	1			
1965	BY-101	1965	4	OUTX	-250	574	574		N/A	23 cond	23 cond	BYCOND	BYCOND	293 to -260			0	0	37,000	0			
1965	BY-101	1965	4	SEND	-33	541	541		N/A	23	23	B-109		IT Spratotype			0	0	37,000	0			
1965	BY-101	1965	4	GROUP	0	541	541		N/A	23 ITS	23 ITS						0	0	37,000	0			
1965	BY-101	1965	4	STAT	0	541	541		0	23 CW	23 CW			293m ITS boil-off			0	0	37,000	2	V	RL-SEP-923-5	
1966	BY-101	1966	1	REC	289	830	830		N/A	23 SU	23 SU	BY-103	BY-103				0	0	37,000	1			
1966	BY-101	1966	1	OUTX	-240	590	590		N/A	23 cond	23 cond	BYCOND	BYCOND				0	0	37,000	4	O	ISO-226-5	
1966	BY-101	1966	1	GROUP	0	590	590		N/A	23 ITS	23 ITS						0	0	37,000	2	V	ISO-226-5	
1966	BY-101	1966	1	STAT	0	590	590		0	23 CW	23 CW			240m ITS boil-off			0	0	37,000	1			
1966	BY-101	1966	2	REC	432	1022	1022		N/A	23 SU	23 SU	BY-103	BY-103				0	0	37,000	2	V	ISO-404-5	
1966	BY-101	1966	2	OUTX	-410	612	612		N/A	23 cond	23 cond	BYCOND	BYCOND				0	0	37,000	2	V	ISO-404-5	
1966	BY-101	1966	2	GROUP	0	612	612		N/A	23 ITS	23 ITS						0	0	37,000	2	V	ISO-404-5	
1966	BY-101	1966	2	STAT	0	612	612		0	23 CW	23 CW			Shows 410 not 0			0	0	37,000	1			
1966	BY-101	1966	3	REC	984	1606	1606		N/A	23 SU	23 SU	BY-103	BY-103	*461 to			0	0	37,000	1			
1966	BY-101	1966	3	OUTX	488	1118	1118		N/A	23 COND	23 COND	CRIB7	BYCOND	BYCOND			0	0	37,000	4	O	ISO-538-5	
1966	BY-101	1966	3	OUTX	533	585	585		N/A	23	23			Omission			0	0	37,000	2	V	ISO-538-5	
1966	BY-101	1966	3	REC	0	585	585		N/A	23 ITS	23 ITS						0	0	37,000	0			
1966	BY-101	1966	3	SEND	0	585	585		N/A	23	23	A-102		Omission			0	0	37,000	2	V	ISO-674-4	
1966	BY-101	1966	3	STAT	0	585	585		0	23 CW	23 CW			Omission			0	0	37,000	1			
1966	BY-101	1966	4	SEND	119	466	466		N/A	23	23	BY-105	BY-105				0	0	37,000	2	V	ISO-674-5	
1966	BY-101	1966	4	SEND	-57	409	409		N/A	23	23	BY-102	BY-102				0	0	37,000	0			
1966	BY-101	1966	4	STAT	0	409	409		N/A	23	23						0	0	37,000	1			
1967	BY-101	1967	1	STAT	409	409	409		N/A	23 CW	23 CW			28m recovered bits			0	0	37,000	1			
1967	BY-101	1967	2	STAT	407	407	407		-2	21	21			Status not determined			0	0	37,000	1			
1967	BY-101	1967	3	STAT	407	407	407		N/A	21	21			Status not determined			0	0	37,000	1			
1967	BY-101	1967	4	STAT	406	406	406		109	21	21			Demonstrating solidification			0	0	37,000	1			
1968	BY-101	1968	1	STAT	406	406	406		376	20	20			Demonstrating solidification			0	0	37,000	1			
1968	BY-101	1968	2	STAT	406	406	406		N/A	20	20			Demonstrating solidification			0	0	37,000	1			
1968	BY-101	1968	3	STAT	406	406	406		N/A	20	20			Demonstrating solidification			0	0	37,000	1			
1968	BY-101	1968	4	STAT	407	407	407		378	20	20			Demonstrating solidification			0	0	37,000	1			
1969	BY-101	1969	1	STAT	407	407	407		378	21	21			Demonstrating solidification			0	0	37,000	1			
1969	BY-101	1969	2	STAT	407	407	407		N/A	21	21			Demonstrating solidification			0	0	37,000	1			
1969	BY-101	1969	3	REC	331	738	738		N/A	21	21	BY-105	BY-105				0	0	37,000	4	O	ARRH-1200C-6	
1969	BY-101	1969	3	STAT	739	739	739		1	22	22			331 from 105-BY			0	0	37,000	1			
1969	BY-101	1969	4	STAT	737	737	737		1	22	22			Demonstrating solidification			0	0	37,000	1			
1970	BY-101	1970	1	STAT	737	737	737		332	20	20			Demonstrating solidification			0	0	37,000	1			
1970	BY-101	1970	2	STAT	744	744	744		N/A	20	20			Demonstrating solidification			0	0	37,000	1			
1970	BY-101	1970	3	STAT	743	743	743		N/A	27	27			Demonstrating solidification			0	0	37,000	1			
1970	BY-101	1970	4	STAT	747	747	747		1	28	28			Demonstrating solidification			0	0	37,000	1			
1971	BY-101	1971	1	STAT	745	745	745		340	30	30			Demonstrating solidification			0	0	37,000	1			
1971	BY-101	1971	2	REC	769	1514	1514		N/A	28	28	BY-108	BY-108				0	0	37,000	1			
1971	BY-101	1971	2	SEND	-782	732	732		N/A	28	28	BY-101	BY-101				0	0	37,000	4	O	ARRH-2074B-5	
1971	BY-101	1971	2	STAT	733	733	733		1	29	29			769 from 108-BY, 782 to 101 BX			0	0	37,000	1			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trf	Cum unk	Waste type	Trans tank	DWXT	LAVL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Ch	O/A	Document/Pg #
BY-101	1971	3	STAT	736	736	736	386	3	32	EB				* Dry Wells No. 8 22-01-01, 22-01-04, and 22-01-07 were drilled		0	0	37,000		1		
BY-101	1971	4	STAT	737	737	737	398	1	33	EB						0	0	37,000		1		
BY-101	1972	1	GREC	0	737	737	398	#NA	#NA	33 ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1972	2	STAT	737	737	737	398	#NA	33	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1972	2	STAT	738	738	738	398	2	35	EB				ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1972	3	REC	0	740	740	418	#NA	35	SU	BY-109			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1972	3	STAT	740	740	740	418	#NA	35	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1972	4	GREC	0	734	734	418	-6	29	EB				ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1973	1	GREC	0	738	738	418	#NA	29	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1973	2	GREC	0	738	738	418	4	33	EB				ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1973	2	STAT	737	737	737	418	-1	32	EB	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1973	3	GREC	0	737	737	418	#NA	32	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1973	3	STAT	738	738	738	418	1	33	EB				ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1973	4	GREC	0	739	739	418	#NA	33	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1974	1	GREC	0	739	739	418	1	34	EB				ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1974	1	STAT	740	740	740	418	1	35	EB	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1974	2	GREC	0	740	740	418	#NA	35	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1974	2	STAT	746	746	746	418	6	41	EB				ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1974	3	GREC	0	746	746	418	#NA	41	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1974	3	STAT	748	748	748	418	2	43	EB				ITS - bottoms and recycle		0	0	37,000		1		
BY-101	1974	4	XIN	1	749	749	418	#NA	43	WTR	WTR			**Dry Wells No. 8 22-01-03, and 22-01-10 were drilled.		0	0	37,000		1		
BY-101	1974	4	SEND	-6	743	743	418	#NA	43	SU	BY-109			Omission		0	0	37,000		3 V		ARH-CD-133D-5
BY-101	1974	4	GREC	0	743	743	418	#NA	43	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		4 O		ARH-CD-133D-5
BY-101	1974	4	STAT	747	747	747	398	4	47	ITS	BY-112			ITS - bottoms and recycle 6 to 109-BY (1 weller).		0	0	37,000		1		
BY-101	1975	1	STAT	747	747	747	398	#NA	47	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1975	2	SEND	-20	727	727	398	#NA	47	SU	BY-105			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1975	2	GREC	0	727	727	398	#NA	47	ITS	BY-112			ITS - bottoms and recycle 20 to 105-BX.		0	0	37,000		1		
BY-101	1975	2	STAT	728	728	728	398	1	48	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1975	3	GREC	0	728	728	398	#NA	48	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1975	3	STAT	728	728	728	398	#NA	48	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1975	4	GREC	0	728	728	398	#NA	48	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1975	4	STAT	728	728	728	398	#NA	48	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1976	1	outk	-691	691	691	37	#NA	48		BYEVAP			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1976	1	kin	691	691	691	37	#NA	48		BYEVAP			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1976	1	GREC	0	728	728	398	#NA	48	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1976	1	STAT	728	728	728	398	#NA	48	ITS	BY-112			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1976	2	GREC	0	728	728	398	#NA	48	ITS	BY-109			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1976	2	STAT	728	728	728	398	#NA	48	ITS	BY-109			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1976	2	STAT	733	733	733	398	5	53	EVAP			ITS - bottoms and recycle.		0	0	37,000		1			
BY-101	1976	4	send	-154	579	579	398	#NA	53	EVAP	A-102			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1976	4	STAT	579	579	579	398	#NA	53	EVAP	A-102			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1977	1	send	-121	458	458	398	#NA	53	EVAP	A-102			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1977	1	STAT	458	458	458	398	#NA	53	EVAP	A-102			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1977	2	send	-11	447	447	447	#NA	53	EVAP	A-102			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1977	2	STAT	447	447	447	447	#NA	53	EVAP	A-102			ITS - bottoms and recycle.		0	0	37,000		1		
BY-101	1977	3	STAT	447	447	447	447	#NA	53	EVAP	A-102			ITS - bottoms and recycle.		0	0	37,000		1		

Tank n	Year	Qty	Type	Trans vol	Slat vol	Total vol	Solids vol	Unk ltr	Cum Unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Ch	O/A	Document Pg #
BY-101	1977	4	STAT	447	447	447	439	#NA	53	EVAP				Inactive Current		0	0	387,000		1		
BY-101	1978	1	STAT	450	450	450	439	3	56					Inactive		0	0	387,000		1		
BY-101	1978	2	STAT	450	450	450	439	#NA	56	NCPLX						0	0	387,000		1		
BY-101	1978	3	SEND	2	448	448		#NA	56	SU						0	0	387,000		1		
BY-101	1978	3	SEND	2	446	446		#NA	56	SU		BX-105				0	0	387,000		1		
BY-101	1978	3	SEND	1	445	445		#NA	56	SU		BX-105				0	0	387,000		1		
BY-101	1978	3	SEND	1	444	444		#NA	56	SU		BX-105				0	0	387,000		1		
BY-101	1978	3	SEND	1	443	443		#NA	56	SU		BX-105				0	0	387,000		1		
BY-101	1978	4	STAT	447	447	447	439	4	60							0	0	387,000		1		
BY-101	1978	4	STAT	447	447	447	439	#NA	60							0	0	387,000		1		
BY-101	1979	1	STAT	447	447	447	439	#NA	60							0	0	387,000		1		
BY-101	1979	2	STAT	447	447	447	439	#NA	60							0	0	387,000		1		
BY-101	1979	3	STAT	447	447	447	439	#NA	60							0	0	387,000		1		
BY-101	1979	4	STAT	447	447	447	439	#NA	60							0	0	387,000		1		
BY-101	1980	1	STAT	447	447	447	439	#NA	60					New Photo 3-20-80		0	0	387,000		1		
BY-101	1980	2	STAT	447	447	447	439	#NA	60							0	0	387,000		1		
BY-101	1980	3	STAT	447	447	447	439	#NA	60	NCPLX						0	0	387,000		1		
BY-101	1980	4	STAT	443	443	443	439	4	56	NCPLX						0	0	387,000		1		
BY-101	1980	2	send	-57	386	386		#NA	56	swiql		AW-105				0	0	387,000		0		
BY-101	1982	4	send	4	382	382		#NA	56	swiql		AW-106				0	0	387,000		0		
BY-101	1983	2	STAT	387	387	387	387	5	61	NCPLX						0	0	387,000		1		
BY-101	1983	4	STAT	387	387	387	387	#NA	61							0	0	387,000		1		
BY-101	1984	1	STAT	387	387	387	387	#NA	61							0	0	387,000		1		
BY-101	2000															0	0	387,000		1		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANH comment	Anderson comment	Ordyn comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
BY-102	1900																					
BY-102	1949	3	STAT		N/A	0		#N/A	0					* Dry Well No. 22-02-07 was drilled.			0	0.000		1		
BY-102	1949	4	CREC	0	0	0		#N/A	0	SET	BY-101						0	0.000		1		
BY-102	1949	4	CSEND	0	0	0		#N/A	0	SET	BY-103						0	0.000		1		
BY-102	1949	4	STAT	0	0	0		#N/A	0								0	0.000		1		
BY-102	1950	1	STAT	0	0	0		#N/A	0								0	0.000		1		
BY-102	1950	2	STAT	0	0	0		#N/A	0								0	0.000		1		
BY-102	1950	3	rec	291	291	291	474	#N/A	0	CAS	BY-101	BY-101		Cascade began filling September			3,909	3,909	MW1	0		
BY-102	1950	3	rec	183	183	183	474	#N/A	0	CAS	BY-101	BY-101					2,4582	6,367	MW1	0		
BY-102	1950	3	STAT		480	480		6	6	MW							0	6,987		1		
BY-102	1950	4	rec	243	723	723		#N/A	6	CAS	BY-101	BY-101					3,2842	9,631	MW1	0		
BY-102	1950	4	rec	185	908	908		#N/A	6	CAS	BY-101	BY-101					2,4851	12,116	MW1	0		
BY-102	1950	4	send	-150	758	758		#N/A	6	CAS		BY-103					0	12,116		0		
BY-102	1950	4	STAT		758	758		#N/A	6				end state at 744				0	12,116		0		
BY-102	1951	1	rec	243	1001	1001		#N/A	6	CAS	BY-101	BY-101		Cascade full in October.			3,2842	15,381	MW1	0		
BY-102	1951	1	rec	136	1137	1137		#N/A	6	CAS	BY-101	BY-101					1,8269	17,207	MW1	0		
BY-102	1951	1	rec	30	1167	1167		#N/A	6	CAS	BY-101	BY-101					0,403	17,610	MW1	0		
BY-102	1951	1	rec	29	1196	1196		#N/A	6	CAS	BY-101	BY-101					0,3596	18,000	MW1	0		
BY-102	1951	1	send	-243	953	953		#N/A	6	CAS		BY-103					0	18,000		0		
BY-102	1951	1	send	-136	817	817		#N/A	6	CAS		BY-103					0	18,000		0		
BY-102	1951	1	send	-30	787	787		#N/A	6	CAS		BY-103					0	18,000		0		
BY-102	1951	1	send	-29	758	758		#N/A	6	CAS		BY-103					0	18,000		0		
BY-102	1951	2	STAT		758	758		#N/A	6				and state at 744				0	18,000		0		
BY-102	1951	2	STAT		758	758		#N/A	6				and state at 744				0	18,000		0		
BY-102	1951	3	STAT		758	758		#N/A	6								0	18,000		0		
BY-102	1951	4	STAT		N/A	758		#N/A	6								0	18,000		0		
BY-102	1952	1	STAT		758	758		#N/A	6								0	18,000		0		
BY-102	1952	2	STAT		758	758		#N/A	6								0	18,000		0		
BY-102	1952	3	STAT		758	758		#N/A	6								0	18,000		0		
BY-102	1952	4	STAT		758	758		#N/A	6								0	18,000		0		
BY-102	1953	1	xin	70	828	828		#N/A	6	SU		WTR					0	18,000		0		
BY-102	1953	1	SEND	-70	758	758		#N/A	6	SU		B-103					0	18,000		0		
BY-102	1953	2	STAT		758	758		#N/A	6								0	18,000		0		
BY-102	1953	2	SEND	-162	596	596		#N/A	6								0	18,000		0		
BY-102	1953	3	STAT		758	758		#N/A	6								0	18,000		0		
BY-102	1953	4	STAT		758	758		#N/A	6								0	18,000		0		
BY-102	1954	1	xin	265	1023	1023		#N/A	6	MW		WTR					0	18,000		0		
BY-102	1954	1	SEND	-526	497	497		#N/A	6	SU		BY-103					0	18,000		0		
BY-102	1954	1	STAT		497	497		#N/A	6	MW				Supernatant blend supply.			0	18,000		0		
BY-102	1954	2	STAT		N/A	497		#N/A	6								0	18,000		0		
BY-102	1954	3	outx	-497	0	0		#N/A	6			UR					0	18,000		0		
BY-102	1954	3	STAT		0	0		#N/A	6					Was emptied on July 13, 1954.			0	18,000		0		
BY-102	1954	4	STAT		N/A	0		#N/A	6								0	18,000		0		
BY-102	1955	1	xin	377	377	377		#N/A	6			WTR					0	18,000		0		
BY-102	1955	1	SEND	-51	326	326		#N/A	6	CAS		BY-103					0	18,000		0		
BY-102	1955	1	CREC	0	326	326		#N/A	6	END	BY-101				Omission		0	18,000		0		
BY-102	1955	1	CSEND	0	326	326		#N/A	6	END	BY-103						0	18,000		0		
BY-102	1955	1	STAT		326	326		#N/A	6	TBR							0	18,000		0		
BY-102	1955	2	REC	333	659	659		#N/A	6	SU	BY-105	BY-105		Received from 105-BY.		0	18,000		0			
BY-102	1955	2	REC	495	1154	1154		#N/A	6	SU	BY-110	BY-110	OC 100 diff in line below, misdirection in transaction		Shows 595 netm 495	0	18,000		0			

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
BY-102	1955	2	REC	100		1254		#N/A	6	SU	BY-110	BY-110	Omission changed from BY-101 to BY-102, misdirection in transaction									
BY-102	1955	2	OUTX	-534		720		#N/A	6						Show REC at BY-102	0	0	18,000		1	M/V	
BY-102	1955	2	STAT		720	720	0	#N/A	6							0	0	18,000		0		
BY-102	1955	3	STAT		720	720	0	#N/A	6							0	0	18,000		1		
BY-102	1955	4	STAT		720	720	0	#N/A	6							0	0	18,000		1		
BY-102	1956	1	STAT		720	720	0	#N/A	6							0	0	18,000		1		
BY-102	1956	2	STAT		720	720	0	#N/A	6	TBP					Scvg. waste awaiting rework.	0	0	18,000		1		
BY-102	1956	3	STAT		720	720	0	#N/A	6	MW					Scvg. waste awaiting rework.	0	0	18,000		1		
BY-102	1956	4	STAT		720	720	0	#N/A	6	TBP						0	0	18,000		1		
BY-102	1957	1	STAT		722	722	0	2	8	TBP						0	0	18,000		1		
BY-102	1957	2	REC	471		1193		#N/A	8	SU	C-112	C-112	AND reports -483			0	0	18,000		1		
BY-102	1957	2	OUTX	-308		885		#N/A	8	T13	C-109	TFeCN	C-101 to C-109			0	0	18,000		3	O	N-54-102
BY-102	1957	2	OUTX	-398		487		#N/A	8	T14	C-111	TFeCN			Shows 337 xfer to C-109	0	0	18,000		2	V	N-54-287
BY-102	1957	2	STAT		488	488	0	1	9	TBP					Shows 436 not 398	0	0	18,000		2	V	N-54-288
BY-102	1957	3	REC	162		650		#N/A	9	SU	BX-105	BX-105	OC 156 to 162			0	0	18,000		1		
BY-102	1957	3	REC	469		1119		#N/A	9	SU	BX-106	BX-106			Shows 162 not 156	0	0	18,000		3	V	N-54-102
BY-102	1957	3	REC	50		1169		#N/A	9	SU	C-105	C-105				0	0	18,000		4	O	N-54-102
BY-102	1957	3	OUTX	-297		872		#N/A	9	SU	B-032	CRIB			Shows BC-19 trench	0	0	18,000		4	O	HW-52932-4
BY-102	1957	3	OUTX	-498		374		#N/A	9	SU	B-032	CRIB	OC 518 to 498		Shows 498 not 518	0	0	18,000		4	O	N-54-102
BY-102	1957	3	STAT		400	400	18	26	35	TBP			REC total 681	Received 28m.		0	0	18,000		3	V	N-54-102
BY-102	1957	4	REC	311		711		#N/A	35	SU	BY-107	BY-107				0	0	18,000		1		
BY-102	1957	4	OUTX	-132		579		#N/A	35	SU	B-033	CRIB			BC-20 Trench	0	0	18,000		4	O	HW-54067-5
BY-102	1957	4	OUTX	-113		466		#N/A	35	SU	B-034	CRIB			BC-21 Trench	0	0	18,000		4	O	N-54-102
BY-102	1957	4	OUTX	-434		32		#N/A	35	SU	B-035	CRIB	OC 423 to 434		Shows 434 to BC-22	0	0	18,000		3	V	N-54-252
BY-102	1957	4	STAT	43	43	43	18	11	46	TBP			132m to BC-20;; 107m to BC-21;; 311m from 107-BY;; 429m to 1C-22.			0	0	18,000		1		
BY-102	1958	1	STAT	43	43	43	18	#N/A	46							0	0	18,000		1		
BY-102	1958	2	STAT	43	43	43	18	#N/A	46							0	0	18,000		1		
BY-102	1958	3	STAT	43	43	43	18	#N/A	46							0	0	18,000		1		
BY-102	1958	4	STAT	43	43	43	18	#N/A	46							0	0	18,000		1		
BY-102	1959	1	STAT	43	43	43	18	#N/A	46	TBP						0	0	18,000		1		
BY-102	1959	2	STAT	46	46	46	18	3	49	TBP						0	0	18,000		1		
BY-102	1959	3	STAT	46	46	46	18	#N/A	49							0	0	18,000		1		
BY-102	1959	4	STAT	46	46	46	18	#N/A	49	TBP						0	0	18,000		1		
BY-102	1960	1	STAT	46	46	46	18	#N/A	49	TBP						0	0	18,000		1		
BY-102	1960	2	STAT	48	48	48	18	2	51	TBP					New electrode installed.	0	0	18,000		1		
BY-102	1960	3	STAT	48	48	48	18	#N/A	51							0	0	18,000		1		
BY-102	1960	4	STAT	48	48	48	18	#N/A	51							0	0	18,000		1		
BY-102	1961	1	STAT	N/A	48	48		#N/A	51							0	0	18,000		1		
BY-102	1961	2	STAT	48	48	48	18	#N/A	51	TBP					6 month report	0	0	18,000		1		
BY-102	1961	3	STAT	N/A	48	48		#N/A	51							0	0	18,000		1		
BY-102	1961	4	STAT	51	51	51	18	3	54	TBP					Latest electrode reading. 6 month report	0	0	18,000		1		
BY-102	1962	1	STAT	N/A	51	51		#N/A	54							0	0	18,000		1		
BY-102	1962	2	STAT	51	51	51	18	#N/A	54	TBP					6 month report	0	0	18,000		1		
BY-102	1962	3	STAT	N/A	51	51		#N/A	54							0	0	18,000		1		
BY-102	1962	4	STAT	54	54	54	18	3	57	TBP					Latest electrode reading 6 month report	0	0	18,000		1		
BY-102	1963	1	STAT	N/A	54	54		#N/A	57							0	0	18,000		1		
BY-102	1963	2	STAT	48	48	48	29	-6	51	TBP						0	0	18,000		1		
BY-102	1963	3	STAT	N/A	48	48		#N/A	51						Latest electrode reading.	0	0	18,000		1		
BY-102	1963	4	STAT	48	48	48	29	#N/A	51	TBP					6 month report	0	0	18,000		1		
BY-102	1964	1	STAT	N/A	48	48		#N/A	51						6 month report	0	0	18,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
BY-102	1964	2	STAT		48	48	29	#N/A	51	TBP				6 month report		0	0	18,000				
BY-102	1964	3	STAT		N/A	48		#N/A	51							0	0	18,000				
BY-102	1964	4	REC	394		442		#N/A	51	SU	C-102	C-102				0	0	18,000				
BY-102	1964	4	STAT		442	442	29	#N/A	51	TBP,CW				394 CW from 102-C. 6 month report		0	0	18,000			O	RL-SEP-260-5
BY-102	1965	1	STAT		N/A	442		#N/A	51							0	0	18,000				
BY-102	1965	2	REC	258		700		#N/A	51	SU	C-102	C-102				0	0	18,000			O	RL-SEP-659-5
BY-102	1965	2	STAT		700	700	0	#N/A	51	TBP,CW				Received 258m CW from 102-C.		0	0	18,000				
BY-102	1965	3	REC	28		728		#N/A	51	SU	C-102	C-102				0	0	18,000				
BY-102	1965	3	STAT		728	728	0	#N/A	51	TBP,CW				28m from 102-C.		0	0	18,000			O	RL-SEP-821-5
BY-102	1965	4	STAT		728	728	0	#N/A	51	TBP,CW						0	0	18,000				
BY-102	1966	1	STAT		730	730	0	2	53	TBP,CW						0	0	18,000				
BY-102	1966	2	STAT		733	733	0	3	56	CW						0	0	18,000				
BY-102	1966	3	STAT		733	733	0	#N/A	56	TBP,CW						0	0	18,000				
BY-102	1966	4	rec	57		790		#N/A	56		BY-101	BY-101				0	0	18,000				
BY-102	1966	4	REC	50		840		#N/A	56	SU	BY-103	BY-103				0	0	18,000			O	ISO-674-4/ISO-674-5 SEND
BY-102	1966	4	outx	-99		741		#N/A	56	cond	crib	BYCOND	-51 to			0	0	18,000				
BY-102	1966	4	send	-19		722		#N/A	56				C-102			0	0	18,000				
BY-102	1966	4	GROUP	0		722		#N/A	56	ITS						0	0	18,000				
BY-102	1966	4	STAT		722	722	0	#N/A	56	CW				61m recovered by ITS	Shows 61 not 0	0	0	18,000			V	ISO-674-4
BY-102	1967	1	REC	547		1269		#N/A	56	SU	BY-103	BY-103				0	0	18,000				
BY-102	1967	1	outx	-638		631		#N/A	56	cond	crib	BYCOND				0	0	18,000			O	ISO-806-5
BY-102	1967	1	GROUP	0		631		#N/A	56	ITS					Shows 638 not 0	0	0	18,000				
BY-102	1967	1	STAT		631	631	0	#N/A	56	CW				638m reclaimed by ITS		0	0	18,000			V	ISO-806-5
BY-102	1967	2	rec	734		1365		#N/A	56	ITS	BY-103	BY-103				0	0	18,000				
BY-102	1967	2	outx	-772		593		#N/A	56	cond	crib	BYCOND			Shows 772 not 0	0	0	18,000			V	ISO-967-5
BY-102	1967	2	GROUP	0		593		#N/A	56	ITS	BY-103					0	0	18,000				
BY-102	1967	2	STAT		593	593	0	#N/A	56	CW				722m reclaimed by ITS	Shows 772 not 0	0	0	18,000			V	ISO-967-5
BY-102	1967	3	rec	36		629		#N/A	56		B-110	B-110				0	0	18,000				
BY-102	1967	3	rec	565		1194		#N/A	56	ITS	BY-103	BY-103			Shows 506 not 0	0	0	18,000			V	ARH-95-6
BY-102	1967	3	outx	-597		597		#N/A	56	cond	crib	BYCOND	-506 to			0	0	18,000				
BY-102	1967	3	GROUP	0		597		#N/A	56	ITS	BY-103	BY-105			Shows 506 not 0	0	0	18,000			V	ARH-95-6
BY-102	1967	3	REC	0		597		#N/A	56	SU	C-102	C-102	OC 469 to 0, rec at BY-106	REC at BY-106		0	0	18,000			V	ARH-95-6
BY-102	1967	3	STAT		597	597	0	#N/A	56	CW				506m reclaimed by ITS		0	0	18,000				
BY-102	1967	4	rec	32		629		#N/A	56		B-110	B-110				0	0	18,000				
BY-102	1967	4	rec	477		1106		#N/A	56	ITS	BY-103	BY-103			Shows 521 not 0	0	0	18,000			V	ARH-326-6
BY-102	1967	4	outx	-498		608		#N/A	56	cond	crib	BYCOND	-521 to			0	0	18,000				
BY-102	1967	4	GROUP	0		608		#N/A	56	ITS	BY-103	BY-105			Shows 521 not 0	0	0	18,000			V	ARH-326-6
BY-102	1967	4	STAT		608	608	0	#N/A	56	CW				521m reclaimed by ITS		0	0	18,000				
BY-102	1968	1	rec	994		1602		#N/A	56	ITS	BY-103	BY-103			Shows 231 not 0	0	0	18,000			V	ARH-534-6
BY-102	1968	1	send	-531		1071		#N/A	56		BY-112	sharedITS#1&2				0	0	18,000				
BY-102	1968	1	outx	-231		840		#N/A	56	cond	crib	BYCOND				0	0	18,000				
BY-102	1968	1	SEND	-279		561		#N/A	56					Omission		0	0	18,000			V	ARH-534-6
BY-102	1968	1	GROUP	0		561		#N/A	56	ITS	BY-103			Shows 231 not 0		0	0	18,000			V	ARH-534-6
BY-102	1968	1	STAT		561	561	0	#N/A	56	CW				231m reclaimed by ITS by No. 1		0	0	18,000				
BY-102	1968	2	rec	2652		3213		#N/A	56	ITS	BY-103	BY-103			Shows 520 not 0	0	0	18,000			V	ARH-721-6
BY-102	1968	2	send	-2366		847		#N/A	56		BY-112	sharedITS#1&2				0	0	18,000				
BY-102	1968	2	outx	-254		593		#N/A	56	cond	crib	BYCOND				0	0	18,000				
BY-102	1968	2	GROUP	0		593		#N/A	56	ITS	BY-103			Shows 520 not 0		0	0	18,000			V	ARH-721-6
BY-102	1968	2	STAT		593	593	0	#N/A	56	EB				520m reclaimed by ITS by No. 1		0	0	18,000				
BY-102	1968	3	rec	1027		1620		#N/A	56	ITS	BY-103	BY-103			Shows 548 not 0	0	0	18,000			V	ARH-871-6
BY-102	1968	3	REC	199		1819		#N/A	56	SU	BY-109	BY-109				0	0	18,000				
BY-102	1968	3	send	-414		1405		#N/A	56		BY-112	sharedITS#1&2				0	0	18,000				
BY-102	1968	3	outx	-548		857		#N/A	56	cond	crib	BYCOND				0	0	18,000				



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tir	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ch	O/A	Document/Pg #
BY-102	1968	3	SEND	-256		601		#N/A	56			BY-105			Omission	0	0	18.000		3	V	ARH-871-6
BY-102	1968	3	GROUP	0		601		#N/A	56	ITS	BY-103			Shows 548 not 0		0	18.000		2	V	ARH-871-6	
BY-102	1968	3	STAT		601	601	314	#N/A	56	EB				548m reclaimed by ITS by No. 1		0	0	18.000		1		
BY-102	1968	4	REC	814		1415		#N/A	56	SU	BY-103	BY-103				0	0	18.000		4	O	ARH-1061-6
BY-102	1968	4	outx	-507		908		#N/A	56	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1968	4	SEND	-330		578		#N/A	56			BY-105		Omission		0	0	18.000		3	V	ARH01061-6
BY-102	1968	4	GROUP	0		578		#N/A	56	ITS				Shows 507 not 0		0	18.000		2	V	ARH-1061-6	
BY-102	1968	4	STAT		578	578	250	#N/A	56	EB				507m reclaimed by ITS by No. 1		0	0	18.000		1		
BY-102	1969	1	REC	693		1271		#N/A	56	SU	BY-103	BY-103				0	0	18.000		4	O	ARH-1200A-6
BY-102	1969	1	outx	-353		918		#N/A	56	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1969	1	SEND	-408		510		#N/A	56			BY-105		Omission		0	0	18.000		3	V	ARH-1200A-6
BY-102	1969	1	GROUP	0		510		#N/A	56	ITS				Shows 353 Evp.		0	18.000		2	V	ARH-1200A-6	
BY-102	1969	1	STAT		510	510	250	#N/A	56	EB				353m reclaimed by ITS No. 1		0	0	18.000		1		
BY-102	1969	2	REC	696		1206		#N/A	56	SU	BY-103	BY-103				0	0	18.000		4	O	ARH-1200B-6
BY-102	1969	2	outx	-617		589		#N/A	56	cond	crib	BYCOND				0	0	18.000		2	V	ARH-1200B-6
BY-102	1969	2	GROUP	0		589		#N/A	56	ITS				Shows 617 Evp.		0	18.000		2	V	ARH-1200B-6	
BY-102	1969	2	STAT		590	590	250	1	57	EB				617m evaporated by ITS No. 1		0	0	18.000		1		
BY-102	1969	3	rec	33		623		#N/A	57		BX-103	BX-103				0	0	18.000		0		
BY-102	1969	3	rec	33		656		#N/A	57		BX-104	BX-104				0	0	18.000		0		
BY-102	1969	3	rec	33		689		#N/A	57		BX-105	BX-105				0	0	18.000		0		
BY-102	1969	3	rec	35		724		#N/A	57		BX-106	BX-106				0	0	18.000		0		
BY-102	1969	3	rec	33		757		#N/A	57		BX-107	BX-107				0	0	18.000		0		
BY-102	1969	3	rec	33		790		#N/A	57		BX-108	BX-108				0	0	18.000		0		
BY-102	1969	3	rec	27		817		#N/A	57		BX-109	BX-109				0	0	18.000		0		
BY-102	1969	3	rec	33		850		#N/A	57		BX-110	BX-110				0	0	18.000		0		
BY-102	1969	3	rec	33		883		#N/A	57		BX-111	BX-111				0	0	18.000		0		
BY-102	1969	3	rec	33		916		#N/A	57		BX-112	BX-112				0	0	18.000		0		
BY-102	1969	3	REC	620		1536		#N/A	57	SU	BY-103	BY-103				0	0	18.000		4	O	ARH-1200C-6
BY-102	1969	3	outx	-450		1086		#N/A	57	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1969	3	outx	-325		761		#N/A	57			BYCOND				0	0	18.000		0		
BY-102	1969	3	SEND	-154		607		#N/A	57	SU		BY-105				0	0	18.000		4	O	ARH-1200C-6
BY-102	1969	3	GROUP	0		607		#N/A	57	ITS				Shows 450 Evp.		0	18.000		2	V	ARH-1200C-6	
BY-102	1969	3	STAT		607	607	250	#N/A	57	EB				154 to 105-BY; 450 evaporated by ITS No. 1		0	0	18.000		1		
BY-102	1969	4	REC	657		1264		#N/A	57	SU	BY-103	BY-103				0	0	18.000		4	O	ARH-1200D-6
BY-102	1969	4	outx	-500		764		#N/A	57	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1969	4	SEND	-182		582		#N/A	57	SU		BY-105				0	0	18.000		4	O	ARH-1200D-6
BY-102	1969	4	GROUP	0		582		#N/A	57	ITS				Shows 500 Evp.		0	18.000		2	V	ARH-1200D-6	
BY-102	1969	4	STAT		583	583	250	1	58	EB				657 from 103-BY; 182 to 105-BY; 500 evaporated by ITS No. 1		0	0	18.000		1		
BY-102	1970	1	REC	399		982		#N/A	58	SU	BX-102	BX-102				0	0	18.000		4	O	ARH-1666A-6
BY-102	1970	1	REC	293		1275		#N/A	58		BY-103	BY-103		Omission		0	0	18.000		3	V	ARH-1666A-6
BY-102	1970	1	outx	-573		702		#N/A	58	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1970	1	SEND	-70		632		#N/A	58	SU		BY-105				0	0	18.000		4	O	ARH-1666A-6
BY-102	1970	1	GROUP	0		632		#N/A	58	ITS				Shows 573 Evp.		0	18.000		2	V	ARH-1666A-6	
BY-102	1970	1	STAT		630	630	250	-2	56	EB				293 from 103-BY; 399 from 102-BX; 70 to 105-BY; 573 evaporated by ITS No. 1		0	0	18.000		1		
BY-102	1970	2	REC	213		843		#N/A	56	SU	BX-103	BX-103				0	0	18.000		4	O	ARH-1666B-6
BY-102	1970	2	outx	-160		683		#N/A	56	cond	crib	BYCOND				0	0	18.000		2		
BY-102	1970	2	SEND	-89		594		#N/A	56	SU		BY-105				0	0	18.000		4	O	ARH-1666B-6
BY-102	1970	2	GROUP	0		594		#N/A	56	ITS				Shows 160 Evp.		0	18.000		2	V	ARH-1666B-6	

Tank n	Year	Qtr	Type	Vol	Trans Vol	Stat Vol	Total Vol	Solids Vol	Lnk	Cum Lnk	Waste Type	Trans Tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cr	O/A	Document/Pg #	
BY-102	1970	2	STAT	596	596	596	596	596	2	596	58 EB				213 from 103-BX; 89 to 105-BY; 106 evaporated by ITS No. 1 Dry Wells No. 22-02-1 and 22-02-09 were dilled			0	18,000	0	1			
BY-102	1970	3	REC	603	493	603	603	603	3	1,199	58 SU	BX-103						0	18,000	0	4			
BY-102	1970	3	SEND	-56	-56	-56	-56	-56	3	640	58 SU	BY-109						0	18,000	0	2			
BY-102	1970	3	GROUP	0	0	0	0	0	3	640	58 TS							0	18,000	0	2			
BY-102	1970	3	STAT	639	780	639	639	639	3	1,419	57 EB	BX-103			603 from 103-BX; 66 to 105-BY; 493 evaporated by ITS No. 1			0	18,000	0	1			
BY-102	1970	4	REC	780	1,419	780	780	780	4	1,419	57 SU	BX-103						0	18,000	0	4			
BY-102	1970	4	OUX	603	818	603	603	603	4	818	57 cond	BYCOND						0	18,000	0	2			
BY-102	1970	4	SEND	-286	-286	-286	-286	-286	4	530	57 TS	BY-105			790 from 103-BX; 286 to 105-BY; 603 evaporated by ITS No. 1			0	18,000	0	4			
BY-102	1970	4	GROUP	0	0	0	0	0	4	530	57 TS							0	18,000	0	4			
BY-102	1970	4	STAT	530	1,147	530	530	530	4	1,147	57 EB	BX-103						0	18,000	0	1			
BY-102	1971	1	REC	1,677	1,677	1,677	1,677	1,677	1	1,677	57 SU	BX-103						0	18,000	0	4			
BY-102	1971	1	OUX	-562	-562	-562	-562	-562	1	1,115	57 cond	BYCOND						0	18,000	0	2			
BY-102	1971	1	SEND	-514	-514	-514	-514	-514	1	601	57 SU	BY-105						0	18,000	0	2			
BY-102	1971	1	GROUP	0	0	0	0	0	1	601	57 TS							0	18,000	0	2			
BY-102	1971	1	STAT	601	601	601	601	601	1	601	57 EB	BX-103			1147 from 103-BX; 514 to 105-BY; 562 evaporated by ITS No. 1			0	18,000	0	1			
BY-102	1971	2	REC	899	1,500	899	899	899	2	1,500	57 SU	BX-103						0	18,000	0	4			
BY-102	1971	2	OUX	538	1,005	538	538	538	2	1,005	57 cond	BYCOND						0	18,000	0	2			
BY-102	1971	2	SEND	-367	-367	-367	-367	-367	2	638	57 TS	BY-105			Shows 538 Evp			0	18,000	0	4			
BY-102	1971	2	GROUP	0	0	0	0	0	2	638	57 TS							0	18,000	0	2			
BY-102	1971	2	STAT	637	637	637	637	637	2	637	56 EB	BX-103			899 from 103-BX; 43 from 106-BX; 367 to (105-BY); 538 evaporated by its-			0	18,000	0	1			
BY-102	1971	3	REC	707	623	707	623	623	3	623	56 SU	BX-103						0	18,000	0	4			
BY-102	1971	3	SEND	84	623	84	623	623	3	623	56 TS	BY-112						0	18,000	0	1			
BY-102	1971	3	GROUP	0	0	0	0	0	3	623	56 TS							0	18,000	0	1			
BY-102	1971	3	STAT	623	623	623	623	623	3	623	56 EB	BX-103			ITS - 1 cooler and recycle 70 from 103-BX			0	18,000	0	2			
BY-102	1971	4	REC	579	579	579	579	579	4	579	56 TS	BY-112						0	18,000	0	1			
BY-102	1971	4	GROUP	0	0	0	0	0	4	579	56 TS							0	18,000	0	1			
BY-102	1971	4	STAT	579	579	579	579	579	4	579	56 EB	BY-112						0	18,000	0	1			
BY-102	1972	1	REC	630	630	630	630	630	1	630	56 TS	BY-112						0	18,000	0	0			
BY-102	1972	2	SEND	-12	618	-12	618	618	2	618	56 TS	BY-112						0	18,000	0	0			
BY-102	1972	2	GROUP	0	0	0	0	0	2	618	56 TS							0	18,000	0	0			
BY-102	1972	2	STAT	618	618	618	618	618	2	618	56 EB	BY-112						0	18,000	0	1			
BY-102	1972	3	REC	609	609	609	609	609	3	609	56 TS	BY-112						0	18,000	0	0			
BY-102	1972	3	GROUP	-9	609	-9	609	609	3	609	56 TS							0	18,000	0	0			
BY-102	1972	3	STAT	609	609	609	609	609	3	609	56 EB	BY-112						0	18,000	0	1			
BY-102	1972	4	SEND	-19	590	-19	590	590	4	590	56 TS	BY-112						0	18,000	0	0			
BY-102	1972	4	GROUP	0	590	0	590	590	4	590	56 TS							0	18,000	0	0			
BY-102	1972	4	STAT	590	590	590	590	590	4	590	56 EB	BY-112						0	18,000	0	1			
BY-102	1973	1	STAT	590	590	590	590	590	1	590	56 TS	BY-112						0	18,000	0	1			
BY-102	1973	1	REC	194	#N/A	194	#N/A	194	1	#N/A	56 EB							0	18,000	0	1			

Bank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soilts vol	Unk trf	Cum unkl	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM soilts	Cum soilts	sol type	Cl	QA Document/Pg #
BY-102	1973	2	rec	41	631	631	631	#NA	56	ITS	BY-112	BY-112				0	0	18,000		0	
BY-102	1973	2	GREC	0	631	631	631	#NA	56	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	18,000		1	
BY-102	1973	2	STAT	6	631	637	637	194	56	EB	BY-112	BY-112				0	0	18,000		1	
BY-102	1973	3	rec	0	637	637	637	#NA	56	ITS	BY-112	BY-112				0	0	18,000		0	
BY-102	1973	3	GREC	0	637	637	637	#NA	56	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	18,000		1	
BY-102	1973	3	STAT	637	637	637	637	194	56	EB	BY-112	BY-112		ITS - bottoms and recycle. Dry Weils No. s 22-02-02 and 22-02-05 were drilled.		0	0	18,000		1	
BY-102	1973	4	send	-2	635	635	635	#NA	56	EB	BY-112	BY-112				0	0	18,000		0	
BY-102	1973	4	GREC	0	635	635	635	#NA	56	ITS	BY-112	BY-112				0	0	18,000		1	
BY-102	1973	4	STAT	635	635	635	635	208	56	EB	BY-112	BY-112		ITS - bottoms and recycle.		0	0	18,000		1	
BY-102	1974	1	send	-5	630	630	630	#NA	56	ITS	BY-112	BY-112				0	0	18,000		1	
BY-102	1974	1	GREC	0	630	630	630	#NA	56	ITS	BY-112	BY-112				0	0	18,000		1	
BY-102	1974	1	STAT	11	641	641	641	208	56	EB	BY-112	BY-112		ITS - bottoms and recycle.		0	0	18,000		1	
BY-102	1974	2	rec	0	629	629	629	#NA	56	ITS	BY-112	BY-112				0	0	18,000		1	
BY-102	1974	2	SEND	-12	629	629	629	#NA	56	SU	BY-110	BY-110				0	0	18,000		4	ARH-GD-133B-5
BY-102	1974	2	GREC	0	629	629	629	#NA	56	ITS	BY-112	BY-112				0	0	18,000		1	
BY-102	1974	2	STAT	629	629	629	629	208	56	EB	BY-112	BY-112		ITS - bottoms and recycle; 12 to 10-BY.		0	0	18,000		1	
BY-102	1974	3	REC	98	727	727	727	#NA	56	SU	BY-112	BY-112				0	0	18,000		1	
BY-102	1974	3	rec	3	730	730	730	#NA	56	ITS	BY-112	BY-112				0	0	18,000		1	
BY-102	1974	3	SEND	-102	628	628	628	#NA	56	SU	BY-111	BY-111				0	0	18,000		0	
BY-102	1974	3	GREC	0	628	628	628	#NA	56	ITS	BY-112	BY-112				0	0	18,000		1	
BY-102	1974	3	STAT	628	628	628	628	208	56	EB	BY-112	BY-112		ITS - bottoms and recycle		0	0	18,000		1	
BY-102	1974	4	rec	1	629	629	629	#NA	56	ITS	BY-112	BY-112		ITS - bottoms and recycle		0	0	18,000		1	
BY-102	1974	4	GREC	0	629	629	629	#NA	56	ITS	BY-112	BY-112				0	0	18,000		0	
BY-102	1974	4	STAT	629	629	629	629	200	56	EB	BY-112	BY-112				0	0	18,000		1	
BY-102	1975	1	GREC	0	629	629	629	#NA	56	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	18,000		1	
BY-102	1975	1	STAT	629	629	629	629	200	56	EB	BY-112	BY-112		ITS - bottoms and recycle.		0	0	18,000		1	
BY-102	1975	2	GREC	0	629	629	629	#NA	56	ITS	BY-112	BY-112				0	0	18,000		1	
BY-102	1975	2	STAT	629	629	629	629	200	56	EB	BY-112	BY-112				0	0	18,000		1	
BY-102	1975	3	GREC	0	629	629	629	#NA	56	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	18,000		1	
BY-102	1975	3	STAT	629	629	629	629	200	56	ITS	BY-112	BY-112		Tank leaks.		0	0	18,000		1	
BY-102	1975	4	GREC	0	629	629	629	#NA	56	ITS	BY-112	BY-112				0	0	18,000		1	
BY-102	1975	4	STAT	629	629	629	629	200	56	EB	BY-112	BY-112		ITS - bottoms and recycle.		0	0	18,000		1	
BY-102	1976	1	outk	-611	18	18	18	#NA	56		BYEVAP	BYEVAP				0	0	18,000		1	
BY-102	1976	1	in	611	629	629	629	#NA	56		BYSLICK	BYSLICK				0	0	18,000		1	
BY-102	1976	1	GREC	0	629	629	629	#NA	56	ITS	BY-112	BY-112				0.510638	312	330,000	BYSLICK	0	
BY-102	1976	1	STAT	629	629	629	629	200	56	EB	BY-112	BY-112		ITS - bottoms and recycle.		0	0	330,000		1	
BY-102	1976	2	GREC	0	629	629	629	#NA	56	ITS	BY-109	BY-109				0	0	330,000		1	
BY-102	1976	2	STAT	626	626	626	626	3	53	EB						0	0	330,000		1	
BY-102	1976	3	STAT	626	626	626	626	200	53	EB				ITS - bottoms and recycle.		0	0	330,000		1	
BY-102	1976	4	STAT	626	626	626	626	200	53	EVAP				Active restricted.		0	0	330,000		1	
BY-102	1977	1	send	-33	593	593	593	#NA	53	EVAP	A-102	A-102				0	0	330,000		1	
BY-102	1977	1	STAT	593	593	593	593	200	53	EVAP				Evap. Fedd Con.		0	0	330,000		0	
BY-102	1977	2	send	-143	450	450	450	#NA	53	EVAP	A-102	A-102				0	0	330,000		1	
BY-102	1977	2	STAT	450	450	450	450	233	53	EVAP				Contain Salt		0	0	330,000		0	
BY-102	1977	3	send	-14	436	436	436	#NA	53	EVAP	A-102	A-102				0	0	330,000		1	
BY-102	1977	3	STAT	436	436	436	436	436	53	EVAP				Inactive Current		0	0	330,000		1	
BY-102	1977	4	STAT	436	436	436	436	436	53	EVAP				Inactive Current		0	0	330,000		1	
BY-102	1978	1	STAT	436	436	436	436	436	53	EVAP						0	0	330,000		1	
BY-102	1978	2	send	-19	417	417	417	417	53	EVAP						0	0	330,000		1	
BY-102	1978	2	STAT	417	417	417	417	417	53	EVAP				Solid Level Adj. 650078		0	0	330,000		1	
BY-102	1978	3	SEND	-5	412	412	412	#NA	53	SU	BX-105	BX-105				0	0	330,000		1	
BY-102	1978	3	SEND	-3	409	409	409	#NA	53	SU	BX-105	BX-105				0	0	330,000		1	
BY-102	1978	3	SEND	-3	406	406	406	#NA	53	SU	BX-105	BX-105				0	0	330,000		1	

Tank n	Year	Qty	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LAINL comment	Anderson comment	Dyden comment	sol vol%	TLM soltes	Cum soltes	sol type	Cl	Q/A	Document/Pg #
BY-102	1978	3	SEND	-1		405		#N/A	53	SU		BX-105				0	0	330,000		1		
BY-102	1978	3	SEND	-1		404		#N/A	53	SU		BX-105				0	0	330,000		1		
BY-102	1978	3	SEND	-1		403		#N/A	53	SU		BX-105				0	0	330,000		1		
BY-102	1978	3	STAT		417	417	417	14	67							0	0	330,000		1		
BY-102	1978	4	STAT		417	417	417	#N/A	67							0	0	330,000		1		
BY-102	1979	1	STAT		417	417	417	#N/A	67							0	0	330,000		1		
BY-102	1979	2	STAT		417	417	417	#N/A	67							0	0	330,000		1		
BY-102	1979	3	STAT		417	417	417	#N/A	67							0	0	330,000		1		
BY-102	1979	4	STAT		417	417	417	#N/A	67					New photo 9/27/79		0	0	330,000		1		
BY-102	1980	1	STAT		417	417	417	#N/A	67					Unknown Pool volume		0	0	330,000		1		
BY-102	1980	2	STAT		417	417	417	#N/A	67							0	0	330,000		1		
BY-102	1980	3	STAT		417	417	417	#N/A	67							0	0	330,000		1		
BY-102	1980	4	STAT		417	417	417	#N/A	67	EVAP						0	0	330,000		1		
BY-102	1983	4	send	-25		392		#N/A	67	swllq		AN-103				0	0	330,000		1		
BY-102	1991	3	send	-51		341		#N/A	67	swllq		AN-101				0	0	330,000		0		
BY-102	1993	2	STAT		341	341	341	#N/A	67							0	0	330,000		1		
BY-102	1993	4	STAT		341	341	341	#N/A	67							0	0	330,000		1		
BY-102	1994	1	STAT		341	341	341	#N/A	67							0	0	330,000		1		
BY-102	2000							#N/A	67							0	0	330,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol wt%	TLM solids	Cum solids	sol type	Q/A	Document/Pg #
BY-103	1900																				
BY-103	1949	4	C REC	0			0	#N/A	0	0 SET	BY-102						0	0.000	1		
BY-103	1950	1	STAT		N/A		0	#N/A	0	0							0	0.000	1		
BY-103	1950	2	STAT		N/A		0	#N/A	0	0							0	0.000	1		
BY-103	1950	3	STAT				0	#N/A	0	0							0	0.000	1		
BY-103	1950	4	REC	150		150	150	#N/A	0	0 cas	BY-102	BY-102					0	0.000	0		
BY-103	1950	4	STAT		N/A		150	#N/A	0	0 MW			cas phasing prob. 429 to N/A	Cascade began filling October			0	0.000	1		
BY-103	1951	1	XIN	158		306	306	#N/A	0	0		WTR					0	0.000	0		
BY-103	1951	1	REC	243		549	549	#N/A	0	0 cas	BY-102	BY-102					0	0.000	0		
BY-103	1951	1	REC	136		685	685	#N/A	0	0 cas	BY-102	BY-102					0	0.000	0		
BY-103	1951	1	REC	30		715	715	#N/A	0	0 cas	BY-102	BY-102					0	0.000	0		
BY-103	1951	1	REC	29		744	744	#N/A	0	0 cas	BY-102	BY-102					0	0.000	0		
BY-103	1951	1	STAT		744	744	744	#N/A	0	0 MW				Full in March			0	0.000	1		
BY-103	1951	2	STAT		744	744	744	#N/A	0	0							0	0.000	1		
BY-103	1951	3	STAT		N/A	744	744	#N/A	0	0							0	0.000	1		
BY-103	1951	4	STAT		N/A	744	744	#N/A	0	0							0	0.000	1		
BY-103	1952	1	OUTX	-80		664	664	#N/A	0	0		UR					0	0.000	0		
BY-103	1952	1	STAT		664	664	664	#N/A	0	0							0	0.000	0		
BY-103	1952	2	STAT		664	664	664	#N/A	0	0							0	0.000	0		
BY-103	1952	3	STAT		664	664	664	#N/A	0	0							0	0.000	0		
BY-103	1952	4	WIN	108		772	772	#N/A	0	0		WTR					0	0.000	1		
BY-103	1952	4	SEND	-108		664	664	#N/A	0	0 SU		C-103					0	0.000	0		
BY-103	1953	1	STAT		664	664	664	#N/A	0	0 MW							0	0.000	1		
BY-103	1953	2	XIN	81		745	745	#N/A	0	0		WTR					0	0.000	0		
BY-103	1953	2	STAT		745	745	745	#N/A	0	0							0	0.000	1		
BY-103	1953	3	STAT		745	745	745	#N/A	0	0							0	0.000	1		
BY-103	1953	4	STAT		745	745	745	#N/A	0	0 MW							0	0.000	0		
BY-103	1954	1	XIN	183		928	928	#N/A	0	0 SU		WTR					0	0.000	0		
BY-103	1954	1	SEND	-546		382	382	#N/A	0	0 MW		BY-103		Transfer to 104, 5-C			0	0.000	1		
BY-103	1954	2	OUTX	-382		0	0	#N/A	0	0		UR					0	0.000	0		
BY-103	1954	2	STAT		0	0	0	#N/A	0	0				Transfer to 109-BY Tank was emptied on June 3, 1954.			0	0.000	1		
BY-103	1954	3	STAT		N/A	0	0	#N/A	0	0							0	0.000	1		
BY-103	1954	4	STAT		0	0	0	#N/A	0	0							0	0.000	1		
BY-103	1955	1	REC	51		51	51	#N/A	0	0 CAS		BY-102	Omis. Qtr 2 to qtr 1				0	0.000	2	V	N-54-102/103
BY-103	1955	1	REC	144		195	195	#N/A	0	0 SU		BY-110					0	0.000	3	O	N-54-4
BY-103	1955	1	CHC	0		195	195	#N/A	0	0 END		BY-102					0	0.000	1		
BY-103	1955	1	STAT		N/A	195	195	#N/A	0	0 TBP							0	0.000	1		
BY-103	1955	2	REC	581		736	736	#N/A	0	0 SU		BY-107	CAS phasing error 128 to N/A	Received from 10-BY			0	0.000	3	O	N-54-9
BY-103	1955	2	STAT		739	739	739	#N/A	-17	-17							0	0.000	1		
BY-103	1955	3	STAT		739	739	739	#N/A	-17	-17							0	0.000	1		
BY-103	1955	4	STAT		739	739	739	#N/A	-17	-17							0	0.000	1		
BY-103	1956	1	STAT		739	739	739	#N/A	-17	-17							0	0.000	1		
BY-103	1956	2	STAT		739	739	739	#N/A	-17	-17 TBP				Scvg. waste awaiting rework.			0	0.000	1		
BY-103	1956	3	STAT		739	739	739	#N/A	-17	-17 MW				Scvg. waste awaiting rework.			0	0.000	1		
BY-103	1956	4	STAT		739	739	739	#N/A	-17	-17 TBP							0	0.000	1		
BY-103	1957	1	STAT		732	732	732	#N/A	-7	-24 TBP							0	0.000	1		
BY-103	1957	2	STAT		733	733	733	#N/A	0	0							0	0.000	1		
BY-103	1957	3	OUTX	-462		271	271	#N/A	-23	-23 TBP		C-111					0	0.000	1		N-54-291
BY-103	1957	3	OUTX	-257		14	14	#N/A	-23	-23 TBP		C-111					0	0.000	3	O	N-54-292

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oxygen comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/fig #	
BY-103	1957	3	STAT	26	26		0	12	-11	TBP				550m scavenged - 157m svng. Received 421m from 106-C.		0	0	0.000	1				
BY-103	1957	4	REC	456	482			#N/A	-11	SU	C-105	C-106	OC 418 to 456. AND reports 421		Shows 456 not 418	0	0	0.000	3	V		HW-54067-4	
BY-103	1957	4	STAT	447	447		0	-35	-46	TBP,P						0	0	0.000	1				
BY-103	1958	1	REC	286	733		0	#N/A	-46	SU	C-103	C-103				0	0	0.000	4	O		HW-54916-4	
BY-103	1958	1	STAT	736	736		0	3	-43	TBP,P						0	0	0.000	1				
BY-103	1958	2	STAT	730	730		0	-6	-49	P				285m from 103-C.		0	0	0.000	1				
BY-103	1958	3	STAT	730	730		0	#N/A	-49	P				New electrode reading.		0	0	0.000	1				
BY-103	1958	4	STAT	730	730		0	#N/A	-49	TBP,P						0	0	0.000	1				
BY-103	1959	1	STAT	728	728		0	-2	-51	TBP,P						0	0	0.000	1				
BY-103	1959	2	STAT	722	722		0	-6	-57	P						0	0	0.000	1				
BY-103	1959	3	STAT	722	722		0	#N/A	-57	P						0	0	0.000	1				
BY-103	1959	4	STAT	722	722		0	#N/A	-57	P						0	0	0.000	1				
BY-103	1960	1	STAT	722	722		0	#N/A	-57	P						0	0	0.000	1				
BY-103	1960	2	STAT	722	722		0	#N/A	-57	P						0	0	0.000	1				
BY-103	1960	3	STAT	722	722		0	#N/A	-57	P						0	0	0.000	1				
BY-103	1960	4	STAT	722	722		0	#N/A	-57	TBP,P						0	0	0.000	1				
BY-103	1961	1	STAT	722	722		0	#N/A	-57	TBP,P						0	0	0.000	1				
BY-103	1961	2	STAT	722	722		0	#N/A	-57	TBP,P						0	0	0.000	1				
BY-103	1961	3	STAT	722	722		0	#N/A	-57	TBP,P						0	0	0.000	1				
BY-103	1961	4	STAT	722	722		0	#N/A	-57	TBP,P						0	0	0.000	1				
BY-103	1962	1	STAT	736	736		0	14	-43	TBP,P						0	0	0.000	1				
BY-103	1962	2	STAT	725	725		0	-11	-54	TBP,P						0	0	0.000	1				
BY-103	1962	3	STAT	N/A	725		0	#N/A	-54	TBP,P						0	0	0.000	1				
BY-103	1962	4	STAT	725	725		0	#N/A	-54	TBP,P						0	0	0.000	1				
BY-103	1963	1	STAT	N/A	725		0	#N/A	-54	TBP,P						0	0	0.000	1				
BY-103	1963	2	STAT	722	722		21	-3	-57	TBP,P						0	0	0.000	1				
BY-103	1963	3	STAT	N/A	722		0	#N/A	-57	TBP,P						0	0	0.000	1				
BY-103	1963	4	STAT	722	722		21	#N/A	-57	TBP,P						0	0	0.000	1				
BY-103	1964	1	STAT	714	714		21	-8	-65	TBP,P						0	0	0.000	1				
BY-103	1964	2	STAT	N/A	714		0	#N/A	-65	TBP,P						0	0	0.000	1				
BY-103	1964	3	STAT	N/A	714		0	#N/A	-65	TBP,P						0	0	0.000	1				
BY-103	1964	4	STAT	739	739		21	25	-40	TBP,P						0	0	0.000	1				
BY-103	1965	1	STAT	N/A	739		0	#N/A	-40	TBP,P						0	0	0.000	1				
BY-103	1965	2	SEND	-143	596		0	#N/A	-40	SU		BY-101				0	0	0.000	4	O		RL-SEP-659-5	
BY-103	1965	2	STAT	596	596		0	#N/A	-40	TBP,P						0	0	0.000	1				
BY-103	1965	3	XIN	628	1224		0	#N/A	-40	CWP		CWP2				0.00775194	4.8682	4.868	CWP2	4	O		RL-SEP-821-5
BY-103	1965	3	REC	372	1596		0	#N/A	-40	SU		BY-111				0	0	4.868	4	O		RL-SEP-821-5	
BY-103	1965	3	REC	256	1852		0	#N/A	-40	SU		BY-112				0	0	4.868	4	O		RL-SEP-821-5	
BY-103	1965	3	SEND	-1149	703		0	#N/A	-40	SU		BY-101				0	0	4.868	4	O		RL-SEP-821-5	
BY-103	1965	3	STAT	703	703		0	#N/A	-40	CW						0	0	4.868	1				
BY-103	1965	4	REC	24	727		0	#N/A	-40	SU		BY-111				0	0	4.868	4	O		RL-SEP-823-5	
BY-103	1965	4	SEND	-233	494		0	#N/A	-40	SU		BY-101				0	0	4.868	4	O		RL-SEP-823-5	
BY-103	1965	4	STAT	494	494		0	#N/A	-40	CW						0	0	4.868	1				
BY-103	1966	1	REC	314	808		0	#N/A	-40	SU		BY-111				0	0	4.868	4	O		ISO-226-5	
BY-103	1966	1	SEND	-289	519		0	#N/A	-40	SU		BY-101				0	0	4.868	4	O		ISO-226-5	
BY-103	1966	1	STAT	519	519		0	#N/A	-40	CW						0	0	4.868	1				
BY-103	1966	2	REC	503	1022		0	#N/A	-40	SU		BY-105				0	0	4.868	4	O		ISO-404-5	
BY-103	1966	2	SEND	-432	590		0	#N/A	-40	SU		BY-101				0	0	4.868	4	O		ISO-404-5	
BY-103	1966	2	STAT	590	590		0	#N/A	-40	CW						0	0	4.868	1				

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #	
BY-103	1966	3	XIN	533		1123		#N/A	-40	CWP		CWP2	OC 533 to 533										
BY-103	1966	3	REC	30		1153		#N/A	-40		BY-105	BY-105			Shows 533 not 553	0.00775194	4.1318	9.000	CWP2	3	V	ISO-538-5	
BY-103	1966	3	REC	503		1656		#N/A	-40	SU	BY-109	BY-109			Omission	0	0	9.000		2	V	ISO-538-5	
BY-103	1966	3	SEND	-994		662		#N/A	-40	SU		BY-101	*461 to			0	0	9.000		4	O	ISO-538-5	
BY-103	1966	3	STAT		662	662	0	#N/A	-40	CW				Received 533m.; 461m to 101-BY.		0	0	9.000		1			
BY-103	1966	4	REC	127		789		#N/A	-40	SU	C-102	C-102				0	0	9.000		4	O	ISO-674-5	
BY-103	1966	4	SEND	-50		739		#N/A	-40	SU		BY-102				0	0	9.000		4	O	ISO-674-4/ISO-674-5 SEND	
BY-103	1966	4	STAT		739	739	0	#N/A	-40	CW				127m from 102-C.; 50m to 102-BY.		0	0	9.000		1			
BY-103	1967	1	REC	349		1088		#N/A	-40	SU	BY-106	BY-106				0	0	9.000		4	O	ISO-806-5	
BY-103	1967	1	SEND	-547		541		#N/A	-40	SU		BY-102				0	0	9.000		4	O	ISO-806-5	
BY-103	1967	1	STAT		541	541	0	#N/A	-40	CW				349 from 106-BY.; 547 TO 102-BY.		0	0	9.000		1			
BY-103	1967	2	REC	514		1055		#N/A	-40	SU	BY-104	BY-104				0	0	9.000		4	O	ISO-967-5	
BY-103	1967	2	REC	294		1349		#N/A	-40		BY-106	BY-106				0	0	9.000		3	V	ISO-967-5	
BY-103	1967	2	send	-734		615		#N/A	-40	ITS		BY-102			Omission	0	0	9.000		3	V	ISO-967-5	
BY-103	1967	2	GREC	0		615		#N/A	-40	ITS	BY-102				Shows 772 not 0	0	0	9.000		3	O	ISO-967-5	
BY-103	1967	2	STAT		615	615	0	#N/A	-40	CW				ITS - feed tank.		0	0	9.000		1			
BY-103	1967	3	REC	476		1091		#N/A	-40	SU	BX-106	BX-106				0	0	9.000		3	O	ARRH-95-6	
BY-103	1967	3	send	-565		526		#N/A	-40	ITS		BY-102			Shows 506 not 0	0	0	9.000		3	V	ARRH-95-6	
BY-103	1967	3	GREC	0		526		#N/A	-40	ITS	BY-102				Shows 506 not 0	0	0	9.000		3	O	ARRH-95-6	
BY-103	1967	3	STAT		526	526	0	#N/A	-40					ITS - feed tank.		0	0	9.000		1			
BY-103	1967	4	send	-477		49		#N/A	-40	ITS		BY-102			Shows 521 not 0	0	0	9.000		3	V	ARRH-326-6	
BY-103	1967	4	REC	477		526		#N/A	-40	SU	BX-104	BX-104				0	0	9.000		4	O	ARRH-326-6	
BY-103	1967	4	GREC	0		526		#N/A	-40	ITS	BY-102				Shows 521 not 0	0	0	9.000		3	O	ARRH-326-6	
BY-103	1967	4	STAT		526	526	0	#N/A	-40	CW				ITS - feed tank.		0	0	9.000		1			
BY-103	1968	1	REC	321		847		#N/A	-40	SU	BY-105	BY-105				0	0	9.000		4	O	ARRH-534-6	
BY-103	1968	1	REC	716		1563		#N/A	-40	SU	BY-111	BY-111				0	0	9.000		4	O	ARRH-534-6	
BY-103	1968	1	send	-994		569		#N/A	-40	ITS		BY-102			Shows 231 not 0	0	0	9.000		3	V	ARRH-534-6	
BY-103	1968	1	GREC	0		569		#N/A	-40	ITS	BY-102				Shows 231 not 0	0	0	9.000		3	O	ARRH-534-6	
BY-103	1968	1	STAT		569	569	0	#N/A	-40					ITS - No. 1&2 feed tank.		0	0	9.000		1			
BY-103	1968	2	REC	500		1069		#N/A	-40	SU	BY-104	BY-104				0	0	9.000		4	O	ARRH-721-6	
BY-103	1968	2	REC	486		1555		#N/A	-40		BY-106	BY-106			Omission	0	0	9.000		3	V	ARRH-721-6	
BY-103	1968	2	REC	1116		2671		#N/A	-40	SU	BY-109	BY-109				0	0	9.000		4	O	ARRH-721-6/ISO-967-5 SEND	
BY-103	1968	2	REC	550		3221		#N/A	-40	SU	BX-102	BX-102				0	0	9.000		4	O	ARRH-721-6	
BY-103	1968	2	send	-2652		569		#N/A	-40	ITS		BY-102			Shows 520 not 0	0	0	9.000		2	V	ARRH-721-6	
BY-103	1968	2	GREC	0		569		#N/A	-40	ITS	BY-102				Shows 520 not 0	0	0	9.000		2	V	ARRH-721-6	
BY-103	1968	2	STAT		569	569	0	#N/A	-40	CW				ITS - No. 1&2 feed tank.		0	0	9.000		1			
BY-103	1968	3	REC	429		998		#N/A	-40	SU	BX-105	BX-105				0	0	9.000		4	O	ARRH-871-6	
BY-103	1968	3	REC	485		1483		#N/A	-40	SU	BX-106	BX-106				0	0	9.000		3	O	ARRH-871-6	
BY-103	1968	3	send	-1027		456		#N/A	-40	ITS		BY-102			Shows 548 not 0	0	0	9.000		2	V	ARRH-871-6	
BY-103	1968	3	GREC	0		456		#N/A	-40	ITS	BY-102				Shows 548 not 0	0	0	9.000		2	V	ARRH-871-6	
BY-103	1968	3	STAT		456	456	0	#N/A	-40	CW				ITS - No. 1 feed tank.		0	0	9.000		1			
BY-103	1968	4	REC	2152		2608		#N/A	-40	SU	BX-106	BX-106				0	0	9.000		4	O	ARRH-1061-6	
BY-103	1968	4	SEND	-814		1794		#N/A	-40	SU		BY-102				0	0	9.000		4	O	ARRH-1061-6	
BY-103	1968	4	SEND	-1276		518		#N/A	-40			BY-109			Omission	0	0	9.000		2	V	ARRH-1061-6	
BY-103	1968	4	STAT		519	519	0	1	-39	CW,OWW				2,153 from 106-BX.; 814 to 102-BY		0	0	9.000		1			
BY-103	1969	1	REC	506		1025		#N/A	-39	SU	B-102	B-102				0	0	9.000		4	O	ARRH-1200A-6/ARRH-1000A-5 SEND	
BY-103	1969	1	REC	706		1731		#N/A	-39	SU	B-103	B-103				0	0	9.000		4	O	ARRH-1200A-6	
BY-103	1969	1	REC	373		2104		#N/A	-39		B-101	B-101				0	0	9.000		3	V	ARRH-1200A-6	
BY-103	1969	1	SEND	-693		1411		#N/A	-39	SU		BY-102			Omission	0	0	9.000		4	O	ARRH-1200A-6	
BY-103	1969	1	SEND	-1197		214		#N/A	-39	SU		BY-109				0	0	9.000		4	O	ARRH-1200A-6	



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk fir	Cum unk	Waste type	Trans tank	DWIT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-103	1969	1	STAT		213	213	0	-1	-40	CW			flk typo-and-stat, REC total 11585	1,585 from 101-B;; 102-B and 103-B; 693 to 102-BY; 1,197 to 109-BY		0	0	9,000		1		
BY-103	1969	2	REC	2425		2638		#N/A	-40	SU	B-103	B-103				0	0	9,000		4	O	ARH-1200B-6
BY-103	1969	2	SEND	-1376		1262		#N/A	-40	SU		BY-109				0	0	9,000		4	O	ARH-1200B-6
BY-103	1969	2	SEND	-696		566		#N/A	-40	SU		BY-102				0	0	9,000		4	O	ARH-1200B-6
BY-103	1969	2	STAT		566	566	0	#N/A	-40	CW,OWW				2,425 from 103-B;; 696 to 102-BY;; 1,376 to 109-BY.		0	0	9,000		1		
BY-103	1969	3	REC	2095		2661		#N/A	-40	SU	B-103	B-103				0	0	9,000		4	O	ARH-1200C-6
BY-103	1969	3	SEND	-620		2041		#N/A	-40	SU		BY-102				0	0	9,000		4	O	ARH-1200C-6
BY-103	1969	3	SEND	-1558		483		#N/A	-40	SU		BY-109				0	0	9,000		4	O	ARH-1200C-6
BY-103	1969	3	STAT		483	483	1	#N/A	-40	CW,OWW				2,095 from 103-B;; 620 to 102-BY;; 1,558 to 109-BY.		0	0	9,000		1		
BY-103	1969	4	REC	1888		2371		#N/A	-40	SU	BX-102	BX-102				0	0	9,000		4	O	ARH-1200D-6
BY-103	1969	4	SEND	-657		1714		#N/A	-40	SU		BY-102				0	0	9,000		4	O	ARH-1200D-6
BY-103	1969	4	SEND	-1172		542		#N/A	-40	SU		BY-109				0	0	9,000		4	O	ARH-1200D-6
BY-103	1969	4	STAT		542	542	8	#N/A	-40	OWW				1,888 from 102-BX;; 657 to 102-BY;; 1,172 to 109-BY.		0	0	9,000		1		
BY-103	1970	1	REC	608		1150		#N/A	-40	SU	BX-102	BX-102				0	0	9,000		4	O	ARH-1666A-6
BY-103	1970	1	SEND	-617		533		#N/A	-40	SU		BY-109				0	0	9,000		4	O	ARH-1666A-6
BY-103	1970	1	SEND	-293		240		#N/A	-40			BY-102				0	0	9,000		3	V	ARH-1666A-6
														Omission		0	0	9,000				
BY-103	1970	1	STAT		239	239	3	-1	-41	CW,OWW				608 from 102-BY;; 293 to 102-BY;; 617 to 109-BY * Dry Wells No.'s 22-03-01, 22-03-05 and 22-03-09 were drilled.		0	0	9,000		1		
BY-103	1970	2	REC	202		441		#N/A	-41	SU	BY-105	BY-105				0	0	9,000		4	O	ARH-1666B-6
BY-103	1970	2	STAT		442	442	4	1	-40	CW,OWW,EB				202 from 105-BY.		0	0	9,000		1		
BY-103	1970	3	STAT		439	439	4	-3	-43	CW,OWW,EB						0	0	9,000		1		
BY-103	1970	4	REC	261		700		#N/A	-43		BY-105	BY-105				0	0	9,000		3	V	ARH-1666D-6
BY-103	1970	4	STAT		700	700	9	#N/A	-43	CW,OWW,EB				261 from 105-BY.		0	0	9,000		1		
BY-103	1971	1	send	-125		575		#N/A	-43			BY-112				0	0	9,000		0		
BY-103	1971	1	REC	136		711		#N/A	-43	SU	BY-109	BY-109				0	0	9,000		1		
BY-103	1971	1	GREC	0		711		#N/A	-43	ITS	BY-112					0	0	9,000		2	V	ARH-2074A-6
														No indication of REC		0	0	9,000				
BY-103	1971	1	STAT		711	711	65	#N/A	-43	EB				To ITS- 2 bottom service in January		0	0	9,000		1		
BY-103	1971	2	send	-22		689		#N/A	-43	ITS		BY-109				0	0	9,000		0		
BY-103	1971	2	GREC	0		689		#N/A	-43	ITS	BY-109					0	0	9,000		1		
BY-103	1971	2	STAT		689	689	128	#N/A	-43	EB				ITS - 2 bottoms and recycle.		0	0	9,000		1		
BY-103	1971	3	REC	22		711		#N/A	-43	SU	BY-109	BY-109				0	0	9,000		1		
BY-103	1971	3	GREC	0		711		#N/A	-43	ITS	BY-112					0	0	9,000		1		
BY-103	1971	3	STAT		714	714	142	3	-40	EB				ITS - 2 bottoms and recycle.		0	0	9,000		1		
BY-103	1971	4	send	-616		98		#N/A	-40			BY-112				0	0	9,000		0		
BY-103	1971	4	REC	300		398		#N/A	-40	SU	BY-109	BY-109				0	0	9,000		1		
BY-103	1971	4	GREC	0		398		#N/A	-40	ITS	BY-112					0	0	9,000		1		
BY-103	1971	4	STAT		398	398	202	#N/A	-40	EB				ITS - 2 bottoms and recycle.		0	0	9,000		1		
BY-103	1972	1	REC	582		980		#N/A	-40	SU	BY-109	BY-109				0	0	9,000		1		
BY-103	1972	1	send	-537		443		#N/A	-40			BY-112				0	0	9,000		0		
BY-103	1972	1	GREC	0		443		#N/A	-40	ITS	BY-112					0	0	9,000		0		
BY-103	1972	1	STAT		443	443	298	#N/A	-40	EB				ITS - bottoms and recycle.		0	0	9,000		1		
BY-103	1972	2	rec	11		454		#N/A	-40		BY-112	BY-112				0	0	9,000		0		
BY-103	1972	2	STAT		454	454	351	#N/A	-40	EB				ITS - bottoms and recycle.		0	0	9,000		1		
BY-103	1972	3	REC	732		1186		#N/A	-40	SU	BY-109	BY-109				0	0	9,000		1		
BY-103	1972	3	send	-566		620		#N/A	-40			BY-112				0	0	9,000		0		
BY-103	1972	3	GREC	0		620		#N/A	-40	ITS	BY-112					0	0	9,000		1		
BY-103	1972	3	STAT		620	620	428	#N/A	-40	EB				ITS - bottoms and recycle. ** Dry Wells No.'s 22-03-04, and 22-03-06 were drilled.		0	0	9,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-103	1972	4	send	-144		476		#N/A	-40			BY-112				0	0	9,000		0		
BY-103	1972	4	GREC	0		476		#N/A	-40	ITS	BY-112					0	0	9,000		1		
BY-103	1972	4	STAT		476	476	48	#N/A	-40	EB			anomalous solids of 48?	ITS - bottoms and recycle.		0	0	9,000		1		
BY-103	1973	1	send	-465		11		#N/A	-40			BY-112				0	0	9,000		0		
BY-103	1973	1	REC	458		469		#N/A	-40	SU	BY-109	BY-109				0	0	9,000		1		
BY-103	1973	1	GREC	0		469		#N/A	-40	ITS	BY-112					0	0	9,000		1		
BY-103	1973	1	STAT		469	469	469	#N/A	-40	EB				ITS - bottoms and recycle.		0	0	9,000		1		
BY-103	1973	2	rec	14		483		#N/A	-40		BY-112	BY-112				0	0	9,000		0		
BY-103	1973	2	STAT		483	483	469	#N/A	-40	EB				Tank leaks.		0	0	9,000		1		
BY-103	1973	3	SEND	-25		458		#N/A	-40	SU		BY-109				0	0	9,000		4	O	ARH-2794C-5
BY-103	1973	3	STAT		461	461	458	3	-37	EB				Tank leaks, 25 to 109-BY. *** Dry Wells No. 's 22-03-07, 22-03-08, 22-03-10 were drilled.		0	0	9,000		1		
BY-103	1973	4	SEND	-4		457		#N/A	-37	SU		BY-109				0	0	9,000		4	O	ARH-2794D-5
BY-103	1973	4	STAT		464	464	458	7	-30	EB				Tank leaks, 4 to 109-BY.		0	0	9,000		1		
BY-103	1974	1	STAT		464	464	458	#N/A	-30	EB				Tank leaks.		0	0	9,000		1		
BY-103	1974	2	SEND	-5		459		#N/A	-30	SU		BY-109				0	0	9,000		4	O	ARH-CD-133B-5
BY-103	1974	2	STAT		464	464	458	5	-25	EB				Tank leaks, 5 to 109-BY.		0	0	9,000		1		
BY-103	1974	3	SEND	-13		451		#N/A	-25	SU		BY-109				0	0	9,000		2		
BY-103	1974	3	STAT		469	469	469	18	-7					Tank leaks, 13 to 109-BY.		0	0	9,000		1		
BY-103	1974	4	STAT		461	461	461	-8	-15					Tank leaks.		0	0	9,000		1		
BY-103	1975	1	SEND	-5		456		#N/A	-15	SU		BY-109				0	0	9,000		1		
BY-103	1975	1	STAT		461	461	461	5	-10					Tank leaks, 5 to 109-BY.		0	0	9,000		4	O	ARH-CD-336A-5
BY-103	1975	2	STAT		461	461	461	#N/A	-10					Tank leaks.		0	0	9,000		1		
BY-103	1975	3	STAT		461	461	461	#N/A	-10					Tank leaks.		0	0	9,000		1		
BY-103	1975	4	SEND	-4		457		#N/A	-10	SU		BY-109				0	0	9,000		1		
BY-103	1975	4	STAT		461	461	461	4	-6					Tank leaks, 4 to 109-BY.		0	0	9,000		4	O	ARH-CD-336D-5
BY-103	1976	1	SEND	-5		456		#N/A	-6	SU		BY-109				0	0	9,000		1		
BY-103	1976	1	cutx	-452		4		#N/A	-6			BYEVAP				0	0	9,000		4	C	ARH-CD-702A-5
BY-103	1976	1	xin	452		456		#N/A	-6			BYSiCk				0	0	9,000	BYEV	0		
BY-103	1976	1	STAT		461	461	461	5	-1					Tank leaks, 5 to 109-BY.		0.865044	391	400,000	BYSiCk	0		
BY-103	1976	2	SEND	-1		450		#N/A	-1	SU		BY-109				0	0	400,000		1		
BY-103	1976	2	STAT		461	461	461	1	0					Tank leaks, 1 to 109-BY.		0	0	400,000		4	O	ARH-CD-702B-5
BY-103	1976	3	STAT		461	461	461	#N/A	0					Tank leaks.		0	0	400,000		1		
BY-103	1976	4	STAT		461	461	461	#N/A	0					Tank leaks.		0	0	400,000		1		
BY-103	1977	1	STAT		461	461	461	#N/A	0					Tank leaks.		0	0	400,000		1		
BY-103	1977	2	STAT		461	461	461	#N/A	0					Leaker Stabilized		0	0	400,000		1		
BY-103	1977	3	STAT		461	461	461	#N/A	0					Leaker Stabilized		0	0	400,000		1		
BY-103	1977	4	STAT		461	461	461	#N/A	0					Leaker Stabilized		0	0	400,000		1		
BY-103	1978	1	STAT		461	461	461	#N/A	0					Leaker Salt Well Installed		0	0	400,000		1		
BY-103	1978	2	STAT		461	461	461	#N/A	0							0	0	400,000		1		
BY-103	1978	3	STAT		461	461	461	#N/A	0							0	0	400,000		1		
BY-103	1978	4	STAT		461	461	461	#N/A	0							0	0	400,000		1		
BY-103	1979	1	STAT		461	461	461	#N/A	0							0	0	400,000		1		
BY-103	1979	2	STAT		461	461	461	#N/A	0							0	0	400,000		1		
BY-103	1979	3	STAT		461	461	461	#N/A	0							0	0	400,000		1		
BY-103	1979	4	STAT		461	461	461	#N/A	0					New Photo 8/2/79		0	0	400,000		1		
BY-103	1980	1	STAT		461	461	461	#N/A	0							0	0	400,000		1		
BY-103	1980	2	STAT		461	461	461	#N/A	0					Unknown Pool Volume New Photo 1/17/80		0	0	400,000		1		
BY-103	1980	3	STAT		461	461	461	#N/A	0	EVAP				Solids Level Taken 2/1/80		0	0	400,000		1		
BY-103	1980	4	STAT		461	461	458	#N/A	0	EVAP						0	0	400,000		1		
BY-103	1984	3	send	-61		400		#N/A	0	swiKq		AN-101				0	0	400,000		1		
BY-103	1993	2	STAT		400	400	400	#N/A	0	NCPLX						0	0	400,000		0		
BY-103	1993	4	STAT		400	400	400	#N/A	0							0	0	400,000		1		
BY-103	1994	1	STAT		400	400	400	#N/A	0							0	0	400,000		1		
BY-103	2000				400	400	400	#N/A	0							0	0	400,000		1		

Bank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-104	1900																					
BY-104	1950	1	STAT		11	11	0	11	11													
BY-104	1950	2	STAT		8	8	0	-3	8	MW						0	0	0.000			1	
BY-104	1950	3	STAT		11	11	0	3	11							0	0	0.000			1	
BY-104	1950	4	STAT		11	11	0	#N/A	11	MW						0	0	0.000			1	
BY-104	1951	1	CREC	0		11		#N/A	11	SET	BX-106					0	0	0.000			1	
BY-104	1951	1	CSEND	0		11		#N/A	11	SET	BY-105					0	0	0.000			1	
BY-104	1951	1	rec	150		161		#N/A	11	cas	BX-106	BX-106				0	0	0.000			0	
BY-104	1951	1	STAT		N/A	161	0	#N/A	11	MW			LC 200 to N/A, cascade phasing.	Began filling March		0	0	0.000			1	
BY-104	1951	2	rec	309		470		#N/A	11	cas	BX-106	BX-106				0	0	0.000			0	
BY-104	1951	2	rec	242		712		#N/A	11	cas	BX-106	BX-106				0	0	0.000			0	
BY-104	1951	2	rec	111		823		#N/A	11	cas	BX-106	BX-106				0	0	0.000			0	
BY-104	1951	2	send	-65		758		#N/A	11	cas		BY-105				0	0	0.000			0	
BY-104	1951	2	STAT		758	758	0	#N/A	11	MW			and stats at 744.	Cascade filled in June.		0	0	0.000			1	
BY-104	1951	3	rec	184		942		#N/A	11	cas	BX-106	BX-106				0	0	0.000			0	
BY-104	1951	3	rec	164		1106		#N/A	11	cas	BX-106	BX-106				0	0	0.000			0	
BY-104	1951	3	rec	115		1221		#N/A	11	cas	BX-106	BX-106				0	0	0.000			0	
BY-104	1951	3	send	-184		1037		#N/A	11	cas		BY-105				0	0	0.000			0	
BY-104	1951	3	send	-164		873		#N/A	11	cas		BY-105				0	0	0.000			0	
BY-104	1951	3	send	-115		758		#N/A	11	cas		BY-105				0	0	0.000			0	
BY-104	1951	3	STAT		N/A	758		#N/A	11							0	0	0.000			1	
BY-104	1951	4	rec	21		779		#N/A	11	cas	BX-106	BX-106				0	0	0.000			0	
BY-104	1951	4	send	-21		758		#N/A	11	cas		BY-105				0	0	0.000			0	
BY-104	1951	4	CREC	0		758		#N/A	11	END	BX-106					0	0	0.000			1	
BY-104	1951	4	STAT		N/A	758		#N/A	11							0	0	0.000			1	
BY-104	1952	1	STAT		758	758	0	#N/A	11							0	0	0.000			1	
BY-104	1952	2	STAT		758	758	0	#N/A	11							0	0	0.000			1	
BY-104	1952	3	STAT		758	758	0	#N/A	11							0	0	0.000			1	
BY-104	1952	4	STAT		758	758	0	#N/A	11							0	0	0.000			1	
BY-104	1953	1	STAT		758	758	0	#N/A	11							0	0	0.000			1	
BY-104	1953	2	STAT		758	758	0	#N/A	11							0	0	0.000			1	
BY-104	1953	3	STAT		758	758	0	#N/A	11							0	0	0.000			1	
BY-104	1953	4	STAT		758	758	0	#N/A	11							0	0	0.000			1	
BY-104	1954	1	STAT		758	758	0	#N/A	11	MW						0	0	0.000			1	
BY-104	1954	2	SEND	-430		328		#N/A	11	SU		BX-103	LC qtr1 to qtr2		0	0	0.000			1		
BY-104	1954	2	SEND	-328		0		#N/A	11	SU		BX-106				0	0	0.000			1	
BY-104	1954	2	STAT		N/A	0		#N/A	11					Transferred to 109-BY and 244-BXR.		0	0	0.000			1	
BY-104	1954	3	STAT		0	0	0	#N/A	11							0	0	0.000			1	
BY-104	1954	4	STAT		N/A	0		#N/A	11							0	0	0.000			1	
BY-104	1955	1	STAT		N/A	0		#N/A	11							0	0	0.000			1	
BY-104	1955	2	REC	113		113		#N/A	11	SU	BY-107	BY-107				0	0	0.000			3	O N-54-9
BY-104	1955	2	STAT		112	112	0	-1	10	TBP						0	0	0.000			1	
BY-104	1955	3	REC	604		716		#N/A	10	SU	BY-110	BY-110				0	0	0.000			3	O N-54-12
BY-104	1955	3	STAT		714	714	0	-2	8	TBP						0	0	0.000			1	
BY-104	1955	4	OUTX	-630		84		#N/A	8	SU	B-049	CRIB				0	0	0.000			3	O N-54-104
BY-104	1955	4	STAT		78	78	0	-6	2	TBP				Caverned during month.	Shows BY-7 Cavern	0	0	0.000			1	
BY-104	1956	1	STAT		78	78	0	#N/A	2							0	0	0.000			1	
BY-104	1956	2	STAT		78	78	0	#N/A	2	TBP						0	0	0.000			1	
BY-104	1956	3	REC	55		133		#N/A	2	SL	BY-106	BY-106				0.27624309	15.193	15.193	PFFeCl	3	O N-54-42	
BY-104	1956	3	REC	50		183		#N/A	2	SL	BY-106	BY-106				0.27624309	13.812	29.006	PFFeCl	3	O N-54-38	
BY-104	1956	3	REC	107		290		#N/A	2	SL	BY-107	BY-107				0.27624309	29.558	58.564	PFFeCl	3	O N-54-43	
BY-104	1956	3	REC	36		326		#N/A	2	SL	BY-107	BY-107				0.27624309	9.948	68.506	PFFeCl	3	O N-54-39	
BY-104	1956	3	REC	41		367		#N/A	2	SL	BY-108	BY-108				0.27624309	11.326	79.834	PFFeCl	3	O N-54-40	
BY-104	1956	3	REC	28		395		#N/A	2	SL	BY-110	BY-110				0.27624309	7.7348	87.569	PFFeCl	3	O N-54-41	
BY-104	1956	3	STAT		403	403	903	8	10	MW				Received from 107-BY.		0	0	87.569			1	
BY-104	1956	4	REC	25		428		#N/A	10	SL	BY-106	BY-106				0.27624309	6.9061	94.475	PFFeCl	3	O N-54-46	

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum untk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ordin comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/fg #
BY-104	1956	4	REC	66	494	494	N/A	10	SL	BY-108	BY-108					0.27624308	18,232	112,707	PFeCl	3	O	N-54-44
BY-104	1956	4	REC	45	539	539	N/A	10	SL	BY-110	BY-110					0.27624309	12,431	125,138	PFeCl	3	O	N-54-45
BY-104	1956	4	REC	26	565	565	N/A	10	SL	BY-110	BY-110					0.27624305	7,183	132,320	PFeCl	3	O	N-54-49
BY-104	1956	4	STAT		546	546	323	-19	9	TBP				Received from 106, B and 110-BY.		0	0	132,320		1		
BY-104	1957	1	STAT		563	563	323	17	8	TBP				Latest electrode reading.		0	0	132,320		1		
BY-104	1957	2	REC	16	579	579	N/A	9	SL	BY-108	BY-108					0.27624309	4,199	136,740	PFeCl	4	O	N-54-55
BY-104	1957	2	STAT		571	571	277	-8	0	TBP				3m received from 108-BY.		0	0	136,740		1		
BY-104	1957	3	REC	48	619	619	N/A	0	SL	BY-108	BY-108					0.27624309	13,26	150,000	PFeCl	3	O	N-54-106
BY-104	1957	3	COND	65	554	554	N/A	0	ADJ	CORR	COND					0	0	150,000		1		
BY-104	1957	3	REC	0	554	554	N/A	0	SL	BY-108	BY-108					0	0	150,000		1		
BY-104	1957	3	STAT		598	598	244	44	4	TBP				Received 27m from 108-BY.		0	0	150,000		1		
BY-104	1957	4	STAT		574	574	244	-24	20					Latest electrode reading.		0	0	150,000		1		
BY-104	1958	1	STAT		574	574	244	N/A	20					New electrode reading.		0	0	150,000		1		
BY-104	1958	2	STAT		574	574	244	N/A	20							0	0	150,000		1		
BY-104	1958	3	STAT		574	574	244	N/A	20	TBP						0	0	150,000		1		
BY-104	1958	4	STAT		571	571	244	-3	17							0	0	150,000		1		
BY-104	1959	1	STAT		571	571	244	N/A	17	TBP						0	0	150,000		1		
BY-104	1959	2	STAT		571	571	244	N/A	17	TBP						0	0	150,000		1		
BY-104	1959	3	STAT		567	567	244	4	13							0	0	150,000		1		
BY-104	1959	4	STAT		567	567	244	N/A	13	TBP						0	0	150,000		1		
BY-104	1960	1	STAT		567	567	244	N/A	13	TBP						0	0	150,000		1		
BY-104	1960	2	STAT		563	563	244	-4	9							0	0	150,000		1		
BY-104	1960	3	STAT		563	563	244	N/A	9	TBP						0	0	150,000		1		
BY-104	1960	4	STAT		563	563	244	N/A	9	TBP						0	0	150,000		1		
BY-104	1961	1	STAT		563	563	244	N/A	9	TBP						0	0	150,000		1		
BY-104	1961	2	STAT		565	565	244	2	11	TBP						0	0	150,000		1		
BY-104	1961	3	REC	136	703	703	N/A	11	SU	C-107	C-107			Shows 198 pct 133		0	0	150,000		3	V	HW-72625-5
BY-104	1961	3	STAT		703	703	N/A	11	TBP	CW						0	0	150,000		1		
BY-104	1961	4	STAT		703	703	244	N/A	11	TBP	CW					0	0	150,000		1		
BY-104	1962	1	STAT		717	717	N/A	11	SU	C-107	C-107					0	0	150,000		4	O	HW-74647-5
BY-104	1962	2	REC	14	717	717	244	N/A	11	TBP	CW					0	0	150,000		1		
BY-104	1962	3	STAT		717	717	244	N/A	11	TBP	CW					0	0	150,000		1		
BY-104	1962	4	STAT		717	717	244	N/A	11	TBP	CW					0	0	150,000		1		
BY-104	1963	1	STAT		714	714	263	-3	8	TBP	CW					0	0	150,000		1		
BY-104	1963	2	STAT		714	714	263	N/A	8	TBP	CW					0	0	150,000		1		
BY-104	1963	3	STAT		714	714	263	N/A	8	TBP	CW					0	0	150,000		1		
BY-104	1963	4	STAT		714	714	263	N/A	8	TBP	CW					0	0	150,000		1		
BY-104	1964	1	STAT		714	714	263	N/A	8	TBP	CW					0	0	150,000		1		
BY-104	1964	2	STAT		714	714	263	N/A	8	TBP	CW					0	0	150,000		1		
BY-104	1964	3	STAT		714	714	263	N/A	8	TBP	CW					0	0	150,000		1		
BY-104	1964	4	STAT		714	714	263	N/A	8	TBP	CW					0	0	150,000		1		
BY-104	1965	1	STAT		717	717	227	N/A	8	TBP	CW					0	0	150,000		1		
BY-104	1965	2	STAT		717	717	227	3	11	CW						0	0	150,000		1		
BY-104	1965	3	STAT		717	717	227	N/A	11	CW						0	0	150,000		1		
BY-104	1965	4	STAT		717	717	227	N/A	11	CW						0	0	150,000		1		
BY-104	1966	1	STAT		717	717	227	N/A	11	CW						0	0	150,000		1		
BY-104	1966	2	STAT		717	717	227	N/A	11	CW						0	0	150,000		1		
BY-104	1966	3	STAT		717	717	227	N/A	11	TBP	CW					0	0	150,000		1		
BY-104	1966	4	STAT		719	719	227	2	13	CW				119m concentrate from 101-BY.		0	0	150,000		1		
BY-104	1967	1	STAT		719	719	227	N/A	13	TBP	CW					0	0	150,000		1		
BY-104	1967	2	SEND	514	205	205	N/A	13	SU		BY-103					0	0	150,000		1		
BY-104	1967	3	REC	44	205	205	205	N/A	13	TBP				514m to 103-BY.		0	0	150,000		1		ISO-987-5
BY-104	1967	3	STAT		249	249	244	N/A	13	CW	C-102	C-102				0	0	150,000		4	O	AFH-95-6
BY-104	1967	3	STAT		249	249	244	N/A	13	CW				Received 44m from 102-C.		0	0	150,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Q1	Q/A	Document/Pg #
BY-104	1967	4	REC	404		653		#N/A	13	SU						0	0	150,000		4	O	ARH-326-6
BY-104	1967	4	STAT		853	653	244	#N/A	13	CW	C-102	C-102		Received 404m from 102-C.		0	0	150,000		1		
BY-104	1968	1	REC	77		730		#N/A	13		C-102	C-102			Omission	0	0	150,000		3	V	ARH-534-6
BY-104	1968	1	STAT		730	730	244	#N/A	13	CW				Received 77m from 102-C.		0	0	150,000		1		
BY-104	1968	2	SEND	-500		230		#N/A	13	SU		BY-103				0	0	150,000		4	O	ARH-721-6
BY-104	1968	2	REC	317		547		#N/A	13	SU	BX-104	BX-104				0	0	150,000		4	O	ARH-721-6
BY-104	1968	2	STAT		546	546	212	-1	12	IX				500 to 103-BY.; 317 from 104-BX.		0	0	150,000		1		
BY-104	1968	3	REC	184		730		#N/A	12	SU	BX-104	BX-104				0	0	150,000		4	O	ARH-721-6
BY-104	1968	3	STAT		741	741	244	11	23					184 from 104-BX.		0	0	150,000		1		
BY-104	1968	4	STAT		741	741	244	#N/A	23							0	0	150,000		1		
BY-104	1969	1	STAT		741	741	244	#N/A	23	IX						0	0	150,000		1		
BY-104	1969	2	STAT		741	741	233	#N/A	23	IX						0	0	150,000		1		
BY-104	1969	3	STAT		740	740	244	-1	22	IX						0	0	150,000		1		
BY-104	1969	4	STAT		748	748	240	8	30	IX						0	0	150,000		1		
BY-104	1970	1	SEND	-377		371		#N/A	30	SU		A-103				0	0	150,000		4	O	ARH-1666A-10, ARH-1666A-6 SEND
BY-104	1970	1	SEND	-151		220		#N/A	30	SU		C-110				0	0	150,000		4	O	ARH-1200B-5
BY-104	1970	1	STAT		211	211	206	-9	21	IX				377 to 103-A, 151 to 110-C		0	0	150,000		1		
BY-104	1970	2	rec	368		579		#N/A	21		BY-112	BY-112				0	0	150,000		0		
BY-104	1970	2	STAT		579	579	44	#N/A	21	EB				Placed in bottoms in June by receiving from 110-BY. * Dry Wells No. s 22-04-01, 22-04-05, 22-04-09 were drilled.		0	0	150,000		1		
BY-104	1970	3	rec	44		623		#N/A	21	ITS	BY-112	BY-112			No indication of XFER	0	0	150,000		2	V	ARH-1666C-6
BY-104	1970	3	GREC	0		623		#N/A	21	ITS	BY-112				No indication of XFER	0	0	150,000		2	V	ARH-1666C-6
BY-104	1970	3	STAT		623	623	112	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150,000		1		
BY-104	1970	4	rec	41		664		#N/A	21	ITS	BY-112	BY-112				0	0	150,000		2	V	ARH-1666D-6
BY-104	1970	4	GREC	0		664		#N/A	21	ITS	BY-112				No indication of XFER	0	0	150,000		2	V	ARH-1666D-6
BY-104	1970	4	STAT		664	664	131	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150,000		1		
BY-104	1971	1	send	-33		631		#N/A	21			BY-112				0	0	150,000		0		
BY-104	1971	1	REC	46		677		#N/A	21	SU	BY-109	BY-109				0	0	150,000		1		
BY-104	1971	1	GREC	0		677		#N/A	21	ITS	BY-112					0	0	150,000		1		
BY-104	1971	1	STAT		677	677	150	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150,000		1		
BY-104	1971	2	rec	24		701		#N/A	21	ITS	BY-109	BY-109				0	0	150,000		0		
BY-104	1971	2	GREC	0		701		#N/A	21	ITS	BY-109					0	0	150,000		0		
BY-104	1971	2	STAT		701	701	150	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150,000		1		
BY-104	1971	3	send	-467		234		#N/A	21			BY-112				0	0	150,000		0		
BY-104	1971	3	REC	428		662		#N/A	21	SU	BY-109	BY-109				0	0	150,000		1		
BY-104	1971	3	GREC	0		662		#N/A	21	ITS	BY-112					0	0	150,000		1		
BY-104	1971	3	STAT		662	662	425	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150,000		1		
BY-104	1971	4	REC	965		1627		#N/A	21	SU	BY-109	BY-109				0	0	150,000		1		
BY-104	1971	4	send	-965		662		#N/A	21			BY-112				0	0	150,000		0		
BY-104	1971	4	GREC	0		662		#N/A	21	ITS	BY-112					0	0	150,000		1		
BY-104	1971	4	STAT		662	662	618	#N/A	21	EB				ITS - 2 bottoms and recycle.		0	0	150,000		1		
BY-104	1972	1	STAT		662	662	618	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150,000		1		
BY-104	1972	2	rec	8		670		#N/A	21	ITS	BY-112	BY-112				0	0	150,000		1		
BY-104	1972	2	GREC	0		670		#N/A	21	ITS	BY-112					0	0	150,000		0		
BY-104	1972	2	STAT		670	670	618	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150,000		1		
BY-104	1972	3	send	-6		664		#N/A	21			BY-112				0	0	150,000		0		
BY-104	1972	3	GREC	0		664		#N/A	21	ITS	BY-112					0	0	150,000		1		
BY-104	1972	3	STAT		664	664	310	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150,000		1		
BY-104	1972	4	rec	43		707		#N/A	21	ITS	BY-112	BY-112				0	0	150,000		0		
BY-104	1972	4	GREC	0		707		#N/A	21	ITS	BY-112					0	0	150,000		1		
BY-104	1972	4	STAT		707	707	310	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150,000		1		
BY-104	1973	1	send	-39		668		#N/A	21			BY-112				0	0	150,000		0		
BY-104	1973	1	GREC	0		668		#N/A	21	ITS	BY-112					0	0	150,000		1		
BY-104	1973	1	STAT		668	668	469	#N/A	21	EB				ITS - bottoms and recycle.		0	0	150,000		1		



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk	Cum	Waste	Trans	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM	Cum	sol	Ch	Document/Pg #
								trf	unk	type	lank						solids	solids	type		
BY-104	1973	2	rec	25	693	693		#NA	21	ITS	BY-112					0	0	150,000			
BY-104	1973	2	GREC	0	693	693		#NA	21	ITS	BY-112					0	0	150,000			
BY-104	1973	2	STAT	0	693	693		#NA	21	ITS	BY-112					0	0	150,000			
BY-104	1973	3	rec	4	697	697	469	#NA	21	ITS	BY-112			ITS - bottoms and recycle.		0	0	150,000			
BY-104	1973	3	GREC	0	697	697		#NA	21	ITS	BY-112					0	0	150,000			
BY-104	1973	3	STAT	0	697	697		#NA	21	ITS	BY-112			ITS - bottoms and recycle.		0	0	150,000			
BY-104	1973	4	send	-40	657	657	469	#NA	21	ITS	BY-112					0	0	150,000			
BY-104	1973	4	GREC	0	657	657		#NA	21	ITS	BY-112			ITS - bottoms and recycle.		0	0	150,000			
BY-104	1974	1	rec	61	718	718	628	#NA	21	ITS	BY-112					0	0	150,000			
BY-104	1974	1	GREC	0	718	718		#NA	21	ITS	BY-112					0	0	150,000			
BY-104	1974	1	STAT	0	718	718	469	#NA	21	ITS	BY-112			ITS - bottoms and recycle		0	0	150,000			
BY-104	1974	2	rec	1	719	719		#NA	21	ITS	BY-112					0	0	150,000			
BY-104	1974	2	GREC	0	719	719		#NA	21	ITS	BY-112					0	0	150,000			
BY-104	1974	2	STAT	0	719	719	469	#NA	21	ITS	BY-112			ITS - bottoms and recycle		0	0	150,000			
BY-104	1974	3	STAT	0	718	718	469	-1	20	EB				ITS - bottoms and recycle		0	0	150,000			
BY-104	1974	4	GREC	0	717	717		#NA	20	ITS	BY-112			ITS - bottoms and recycle ' Dry Walls No. 22-04-07 and 22-04-11 were drilled.		0	0	150,000			
BY-104	1974	4	STAT	0	717	717	469	-1	19	ITS	BY-112			ITS - bottoms and recycle		0	0	150,000			
BY-104	1975	1	GREC	0	717	717		#NA	19	ITS	BY-112					0	0	150,000			
BY-104	1975	1	STAT	0	717	717	469	#NA	19	ITS	BY-112			ITS - bottoms and recycle		0	0	150,000			
BY-104	1975	2	GREC	0	717	717		#NA	19	ITS	BY-112					0	0	150,000			
BY-104	1975	2	STAT	0	717	717	469	#NA	19	ITS	BY-112			ITS - bottoms and recycle		0	0	150,000			
BY-104	1975	3	GREC	0	717	717		#NA	19	ITS	BY-112					0	0	150,000			
BY-104	1975	3	STAT	0	717	717	469	#NA	19	ITS	BY-112			ITS - bottoms and recycle		0	0	150,000			
BY-104	1975	4	GREC	0	717	717		#NA	19	ITS	BY-112					0	0	150,000			
BY-104	1975	4	STAT	0	717	717	469	#NA	19	ITS	BY-112			ITS - bottoms and recycle		0	0	150,000			
BY-104	1976	1	stat	-567	150	150		#NA	19	ITS	BYEVAP					0	0	150,000			
BY-104	1976	1	stat	567	717	717		#NA	19	ITS	BYEVAP					0	0	150,000			
BY-104	1976	1	GREC	0	717	717		#NA	19	ITS	BY-112					0	0	406,000			
BY-104	1976	1	STAT	0	717	717	469	#NA	19	ITS	BY-112			ITS - bottoms and recycle		0	0	406,000			
BY-104	1976	2	GREC	0	717	717		#NA	19	ITS	BY-109					0	0	406,000			
BY-104	1976	2	STAT	0	717	717	469	#NA	19	ITS	BY-109			ITS - bottoms and recycle		0	0	406,000			
BY-104	1976	3	STAT	0	719	719		#NA	21	EVAP						0	0	406,000			
BY-104	1976	4	send	-49	670	670		#NA	21	EVAP	A-102			Evaporator feed bottoms		0	0	406,000			
BY-104	1976	4	STAT	0	670	670	469	#NA	21	EVAP	A-102					0	0	406,000			
BY-104	1977	1	send	-36	634	634		#NA	21	EVAP	A-102			Evap. Feed Con. Salt Well Installed		0	0	406,000			
BY-104	1977	1	STAT	0	634	634	469	#NA	21	EVAP	A-102			Evap. Feed Con. Salt Well Installed		0	0	406,000			
BY-104	1977	2	STAT	0	634	634		#NA	21	EVAP						0	0	406,000			
BY-104	1977	3	STAT	0	631	631	623	-3	18					Inactive Current Pump removed		0	0	406,000			
BY-104	1977	4	STAT	0	631	631	623	#NA	18	EVAP				Inactive Current Pump removed		0	0	406,000			
BY-104	1978	1	STAT	0	634	634		#NA	21	EVAP						0	0	406,000			
BY-104	1978	2	STAT	0	634	634	623	#NA	21	EVAP						0	0	406,000			
BY-104	1978	3	STAT	0	634	634	623	#NA	21	EVAP						0	0	406,000			
BY-104	1978	4	STAT	0	634	634	623	#NA	21	EVAP						0	0	406,000			
BY-104	1979	1	STAT	0	634	634	623	#NA	21	EVAP						0	0	406,000			
BY-104	1979	2	STAT	0	634	634	623	#NA	21	EVAP						0	0	406,000			
BY-104	1979	3	STAT	0	634	634	623	#NA	21	EVAP						0	0	406,000			
BY-104	1979	4	STAT	0	634	634	623	#NA	21	EVAP						0	0	406,000			
BY-104	1980	1	STAT	0	634	634	623	#NA	21	EVAP						0	0	406,000			
BY-104	1980	2	STAT	0	634	634	623	#NA	21	EVAP						0	0	406,000			
BY-104	1980	3	STAT	0	634	634	623	#NA	21	EVAP						0	0	406,000			
BY-104	1980	4	STAT	0	634	634	623	#NA	21	EVAP						0	0	406,000			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
BY-104	1982	3	send	-228		406		#N/A	21			AW-102	salt-wellpumped			0	0	406.000		0		
BY-104	1985	4	send	-82		324		#N/A	21	swlq		AN-101				0	0	406.000		0		
BY-104	1993	2	STAT		326	326	326	2	23	NCPLX			126" from surface level data-Husa			0	0	406.000		1		
BY-104	1993	4	STAT		326	326	326	#N/A	23				126" from surface level data-Husa			0	0	406.000		1		
BY-104	1994	1	STAT		326	326	326	#N/A	23				126" from surface level data-Husa			0	0	406.000		1		
BY-104	2000																					



Tank #	Year	Qt	Type	Trans vol	Stat vol	Totale vol	Solids vol	Lnk	Tr	Cum WASTE	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	O/A	Document/Pg #
BY-105	1900	1	CRCC	0	0	0	0	N/A	0	SET	BY-104						0.000	0.000	1		
BY-105	1951	1	STAT	0	0	0	0	N/A	0		BY-106						0.000	0.000	1		
BY-105	1951	2	REC	65	65	65	65	N/A	0	cas	BY-104						0.000	0.000	1		
BY-105	1951	1	STAT	0	0	0	0	N/A	0		BY-104						0.000	0.000	1		
BY-105	1951	2	STAT	20	20	20	20	N/A	0	cas	BY-104						0.000	0.000	1		
BY-105	1951	3	REC	65	65	65	65	N/A	0	cas	BY-104						0.000	0.000	1		
BY-105	1951	9	REC	184	184	184	184	N/A	0	cas	BY-104						1.894	1.894	1		
BY-105	1951	3	REC	155	155	155	155	N/A	0	cas	BY-104						1.894	1.894	1		
BY-105	1951	3	REC	115	115	115	115	N/A	0	cas	BY-104						1.894	1.894	1		
BY-105	1951	3	STAT	0	0	0	0	N/A	0		BY-104						0.000	0.000	1		
BY-105	1951	4	REC	21	21	21	21	N/A	0	cas	BY-104						0.612	16.000	1		
BY-105	1951	4	STAT	504	504	504	504	N/A	0		BY-104						0.029144	16.000	1		
BY-105	1952	1	STAT	491	491	491	491	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1952	2	STAT	491	491	491	491	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1952	3	STAT	491	491	491	491	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1952	4	STAT	491	491	491	491	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1952	1	STAT	491	491	491	491	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1952	1	STAT	491	491	491	491	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1952	2	STAT	497	497	497	497	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1952	3	STAT	497	497	497	497	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1952	2	STAT	496	496	496	496	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1953	4	STAT	497	497	497	497	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1953	3	STAT	497	497	497	497	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1953	2	STAT	496	496	496	496	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1953	1	STAT	491	491	491	491	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1954	1	STAT	497	497	497	497	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1954	2	SEND	495	495	495	495	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1954	2	STAT	497	497	497	497	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1954	3	OUTX	496	496	496	496	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1954	3	STAT	497	497	497	497	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1954	4	REC	318	318	318	318	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1954	4	REC	457	457	457	457	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1954	4	OUTX	-58	-58	-58	-58	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1954	4	STAT	399	399	399	399	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1954	4	STAT	399	399	399	399	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	1	REC	520	520	520	520	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	1	OUTX	222	222	222	222	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	1	STAT	222	222	222	222	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	2	SEND	333	333	333	333	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	2	STAT	222	222	222	222	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	3	kin	38	38	38	38	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	3	STAT	260	260	260	260	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	4	REC	80	80	80	80	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	4	REC	91	91	91	91	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	4	REC	19	19	19	19	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	4	OUTX	-79	-79	-79	-79	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	4	STAT	371	371	371	371	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	4	STAT	371	371	371	371	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1955	4	STAT	500	500	500	500	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	1	kin	129	129	129	129	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	1	REC	21	21	21	21	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	1	REC	18	18	18	18	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	1	STAT	12	12	12	12	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	1	STAT	551	551	551	551	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	2	REC	28	28	28	28	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	2	REC	609	609	609	609	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	2	REC	642	642	642	642	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	2	REC	33	33	33	33	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	2	REC	67	67	67	67	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	2	REC	711	711	711	711	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	2	STAT	745	745	745	745	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	2	STAT	708	708	708	708	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	3	OUTX	-305	-305	-305	-305	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	3	STAT	403	403	403	403	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	3	STAT	403	403	403	403	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	3	STAT	384	384	384	384	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	3	STAT	384	384	384	384	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	3	STAT	384	384	384	384	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	3	STAT	384	384	384	384	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	3	STAT	384	384	384	384	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	3	STAT	384	384	384	384	N/A	0	-13	BY-104						0.029144	0	1		
BY-105	1956	3	STAT	384	384	384	384	N/A	0	-13	BY-104						0.029144	0	1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	O/A	Document/Pg #
BY-105	1956	4	sdn	303		706		#N/A	-89			WTR				0	0	158,000		0		
BY-105	1956	4	STAT		706	706	384	#N/A	-89							0	0	158,000		1		
BY-105	1957	1	STAT		706	706	384	#N/A	-89	TBP						0	0	158,000		1		
BY-105	1957	2	OUTX	-296		410		#N/A	-89	SU	B-029	CRIB	OC 262 to 296		Shows 296 not 262	0	0	158,000		3	V	N-54-245
BY-105	1957	2	STAT		409	409	384	-1	-90	TBP			297m to No. 16 BC trench			0	0	158,000		1		
BY-105	1957	3	XIN	8		417		#N/A	-90	WTR		WTR	Omis		Omission	0	0	158,000		2	V	HW-51858-5
BY-105	1957	3	STAT		417	417	213	#N/A	-90	TBP			8m line flush.			0	0	158,000		1		
BY-105	1957	4	STAT		428	428	213	11	-79				New electrode reading.			0	0	158,000		1		
BY-105	1958	1	STAT		428	428	213	#N/A	-79	TBP			Latest electrode reading.			0	0	158,000		1		
BY-105	1958	2	STAT		431	431	213	3	-76				Latest electrode reading.			0	0	158,000		1		
BY-105	1958	3	STAT		431	431	213	#N/A	-76	TBP						0	0	158,000		1		
BY-105	1958	4	STAT		429	429	213	-2	-78	TBP						0	0	158,000		1		
BY-105	1959	1	STAT		428	428	213	-1	-79				New electrode reading.			0	0	158,000		1		
BY-105	1959	2	STAT		428	428	213	#N/A	-79							0	0	158,000		1		
BY-105	1959	3	STAT		428	428	213	#N/A	-79							0	0	158,000		1		
BY-105	1959	4	STAT		428	428	213	#N/A	-79							0	0	158,000		1		
BY-105	1960	1	STAT		428	428	213	#N/A	-79							0	0	158,000		1		
BY-105	1960	2	STAT		428	428	213	#N/A	-79							0	0	158,000		1		
BY-105	1960	3	STAT		428	428	213	#N/A	-79							0	0	158,000		1		
BY-105	1960	4	STAT		428	428	213	#N/A	-79	TBP						0	0	158,000		1		
BY-105	1961	1	STAT		N/A	428		#N/A	-79							0	0	158,000		1		
BY-105	1961	2	REC	91		519		#N/A	-79	SU	C-108	C-108				0	0	158,000		4	O	HW-71610-5
BY-105	1961	2	STAT		519	519	213	#N/A	-79	TBP,CW			Received 91m from 108-C. 6 Mo. Report			0	0	158,000		1		
BY-105	1961	3	REC	20		539		#N/A	-79	SU	C-107	C-107				0	0	158,000		4	O	HW-72625-5
BY-105	1961	3	STAT		N/A	539		#N/A	-79							0	0	158,000		1		
BY-105	1961	4	REC	172		711		#N/A	-79	SU	C-107	C-107	AND reports 192 pos typo error			0	0	158,000		4	O	HW-72625-5
BY-105	1961	4	STAT		711	711	213	#N/A	-79	TBP,CW			192m from 107-C. 6 Month Report			0	0	158,000		1		
BY-105	1962	1	STAT		N/A	711		#N/A	-79							0	0	158,000		1		
BY-105	1962	2	STAT		711	711	213	#N/A	-79	TBP,CW			6 Month Report			0	0	158,000		1		
BY-105	1962	3	STAT		N/A	711		#N/A	-79							0	0	158,000		1		
BY-105	1962	4	STAT		711	711	213	#N/A	-79	TBP,CW			6 Month Report			0	0	158,000		1		
BY-105	1963	1	STAT		N/A	711		#N/A	-79							0	0	158,000		1		
BY-105	1963	2	STAT		711	711	222	#N/A	-79	TBP,CW			6 Month Report			0	0	158,000		1		
BY-105	1963	3	STAT		N/A	711		#N/A	-79							0	0	158,000		1		
BY-105	1963	4	STAT		711	711	222	#N/A	-79	TBP,CW			6 Month Report			0	0	158,000		1		
BY-105	1964	1	STAT		N/A	711		#N/A	-79							0	0	158,000		1		
BY-105	1964	2	STAT		708	708	222	-3	-82	TBP,CW			6 month Report			0	0	158,000		1		
BY-105	1964	3	STAT		N/A	708		#N/A	-82							0	0	158,000		1		
BY-105	1964	4	STAT		708	708	222	#N/A	-82	TBP,CW			6 Month Report			0	0	158,000		1		
BY-105	1965	1	STAT		N/A	708		#N/A	-82							0	0	158,000		1		
BY-105	1965	2	STAT		711	711	186	3	-79	CW			6 Month Report			0	0	158,000		1		
BY-105	1965	3	STAT		711	711	186	#N/A	-79	CW						0	0	158,000		1		
BY-105	1965	4	STAT		711	711	186	#N/A	-79	CW						0	0	158,000		1		
BY-105	1966	1	STAT		711	711	186	#N/A	-79	TBP,CW						0	0	158,000		1		
BY-105	1966	2	SEND	-503		208		#N/A	-79	SU		BY-103				0	0	158,000		4	O	ISO-404-5
BY-105	1966	2	STAT		208	208	186	#N/A	-79	TBP			503m to 103-BY			0	0	158,000		1		
BY-105	1966	3	SEND	-30		178		#N/A	-79			BY-103			Omission	0	0	158,000		2	V	ISO-538-5
BY-105	1966	3	STAT		178	178	0	#N/A	-79	TBP						0	0	158,000		1		
BY-105	1966	4	REC	119		297		#N/A	-79		BY-101	BY-101				0	0	158,000		2	V	ISO-674-5
BY-105	1966	4	STAT		326	326	0	29	-50	CW						0	0	158,000		1		
BY-105	1967	1	STAT		323	323	0	-3	-53				Status not determined.			0	0	158,000		1		
BY-105	1967	2	STAT		323	323	0	#N/A	-53	CW						0	0	158,000		1		
BY-105	1967	3	GREC	0		323		#N/A	-53	ITS		BY-102				0	0	158,000		1		
BY-105	1967	3	STAT		326	326	39	3	-50	CW			ITS bottoms receiver.			0	0	158,000		1		
BY-105	1967	4	GREC	0		326		#N/A	-50	ITS		BY-102				0	0	158,000		1		

Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unklr	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	QI	OIA	Document/Pg #
1967	4	STAT		326	326	88	#N/A	-50	CW	BY-102	BY-102		ITS bottoms receiver.	Omission	0	0	158,000		1		
1968	1	REC	279		605		#N/A	-50							0	0	158,000		3	V	ARH-534-6
1968	1	STAT		605	605	88	#N/A	-50	EB				Received 279m from 102-BY.		0	0	158,000		1		
1968	2	SEND	-110	495	495	88	#N/A	-50	SU		BY-109				0	0	158,000		4	O	ARH-721-6
1968	2	STAT		495	495	88	#N/A	-50	EB				110 to 109-BY.		0	0	158,000		1		
1968	3	REC	256		751		#N/A	-50		BY-102	BY-102			Omission	0	0	158,000		3	V	ARH-871-6
1968	3	SEND	-340	411	411		#N/A	-50	SU		BY-109				0	0	158,000		4	O	ARH-871-6
1968	3	STAT		411	411	158	#N/A	-50	EB				340 to 109-BY.; 256 from 102-BY.		0	0	158,000		1		
1968	4	REC	330	741	741	158	#N/A	-50		BY-102	BY-102			Omission	0	0	158,000		3	V	ARH01061-6
1968	4	STAT		741	741	158	#N/A	-50	EB				330 from 102-BY.		0	0	158,000		1		
1969	1	REC	408	1149	1149		#N/A	-50		BY-102	BY-102			Omission	0	0	158,000		3	V	ARH-1200A-6
1969	1	SEND	-481	668	668		#N/A	-50	SU		BY-106				0	0	158,000		4	O	ARH-1200A-6
1969	1	STAT		670	670	165	2	-48	EB				408 from 102-BY.; 481 to 106-BY.		0	0	158,000		1		
1969	2	STAT		671	671	153	1	-47	EB				330 from 102-BY.		0	0	158,000		1		
1969	3	SEND	-331	340	340		#N/A	-47	SU		BY-101				0	0	158,000		4	O	ARH-1200C-6
1969	3	REC	154	494	494		#N/A	-47	SU		BY-102	BY-102			0	0	158,000		4	O	ARH-1200C-6
1969	3	STAT		494	494	194	#N/A	-47	EB				154 from 102-BY.; 331 to 101-BY.		0	0	158,000		1		
1969	4	REC	182	676	676	189	-1	-48	EB		BY-102	BY-102			0	0	158,000		4	O	ARH-1200D-6
1970	1	REC	70	745	745		#N/A	-48	SU				182 from 102-BY.		0	0	158,000		1		
1970	1	STAT		745	745	191	#N/A	-48	EB		BY-102	BY-102			0	0	158,000		4	O	ARH-1666A-6
1970	2	REC	89	834	834		#N/A	-48	SU				70 from 102-BY.		0	0	158,000		1		
1970	2	SEND	-202	632	632		#N/A	-49	SU		BY-102	BY-102			0	0	158,000		4	O	ARH-1666B-6
1970	2	STAT		631	631	216	-1	-49	EB		BY-103				0	0	158,000		4	O	ARH-1666B-6
1970	3	SEND	-543	88	88		#N/A	-49					202 to 103-BY.; 89 from 102-BY.		0	0	158,000		1		
1970	3	REC	634	722	722		#N/A	-49	SU		BY-112				0	0	158,000		0		
1970	3	GREC	0	722	722		#N/A	-49	ITS		BY-109	BY-109			0	0	158,000		1		
1970	3	STAT		722	722	299	#N/A	-49	EB				To ITS-2 bottoms service in August. Dry Wells NO. 8 22-05-01, 22-05-05 and 22-05-09 were drilled. <		0	0	158,000		1		
1970	4	REC	-66	656	656		#N/A	-49			BY-112				0	0	158,000		0		
1970	4	SEND	-261	681	681		#N/A	-49	SU		BY-102	BY-102			0	0	158,000		4	O	ARH-1666D-6
1970	4	GREC	0	681	681		#N/A	-49	ITS		BY-103				0	0	158,000		3	V	ARH-1666D-6
1970	4	STAT		681	681	299	#N/A	-49	EB				286 from 102-BY.; ITS 2 bottoms.		0	0	158,000		1		
1971	1	SEND	-920	61	61		#N/A	-49							0	0	158,000		1		
1971	1	REC	514	575	575		#N/A	-49	SU		BY-112				0	0	158,000		0		
1971	1	REC	100	675	675		#N/A	-49	SU		BY-102	BY-102			0	0	158,000		4	O	ARH-2074A-6
1971	1	GREC	0	675	675		#N/A	-49	ITS		BY-109	BY-109			0	0	158,000		1		
1971	1	STAT		675	675	340	#N/A	-49	EB				514 from 102-BY.; ITS-2 bottoms.		0	0	158,000		1		
1971	2	XIN	4	679	679		#N/A	-49	WTR		WTR	Omis.			0	0	158,000		1		
1971	2	SEND	-378	301	301		#N/A	-49			BY-112				0	0	158,000		3	V	ARH-2074B-6
1971	2	REC	367	668	668		#N/A	-49	SU		BY-102	BY-102			0	0	158,000		0		
1971	2	GREC	0	668	668		#N/A	-49	ITS		BY-109	BY-109			0	0	158,000		4	O	ARH-2074B-6
1971	2	STAT		668	668	469	#N/A	-49	EB				ITS-2 bottoms.; 367 from 102-BY. 4 H2O.		0	0	158,000		1		
1971	3	REC	32	700	700		#N/A	-49	ITS		BY-112	BY-112			0	0	158,000		1		
1971	3	GREC	0	700	700		#N/A	-49	ITS		BY-112	BY-112			0	0	158,000		0		
1971	3	STAT		700	700	469	#N/A	-49	EB				ITS-2 bottoms and recycle.		0	0	158,000		1		
1971	4	REC	11	711	711		#N/A	-49			BY-112	BY-112			0	0	158,000		0		



Tank n	Year	Or	Type	Trans vol	Stat vol	Total vol	Solids vol	Unit Bf	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Operation comment	sol vol%	TLM Solids	Cum Solids	sol type	Cl	O/A	Document/Pg #
BY-105	1976	4	STAT		626	626	626	#N/A	1							0	0	495,000		1		
BY-105	1977	1	XIN	8		634	634	#N/A	1	CON		CEM	63T, 12kgals/ton			1	8	503,000	CEM	1		
BY-105	1977	1	STAT		626	626	626	#N/A	-7					Salt Well Pumped 63 T cement added		0	0	503,000		1		
BY-105	1977	2	STAT		626	626	626	#N/A	-7					Salt Well Pumped 63 T cement added		0	0	503,000		1		
BY-105	1977	3	STAT		626	626	626	#N/A	-7					Inactive Current 63 T Cement added		0	0	503,000		1		
BY-105	1977	4	STAT		626	626	626	#N/A	-7					Inactive Current 63 T Cement added		0	0	503,000		1		
BY-105	1978	1	STAT		626	626	626	#N/A	-7					Primary stabilized		0	0	503,000		1		
BY-105	1978	2	STAT		626	626	626	#N/A	-7					Questionable integrity		0	0	503,000		1		
BY-105	1978	3	STAT		626	626	626	#N/A	-7							0	0	503,000		1		
BY-105	1978	4	STAT		626	626	626	#N/A	-7							0	0	503,000		1		
BY-105	1979	1	STAT		626	626	626	#N/A	-7							0	0	503,000		1		
BY-105	1979	2	STAT		626	626	626	#N/A	-7							0	0	503,000		1		
BY-105	1979	3	STAT		626	626	626	#N/A	-7							0	0	503,000		1		
BY-105	1979	4	STAT		626	626	626	#N/A	-7							0	0	503,000		1		
BY-105	1980	1	STAT		626	626	626	#N/A	-7							0	0	503,000		1		
BY-105	1980	2	STAT		626	626	626	#N/A	-7							0	0	503,000		1		
BY-105	1980	3	STAT		626	626	626	#N/A	-7							0	0	503,000		1		
BY-105	1980	4	STAT		626	626	626	#N/A	-7							0	0	503,000		1		
BY-105	1982	3	Send	-123				#N/A	-7	EVAP						0	0	503,000		1		
BY-105	1983	2	STAT		503	503	503	#N/A	-7			AW-102	salt-wellpumped			0	0	503,000		0		
BY-105	1984	4	STAT		503	503	503	#N/A	-7	NOPLX						0	0	503,000		1		
BY-105	1984	1	STAT		503	503	503	#N/A	-7							0	0	503,000		1		
BY-105	2000				503	503	503	#N/A	-7							0	0	503,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Q1	Q/A	Document/Pg #
BY-106	1900																					
BY-106	1951	1	CREC	0		0		#N/A	0	SET	BY-105						0	0.000				
BY-106	1951	4	STAT		0	0	0	#N/A	0							0	0	0.000				
BY-106	1952	1	STAT		N/A	0		#N/A	0								0	0.000				
BY-106	1952	2	STAT		N/A	0		#N/A	0								0	0.000				
BY-106	1952	3	STAT		N/A	0		#N/A	0								0	0.000				
BY-106	1952	4	STAT		N/A	0		#N/A	0								0	0.000				
BY-106	1953	1	STAT		0	0	0	#N/A	0	MW							0	0.000				
BY-106	1953	2	xln	758		758		#N/A	0			WTR	UNK in asssn. to WTR Pumped to trench in 54q4				0	0.000				
BY-106	1953	2	STAT		758	758	0	#N/A	0								0	0.000				
BY-106	1953	3	STAT		758	758	0	#N/A	0	1C							0	0.000				
BY-106	1953	4	STAT		755	755	0	-3	-3	1C							0	0.000				
BY-106	1954	1	STAT		756	756	0	1	-2								0	0.000				
BY-106	1954	2	STAT		756	756	0	#N/A	-2								0	0.000				
BY-106	1954	3	STAT		756	756	0	#N/A	-2	1C							0	0.000				
BY-106	1954	4	outx	-741		15		#N/A	-2			CRIB		To be pumped to trench.			0	0.000				
BY-106	1954	4	STAT		15	15	0	#N/A	-2	TBP				For TBP scvg. sludge.			0	0.000				
BY-106	1955	1	XIN	760		775		#N/A	-2	P07	UR	PFeCN1				0.036961	28.09	28.090	PFeC	3	O	N-54-7
BY-106	1955	1	OUTX	-712		63		#N/A	-2	SU	B-045	CRIB				0	0	28.090	PFeC	3	O	N-54-7
BY-106	1955	1	STAT		N/A	63	40	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC- SD-WM-ER-133 Rev 0.	Received from WR Vault.			0	28.090				
BY-106	1955	2	XIN	701		764		#N/A	-2	P11	UR	PFeCN1				0.036961	25.91	54.000	PFeC	3	O	N-54-11
BY-106	1955	2	OUTX	-525		239		#N/A	-2	SU	B-048	CRIB				0	0	54.000				N-54-11
BY-106	1955	2	STAT		N/A	239	107	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC- SD-WM-ER-133 Rev 0.			0	0	54.000				
BY-106	1955	3	STAT		N/A	239	107	#N/A	-2				Stat to N/A, phasing probs in FeCN process, refer to WHC- SD-WM-ER-133 Rev 0.			0	0	54.000				
BY-106	1955	4	XIN	534		773		#N/A	-2	P21	UR	PFeCN2				0.00914761	4.8948	58.885	PFeC	3	O	N-54-21
BY-106	1955	4	OUTX	-578		195		#N/A	-2	SU	B-014	CRIB				0	0	58.885				N-54-21
BY-106	1955	4	STAT		N/A	195	120	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC- SD-WM-ER-133 Rev 0.	O.K. to be cribbed.			0	58.885				
BY-106	1956	1	XIN	586		781		#N/A	-2	P26	UR	PFeCN2				0.00914761	5.3605	64.245	PFeC	3	O	N-54-26
BY-106	1956	1	SEND	-21		760		#N/A	-2	SL		BY-106				0	0	64.245				N-54-26
BY-106	1956	1	OUTX	-558		202		#N/A	-2	SU	B-018	CRIB				0	0	64.245				N-54-26
BY-106	1956	1	STAT		N/A	202	150	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC- SD-WM-ER-133 Rev 0.	Scvg. waste receiver.			0	64.245				
BY-106	1956	2	XIN	564		766		#N/A	-2	P30	UR	PFeCN2				0.00914761	5.1593	69.405	PFeC	3	O	N-54-30
BY-106	1956	2	XIN	578		1344		#N/A	-2	P34	UR	PFeCN2				0.00914761	5.2873	74.692	PFeC	3	O	N-54-34
BY-106	1956	2	XIN	584		1928		#N/A	-2	P38	UR	PFeCN2				0.00914761	5.3422	80.034	PFeC	3	O	N-54-38
BY-106	1956	2	SEND	-28		1900		#N/A	-2	SL		BY-105				0	0	80.034				N-54-34
BY-106	1956	2	SEND	-558		1342		#N/A	-2	SU		BY-109				0	0	80.034				ARH-CD-702B-5/N-54-34
BY-106	1956	2	OUTX	-580		762		#N/A	-2	SU	B-015	CRIB				0	0	80.034				N-54-30
BY-106	1956	2	STAT		N/A	762	180	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC- SD-WM-ER-133 Rev 0.	Pumped to RC-2 crib. S.S. active receiver.			0	80.034				
BY-106	1956	3	XIN	595		1357		#N/A	-2	P42	UR	PFeCN2				0.00914761	5.4428	85.477	PFeC	3	O	N-54-42
BY-106	1956	3	SEND	-446		911		#N/A	-2	SU		BX-101				0	0	85.477				N-54-38
BY-106	1956	3	SEND	-55		856		#N/A	-2	SL		BY-104				0	0	85.477				N-54-42
BY-106	1956	3	SEND	-50		806		#N/A	-2	SL		BY-104				0	0	85.477				N-54-38
BY-106	1956	3	SEND	-99		707		#N/A	-2	SU		BY-112				0	0	85.477				N-54-38
BY-106	1956	3	OUTX	-539		188		#N/A	-2	SU	B-021	CRIB				0	0	85.477				N-54-42



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #	
BY-106	1956	3	STAT		N/A	168	164	#N/A	-2	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. 539m to No. 8 BC ditch.		0	0	85.477			1		
BY-106	1956	4	XIN	588		756		#N/A	-2	P46	UR	PFeCN2				0.00914761	5.3788	90.856	PFeCl	3	O	N-54-46	
BY-106	1956	4	XIN	586		1342		#N/A	-2	P50	UR	PFeCN2				0.00914761	5.3605	96.216	PFeC	3	O	N-54-50	
BY-106	1956	4	SEND	-25		1317		#N/A	-2	SL		BY-104				0	0	96.216			3	O	N-54-46
BY-106	1956	4	OUTX	-484		833		#N/A	-2	SU	B-023	CRIB				0	0	96.216			4	O	N-54-46
BY-106	1956	4	OUTX	-82		751		#N/A	-2	SU	B-024	CRIB				0	0	96.216			4	O	N-54-46
BY-106	1956	4	STAT		717	717	168	-34	-36	TBP				S.S. 484m to BC No. 10 ditch. S.S. received from 241-WR and ditched 77m gallons.		0	0	96.216			1		
BY-106	1957	1	XIN	195		912		#N/A	-36	P54	UR	PFeCN2				0.00914761	1.7838	98.000	PFeCl	3	O	N-54-54	
BY-106	1957	1	OUTX	-190		722		#N/A	-36	SU	B-026	CRIB	AND reports -176			0	0	98.000			3	O	N-54-50
BY-106	1957	1	STAT		722	722	111	#N/A	-36	TBP				176m pumped to B-C 86;; S. S. active TBP receiving		0	0	98.000			1		
BY-106	1957	2	STAT		725	725	111	3	-33	TBP				Increase due to flushes.		0	0	98.000			1		
BY-106	1957	3	XIN	14		739		#N/A	-33	WTR		WTR	Omis.			0	0	98.000			3	V	HW-51858-5
BY-106	1957	3	STAT		739	739	111	#N/A	-33	TBP						0	0	98.000			1		
BY-106	1957	4	OUTX	-487		252		#N/A	-33	SU	B-015	CRIB	OC 484 to 487			0	0	98.000			3	V	N-54-202
BY-106	1957	4	STAT		257	257	111	5	-28	TBP				482m to BC-2 crib.		0	0	98.000			1		
BY-106	1958	1	STAT		257	257	111	#N/A	-28							0	0	98.000			1		
BY-106	1958	2	STAT		257	257	111	#N/A	-28							0	0	98.000			1		
BY-106	1958	3	STAT		257	257	111	#N/A	-28							0	0	98.000			1		
BY-106	1958	4	STAT		257	257	111	#N/A	-28	TBP						0	0	98.000			1		
BY-106	1959	1	STAT		241	241	111	-16	-44	TBP						0	0	98.000			1		
BY-106	1959	2	STAT		252	252	111	11	-33					New electrode reading.		0	0	98.000			1		
BY-106	1959	3	STAT		252	252	111	#N/A	-33					New electrode.		0	0	98.000			1		
BY-106	1959	4	STAT		252	252	111	#N/A	-33							0	0	98.000			1		
BY-106	1960	1	STAT		252	252	111	#N/A	-33							0	0	98.000			1		
BY-106	1960	2	STAT		252	252	111	#N/A	-33							0	0	98.000			1		
BY-106	1960	3	STAT		252	252	111	#N/A	-33							0	0	98.000			1		
BY-106	1960	4	STAT		252	252	111	#N/A	-33	TBP						0	0	98.000			1		
BY-106	1961	1	STAT		N/A	252		#N/A	-33							0	0	98.000			1		
BY-106	1961	2	STAT		249	249	111	-3	-36	TBP				6 Month Report		0	0	98.000			1		
BY-106	1961	3	STAT		N/A	249		#N/A	-36							0	0	98.000			1		
BY-106	1961	4	REC	256		505		#N/A	-36	SU	C-107	C-107	OC 250 to 256			0	0	98.000			3	V	HW-74647-5
BY-106	1961	4	STAT		505	505	111	#N/A	-36	TBP,CW				256m from 107-C. 6 Month Report.		0	0	98.000			1		
BY-106	1962	1	STAT		N/A	505		#N/A	-36							0	0	98.000			1		
BY-106	1962	2	REC	118		623		#N/A	-36	SU	C-107	C-107				0	0	98.000			4	O	HW-74647-5
BY-106	1962	2	STAT		623	623	111	#N/A	-36	TBP				118m from 107-C. 6 months report		0	0	98.000			1		
BY-106	1962	3	STAT		N/A	623		#N/A	-36							0	0	98.000			1		
BY-106	1962	4	STAT		623	623	111	#N/A	-36	TBP,CW				6 months report		0	0	98.000			1		
BY-106	1963	1	STAT		N/A	623		#N/A	-36							0	0	98.000			1		
BY-106	1963	2	STAT		620	620	150	-3	-39	TBP,CW				6 months report		0	0	98.000			1		
BY-106	1963	3	STAT		N/A	620		#N/A	-39							0	0	98.000			1		
BY-106	1963	4	STAT		620	620	150	#N/A	-39	TBP,CW				6 months report		0	0	98.000			1		
BY-106	1964	1	STAT		N/A	620		#N/A	-39							0	0	98.000			1		
BY-106	1964	2	STAT		620	620	150	#N/A	-39	TBP,CW				6 months report		0	0	98.000			1		
BY-106	1964	3	STAT		N/A	620		#N/A	-39							0	0	98.000			1		
BY-106	1964	4	STAT		620	620	150	#N/A	-39	TBP,CW				6 months report		0	0	98.000			1		
BY-106	1965	1	STAT		N/A	620		#N/A	-39							0	0	98.000			1		
BY-106	1965	2	STAT		620	620	103	#N/A	-39	CW						0	0	98.000			1		
BY-106	1965	3	STAT		620	620	103	#N/A	-39	CW						0	0	98.000			1		
BY-106	1965	4	STAT		620	620	103	#N/A	-39	CW						0	0	98.000			1		
BY-106	1966	1	STAT		620	620	103	#N/A	-39	CW						0	0	98.000			1		



Unit #	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans bank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solites	Cum solites	sol type	Cl	Q/A	Document/Pg #
BY-106	1966	2	STAT	620	620	620	103	N/A	-39	TBP,CW	C-102	C-102				0	0	98,000	1			
BY-106	1966	3	REC	124	744	744	N/A	N/A	-39					124m from 102-C	Omission	0	0	98,000	3	V	ISO-538-5	
BY-106	1966	3	STAT	744	744	744	103	N/A	-39	CW						0	0	98,000	1			
BY-106	1966	4	STAT	744	744	744	103	N/A	-39	TBP,CW						0	0	98,000	1			
BY-106	1967	1	SEND	349	395	395	N/A	N/A	-39	SU		BY-103		349 to 103-BY		0	0	98,000	4	O	ISO-806-5	
BY-106	1967	1	STAT	395	395	395	103	N/A	-39	TBP,CW						0	0	98,000	1			
BY-106	1967	2	SEND	294	101	101	N/A	N/A	-39	SU		BY-103			Omission	0	0	98,000	3	V	ISO-867-5	
BY-106	1967	2	REC	171	272	272	N/A	N/A	-39	SU		C-102				0	0	98,000	4	O	ISO-867-5	
BY-106	1967	2	STAT	272	272	272	103	N/A	-39	CW				294m to 103-BY, 171m from 102-C		0	0	98,000	1			
BY-106	1967	3	REC	469	741	741	N/A	N/A	-39							0	0	98,000	3	MV	ARH-95-6	
BY-106	1967	3	STAT	741	741	741	103	N/A	-39	CW		C-102	OC BY-102 to BY-106	Received 469m from 102-C		0	0	98,000	1			
BY-106	1967	4	STAT	740	740	740	103	-1	-40	CW						0	0	98,000	1			
BY-106	1968	1	STAT	739	739	739	103	-1	-41	CW						0	0	98,000	1			
BY-106	1968	2	SEND	485	253	253	N/A	N/A	-41			BY-103		486 to 103-BY	Omission	0	0	98,000	3	V	ARH-721-6	
BY-106	1968	2	STAT	253	253	253	103	N/A	-41							0	0	98,000	1			
BY-106	1968	3	STAT	253	253	253	103	N/A	-41	CW						0	0	98,000	1			
BY-106	1968	4	STAT	253	253	253	103	N/A	-41	CW						0	0	98,000	1			
BY-106	1969	1	REC	481	734	734	N/A	N/A	-41	SU		BY-105		481 from 106-BY		0	0	98,000	4	O	ARH-1200A-6	
BY-106	1969	1	STAT	736	736	736	106	2	-39	CW,CW						0	0	98,000	1			
BY-106	1969	2	STAT	737	737	737	93	1	-38	CW,EB						0	0	98,000	1			
BY-106	1969	3	STAT	732	732	732	98	-5	-43	CW,EB						0	0	98,000	1			
BY-106	1969	4	STAT	732	732	732	95	N/A	-43	CW,EB						0	0	98,000	1			
BY-106	1970	1	SEND	0	732	732	N/A	N/A	-43			BY-112	MOVED TO 70Q3			0	0	98,000	1			
BY-106	1970	1	STAT	733	733	733	103	1	-42	CW,EB						0	0	98,000	1			
BY-106	1970	2	STAT	743	743	743	96	10	-32	CW,EB				* Dry Walls No. 22-06-01, 22-06-05 and 22-06-08 were drilled.		0	0	98,000	1			
BY-106	1970	3	SEND	-68	675	675	N/A	N/A	-32			BY-112				0	0	98,000	0			
BY-106	1970	3	STAT	689	689	689	98	14	-18	EB						0	0	98,000	1			
BY-106	1970	4	STAT	675	675	675	164	-14	-32	EB				To bottoms services in August, ITS - 2 bottoms and recycle.		0	0	98,000	1			
BY-106	1971	1	SEND	-193	482	482	N/A	N/A	-32			BY-112				0	0	98,000	1			
BY-106	1971	1	REC	207	689	689	N/A	N/A	-32	SU		BY-109				0	0	98,000	1			
BY-106	1971	1	REC	0	569	569	N/A	N/A	-32	ITS		BY-112				0	0	98,000	1			
BY-106	1971	1	STAT	689	689	689	249	N/A	-32	EB				ITS - 2 bottoms and recycle		0	0	98,000	1			
BY-106	1971	2	REC	17	706	706	N/A	N/A	-32	ITS		BY-112				0	0	98,000	1			
BY-106	1971	2	REC	0	706	706	N/A	N/A	-32	ITS		BY-109				0	0	98,000	1			
BY-106	1971	2	STAT	706	706	706	288	N/A	-32	EB				ITS - 2 bottoms and recycle.		0	0	98,000	1			
BY-106	1971	3	SEND	-36	670	670	N/A	N/A	-32			BY-112				0	0	98,000	1			
BY-106	1971	3	STAT	670	670	670	288	N/A	-32	EB				ITS - 2 bottoms and recycle.		0	0	98,000	1			
BY-106	1971	4	REC	36	706	706	N/A	N/A	-32	ITS		BY-112				0	0	98,000	1			
BY-106	1971	4	REC	0	706	706	N/A	N/A	-32	ITS		BY-112				0	0	98,000	1			
BY-106	1971	4	STAT	706	706	706	288	N/A	-32	EB				ITS - 2 mini-cooler and recycle.		0	0	98,000	1			
BY-106	1972	1	SEND	-175	531	531	N/A	N/A	-32			BY-112				0	0	98,000	1			
BY-106	1972	1	REC	49	580	580	N/A	N/A	-32	SU		BY-109				0	0	98,000	1			
BY-106	1972	1	REC	0	580	580	N/A	N/A	-32	ITS		BY-112				0	0	98,000	1			
BY-106	1972	1	STAT	580	580	580	296	N/A	-32	EB				ITS - bottoms and recycle.		0	0	98,000	1			
BY-106	1972	2	REC	75	655	655	N/A	N/A	-32	ITS		BY-112				0	0	98,000	1			
BY-106	1972	2	REC	0	655	655	N/A	N/A	-32	ITS		BY-112				0	0	98,000	1			
BY-106	1972	2	STAT	655	655	655	296	N/A	-32	EB				ITS - bottoms and recycle.		0	0	98,000	1			
BY-106	1972	3	REC	42	697	697	N/A	N/A	-32	ITS		BY-112				0	0	98,000	1			
BY-106	1972	3	REC	0	697	697	N/A	N/A	-32	ITS		BY-112				0	0	98,000	1			
BY-106	1972	3	STAT	697	697	697	296	N/A	-32	EB				ITS - bottoms and recycle.		0	0	98,000	1			
BY-106	1972	4	REC	1139	1836	1836	N/A	N/A	-32	SU		BY-109		Dry well No. 22-06-07		0	0	98,000	1			
BY-106	1972	4	SEND	-1132	704	704	N/A	N/A	-32			BY-112				0	0	98,000	1			

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Document/Pg #
BY-106	1972	4	GREC	0	704	704	583	#NA	-32	ITS	BY-112					0	98,000		1		
BY-106	1972	4	STAT	6	710	710		#NA	-32	EB	BY-112			ITS - bottoms and recycle		0	98,000		1		
BY-106	1973	1	rec	0	710	710		#NA	-32	ITS	BY-112					0	98,000		0		
BY-106	1973	1	STAT	44	710	710	447	#NA	-32	EB	BY-112					0	98,000		0		
BY-106	1973	2	send	11	677	688		#NA	-32	SU	BY-109			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1973	2	REC	0	677	677		#NA	-32	ITS	BY-112					0	98,000		0		
BY-106	1973	2	GREC	0	677	677	494	#NA	-32	EB	BY-112					0	98,000		1		
BY-106	1973	3	rec	27	704	704		#NA	-32	ITS	BY-112			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1973	3	STAT	0	704	704	494	#NA	-32	ITS	BY-112					0	98,000		0		
BY-106	1973	4	send	-12	692	692		#NA	-32	EB	BY-112			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1973	4	GREC	0	692	692		#NA	-32	ITS	BY-112					0	98,000		0		
BY-106	1974	1	STAT	0	692	692	494	#NA	-32	EB	BY-112			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1974	1	GREC	0	692	692		#NA	-32	ITS	BY-112					0	98,000		0		
BY-106	1974	2	rec	9	701	701	494	#NA	-32	EB	BY-112			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1974	2	REC	0	701	701		#NA	-32	ITS	BY-112					0	98,000		0		
BY-106	1974	2	STAT	0	701	701		#NA	-32	EB	BY-112			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1974	3	XIN	2	703	703		#NA	-32	WTR	WTR					0	98,000		1		
BY-106	1974	3	rec	29	704	704		#NA	-32	ITS	BY-112			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1974	3	REC	0	733	733		#NA	-32	SU	BY-105					0	98,000		2		
BY-106	1974	3	SEND	-36	697	697		#NA	-32	SU	BY-109					0	98,000		0		
BY-106	1974	3	GREC	0	697	697		#NA	-32	ITS	BY-112			ITS - bottoms and recycle.		0	98,000		2		
BY-106	1975	3	STAT	0	697	697		#NA	-32	EB	BY-112					0	98,000		1		
BY-106	1975	4	GREC	0	697	697	494	#NA	-32	EB	BY-112			ITS - bottoms and recycle 29 from 105-BY, 2 water, 36 to 109-BY - Dry Well No. 22-06-11 was drilled.		0	98,000		1		
BY-106	1975	4	STAT	0	697	697		#NA	-32	ITS	BY-112			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1975	1	STAT	0	697	697		#NA	-32	ITS	BY-112					0	98,000		1		
BY-106	1975	1	GREC	0	697	697		#NA	-32	EB	BY-112			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1975	2	STAT	0	697	697		#NA	-32	ITS	BY-112					0	98,000		1		
BY-106	1975	2	GREC	0	697	697		#NA	-32	EB	BY-112			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1975	3	STAT	-16	681	681		#NA	-32	SU	BY-109					0	98,000		1		
BY-106	1975	4	GREC	0	681	681		#NA	-32	ITS	BY-112			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1975	4	STAT	0	681	681		#NA	-32	ITS	BY-112					0	98,000		4	ARH-CD-336D-5	
BY-106	1975	4	STAT	0	681	681	351	#NA	-32	EB	BY-112			ITS - bottoms and recycle, 16 to 109-BY.		0	98,000		1		
BY-106	1976	1	outx	-583	98	98		#NA	-32	EB	BYEVAP					0	98,000		1		
BY-106	1976	1	XIN	583	681	681		#NA	-32	ITS	BYEVAP					0	98,000		1		
BY-106	1976	1	GREC	0	681	681		#NA	-32	ITS	BYEVAP					0	98,000		0		
BY-106	1976	1	STAT	0	681	681		#NA	-32	ITS	BYEVAP					0	98,000		0		
BY-106	1976	1	GREC	0	681	681		#NA	-32	ITS	BYEVAP					0	98,000		0		
BY-106	1976	2	STAT	0	681	681	351	#NA	-32	ITS	BY-112			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1976	2	GREC	0	681	681		#NA	-32	ITS	BY-112					0	98,000		1		
BY-106	1976	2	STAT	0	681	681		#NA	-32	ITS	BY-112					0	98,000		1		
BY-106	1976	3	STAT	0	681	681	351	#NA	-32	EB	BY-109			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1976	3	STAT	0	681	681		#NA	-32	ITS	BY-109					0	98,000		1		
BY-106	1976	4	STAT	0	681	681	351	#NA	-32	EB	BY-109			ITS - bottoms and recycle.		0	98,000		1		
BY-106	1976	4	STAT	0	681	681		#NA	-32	ITS	BY-109					0	98,000		1		
BY-106	1977	1	send	-91	593	593		#NA	-29	EVAP	A-102			Active restricted.		0	642,000		1		
BY-106	1977	1	STAT	0	593	593	593	#NA	-29	EVAP	A-102			Salt Well Pumping		0	642,000		1		
BY-106	1977	2	STAT	0	593	593	593	#NA	-29	EVAP	A-102			Salt Well Pumping		0	642,000		1		
BY-106	1977	3	rec	33	626	626		#NA	-29	EVAP	A-102			Salt Well Pumping		0	642,000		1		
BY-106	1977	3	STAT	0	626	626	626	#NA	-29	EVAP	A-102			Inactive Current-Salt Well Installed		0	642,000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soil vol	Unit tfr	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Orphan comment	ed vol%	T.M soiles	Cum soiles	sol type	Cl	O/A	Document/Eg #
BY-106	1977	4	STAT		626	626	626	#N/A	-29					Inactive Current-Salt Well installed			0	0	642.000	1		
BY-106	1978	1	STAT		626	626	626	#N/A	-29								0	0	642.000	1		
BY-106	1978	2	STAT		626	626	626	#N/A	-29								0	0	642.000	1		
BY-106	1978	3	STAT		626	626	626	#N/A	-29								0	0	642.000	1		
BY-106	1978	4	STAT		626	626	626	#N/A	-29								0	0	642.000	1		
BY-106	1979	1	STAT		626	626	626	#N/A	-29								0	0	642.000	1		
BY-106	1979	2	STAT		626	626	626	#N/A	-29								0	0	642.000	1		
BY-106	1979	3	STAT		626	626	626	#N/A	-29								0	0	642.000	1		
BY-106	1979	4	STAT		626	626	626	#N/A	-29					New Photo 8/22/79			0	0	642.000	1		
BY-106	1980	1	STAT		626	626	626	#N/A	-29					Liquid Pools			0	0	642.000	1		
BY-106	1980	2	STAT		626	626	626	#N/A	-29								0	0	642.000	1		
BY-106	1980	3	STAT		626	626	626	#N/A	-29								0	0	642.000	1		
BY-106	1980	4	STAT		626	626	626	#N/A	-29								0	0	642.000	1		
BY-106	1993	2	STAT		642	642	642	16	-13	NCPLX							0	0	642.000	1		
BY-106	1994	4	STAT		642	642	642	#N/A	-13								0	0	642.000	1		
BY-106	1994	1	STAT		642	642	642	#N/A	-13								0	0	642.000	1		
BY-106	2000				642	642	642	#N/A	-13								0	0	642.000	1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	GI	Q/A	Document/Pg #
BY-107	1950																					
BY-107	1950	3	CSEND	0		0		#N/A	0	SET	BY-108											
BY-107	1950	3	XIN	11		11		#N/A	0	1C		1C1					0	0.000		1C1	1	
BY-107	1950	3	STAT		11	11		0	#N/A	0	1C					0.009927	0.1092	0.109			1	
BY-107	1950	4	XIN	95		106		#N/A	0	1C		1C1		September		0	0	0.109			1	
BY-107	1950	4	STAT		106	106		0	#N/A	0	1C			Began filling in December.		0.009927	0.9431	1.052	1C1		1	
BY-107	1951	1	XIN	248		354		#N/A	0	1C		1C1				0	0	1.052			1	
BY-107	1951	1	XIN	198		552		#N/A	0	1C		1C1				0.009927	2.4619	3.514	1C1		1	
BY-107	1951	1	XIN	213		765		#N/A	0	1C		1C1				0.009927	1.9656	5.480	1C1		1	
BY-107	1951	1	send	-7		758		#N/A	0	cas		BY-108				0.009927	2.1145	7.594	1C1		1	
BY-107	1951	1	STAT		758	758		0	#N/A	0			and stats at 744	Cascade filled in March.		0	0	7.594			0	
BY-107	1951	2	XIN	190		948		#N/A	0	1C		1C1				0	0	7.594			1	
BY-107	1951	2	XIN	228		1176		#N/A	0	1C		1C1				0.009927	1.8862	9.480	1C1		1	
BY-107	1951	2	XIN	99		1275		#N/A	0	1C		1C1				0.009927	2.2634	11.744	1C1		1	
BY-107	1951	2	send	-228		1047		#N/A	0	cas		BY-108				0.009927	0.9828	12.727	1C1		1	
BY-107	1951	2	send	-190		857		#N/A	0	cas		BY-108				0	0	12.727			0	
BY-107	1951	2	send	-99		758		#N/A	0	cas		BY-108				0	0	12.727			0	
BY-107	1951	2	STAT		758	758		0	#N/A	0	1C		and stats at 744	Cascade.		0	0	12.727			0	
BY-107	1951	3	XIN	90		848		#N/A	0	1C		1C1				0.009927	0.8934	13.620	1C1		1	
BY-107	1951	3	XIN	139		987		#N/A	0	1C		1C1				0.009927	1.3799	15.000	1C1		1	
BY-107	1951	3	send	-139		848		#N/A	0	cas		BY-108				0	0	15.000			0	
BY-107	1951	3	send	-90		758		#N/A	0	cas		BY-108				0	0	15.000			0	
BY-107	1951	3	STAT		N/A	758		#N/A	0							0	0	15.000			0	
BY-107	1951	4	STAT		N/A	758		#N/A	0							0	0	15.000			1	
BY-107	1952	1	STAT			758		0	#N/A	0						0	0	15.000			1	
BY-107	1952	2	STAT			758		0	#N/A	0	1C					0	0	15.000			1	
BY-107	1952	3	SEND	-424		334		#N/A	0	SU		B-106	LC 414 TO 424			0	0	15.000			1	
BY-107	1952	3	STAT		334	334		0	#N/A	0	1C			Partially pumped 9/25 to 9/29		0	0	15.000			1	
BY-107	1952	4	SEND	-333		1		#N/A	0	SU		B-106	LC 343 TO 333			0	0	15.000			1	
BY-107	1952	4	STAT		1	1		0	#N/A	0	1C,TBP			Pumped to 106-B--not complete;; pumped to liquid heel 12/6/52; no supernate pumped to 106-B in November.		0	0	15.000			1	
BY-107	1953	1	CREC	0		1		#N/A	0	SET		BX-109				0	0	15.000			1	
BY-107	1953	1	rec	658		659		#N/A	0	cas		BX-109	BX-109			0	0	15.000			0	
BY-107	1953	1	rec	84		743		#N/A	0	cas		BX-109	BX-109			0	0	15.000			0	
BY-107	1953	1	CREC	0		743		#N/A	0	END		BX-109				0	0	15.000			1	
BY-107	1953	1	STAT		743	743		1	#N/A	0	1C,TBP			Cascade 109-BX - 107-BY. Abandoned 3/25/53.		0	0	15.000			1	
BY-107	1953	2	XIN	248		991		#N/A	0	UR		UR				0.0281294	6.9761	21.976	UR		1	
BY-107	1953	2	XIN	448		1439		#N/A	0	UR		UR				0.0281294	12.602	34.578	UR		1	
BY-107	1953	2	send	-448		991		#N/A	0	cas		BY-108				0	0	34.578			0	
BY-107	1953	2	send	-233		758		#N/A	0	cas		BY-108				0	0	34.578			0	
BY-107	1953	2	STAT		758	758		1	#N/A	0	TBP					0	0	34.578			1	
BY-107	1953	3	STAT		758	758		1	#N/A	0	TBP					0	0	34.578			1	
BY-107	1953	4	STAT		758	758		1	#N/A	0	1C,TBP					0	0	34.578			1	
BY-107	1954	1	XIN	15		773		#N/A	0	UR		UR				0.0281294	0.4219	35.000	UR		1	
BY-107	1954	1	send	-15		758		#N/A	0	cas		BY-108				0	0	35.000			0	
BY-107	1954	1	STAT		758	758		1	#N/A	0	TBP					0	0	35.000			1	
BY-107	1954	2	STAT		758	758		1	#N/A	0	1C,TBP					0	0	35.000			1	
BY-107	1954	3	SEND	-578		180		#N/A	0	SU		B-106				0	0	35.000			1	
BY-107	1954	3	SEND	-79		101		#N/A	0	SU		B-106				0	0	35.000			1	
BY-107	1954	3	STAT		N/A	101		44	#N/A	0	1C,TBP		Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev.0.	Pumping to 106-B to be used for TBP scvg. waste.		0	0	35.000			1	
BY-107	1954	4	XIN	653		754		#N/A	0	P02	UR	PFcN1				0.013279	8.6711	43.671	PFcN1	3	O	N-54-2

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste tank	Trans tank	DWXT	LAM comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
BY-107	1954	4	SEND	-318		436		#NA	0	SU	B-044	CRIB			BY-2 Cavern	0	43.671			3	0	N-54-2
BY-107	1954	4	OUTX	-399		37		#NA	0	SU	B-044	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	43.671			3	0	N-54-2
BY-107	1954	4	STAT		N/A	37		#NA	0	1C,TBP	UR	PFeCN1	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	TBP scvg. waste receiver.		0	43.671			1		N-54-5
BY-107	1955	1	XIN	704		741		#NA	0	POS	UR	PFeCN1				0	53.019			3	0	N-54-5
BY-107	1955	1	OUTX	-671		70		#NA	0	SU	B-044	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.		BY-2 CRIB	0	53.019			3	0	N-54-5
BY-107	1955	1	STAT		N/A	70	72	#NA	0	1C,TBP	UR	PFeCN1	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scvg. waste receiver.		0	53.019			1		N-54-9
BY-107	1955	2	XIN	668		738		#NA	0	P09	UR	PFeCN1				0.013279	8.8703	61.890	PFeCN1	3	0	N-54-9
BY-107	1955	2	SEND	-561		177		#NA	0	SU	B-044	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	61.890			3	0	N-54-9
BY-107	1955	2	SEND	-113		64		#NA	0	SU	B-044	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	61.890			3	0	N-54-9
BY-107	1955	2	STAT		N/A	64	45	#NA	0	1C,TBP	UR	PFeCN1	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scvg. waste receiver.		0	61.890			1		N-54-13
BY-107	1955	3	XIN	680		744		#NA	0	P13	UR	PFeCN1				0.013279	9.0296	70.919	PFeCN1	3	0	N-54-13
BY-107	1955	3	XIN	625		1369		#NA	0	P16	UR	PFeCN1				0.013279	8.2993	79.219	PFeCN1	3	0	N-54-18
BY-107	1955	3	OUTX	-617		752		#NA	0	SU	B-046	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.		BY-4 Crib	0	79.219			3	0	N-54-13
BY-107	1955	3	STAT		N/A	752	142	#NA	0	1C,TBP	UR	PFeCN1	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Going to BY No. 4 cavern at scvg. waste receiver.		0	79.219			1		N-54-19
BY-107	1955	4	XIN	586		1338		#NA	0	P19	UR	PFeCN1				0.013279	7.7814	87.000	PFeCN1	3	0	N-54-19
BY-107	1955	4	SEND	-80		1258		#NA	0	SU	B-046	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	87.000			3	0	N-54-19
BY-107	1955	4	OUTX	-591		667		#NA	0	SU	B-046	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.		BY-4 Crib	0	87.000			3	0	N-54-16
BY-107	1955	4	OUTX	-553		114		#NA	0	SU	B-049	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.		BY-7 Crib	0	87.000			3	0	N-54-19
BY-107	1955	4	STAT		N/A	114	147	#NA	0	1C,TBP	UR	PFeCN2	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Caverned during month.		0	87.000			1		N-54-23
BY-107	1956	1	XIN	602		716		#NA	0	P23	UR	PFeCN2				0.005757	3.4657	90.468	PFeCN1	3	0	N-54-23
BY-107	1956	1	XIN	575		1291		#NA	0	P27	UR	PFeCN2				0.005757	3.3103	93.776	PFeCN1	3	0	N-54-27
BY-107	1956	1	SEND	-18		1273		#NA	0	SL	B-014	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	93.776			3	0	N-54-23
BY-107	1956	1	OUTX	-591		682		#NA	0	SU	B-018	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.		BC-1 Crib	0	93.776			3	0	N-54-27
BY-107	1956	1	OUTX	-557		125		#NA	0	SU	B-018	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.		BC-5 Crib	0	93.776			3	0	N-54-27
BY-107	1956	1	STAT		N/A	125	160	#NA	0	1C,TBP	UR	PFeCN2	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scvg. waste receiver.		0	93.776			1		N-54-31
BY-107	1956	2	XIN	575		700		#NA	0	P31	UR	PFeCN2				0.005757	3.3103	97.086	PFeCN1	3	0	N-54-31
BY-107	1956	2	XIN	561		1261		#NA	0	P35	UR	PFeCN2				0.005757	3.2297	100.316	PFeCN1	3	0	N-54-35
BY-107	1956	2	SEND	-30		1231		#NA	0	SL	B-010	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	100.316			3	0	N-54-35
BY-107	1956	2	SEND	-88		1143		#NA	0	SU	B-010	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	100.316			3	0	N-54-34
BY-107	1956	2	SEND	-539		604		#NA	0	SU	B-011	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	100.316			3	0	N-54-31
BY-107	1956	2	SEND	-451		153		#NA	0	SU	B-012	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	100.316			3	0	N-54-35
BY-107	1956	2	OUTX	-25		128		#NA	0	SU	B-015	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.		BC-2 Crib	0	100.316			3	0	N-54-31
BY-107	1956	2	STAT		N/A	128	168	#NA	0	1C,TBP	UR	PFeCN2	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Will be pumped to 111-BY pumped to 109 and 112-BY.		0	100.316			1		N-54-39
BY-107	1956	3	XIN	564		692		#NA	0	P39	UR	PFeCN2				0.005757	3.247	103.563	PFeCN1	3	0	N-54-39
BY-107	1956	3	XIN	558		1250		#NA	0	P43	UR	PFeCN2				0.005757	3.2124	106.776	PFeCN1	3	0	N-54-43
BY-107	1956	3	SEND	-420		830		#NA	0	SU	B-102	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.		Shows 402 not 420	0	106.776			2	0	N-54-39
BY-107	1956	3	SEND	-107		723		#NA	0	SL	B-104	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	106.776			3	0	N-54-43
BY-107	1956	3	SEND	-36		687		#NA	0	SL	B-104	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	106.776			3	0	N-54-39
BY-107	1956	3	SEND	-126		561		#NA	0	SU	B-112	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	106.776			3	0	N-54-39
BY-107	1956	3	OUTX	-517		44		#NA	0	SU	B-021	CRIB	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.		BC-8 Ditch	0	106.776			3	0	N-54-43
BY-107	1956	3	STAT		N/A	44	87	#NA	0	1C,TBP	UR	PFeCN2	Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Transferring to 102-BY; 522m to No. 8 BC ditch.		0	106.776			1		N-54-47
BY-107	1956	4	XIN	627		671		#NA	0	P47	UR	PFeCN2			Shows 627 not 632	0.005757	3.6097	110.385	PFeCN1	3	0	N-54-47

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oxidan comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BY-107	1956	4	XIN	593		1264		#N/A	0	PS1	UR	PFeCN2	AND reports 301 from 221-U, remainder from 241-WR			0.005757	3,4139	0	PFeCl	3	O	N-54-51
BY-107	1956	4	OUTX	-598		676		#N/A	0	SU	B-024	CRIB	S.S. 627m received; S.S. 301 m from 221-U; S.S. received from 241-WR and ditch 568m.	BC-11 Trench		0	113,799	0		4	O	N-54-47
BY-107	1956	4	STAT		N/A	676	150	#N/A	0	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	BC-14 Trench		0	113,799	0		1	O	N-54-51
BY-107	1957	1	OUTX	-551		125		#N/A	0	SU	B-027	CRIB	AND reports 561			0	113,799	0		4	O	N-54-51
BY-107	1957	1	STAT		N/A	125	150	#N/A	0	TBP			Estimated reading; S.S. received 330m gallons; 561m sent to No. 14 BC ditch.			0	113,799	0		1	O	N-54-56
BY-107	1957	2	XIN	556		681		#N/A	0	PS6	UR	PFeCN2	EST READING TO N/A AND reports 528 qt. 1 & 2			0.005757	3,2009	117,000	PFeCl	3	O	N-54-56
BY-107	1957	2	STAT		N/A	681	150	#N/A	0	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	117,000	0		1	O	N-54-56
BY-107	1957	3	OUTX	-198		483		#N/A	0	SU	B-031	CRIB	LC added as per AND comment	BC-18 Trench		0	117,000	0		4	O	N-54-56
BY-107	1957	3	OUTX	-38		445		#N/A	0	SU	BC-19	CRIB				0	117,000	0		0		
BY-107	1957	3	STAT		N/A	445	178	#N/A	0	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	117,000	0		1	O	HW-54067-5
BY-107	1957	4	SEND	-311		134		#N/A	0	SU		BY-102				0	117,000	0		4	O	HW-54067-5
BY-107	1957	4	STAT		N/A	445	172	#N/A	38	TBP			Latest electrode reading 311m to 102-BY			0	117,000	0		1	O	
BY-107	1958	1	STAT		172	172	172	#N/A	38	TBP						0	117,000	0		1	O	
BY-107	1958	2	STAT		172	172	172	#N/A	38	TBP						0	117,000	0		1	O	
BY-107	1958	3	STAT		172	172	172	#N/A	38	TBP						0	117,000	0		1	O	
BY-107	1958	4	XIN	11		183		#N/A	38	FLSH		WTR				0	117,000	0		4	O	HW-58201-5
BY-107	1958	4	REC	363		546		#N/A	38	SU	C-105	C-105				0	117,000	0		4	O	HW-58201-5
BY-107	1958	4	STAT		574	574	150	#N/A	28	TBP	CW		363m from 105-C - 11m flush. Latest electrode reading.			0	117,000	0		1	O	
BY-107	1959	1	REC	170		744		#N/A	66	SU	C-105	C-105				0	117,000	0		4	O	HW-59204-4
BY-107	1959	1	STAT		744	744	150	#N/A	66	TBP	CW		Rec'd 170 M from 105-C			0	117,000	0		1	O	
BY-107	1959	2	STAT		771	771	150	#N/A	27	CW						0	117,000	0		1	O	
BY-107	1959	3	STAT		771	771	150	#N/A	93	CW						0	117,000	0		1	O	
BY-107	1959	4	STAT		771	771	150	#N/A	93	CW						0	117,000	0		1	O	
BY-107	1960	1	STAT		771	771	150	#N/A	93	CW						0	117,000	0		1	O	
BY-107	1960	2	STAT		771	771	150	#N/A	93	CW						0	117,000	0		1	O	
BY-107	1960	3	STAT		771	771	150	#N/A	93	CW						0	117,000	0		1	O	
BY-107	1960	4	STAT		771	771	150	#N/A	93	TBP	CW					0	117,000	0		1	O	
BY-107	1961	1	STAT		N/A	771	150	#N/A	93	TBP	CW					0	117,000	0		1	O	
BY-107	1961	2	STAT		733	733	150	#N/A	38	TBP	CW					0	117,000	0		1	O	
BY-107	1961	3	STAT		N/A	733		#N/A	55				6 months report			0	117,000	0		1	O	
BY-107	1961	4	STAT		736	736	150	#N/A	3	TBP	CW		Latest electrode reading 6 months report			0	117,000	0		1	O	
BY-107	1962	1	STAT		N/A	736		#N/A	58	TBP	CW					0	117,000	0		1	O	
BY-107	1962	2	STAT		736	736	150	#N/A	58	TBP	CW					0	117,000	0		1	O	
BY-107	1962	3	STAT		N/A	736		#N/A	58				6 months report			0	117,000	0		1	O	
BY-107	1962	4	STAT		736	736	150	#N/A	58	TBP	CW					0	117,000	0		1	O	
BY-107	1963	1	STAT		N/A	736		#N/A	58	TBP	CW					0	117,000	0		1	O	
BY-107	1963	2	STAT		736	736	178	#N/A	58	CW						0	117,000	0		1	O	
BY-107	1963	3	STAT		N/A	736		#N/A	58				6 months report			0	117,000	0		1	O	
BY-107	1963	4	STAT		728	728	178	#N/A	50	CW			New electrode installed 6 months report			0	117,000	0		1	O	
BY-107	1964	1	STAT		N/A	728		#N/A	50							0	117,000	0		1	O	
BY-107	1964	2	STAT		730	730	178	#N/A	2	CW			6 months report			0	117,000	0		1	O	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tir	Cum Unit	Waste Type	Trans Unit	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #
BY-107	1964	3	STAT		N/A	730	730	#N/A	52								0	117,000				
BY-107	1964	4	STAT		730	730	178	#N/A	52	CW				6 months report			0	117,000				
BY-107	1965	1	STAT		N/A	730	730	#N/A	52								0	117,000				
BY-107	1965	2	STAT		730	730	150	#N/A	52	CW							0	117,000				
BY-107	1965	3	STAT		730	730	130	#N/A	52	CW							0	117,000				
BY-107	1965	4	STAT		730	730	150	#N/A	52	CW							0	117,000				
BY-107	1966	1	STAT		730	730	150	#N/A	52	CW							0	117,000				
BY-107	1966	2	STAT		730	730	150	#N/A	52	TBP-CW							0	117,000				
BY-107	1966	3	STAT		733	733	150	3	55	CW							0	117,000				
BY-107	1966	4	STAT		733	733	150	#N/A	55	CW							0	117,000				
BY-107	1967	1	STAT		733	733	150	#N/A	55	CW							0	117,000				
BY-107	1967	2	STAT		733	733	150	#N/A	55	CW							0	117,000				
BY-107	1967	3	STAT		733	733	150	#N/A	55	CW							0	117,000				
BY-107	1967	4	STAT		733	733	150	#N/A	55	CW							0	117,000				
BY-107	1968	1	STAT		733	733	150	#N/A	55	CW							0	117,000				
BY-107	1968	2	STAT		733	733	150	#N/A	55	CW							0	117,000				
BY-107	1968	3	STAT		733	733	150	#N/A	55	TBP-CW							0	117,000				
BY-107	1968	4	STAT		730	730	150	3	52	TBP-CW							0	117,000				
BY-107	1969	1	STAT		729	729	150	1	51	TBP-CW							0	117,000				
BY-107	1969	2	STAT		728	728	150	1	50	TBP-CW							0	117,000				
BY-107	1969	3	STAT		726	726	150	2	48	TBP-CW							0	117,000				
BY-107	1969	4	send	-77		649		#N/A	48			BY-112					0	117,000				ARH-1200D-6
BY-107	1969	4	REC	0		649		#N/A	48	ITS			ITS - 2 bottoms and recycle		No indication of REC	0	117,000				ARH-1200D-6	
BY-107	1969	4	STAT		649	649	150	#N/A	48	EB						0	117,000				ARH-1666A-6	
BY-107	1970	1	rec	2		651		#N/A	48	ITS						0	117,000				ARH-1666A-6	
BY-107	1970	1	REC	0		651		#N/A	48	ITS						0	117,000				ARH-1666A-6	
BY-107	1970	1	STAT		651	651	58	#N/A	48	EB						0	117,000					
BY-107	1970	2	rec	27		678		#N/A	48	ITS		BY-112				0	117,000					
BY-107	1970	2	REC	0		678		#N/A	48	ITS						0	117,000				ARH-1666B-6	
BY-107	1970	2	STAT		678	678	61	#N/A	48	EB						0	117,000				ARH-1666B-6	
BY-107	1970	3	send	-40		635		#N/A	48			BY-112				0	117,000					
BY-107	1970	3	REC	0		638		#N/A	48	ITS						0	117,000					
BY-107	1970	3	STAT		638	638	43	#N/A	48	EB						0	117,000					
BY-107	1970	4	send	-182		456		#N/A	48	SU		BY-112				0	117,000					
BY-107	1970	4	REC	200		656		#N/A	48	SU		BY-109				0	117,000					
BY-107	1970	4	REC	0		656		#N/A	48	EB						0	117,000					
BY-107	1970	4	STAT		656	656	106	#N/A	48	EB						0	117,000					
BY-107	1971	1	REC	-59		597		#N/A	48			BY-112				0	117,000					
BY-107	1971	1	REC	27		624		#N/A	48	ITS						0	117,000					
BY-107	1971	1	REC	0		624		#N/A	48	EB						0	117,000					
BY-107	1971	1	STAT		624	624	117	#N/A	48	ITS						0	117,000					
BY-107	1971	2	rec	50		674		#N/A	48	ITS						0	117,000					
BY-107	1971	2	REC	0		674		#N/A	48	ITS						0	117,000					
BY-107	1971	2	STAT		674	674	117	#N/A	48	EB						0	117,000					
BY-107	1971	3	send	-69		605		#N/A	48	EB						0	117,000					
BY-107	1971	3	REC	0		605		#N/A	48	ITS						0	117,000					
BY-107	1971	3	STAT		605	605	117	#N/A	48	ITS						0	117,000					
BY-107	1971	4	rec	59		664		#N/A	48	ITS						0	117,000					
BY-107	1971	4	REC	0		664		#N/A	48	ITS						0	117,000					
BY-107	1971	4	STAT		664	664	117	#N/A	48	ITS						0	117,000					
BY-107	1971	1	rec	25		689		#N/A	48	EB						0	117,000					
BY-107	1972	1	REC	0		689		#N/A	48	ITS						0	117,000					
BY-107	1972	1	STAT		689	689	117	#N/A	48	ITS						0	117,000					
BY-107	1972	2	send	-55		634		#N/A	48	EB						0	117,000					
BY-107	1972	2	REC	0		634		#N/A	48	ITS						0	117,000					



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum Unk	Waste typ	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solts	Cum solts	sol type	Ol	O/A	Document/Pg #
BY-107	1972	2	STAT		634	634		117	#NA	48 EB	BY-112			ITS - bottoms and recycle.		0	0	117,000		1		
BY-107	1972	3	rec	14	648	648			#NA	48 ITS	BY-112					0	0	117,000		0		
BY-107	1972	3	GREC	0	648	648			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1972	3	STAT		648	648	117		#NA	48 EB				ITS - bottoms and recycle.		0	0	117,000		1		
BY-107	1972	4	send	-2	646	646			#NA	48						0	0	117,000		0		
BY-107	1972	4	GREC	0	646	646			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1972	4	STAT		646	646	117		#NA	48 EB						0	0	117,000		1		
BY-107	1973	1	send	-445	201	201			#NA	48						0	0	117,000		0		
BY-107	1973	1	REC	449	649	649			#NA	48 SU	BY-109					0	0	117,000		1		
BY-107	1973	1	GREC	0	649	649			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1973	1	STAT		649	649		175	#NA	48 EB						0	0	117,000		1		
BY-107	1973	2	send	-14	635	635			#NA	48						0	0	117,000		0		
BY-107	1973	2	GREC	0	635	635			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1973	2	STAT		635	635	175		#NA	48 EB						0	0	117,000		1		
BY-107	1973	3	send	-2	633	633			#NA	48						0	0	117,000		1		
BY-107	1973	3	GREC	0	633	633			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1973	3	STAT		633	633	175		#NA	48 EB						0	0	117,000		1		
BY-107	1973	4	rec	26	659	659			#NA	48						0	0	117,000		1		
BY-107	1973	4	GREC	0	659	659			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1973	4	STAT		659	659	175		#NA	48 EB						0	0	117,000		1		
BY-107	1974	1	send	-5	653	653			#NA	48						0	0	117,000		1		
BY-107	1974	1	GREC	0	653	653			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1974	1	STAT		653	653	175		#NA	48 EB						0	0	117,000		1		
BY-107	1974	2	SEND	-39	614	614			#NA	48 SU	B-106					0	0	117,000		4		ARH-CD-133B-4
BY-107	1974	2	rec	4	618	618			#NA	48 ITS	BY-112					0	0	117,000		4		ARH-CD-133B-4
BY-107	1974	2	SEND	-103	515	515			#NA	48 SU	B-109					0	0	117,000		4		ARH-CD-133B-4
BY-107	1974	2	SEND	-23	492	492			#NA	48 SU	B-112					0	0	117,000		4		ARH-CD-133B-4
BY-107	1974	2	GREC	0	492	492			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1974	2	STAT		492	492	444		#NA	48						0	0	117,000		4		ARH-CD-133B-4
BY-107	1974	3	GREC	0	492	492			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1974	3	STAT		492	492	444		#NA	48 EB						0	0	117,000		1		
BY-107	1974	4	send	-1	491	491			#NA	48						0	0	117,000		0		
BY-107	1974	4	GREC	0	491	491			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1974	4	STAT		491	491	183		#NA	48 EB						0	0	117,000		1		
BY-107	1975	1	SEND	-25	466	466			#NA	48 SU	BX-106					0	0	117,000		4		ARH-CD-336A-5
BY-107	1975	1	SEND	-99	367	367			#NA	48 SU	BY-110					0	0	117,000		4		ARH-CD-336A-5
BY-107	1975	1	GREC	0	367	367			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1975	1	STAT		367	367			#NA	48						0	0	117,000		1		
BY-107	1975	2	GREC	0	367	367			#NA	48 ITS	BY-112					0	0	117,000		1		
BY-107	1975	2	SEND	0	367	367			#NA	48 SU	BY-110					0	0	117,000		4		ARH-CD-336B-5
BY-107	1975	2	STAT		367	367			#NA	48						0	0	117,000		1		
BY-107	1975	3	SEND	0	367	367			#NA	48 SU	BY-110					0	0	117,000		4		ARH-CD-336C-5
BY-107	1975	3	STAT		367	367			#NA	48						0	0	117,000		1		
BY-107	1975	4	SEND	0	367	367			#NA	48 SU	BY-110					0	0	117,000		4		ARH-CD-336D-5
BY-107	1975	4	STAT		367	367			#NA	48						0	0	117,000		1		
BY-107	1976	1	mix	250	117	367			#NA	48						0	0	117,000		1		
BY-107	1976	1	Min	250	367	367			#NA	48	BYEVAP					0	0	117,000		0		
BY-107	1976	1	SEND	0	367	367			#NA	48 SU	BY-SICK					0	0	117,000		0		
BY-107	1976	1	SEND	0	367	367			#NA	48 SU	BY-110					0	0	117,000		4		ARH-CD-702A-5

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
BY-107	1976	1	STAT		367	367	367	#N/A	48					Removed from service;; 12 to 110-BY.		0	0	266.000		1		
BY-107	1976	2	STAT		367	367	367	#N/A	48					Removed from service.		0	0	266.000		1		
BY-107	1976	3	STAT		367	367	367	#N/A	48					Inactive - Salt well pumped		0	0	266.000		1		
BY-107	1976	4	STAT		367	367	367	#N/A	48							0	0	266.000		1		
BY-107	1977	1	STAT		367	367	367	#N/A	48					Salt Well Pumping - Phase II		0	0	266.000		1		
BY-107	1977	2	STAT		367	367	367	#N/A	48					Salt Well Pumping - Phase II		0	0	266.000		1		
BY-107	1977	3	STAT		367	367	367	#N/A	48					Inactive Current-Phase II pumping		0	0	266.000		1		
BY-107	1977	4	STAT		367	367	367	#N/A	48	EVAP				Inactive Current-Phase II pumping		0	0	266.000		1		
BY-107	1978	1	send	-41		326	326	#N/A	48			A-102				0	0	266.000		0		
BY-107	1978	1	STAT		326	326	326	#N/A	48					Primary Stabilized		0	0	266.000		1		
BY-107	1978	2	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1978	3	STAT		326	326	326	#N/A	48					Proto Jet Pump		0	0	266.000		1		
BY-107	1978	4	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1979	1	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1979	2	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1979	3	STAT		326	326	326	#N/A	48					New Photo 6/21/79		0	0	266.000		1		
BY-107	1979	4	STAT		326	326	326	#N/A	48					Interim Stabilized		0	0	266.000		1		
BY-107	1980	1	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1980	2	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1980	3	STAT		326	326	326	#N/A	48							0	0	266.000		1		
BY-107	1980	4	STAT		326	326	326	#N/A	48	EVAP						0	0	266.000		1		
BY-107	1982	3	send	-60		266	266	#N/A	48							0	0	266.000		1		
BY-107	1993	2	STAT		266	266	266	#N/A	48	NCPLX			AW-102 salt-wellpumped			0	0	266.000		0		
BY-107	1993	4	STAT		266	266	266	#N/A	48							0	0	266.000		1		
BY-107	1994	1	STAT		266	266	266	#N/A	48							0	0	266.000		1		
BY-107	2000															0	0	266.000		1		

Bank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk	Cum Unk	Waste type	Trans bank	DWXT	LANL comment	Anderson comment	Golden comment	sol vol%	TLM Cum solids	sol type	Cl	C/A	Documenting #
BY-108	1900		1 STAT	N/A	0	0	0	0	0							0	0.000				
BY-108	1949		1 STAT	N/A	0	0	0	0	0							0	0.000				
BY-108	1950		3 CRFC	0	0	0	0	0	0							0	0.000				
BY-108	1950		3 STAT	N/A	0	0	0	0	0							0	0.000				
BY-108	1950		4 STAT	0	0	0	0	0	0							0	0.000				
BY-108	1950		4 STAT	0	0	0	0	0	0							0	0.000				
BY-108	1951		1 rec	7	7	7	0	0	0							0	0.000				
BY-108	1951		1 STAT	20	20	20	0	0	0							0	0.000				
BY-108	1951		2 rec	228	190	438	0	0	0							0	0.000				
BY-108	1951		2 rec	99	538	637	0	0	0							0	0.000				
BY-108	1951		2 STAT	99	538	637	0	0	0							0	0.000				
BY-108	1951		3 rec	139	677	816	0	0	0							0	0.000				
BY-108	1951		3 STAT	N/A	767	767	0	0	0							0	0.000				
BY-108	1951		4 STAT	N/A	767	767	0	0	0							0	0.000				
BY-108	1951		1 STAT	14	0	14	0	0	0							0	0.000				
BY-108	1952		1 STAT	14	0	14	0	0	0							0	0.000				
BY-108	1952		2 STAT	753	753	1506	0	0	0							0	0.000				
BY-108	1952		3 STAT	753	753	1506	0	0	0							0	0.000				
BY-108	1952		4 STAT	753	753	1506	0	0	0							0	0.000				
BY-108	1953		1 SEND	-403	350	-53	0	0	0							0	0.000				
BY-108	1953		1 SEND	-79	271	192	0	0	0							0	0.000				
BY-108	1953		1 STAT	N/A	271	271	0	0	0							0	0.000				
BY-108	1953		2 rec	448	719	1167	0	0	0							0	0.000				
BY-108	1953		2 SEND	233	952	1185	0	0	0							0	0.000				
BY-108	1953		2 SEND	-271	681	410	0	0	0							0	0.000				
BY-108	1953		2 STAT	687	687	1374	0	0	0							0	0.000				
BY-108	1953		3 STAT	687	687	1374	0	0	0							0	0.000				
BY-108	1953		4 STAT	687	687	1374	0	0	0							0	0.000				
BY-108	1954		1 rec	15	702	717	0	0	0							0	0.000				
BY-108	1954		1 STAT	702	702	1404	0	0	0							0	0.000				
BY-108	1954		2 STAT	702	702	1404	0	0	0							0	0.000				
BY-108	1954		3 SEND	-436	266	-170	0	0	0							0	0.000				
BY-108	1954		3 STAT	266	266	532	0	0	0							0	0.000				
BY-108	1954		4 XIN	548	814	1362	0	0	0							0	0.000				
BY-108	1954		4 SEND	-259	555	296	0	0	0							0	0.000				
BY-108	1954		4 OUTX	-418	137	-281	0	0	0							0	0.000				
BY-108	1954		4 STAT	N/A	137	137	0	0	0							0	0.000				
BY-108	1954		1 XIN	614	751	1365	0	0	0							0	0.000				
BY-108	1955		1 SEND	-660	91	-569	0	0	0							0	0.000				
BY-108	1955		1 STAT	N/A	91	91	0	0	0							0	0.000				
BY-108	1955		2 XIN	657	748	1405	0	0	0							0	0.000				
BY-108	1955		2 OUTX	-592	156	-436	0	0	0							0	0.000				
BY-108	1955		2 STAT	N/A	156	156	0	0	0							0	0.000				
BY-108	1955		3 XIN	624	790	1414	0	0	0							0	0.000				
BY-108	1955		3 OUTX	-669	211	-458	0	0	0							0	0.000				
BY-108	1955		3 STAT	N/A	211	211	0	0	0							0	0.000				
BY-108	1955		4 XIN	575	786	1361	0	0	0							0	0.000				
BY-108	1955		4 XIN	586	1372	1958	0	0	0							0	0.000				

Task n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #	
BY-108	1955	4	SEND	-91		1281		#N/A	6	SL		BY-105				0	0	133.000		3	O	N-54-20	
BY-108	1955	4	SEND	-19		1262		#N/A	6	SU		BY-105				0	0	133.000		3	O	N-54-17	
BY-108	1955	4	OUTX	-556		706		#N/A	6	SU	B-048	CRIB				0	0	133.000		3	O	N-54-17	
BY-108	1955	4	OUTX	-572		134		#N/A	6	SU	B-046	CRIB				0	0	133.000		3	O	N-54-20	
BY-108	1955	4	STAT		N/A	134	200	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.										
BY-108	1956	1	XIN	646		780		#N/A	6	P24	UR	PFeCN2		Covered during month.		0	0	133.000			1		
BY-108	1956	1	XIN	583		1363		#N/A	6	P28	UR	PFeCN2				0.006224	4.021	137.021	PFeCl	3	O	N-54-24	
BY-108	1956	1	OUTX	-572		791		#N/A	6	SU	B-014	CRIB				0.006224	3.6289	140.650	PFeCl	3	O	N-54-28	
BY-108	1956	1	STAT		N/A	791	205	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.										
BY-108	1956	2	XIN	610		1401		#N/A	6	P32	UR	PFeCN2		Scvg. waste receiver.		0	0	140.650			1		
BY-108	1956	2	XIN	558		1959		#N/A	6	P36	UR	PFeCN2				0.006224	3.7969	144.447	PFeCl	3	O	N-54-32	
BY-108	1956	2	SEND	-520		1439		#N/A	6	SU		BX-106				0.006224	3.4733	147.920	PFeCl	3	O	N-54-36	
BY-108	1956	2	SEND	-33		1406		#N/A	6	SL		BY-105				0	0	147.920			3	O	N-54-36
BY-108	1956	2	SEND	-25		1381		#N/A	6	SL		BY-105				0	0	147.920			3	O	N-54-28
BY-108	1956	2	SEND	-22		1359		#N/A	6	SU		BY-112				0	0	147.920			3	O	N-54-36
BY-108	1956	2	OUTX	-586		773		#N/A	6	SU	B-018	CRIB				0	0	147.920			3	O	N-54-36
BY-108	1956	2	OUTX	-583		190		#N/A	6	SU	B-015	CRIB				0	0	147.920			3	O	N-54-28
BY-108	1956	2	STAT		N/A	190	179	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. active receiver.		0	0	147.920			1		
BY-108	1956	3	XIN	575		765		#N/A	6	P40	UR	PFeCN2	unsure where AND reports 543			0.006224	3.5791	151.499	PFeCl	3	O	N-54-40	
BY-108	1956	3	XIN	558		1323		#N/A	6	P44	UR	PFeCN2	unsure where AND reports 543			0.006224	3.4733	154.972	PFeCl	3	O	N-54-44	
BY-108	1956	3	SEND	-520		803		#N/A	6	SL		BX-103				0	0	154.972			3	O	N-54-40
BY-108	1956	3	SEND	-41		762		#N/A	6	SL		BY-104				0	0	154.972			3	O	N-54-40
BY-108	1956	3	outx	-250		512		#N/A	6	SU	B-022	CRIB	LC added as per AND comment			0	0	154.972			0		
BY-108	1956	3	STAT		N/A	512	194	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S. S. 543,000 gallons received, S.S. 250m to No. 9 BC ditch.		0	0	154.972			1		
BY-108	1956	4	XIN	575		1087		#N/A	6	P48	UR	PFeCN2	AND reports 457			0.006224	3.5791	158.551	PFeCl	3	O	N-54-48	
BY-108	1956	4	SEND	-66		1021		#N/A	6	SL		BY-104				0	0	158.551			3	O	N-54-44
BY-108	1956	4	OUTX	-509		512		#N/A	6	SU	B-022	CRIB	AND reports -258			0	0	158.551			3	O	N-54-44
BY-108	1956	4	OUTX	-539		-27		#N/A	6	SU	B-024	CRIB				0	0	158.551			4	O	N-54-48
BY-108	1956	4	xin	0		-27		#N/A	6				LC added as per AND comment			0	0	158.551			1		
BY-108	1956	4	STAT		N/A	-27	201	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. 258m to BC No. 9 ditch, 539m gallons to No. 11 BC ditch. S.S. 457 received from 221-U.		0	0	158.551			1		
BY-108	1957	1	XIN	525		498		#N/A	6	P52	UR	PFeCN2	unsure where AND reports 280			0.006224	3.2678	161.819	PFeCl	3	O	N-54-52	
BY-108	1957	1	XIN	511		1009		#N/A	6	P55	UR	PFeCN2	unsure where AND reports 280			0.006224	3.1807	165.000	PFeCl	3	O	N-54-55	
BY-108	1957	1	OUTX	-512		497		#N/A	6	SU	B-019	CRIB				0	0	165.000			4	O	N-54-52
BY-108	1957	1	STAT		N/A	497	201	#N/A	6	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading. S.S. 512m to No. 6 crib acting TBP. S.S. received 280m gallons.		0	0	165.000			1		
BY-108	1957	2	SEND	-16		481		#N/A	6	SL		BY-104				0	0	165.000			4	O	N-54-55
BY-108	1957	2	REC	496		977		#N/A	6	SU	C-112	C-112	OC 440 to 496, AND reports 279			0	0	165.000			2	V	N-54-283
BY-108	1957	2	OUTX	-486		491		#N/A	6	SU	B-028	CRIB	AND reports -470		Shows 496 not 440	0	0	165.000			4	O	N-54-55

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trf	Cum unk	Waste type	Trans tank	DWXT	LAbt. comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol typ	Cl	O/A	Document/Pg #
BY-108	1957	2	STAT		N/A	491	249	#N/A	6	TBP			Stat to N/A, phasing probes in BC ditch. 279 received from FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	S.S. 470m gallons to No. 15 BC ditch. 279 received from 112-C. Latest electrode reading.		0	0	165,000				
BY-108	1957	3	SEND	-48		443		#N/A	6	SL	BY-104		AND reports 27			0	0	165,000		3	O	N-54-106
BY-108	1957	3	OUTX	-232		211		#N/A	6	SU	B-031		LC TO 232, OC 220 to 458, AND reports 482	Shows 458 BC-1B Ditch		0	0	165,000		2	V	N-54-248
BY-108	1957	3	STAT		N/A	211	213	#N/A	6	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	27m to 104 BY.; 482m to 5C.; Latest electrode reading.		0	0	165,000		1		
BY-108	1957	4	STAT		211	211	210	#N/A	6							0	0	165,000		1		
BY-108	1958	1	STAT		211	211	210	#N/A	6							0	0	165,000		1		
BY-108	1958	2	STAT		211	211	210	#N/A	6							0	0	165,000		1		
BY-108	1958	3	STAT		211	211	210	#N/A	6	TBP				Latest electrode reading.		0	0	165,000		1		
BY-108	1958	4	STAT		244	244	210	33	39	TBP				Latest electrode reading.		0	0	165,000		1		
BY-108	1959	1	REC	305		549		#N/A	39	SU	C-105					0	0	165,000		4	O	HW-59586-4
BY-108	1959	1	STAT		557	557	210	8	47	TBP				S.S. received 305m from 105-C.		0	0	165,000		1		
BY-108	1959	2	REC	187		744		#N/A	47	SU	C-105					0	0	165,000		3	O	HW-61095-5
BY-108	1959	2	STAT		744	744	210	#N/A	47	CW						0	0	165,000		1		
BY-108	1959	3	STAT		744	744	210	#N/A	47	TBP,CW						0	0	165,000		1		
BY-108	1959	4	STAT		744	744	210	#N/A	47	TBP,CW						0	0	165,000		1		
BY-108	1960	1	STAT		744	744	210	#N/A	47	TBP,CW						0	0	165,000		1		
BY-108	1960	2	STAT		738	738	210	6	41	CW				Latest electrode reading.		0	0	165,000		1		
BY-108	1960	3	STAT		738	738	210	#N/A	41	CW						0	0	165,000		1		
BY-108	1960	4	STAT		738	738	210	#N/A	41	TBP,CW						0	0	165,000		1		
BY-108	1961	1	STAT		N/A	738	210	#N/A	41							0	0	165,000		1		
BY-108	1961	2	STAT		706	706	210	32	9	TBP,CW				6 months report		0	0	165,000		1		
BY-108	1961	3	STAT		N/A	706		#N/A	9							0	0	165,000		1		
BY-108	1961	4	STAT		706	706	210	#N/A	9	TBP,CW				6 months report		0	0	165,000		1		
BY-108	1962	1	STAT		N/A	706		#N/A	9							0	0	165,000		1		
BY-108	1962	2	STAT		706	706	210	#N/A	9	TBP,CW				6 months report		0	0	165,000		1		
BY-108	1962	3	STAT		N/A	706		#N/A	9							0	0	165,000		1		
BY-108	1962	4	STAT		706	706	210	#N/A	9	TBP,CW				Latest electrode reading. 6 months report		0	0	165,000		1		
BY-108	1963	1	STAT		N/A	706		#N/A	9							0	0	165,000		1		
BY-108	1963	2	STAT		703	703	202	3	6	TBP,CW				6 months report		0	0	165,000		1		
BY-108	1963	3	STAT		N/A	703		#N/A	6							0	0	165,000		1		
BY-108	1963	4	STAT		703	703	202	#N/A	6	TBP,CW				6 months report		0	0	165,000		1		
BY-108	1964	1	STAT		N/A	703		#N/A	6							0	0	165,000		1		
BY-108	1964	2	STAT		695	695	202	8	2	TBP,CW				New electrode. 6 months report		0	0	165,000		1		
BY-108	1964	3	STAT		N/A	695		#N/A	2							0	0	165,000		1		
BY-108	1964	4	STAT		697	697	202	2	0	TBP,CW				Latest electrode reading. 6 months report		0	0	165,000		1		
BY-108	1965	1	STAT		N/A	697		#N/A	0							0	0	165,000		1		
BY-108	1965	2	STAT		700	700	178	3	3	CW				6 months report		0	0	165,000		1		
BY-108	1965	3	STAT		700	700	178	#N/A	3	CW						0	0	165,000		1		
BY-108	1965	4	STAT		700	700	178	#N/A	3	CW						0	0	165,000		1		
BY-108	1966	1	STAT		700	700	178	#N/A	3	CW						0	0	165,000		1		
BY-108	1966	2	STAT		700	700	178	#N/A	3	CW						0	0	165,000		1		
BY-108	1966	3	STAT		700	700	178	#N/A	3	TBP,CW						0	0	165,000		1		
BY-108	1966	4	STAT		697	697	178	3	0	CW						0	0	165,000		1		
BY-108	1967	1	STAT		697	697	178	#N/A	0	CW						0	0	165,000		1		
BY-108	1967	2	STAT		697	697	178	#N/A	0	CW						0	0	165,000		1		
BY-108	1967	3	STAT		697	697	178	#N/A	0	CW						0	0	165,000		1		
BY-108	1967	4	STAT		697	697	178	#N/A	0	TBP,CW						0	0	165,000		1		
BY-108	1968	1	STAT		695	695	178	2	2	TBP,CW						0	0	165,000		1		



Tank n	Year	Qtr	Type	Trans Vol	Stat Vol	Total Vol	Solids	Unk	Cum Unk	Waste	Trans	DWXT	LANL comment	Anderson comment	Ogden comment	sol work%	TLM	Cum solids	sol type	QA	Document#
BY-108	1968	2	SEND	-532			163	#N/A	-2	SU	BY-109					0	0	0	4	O	ARH-721-6
BY-108	1968	2	REC	379			542	#N/A	-2	SU	BY-111	AND reports 394				0	0	0	4	O	ARH-721-6
BY-108	1968	3	STAT	657			557	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1968	3	STAT	657			557	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1968	4	STAT	604			604	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1969	1	SEND	-11			574	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1969	2	STAT	585			585	#N/A	13	EB	BY-112					0	0	0	2	V	ARH-1200A-6
BY-108	1969	2	REC	3			585	#N/A	13	EB	BY-112					0	0	0	2	V	ARH-1200A-6
BY-108	1969	3	STAT	582			582	#N/A	13	EB	BY-112					0	0	0	2	V	ARH-1200A-6
BY-108	1969	3	REC	0			574	#N/A	13	EB	BY-112					0	0	0	2	MV	ARH-1200C-6
BY-108	1969	4	REC	602			1176	#N/A	13	SU	BY-109	Shows 1512 but not BY-112				0	0	0	2	V	ARH-1200C-6
BY-108	1969	4	SEND	-602			574	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1969	4	STAT	574			574	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1970	1	REC	132			706	#N/A	13	TTS	BY-112					0	0	0	1		
BY-108	1970	1	STAT	706			706	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1970	2	SEND	-49			657	#N/A	13	TTS	BY-112					0	0	0	1		
BY-108	1970	2	STAT	657			657	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1970	3	REC	-54			603	#N/A	13	SU	BY-112					0	0	0	0		
BY-108	1970	3	STAT	740			740	#N/A	13	TTS	BY-112					0	0	0	2	V	ARH-1666C-6
BY-108	1970	3	REC	137			740	#N/A	13	SU	BY-109	No indication of XFER				0	0	0	2	V	ARH-1666C-6
BY-108	1970	3	STAT	740			740	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1970	4	SEND	-81			659	#N/A	13	TTS	BY-112					0	0	0	1		
BY-108	1970	4	REC	0			659	#N/A	13	TTS	BY-112					0	0	0	1		
BY-108	1970	4	STAT	659			659	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1971	1	SEND	-47			612	#N/A	13	SU	BY-112					0	0	0	0		
BY-108	1971	1	REC	80			692	#N/A	13	SU	BY-109	No indication of XFER				0	0	0	2	V	ARH-1666D-6
BY-108	1971	1	STAT	692			692	#N/A	13	TTS	BY-112					0	0	0	1		
BY-108	1971	2	SEND	-769			1154	#N/A	13	TTS	BY-112					0	0	0	3	O	ARH-2074B-6
BY-108	1971	2	REC	0			385	#N/A	13	TTS	BY-109					0	0	0	3	O	ARH-2074B-6
BY-108	1971	2	STAT	385			385	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1971	3	REC	0			388	#N/A	13	TTS	BY-112					0	0	0	2	V	ARH-2074B-6
BY-108	1971	3	STAT	388			388	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1971	4	SEND	-7			381	#N/A	13	TTS	BY-112					0	0	0	0		
BY-108	1971	4	STAT	381			381	#N/A	13	EB	BY-112					0	0	0	1		
BY-108	1972	2	SEND	0			381	#N/A	13	SU	BY-109					0	0	0	1		
BY-108	1972	2	STAT	381			381	#N/A	13	SU	BY-109					0	0	0	1		
BY-108	1972	3	XIN	7			381	#N/A	13	WTR						0	0	0	4	O	ARH-2458B-5
BY-108	1972	3	STAT	381			381	#N/A	13	WTR						0	0	0	1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-106	1972	3	SEND	-7		381		#N/A	13	SU		BY-109				0	0	165,000		4	O	ARH-2456C-5
BY-106	1972	3	STAT		381	381	381	#N/A	13	EB				Tank leaks, 7 flush water, 18 to 109-BY.		0	0	165,000		1		
BY-106	1972	4	XIN	16		397		#N/A	13	WTR		WTR				0	0	165,000		4	O	ARH-2456C-5
BY-106	1972	4	SEND	-85		312		#N/A	13	SU		BY-109	*-8 to			0	0	165,000		4	O	ARH-2456D-5
BY-106	1972	4	STAT		312	312	304	#N/A	13	EB				Tank leaks, 16 flush water added, 8 to 109-BY.		0	0	165,000		1		
BY-106	1973	1	STAT		312	312	304	#N/A	13	EB				Tank leaks. **Dry Well 22-08-02, 22-08-06, 22-08-12 drilled.		0	0	165,000		1		
BY-106	1973	2	STAT		304	304	304	-8	5	EB				Tank-leaks.		0	0	165,000		1		
BY-106	1973	3	STAT		304	304	304	#N/A	5					Tank-leaks.		0	0	165,000		1		
BY-106	1973	4	STAT		304	304	304	#N/A	5					Tank-leaks.		0	0	165,000		1		
BY-106	1974	1	SEND	0		304		#N/A	5	SU	BY-109	BY-109	*-8 to			0	0	165,000		4	O	ARH-2456D-5
BY-106	1974	1	STAT		304	304	304	#N/A	5					Tank leaks, 8 to 109-BY.		0	0	165,000		1		
BY-106	1974	2	SEND	0		304		#N/A	5	SU	BY-109	BY-109	*-5 to			0	0	165,000		4	O	ARH-CD-133A-5
BY-106	1974	2	STAT		304	304	304	#N/A	5					Tank leaks, 5 to 109-BY.		0	0	165,000		1		
BY-106	1974	3	SEND	0		304		#N/A	5	SU	BY-109	BY-109	*-10 to			0	0	165,000		4	O	ARH-CD-133B-5
BY-106	1974	3	STAT		304	304	304	#N/A	5					Tank leaks, 10 to 109-BY		0	0	165,000		1		
BY-106	1974	4	rec	55		359		#N/A	5	SU	BY-109	BY-109	*-6 to			0	0	165,000		4	O	ARH-CD-133D-5
BY-106	1974	4	STAT		359	359	359	#N/A	5					Tank leaks, 6 to 109-BY, 2 water.		0	0	165,000		1		
BY-106	1975	1	SEND	0		359		#N/A	5	SU	BY-109	BY-109	*-4 to			0	0	165,000		4	O	ARH-CD-133D-5
BY-106	1975	1	STAT		359	359	359	#N/A	5					Tank leaks, 4 to 109-BY.		0	0	165,000		1		
BY-106	1975	2	SEND	0		359		#N/A	5	SU	BY-109	BY-109	*-6 to			0	0	165,000		4	O	ARH-CD-336A-5
BY-106	1975	2	STAT		359	359	359	#N/A	5					Tank leaks, 6 to 109-BY.		0	0	165,000		1		
BY-106	1975	3	SEND	0		359		#N/A	5	SU	BY-109	BY-109	*-5 to			0	0	165,000		4	O	ARH-CD-336B-5
BY-106	1975	3	STAT		359	359	359	#N/A	5					Tank leaks, 5 to 109-BY.		0	0	165,000		1		
BY-106	1975	4	XIN	2		361		#N/A	5	WTR		WTR	Omis			0	0	165,000		2	V	ARH-CD-133D-5
BY-106	1975	4	SEND	-2		359		#N/A	5	SU	BY-109	BY-109	*-3 to			0	0	165,000		4	O	ARH-CD-336D-5
BY-106	1975	4	STAT		359	359	359	#N/A	5					Tank leaks, 3 to 109-BY.		0	0	165,000		1		
BY-106	1976	1	outx	-194		165		#N/A	5			BYEVAP				0	0	165,000	BYEV	0		
BY-106	1976	1	xin	194		359		#N/A	5			BYStkCk				0.324742	63	228,000	BYStk	0		
BY-106	1976	1	SEND	0		359		#N/A	5	SU	BY-109	BY-109	*-5 to			0	0	228,000		4	O	ARH-CD-336D-5
BY-106	1976	1	STAT		359	359	359	#N/A	5					Tank leaks, 5 to 109-BY.		0	0	228,000		1		
BY-106	1976	2	SEND	0		359		#N/A	5	SU	BY-109	BY-109	*-2 to			0	0	228,000		4	O	ARH-CD-702A-5
BY-106	1976	2	STAT		359	359	359	#N/A	5					Tank leaks, 2 to 109-BY.		0	0	228,000		1		
BY-106	1976	3	STAT		359	359	359	#N/A	5					Tank leaks.		0	0	228,000		1		
BY-106	1976	4	STAT		359	359	359	#N/A	5					Tank leaks.		0	0	228,000		1		
BY-106	1977	1	STAT		359	359	359	#N/A	5					Tank Leak Salt Well Pumping		0	0	228,000		1		
BY-106	1977	2	STAT		359	359	359	#N/A	5					Tank Leak Salt Well Pumping		0	0	228,000		1		
BY-106	1977	3	STAT		359	359	359	#N/A	5					Tank Leak Salt Well Pumping		0	0	228,000		1		
BY-106	1977	4	STAT		359	359	359	#N/A	5					Tank leak Salt well pump installed		0	0	228,000		1		
BY-106	1978	1	STAT		359	359	359	#N/A	5					Primary Stabilized		0	0	228,000		1		
BY-106	1978	2	STAT		359	359	359	#N/A	5							0	0	228,000		1		
BY-106	1978	3	STAT		359	359	359	#N/A	5					P-10 Pmp. Removed		0	0	228,000		1		
BY-106	1978	4	STAT		359	359	359	#N/A	5							0	0	228,000		1		
BY-106	1979	1	STAT		359	359	359	#N/A	5							0	0	228,000		1		
BY-106	1979	2	STAT		359	359	359	#N/A	5							0	0	228,000		1		
BY-106	1979	3	STAT		359	359	359	#N/A	5							0	0	228,000		1		
BY-106	1979	4	STAT		359	359	359	#N/A	5							0	0	228,000		1		
BY-106	1980	1	STAT		359	359	359	#N/A	5					New Photo 1/16/80		0	0	228,000		1		
BY-106	1980	2	STAT		359	359	359	#N/A	5					1000 Gal. pool		0	0	228,000		1		
BY-106	1980	3	STAT		359	359	359	#N/A	5							0	0	228,000		1		



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
BY-108	1980	4	STAT		359	359	359	#NA	5	EVAP						0	0	228,000		1		
BY-108	1982	3	send	-131		228		#NA	5			AW-102	salt-wellpumped			0	0	228,000		0		
BY-108	1993	2	STAT		228	228	228	#NA	5	NCPLX						0	0	228,000		1		
BY-108	1993	4	STAT		228	228	228	#NA	5							0	0	228,000		1		
BY-108	1994	1	STAT		228	228	228	#NA	5							0	0	228,000		1		
BY-108	2000																					

Tank #	Year	Qty	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Operan comment	sol wt%	TLM solids	Cum solids	sol type	Qt	O/A	Document/Pg #
BY-109	1900																					
BY-109	1962	1	STAT		N/A	0		#N/A	0					Supernat tank.			0	0.000		1		
BY-109	1962	2	STAT		N/A	0		#N/A	0					TBP supernat tank - 200-E Area			0	0.000		1		
BY-109	1962	3	STAT		N/A	0		#N/A	0					TBP supernat tank - 200-E Area			0	0.000		1		
BY-109	1962	4	STAT		N/A	0		#N/A	0					TBP supernat tank - 200-E Area			0	0.000		1		
BY-109	1953	1	xin	320	320	448		#N/A	0		WTR						0	0.000				
BY-109	1953	1	rec	128	448	448		#N/A	0		B-103					0.28125	36	36.000	MW1	0		
BY-109	1953	1	STAT		448	448		#N/A	0					Supernat from 103-B on 1/8/53.			0	0.000		1		
BY-109	1953	2	STAT		448	448		#N/A	0					Supernat.			0	0.000		1		
BY-109	1953	3	outx	-404	44	44		#N/A	0		UR			Supernat.			0	0.000		0		
BY-109	1953	4	STAT		44	44		#N/A	0					Supernat.			0	0.000		1		
BY-109	1954	1	xin	237	281	281		#N/A	0		WTR			Supernat.			0	0.000		0		
BY-109	1954	1	STAT		281	281		#N/A	0					Supernat received from 108 and 101-BY via 103-BY pump.			0	0.000		1		
BY-109	1954	2	xin	127	408	408		#N/A	0		WTR			Transfer to 104-C Tank.			0	0.000		1		
BY-109	1954	2	STAT		408	408		#N/A	0					Transferred to 104-C Tank.			0	0.000		1		
BY-109	1954	3	outx	-314	34	34		#N/A	0		UR						0	0.000		0		
BY-109	1954	3	STAT		34	34		#N/A	0								0	0.000		1		
BY-109	1954	4	xin	443	477	477		#N/A	0		WTR						0	0.000		0		
BY-109	1954	4	STAT		477	477		#N/A	0					Received from 112-BY - pumped to 104-C.			0	0.000		1		
BY-109	1955	1	xin	74	551	551		#N/A	0		WTR			supernatant pump tank.			0	0.000		0		
BY-109	1955	1	STAT		551	551		#N/A	0					Received from 104-C supernatant pump tank.			0	0.000		1		
BY-109	1955	2	outx	-314	237	237		#N/A	0		UR						0	0.000		0		
BY-109	1955	2	STAT		237	237		#N/A	0								0	0.000		1		
BY-109	1955	3	outx	-203	34	34		#N/A	0		UR						0	0.000		0		
BY-109	1955	3	STAT		34	34		#N/A	0					Sludging to be done.			0	0.000		1		
BY-109	1955	4	STAT		34	34		#N/A	0								0	0.000		1		
BY-109	1956	1	STAT		34	34		#N/A	0								0	0.000		1		
BY-109	1956	2	REC	558	592	592		#N/A	0	SU	BY-106						0	0.000		1		
BY-109	1956	2	REC	88	680	680		#N/A	0	SU	BY-107						0	0.000		3	O	ARH-CD-702B-S/N-54-34
BY-109	1956	2	STAT		722	722		42	42	TBP				Received from 107-BY.			0	0.000		3	O	SEND N-54-34
BY-109	1956	3	STAT		722	722		36	36	TBP							0	0.000		1		
BY-109	1956	4	STAT		722	722		66	66	TBP							0	0.000		1		
BY-109	1957	1	STAT		722	722		66	66	TBP							0	0.000		1		
BY-109	1957	2	OUTX	-677	45	45		#N/A	42	SU	B-029	CRIB	AND reports -877	Latest electrode reading.			0	0.000		1		
BY-109	1957	2	STAT		66	66		21	63	TBP			AND reports 195 from 112? could not find	Received 196m gallons from 112.. 877 sent to No. 16 - BC ditch			0	0.000		3	O	N-54-35
BY-109	1957	3	STAT		48	48		18	45	TBP				Latest electrode reading.			0	0.000		1		
BY-109	1957	4	STAT		48	48		46	45	TBP							0	0.000		1		
BY-109	1958	1	STAT		48	48		46	45	TBP							0	0.000		1		
BY-109	1958	2	STAT		48	48		46	43	TBP							0	0.000		1		
BY-109	1958	3	STAT		46	46		46	43	TBP							0	0.000		1		
BY-109	1958	4	STAT		46	46		46	44	TBP							0	0.000		1		
BY-109	1959	1	STAT		47	47		46	44	TBP							0	0.000		1		
BY-109	1959	2	STAT		47	47		46	44	TBP							0	0.000		1		
BY-109	1959	3	STAT		47	47		46	44	TBP							0	0.000		1		
BY-109	1959	4	STAT		47	47		48	44	TBP							0	0.000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BY-109	1960	1	STAT		47	47	46	#N/A	44							0	0	36,000		1		
BY-109	1960	2	STAT		47	47	46	#N/A	44							0	0	36,000		1		
BY-109	1960	3	STAT		47	47	46	#N/A	44							0	0	36,000		1		
BY-109	1960	4	STAT		47	47	46	#N/A	44	TBP						0	0	36,000		1		
BY-109	1961	1	STAT		N/A	47		#N/A	44							0	0	36,000		1		
BY-109	1961	2	STAT		48	48	46	1	45	TBP				6 months report		0	0	36,000		1		
BY-109	1961	3	STAT		N/A	48		#N/A	45							0	0	36,000		1		
BY-109	1961	4	STAT		51	51	46	3	48	TBP				6 months report		0	0	36,000		1		
BY-109	1962	1	REC	435		486		#N/A	48	SU	C-107	C-107				0	0	36,000		3	O	HW-74647-4
BY-109	1962	1	REC	137		623		#N/A	48	SU	C-109	C-109	no change made		Shows 685 BC-16 Ditch	0	0	36,000		4	O	N-54-109/HW-74647-4
BY-109	1962	1	STAT		N/A	623		#N/A	48							0	0	36,000		1		SEND
BY-109	1962	2	STAT		623	623	46	#N/A	48	TBP,CW			435m from 107-C, 6 months report 137m from 109-C.			0	0	36,000		1		
BY-109	1962	3	STAT		N/A	623		#N/A	48							0	0	36,000		1		
BY-109	1962	4	STAT		623	623	46	#N/A	48	TBP,CW				6 months report		0	0	36,000		1		
BY-109	1963	1	STAT		N/A	623		#N/A	48							0	0	36,000		1		
BY-109	1963	2	STAT		623	623	76	#N/A	48	CW				6 months report		0	0	36,000		1		
BY-109	1963	3	STAT		N/A	623		#N/A	48							0	0	36,000		1		
BY-109	1963	4	STAT		634	634	76	11	59	CW				New electrode installed. 6 months report		0	0	36,000		1		
BY-109	1964	1	STAT		N/A	634		#N/A	59							0	0	36,000		1		
BY-109	1964	2	STAT		629	629	76	-5	54	CW				New electrode. 6 months report		0	0	36,000		1		
BY-109	1964	3	STAT		N/A	629		#N/A	54							0	0	36,000		1		
BY-109	1964	4	STAT		623	623	76	-6	48	CW				New electrode (reading confirmed) 6 months report		0	0	36,000		1		
BY-109	1965	1	STAT		N/A	623		#N/A	48							0	0	36,000		1		
BY-109	1965	2	REC	19		642		#N/A	48	SU	BY-112	BY-112				0	0	36,000		4	O	HW-74647-5/RL-SEP-659-5 SEND
BY-109	1965	2	STAT		642	642	57	#N/A	48				Received 19m during 112-BY to 101-BY. 6 months report.			0	0	36,000		1		
BY-109	1965	3	STAT		642	642	57	#N/A	48							0	0	36,000		1		
BY-109	1965	4	STAT		642	642	57	#N/A	48							0	0	36,000		1		
BY-109	1966	1	STAT		642	642	57	#N/A	48							0	0	36,000		1		
BY-109	1966	2	STAT		642	642	57	#N/A	48	CW						0	0	36,000		1		
BY-109	1966	3	SEND	-503		139		#N/A	48	SU		BY-103				0	0	36,000		4	O	ISO-538-5
BY-109	1966	3	STAT		139	139	57	#N/A	48	CW			503m to 103-BY.			0	0	36,000		1		
BY-109	1966	4	REC	347		486		#N/A	48	SU	C-102	C-102				0	0	36,000		4	O	ISO-538-5/ISO-674-5 SEND
BY-109	1966	4	STAT		486	486	57	#N/A	48	CW			347m from 102-C.			0	0	36,000		1		
BY-109	1967	1	REC	156		642		#N/A	48	SU	C-102	C-102				0	0	36,000		4	O	ISO-674-5/ISO-806-5 SEND
BY-109	1967	1	STAT		642	642	57	#N/A	48	CW			156m from 102-C.			0	0	36,000		1		
BY-109	1967	2	REC	100		742		#N/A	48	SU	C-102	C-102				0	0	36,000		4	O	ISO-806-5/ISO-967-5E SEND
BY-109	1967	2	STAT		742	742	57	#N/A	48				Received 100m from 102-C.			0	0	36,000		1		
BY-109	1967	3	STAT		742	742	57	#N/A	48							0	0	36,000		1		
BY-109	1967	4	STAT		742	742	57	#N/A	48	CW						0	0	36,000		1		
BY-109	1968	1	STAT		743	743	57	1	49	CW						0	0	36,000		1		
BY-109	1968	2	REC	110		853		#N/A	49	SU	BY-105	BY-105				0	0	36,000		4	O	ARH-721-6
BY-109	1968	2	REC	532		1385		#N/A	49	SU	BY-108	BY-108				0	0	36,000		4	O	ARH-721-6
BY-109	1968	2	SEND	-1116		269		#N/A	49	SU		BY-103				0	0	36,000		4	O	ARH-721-6/ISO-967-5 SEND
BY-109	1968	2	STAT		269	269	57	#N/A	49	CW			REC total 642			0	0	36,000		1		1116 to 103-BY; 642 from 109, 105-BY.

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LAML comment	Anderson comment	Open comment	sol vol%	TLR solts	Cum solts	sol type	Cl	O/A	Document/Pk #
BY-109	1968	3	SEND	-199	70			#N/A	49 SU		BY-102					0	0	36,000	1			
BY-109	1968	3	rec	146	216			#N/A	49 ITS		BY-112				Shows 80 not 0	0	0	36,000	2	V		ARH-871-6
BY-109	1968	3	REC	340	556			#N/A	49 SU		BY-105					0	0	36,000	4	O		ARH-871-6
BY-109	1968	3	GREC	0	556			#N/A	49 ITS		BY-112					0	0	36,000	2	V		ARH-871-6
BY-109	1968	3	STAT	556	556			37	49 CW							0	0	36,000	1			
BY-109	1968	4	REC	1276	1832			#N/A	49		BY-103					0	0	36,000	1			
BY-109	1968	4	send	-1236	596			#N/A	49		BY-112					0	0	36,000	2	V		ARH-1061-6
BY-109	1968	4	GREC	0	596			#N/A	49		BY-112					0	0	36,000	2	V		ARH-1061-6
BY-109	1969	1	REC	1197	596			54	49 CW,OWW							0	0	36,000	2	V		ARH-1061-6
BY-109	1969	1	SEND	-1235	558			#N/A	49 SU		BY-103					0	0	36,000	1			
BY-109	1969	1	GREC	0	558			#N/A	49 ITS		BY-112					0	0	36,000	4	O		ARH-1200A-6
BY-109	1969	1	STAT	558	558			72	49 EB,CW							0	0	36,000	1			
BY-109	1969	2	REC	1376	1934			#N/A	49 SU		BY-103					0	0	36,000	1			
BY-109	1969	2	SEND	-1338	596			#N/A	49 SU		BY-112					0	0	36,000	4	O		ARH-1200B-6
BY-109	1969	2	GREC	0	596			#N/A	49 ITS		BY-112					0	0	36,000	1			
BY-109	1969	2	STAT	596	596			87	49 EB,CW,OWW							0	0	36,000	1			
BY-109	1969	3	SEND	-492	104			#N/A	49 SU		BY-112					0	0	36,000	1			
BY-109	1969	3	rec	199	303			#N/A	49 ITS		BY-112					0	0	36,000	1			
BY-109	1969	3	REC	1558	1861			#N/A	49 SU		BY-103					0	0	36,000	0			
BY-109	1969	3	SEND	-1206	655			#N/A	49 SU		BY-111					0	0	36,000	4	O		ARH-1200C-6
BY-109	1969	3	GREC	0	655			#N/A	49 ITS		BY-112					0	0	36,000	1			
BY-109	1969	3	STAT	655	655			79	49 EB,CW,OWW							0	0	36,000	1			
BY-109	1969	4	SEND	-602	53			#N/A	49 SU		BY-108					0	0	36,000	1			
BY-109	1969	4	REC	1172	1225			#N/A	49 SU		BY-103					0	0	36,000	1			
BY-109	1969	4	SEND	-622	593			#N/A	49 SU		BY-111					0	0	36,000	4	O		ARH-1200D-6
BY-109	1969	4	GREC	0	593			#N/A	49 ITS		BY-112					0	0	36,000	1			
BY-109	1969	4	STAT	593	593			114	49 EB							0	0	36,000	1			
BY-109	1970	1	REC	684	1287			#N/A	49 SU		BY-102					0	0	36,000	1			
BY-109	1970	1	REC	617	1874			#N/A	49 SU		BY-103					0	0	36,000	3	V		ARH-1666A-6
BY-109	1970	1	send	-1288	586			#N/A	49		BY-112					0	0	36,000	4	O		ARH-1666A-6
BY-109	1970	1	send	-255	331			#N/A	49		BY-112					0	0	36,000	0			
BY-109	1970	1	SEND	-26	305			#N/A	49 SU		BY-112					0	0	36,000	0			
BY-109	1970	1	rec	1288	1593			#N/A	49		BY-112					0	0	36,000	1			
BY-109	1970	1	SEND	-342	1251			#N/A	49 SU		BY-110					0	0	36,000	0			
BY-109	1970	1	SEND	-644	607			#N/A	49 SU		BY-111					0	0	36,000	1			
BY-109	1970	1	GREC	0	607			#N/A	49 ITS		BY-112					0	0	36,000	1			
BY-109	1970	1	STAT	607	607			190	49 EB							0	0	36,000	1			
BY-109	1970	2	REC	602	1209			#N/A	49 SU		BY-102					0	0	36,000	4	O		ARH-1666B-6
BY-109	1970	2	REC	749	1958			#N/A	49 SU		BY-103					0	0	36,000	4	O		ARH-1666B-6
BY-109	1970	2	SEND	-377	1581			#N/A	49 SU		BY-112					0	0	36,000	1			
BY-109	1970	2	SEND	-1007	574			#N/A	49 SU		BY-111					0	0	36,000	1			
BY-109	1970	2	GREC	0	574			#N/A	49 ITS		BY-112					0	0	36,000	1			
BY-109	1970	2	STAT	574	574			120	49 EB							0	0	36,000	1			
BY-109	1970	3	REC	1413	1987			#N/A	49 SU		BY-103					0	0	36,000	1			
BY-109	1970	3	SEND	-390	1597			#N/A	49 SU		BY-112					0	0	36,000	4	O		ARH-1666C-6
BY-109	1970	3	REC	66	1663			#N/A	49 SU		BY-102					0	0	36,000	1			
BY-109	1970	3	SEND	-634	1029			#N/A	49 SU		BY-106					0	0	36,000	4	O		ARH-1666C-6
BY-109	1970	3	SEND	-137	892			#N/A	49 SU		BY-108					0	0	36,000	1			
BY-109	1970	3	SEND	-68	823			#N/A	49 SU		BY-110					0	0	36,000	2	V		ARH-1666C-6

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BY-109	1970	3	SEND	-252		571		#N/A	49	SU		BY-111				0	0	36,000		1		
BY-109	1970	3	GREC	0		571		#N/A	49	ITS	BY-112					0	0	36,000		1		
BY-109	1970	3	GREC	0		571		#N/A	49	ITS	BY-112					0	0	36,000		1		
BY-109	1970	3	send	0		571		#N/A	49	ITS	BY-112		*-140 TO 0			0	0	36,000		1		
BY-109	1970	3	STAT		579	579	128	8	57	EB				ITS- 2 feed tank;; 1413 from 103-BX;; 66 from 102-BY (to 105-BY).						1		
BY-109	1970	4	REC	1561		2140		#N/A	57	SU	BX-103	BX-103				0	0	36,000		4	O	ARH-1666D-6
BY-109	1970	4	SEND	-80		2080		#N/A	57	SU		BY-112				0	0	36,000		1		
BY-109	1970	4	rec	37		2117		#N/A	57	ITS	BY-112	BY-112				0	0	36,000		0		
BY-109	1970	4	SEND	-200		1917		#N/A	57	SU		BY-107				0	0	36,000		1		
BY-109	1970	4	SEND	-209		1708		#N/A	57	SU		BY-110				0	0	36,000		1		
BY-109	1970	4	SEND	-1110		598		#N/A	57	SU		BY-111				0	0	36,000		1		
BY-109	1970	4	GREC	0		598		#N/A	57	ITS	BY-112					0	0	36,000		1		
BY-109	1970	4	GREC	0		598		#N/A	57	ITS	BY-112					0	0	36,000		1		
BY-109	1970	4	STAT		598	598	142	#N/A	57	EB				ITS- 2 feed receiving tank;; 1561 from 103-BX.						1		
BY-109	1971	1	REC	785		1383		#N/A	57	SU	BX-103	BX-103				0	0	36,000		4	O	ARH-2074A-6
BY-109	1971	1	send	-198		1185		#N/A	57			BY-112	*-323 TO -198			0	0	36,000		0		
BY-109	1971	1	SEND	-136		1049		#N/A	57	SU		BY-103				0	0	36,000		1		
BY-109	1971	1	SEND	-46		1003		#N/A	57	SU		BY-104				0	0	36,000		1		
BY-109	1971	1	SEND	-100		903		#N/A	57	SU		BY-105				0	0	36,000		1		
BY-109	1971	1	SEND	-207		696		#N/A	57	SU		BY-106				0	0	36,000		1		
BY-109	1971	1	SEND	-27		669		#N/A	57	SU		BY-107				0	0	36,000		1		
BY-109	1971	1	SEND	-80		589		#N/A	57	SU		BY-108			No indication of XFER	0	0	36,000		2	V	ARH-1666D-6
BY-109	1971	1	GREC	0		589		#N/A	57	ITS	BY-112					0	0	36,000		1		
BY-109	1971	1	GREC	0		589		#N/A	57	ITS	BY-112					0	0	36,000		1		
BY-109	1971	1	STAT		589	589	150	#N/A	57	EB				ITS- 2 feed receiving tank;; 785 from 103-BX.						1		
BY-109	1971	2	REC	198		787		#N/A	57	SU	BX-103	BX-103				0	0	36,000		4	O	ARH-2074B-6
BY-109	1971	2	send	-177		610		#N/A	57			BY-112				0	0	36,000		0		
BY-109	1971	2	send	-24		586		#N/A	57	ITS		BY-104				0	0	36,000		0		
BY-109	1971	2	rec	22		608		#N/A	57	ITS	BY-103	BY-103				0	0	36,000		0		
BY-109	1971	2	GROUP	0		608		#N/A	57	ITS	BY-103	BY-104, BY-105, BY-106				0	0	36,000		1		
BY-109	1971	2	GROUP	0		608		#N/A	57	ITS	BY-107, BY-108, BY-110, BY-111					0	0	36,000		1		
BY-109	1971	2	STAT		608	608	128	#N/A	57	EB				ITS- 2 feed receiving tank;; 198 from 103-BX.						1		
BY-109	1971	3	XIN	35		643		#N/A	57	WTR		WTR	Omis.		Omission	0	0	36,000		3	V	ARH-2074C-6
BY-109	1971	3	XIN	58		699		#N/A	57	STEAM		WTR	Omis. sparge		Omission	0	0	36,000		3	V	ARH-2074C-6
BY-109	1971	3	REC	505		1204		#N/A	57	SU	BX-103	BX-103				0	0	36,000		4	O	ARH-2074C-6
BY-109	1971	3	SEND	-166		1038		#N/A	57	SU		BY-112				0	0	36,000		1		
BY-109	1971	3	SEND	-22		1016		#N/A	57	SU		BY-103				0	0	36,000		1		
BY-109	1971	3	SEND	-428		588		#N/A	57	SU		BY-104				0	0	36,000		1		
BY-109	1971	3	REC	30		618		#N/A	57	SU	BX-106	BX-106				0	0	36,000		1		
BY-109	1971	3	GREC	0		618		#N/A	57	ITS	BY-112					0	0	36,000		4	O	ARH-2074C-6
BY-109	1971	3	GREC	0		618		#N/A	57	ITS	BY-112					0	0	36,000		1		
BY-109	1971	3	rec	0		618		#N/A	57	ITS	BY-112		*533 TO 0			0	0	36,000		1		
BY-109	1971	3	STAT		618	618	128	#N/A	57	EB				ITS- 2 feed receiving tank;; 505 from 103-BX;; 30 from 106-BX; 56 steam sparge; 35 flush water.						1		
BY-109	1971	4	XIN	125		743		#N/A	57	WTR		WTR				0	0	36,000		4	O	ARH-2074D-6
BY-109	1971	4	REC	1260		2003		#N/A	57	SU	BX-103	BX-103				0	0	36,000		4	O	ARH-2074D-6
BY-109	1971	4	SEND	-965		1038		#N/A	57	SU		BY-104				0	0	36,000		1		
BY-109	1971	4	SEND	-140		898		#N/A	57	SU		BY-112	SHOULD REFER TO GROUPS		Shows 1604 No XFER	0	0	36,000		2	V	ARH-2074D-6
BY-109	1971	4	SEND	-300		598		#N/A	57	SU		BY-103				0	0	36,000		1		
BY-109	1971	4	GREC	0		598		#N/A	57	ITS	BY-112				(a) 1604 total these 2	0	0	36,000		2	V	ARH-2074D-6

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk fr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Q	Q/A	Document/Pg #	
BY-109	1971	4	GREC	0		598		#N/A	57	ITS	BY-112						0	36,000		2	V	ARH-2074D-6	
BY-109	1971	4	rec	0		598		#N/A	57	ITS	BY-112		*328 TO 0		(a)1604 total these 2		0	36,000		2	V	ARH-2074D-6	
BY-109	1971	4	STAT		598	598	153	#N/A	57	EB				ITS- 2 feed receiving tank;; 1,260 from 103-BX;; 125 flush water			0	0	36,000		1		
BY-109	1972	1	XIN	165		763		#N/A	57	WTR		WTR				0	0	36,000		4	O	ARH-2456A-5	
BY-109	1972	1	XIN	14		777		#N/A	57	WTR		WTR	Omis.		Omission	0	0	36,000		2	V	ARH-2456A-5	
BY-109	1972	1	REC	328		1103		#N/A	57	SU	B-103	B-103				0	0	36,000		4	O	ARH-2456A-4	
BY-109	1972	1	REC	1089		2192		#N/A	57	SU	BX-103	BX-103				0	0	36,000		4	O	ARH-2456A-5	
BY-109	1972	1	SEND	-813		1379		#N/A	57	SU		BX-110				0	0	36,000		1			
BY-109	1972	1	SEND	-582		797		#N/A	57	SU		BY-103				0	0	36,000		1			
BY-109	1972	1	SEND	-418		379		#N/A	57	SU		BY-112				0	0	36,000		1			
BY-109	1972	1	send	-244		135		#N/A	57			BY-112				0	0	36,000		0			
BY-109	1972	1	REC	537		672		#N/A	57			BY-112				0	0	36,000		1			
BY-109	1972	1	SEND	-49		623		#N/A	57	SU		BY-106				0	0	36,000		1			
BY-109	1972	1	GREC	0		623		#N/A	57	ITS	BY-112					0	0	36,000		1			
BY-109	1972	1	GREC	0		623		#N/A	57	ITS	BY-112					0	0	36,000		1			
BY-109	1972	1	STAT		623	623	153	#N/A	57	EB			REC total 1415, AND 1312 evaporated not accounted for	ITS- feed receiving tank;; 1415 from 103-BX;; 165 flush water; 1312 evaporated.		0	0	36,000		1			
BY-109	1972	2	XIN	134		757		#N/A	57	WTR		WTR				0	0	36,000		4	O	ARH-2456B-5	
BY-109	1972	2	REC	1365		2122		#N/A	57	SU	BX-103	BX-103				0	0	36,000		4	O	ARH-2456B-5	
BY-109	1972	2	send	-1416		706		#N/A	57			BY-112	send to BY-112		Omission	0	0	36,000		3	V	ARH-2456B-5	
BY-109	1972	2	send	-106		600		#N/A	57			BY-112	*106 to 155			0	0	36,000		0			
BY-109	1972	2	GREC	0		600		#N/A	57	ITS	BY-112					0	0	36,000		1			
BY-109	1972	2	GREC	0		600		#N/A	57	ITS	BY-112					0	0	36,000		1			
BY-109	1972	2	OUTX	0		600		#N/A	57	COND	CRIB?	PCONDC	Omis. SENT TO BY-112		Omission	0	0	36,000		3	V	ARH-2456B-5	
BY-109	1972	2	STAT		600	600	222	#N/A	57	EB				ITS- feed receiving tank;; 1364 from 103-BX;; 134 flush water; 49 from 108-BY; 1416 evaporated.		0	0	36,000		1			
BY-109	1972	3	XIN	167		767		#N/A	57	WTR		WTR				0	0	36,000		4	O	ARH-2456C-5	
BY-109	1972	3	SEND	-1		766		#N/A	57	SU		BY-101	*190 to			0	0	36,000		1			
BY-109	1972	3	REC	1042		1808		#N/A	57	SU	BX-103	BX-103				0	0	36,000		4	O	ARH-2456C-5	
BY-109	1972	3	SEND	-732		1076		#N/A	57	SU		BY-103				0	0	36,000		1			
BY-109	1972	3	rec	744		1820		#N/A	57			BY-112				0	0	36,000		0			
BY-109	1972	3	send	-1417		403		#N/A	57			BY-112				0	0	36,000		2			
BY-109	1972	3	SEND	-285		118		#N/A	57	SU		BY-112				0	0	36,000		1			
BY-109	1972	3	rec	495		613		#N/A	57	ITS	BY-112	BY-112			Shows 1239 Evp.	0	0	36,000		2	V	ARH-2456C-5	
BY-109	1972	3	REC	7		620		#N/A	57	SU	BY-108	BY-108			Shows 1239 Evp.	0	0	36,000		4	O	ARH-2456C-5	
BY-109	1972	3	GREC	0		620		#N/A	57	ITS	BY-112				Shows 1239 Evp.	0	0	36,000		2	V	ARH-2456C-5	
BY-109	1972	3	outx	0		620		#N/A	57	cond	crib	PCONDC	SENT TO BY-112			0	0	36,000		2			
BY-109	1972	3	STAT		620	620	260	#N/A	57	EB				ITS feed receiving tank;; 1042 from 103-BX;; 18 from 108-BY; 167 flush water; 1239 evaporated.		0	0	36,000		1			
BY-109	1972	4	XIN	137		757		#N/A	57	WTR		WTR				0	0	36,000		4	O	ARH-2456D-5	
BY-109	1972	4	REC	966		1743		#N/A	57		BX-103	BX-103	LC BX-104 to BX-103		Omission	0	0	36,000		3	MV	ARH-2456D-5	
BY-109	1972	4	SEND	-1139		604		#N/A	57	SU		BY-106				0	0	36,000		1			
BY-109	1972	4	rec	1044		1648		#N/A	57			BY-112				0	0	36,000		0			
BY-109	1972	4	send	-1121		527		#N/A	57			BY-112				0	0	36,000		0			
BY-109	1972	4	REC	85		612		#N/A	57	SU	BY-108	BY-108	*8 to			0	0	36,000		4	O	ARH-2456D-5	
BY-109	1972	4	GREC	0		612		#N/A	57	ITS	BY-112				Shows 1044 Evap.	0	0	36,000		2	V	ARH-2456D-5	
BY-109	1972	4	outx	0		612		#N/A	57	cond	crib	PCONDC	SENT TO BY-112			0	0	36,000		2			

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk	Cum unk	Waste type	Trans tank	DWXT	L-ANI comment	Anderson comment	Operator comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
BY-109	1972	4	STAT		612	612	334	#N/A	57	EB				ITS - feed receiving tank; 986 from 103-BX; 8 from 109 BY; 137 flush water; 1044 evaporated.		0	0	36,000	1			
BY-109	1973	1	XIN	127	739	739		#N/A	57	WTR	WTR					0	0	36,000	4	O	ARH-2794A-5	
BY-109	1973	1	REC	980	1719	1719		#N/A	57	SU	BX-103					0	0	36,000	4	O	ARH-2794A-5	
BY-109	1973	1	send	-1011	708	708		#N/A	57		BY-112					0	0	36,000	0			
BY-109	1973	1	rec	811	1519	1519		#N/A	57	SU	BY-112					0	0	36,000	0			
BY-109	1973	1	SEND	-458	1061	1061		#N/A	57	SU	BY-103					0	0	36,000	0			
BY-109	1973	1	SEND	-448	613	613		#N/A	57	SU	BY-107					0	0	36,000	1			
BY-109	1973	1	IGREC	0	613	613		#N/A	57	ITS	BY-112					0	0	36,000	1			
BY-109	1973	1	IGREC	0	613	613		#N/A	57	ITS	BY-112					0	0	36,000	2	V	ARH-2794A-5	
BY-109	1973	1	IGREC	0	613	613		#N/A	57	ITS	BY-112					0	0	36,000	2	V	ARH-2794A-5	
BY-109	1973	1	OUTX	0	613	613		#N/A	57	cond	crib		PCONDC SENT TO BY-112	Show 1011 Evap. these 3 Show 1011 Evap. these 3 Show 1011 Evap. these 3		0	0	36,000	2	V	ARH-2794A-5	
BY-109	1973	1	STAT		613	613	381	#N/A	57	EB				ITS - feed receiving tank; 980 from 103-BX; 127 flush water; 1011 evaporated.		0	0	36,000	1			
BY-109	1973	2	XIN	86	699	699		#N/A	57	WTR	WTR					0	0	36,000	4	O	ARH-2794B-5	
BY-109	1973	2	REC	785	1484	1484		#N/A	57	SU	BX-103					0	0	36,000	4	O	ARH-2794B-5	
BY-109	1973	2	send	-793	691	691		#N/A	57		BY-112					0	0	36,000	0			
BY-109	1973	2	send	-65	626	626		#N/A	57	SU	BY-112					0	0	36,000	0			
BY-109	1973	2	SEND	-13	613	613		#N/A	57	SU	BX-111					0	0	36,000	0			
BY-109	1973	2	SEND	-11	602	602		#N/A	57	SU	BY-106					0	0	36,000	1			
BY-109	1973	2	IGREC	0	602	602		#N/A	57	ITS	BY-112					0	0	36,000	1			
BY-109	1973	2	OUTX	0	602	602		#N/A	57	cond	crib		PCONDC SENT TO BY-112	Shows 793, no indic. of REC		0	0	36,000	2	V	ARH-2794B-5	
BY-109	1973	2	STAT		602	602	396	#N/A	57	EB				ITS - feed receiving tank; 785 from 103-BX; 88 flush water; 793 evaporated.		0	0	36,000	1			
BY-109	1973	3	XIN	75	677	677		#N/A	57	WTR	WTR					0	0	36,000	2	V	ARH-2794C-5	
BY-109	1973	3	send	-75	602	602		#N/A	57	SU	BY-112					0	0	36,000	0			
BY-109	1973	3	SEND	-24	578	578		#N/A	57	SU	BY-112			Omission		0	0	36,000	0			
BY-109	1973	3	REC	25	603	603		#N/A	57	SU	BY-103					0	0	36,000	1			
BY-109	1973	3	IGREC	0	603	603		#N/A	57	ITS	BY-112					0	0	36,000	0			
BY-109	1973	3	STAT		603	603	398	#N/A	57	EB				ITS - receiving tank; 25 from 103-BX		0	0	36,000	1			
BY-109	1973	4	XIN	86	689	689		#N/A	57	WTR	WTR					0	0	36,000	1			
BY-109	1973	4	SEND	-108	583	583		#N/A	57	SU	BY-112					0	0	36,000	0			
BY-109	1973	4	send	-11	572	572		#N/A	57		BY-112					0	0	36,000	0			
BY-109	1973	4	REC	4	576	576		#N/A	57	SU	BY-103					0	0	36,000	0			
BY-109	1973	4	IGREC	0	576	576		#N/A	57	ITS	BY-112					0	0	36,000	0			
BY-109	1973	4	OUTX	0	576	576		#N/A	57	cond	crib		PCONDC SENT TO BY-112	11 not 0, no REC from BX-112		0	0	36,000	4	O	ARH-2794D-5	
BY-109	1973	4	STAT		587	587	411	11	68	EB				ITS - feed receiving tank; 86 water; 4 from 103-BX; 11 evaporated.		0	0	36,000	1			
BY-109	1974	1	XIN	56	643	643		#N/A	68	WTR	WTR					0	0	36,000	0			
BY-109	1974	1	send	-6	637	637		#N/A	68		BY-112					0	0	36,000	0			
BY-109	1974	1	SEND	-71	566	566		#N/A	68	SU	BY-111					0	0	36,000	0			
BY-109	1974	1	IGREC	0	566	566		#N/A	68	ITS	BY-112					0	0	36,000	0			
BY-109	1974	1	OUTX	0	566	566		#N/A	68	COND	crib		PCONDC SENT TO BY-112	Omission		0	0	36,000	1			
BY-109	1974	1	STAT		594	594	411	28	96	EB				ITS - feed receiving tank; 56 water; 8 from 108-BX; 6 evaporated. Dry Well 22-09-02, 22-09-07, 22-09-11 drilled.		0	0	36,000	3	V	ARH-CD-133A-5	
BY-109	1974	2	XIN	15	609	609		#N/A	96	WTR	WTR					0	0	36,000	1			
BY-109	1974	2	SEND	-28	581	581		#N/A	96		BY-112					0	0	36,000	0			
BY-109	1974	2	REC	5	586	586		#N/A	96	SU	BY-103					0	0	36,000	0			



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
BY-109	1974	2	GREC	0		586		#N/A	96	ITS	BY-112			ITS - feed receiving tank 5 from 103-BY;; 5 from 108-BY; 28 to 112-BY; 15 water; 0 evaporated.			0	36.000		3	O	ARH-CD-133B-5
BY-109	1974	2	STAT		581	581	433	-5	91	EB							0	0	36.000			
BY-109	1974	3	SEND	-111		470		#N/A	91	SU		BY-112					0	0	36.000			
BY-109	1974	3	rec	88		558		#N/A	91	SU		BY-112					0	0	36.000			
BY-109	1974	3	send	-5		553		#N/A	91	SU		BY-105	*73 to				0	0	36.000			
BY-109	1974	3	REC	13		566		#N/A	91	SU	BY-103	BY-103					0	0	36.000			
BY-109	1974	3	REC	36		602		#N/A	91	SU	BY-106	BY-106					0	0	36.000			
BY-109	1974	3	GREC	0		602		#N/A	91	ITS	BY-112						0	0	36.000			
BY-109	1974	3	GREC	0		602		#N/A	91	ITS	BY-112						0	0	36.000			
BY-109	1974	3	STAT		602	602	433	#N/A	91	EB				ITS - feed receiving tanks;; 13 from 103-BY;; 73 from 105-BY; 36 from 106-BY; 10 from 108-BY; 111 to 112-BY.			0	0	36.000			
BY-109	1974	4	REC	6		608		#N/A	91	SU	BY-101	BY-101					0	0	36.000			ARH-CD-133D-5
BY-109	1974	4	SEND	-71		537		#N/A	91	SU		BY-112					0	0	36.000			ARH-CD-133D-5
BY-109	1974	4	rec	59		596		#N/A	91			BY-112					0	0	36.000			
BY-109	1974	4	send	-55		541		#N/A	91	SU		BY-108	*6 to				0	0	36.000			ARH-CD-133D-5
BY-109	1974	4	REC	16		557		#N/A	91	SU	BY-105	BY-105					0	0	36.000			ARH-CD-133D-5
BY-109	1974	4	GREC	0		557		#N/A	91	ITS	BY-112						0	0	36.000			
BY-109	1974	4	STAT		557	557	425	#N/A	91	EB				ITS - feed receiving tank;; 6 from 101-BY;; 16 from 105-BY; 6 from 108-BY; 71 to 112-BY.			0	0	36.000			
BY-109	1975	1	REC	5		562		#N/A	91	SU	BY-103	BY-103					0	0	36.000			
BY-109	1975	1	REC	4		566		#N/A	91	SU	BY-105	BY-105					0	0	36.000			ARH-CD-336A-5
BY-109	1975	1	GREC	0		566		#N/A	91	ITS	BY-112						0	0	36.000			ARH-CD-336A-5
BY-109	1975	1	GREC	0		566		#N/A	91	ITS	BY-112						0	0	36.000			
BY-109	1975	1	STAT		571	571	425	5	96	EB				ITS - feed receiving tank;; 5 from 103-BY;; 4 from 105-BY; 4 from 108-BY.			0	0	36.000			
BY-109	1975	2	SEND	-65		506		#N/A	96	SU		BY-112					0	0	36.000			
BY-109	1975	2	REC	27		533		#N/A	96	SU	BY-105	BY-105					0	0	36.000			ARH-CD-336B-5
BY-109	1975	2	GREC	0		533		#N/A	96	ITS	BY-112						0	0	36.000			ARH-CD-336B-5
BY-109	1975	2	GREC	0		533		#N/A	96	ITS	BY-112						0	0	36.000			
BY-109	1975	2	STAT		541	541	425	8	104	EB				ITS - feed receiving tank;; 27 from 105-BY;; 6 from 108-BY; 65 to 112-BY.			0	0	36.000			
BY-109	1975	3	XIN	8		549		#N/A	104	WTR		WTR					0	0	36.000			
BY-109	1975	3	REC	11		560		#N/A	104	SU	BY-105	BY-105					0	0	36.000			ARH-CD-336C-5
BY-109	1975	3	GREC	0		560		#N/A	104	ITS	BY-112						0	0	36.000			ARH-CD-336C-5
BY-109	1975	3	GREC	0		560		#N/A	104	ITS	BY-112						0	0	36.000			
BY-109	1975	3	STAT		565	565	425	5	109	EB				11 from 105-BY;; 5 from 108-BY;; 8 water.			0	0	36.000			
BY-109	1975	4	XIN	4		569		#N/A	109	WTR		WTR					0	0	36.000			
BY-109	1975	4	REC	4		573		#N/A	109	SU	BY-103	BY-103					0	0	36.000			ARH-CD-336D-5
BY-109	1975	4	REC	6		579		#N/A	109	SU	BY-105	BY-105					0	0	36.000			ARH-CD-336D-5
BY-109	1975	4	REC	16		595		#N/A	109	SU	BY-106	BY-106					0	0	36.000			ARH-CD-336D-5
BY-109	1975	4	REC	2		597		#N/A	109	SU	BY-108	BY-108	*3 to				0	0	36.000			ARH-CD-336D-5
BY-109	1975	4	GREC	0		597		#N/A	109	ITS	BY-112						0	0	36.000			ARH-CD-336D-5
BY-109	1975	4	GREC	0		597		#N/A	109	ITS	BY-112						0	0	36.000			
BY-109	1975	4	STAT		598	598	425	1	110	EB				ITS feed receiving tank;; 4 from 103-BY;; 6 from 105-BY; 16 from 106-BY; 3 from 108-BY; 4 water.			0	0	36.000			

Trnk_n	Year	Qtr	Type	Trans vol	Sat vol	Total vol	Solids vol	Link mtr	Cum unit	Waste type	Trans tank	DWAT	LANL comment	Anderson comment	Osgden comment	act vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/PA #
BY-109	1976	1	SEND	-34	584	584		#N/A	110	SU	BY-112					0	0	36,000	4	O	ARH-CD-702A-5	
BY-109	1976	1	REC	5	569	569		#N/A	110	SU	BY-103					0	0	36,000	4	O	ARH-CD-702A-5	
BY-109	1976	1	REC	2	571	571		#N/A	110	SU	BY-105					0	0	36,000	4	O	ARH-CD-702A-5	
BY-109	1976	1	outk	-540	31	31		#N/A	110	SU	BY-105					0	0	36,000	4	V	ARH-CD-702A-5	
BY-109	1976	1	in	540	571	571		#N/A	110	ITS	BY-112					0.716667	397	BYEV				
BY-109	1976	1	GREC	0	571	571		#N/A	110	ITS	BY-112						0	423,000	BYSM			
BY-109	1976	1	GREC	0	571	571		#N/A	110	ITS	BY-112						0	423,000				
BY-109	1976	1	STAT		576	576	425	5	115	EB							0	423,000				
BY-109	1976	2	GROUP	1	577	577		#N/A	115	SU	BY-103					0	0	423,000				
BY-109	1976	2	GROUP	0	577	577		#N/A	115	ITS	B-112, BY-101, BY-102, BY-104, BY-106					0	0	423,000				
BY-109	1976	2	GROUP	0	577	577		#N/A	115	ITS	BX-110, BX-111, BY-106, BY-110, BY-111					0	0	423,000				
BY-109	1976	2	STAT		585	585	425	8	123	EB							0	423,000				
BY-109	1976	3	GROUP	0	585	585		#N/A	123	ITS							0	423,000				
BY-109	1976	3	STAT		593	593	425	8	131	EVAP							0	423,000				
BY-109	1976	4	STAT		596	596	425	3	134	EVAP							0	423,000				
BY-109	1977	1	send	-137	459	459		#N/A	134	EVAP	A-102						0	423,000				
BY-109	1977	1	STAT		459	459	425	#N/A	134	EVAP							0	423,000				
BY-109	1977	2	send	-17	442	442		#N/A	134	EVAP	A-102						0	423,000				
BY-109	1977	2	STAT		442	442	433	#N/A	134	EVAP							0	423,000				
BY-109	1977	3	STAT		444	444	433	2	136	EVAP							0	423,000				
BY-109	1977	4	STAT		447	447	433	3	139	EVAP							0	423,000				
BY-109	1978	1	rec	11	458	458		#N/A	139	EVAP	A-102						0	423,000				
BY-109	1978	1	STAT		458	458	433	#N/A	139	NCPLX							0	423,000				
BY-109	1978	2	STAT		455	455	433	-3	136	NCPLX							0	423,000				
BY-109	1978	3	STAT		458	458	433	3	138	NCPLX							0	423,000				
BY-109	1978	4	STAT		461	461	433	3	142	NCPLX							0	423,000				
BY-109	1979	1	STAT		466	466	433	5	147	NCPLX							0	423,000				
BY-109	1979	2	STAT		466	466	433	#N/A	147	NCPLX							0	423,000				
BY-109	1979	3	STAT		466	466	433	#N/A	147	NCPLX							0	423,000				
BY-109	1979	4	STAT		466	466	433	#N/A	147	NCPLX							0	423,000				
BY-109	1980	1	STAT		466	466	433	#N/A	147	NCPLX							0	423,000				
BY-109	1980	2	STAT		466	466	433	#N/A	147	NCPLX							0	423,000				
BY-109	1980	3	STAT		466	466	433	#N/A	147	NCPLX							0	423,000				
BY-109	1980	4	STAT		466	466	433	#N/A	147	NCPLX							0	423,000				
BY-109	1982	3	send	-43	423	423		#N/A	147	NCPLX	AW-102						0	423,000				
BY-109	1983	2	STAT		423	423	423	#N/A	147	NCPLX							0	423,000				
BY-109	1993	4	STAT		423	423	423	#N/A	147	NCPLX							0	423,000				
BY-109	1994	1	STAT		423	423	423	#N/A	147	NCPLX							0	423,000				
BY-109	2000				423	423	423	#N/A	147	NCPLX							0	423,000				

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk titr	Cum untk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Options comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BY-110	1950																					
BY-110	1951	4	XIN	170		170		#N/A	0	1C		1C1				0	0	0.000				
BY-110	1952	1	XIN	170		340		#N/A	0	1C		1C2				0.07724426	13.132	13.132	1C2			
BY-110	1952	1	XIN	140		480		#N/A	0	1C		1C2				0.07724426	10.814	23.946	1C2			
BY-110	1952	1	XIN	113		593		#N/A	0	1C		1C2				0.07724426	8.7286	32.674	1C2			
BY-110	1952	1	STAT		638	638		0	45	1C				1C Tank now filling B Plant.								
BY-110	1952	2	XIN	22		660		#N/A	45	1C		1C2				0.07724426	1.6894	34.374	1C2			
BY-110	1952	2	XIN	19		679		#N/A	45	1C		1C2				0.07724426	1.4676	35.841	1C2			
BY-110	1952	2	STAT		683	683		0	26	1C				1C Tank now filling B Plant.								
BY-110	1952	3	XIN	15		688		#N/A	19	1C		1C2				0.07724426	1.1587	37.000	1C2			
BY-110	1952	3	XIN	26		694		#N/A	19	1CF		DW				0	0	37.000				
BY-110	1952	3	XIN	43		737		#N/A	19	1CF		DW				0	0	37.000				
BY-110	1952	3	STAT		722	722		0	15	1C				Abandoned as 1st cycle cascaded Active 1st cycle Tank 221-B.								
BY-110	1952	4	XIN	10		732		#N/A	4	1CF		DW				0	0	37.000				
BY-110	1952	4	STAT		732	732		0	0	1C						0	0	37.000				
BY-110	1953	1	STAT		732	732		0	0	1C						0	0	37.000				
BY-110	1953	2	STAT		731	731		0	-1	3	SU					0	0	37.000				
BY-110	1953	3	STAT		731	731		0	0	3	SU					0	0	37.000				
BY-110	1953	4	STAT		731	731		0	0	3	SU					0	0	37.000				
BY-110	1954	1	STAT		731	731		0	0	3	SU					0	0	37.000				
BY-110	1954	2	STAT		731	731		0	0	3	SU					0	0	37.000				
BY-110	1954	3	OUTX	-693		38		#N/A	3	SU	B-03B	CRIB				0	0	37.000				
BY-110	1954	3	STAT		37	37		0	-1	2	SU	1C		Supernatant pumped to ditch. Started receiving TBP scvg. waste.								
BY-110	1954	4	XIN	710		747		#N/A	2	P01	UR	PF&CN1				0.03026172	21.486	58.486	PF&C1		N-54-1	
BY-110	1954	4	SEND	-139		608		#N/A	2	SU		BY-105				0	0	58.486			N-54-1	
BY-110	1954	4	OUTX	-564		45		#N/A	2	SU	B-043	CRIB				0	0	58.486			N-54-1	
BY-110	1954	4	STAT		N/A	45		51	#N/A	2	TBP		Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-110	1955	1	XIN	699		744		#N/A	2	P04	UR	PF&CN1				0.03026172	21.153	79.639	PF&C1		N-54-4	
BY-110	1955	1	SEND	-679		1423		#N/A	2	P08	UR	PF&CN1	OC 697 TO 699			0.03026172	20.548	100.186	PF&C1		N-54-8	
BY-110	1955	1	SEND	-144		1279		#N/A	2	SU		BY-103				0	0	100.186			N-54-4	
BY-110	1955	1	SEND	-121		1158		#N/A	2	SU		BY-105				0	0	100.186			N-54-4	
BY-110	1955	1	OUTX	-403		755		#N/A	2	SU	B-042	CRIB				0	0	100.186			N-54-4	
BY-110	1955	1	STAT		N/A	755		121	#N/A	2	TBP		Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-110	1955	2	SEND	-495		260		#N/A	2	SU		BY-102				0	0	100.186				N-54-102
BY-110	1955	2	SEND	-100		160		#N/A	2	SU		BY-102				0	0	100.186				N-54-102
BY-110	1955	2	STAT		N/A	160		85	#N/A	2	TBP		Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-110	1955	3	XIN	581		741		#N/A	2	P12	UR	PF&CN1				0.03026172	17.682	117.769	PF&C1		N-54-12	
BY-110	1955	3	XIN	429		1166		#N/A	2	P15	UR	PF&CN1				0.03026172	12.961	130.630	PF&C1		N-54-15	
BY-110	1955	3	SEND	-604		562		#N/A	2	SU		BY-104				0	0	130.630				N-54-12
BY-110	1955	3	STAT		N/A	562		85	#N/A	2	TBP		Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.									
BY-110	1955	4	XIN	574		1136		#N/A	2	P18	UR	PF&CN1				0.03026172	17.37	148.000	PF&C1		N-54-18	
BY-110	1955	4	XIN	579		1715		#N/A	2	P22	UR	PF&CN2				0.03026172	4.6738	152.674	PF&C1		N-54-22	
BY-110	1955	4	OUTX	-404		1311		#N/A	2	SU	B-047	CRIB				0	0	152.674				N-54-15

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tit	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oxden comment	sol type	DI	O/A	Document/Pg #
BY-110	1955	4	OUTX	-591		720		#N/A	2 SU	B-049	CRIB			BY-7 Crib			3 O	N-54-19	
BY-110	1955	4	STAT		N/A	720	148	#N/A	2 TBP				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.						
BY-110	1956	1	XIN	572		1292		#N/A	2 P25	UR	PfFeCN2		Scvg. waste receiver.				1	N-54-25	
BY-110	1956	1	XIN	557		1849		#N/A	2 P29	UR	PfFeCN2						3 O	N-54-29	
BY-110	1956	1	SEND	-12		1837		#N/A	2 SL								3 O	N-54-25	
BY-110	1956	1	OUTX	-550		1287		#N/A	2 SU	B-014	CRIB			BC-1 Crib			3 O	N-54-22	
BY-110	1956	1	OUTX	-547		740		#N/A	2 SU	B-018	CRIB			BC-5 Crib			3 O	N-54-25	
BY-110	1956	1	STAT		N/A	740	150	#N/A	2 TBP				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.						
BY-110	1956	2	XIN	553		1293		#N/A	2 P33	UR	PfFeCN2		Scvg. waste receiver.				1	N-54-33	
BY-110	1956	2	XIN	535		1828		#N/A	2 P37	UR	PfFeCN2						3 O	N-54-37	
BY-110	1956	2	SEND	-488		1390		#N/A	2 SU	BX-104							3 O	N-54-33	
BY-110	1956	2	SEND	-44		1286		#N/A	2 SL								3 O	N-54-33	
BY-110	1956	2	SEND	-34		1252		#N/A	2 SL								3 O	N-54-29	
BY-110	1956	2	OUTX	-520		732		#N/A	2 SU	B-016	CRIB			BC-3 Crib			3 O	N-54-29	
BY-110	1956	2	STAT		N/A	732	150	#N/A	2 TBP				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.						
BY-110	1956	3	XIN	520		1252		#N/A	2 P41	UR	PfFeCN2		S.S. active receiver.				1	N-54-41	
BY-110	1956	3	XIN	512		1764		#N/A	2 P45	UR	PfFeCN2						3 O	N-54-45	
BY-110	1956	3	SEND	-521		1243		#N/A	2 SU				AND reports BY-105				3 O	N-54-37	
BY-110	1956	3	SEND	-28		1215		#N/A	2 SL								3 O	N-54-41	
BY-110	1956	3	OUTX	-484		731		#N/A	2 SU	B-020	CRIB			BC-7 Ditch			3 O	N-54-41	
BY-110	1956	3	STAT		N/A	731	211	#N/A	2 TBP				S.S. pumped to 105-BY FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.						
BY-110	1956	4	XIN	546		1277		#N/A	2 P49	UR	PfFeCN2						1	N-54-49	
BY-110	1956	4	SEND	-45		1232		#N/A	2 SL								3 O	N-54-45	
BY-110	1956	4	SEND	-25		1046		#N/A	2 SU								3 O	N-54-49	
BY-110	1956	4	OUTX	-258		948		#N/A	2 SU	B-022	CRIB		AND reports 495 to B-023				3 O	N-54-49	
BY-110	1956	4	OUTX	-235		713		#N/A	2 SU	B-023	CRIB		AND reports 495 to B-023				4 O	N-54-45	
BY-110	1956	4	OUTX	-509		204		#N/A	2 SU	B-025	CRIB		AND reports -528				3 O	N-54-49	
BY-110	1956	4	STAT		N/A	204	229	#N/A	2 TBP				S.S. 495m to BC No. 10 ditch. S.S. received from 241-WR. 528m gallons sent to No. 12BC.						
BY-110	1957	1	XIN	528		732		#N/A	2 P53	UR	PfFeCN2						1	N-54-53	
BY-110	1957	1	OUTX	-305		427		#N/A	2 SU	B-027	CRIB			BC-14 Trench			3 O	N-54-53	
BY-110	1957	1	STAT		N/A	427	210	#N/A	2 TBP				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.						
BY-110	1957	2	XIN	301		728		#N/A	2 P57	UR	PfFeCN2						1	N-54-57	
BY-110	1957	2	STAT		N/A	728	205	#N/A	2 TBP				S.S. active TBP receiver. 283m sent to No. 14 BC ditch.						
BY-110	1957	3	OUTX	-329		399		#N/A	2 SU	B-030	CRIB		AND reports total 289				1	N-54-57	
BY-110	1957	3	OUTX	-161		238		#N/A	2 SU	B-031	CRIB		Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.				4 O	N-54-57	
BY-110	1957	3	STAT		N/A	238	211	#N/A	2 TBP				S.S. received 181m gallons. S.S. 87m received. 13m to No. 17 BC trench.						
BY-110	1957	4	XIN	13		251		#N/A	2 FLSH								1	N-54-57	
BY-110	1957	4	REC	67		318		#N/A	2 SU	C-105	C-105		316 from qtr T&Z 329 total				4 O	N-54-57	
BY-110	1957	4	STAT		N/A	304	210	#N/A	-12 TBP CW				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.						
BY-110	1958	1	REC	298		602		#N/A	-12 SU	C-105	C-105		316m to BC-17, 146m to latest electrode reading.				1	N-54-57	
BY-110	1958	1	REC	298		602		#N/A	-12 SU	C-105	C-105		57m from 105-C and 13m flush.				4 O	N-54-57	

Tank #	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans bank	DWXT	LAML comment	Anderson comment	Open comment	sol wo%	TLM solids	Cum solids	sol type	Q/A	Document/Pg #
BY-110	1958	1	STAT	607	607	607	210	5	-7	TBP,CW				295m from 105-C.		0	0	190,000	1		
BY-110	1958	2	STAT	604	604	604	210	-3	-10	TBP,CW						0	0	190,000	1		
BY-110	1958	3	REC	7	611	611	611	#N/A	-10	SU	C-106					0	0	190,000	4	O	HW-57711-4
BY-110	1958	3	STAT	611	611	611	210	#N/A	-10	TBP,CW						0	0	190,000	1		
BY-110	1958	4	REC	108	719	719		#N/A	-10	SU	C-105		OC 108 TO 108		Shows 108 not 106	0	0	190,000	3	V	HW-58201
BY-110	1958	4	STAT	717	717	717	210	-2	-12	CW				103m from 105-C. Latest electrode reading.		0	0	190,000	1		
BY-110	1959	1	STAT	717	717	717	210	#N/A	-12	TBP,CW						0	0	190,000	1		
BY-110	1959	2	STAT	716	716	716	210	-1	-13	TBP,CW						0	0	190,000	1		
BY-110	1959	3	STAT	716	716	716	210	#N/A	-13	TBP,CW						0	0	190,000	1		
BY-110	1959	4	STAT	739	739	739	210	23	10	CW						0	0	190,000	1		
BY-110	1960	1	STAT	739	739	739	210	#N/A	10	CW						0	0	190,000	1		
BY-110	1960	2	STAT	739	739	739	210	#N/A	10	CW						0	0	190,000	1		
BY-110	1960	3	STAT	739	739	739	210	#N/A	10	CW						0	0	190,000	1		
BY-110	1960	4	STAT	739	739	739	210	#N/A	10	TBP,CW						0	0	190,000	1		
BY-110	1961	1	STAT	706	706	706	210	-31	-21	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1961	2	STAT	706	706	706	210	-31	-21	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1961	3	STAT	N/A	N/A	708		#N/A	-21					[ 6 months report		0	0	190,000	1		
BY-110	1961	4	STAT	708	708	708	210	#N/A	-21	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1962	1	STAT	N/A	N/A	708		#N/A	-21					[ 6 months report		0	0	190,000	1		
BY-110	1962	2	STAT	708	708	708	210	#N/A	-21	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1962	3	STAT	N/A	N/A	708		#N/A	-21					[ 6 months report		0	0	190,000	1		
BY-110	1962	4	STAT	708	708	708	210	#N/A	-21	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1963	1	STAT	706	706	706	246	-2	-23	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1963	2	STAT	N/A	N/A	706		#N/A	-23					[ 6 months report		0	0	190,000	1		
BY-110	1963	3	STAT	N/A	N/A	706		#N/A	-23					[ 6 months report		0	0	190,000	1		
BY-110	1963	4	STAT	706	706	706	246	#N/A	-23	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1964	1	STAT	706	706	706	246	#N/A	-23	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1964	2	STAT	706	706	706	246	#N/A	-23	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1964	3	STAT	N/A	N/A	706		#N/A	-23					[ 6 months report		0	0	190,000	1		
BY-110	1964	4	STAT	706	706	706	246	#N/A	-23	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1965	1	STAT	N/A	N/A	706		#N/A	-23					[ 6 months report		0	0	190,000	1		
BY-110	1965	2	STAT	703	703	703	230	-3	-26	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1965	3	STAT	706	706	706	230	3	-29	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1965	4	STAT	713	713	713	230	7	-16	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1966	1	STAT	708	708	708	230	-7	-23	CW				[ 6 months report		0	0	190,000	1		
BY-110	1966	2	STAT	706	706	706	230	#N/A	-23	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1966	3	STAT	700	700	700	230	-6	-29	CW				[ 6 months report		0	0	190,000	1		
BY-110	1966	4	STAT	706	706	706	230	#N/A	-29	TBP,CW				Latest electrode reading.		0	0	190,000	1		
BY-110	1967	1	STAT	706	706	706	230	6	-23	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1967	2	STAT	697	697	697	230	-9	-32	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1967	3	STAT	693	693	693	230	-4	-36	CW				[ 6 months report		0	0	190,000	1		
BY-110	1967	4	STAT	693	693	693	230	#N/A	-36	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1968	1	XIN	13	706	706		#N/A	-36		CORR	WTR	Omiss correction	Omission	0	0	190,000	3	V	ARH-534-6	
BY-110	1968	2	STAT	706	706	706	230	#N/A	-36	CW				13m correction.		0	0	190,000	1		
BY-110	1968	3	STAT	706	706	706	230	#N/A	-36	CW				[ 6 months report		0	0	190,000	1		
BY-110	1968	4	STAT	706	706	706	230	#N/A	-36	TBP,CW				[ 6 months report		0	0	190,000	1		
BY-110	1969	1	STAT	701	701	701	230	-5	-41	CW				[ 6 months report		0	0	190,000	1		
BY-110	1969	2	send	-59	642	642		#N/A	-41			BY-112			0	0	190,000	0			
BY-110	1969	2	GREC	0	642	642		#N/A	-41	ITS	BY-112					0	0	190,000	1		
BY-110	1969	2	STAT	642	642	642	189	#N/A	-41	CW,EB				Added to ITS - 2 bottoms and recycle system 6/27/69		0	0	190,000	1		
BY-110	1969	3	rec	50	692	692		#N/A	-41	ITS	BY-112					0	0	190,000	0		
BY-110	1969	3	GREC	0	692	692		#N/A	-41	ITS	BY-112					0	0	190,000	1		
BY-110	1969	3	STAT	692	692	692	123	#N/A	-41	EB				ITS - 2 bottoms and recycle.		0	0	190,000	1		
BY-110	1969	4	rec	11	703	703		#N/A	-41	ITS	BY-112					0	0	190,000	0		
BY-110	1969	4	GREC	0	703	703		#N/A	-41	ITS	BY-112					0	0	190,000	1		

Rank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #	
BY-110	1969	4	STAT		703	703	123	#N/A	-41	EB													
BY-110	1970	1	send	-418		285		#N/A	-41	EB				ITS - 2 bottoms and recycle.		0	0	190.000			1		
BY-110	1970	1	REC	342		627		#N/A	-41	SU	BY-109	BY-109				0	0	190.000			0		
BY-110	1970	1	GREC	0		627		#N/A	-41	ITS	BY-112					0	0	190.000			1		
																	0	0	190.000			1	
BY-110	1970	1	STAT		627	627	201	#N/A	-41	EB				ITS - 2 bottoms and recycle. Dry Well 22-10-05, 22 10-10 drilled.									
BY-110	1970	2	send	-108		519		#N/A	-41	EB						0	0	190.000			1		
BY-110	1970	2	GREC	0		519		#N/A	-41	ITS	BY-112					0	0	190.000			0		
BY-110	1970	2	STAT		519	519	190	#N/A	-41	EB						0	0	190.000			1		
BY-110	1970	3	rec	76		595		#N/A	-41	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle.		0	0	190.000			1		
BY-110	1970	3	REC	69		664		#N/A	-41	SU	BY-109	BY-109				0	0	190.000			0		
BY-110	1970	3	GREC	0		664		#N/A	-41	ITS	BY-112					0	0	190.000			1		
BY-110	1970	3	STAT		664	664	211	#N/A	-41	EB						0	0	190.000			1		
BY-110	1970	4	send	-176		488		#N/A	-41	EB				ITS - 2 bottoms and recycle.		0	0	190.000			1		
BY-110	1970	4	REC	209		697		#N/A	-41	SU	BY-109	BY-109				0	0	190.000			0		
BY-110	1970	4	GREC	0		697		#N/A	-41	ITS	BY-112					0	0	190.000			1		
BY-110	1970	4	STAT		697	697	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1971	1	send	-22		675		#N/A	-41	EB				ITS - 2 bottoms and recycle.		0	0	190.000			1		
BY-110	1971	1	GREC	0		675		#N/A	-41	ITS	BY-112					0	0	190.000			0		
BY-110	1971	1	STAT		675	675	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1971	2	rec	15		690		#N/A	-41	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle.		0	0	190.000			1		
BY-110	1971	2	GREC	0		690		#N/A	-41	ITS	BY-109					0	0	190.000			0		
BY-110	1971	2	STAT		690	690	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1971	3	rec	18		708		#N/A	-41	ITS	BY-112	BY-112		ITS - 2 bottoms and recycle.		0	0	190.000			1		
BY-110	1971	3	GREC	0		708		#N/A	-41	ITS	BY-112					0	0	190.000			0		
BY-110	1971	3	STAT		708	708	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1971	4	send	-63		645		#N/A	-41	EB				ITS - 2 bottoms and recycle.		0	0	190.000			1		
BY-110	1971	4	GREC	0		645		#N/A	-41	ITS	BY-112	BY-112				0	0	190.000			0		
BY-110	1971	4	STAT		645	645	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1972	1	send	-17		628		#N/A	-41	EB				ITS - 2 bottoms and recycle.		0	0	190.000			1		
BY-110	1972	1	GREC	0		628		#N/A	-41	ITS	BY-112					0	0	190.000			0		
BY-110	1972	1	STAT		628	628	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1972	2	rec	86		714		#N/A	-41	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	190.000			1		
BY-110	1972	2	GREC	0		714		#N/A	-41	ITS	BY-112					0	0	190.000			0		
BY-110	1972	2	STAT		714	714	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1972	3	send	-47		667		#N/A	-41	EB				ITS - bottoms and recycle.		0	0	190.000			1		
BY-110	1972	3	GREC	0		667		#N/A	-41	ITS	BY-112	BY-112				0	0	190.000			0		
BY-110	1972	3	STAT		667	667	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1972	4	send	-23		644		#N/A	-41	EB				ITS - bottoms and recycle.		0	0	190.000			1		
BY-110	1972	4	GREC	0		644		#N/A	-41	ITS	BY-112					0	0	190.000			0		
BY-110	1972	4	STAT		644	644	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1973	1	rec	28		672		#N/A	-41	ITS	BY-112	BY-112		ITS - bottoms and recycle.		0	0	190.000			1		
BY-110	1973	1	GREC	0		672		#N/A	-41	ITS	BY-112					0	0	190.000			0		
BY-110	1973	1	STAT		672	672	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1973	2	send	-19		653		#N/A	-41	EB				ITS - bottoms and recycle.		0	0	190.000			1		
BY-110	1973	2	GREC	0		653		#N/A	-41	ITS	BY-112					0	0	190.000			0		
BY-110	1973	2	STAT		653	653	277	#N/A	-41	ITS						0	0	190.000			1		
BY-110	1973	3	rec	53		706		#N/A	-41	EB	BY-112	BY-112		ITS - bottoms and recycle.		0	0	190.000			1		
BY-110	1973	3	GREC	0		706		#N/A	-41	ITS	BY-112					0	0	190.000			0		
BY-110	1973	3	STAT		706	706	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1973	4	send	-33		673		#N/A	-41	EB				ITS - bottoms and recycle.		0	0	190.000			1		
BY-110	1973	4	GREC	0		673		#N/A	-41	ITS	BY-112					0	0	190.000			0		
BY-110	1973	4	STAT		673	673	277	#N/A	-41	EB						0	0	190.000			1		
BY-110	1974	1	send	-3		670		#N/A	-41	EB				ITS - bottoms and recycle.		0	0	190.000			1		
BY-110	1974	1	GREC	0		670		#N/A	-41	ITS	BY-112					0	0	190.000			0		



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qi	O/A	Document/Pg #
BY-110	1974	1	STAT		670	670	277	#N/A	-41	EB				ITS - bottoms and recycle. ** Dry Well 22-10-07, 22-10-09 drilled.		0	0	190,000		1		
BY-110	1974	2	rec	8		678		#N/A	-41	ITS	BY-112	BY-112				0	0	190,000		0		
BY-110	1974	2	REC	12		690		#N/A	-41	SU	BY-102	BY-102				0	0	190,000		4	O	ARH-CD-133B-5
BY-110	1974	2	GREC	0		690		#N/A	-41	ITS	BY-112					0	0	190,000		1		
BY-110	1974	2	STAT		690	690	277	#N/A	-41	EB				ITS - bottoms and recycle, 12 from 102-BY.		0	0	190,000		1		
BY-110	1974	3	send	-2		688		#N/A	-41			BY-112				0	0	190,000		0		
BY-110	1974	3	GREC	0		688		#N/A	-41	ITS	BY-112					0	0	190,000		1		
BY-110	1974	3	STAT		688	688	277	#N/A	-41	EB				ITS - bottoms and recycle.		0	0	190,000		1		
BY-110	1974	4	rec	1		689		#N/A	-41	ITS	BY-112	BY-112				0	0	190,000		0		
BY-110	1974	4	GREC	0		689		#N/A	-41	ITS	BY-112					0	0	190,000		1		
BY-110	1974	4	STAT		689	689	296	#N/A	-41	EB				ITS - bottoms and recycle.		0	0	190,000		1		
BY-110	1975	1	rec	19		708		#N/A	-41	ITS	BY-112	BY-112				0	0	190,000		0		
BY-110	1975	1	SEND	-123		585		#N/A	-41	SU		BX-106				0	0	190,000		4	O	ARH-CD-336A-5
BY-110	1975	1	REC	99		684		#N/A	-41	SU	BY-107	BY-107				0	0	190,000		4	O	ARH-CD-336A-5
BY-110	1975	1	GREC	0		684		#N/A	-41	ITS	BY-112					0	0	190,000		1		
BY-110	1975	1	STAT		684	684	296	#N/A	-41	EB				ITS - bottoms and recycle, 123 to 106-BX, 99 from 107-BY.		0	0	190,000		1		
BY-110	1975	2	rec	75		759		#N/A	-41	ITS	BY-112	BY-112				0	0	190,000		0		
BY-110	1975	2	SEND	-114		645		#N/A	-41	SU		BX-106				0	0	190,000		4	O	ARH-CD-336B-5
BY-110	1975	2	GREC	0		645		#N/A	-41	ITS	BY-112					0	0	190,000		1		
BY-110	1975	2	REC	0		645		#N/A	-41	SU	BY-107	BY-107	not pumped?			0	0	190,000		4	O	ARH-CD-336B-5
BY-110	1975	2	STAT		645	645	296	#N/A	-41	EB				ITS - bottoms and recycle, 114 to 106-BX, 85 from 107-BY.		0	0	190,000		1		
BY-110	1975	3	rec	22		667		#N/A	-41	ITS	BY-112	BY-112				0	0	190,000		0		
BY-110	1975	3	GREC	0		667		#N/A	-41	ITS	BY-112					0	0	190,000		1		
BY-110	1975	3	REC	0		667		#N/A	-41	SU	BY-107	BY-107	not pumped?			0	0	190,000		4	O	ARH-CD-336C-5
BY-110	1975	3	STAT		667	667	296	#N/A	-41	EB				20 from 107-BY.		0	0	190,000		1		
BY-110	1975	4	rec	6		673		#N/A	-41	ITS	BY-112	BY-112				0	0	190,000		0		
BY-110	1975	4	GREC	0		673		#N/A	-41	ITS	BY-112					0	0	190,000		1		
BY-110	1975	4	REC	0		673		#N/A	-41	SU	BY-107	BY-107	not pumped?			0	0	190,000		3	O	ARH-CD-336D-5
BY-110	1975	4	STAT		673	673	296	#N/A	-41	EB				ITS - bottoms and recycle.		0	0	190,000		1		
BY-110	1976	1	rec	11		684		#N/A	-41	ITS	BY-112	BY-112				0	0	190,000		0		
BY-110	1976	1	cutx	-494		190		#N/A	-41			BYEVAP				0	0	190,000	BYEV	0		
BY-110	1976	1	xin	494		684		#N/A	-41			BYStCk				0.421053	208	398,000	BYStCk	0		
BY-110	1976	1	GREC	0		684		#N/A	-41	ITS	BY-112					0	0	398,000		1		
BY-110	1976	1	REC	0		684		#N/A	-41	SU	BY-107	BY-107	not pumped?			0	0	398,000		3	O	ARH-CD-702A-5
BY-110	1976	1	STAT		684	684	296	#N/A	-41	EB				ITS - bottoms and recycle.		0	0	398,000		1		
BY-110	1976	2	send	-6		678		#N/A	-41			BY-112				0	0	398,000		0		
BY-110	1976	2	GREC	0		678		#N/A	-41	ITS	BY-109					0	0	398,000		1		
BY-110	1976	2	STAT		684	684	296	6	-35	EB				ITS - bottoms and recycle		0	0	398,000		1		
BY-110	1976	3	STAT		678	678	296	-6	-41					Con. feed bottoms.		0	0	398,000		1		
BY-110	1976	4	STAT		678	678	296	#N/A	-41	EVAP						0	0	398,000		1		
BY-110	1977	1	send	-69		609		#N/A	-41			A-102				0	0	398,000		0		
BY-110	1977	1	STAT		609	609	376	#N/A	-41	EVAP				Con. Feed Btms. Salt Well Installed		0	0	398,000		1		
BY-110	1977	2	send	-77		532		#N/A	-41			A-102				0	0	398,000		0		
BY-110	1977	2	STAT		532	532	376	#N/A	-41	EVAP				Con. Feed Btms. Salt Well Installed		0	0	398,000		1		
BY-110	1977	3	rec	17		549		#N/A	-41		A-102	A-102				0	0	398,000		0		
BY-110	1977	3	STAT		549	549	469	#N/A	-41	EVAP				Salt Well Receiver Solid Level Adj.		0	0	398,000		1		
BY-110	1977	4	rec	11		560		#N/A	-41		A-102	A-102				0	0	398,000		0		



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Q1	Q/A	Document/Pg #
BY-110	1977	4	STAT		560	560	469	#N/A	-41	EVAP				Salt Well Receiver Solid Level Adj.			0	0	398.000		1	
BY-110	1978	1	rec	11		571		#N/A	-41		A-102	A-102				0	0	398.000		0		
BY-110	1978	1	STAT		571	571	469	#N/A	-41	NCPLX						0	0	398.000		1		
BY-110	1978	2	rec	8		579		#N/A	-41		A-102	A-102				0	0	398.000		0		
BY-110	1978	2	STAT		579	579	469	#N/A	-41	NCPLX						0	0	398.000		1		
BY-110	1978	3	rec	3		582		#N/A	-41		A-102	A-102				0	0	398.000		0		
BY-110	1978	3	STAT		582	582	469	#N/A	-41	NCPLX						0	0	398.000		1		
BY-110	1978	4	STAT		585	585	469	3	-38							0	0	398.000		1		
BY-110	1979	1	rec	34		619		#N/A	-38		A-102	A-102				0	0	398.000		1		
BY-110	1979	1	SEND	-30		589		#N/A	-38	SU		BX-105				0	0	398.000		0		
BY-110	1979	1	SEND	-4		585		#N/A	-38	SU		BX-105				0	0	398.000		1		
BY-110	1979	1	STAT		585	585	469	#N/A	-38	NCPLX				Active salt well Receiver		0	0	398.000		1		
BY-110	1979	2	send	-33		552		#N/A	-38			A-102				0	0	398.000		0		
BY-110	1979	2	STAT		552	552	469	#N/A	-38	NCPLX				New Photo 6/29/79		0	0	398.000		1		
BY-110	1979	3	rec	26		578		#N/A	-38		A-102	A-102				0	0	398.000		0		
BY-110	1979	3	SEND	-48		530		#N/A	-38	SU		BX-105				0	0	398.000		1		
BY-110	1979	3	STAT		530	530	469	#N/A	-38					New Photo 8/17/79		0	0	398.000		1		
BY-110	1979	4	STAT		530	530	469	#N/A	-38	NCPLX				Inactive		0	0	398.000		1		
BY-110	1980	1	send	-22		508		#N/A	-38			A-102				0	0	398.000		0		
BY-110	1980	1	STAT		508	508	505	#N/A	-38							0	0	398.000		1		
BY-110	1980	2	STAT		508	508	505	#N/A	-38							0	0	398.000		1		
BY-110	1980	3	STAT		508	508	505	#N/A	-38							0	0	398.000		1		
BY-110	1980	4	STAT		508	508	505	#N/A	-38	NCPLX						0	0	398.000		1		
BY-110	1982	3	send	-110		398		#N/A	-38		AW-102		salt-wellpumped			0	0	398.000		0		
BY-110	1993	2	STAT		398	398	398	#N/A	-38	NCPLX						0	0	398.000		1		
BY-110	1993	4	STAT		398	398	398	#N/A	-38							0	0	398.000		1		
BY-110	1994	1	STAT		398	398	398	#N/A	-38							0	0	398.000		1		
BY-110	2000															0	0	398.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qf	Q/A	Document/Pg #
BY-111	1900																					
BY-111	1951	4	CSEND	0		0		#N/A	0	SET	BY-112						0	0.000		1		
BY-111	1951	4	XIN	177		177		#N/A	0	MW		MW1				0.04428	7.8376	7.838	MW1	1		
BY-111	1951	4	XIN	185		362		#N/A	0	MW		MW1				0.04428	8.1919	16.030	MW1	1		
BY-111	1951	4	XIN	180		542		#N/A	0	MW		MW1				0.04428	7.9705	24.000	MW1	1		
BY-111	1952	1	XIN	160		702		#N/A	0	MW		MW2				0.004739	0.7583	24.758	MW1	1		
BY-111	1952	1	XIN	145		847		#N/A	0	MW		MW2				0.004739	0.6872	25.445	MW1	1		
BY-111	1952	1	XIN	117		964		#N/A	0	MW		MW2				0.004739	0.5545	26.000	MW1	1		
BY-111	1952	1	send	-117		847		#N/A	0	cas		BY-112				0	0	26.000		0		
BY-111	1952	1	send	-89		758		#N/A	0	cas		BY-112				0	0	26.000		0		
BY-111	1952	1	STAT		758	758	0	#N/A	0	MW						0	0	26.000		1		
BY-111	1952	2	STAT		758	758	0	#N/A	0							0	0	26.000		1		
BY-111	1952	3	STAT		758	758	0	#N/A	0							0	0	26.000		1		
BY-111	1952	4	XIN	55		813		#N/A	0	UR		UR				0	0	26.000		1		
BY-111	1952	4	send	-55		758		#N/A	0	cas		BY-112				0	0	26.000		0		
BY-111	1952	4	STAT		758	758	0	#N/A	0	MW			Receives high TBP wastes for temp. storage (received 11,000 gallons in December).			0	0	26.000		1		
BY-111	1953	1	STAT		759	759	0	1	1	MW			Receives high waste from TBP into temp. storage.			0	0	26.000		1		
BY-111	1953	2	STAT		758	758	0	-1	0				Received 6,000 gallons of 1-2 material which cascaded to 112-BY. Receives misc.			0	0	26.000		1		
BY-111	1953	3	STAT		758	758	0	#N/A	0							0	0	26.000		1		
BY-111	1953	4	STAT		758	758	0	#N/A	0	MW						0	0	26.000		1		
BY-111	1954	1	STAT		758	758	0	#N/A	0							0	0	26.000		1		
BY-111	1954	2	xin	509		1267		#N/A	0			WTR				0	0	26.000		0		
BY-111	1954	2	SEND	-509		758		#N/A	0	SU		BX-106				0	0	26.000		1		
BY-111	1954	2	STAT		758	758	0	#N/A	0				Receives high uranium waste.			0	0	26.000		1		
BY-111	1954	3	CSEND	0		758		#N/A	0	END	BY-112					0	0	26.000		1		
BY-111	1954	3	STAT		758	758	0	#N/A	0	MW			Receives high uranium waste from TBP and hot semi-works.			0	0	26.000		1		
BY-111	1954	4	OUTX	-734		24		#N/A	0			UR				0	0	26.000		0		
BY-111	1954	4	STAT		24	24	0	#N/A	0	MW						0	0	26.000		1		
BY-111	1955	1	xin	45		69		#N/A	0			WTR				0	0	26.000		0		
BY-111	1955	1	REC	390		459		#N/A	0	SL	BY-112	BY-112				0	0	26.000		1		
BY-111	1955	1	OUTX	-30		429		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	1	OUTX	-187		242		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	1	OUTX	-231		11		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	1	STAT		11	11	0	#N/A	0	MW			Active sluicing tank.			0	0	26.000		1		
BY-111	1955	2	xin	171		182		#N/A	0			WTR				0	0	26.000		0		
BY-111	1955	2	OUTX	-120		62		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	2	OUTX	-11		51		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	2	OUTX	-26		25		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	2	STAT		N/A	25		#N/A	0							0	0	26.000		1		
BY-111	1955	3	OUTX	-3		22		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	3	OUTX	-22		0		#N/A	0	SL	UR	UR				0	0	26.000		1		
BY-111	1955	3	STAT		N/A	0		#N/A	0							0	0	26.000		1		
BY-111	1955	4	STAT		N/A	0		#N/A	0							0	0	26.000		1		
BY-111	1956	1	STAT		N/A	0		#N/A	0							0	0	26.000		1		
BY-111	1956	2	REC	539		539		#N/A	0	SU	BY-107	BY-107				0	0	26.000		3	O	N-54-31
BY-111	1956	2	STAT		526	526	0	-13	-13	TBP						0	0	26.000		1		
BY-111	1956	3	OUTX	-513		13		#N/A	-13	SU	B-016	CRIB				0	0	26.000		4	O	N-54-110

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #	
BY-111	1956	3	STAT		26	26	0	13	0	TBP				To go to BX No. 3 crib in 500m gallons went to No. 38C.		0	0	26.000					
BY-111	1956	4	STAT		26	26	0	#N/A	0	TBP						0	0	26.000					
BY-111	1957	1	STAT		35	35	26	9	9	TBP				Latest electrode reading.		0	0	26.000					
BY-111	1957	2	REC	300		335		#N/A	9	SU	C-105	C-105		Received 300m from 1050.		0	0	26.000			4	O	HW-50127-4
BY-111	1957	2	REC	363		698		#N/A	9	SU	C-111	C-111				0	0	26.000			4	O	N-54-285
BY-111	1957	2	STAT		706	706	26	8	17	OWW,CW						0	0	26.000					
BY-111	1957	3	STAT		706	706	26	#N/A	17	CW				Latest electrode reading.		0	0	26.000					
BY-111	1957	4	STAT		706	706	26	#N/A	17	CW						0	0	26.000					
BY-111	1958	1	STAT		706	706	26	#N/A	17	CW						0	0	26.000					
BY-111	1958	2	STAT		706	706	26	#N/A	17	CW						0	0	26.000					
BY-111	1958	3	STAT		706	706	26	#N/A	17	CW						0	0	26.000					
BY-111	1958	4	STAT		706	706	26	#N/A	17	OWW,CW						0	0	26.000					
BY-111	1959	1	STAT		711	711	26	5	22	CW				Latest electrode reading.		0	0	26.000					
BY-111	1959	2	STAT		711	711	26	#N/A	22	CW						0	0	26.000					
BY-111	1959	3	STAT		711	711	26	#N/A	22	CW						0	0	26.000					
BY-111	1959	4	STAT		711	711	26	#N/A	22	CW						0	0	26.000					
BY-111	1960	1	STAT		711	711	26	#N/A	22	CW						0	0	26.000					
BY-111	1960	2	STAT		711	711	26	#N/A	22	CW						0	0	26.000					
BY-111	1960	3	STAT		711	711	26	#N/A	22	OWW,CW						0	0	26.000					
BY-111	1960	4	STAT		711	711	26	#N/A	22	OWW,CW						0	0	26.000					
BY-111	1961	1	STAT		N/A	711		#N/A	22							0	0	26.000					
BY-111	1961	2	STAT		711	711	26	#N/A	22	OWW,CW				6 months report		0	0	26.000					
BY-111	1961	3	STAT		N/A	711		#N/A	22							0	0	26.000					
BY-111	1961	4	STAT		714	714	26	3	25	OWW,CW			AND-CALC ERROR 614	Latest electrode reading.   6 month report		0	0	26.000					
BY-111	1962	1	STAT		N/A	714		#N/A	25							0	0	26.000					
BY-111	1962	2	STAT		714	714	26	#N/A	25	OWW,CW				6 months report		0	0	26.000					
BY-111	1962	3	STAT		N/A	714		#N/A	25							0	0	26.000					
BY-111	1962	4	STAT		714	714	26	#N/A	25	OWW,CW				6 months report		0	0	26.000					
BY-111	1963	1	STAT		N/A	714		#N/A	25							0	0	26.000					
BY-111	1963	2	STAT		717	717	24	3	28	OWW,CW				6 months report		0	0	26.000					
BY-111	1963	3	STAT		N/A	717		#N/A	28							0	0	26.000					
BY-111	1963	4	STAT		717	717	24	#N/A	28	OWW,CW				6 months report		0	0	26.000					
BY-111	1964	1	STAT		N/A	717		#N/A	28							0	0	26.000					
BY-111	1964	2	STAT		717	717	24	#N/A	28	OWW,CW				6 months report		0	0	26.000					
BY-111	1964	3	STAT		N/A	717		#N/A	28							0	0	26.000					
BY-111	1964	4	STAT		717	717	24	#N/A	28	OWW,CW						0	0	26.000					
BY-111	1965	1	STAT		N/A	717		#N/A	28							0	0	26.000					
BY-111	1965	2	STAT		739	739	26	22	50	OWW,CW				8 months report		0	0	26.000					
BY-111	1965	3	SEND	-372		367		#N/A	50	SU				New electrode.		0	0	26.000					
BY-111	1965	3	STAT		367	367	26	#N/A	50	CW			BY-103			0	0	26.000			4	O	RL SEP-821-5
BY-111	1965	4	SEND	-24		343		#N/A	50	SU			BY-103	372m to 103-BY.		0	0	26.000			1		
BY-111	1965	4	STAT		343	343	26	#N/A	50	CW				24m to 103-BY.		0	0	26.000			4	O	RL SEP-823-5
BY-111	1966	1	SEND	-314		29		#N/A	50	SU			BY-103			0	0	26.000			1		
BY-111	1966	1	STAT		29	29	26	#N/A	50	CW				314m to 102-BY.		0	0	26.000			1		
BY-111	1966	2	REC	556		585		#N/A	50	SU	C-102	C-102				0	0	26.000			4	O	ISO-404-4
BY-111	1966	2	STAT		585	585	26	#N/A	50	CW				556m from 102-C.		0	0	26.000			1		
BY-111	1966	3	REC	170		755		#N/A	50	SU	C-102	C-102				0	0	26.000			4	O	ISO-538-5
BY-111	1966	3	SEND	-14		741		#N/A	50	SU			BY-112			0	0	26.000			4	O	ISO-538-5
BY-111	1966	3	STAT		741	741	26	#N/A	50	CW				170m from 102-C.; 14m to 112-BY.		0	0	26.000			1		
BY-111	1966	4	STAT		741	741	26	#N/A	50	CW						0	0	26.000			1		
BY-111	1967	1	STAT		739	739	26	-2	48							0	0	26.000			1		
BY-111	1967	2	STAT		739	739	26	#N/A	48							0	0	26.000			1		
BY-111	1967	3	STAT		739	739	26	#N/A	48	CW						0	0	26.000			1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trf	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #	
BY-111	1967	4	XIN	13		752				48 CWP		CWP2	Omris.		Omission	0	0	26,000			3	V	ARH-326-6
BY-111	1967	4	STAT		752	752	26	#N/A		48 CW				Received 13m ITS No. 2 preparation.		0	0	26,000			1		
BY-111	1968	1	SEND	-716		36		#N/A		48 SU		BY-103				0	0	26,000			1		
BY-111	1968	1	STAT		36	36	26	#N/A		48 CW						0	0	26,000			4	O	ARH-534-6
BY-111	1968	2	REC	972		1008		#N/A		48	BY-112	BY-112		716m to 103-BY.		0	0	26,000			1		
BY-111	1968	2	SEND	-379		629		#N/A		48 SU		BY-108	AND reports 394		Omission	0	0	26,000			3	V	ARH-721-6
BY-111	1968	2	STAT		629	629	26	#N/A		48 EB				379 to 108-BY.; 972 from 112 BY.		0	0	26,000			4	O	ARH-721-6
BY-111	1968	3	send	-53		576		#N/A		48		BY-112				0	0	26,000			1		
BY-111	1968	3	GREC	0		576		#N/A		48 ITS	BY-112					0	0	26,000			0		
BY-111	1968	3	STAT		576	576	145	#N/A		48 EB				ITS No. 2 bottoms and recycle.		0	0	26,000			1		
BY-111	1968	4	rec	64		640		#N/A		48 ITS	BY-112	BY-112				0	0	26,000			0		
BY-111	1968	4	GREC	0		640		#N/A		48 ITS	BY-112					0	0	26,000			1		
BY-111	1968	4	STAT		640	640	145	#N/A		48 EB				ITS No. 2 bottoms and recycle.		0	0	26,000			1		
BY-111	1969	1	send	-99		541		#N/A		48		BY-112				0	0	26,000			1		
BY-111	1969	1	GREC	0		541		#N/A		48 ITS	BY-112					0	0	26,000			0		
BY-111	1969	1	STAT		541	541	48	#N/A		48 EB						0	0	26,000			1		
BY-111	1969	2	rec	59		600		#N/A		48 ITS	BY-112	BY-112		ITS - 2 bottoms and recycle.		0	0	26,000			1		
BY-111	1969	2	GREC	0		600		#N/A		48 ITS	BY-112					0	0	26,000			0		
BY-111	1969	2	STAT		600	600	52	#N/A		48 EB				ITS - 2 bottoms and recycle.		0	0	26,000			1		
BY-111	1969	3	REC	1206		1806		#N/A		48 SU	BY-109	BY-109				0	0	26,000			1		
BY-111	1969	3	send	-1236		570		#N/A		48		BY-112				0	0	26,000			1		
BY-111	1969	3	GREC	0		570		#N/A		48 ITS	BY-112					0	0	26,000			0		
BY-111	1969	3	STAT		570	570	101	#N/A		48 EB				ITS - 2 bottoms and recycle.		0	0	26,000			1		
BY-111	1969	4	send	-560		10		#N/A		48		BY-112				0	0	26,000			1		
BY-111	1969	4	REC	632		642		#N/A		48 SU	BY-109	BY-109			No indication of REC	0	0	26,000			0		
BY-111	1969	4	GREC	0		642		#N/A		48 ITS	BY-112					0	0	26,000			1		
BY-111	1969	4	STAT		642	642	142	#N/A		48 EB				ITS - 2 bottoms and recycle.		0	0	26,000			1		
BY-111	1970	1	REC	644		1286		#N/A		48 SU	BY-109	BY-109				0	0	26,000			1		
BY-111	1970	1	send	-668		618		#N/A		48		BY-112				0	0	26,000			1		
BY-111	1970	1	GREC	0		618		#N/A		48 ITS	BY-112					0	0	26,000			0		
BY-111	1970	1	STAT		618	618	266	#N/A		48 EB				ITS - 2 bottoms and recycle. * Dry Well 22-11-01, 22-11-05, 22-11-09, drilled.		0	0	26,000			1		
BY-111	1970	2	REC	1007		1625		#N/A		48 SU	BY-109	BY-109				0	0	26,000			1		
BY-111	1970	2	send	-957		668		#N/A		48		BY-112				0	0	26,000			1		
BY-111	1970	2	GREC	0		668		#N/A		48 ITS	BY-112					0	0	26,000			0		
BY-111	1970	2	STAT		668	668	290	#N/A		48 EB				ITS - 2 bottoms and recycle.		0	0	26,000			1		
BY-111	1970	3	send	-254		414		#N/A		48		BY-112				0	0	26,000			1		
BY-111	1970	3	REC	252		666		#N/A		48 SU	BY-109	BY-109				0	0	26,000			0		
BY-111	1970	3	GREC	0		666		#N/A		48 ITS	BY-112					0	0	26,000			1		
BY-111	1970	3	STAT		666	666	323	#N/A		48 EB				ITS - 2 bottoms and recycle.		0	0	26,000			1		
BY-111	1970	4	REC	1110		1776		#N/A		48 SU	BY-109	BY-109				0	0	26,000			1		
BY-111	1970	4	send	-1081		695		#N/A		48		BY-112				0	0	26,000			1		
BY-111	1970	4	GREC	0		695		#N/A		48 ITS	BY-112					0	0	26,000			0		
BY-111	1970	4	STAT		695	695	673	#N/A		48 EB				ITS - 2 bottoms and recycle.		0	0	26,000			1		
BY-111	1971	1	send	-10		685		#N/A		48		BY-112				0	0	26,000			1		
BY-111	1971	1	GREC	0		685		#N/A		48 ITS	BY-112					0	0	26,000			0		
BY-111	1971	1	STAT		685	685	673	#N/A		48 EB				ITS - 2 bottoms.		0	0	26,000			1		
BY-111	1971	2	rec	8		693		#N/A		48 ITS	BY-112	BY-112				0	0	26,000			1		
BY-111	1971	2	GREC	0		693		#N/A		48 ITS	BY-109					0	0	26,000			0		
BY-111	1971	2	STAT		693	693	686	#N/A		48 EB				ITS - 2 bottoms.		0	0	26,000			1		
BY-111	1971	3	rec	4		697		#N/A		48 ITS	BY-112	BY-112				0	0	26,000			1		
BY-111	1971	3	GREC	0		697		#N/A		48 ITS	BY-112					0	0	26,000			0		
BY-111	1971	3	STAT		697	697		#N/A		48 ITS						0	0	26,000			1		

Bank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trf	Cum unk	Waste type	Trans tank	DWXT	L-ANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	QA	Document/Pg #
BY-111	1971	3	STAT	697	697	697	686	#NA	48	EB				ITS - 2 bottoms.		0	0	26,000			
BY-111	1971	4	send	-5	692	692	692	#NA	48		BY-112					0	0	26,000			
BY-111	1971	4	STAT	0	692	692	686	#NA	48	EB	BY-112			ITS - 2 bottoms. & Recycle		0	0	26,000			
BY-111	1972	1	send	-4	688	688	688	#NA	48		BY-112					0	0	26,000			
BY-111	1972	1	STAT	0	688	688	684	#NA	48	EB	BY-112			ITS - bottoms and recycle		0	0	26,000			
BY-111	1972	2	send	-2	686	686	686	#NA	48		BY-112					0	0	26,000			
BY-111	1972	2	STAT	0	686	686	686	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1972	3	send	-33	653	653	653	#NA	48		BY-112					0	0	26,000			
BY-111	1972	3	STAT	0	653	653	653	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1972	4	rec	9	662	662	662	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1972	4	STAT	0	662	662	662	#NA	48	EB	BY-112					0	0	26,000			
BY-111	1973	1	send	-12	650	650	650	#NA	48		BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1973	1	STAT	0	650	650	650	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1973	2	send	-1	649	649	649	#NA	48		BY-112					0	0	26,000			
BY-111	1973	2	STAT	0	649	649	649	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1973	3	send	-25	624	624	624	#NA	48		BY-112					0	0	26,000			
BY-111	1973	3	STAT	0	624	624	624	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1973	4	rec	53	677	677	677	#NA	48		BY-112					0	0	26,000			
BY-111	1973	4	STAT	0	677	677	677	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1974	1	STAT	0	677	677	677	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1974	2	rec	34	711	711	711	#NA	48	EB	BY-112			ITS - bottoms and recycle. Dry Well 22-11-07 drilled.		0	0	26,000			
BY-111	1974	2	STAT	0	711	711	711	#NA	48	EB	BY-112					0	0	26,000			
BY-111	1974	3	send	-36	673	673	673	#NA	48		BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1974	3	STAT	0	673	673	673	#NA	48	EB	BY-112					0	0	26,000			
BY-111	1974	4	STAT	0	673	673	673	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1975	1	STAT	0	673	673	299	#NA	48		BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1975	1	STAT	0	673	673	299	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1975	2	STAT	0	673	673	299	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1975	3	STAT	0	673	673	299	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1975	4	send	-3	670	670	670	#NA	48		BY-112					0	0	26,000			
BY-111	1975	4	STAT	0	670	670	670	#NA	48	EB	BY-112			ITS - bottoms and recycle.		0	0	26,000			
BY-111	1976	1	STAT	-644	26	26	26	#NA	48		BYEVAP					0	0	26,000			
BY-111	1976	1	STAT	644	670	670	670	#NA	48		BYEVAP					0.67236	433	459,000	BYEVAP		
BY-111	1976	1	STAT	0	670	670	670	#NA	48	EB	BY-112					0	0	459,000			
BY-111	1976	2	STAT	0	670	670	670	#NA	48	EB	BY-109			ITS - bottoms and recycle.		0	0	459,000			
BY-111	1976	2	STAT	0	670	670	670	#NA	48	EB	BY-109			ITS - bottoms and recycle.		0	0	459,000			
BY-111	1976	3	STAT	670	670	670	299	#NA	48					Contains salt - feed bottoms.		0	0	459,000			
BY-111	1976	4	STAT	670	670	670	299	#NA	48	EB				Contains salt - feed bottoms.		0	0	459,000			
BY-111	1977	1	STAT	670	670	670	299	#NA	48	EB	EVAP			Contains salt Feed Bins.		0	0	459,000			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
BY-111	1977	2	send	-55		615		#N/A	48			A-102				0	0	459.000		0		
BY-111	1977	2	STAT		615	615	299	#N/A	48	EVAP				Contains salt Feed Btms.		0	0	459.000		1		
BY-111	1977	3	send	-105		510		#N/A	48			A-102				0	0	459.000		0		
BY-111	1977	3	STAT		510	510	510	#N/A	48	EVAP				Inactive Current		0	0	459.000		1		
BY-111	1977	4	rec	105		615		#N/A	48		A-102	A-102				0	0	459.000		0		
BY-111	1977	4	STAT		615	615	615	#N/A	48					Inactive Current		0	0	459.000		1		
BY-111	1978	1	STAT		615	615	615	#N/A	48					New Photo 2/6/78		0	0	459.000		1		
BY-111	1978	2	STAT		615	615	615	#N/A	48							0	0	459.000		1		
BY-111	1978	3	SEND	-2		613		#N/A	48	SU		BX-105				0	0	459.000		1		
BY-111	1978	3	STAT		615	615	615	2	50							0	0	459.000		1		
BY-111	1978	4	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1979	1	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1979	2	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1979	3	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1979	4	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1980	1	STAT		615	615	615	#N/A	50							0	0	459.000		1		
BY-111	1980	2	STAT		615	615	615	#N/A	50					New Solids Level 6/30/80		0	0	459.000		1		
BY-111	1980	3	STAT		615	615	615	#N/A	50	EVAP						0	0	459.000		1		
BY-111	1980	4	STAT		622	622	622	7	57	EVAP						0	0	459.000		1		
BY-111	1982	3	send	-163		459		#N/A	57			AW-102	salt-wellpumped			0	0	459.000		0		
BY-111	1993	2	STAT		459	459	459	#N/A	57	NCPLX						0	0	459.000		1		
BY-111	1993	4	STAT		459	459	459	#N/A	57							0	0	459.000		1		
BY-111	1994	1	STAT		459	459	459	#N/A	57							0	0	459.000		1		
BY-111	2000															0	0	459.000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Origin comment	sol vol%	TLM solids	Cum solids	sol type	QI	Document/Pg #
BY-112	1900																				
BY-112	1951	2	XIN	13		13		#N/A	0	MW	MW1					0.07692308	1	1,000	MW1	1	
BY-112	1951	4	CREC	0		0		#N/A	0	SET	BY-111						0	1,000		1	
BY-112	1952	1	rec	117		130		#N/A	0	cas	BY-111	BY-111				0	0	1,000		0	
BY-112	1952	1	rec	89		219		#N/A	0	cas	BY-111	BY-111				0	0	1,000		0	
BY-112	1952	1	STAT		252	252		0	33	MW				MW tank now filling - B plant.			0	1,000		1	
BY-112	1952	2	XIN	14		266		#N/A	33	MW	MW2			MW tank now filling - B plant.		0.03030303	0.4242	1,424	MW1	1	
BY-112	1952	2	STAT		271	271		0	5	MW				MW tank now filling - B plant.		0	0	1,424		1	
BY-112	1952	3	XIN	21		292		#N/A	38	MWF	DW					0	0	1,424		1	
BY-112	1952	3	XIN	2		294		#N/A	38	MWF	DW					0	0	1,424		1	
BY-112	1952	3	XIN	19		313		#N/A	38	MWF	MW2					0.03030303	0.5758	2,000	MW1	1	
BY-112	1952	3	STAT		294	294		0	19	MW				Active - MW tank - 221-B		0	0	2,000		1	
BY-112	1952	4	XIN	57		351		#N/A	19	MWF	DW					0	0	2,000		1	
BY-112	1952	4	rec	55		406		#N/A	19	cas	BY-111	BY-111				0	0	2,000		0	
BY-112	1952	4	STAT		362	362		0	44	MW				Abandoned by B Plant as metal waste cascade. Waste will be cribbed.		0	0	2,000		1	
BY-112	1953	1	STAT		389	389		0	27							0	0	2,000		1	
BY-112	1953	2	STAT		400	400		0	11					Waste from TBP and hot semi-works. Waste from TBP and hot semi-works.		0	0	2,000		1	
BY-112	1953	3	STAT		394	394		0	6					Receives misc. waste from TBP and hot semi-works.		0	0	2,000		1	
BY-112	1953	4	STAT		394	394		0	#N/A					Receives misc. waste from TBP and hot semi-works.		0	0	2,000		1	
BY-112	1954	1	STAT		394	394		0	#N/A					Receives high uranium waste from TBP and hot semi-works.		0	0	2,000		1	
BY-112	1954	2	STAT		394	394		0	#N/A					Receives high uranium waste from TBP and hot semi-works.		0	0	2,000		1	
BY-112	1954	3	CREC		0	394		#N/A	7	END	BY-111					0	0	2,000		1	
BY-112	1954	3	STAT		394	394		0	#N/A					Receives high uranium waste from TBP and hot semi-works.		0	0	2,000		1	
BY-112	1955	1	SEND	390		394		#N/A	7	MW						0	0	2,000		1	
BY-112	1955	1	STAT		1	4		#N/A	7	SL	BY-111					0	0	2,000		1	
BY-112	1955	2	STAT	5		5		0	3	MW						0	0	2,000		1	
BY-112	1955	3	STAT	N/A		5		#N/A	4	MW						0	0	2,000		1	
BY-112	1955	4	STAT	N/A		5		#N/A	8							0	0	2,000		1	
BY-112	1956	1	STAT	N/A		5		#N/A	8					Switching		0	0	2,000		1	
BY-112	1956	2	REC	451		456		#N/A	8	SU	BY-107	BY-107				0	0	2,000		1	
BY-112	1956	2	REC	22		478		#N/A	8	SU	BY-108	BY-108				0	0	2,000		3	
BY-112	1956	2	STAT	477		477		0	1	TBP						0	0	2,000		3	
BY-112	1956	3	REC	99		576		#N/A	7	SU	BY-106	BY-106				0	0	2,000		3	
BY-112	1956	3	REC	126		702		#N/A	7	SU	BY-107	BY-107				0	0	2,000		3	
BY-112	1956	3	STAT		697	697		0	5					Received from 107-BY.		0	0	2,000		3	
BY-112	1956	4	STAT		697	697		0	2	TBP						0	0	2,000		3	
BY-112	1957	1	STAT		695	695		0	2	TBP						0	0	2,000		3	
BY-112	1957	2	XIN	172		867		#N/A	0	P58	UR	PFeC12		Latest electrode reading.		0	0	2,000		1	
BY-112	1957	2	XIN	0		867		#N/A	0	UR	UR	UR				0.03488372	6	8,000	PFeC1	3	
BY-112	1957	2	OUTX	-398		479		#N/A	0	SU	B-028	CRIB		Omission		0	0	8,000		2	
BY-112	1957	2	OUTX	-297		182		#N/A	0	SU	B-029	CRIB		BC-15 TRENCH		0	0	8,000		4	
														BC-16 TRENCH		0	0	8,000		4	



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trf	Cum unk	Waste type	Trans tank	DWXT	LANE comment	Anderson comment	Cyden comment	sol vo%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
BY-112	1957	2	STAT		183	183	0	1	1	TBP				373m from 3330 S.S. 82m received from TBP. S.S. 77m received 385m to No. 15BC ditch, and 287m to No. 168C ditch.		0	0	8,000	1			
BY-112	1957	3	REC	250		433	#NA		1	SU	C-105					0	0	8,000	4	O	HW-51858-4	
BY-112	1957	3	REC	200		633	#NA		1	SU	C-105					0	0	8,000	4	O	HW-52932-4	
BY-112	1957	3	STAT		631	631	0	2	-1	TBP,CW				Received 250m from 105-C latest electrode reading received/ 200m from 105-C.		0	0	8,000	1			
BY-112	1957	4	REC	124		755	#NA		-1	SU	C-105			Received 124m from 105-C.		0	0	8,000	4	O	HW-54067-5	
BY-112	1957	4	STAT		755	755	0	#NA	-1	CW						0	0	8,000	1			
BY-112	1958	1	STAT		755	755	0	#NA	-1	CW						0	0	8,000	1			
BY-112	1958	2	STAT		755	755	0	#NA	-1	CW						0	0	8,000	1			
BY-112	1958	3	STAT		755	755	0	#NA	-1	CW						0	0	8,000	1			
BY-112	1958	4	STAT		755	755	0	#NA	-1	CW						0	0	8,000	1			
BY-112	1959	1	STAT		755	755	0	#NA	-1	CW						0	0	8,000	1			
BY-112	1959	2	STAT		755	755	0	#NA	-1	CW						0	0	8,000	1			
BY-112	1959	3	STAT		755	755	0	#NA	-1	CW						0	0	8,000	1			
BY-112	1959	4	STAT		755	755	0	#NA	-1	CW						0	0	8,000	1			
BY-112	1960	1	STAT		755	755	0	#NA	-1	TBP,CW						0	0	8,000	1			
BY-112	1960	2	STAT		741	741	0	-14	-15	CW						0	0	8,000	1			
BY-112	1960	3	STAT		741	741	0	#NA	-15	CW						0	0	8,000	1			
BY-112	1960	4	STAT		741	741	0	#NA	-15	TBP,CW						0	0	8,000	1			
BY-112	1961	1	STAT		NA	741	0	#NA	-15	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1961	2	STAT		741	741	0	#NA	-15	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1961	3	STAT		741	741	0	#NA	-15	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1961	4	STAT		741	741	0	#NA	-15	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1962	1	STAT		741	741	0	#NA	-15	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1962	2	STAT		741	741	0	#NA	-15	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1962	3	STAT		741	741	0	#NA	-15	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1962	4	STAT		741	741	0	#NA	-15	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1963	1	STAT		744	744	29	3	-12	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1963	2	STAT		744	744	29	3	-12	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1963	3	STAT		744	744	29	3	-12	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1963	4	STAT		744	744	29	3	-12	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1964	1	STAT		755	755	29	11	-1	TBP				[ 6 months report		0	0	8,000	1			
BY-112	1964	2	STAT		755	755	29	11	-1	TBP				[ 6 months report		0	0	8,000	1			
BY-112	1964	3	STAT		755	755	29	11	-1	TBP				[ 6 months report		0	0	8,000	1			
BY-112	1964	4	STAT		755	755	29	11	-1	TBP				[ 6 months report		0	0	8,000	1			
BY-112	1965	1	STAT		NA	755	29	#NA	-1	TBP,CW				[ 6 months report		0	0	8,000	1			
BY-112	1965	2	SEND	19		796	#NA		-1	SU		BY-109				0	0	8,000	4	O	HW-74647-5/RL-SEP-659-5 SEND	
BY-112	1965	2	SEND	457		279	#NA		-1	SU		BY-101				0	0	8,000	4	O	RL-SEP-659-5	
BY-112	1965	2	STAT		279	279	24	#NA	-1	TBP,CW				457m to 101-BY (TS) 6 months report 19m to 109-BY.		0	0	8,000	1			
BY-112	1965	3	SEND	256		23	#NA		-1	SU		BY-103				0	0	8,000	4	O	RL-SEP-821-5	
BY-112	1965	3	REC	25		48	#NA		-1	SU		C-102			0	0	8,000	4	O	RL-SEP-821-5		
BY-112	1965	3	STAT		48	48	24	#NA	-1	CW				256m to 103-BY.; 25m from 102-C.		0	0	8,000	1			
BY-112	1965	4	REC	264		312	#NA		-1	CW		C-102				0	0	8,000	4	O	RL-SEP-821-4	
BY-112	1965	4	STAT		312	312	24	#NA	-1	CW				264m from 102-C.		0	0	8,000	1			
BY-112	1966	1	REC	418		730	#NA		-1	SU		C-102				0	0	8,000	4	O	ISO-228-4	
BY-112	1966	1	STAT		730	730	24	#NA	-1	CW				418m from 102-C.		0	0	8,000	1			
BY-112	1966	2	STAT		730	730	24	#NA	-1	CW						0	0	8,000	1			
BY-112	1966	3	REC	14		744	#NA		-1	SU		BY-111				0	0	8,000	4	O	ISO-338-5	
BY-112	1966	3	STAT		744	744	24	#NA	-1	SU		BY-111				0	0	8,000	1			

Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk	Cum	Waste	Trans	DWXT	LAINL comment	Anderson comment	Order comment	sol	Cum	TLM	sol	Document/Ep #
1966	4	STAT		744	744	24	#NA	1	CW						1	8,000	0	1	
BY-112	1967	1	STAT	750	750	24	6	5	CW				* Dry well 22-12-01, 22-12-03, 22-12-05, 22-12-07, 22-12-09, 22-12-10 drilled.			8,000	0	1	
BY-112	1967	2	STAT	751	751	24	1	6	CW							8,000	0	1	
BY-112	1967	3	STAT	751	751	24	#NA	6	CW							8,000	0	1	
BY-112	1967	4	XIN	755	755	24	#NA	6	CWP		CWP2	Omiss		Omission		8,000	0	3	ARH-326-6
BY-112	1967	4	rec	73	828	#NA	#NA	6		CELL 2, C-110		Omiss evap B plant bottoms		Omission		8,000	0	2	ARH-326-5
BY-112	1967	4	outx	-72	756	#NA	#NA	6		BYCOND				Omission		8,000	0	0	
BY-112	1967	4	GROUP	0	756	#NA	#NA	6	ITS							8,000	0	0	
BY-112	1967	4	STAT	756	756	24	#NA	6	CW				Received 4m - ITS No. 2 preparation.			8,000	0	1	
BY-112	1968	1	rec	673	1429	#NA	#NA	6		CELL 2, BX-102		Omiss evap B plant bottoms		Omission		8,000	0	1	
BY-112	1968	1	rec	531	1960	#NA	#NA	6		BY-102 shared ITS# 1&2				Omission		8,000	0	3	ARH-534-6
BY-112	1968	1	outx	-741	1219	#NA	#NA	6	cond	crib	BYCOND					8,000	0	2	
BY-112	1968	1	outx	-34	1185	#NA	#NA	6		BYCOND						8,000	0	0	
BY-112	1968	1	send	-311	874	#NA	#NA	6		B-110		Omiss evap B plant bottoms		Omission		8,000	0	3	ARH-534-5
BY-112	1968	1	send	-73	801	#NA	#NA	6		BX-101		Omiss evap B plant bottoms		Omission		8,000	0	3	ARH-534-6
BY-112	1968	1	send	-264	547	#NA	#NA	6		BX-104		Omiss evap B plant bottoms		Omission		8,000	0	2	ARH-534-6
BY-112	1968	1	GROUP	0	547	#NA	#NA	6	ITS					Omission Shows 741		8,000	0	2	ARH-534-6
BY-112	1968	1	STAT	547	547	24	#NA	6	CW				741m reclaimed by ITS No. 2			8,000	0	1	
BY-112	1968	2	rec	2386	2913	#NA	#NA	6		BY-102 shared ITS# 1&2						8,000	0	0	
BY-112	1968	2	outx	-1204	1709	#NA	#NA	6	cond	crib	BYCOND					9,900	0	2	
BY-112	1968	2	send	-102	1607	#NA	#NA	6		BX-101		Omiss evap B plant bottoms		Omission		8,000	0	3	ARH-721-6
BY-112	1968	2	SEND	-972	635	#NA	#NA	6		BY-111				Omission		8,000	0	3	ARH-721-6
BY-112	1968	2	send	-30	605	#NA	#NA	6		C-102				Omission		8,000	0	0	
BY-112	1968	2	GROUP	0	605	#NA	#NA	6	ITS					Shows 1204		8,000	0	2	ARH-721-6
BY-112	1968	2	STAT	605	605	17	#NA	6	EB				1204 reclaimed by ITS No. 2			8,000	0	1	
BY-112	1968	3	rec	414	1019	#NA	#NA	6		BY-102 shared ITS# 1&2						8,000	0	0	
BY-112	1968	3	rec	53	1072	#NA	#NA	6		BY-111						8,000	0	0	
BY-112	1968	3	outx	-80	992	#NA	#NA	6	cond	crib	BYCOND					8,000	0	2	
BY-112	1968	3	outx	-58	934	#NA	#NA	6		BYCOND						8,000	0	0	
BY-112	1968	3	send	-76	858	#NA	#NA	6		BX-101		Omiss evap B plant bottoms		Omission		8,000	0	3	ARH-871-6
BY-112	1968	3	send	-100	758	#NA	#NA	6		BY-108						8,000	0	0	
BY-112	1968	3	send	-146	612	#NA	#NA	6	ITS					Shows 80		8,000	0	2	ARH-871-6
BY-112	1968	3	GROUP	0	612	#NA	#NA	6	ITS					Shows 80		8,000	0	2	ARH-871-6
BY-112	1968	3	STAT	612	612	2	#NA	6	EB				80 reclaimed by ITS No. 2			8,000	0	1	
BY-112	1968	4	rec	53	665	#NA	#NA	6		BY-108						8,000	0	0	
BY-112	1968	4	rec	1236	1901	#NA	#NA	6		BY-109						8,000	0	2	ARH-1061-6
BY-112	1968	4	outx	-1263	638	#NA	#NA	6	cond	crib	BYCOND			Shows 1263		8,000	0	2	
BY-112	1968	4	send	-64	574	#NA	#NA	6	ITS							8,000	0	0	
BY-112	1968	4	GROUP	0	574	#NA	#NA	6	ITS					Shows 1263		8,000	0	2	ARH-1061-6
BY-112	1968	4	STAT	574	574	2	#NA	6	EB				1263 reclaimed by ITS No. 2			8,000	0	1	
BY-112	1969	1	rec	22	596	#NA	#NA	6		BY-108						8,000	0	2	ARH-1200A-6
BY-112	1969	1	REC	1235	1831	#NA	#NA	6	SU							8,000	0	1	
BY-112	1969	1	rec	99	1930	#NA	#NA	6		BY-109						8,000	0	0	
BY-112	1969	1	outx	-1208	722	#NA	#NA	6	cond	crib	BYCOND					8,000	0	0	
BY-112	1969	1	GROUP	0	722	#NA	#NA	6	ITS					Shows 1208 no XFER indic.		8,000	0	2	ARH-1200A-5

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
BY-112	1969	1	STAT		722	722	43	#N/A		6 EB												
BY-112	1969	2	REC	1338		2060		#N/A		6 SU	BY-109	BY-109		1208 reclaimed by ITS 2.		0	0	8,000		1		
BY-112	1969	2	rec	59		2119		#N/A		6	BY-110	BY-110				0	0	8,000		0		
BY-112	1969	2	outx	-1332		787		#N/A		6 cond	crib					0	0	8,000		1		
BY-112	1969	2	send	-3		784		#N/A		6 ITS						0	0	8,000		2		
BY-112	1969	2	send	-59		725		#N/A		6 ITS					Noindic.ofREC	0	0	8,000		2 V		ARH-1200A-6
BY-112	1969	2	GROUP	0		725		#N/A		6 ITS						0	0	8,000		0		
BY-112	1969	2	STAT		725	725	59	#N/A		6 EB			BY-108, BY-109, BY-110, BY-111		1332 Evap. no XFER indic.	0	0	8,000		2 V		ARH-1200B-6
BY-112	1969	3	rec	11		736		#N/A		6	BY-108	BY-108		1332 evaporated by ITS 2.		0	0	8,000		1		
BY-112	1969	3	REC	492		1228		#N/A		6 SU	BY-109	BY-109			Shows 1512 but no BY-112	0	0	8,000		2 M/V		ARH-1200C-6
BY-112	1969	3	send	-10		1218		#N/A		6		B-111				0	0	8,000		1		
BY-112	1969	3	send	-199		1019		#N/A		6 ITS						0	0	8,000		0		
BY-112	1969	3	send	-50		969		#N/A		6 ITS						0	0	8,000		0		
BY-112	1969	3	rec	1238		2205		#N/A		6	BY-111	BY-111				0	0	8,000		0		
BY-112	1969	3	outx	-1512		693		#N/A		6 cond	crib					0	0	8,000		0		
BY-112	1969	3	GROUP	0		693		#N/A		6 ITS			BY-108, BY-109, BY-110, BY-111			0	0	8,000		2		
BY-112	1969	3	STAT		703	703	79	10		16 EB				1512 evaporated by ITS 2.	1512 Evap. no XFER indic.	0	0	8,000		2 V		ARH-1200C-6
BY-112	1969	4	rec	77		780		#N/A		16	BY-107	BY-107				0	0	8,000		1		
BY-112	1969	4	rec	602		1382		#N/A		16	BY-108	BY-108				0	0	8,000		2 V		ARH-1200D-6
BY-112	1969	4	rec	560		1942		#N/A		16	BY-111	BY-111				0	0	8,000		0		
BY-112	1969	4	outx	-1241		701		#N/A		16 cond	crib				NoindicationofREC	0	0	8,000		0		
BY-112	1969	4	send	-11		690		#N/A		16 ITS						0	0	8,000		2		
BY-112	1969	4	GROUP	0		690		#N/A		16 ITS			BY-107, BY-108, BY-109, BY-110, BY-111			0	0	8,000		0		
BY-112	1969	4	STAT		689	689	79	-1		15 EB				1241 evaporated by ITS 2.	Shows 1241 no XFER indic.	0	0	8,000		2 V		ARH-1200D-6
BY-112	1970	1	rec	1288		1977		#N/A		15		BY-109				0	0	8,000		1		
BY-112	1970	1	rec	255		2232		#N/A		15	BY-109	BY-109				0	0	8,000		0		
BY-112	1970	1	REC	26		2258		#N/A		15 SU	BY-109	BY-109				0	0	8,000		0		
BY-112	1970	1	rec	418		2676		#N/A		15	BY-110	BY-110				0	0	8,000		1		
BY-112	1970	1	outx	-1216		1460		#N/A		15 cond	crib					0	0	8,000		0		
BY-112	1970	1	send	-14		1448		#N/A		15		BYCOND				0	0	8,000		2		
BY-112	1970	1	send	-2		1444		#N/A		15 ITS						0	0	8,000		0		
BY-112	1970	1	send	-132		1312		#N/A		15 ITS					NoindicationofREC	0	0	8,000		2 V		ARH-1666A-6
BY-112	1970	1	send	-1288		24		#N/A		15		BY-109				0	0	8,000		1		
BY-112	1970	1	rec	668		692		#N/A		15	BY-111	BY-111				0	0	8,000		0		
BY-112	1970	1	GROUP	0		692		#N/A		15 ITS			BY-107, BY-108, BY-109, BY-110, BY-111			0	0	8,000		0		
BY-112	1970	1	STAT		708	708	85	16		31 EB				1216 evaporated by ITS 2.	1216 Evap. no XFER indic.	0	0	8,000		2 V		ARH-1666A-6
BY-112	1970	2	rec	49		757		#N/A		31	BY-108	BY-108				0	0	8,000		1		
BY-112	1970	2	REC	377		1134		#N/A		31 SU	BY-109	BY-109				0	0	8,000		0		
BY-112	1970	2	rec	106		1242		#N/A		31	BY-110	BY-110				0	0	8,000		1		
BY-112	1970	2	send	-58		1174		#N/A		31		B-111				0	0	8,000		0		
BY-112	1970	2	send	-368		806		#N/A		31		BY-104				0	0	8,000		0		
BY-112	1970	2	send	-27		779		#N/A		31 ITS						0	0	8,000		0		
BY-112	1970	2	rec	957		1736		#N/A		31	BY-111	BY-111			NoindicationofREC	0	0	8,000		2 V		ARH-1666B-6
BY-112	1970	2	outx	-1030		706		#N/A		31 cond	crib					0	0	8,000		0		
BY-112	1970	2	GROUP	0		706		#N/A		31 ITS			BY-107, BY-108, BY-109, BY-110, BY-111			0	0	8,000		0		
BY-112	1970	2	STAT		706	706	94	31		31 EB				1096 evaporated by ITS 2.	1096 Evap. no XFER indic.	0	0	8,000		2 V		ARH-1666B-6
BY-112	1970	3	rec	543		1249		#N/A		31	BY-105	BY-105				0	0	8,000		1		
BY-112	1970	3	rec	68		1317		#N/A		31		BY-106				0	0	8,000		0		
BY-112	1970	3	rec	40		1357		#N/A		31	BY-107	BY-107				0	0	8,000		0		
BY-112	1970	3	rec	54		1411		#N/A		31	BY-108	BY-108				0	0	8,000		0		
BY-112	1970	3	REC	390		1801		#N/A		31 SU	BY-109	BY-109				0	0	8,000		0		
BY-112	1970	3	rec	254		2055		#N/A		31	BY-111	BY-111				0	0	8,000		1		
BY-112	1970	3	outx	-653		1402		#N/A		31 cond	crib					0	0	8,000		0		
BY-112	1970	3	outx	-570		832		#N/A		31 cond	crib					0	0	8,000		2		
BY-112	1970	3	send	-44		788		#N/A		31 ITS						0	0	8,000		0		
BY-112	1970	3	send	-76		712		#N/A		31 ITS					NoindicationofXFER	0	0	8,000		2 V		ARH-1666C-6
BY-112	1970	3	GROUP	0		712		#N/A		31 ITS			BY-104, BY-105, BY-107, BY-109			0	0	8,000		0		
BY-112	1970	3	GROUP	0		712		#N/A		31 ITS			BY-108, BY-109, BY-110, BY-111		Shows 1303 Evap. these 2	0	0	8,000		2 V		ARH-1666C-6
															Shows 1303 Evap. these 2	0	0	8,000		2 V		ARH-1666C-6

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soilds wt	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Andersen comment	Order comment	sol wt%	TLM soilds	Cum soilds	sol type	Cl	DFA	Document/Pg #
BY-112	1970	3	STAT		712	712	145	#N/A	31	EB						0	0	8,000	1			
BY-112	1970	4	rec	66		778		#N/A	31		BY-105	BY-105				0	0	8,000	0			
BY-112	1970	4	rec	182		960		#N/A	31		BY-107	BY-107				0	0	8,000	0			
BY-112	1970	4	rec	81		1041		#N/A	31		BY-108	BY-108				0	0	8,000	0			
BY-112	1970	4	REC			1101		#N/A	31	SU	BY-109	BY-109				0	0	8,000	0			
BY-112	1970	4	rec	176		1277		#N/A	31		BY-110	BY-110				0	0	8,000	0			
BY-112	1970	4	outx	-84		1193		#N/A	31		BYCOND					0	0	8,000	0			
BY-112	1970	4	send	-41		1152		#N/A	31	ITS	BY-104	BY-104				0	0	8,000	2		ARH-1668D-6	
BY-112	1970	4	send	-37		1115		#N/A	31	ITS	BY-109	BY-109				0	0	8,000	0			
BY-112	1970	4	rec	1081		2196		#N/A	31		BY-111	BY-111				0	0	8,000	0			
BY-112	1970	4	outx	-1492		704		#N/A	31	cond	BYCOND					0	0	8,000	0			
BY-112	1970	4	GROUP	0		704		#N/A	31	ITS	BY-104, BY-105, BY-107, BY-109					0	0	8,000	2		ARH-1668D-6	
BY-112	1970	4	GROUP	0		704		#N/A	31	ITS	BY-108, BY-109, BY-110, BY-111					0	0	8,000	2		ARH-1668D-6	
BY-112	1970	4	STAT		704	704	164	#N/A	31	EB						0	0	8,000	1			
BY-112	1971	1	rec	125		829		#N/A	31		BY-103	BY-103				0	0	8,000	0			
BY-112	1971	1	rec	33		862		#N/A	31		BY-104	BY-104				0	0	8,000	0			
BY-112	1971	1	rec	620		1482		#N/A	31		BY-105	BY-105				0	0	8,000	0			
BY-112	1971	1	rec	193		1675		#N/A	31		BY-106	BY-106				0	0	8,000	0			
BY-112	1971	1	rec	59		1734		#N/A	31		BY-107	BY-107				0	0	8,000	0			
BY-112	1971	1	rec	47		1781		#N/A	31		BY-108	BY-108				0	0	8,000	0			ARH-2074A-6
BY-112	1971	1	rec	188		1979		#N/A	31		BY-109	BY-109				0	0	8,000	0			
BY-112	1971	1	rec	22		2001		#N/A	31		BY-110	BY-110				0	0	8,000	0			
BY-112	1971	1	rec	10		2011		#N/A	31		BY-111	BY-111				0	0	8,000	0			
BY-112	1971	1	outx	-1311		700		#N/A	31	cond	BYCOND					0	0	8,000	0			
BY-112	1971	1	GROUP	0		700		#N/A	31	ITS	BY-103, BY-104, BY-105, BY-106, BY-109					0	0	8,000	2		ARH-2074A-6	
BY-112	1971	1	GROUP	0		700		#N/A	31	ITS	BY-107, BY-108, BY-109, BY-110, BY-111					0	0	8,000	2		ARH-2074A-6	
BY-112	1971	1	STAT		700	700	235	#N/A	31	EB						0	0	8,000	1			
BY-112	1971	2	XIN	297		997		#N/A	31	WTR	WTR					0	0	8,000	4		ARH-2074B-6	
BY-112	1971	2	send	-462		535		#N/A	31	WTR	BY-108					0	0	8,000	3		ARH-2074B-6	
BY-112	1971	2	rec	23		558		#N/A	31		BY-106	BY-106				0	0	8,000	0			
BY-112	1971	2	rec	378		936		#N/A	31		BY-105	BY-105				0	0	8,000	0			
BY-112	1971	2	rec	177		1113		#N/A	31		BY-109	BY-109				0	0	8,000	0			
BY-112	1971	2	outx	-324		789		#N/A	31		BYCOND					0	0	8,000	0			
BY-112	1971	2	send	-17		772		#N/A	31	ITS	BY-106	BY-106				0	0	8,000	0			
BY-112	1971	2	send	-50		722		#N/A	31	ITS	BY-107	BY-107				0	0	8,000	0			
BY-112	1971	2	send	-15		707		#N/A	31	ITS	BY-110	BY-110				0	0	8,000	0			
BY-112	1971	2	send	-8		699		#N/A	31	ITS	BY-111	BY-111				0	0	8,000	0			
BY-112	1971	2	STAT		699	699	591	#N/A	31	EB						0	0	8,000	0			
BY-112	1971	3	rec	84		783		#N/A	31		BY-102	BY-102				0	0	8,000	1			
BY-112	1971	3	rec	467		1250		#N/A	31		BY-104	BY-104				0	0	8,000	0			
BY-112	1971	3	rec	36		1286		#N/A	31		BY-106	BY-106				0	0	8,000	0			
BY-112	1971	3	rec	69		1355		#N/A	31		BY-107	BY-107				0	0	8,000	0			
BY-112	1971	3	REC	166		1521		#N/A	31	SU	BY-109	BY-109				0	0	8,000	0			
BY-112	1971	3	outx	-714		807		#N/A	31	cond	BYCOND					0	0	8,000	2		ARH-2074C-6	
BY-112	1971	3	send	-55		752		#N/A	31		BY-111	BY-111				0	0	8,000	1			
BY-112	1971	3	send	-32		720		#N/A	31	ITS	BY-105	BY-105				0	0	8,000	0			
BY-112	1971	3	send	-3		717		#N/A	31	ITS	BY-108	BY-108				0	0	8,000	0			ARH-2074B-6
BY-112	1971	3	send	-18		699		#N/A	31	ITS	BY-110	BY-110				0	0	8,000	0			
BY-112	1971	3	send	-4		695		#N/A	31	ITS	BY-111	BY-111				0	0	8,000	0			
BY-112	1971	3	GROUP	0		695		#N/A	31	ITS	BY-102, BY-103, BY-104, BY-105, BY-109					0	0	8,000	0			ARH-2074C-6
BY-112	1971	3	GROUP	0		695		#N/A	31	ITS	BY-107, BY-108, BY-110, BY-111					0	0	8,000	2		ARH-2074C-6	
BY-112	1971	3	STAT		716	716	166	#N/A	52	EB						0	0	8,000	1			
BY-112	1971	4	rec	44		760		#N/A	52		BY-102	BY-102				0	0	8,000	0			
BY-112	1971	4	rec	616		1376		#N/A	52		BY-103	BY-103				0	0	8,000	0			
BY-112	1971	4	rec	965		2341		#N/A	52		BY-104	BY-104				0	0	8,000	0			
BY-112	1971	4	rec	7		2348		#N/A	52		BY-106	BY-106				0	0	8,000	0			

Trank n	Year	Qtr	Type	Trans vol	Sat vol	Total vol	Soilc vol	Unk tfr	Cum Unk	Waste Type	Trans tank	DWXT	LAML comment	Anderson comment	Oyden comment	set vol%	TLM soilc	Cum soilc	sol type	Cl	OVA	Document/Pg #
BY-112	1971	4	REC	140		2488		#N/A	52	SU	BY-109	BY-109	SHOULD REFER TO GROUPS		Shows 1604 No XFER	0	0	8,000	2	V	ARH-2074D-6	
BY-112	1971	4	REC	63		2651		#N/A	52		BY-110	BY-110				0	0	8,000	0			
BY-112	1971	4	REC	5		2556		#N/A	52		BY-111	BY-111				0	0	8,000	0			
BY-112	1971	4	outk	-1004		952		#N/A	52	cond	crib	BYCOND				0	0	8,000	2			
BY-112	1971	4	send	-133		819		#N/A	52		BX-111					0	0	8,000	0			
BY-112	1971	4	send	-11		808		#N/A	52		BY-105					0	0	8,000	0			
BY-112	1971	4	send	-36		772		#N/A	52	ITS	BY-106					0	0	8,000	0			
BY-112	1971	4	send	-59		713		#N/A	52	ITS	BY-107					0	0	8,000	0			
BY-112	1971	4	GROUP	0		713		#N/A	52	ITS	BY-102, BY-103, BY-104, BY-106, BY-109					0	0	8,000	0			
BY-112	1971	4	GROUP	0		713		#N/A	52	ITS	BY-107, BY-108, BY-109, BY-110, BY-111					0	0	8,000	1			
BY-112	1971	4	STAT		722	722	194	9	61	EB				1604 evaporated by ITS: 1 and 2.		0	0	8,000	1			
BY-112	1972	1	rec	21		743		#N/A	61		B-111	B-111				0	0	8,000	0			
BY-112	1972	1	rec	590		1323		#N/A	61		BX-110	BX-110				0	0	8,000	0			
BY-112	1972	1	rec	537		1860		#N/A	61		BY-103					0	0	8,000	0			
BY-112	1972	1	rec	33		1893		#N/A	61		BY-105	BY-105				0	0	8,000	0			
BY-112	1972	1	rec	175		2068		#N/A	61		BY-106	BY-106				0	0	8,000	0			
BY-112	1972	1	REC	418		2486		#N/A	61	SU	BY-109	BY-109				0	0	8,000	0			
BY-112	1972	1	rec	244		2730		#N/A	61		BY-109	BY-109				0	0	8,000	0			
BY-112	1972	1	rec	17		2747		#N/A	61		BY-110	BY-110				0	0	8,000	0			
BY-112	1972	1	outk	-1314		1437		#N/A	61		BY-111					0	0	8,000	0			
BY-112	1972	1	send	-160		1277		#N/A	61	ITS	BX-111					0	0	8,000	0			
BY-112	1972	1	send	-51		1226		#N/A	61	ITS	BY-102					0	0	8,000	0			
BY-112	1972	1	send	-25		1201		#N/A	61	ITS	BY-107					0	0	8,000	0			
BY-112	1972	1	SEND	-537		664		#N/A	61		BY-109					0	0	8,000	0			
BY-112	1972	1	GROUP	0		664		#N/A	61	ITS	BX-110, BX-111, BY-107, BY-109, BY-110, BY-111					0	0	8,000	1			
BY-112	1972	1	GROUP	0	664	664	238	#N/A	61	EB	BY-101, BY-102, BY-103, BY-105, BY-106, BY-109					0	0	8,000	1			
BY-112	1972	2	rec	15		679		#N/A	61		B-106	B-106				0	0	8,000	1			
BY-112	1972	2	rec	33		712		#N/A	61		BX-111	BX-111				0	0	8,000	0			
BY-112	1972	2	rec	12		724		#N/A	61		BY-102	BY-102				0	0	8,000	0			
BY-112	1972	2	rec	55		779		#N/A	61		BY-107	BY-107				0	0	8,000	0			
BY-112	1972	2	rec	1416		2195		#N/A	61		BY-109	BY-109				0	0	8,000	0			
BY-112	1972	2	rec	106		2301		#N/A	61		BY-109	BY-109	sanctio BY-112		Omission	0	0	8,000	0			
BY-112	1972	2	rec	2		2303		#N/A	61		BY-111	BY-111	*106 to 155			0	0	8,000	3	V	ARH-2456B-5	
BY-112	1972	2	outk	-1375		928		#N/A	61		BYCOND					0	0	8,000	0			
BY-112	1972	2	send	-28		902		#N/A	61		B-105					0	0	8,000	0			
BY-112	1972	2	send	-27		875		#N/A	61	ITS	BX-110					0	0	8,000	0			
BY-112	1972	2	send	-11		864		#N/A	61		BY-103					0	0	8,000	0			
BY-112	1972	2	send	-8		856		#N/A	61	ITS	BY-104					0	0	8,000	0			
BY-112	1972	2	send	-23		833		#N/A	61	ITS	BY-105					0	0	8,000	0			
BY-112	1972	2	send	-75		758		#N/A	61	ITS	BY-106					0	0	8,000	0			
BY-112	1972	2	send	-86		672		#N/A	61	ITS	BY-110					0	0	8,000	0			
BY-112	1972	2	GROUP	0		672		#N/A	61	ITS	BX-110, BX-111, BY-107, BY-109, BY-110, BY-111					0	0	8,000	0			
BY-112	1972	2	GROUP	0	672	672	334	#N/A	61	ITS	BY-101, BY-102, BY-104, BY-105, BY-106, BY-109					0	0	8,000	1			
BY-112	1972	3	rec	13		685		#N/A	61		B-112	B-112				0	0	8,000	1			
BY-112	1972	3	rec	9		694		#N/A	61		BY-102	BY-102	-18, 19			0	0	8,000	0			
BY-112	1972	3	rec	566		1260		#N/A	61		BY-103					0	0	8,000	0			
BY-112	1972	3	send	-744		516		#N/A	61		BY-109					0	0	8,000	0			
BY-112	1972	3	rec	6		522		#N/A	61		BY-104	BY-104				0	0	8,000	0			
BY-112	1972	3	rec	59		581		#N/A	61		BY-105	BY-105				0	0	8,000	0			
BY-112	1972	3	rec	1417		1998		#N/A	61		BY-109	BY-109				0	0	8,000	0			
BY-112	1972	3	REC	285		2283		#N/A	61	SU	BY-109	BY-109				0	0	8,000	0			
BY-112	1972	3	rec	47		2330		#N/A	61		BY-110	BY-110				0	0	8,000	0			
BY-112	1972	3	rec	33		2363		#N/A	61		BY-111	BY-111				0	0	8,000	0			

Tank #	Year	Qtr	Type	Vol	Trans Vol	Slut Vol	Total Vol	Solids Vol	Umk	Cum Umk	Waste Tank	Waste Type	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Q/A	Document/Pg #
BY-112	1972	3	outr	-1055			1308		#N/A	61			BYCONDD				0	0	0	0		
BY-112	1972	3	send	-85			1223		#N/A	61			B-105				0	0	0	0		
BY-112	1972	3	send	-1			1222		#N/A	61			BX-110				0	0	0	0		
BY-112	1972	3	send	-1221			1221		#N/A	61			BX-111				0	0	0	0		
BY-112	1972	3	send	-42			1179		#N/A	61			BY-106				0	0	0	0		
BY-112	1972	3	send	-14			1165		#N/A	61			BY-107				0	0	0	0		
BY-112	1972	3	send	-95			670		#N/A	61			BY-109				0	0	0	0		
BY-112	1972	3	GROUP	0			670		#N/A	61			BX-110 BX-111 BY-109 BY-110 BY-111	Shows1239Evp			0	0	0	0	2	ARH-2456C-5
BY-112	1972	3	GROUP	0			670		#N/A	61			BY-101 BY-102 BY-103 BY-104 BY-105 BY-106				0	0	0	0	1	
BY-112	1972	3	STAI	19			670		#N/A	61			BY-102 BY-102		TS - bottoms and recycle		0	0	0	0	1	
BY-112	1972	4	rec	144			833		#N/A	61			BY-103 BY-103				0	0	0	0		
BY-112	1972	4	rec	1965			1965		#N/A	61			BY-106 BY-106				0	0	0	0		
BY-112	1972	4	rec	2			1967		#N/A	61			BY-107 BY-107				0	0	0	0		
BY-112	1972	4	send	-1044			923		#N/A	61			BY-109 BY-109				0	0	0	0		
BY-112	1972	4	rec	1121			2044		#N/A	61			BY-109 BY-109				0	0	0	0		
BY-112	1972	4	rec	2044			2067		#N/A	61			BY-110 BY-110				0	0	0	0		
BY-112	1972	4	outr	-1226			841		#N/A	61			BYCONDD				0	0	0	0		
BY-112	1972	4	send	-65			776		#N/A	61			B-105				0	0	0	0		
BY-112	1972	4	send	-2			774		#N/A	61			BX-110				0	0	0	0		
BY-112	1972	4	send	-37			737		#N/A	61			BX-111				0	0	0	0		
BY-112	1972	4	send	-43			694		#N/A	61			BY-104				0	0	0	0		
BY-112	1972	4	send	-22			672		#N/A	61			BY-105				0	0	0	0		
BY-112	1972	4	send	-9			663		#N/A	61			BY-111				0	0	0	0		
BY-112	1972	4	GROUP	0			663		#N/A	61			BX-110 BX-111 BY-107 BY-109 BY-110 BY-111				0	0	0	0		
BY-112	1972	4	GROUP	0			663		#N/A	61			BY-101 BY-102 BY-103 BY-104 BY-105 BY-106				0	0	0	0		
BY-112	1972	4	STAI	161			824		#N/A	61			BX-111 BX-111		TS - bottoms and recycle		0	0	0	0	1	
BY-112	1973	1	rec	465			1289		#N/A	61			BY-103 BY-103				0	0	0	0		
BY-112	1973	1	rec	39			1328		#N/A	61			BY-104 BY-104				0	0	0	0		
BY-112	1973	1	rec	445			1773		#N/A	61			BY-107 BY-107				0	0	0	0		
BY-112	1973	1	rec	1011			2784		#N/A	61			BY-109 BY-109				0	0	0	0		
BY-112	1973	1	outr	-947			1849		#N/A	61			BYCONDD				0	0	0	0		
BY-112	1973	1	send	-225			1552		#N/A	61			B-105				0	0	0	0		
BY-112	1973	1	send	-16			1536		#N/A	61			BX-110				0	0	0	0		
BY-112	1973	1	send	-2			1534		#N/A	61			BY-105				0	0	0	0		
BY-112	1973	1	send	-6			1528		#N/A	61			BY-106				0	0	0	0		
BY-112	1973	1	send	-811			717		#N/A	61			BY-109				0	0	0	0		
BY-112	1973	1	send	-28			689		#N/A	61			BY-110				0	0	0	0		
BY-112	1973	1	GROUP	0			689		#N/A	61			B-112 BY-105 BY-106 BY-107 BY-109				0	0	0	0		
BY-112	1973	1	GROUP	0			689		#N/A	61			BX-110 BX-111 BY-109 BY-110 BY-111				0	0	0	0		
BY-112	1973	1	GROUP	0			689		#N/A	61			BY-101 BY-102 BY-103 BY-104 BY-109				0	0	0	0		
BY-112	1973	1	STAI	689			288		#N/A	61			BY-106 BY-106		TS - bottoms and recycle		0	0	0	0	1	
BY-112	1973	2	rec	44			733		#N/A	61			BY-106 BY-106				0	0	0	0		
BY-112	1973	2	rec	793			1540		#N/A	61			BY-107 BY-107				0	0	0	0		
BY-112	1973	2	rec	65			1605		#N/A	61			BY-109 BY-109				0	0	0	0		
BY-112	1973	2	rec	19			1624		#N/A	61			BY-110 BY-110				0	0	0	0		
BY-112	1973	2	rec	1			1625		#N/A	61			BY-111 BY-111				0	0	0	0		
BY-112	1973	2	outr	-806			819		#N/A	61			BYCONDD				0	0	0	0		
BY-112	1973	2	send	4			815		#N/A	61			BX-110				0	0	0	0		
BY-112	1973	2	send	-56			759		#N/A	61			BX-111				0	0	0	0		
BY-112	1973	2	send	-41			718		#N/A	61			BY-102				0	0	0	0		
BY-112	1973	2	send	-14			704		#N/A	61			BY-103				0	0	0	0		
BY-112	1973	2	send	-25			679		#N/A	61			BY-104				0	0	0	0		
BY-112	1973	2	GROUP	0			679		#N/A	61			B-112 BY-101 BY-102 BY-104 BY-105 BY-106				0	0	0	0		



Bank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #	
BY-112	1973	2	GROUP	0		679		#N/A	61	ITS	BX-110	BX-111, BY-107, BY-109, BY-110, BY-111				0	0	8,000		1			
BY-112	1973	2	STAT		679		288	#N/A	61	EB				ITS - bottoms and recycle.		0	0	8,000		0			
BY-112	1973	3	rec	13		692		#N/A	61		BX-110	BX-110				0	0	8,000		1			
BY-112	1973	3	rec	27		719		#N/A	61		BX-111	BX-111				0	0	8,000		0			
BY-112	1973	3	rec	9		728		#N/A	61		BY-105	BY-105				0	0	8,000		0			
BY-112	1973	3	rec	2		730		#N/A	61		BY-107	BY-107				0	0	8,000		0			
BY-112	1973	3	rec	75		805		#N/A	61			BY-109				0	0	8,000		0			
BY-112	1973	3	REC	24		829		#N/A	61	SU	BY-109	BY-109				0	0	8,000		1			
BY-112	1973	3	rec	25		854		#N/A	61		BY-111	BY-111				0	0	8,000		0			
BY-112	1973	3	outx	-76		778		#N/A	61			BYCOND				0	0	8,000		0			
BY-112	1973	3	send	-6		772		#N/A	61	ITS		BY-102				0	0	8,000		0			
BY-112	1973	3	send	-4		768		#N/A	61	ITS		BY-104				0	0	8,000		0			
BY-112	1973	3	send	-27		741		#N/A	61	ITS		BY-106				0	0	8,000		0			
BY-112	1973	3	send	-53		688		#N/A	61	ITS		BY-110				0	0	8,000		0			
BY-112	1973	3	GROUP	0		688		#N/A	61	ITS	B-112, BY-101, BY-102, BY-104, BY-105, BY-106					0	8,000		1				
BY-112	1973	3	GROUP	0		688		#N/A	61	ITS	BX-110, BX-111, BY-107, BY-109, BY-110, BY-111					0	8,000		1				
BY-112	1973	3	STAT		688	688	311	#N/A	61	EB				ITS - bottoms and recycle.		0	0	8,000		1			
BY-112	1973	4	rec	2		690		#N/A	61		BX-110	BX-110				0	0	8,000		0			
BY-112	1973	4	rec	2		692		#N/A	61		BY-102	BY-102				0	0	8,000		0			
BY-112	1973	4	rec	40		732		#N/A	61		BY-104	BY-104				0	0	8,000		0			
BY-112	1973	4	rec	12		744		#N/A	61		BY-106	BY-106				0	0	8,000		0			
BY-112	1973	4	REC	106		850		#N/A	61	SU	BY-109	BY-109				0	0	8,000		1			
BY-112	1973	4	rec	11		861		#N/A	61		BY-109	BY-109				0	0	8,000		0			
BY-112	1973	4	rec	33		894		#N/A	61		BY-110	BY-110				0	0	8,000		0			
BY-112	1973	4	outx	-72		822		#N/A	61			BYCOND				0	0	8,000		0			
BY-112	1973	4	send	-40		782		#N/A	61	ITS		BX-111				0	0	8,000		0			
BY-112	1973	4	send	-26		756		#N/A	61	ITS		BY-107				0	0	8,000		0			
BY-112	1973	4	send	-53		703		#N/A	61	ITS		BY-111				0	0	8,000		0			
BY-112	1973	4	GROUP	0		703		#N/A	61	ITS	B-112, BY-101, BY-102, BY-104, BY-105, BY-106			No indication of XFER		0	8,000		2	V		ARH-2794D-5	
BY-112	1973	4	GROUP	0		703		#N/A	61	ITS	BX-110, BX-111, BY-107, BY-109, BY-110, BY-111					0	8,000		1				
BY-112	1973	4	STAT		703	703	331	#N/A	61	EB				ITS - bottoms and recycle.		0	0	8,000		1			
BY-112	1974	1	rec	5		708		#N/A	61		BX-111	BX-111				0	0	8,000		0			
BY-112	1974	1	rec	5		713		#N/A	61		BY-102	BY-102				0	0	8,000		0			
BY-112	1974	1	rec	1		714		#N/A	61		BY-105	BY-105				0	0	8,000		0			
BY-112	1974	1	rec	6		720		#N/A	61		BY-107	BY-107				0	0	8,000		0			
BY-112	1974	1	rec	6		726		#N/A	61		BY-109	BY-109	sendtoBY-112		Omission	0	0	8,000		3	V		ARH-CD-133A-5
BY-112	1974	1	rec	3		729		#N/A	61		BY-110	BY-110				0	0	8,000		0			
BY-112	1974	1	send	-61		668		#N/A	61	ITS		BY-104				0	0	8,000		0			
BY-112	1974	1	GROUP	0		668		#N/A	61	ITS	B-112, BY-101, BY-102, BY-104, BY-105, BY-106					0	8,000		1				
BY-112	1974	1	GROUP	0		668		#N/A	61	ITS	BX-110, BX-111, BY-107, BY-109, BY-110, BY-111					0	8,000		1				
BY-112	1974	1	STAT		681	681	331	13	74	EB				ITS - bottoms and recycle.		0	0	8,000		1			
BY-112	1974	2	xin	73		754		#N/A	74			WTR				0	0	8,000		0			
BY-112	1974	2	rec	4		758		#N/A	74		BY-105	BY-105				0	0	8,000		0			
BY-112	1974	2	REC	28		786		#N/A	74		BY-109	BY-109			Omission	0	0	8,000		3	V		ARH-CD-133B-5
BY-112	1974	2	send	-17		769		#N/A	74	ITS		BX-111				0	0	8,000		0			
BY-112	1974	2	send	-11		758		#N/A	74	ITS		BY-102				0	0	8,000		0			
BY-112	1974	2	send	-1		757		#N/A	74	ITS		BY-104				0	0	8,000		0			
BY-112	1974	2	send	-9		748		#N/A	74	ITS		BY-106				0	0	8,000		0			
BY-112	1974	2	send	-4		744		#N/A	74	ITS		BY-107				0	0	8,000		0			
BY-112	1974	2	send	-8		736		#N/A	74	ITS		BY-110				0	0	8,000		0			
BY-112	1974	2	send	-34		702		#N/A	74	ITS		BY-111				0	0	8,000		0			
BY-112	1974	2	GROUP	0		702		#N/A	74	ITS	B-112, BY-101, BY-102, BY-104, BY-105, BY-106					0	8,000		1				
BY-112	1974	2	GROUP	0		702		#N/A	74	ITS	BX-110, BX-111, BY-107, BY-109, BY-110, BY-111					0	8,000		1				
BY-112	1974	2	STAT		702	702	331	#N/A	74	EB				ITS - bottoms and recycle; 28 from 109-BY		0	0	8,000		1			
BY-112	1974	3	xin	114		816		#N/A	74			WTR				0	0	8,000		0			
BY-112	1974	3	REC	111		927		#N/A	74	SU	BY-109	BY-109				0	0	8,000		1			
BY-112	1974	3	rec	2		929		#N/A	74		BY-110	BY-110				0	0	8,000		0			



Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unit	Cum	Waste	Trans	DWXT	LAML comment	Anderson comment	Cyden comment	sol	TLM	Cum	sol	Cl	O/A	Document/P#
BY-112	1974	3	rec	38	703	967	74	#N/A	74	EB	BY-111	BY-111				0	0	8,000	0	0		
BY-112	1974	3	send	-72	703	895	74	#N/A	74	EB	BY-111	BY-111				0	0	8,000	0	0		
BY-112	1974	3	send	-2	703	893	74	#N/A	74	ITS	BY-101	BY-101				0	0	8,000	0	0		
BY-112	1974	3	send	-38	703	795	74	#N/A	74	SU	BY-102	BY-102				0	0	8,000	0	0		
BY-112	1974	3	send	-3	703	792	74	#N/A	74	ITS	BY-102	BY-102				0	0	8,000	0	0		
BY-112	1974	3	send	-1	703	791	74	#N/A	74	ITS	BY-106	BY-106				0	0	8,000	0	0		
BY-112	1974	3	send	-88	703	703	74	#N/A	74	ITS	BY-109	BY-109				0	0	8,000	0	0		
BY-112	1974	3	GROUP	0	703	703	74	#N/A	74	ITS	B-112, BY-101, BY-102, BY-104, BY-105, BY-106					0	0	8,000	0	0		
BY-112	1974	3	GROUP	0	703	703	74	#N/A	74	ITS	BY-101, BY-102, BY-105, BY-106, BY-107, BY-109					0	0	8,000	0	0		
BY-112	1974	3	STAT		703	703	331	#N/A	74	EB				ITS - bottoms and recycle, 68 to 102-BY-111 from 109-BY-		1	0	8,000	1	0		
BY-112	1974	4	rec	89	792	792	74	#N/A	74	EB						0	0	8,000	0	0		
BY-112	1974	4	rec	1	793	793	74	#N/A	74	SU	BY-107	BY-107				0	0	8,000	0	0		
BY-112	1974	4	REC	71	864	864	74	#N/A	74	SU	BY-109	BY-109				0	0	8,000	0	0		
BY-112	1974	4	SEND	-61	803	803	74	#N/A	74	SU	BY-106	BY-106				0	0	8,000	0	0		
BY-112	1974	4	send	-1	802	802	74	#N/A	74	ITS	BY-102	BY-102				0	0	8,000	0	0		ARH-CD-133D-5
BY-112	1974	4	send	-12	790	789	74	#N/A	74	ITS	BY-105	BY-105				0	0	8,000	0	0		ARH-CD-133D-5
BY-112	1974	4	send	-1	789	789	74	#N/A	74	ITS	BY-110	BY-110				0	0	8,000	0	0		
BY-112	1974	4	send	-59	730	730	74	#N/A	74	ITS	BY-109	BY-109				0	0	8,000	0	0		
BY-112	1974	4	GROUP	0	730	730	74	#N/A	74	ITS	B-112, BY-101, BY-102, BY-104, BY-105, BY-106					0	0	8,000	0	0		
BY-112	1974	4	GROUP	0	730	730	74	#N/A	74	ITS	BX-110, BX-111, BY-107, BY-109, BY-110, BY-111					0	0	8,000	0	0		
BY-112	1974	4	STAT		711	711	310	#N/A	55	EB				ITS - bottoms and recycle, 61 to 105-BX, 71 from 105-BY-		1	0	8,000	1	0		
BY-112	1975	1	send	-19	692	692	55	#N/A	55	ITS	BY-110	BY-110				0	0	8,000	0	0		
BY-112	1975	1	GROUP	0	692	692	55	#N/A	55	ITS	B-112, BY-101, BY-102, BY-104, BY-106, BY-109					0	0	8,000	0	0		
BY-112	1975	1	GROUP	0	692	692	55	#N/A	55	ITS	BX-110, BX-111, BY-107, BY-109, BY-110, BY-111					0	0	8,000	0	0		
BY-112	1975	1	STAT		706	706	310	#N/A	69	ITS				ITS - bottoms and recycle		1	0	8,000	1	0		
BY-112	1975	2	WTR	78	782	782	69	#N/A	69	SU	WTR	WTR				0	0	8,000	0	0		
BY-112	1975	2	REC	65	847	847	69	#N/A	69	SU	BY-109	BY-109				0	0	8,000	0	0		
BY-112	1975	2	SEND	-66	781	781	69	#N/A	69	SU	BX-106	BX-106				0	0	8,000	0	0		ARH-CD-336B-5
BY-112	1975	2	send	-75	706	706	69	#N/A	69	ITS	BY-110	BY-110				0	0	8,000	0	0		ARH-CD-336B-5
BY-112	1975	2	GROUP	0	706	706	69	#N/A	69	ITS						0	0	8,000	0	0		
BY-112	1975	2	GROUP	0	706	706	69	#N/A	69	ITS	B-112, BY-101, BY-102, BY-104, BY-106, BY-109					0	0	8,000	0	0		
BY-112	1975	2	GROUP	0	706	706	69	#N/A	69	ITS	BX-110, BX-111, BY-107, BY-109, BY-110, BY-111					0	0	8,000	0	0		
BY-112	1975	2	STAT		706	706	310	#N/A	69	EB				ITS - bottoms and recycle, 65 to 105-BX, 66 to 106-BX-		1	0	8,000	1	0		
BY-112	1975	3	rec	186	904	904	69	#N/A	69	EB						0	0	8,000	0	0		
BY-112	1975	3	ovix	-176	728	728	69	#N/A	69	EB	B-105	B-105				0	0	8,000	0	0		
BY-112	1975	3	send	-22	706	706	69	#N/A	69	ITS	BYCOND	BYCOND				0	0	8,000	0	0		
BY-112	1975	3	GROUP	0	706	706	69	#N/A	69	ITS	BY-110	BY-110				0	0	8,000	0	0		
BY-112	1975	3	GROUP	0	706	706	69	#N/A	69	ITS	B-112, BY-101, BY-102, BY-104, BY-109					0	0	8,000	0	0		
BY-112	1975	3	STAT		706	706	310	#N/A	69	EB				ITS - bottoms and recycle		1	0	8,000	1	0		
BY-112	1975	4	rec	3	709	709	69	#N/A	69	EB	BY-111	BY-111				0	0	8,000	0	0		
BY-112	1975	4	send	-30	679	679	69	#N/A	69	SU	BY-109	BY-109				0	0	8,000	0	0		
BY-112	1975	4	SEND	-32	647	647	69	#N/A	69	SU	BX-105	BX-105				0	0	8,000	0	0		ARH-CD-336D-5
BY-112	1975	4	send	-6	641	641	69	#N/A	69	ITS	BY-110	BY-110				0	0	8,000	0	0		
BY-112	1975	4	GROUP	0	641	641	69	#N/A	69	ITS	B-112, BY-101, BY-102, BY-104, BY-106, BY-109					0	0	8,000	0	0		
BY-112	1975	4	GROUP	0	641	641	69	#N/A	69	ITS	BX-110, BX-111, BY-106, BY-109, BY-110, BY-111					0	0	8,000	0	0		
BY-112	1975	4	STAT		673	673	310	#N/A	101	EB				ITS - bottoms and recycle, 32 to 105-BX-		1	0	8,000	1	0		
BY-112	1976	1	REC	33	706	706	101	#N/A	101	EB	BY-101	BY-101				0	0	8,000	0	0		
BY-112	1976	1	send	-28	712	712	101	#N/A	101	SU	BY-109	BY-109				0	0	8,000	0	0		
BY-112	1976	1	SEND	-211	501	501	101	#N/A	101	SU	BX-105	BX-105	OC 311 to 211		Shows 211	0	0	8,000	0	0		
BY-112	1976	1	send	-99	402	402	101	#N/A	101	SU	BX-105	BX-105				0	0	8,000	0	0		
BY-112	1976	1	SEND	-46	356	356	101	#N/A	101	SU	BX-106	BX-106				0	0	8,000	0	0		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #	
BY-112	1976	1	send	-11		345		#NA	101	ITS		BY-110				0	0	8,000		0			
BY-112	1976	1	outx	-329		16		#NA	101			BYEVAP				0	0	8,000	BYEV	0			
BY-112	1976	1	pin	329		345		#NA	101			BYStCk				0.860182	283	291,000	BYStCk	0			
BY-112	1976	1	GROUP	0		345		#NA	101	ITS			B-112,BY-101,BY-102,BY-104,BY-106,BY-109				0	291,000		1			
BY-112	1976	1	GROUP	0		345		#NA	101	ITS			BX-110,BX-111,BY-106,BY-109,BY-110,BY-111				0	291,000		1			
BY-112	1976	1	STAT		340	340	310	-5	96	EB				ITS - bottoms and recycle: 46 to 106-BX; 311 to 105-BX; 34 from 109-BY.			0	0	291,000		1		
BY-112	1976	2	SEND	-46		294		#NA	96	SU		BX-106				0	0	291,000		4	O	ARH-CD-702A-5	
BY-112	1976	2	rec	6		300		#NA	96		BY-110	BY-110				0	0	291,000		0			
BY-112	1976	2	STAT		310	310	310	10	106					Removed from service 46 to 106-BX.			0	0	291,000		1		
BY-112	1976	3	STAT		310	310	310	#NA	106					Salt well pumping - complete.			0	0	291,000		1		
BY-112	1976	4	STAT		310	310	310	#NA	106								0	0	291,000		1		
BY-112	1977	1	STAT		310	310	310	#NA	106					Salt Well Pump			0	0	291,000		1		
BY-112	1977	2	STAT		310	310	310	#NA	106					Salt well Pump			0	0	291,000		1		
BY-112	1977	3	STAT		310	310	310	#NA	106					Inactive Current Phase I Complete			0	0	291,000		1		
BY-112	1977	4	STAT		310	310	310	#NA	106					Inactive Current Phase I Complete			0	0	291,000		1		
BY-112	1978	1	STAT		310	310	310	#NA	106					Primary Stabilized			0	0	291,000		1		
BY-112	1978	2	STAT		310	310	310	#NA	106								0	0	291,000		1		
BY-112	1978	3	STAT		310	310	310	#NA	106								0	0	291,000		1		
BY-112	1978	4	STAT		310	310	310	#NA	106								0	0	291,000		1		
BY-112	1979	1	STAT		310	310	310	#NA	106								0	0	291,000		1		
BY-112	1979	2	STAT		310	310	310	#NA	106								0	0	291,000		1		
BY-112	1979	3	STAT		310	310	310	#NA	106					P-10 Pmp Removed			0	0	291,000		1		
BY-112	1979	4	STAT		310	310	310	#NA	106								0	0	291,000		1		
BY-112	1980	1	STAT		310	310	310	#NA	106								0	0	291,000		1		
BY-112	1980	2	STAT		310	310	310	#NA	106								0	0	291,000		1		
BY-112	1980	3	STAT		310	310	310	#NA	106								0	0	291,000		1		
BY-112	1980	4	STAT		310	310	310	#NA	106	EVAP							0	0	291,000		1		
BY-112	1982	3	send	-19		291		#NA	106			AW-102	salt-wellpumped				0	0	291,000		0		
BY-112	1993	2	STAT		291	291	291	#NA	106	NCPLX							0	0	291,000		1		
BY-112	1993	4	STAT		291	291	291	#NA	106								0	0	291,000		1		
BY-112	1994	1	STAT		291	291	291	#NA	106								0	0	291,000		1		
BY-112	2000																0	0	291,000		1		

Trnk_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans bank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol	QI	Q/A	Document/Pg #
C-101	1900																		
C-101	1946	1	CSEND	0	0	0	0	#N/A	0	0	C-102					0.00062893	0.0698	0.070	MW1
C-101	1946	1	XIN	111	111	111	111	#N/A	0	0		MW1				0.00062893	0.070	0.070	MW1
C-101	1946	1	STAT		111	111	111	#N/A	0	0				1st Cascade, began filling in March 1946		0.00062893	0.070	0.070	MW1
C-101	1946	2	XIN	193	304	304	304	#N/A	0	0						0.00062893	0.1214	0.191	MW1
C-101	1946	2	XIN	237	541	541	541	#N/A	0	0						0.00062893	0.1491	0.340	MW1
C-101	1946	2	XIN	184	725	725	725	#N/A	0	0						0.00062893	0.1157	0.456	MW1
C-101	1946	2	send	-184	541	541	541	#N/A	0	0						0.00062893	0.1157	0.456	MW1
C-101	1946	2	send	-11	530	530	530	#N/A	0	0						0.00062893	0.1157	0.456	MW1
C-101	1946	2	STAT		530	530	530	#N/A	0	0				Full in May 1946		0.00062893	0.1157	0.456	MW1
C-101	1946	3	XIN	216	746	746	746	#N/A	0	0						0.00062893	0.1358	0.592	MW1
C-101	1946	3	XIN	288	1034	1034	1034	#N/A	0	0						0.00062893	0.1811	0.773	MW1
C-101	1946	3	XIN	164	1198	1198	1198	#N/A	0	0						0.00062893	0.1811	0.773	MW1
C-101	1946	3	send	-288	910	910	910	#N/A	0	0						0.00062893	0.1811	0.773	MW1
C-101	1946	3	send	-216	694	694	694	#N/A	0	0						0.00062893	0.1811	0.773	MW1
C-101	1946	3	send	-164	530	530	530	#N/A	0	0						0.00062893	0.1811	0.773	MW1
C-101	1946	3	STAT		530	530	530	#N/A	0	0						0.00062893	0.1811	0.773	MW1
C-101	1946	4	XIN	197	727	727	727	#N/A	0	0				Cascading		0.00062893	0.1239	1.000	MW1
C-101	1946	4	send	-197	530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1946	4	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1947	1	STAT		530	530	530	#N/A	0	0				Cascade full in October 1946		0.00062893	0.1239	1.000	MW1
C-101	1947	2	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1947	3	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1947	4	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1948	1	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1948	2	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1948	3	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1948	4	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1949	1	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1949	2	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1949	3	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1949	4	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1950	1	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1950	2	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1950	3	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1951	1	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1951	2	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1951	3	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1951	4	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1952	1	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1952	2	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1952	3	STAT		530	530	530	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1952	4	SEND	-530	0	0	0	#N/A	0	0						0.00062893	0.1239	1.000	MW1
C-101	1952	4	STAT		N/A	0	0	#N/A	0	0				884 in Cascade, Cascade now Processing for feed to TBP Plant		0.028436	9.6114	22.611	UR
C-101	1953	1	STAT		N/A	0	0	#N/A	0	0						0.028436	9.6114	22.611	UR
C-101	1953	2	CSEND	0	0	0	0	#N/A	0	0				1507 in 101 thru 106-C, 1651 removed thru batch CR 121B		0.028436	10.777	11.777	UR
C-101	1953	2	XIN	379	379	379	379	#N/A	0	0			further research			0.028436	10.777	11.777	UR
C-101	1953	2	XIN	43	422	422	422	#N/A	0	0						0.028436	1.2227	13.000	UR
C-101	1953	2	STAT		422	422	422	#N/A	0	0				MW removal completed 5-14		0.028436	1.2227	13.000	UR
C-101	1953	3	XIN	338	760	760	760	#N/A	0	0				TBP waste started 5-15		0.028436	9.6114	22.611	UR

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	O/A	Document/Pg #
C-101	1953	3	send	-230		530		#N/A	0	cas		C-102				0	0	22.611		0		
C-101	1953	3	SEND	-308		222		#N/A	0	SU		C-103				0	0	22.611		1		
C-101	1953	3	SEND	0		222		#N/A	0	END	C-102					0	0	22.611		1		
C-101	1953	3	STAT		222	222	0	#N/A	0	TBP				Received TBP waste and pumped to 103-C		0	0	22.611		1		
C-101	1953	4	XIN	295		517		#N/A	0	UR		UR				0.028436	8.3886	31.000	UR	1		
C-101	1953	4	STAT		517	517	0	#N/A	0	TBP				Received TBP waste		0	0	31.000		1		
C-101	1954	1	SEND	-7		510		#N/A	0	SU						0	0	31.000		1		
C-101	1954	1	STAT		510	510	0	#N/A	0			B-105				0	0	31.000		1		
C-101	1954	2	STAT		510	510	0	#N/A	0					Overflow line partially plugged		0	0	31.000		1		
C-101	1954	3	STAT		510	510	0	#N/A	0					Overflow partially plugged		0	0	31.000		1		
C-101	1954	4	STAT		510	510	0	#N/A	0					Overflow partially plugged		0	0	31.000		1		
C-101	1955	1	STAT		510	510	0	#N/A	0					Overflow partially plugged		0	0	31.000		1		
C-101	1955	2	STAT		510	510	0	#N/A	0					Overflow partially plugged		0	0	31.000		1		
C-101	1955	3	STAT		510	510	0	#N/A	0	TBP				Overflow partially plugged		0	0	31.000		1		
C-101	1955	4	STAT		N/A	510	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Overflow partially plugged		0	0	31.000		1		
C-101	1956	1	REC	375		885		#N/A	0	SU	C-104	C-104				0	0	31.000		1		
C-101	1956	1	OUTX	-384		501		#N/A	0	T02	C-109	TFeCN				0	0	31.000		3	O	N-54-276
C-101	1956	1	STAT		N/A	501	0	#N/A	0				Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Overflow partially plugged. Received TBP in January		0	0	31.000		1		
C-101	1956	2	STAT		N/A	501	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Overflow partially plugged		0	0	31.000		1		
C-101	1956	3	STAT		N/A	501	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Being scavenged & pumped to 112-C		0	0	31.000		1		
C-101	1956	4	OUTX	-429		72		#N/A	0	T07	C-112	TFeCN	OC 360 to 429		Shows 429 not 360	0	0	31.000		2	V	N-54-281
C-101	1956	4	OUTX	-11		61		#N/A	0	T08	C-109	TFeCN				0	0	31.000		3	O	N-54-282
C-101	1956	4	STAT		N/A	61	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	30 Scavenged In October		0	0	31.000		1		
C-101	1957	1	STAT		N/A	61	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode readings, enough for 1451 TU		0	0	31.000		1		
C-101	1957	2	REC	455		516		#N/A	0		BY-101	BY-101	actually scavenged directly to C-112 and C-109 in 1957q3		Omission	0	0	31.000		2	V	HW-51348-5
C-101	1957	2	OUTX	0		516		#N/A	0	T13	C-109	TFeCN	OC 308 to 0, xfer from BY-102		337, indic. from BY-102	0	31.000		2	V	N-54-286	
C-101	1957	2	REC	0		516		#N/A	0	SU	BY-102	BY-102	OC 308 to 0, REC in C-109		Shows 337 not 308	0	31.000		2	V	N-54-287	
C-101	1957	2	STAT		N/A	516	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Feed tank for Scvg. opr.		0	0	31.000		1		
C-101	1957	3	STAT		N/A	516	0	#N/A	0	EB			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Feed tank for scva. opr.		0	0	31.000		1		
C-101	1957	4	STAT		N/A	516	0	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Feed tank for scvg. opr.		0	0	31.000		1		
C-101	1958	1	STAT		N/A	516	98	#N/A	0	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	31.000		1		

Tank n.	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oxigen comment	sol vol%	TLM solids	Cum solids	ref type	Cl	O/A	Document/Prj #
C-101	1958	2	STAT		N/A	516		98	#N/A	0							0	0	31,000	1		
C-101	1958	3	XIN	-391		125		98	#N/A	0		WTR	Stat to N/A, phasing probes in FaCN process, refer to WHC-SD-WM-ER-133 Rev 0.	New electrode reading			0	0	31,000	0		
C-101	1958	3	STAT		125	125		98	#N/A	0							0	0	31,000	1		
C-101	1958	4	STAT		125	125		98	#N/A	0							0	0	31,000	1		
C-101	1959	1	STAT		125	125		98	#N/A	0							0	0	31,000	1		
C-101	1959	2	STAT		128	128		98	3	3							0	0	31,000	1		
C-101	1959	3	STAT		131	131		98	3	3							0	0	31,000	1		
C-101	1959	4	STAT		131	131		98	#N/A	6							0	0	31,000	1		
C-101	1960	1	STAT		131	131		98	#N/A	6							0	0	31,000	1		
C-101	1960	2	STAT		131	131		98	#N/A	6							0	0	31,000	1		
C-101	1960	3	STAT		131	131		98	#N/A	6							0	0	31,000	1		
C-101	1960	4	XIN	19		150		98	#N/A	6		CWP1					0	0	31,000	4	O	HW-68292-4
C-101	1960	4	STAT		150	150		98	#N/A	6							0	0	31,000	1		
C-101	1961	1	CSEND	0		150		98	#N/A	6							0	0	31,000	1		
C-101	1961	1	XIN	423		573		98	#N/A	6		C-102	OC 423 to 423			0.0533752	22,578	53,578	CWP2	3	V	HW-71610-4
C-101	1961	1	send	63		510		98	#N/A	6		C-102	-43 TO 69	Shows 423 not 427		0	0	53,578	0			
C-101	1961	1	STAT		N/A	510		98	#N/A	6							0	0	53,578	1		
C-101	1961	2	STAT		510	510		98	#N/A	6							0	0	53,578	1		
C-101	1961	3	STAT		N/A	510		98	#N/A	6							0	0	53,578	1		
C-101	1962	1	STAT		N/A	510		98	#N/A	6							0	0	53,578	1		
C-101	1962	2	XIN	214		724		98	#N/A	6							0	0	53,578	1		
C-101	1962	2	CSEND	-194		530		98	#N/A	6							0	0	53,578	1		
C-101	1962	2	STAT	0		524		98	-6	0							0	0	53,578	1		
C-101	1962	3	STAT		N/A	524		98	#N/A	0							0	0	53,578	1		
C-101	1962	4	STAT		N/A	524		98	#N/A	0							0	0	53,578	1		
C-101	1963	1	STAT		524	524		109	#N/A	0							0	0	53,578	1		
C-101	1963	2	STAT	-308		216		109	#N/A	0							0	0	53,578	1		
C-101	1963	3	CSEND	138		354		109	#N/A	0							0	0	53,578	1		
C-101	1963	3	REC	138		492		109	#N/A	0							0	0	53,578	1		
C-101	1963	3	REC	138		492		109	#N/A	0							0	0	53,578	1		
C-101	1963	3	CSEND	0		492		109	#N/A	0							0	0	53,578	1		
C-101	1963	3	STAT		N/A	492		109	#N/A	0							0	0	53,578	1		
C-101	1963	4	send	-122		370		109	#N/A	0							0	0	53,578	1		
C-101	1963	4	STAT		370	370		109	#N/A	0							0	0	53,578	1		
C-101	1964	1	REC	172		542		109	#N/A	0							0	0	53,578	1		
C-101	1964	1	STAT		N/A	542		109	#N/A	0							0	0	53,578	1		
C-101	1964	2	STAT		542	542		109	#N/A	0							0	0	53,578	1		
C-101	1964	3	STAT		N/A	542		109	#N/A	0							0	0	53,578	1		
C-101	1964	3	STAT		N/A	542		109	#N/A	0							0	0	53,578	1		
C-101	1964	4	STAT		546	546		109	4	4							0	0	53,578	1		
C-101	1965	1	STAT		N/A	546		109	#N/A	4							0	0	53,578	1		
C-101	1965	2	XIN	28		574		109	#N/A	4							0	0	53,578	1		
C-101	1965	2	STAT		574	574		109	#N/A	4							0	0	53,578	1		
C-101	1965	3	STAT		568	568		109	#N/A	4							0	0	53,578	1		
C-101	1965	4	STAT		565	565		109	#N/A	4							0	0	53,578	1		
C-101	1966	1	STAT		563	563		109	#N/A	4							0	0	53,578	1		
C-101	1966	2	STAT		571	571		109	#N/A	4							0	0	53,578	1		
C-101	1966	3	STAT		571	571		109	#N/A	4							0	0	53,578	1		
C-101	1966	4	STAT		563	563		109	#N/A	4							0	0	53,578	1		
C-101	1967	1	STAT		557	557		109	#N/A	4							0	0	53,578	1		
C-101	1967	2	STAT		555	555		109	#N/A	4							0	0	53,578	1		
C-101	1967	3	STAT		555	555		109	#N/A	4							0	0	53,578	1		



Tank n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unit tfr	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ordian comment	sol vol%	TLM solids	Cum solids	sol type	O/A	Document/FG #	
C-101	1967	4	STAT	549	549	549	51	-6	-21	CW/P						0	0	65,000				
C-101	1968	1	STAT	545	545	545	51	-4	-25	P						0	0	65,000				
C-101	1968	2	STAT	545	545	545	51	N/A	-25	P				TK 102-C rec'd 200 CWW & 359 CW from Purek 599 to 105 BX & 103 BX OWW		0	0	65,000				
C-101	1968	3	STAT	545	545	545	51	N/A	-25	CW/P						0	0	65,000				
C-101	1968	4	STAT	541	541	541	51	-4	-29	P						0	0	65,000				
C-101	1969	1	STAT	541	541	541	51	N/A	-29	CW/P						0	0	65,000				
C-101	1969	2	STAT	538	538	538	51	-3	-32	CW/P						0	0	65,000				
C-101	1969	3	STAT	538	538	538	106	N/A	-32	CW/P						0	0	65,000				
C-101	1969	4	SEND	-404				N/A	-32	SU						0	0	65,000				
C-101	1969	4	STAT	132	132	132	125	-2	-34	P		C-105		404 to 105-C		0	0	65,000		4	O	ARH-1200D-5
C-101	1970	1	STAT	134	134	134	97	2	-32	P				'Dry Wells 30-01-01, 30-01-06, 30-01-09, 30-01-12 drilled.		0	0	65,000				
C-101	1970	2	STAT	134	134	134	87	N/A	-32	P						0	0	65,000				
C-101	1970	3	STAT	136	136	136	81	2	-30	P				Possible Leaker		0	0	65,000				
C-101	1970	4	STAT	138	138	138	81	2	-28	P						0	0	65,000				
C-101	1971	1	STAT	131	131	131	81	-7	-35	P						0	0	65,000				
C-101	1971	2	STAT	131	131	131	81	N/A	-35	P						0	0	65,000				
C-101	1971	3	STAT	128	128	128	81	-3	-38	P						0	0	65,000				
C-101	1971	4	STAT	127	127	127	81	-1	-39	P						0	0	65,000				
C-101	1972	1	STAT	125	125	125	81	-2	-41	P						0	0	65,000				
C-101	1972	2	STAT	125	125	125	81	N/A	-41	P						0	0	65,000				
C-101	1972	3	STAT	124	124	124	81	-1	-42	P						0	0	65,000				
C-101	1972	4	STAT	120	120	120	81	-4	-46	P						0	0	65,000				
C-101	1973	1	STAT	121	121	121	81	1	-45	P						0	0	65,000				
C-101	1973	2	STAT	120	120	120	81	-1	-46	P						0	0	65,000				
C-101	1973	3	STAT	120	120	120	81	N/A	-46	P						0	0	65,000				
C-101	1973	4	STAT	131	131	131	81	11	-35	P						0	0	65,000				
C-101	1974	1	STAT	129	129	129	81	-2	-37	P						0	0	65,000				
C-101	1974	2	STAT	128	128	128	81	-1	-38	P						0	0	65,000				
C-101	1974	3	SEND	-49				N/A	-38	SU		C-104				0	0	65,000				
C-101	1974	4	STAT	81	81	81	81	2	-36	P				Suspect leaker, 49 to 104-C		0	0	65,000				
C-101	1975	1	STAT	92	92	92	62	11	-25	P				Suspect leaker		0	0	65,000				
C-101	1975	2	STAT	92	92	92	62	N/A	-25	P				Suspect leaker		0	0	65,000				
C-101	1975	3	STAT	92	92	92	62	N/A	-25	P				Removed from service		0	0	65,000				
C-101	1975	4	STAT	92	92	92	62	N/A	-25	P				Removed from service		0	0	65,000				
C-101	1976	1	STAT	92	92	92	62	N/A	-25	P				Removed from service		0	0	65,000				
C-101	1976	2	STAT	73	73	73	73	-19	-44	P						0	0	65,000				
C-101	1976	3	STAT	73	73	73	73	N/A	-44	P				Salt Well Pumped		0	0	65,000				
C-101	1976	4	STAT	73	73	73	73	N/A	-44	P				Salt Well Pumped		0	0	65,000				
C-101	1977	1	STAT	73	73	73	73	N/A	-44	P						0	0	65,000				
C-101	1977	2	STAT	73	73	73	73	N/A	-44	P						0	0	65,000				
C-101	1977	3	STAT	73	73	73	73	N/A	-44	P						0	0	65,000				
C-101	1977	4	STAT	73	73	73	73	N/A	-44	P				Inactive Current Salt well Inst		0	0	65,000				
C-101	1978	1	STAT	73	73	73	73	N/A	-44	P				Primary Stabilized		0	0	65,000				
C-101	1978	2	STAT	73	73	73	73	N/A	-44	P				Questionable Integrity		0	0	65,000				
C-101	1978	3	STAT	73	73	73	73	N/A	-44	P						0	0	65,000				
C-101	1978	4	STAT	73	73	73	73	N/A	-44	P						0	0	65,000				
C-101	1979	1	STAT	73	73	73	73	N/A	-44	P						0	0	65,000				
C-101	1979	2	STAT	73	73	73	73	N/A	-44	P						0	0	65,000				
C-101	1979	3	STAT	73	73	73	73	N/A	-44	P						0	0	65,000				
C-101	1979	4	STAT	73	73	73	73	N/A	-44	P						0	0	65,000				
C-101	1980	1	STAT	73	73	73	73	N/A	-44	P						0	0	65,000				

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-101	1980	2	STAT		73	73	73	#N/A	-44							0	0	65,000		1		
C-101	1980	3	STAT		73	73	73	#N/A	-44							0	0	65,000		1		
C-101	1980	4	STAT		73	73	73	#N/A	-44	P						0	0	65,000		1		
C-101	1993	2	STAT		88	88	88	15	-29	NCPLX						0	0	65,000		1		
C-101	1993	4	STAT		88	88	88	#N/A	-29							0	0	65,000		1		
C-101	1994	1	STAT		88	88	88	#N/A	-29							0	0	65,000		1		
C-101	2000															0	0	65,000		1		



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Selfcts vol	Unk Hr	Cum unk	Waste type	Trans limit	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM selfcts	Cum solids	sol type	QI	O/A	Document/Pg #	
C-102	1940																						
C-102	1946	1	CREC	0	0	0	0	#N/A	0	SET	C-101						0	0.000		1			
C-102	1946	1	SEND	0	0	0	0	#N/A	0	SET	C-103						0	0.000		1			
C-102	1946	1	STAT		N/A			#N/A	0								0	0.000					
C-102	1946	2	rec	184		184		#N/A	0	CAS	C-101					0.00471698	0.8679	0.868	MW1	0			
C-102	1946	2	rec	11		195		#N/A	0	CAS	C-101					0.00471698	0.0519	0.920	MW1	0			
C-102	1946	2	STAT		195			0									0	0.920		1			
C-102	1946	3	rec	288		483		#N/A	0	CAS	C-101						0	2.278	MW1	0			
C-102	1946	3	rec	216		699		#N/A	0	CAS	C-101						0.00471698	1.3585	3.297	MW1	0		
C-102	1946	3	rec	164		863		#N/A	0	CAS	C-101						0.00471698	1.0189	4.071	MW1	0		
C-102	1946	3	send	-169		694		#N/A	0	CAS	C-101						0.00471698	0.7736	4.071	MW1	0		
C-102	1946	3	send	-164		530		#N/A	0	CAS	C-103						0	4.071		0			
C-102	1946	3	STAT		530			0									0	4.071		0			
C-102	1946	4	rec	197		727		#N/A	0	CAS	C-101						0	4.071		0			
C-102	1946	4	send	-197		530		#N/A	0	CAS	C-101						0.00471698	0.9282	5.000	MW1	0		
C-102	1946	4	send	-197		530		#N/A	0	CAS	C-103						0	5.000		0			
C-102	1946	4	STAT		530			0									0	5.000		1			
C-102	1947	1	STAT		530			0									0	5.000		1			
C-102	1947	2	STAT		530			0									0	5.000		1			
C-102	1947	3	STAT		530			0									0	5.000		1			
C-102	1947	4	STAT		530			0									0	5.000		1			
C-102	1948	1	STAT		530			0		MW							0	5.000		1			
C-102	1948	2	STAT		530			0									0	5.000		1			
C-102	1948	3	STAT		530			0									0	5.000		1			
C-102	1948	4	STAT		530			0									0	5.000		1			
C-102	1949	1	STAT		530			0									0	5.000		1			
C-102	1949	2	STAT		530			0									0	5.000		1			
C-102	1949	3	STAT		530			0									0	5.000		1			
C-102	1949	4	STAT		530			0									0	5.000		1			
C-102	1950	1	STAT		530			0									0	5.000		1			
C-102	1950	2	STAT		530			0									0	5.000		1			
C-102	1950	3	STAT		530			0									0	5.000		1			
C-102	1950	4	STAT		530			0									0	5.000		1			
C-102	1951	1	STAT		530			0									0	5.000		1			
C-102	1951	2	STAT		530			0									0	5.000		1			
C-102	1951	3	STAT		530			0									0	5.000		1			
C-102	1951	4	STAT		530			0									0	5.000		1			
C-102	1952	1	STAT		530			0									0	5.000		1			
C-102	1952	2	STAT		530			0									0	5.000		1			
C-102	1952	3	STAT		530			0									0	5.000		1			
C-102	1952	4	SEND	-530		0		#N/A	0	SL		C-103				0	5.000		1				
C-102	1952	4	STAT		N/A	0		#N/A	0								0	5.000		1			
C-102	1953	1	STAT		N/A	0		#N/A	0								0	5.000		1			
C-102	1953	2	CREC	0		0		#N/A	0	SET	C-101						0	5.000		1			
C-102	1953	2	STAT		N/A	0		#N/A	0								0	5.000		1			
C-102	1953	3	SEND	0		0		#N/A	0	SET	C-103						0	5.000		1			
C-102	1953	3	XIN	394		394		#N/A	0	UR							0.028986	11.42	18.420	UR	1		
C-102	1953	3	rec	230		624		#N/A	0	CAS	C-101						0	16.420		0			
C-102	1953	3	send	-157		467		#N/A	0	CAS	C-101						0	16.420		0			
C-102	1953	3	CREC	0		467		#N/A	0	END	C-101						0	16.420		0			
C-102	1953	3	STAT		467			0		TBP							0	16.420		0			
C-102	1953	4	XIN	136		603		#N/A	0	UR							0.028986	3.942	20.362	UR	1		
C-102	1953	4	send	-73		530		#N/A	0	CAS	C-103						0	20.362		0			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLW solids	Cum solids	sol type	Cl	O/A	Document/Eg #
C-102	1953	4	STAT	508	508	508	0	22	22	TBP				Received TBP waste		0	0	20,362		1		
C-102	1954	1	CSENO	0		508		#N/A	22	SET	C-103					0	0	20,362		1		
C-102	1954	1	XIN	22		530		#N/A	22	UR						0.028986	0.6377	21,000	UR	1		
C-102	1954	1	STAT		530	530	0	#N/A	22							0	0	21,000		1		
C-102	1954	2	STAT		530	530	0	#N/A	22							0	0	21,000		1		
C-102	1954	3	STAT		530	530	0	#N/A	22							0	0	21,000		1		
C-102	1954	4	STAT		530	530	0	#N/A	22							0	0	21,000		1		
C-102	1955	1	STAT		530	530	0	#N/A	22							0	0	21,000		1		
C-102	1955	2	STAT		530	530	0	#N/A	22							0	0	21,000		1		
C-102	1955	3	STAT		530	530	0	#N/A	22							0	0	21,000		1		
C-102	1955	4	STAT		530	530	0	#N/A	22							0	0	21,000		1		
C-102	1956	1	STAT		530	530	0	#N/A	22							0	0	21,000		1		
C-102	1956	2	STAT		530	530	0	#N/A	22							0	0	21,000		1		
C-102	1956	3	STAT		530	530	0	#N/A	22							0	0	21,000		1		
C-102	1956	4	STAT		530	530	0	#N/A	22	TBP						0	0	21,000		1		
C-102	1957	1	STAT		N/A	530	0	#N/A	22	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1957	2	OUTX	-370		160		#N/A	22	T09	C-112	TF6CN				0	0	21,000		1		
C-102	1957	2	OUTX	-135		25		#N/A	22	T10	C-109	TF6CN				0	0	21,000		3	O	N-54-283
C-102	1957	2	STAT		N/A	25	0	#N/A	22	OWW			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Scavenged during month		0	0	21,000		3	O	N-54-284
C-102	1957	3	STAT		N/A	25	0	#N/A	22	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	0	21,000		1		
C-102	1957	4	STAT		N/A	25	0	#N/A	22	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	0	21,000		1		
C-102	1958	1	STAT		N/A	25	98	#N/A	22	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1958	2	STAT		N/A	25	37	#N/A	22				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1958	3	STAT		N/A	37	37	#N/A	10				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1958	4	STAT		N/A	37	37	#N/A	10				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1959	1	STAT		N/A	37	37	#N/A	10				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1959	2	STAT		N/A	37	37	#N/A	10	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1959	3	STAT		N/A	34	34	#N/A	3				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1959	4	STAT		N/A	34	34	#N/A	13				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1960	1	STAT		N/A	34	34	#N/A	13				Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1960	2	STAT		N/A	34	34	#N/A	13	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1960	3	XIN	28		62		#N/A	13	CWP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	21,000		1		
C-102	1960	3	XIN	188		250		#N/A	13	CWP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0.082294	2,304	23,304	CWP1	4	O	HW-6657-4
C-102	1960	3	XIN	72		322		#N/A	13	CWP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0.082294	15,471	38,776	CWP1	4	O	HW-6682-4
C-102	1960	3	XIN	56		378		#N/A	13	WTR			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0.082294	5,952	44,701	CWP1	4	O	HW-67696-4
C-102	1960	3	STAT		378	378	98	#N/A	13	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	44,701		4	O	HW-67696-4
C-102	1960	4	XIN	113		491		#N/A	13	CWP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0.082294	9,293	54,000	CWP1	3	V	HW-67705-4
C-102	1960	4	STAT		491	491	98	#N/A	13	CW			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	54,000		1		
C-102	1961	1	CREC	0		491		#N/A	13	SET	C-101		140 CW rec'd, previous reading were incorrect			0	0	54,000		1		
C-102	1961	1	CSENO	0		491		#N/A	13	SET	C-103					0	0	54,000		1		
C-102	1961	1	WTR	63		554		#N/A	13	WTR	C-101					0.02674	1,6946	55,685	CWP1	0		
C-102	1961	1	Send	-4		550		#N/A	13	WTR	C-103					0	0	55,685		0		
C-102	1961	1	STAT		N/A	550		#N/A	13							0	0	55,685		1		
C-102	1961	2	STAT		521	521	98	-29	42	TBP CW			6 month report			0	0	55,685		1		
C-102	1961	3	STAT		N/A	521		#N/A	42							0	0	55,685		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-102	1961	4	STAT		519	519	98	-2	-44	TBP, CW				6 month report		0	0	55.685		1		
C-102	1962	1	SEND	-399		120		#N/A	-44	SU		BX-101	OC 377 to 399			0	0	55.685		3	V	HW-74647-5
C-102	1962	1	STAT		N/A	120		#N/A	-44						Shows 399 not 377	0	0	55.685		1		
C-102	1962	2	rec	194		314		#N/A	-44	cas	C-101	C-101				0.02674	5.1876	60.872	CWP2	0		
C-102	1962	2	CREC	0		314		#N/A	-44	END	C-101					0	0	60.872		1		
C-102	1962	2	STAT		356	356	98	42	-2	CW				6 month report		0	0	60.872		1		
C-102	1962	3	XIN	321		677		#N/A	-2	CWP		CWP2				0.02674	8.5838	69.456	CWP2	4	O	HW-76223-4
C-102	1962	3	SEND	-190		487		#N/A	-2	SU		BX-102	OC C-103 to C-102, AND reports -300, LC qtr4 to qtr3		Shows C-102, Omission	0	0	69.456		3	V	HW-76233-5
C-102	1962	3	STAT		N/A	487		#N/A	-2							0	0	69.456		1		
C-102	1962	4	XIN	300		787		#N/A	-2	CWP		CWP2				0.02674	8.022	77.478	CWP2	4	O	HW-76223-4
C-102	1962	4	XIN	365		1152		#N/A	-2	CWP		CWP2				0.02674	9.7601	87.238	CWP2	4	O	HW-76223-4
C-102	1962	4	SEND	-484		668		#N/A	-2	SU		BX-103	OC C-103 to C-102		Shows C-102, Omission	0	0	87.238		3	V	HW-76223-5
C-102	1962	4	SEND	-468		200		#N/A	-2	SU		BX-104	OC C-103 to C-102, total 468; OC 149 to 468, 319+149		Rec C-102, Shows 468 not 140	0	0	87.238		3	V	HW-76223-5
C-102	1962	4	rec	170		370		#N/A	-2		C-103	C-103	assumed			0	0	87.238		0		
C-102	1962	4	STAT		370	370	98	#N/A	-2	CW			XIN from qtr 3 & 4 total 986	Rec'd 986, 1142 to BX 6 month report		0	0	87.238		1		
C-102	1963	1	XIN	344		714		#N/A	-2	CWP		CWP2				0.02674	9.1986	96.437	CWP2	1		
C-102	1963	1	SEND	-154		560		#N/A	-2	SU		B-102				0	0	96.437		4	O	HW-78279-4
C-102	1963	1	SEND	-185		375		#N/A	-2	SU		BX-105				0	0	96.437		4	O	HW-78279-5
C-102	1963	1	SEND	-184		191		#N/A	-2	SU		BX-106				0	0	96.437		4	O	HW-78279-5
C-102	1963	1	REC	164		355		#N/A	-2	SU	C-105	C-105				0	0	96.437		4	O	HW-78279-4
C-102	1963	1	STAT		N/A	355		#N/A	-2							0	0	96.437		1		
C-102	1963	2	XIN	485		840		#N/A	-2	CWP		CWP2				0.02674	12.969	109.406	CWP2	2		
C-102	1963	2	SEND	-217		623		#N/A	-2	SU		B-102				0	0	109.406		3	O	HW-78279-4
C-102	1963	2	SEND	-260		363		#N/A	-2	SU		BX-105				0	0	109.406		4	O	HW-78279-5
C-102	1963	2	SEND	-134		229		#N/A	-2	SU		BX-106				0	0	109.406		4	O	HW-78279-5
C-102	1963	2	SEND	-125		104		#N/A	-2	SU		BX-106				0	0	109.406		4	O	HW-78279-5
C-102	1963	2	REC	230		334		#N/A	-2	SU	C-105	C-105				0	0	109.406		4	O	HW-78279-4
C-102	1963	2	STAT		334	334	98	#N/A	-2	CW			XIN from qtr 1 & 2 total 879, AND reports 829	Rec'd 829 CW (6 month report)		0	0	109.406		1		
C-102	1963	3	XIN	458		792		#N/A	-2	CWP		CWP2				0.02674	12.247	121.653	CWP2	4	O	HW-80379-4
C-102	1963	3	SEND	-86		706		#N/A	-2	SU		B-101				0	0	121.653		1		
C-102	1963	3	SEND	-214		492		#N/A	-2	SU		B-107				0	0	121.653		1		
C-102	1963	3	STAT		N/A	492		#N/A	-2							0	0	121.653		1		
C-102	1963	4	XIN	396		888		#N/A	-2	CWP		CWP2				0.02674	10.589	132.242	CWP2	4	O	HW-80379-4
C-102	1963	4	SEND	-125		763		#N/A	-2	SU		B-101				0	0	132.242		1		
C-102	1963	4	SEND	-313		450		#N/A	-2	SU		B-107				0	0	132.242		1		
C-102	1963	4	STAT		450	450	98	#N/A	-2	CW			XIN total 854	Rec'd 854 CW (6 month report)		0	0	132.242		1		
C-102	1964	1	XIN	881		1331		#N/A	-2	CWP		CWP2	Omis. REC 202-A		Omission	0.02674	23.558	155.800	CWP2	3	V	HW-83308-4
C-102	1964	1	STAT		N/A	1331		#N/A	-2							0	0	155.800		1		
C-102	1964	2	send	-924		407		#N/A	-2		C-108	assumed				0	0	155.800		0		
C-102	1964	2	STAT		407	407	98	#N/A	-2	CW				Rec'd: 881 CW from 202-A		0	0	155.800		1		
C-102	1964	3	STAT		N/A	407		#N/A	-2							0	0	155.800		1		
C-102	1964	4	XIN	1065		1472		#N/A	-2	CWP		CWP2				0.02674	28.478	184.278	CWP2	4	O	RL-SEP-260-4
C-102	1964	4	SEND	-103		1369		#N/A	-2	SU		BX-105				0	0	184.278		4	O	RL-SEP-260-5
C-102	1964	4	SEND	-240		1129		#N/A	-2	SU		BX-109				0	0	184.278		4	O	RL-SEP-260-5
C-102	1964	4	SEND	-154		975		#N/A	-2	SU		BX-110				0	0	184.278		4	O	RL-SEP-260-5
C-102	1964	4	SEND	-99		876		#N/A	-2	SU		BX-112				0	0	184.278		4	O	RL-SEP-260-5
C-102	1964	4	SEND	-394		482		#N/A	-2	SU		BY-102				0	0	184.278		4	O	RL-SEP-260-5
C-102	1964	4	send	-40		442		#N/A	-2			T-102				0	0	184.278		0		
C-102	1964	4	STAT		442	442	98	#N/A	-2	CW			SEND total -990	1065 Rec'd, 1030 to other tank		0	0	184.278		1		
C-102	1965	1	STAT		N/A	442		#N/A	-2							0	0	184.278		1		
C-102	1965	2	XIN	1220		1662		#N/A	-2	CWP		CWP2				0.02674	32.623	216.901	CWP2	4	O	RL-SEP-659-4

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #	
C-102	1965	2	send	-342		1320		#N/A	-2			A-102				0	0	216.901		0			
C-102	1965	2	SEND	-256		1062		#N/A	-2	SU		BY-102				0	0	216.901		4	O	RL-SEP-659-5	
C-102	1965	2	REC	36		1098		#N/A	-2	SU	C-108	C-108				0	0	216.901		4	O	RL-SEP-659-4	
C-102	1965	2	SEND	-445		653		#N/A	-2	SU		T-102				0	0	216.901		4	O	RL-SEP-659-6	
C-102	1965	2	SEND	-327		326		#N/A	-2	SU		T-103				0	0	216.901		4	O	RL-SEP-659-5	
C-102	1965	2	STAT		326	326	238	#N/A	-2	CW				Rec'd 1220 CW & 36 from 108-C			0	0	216.901		1		
C-102	1965	3	XIN	350		676		#N/A	-2	CWP		CWP2				0.02674	9.359	226.260	CWP2	4	O	RL-SEP-821-4	
C-102	1965	3	SEND	-28		648		#N/A	-2	SU		BY-102				0	0	226.260		4	O	RL-SEP-821-5	
C-102	1965	3	SEND	-25		623		#N/A	-2	SU		BY-112				0	0	226.260		4	O	RL-SEP-821-5	
C-102	1965	3	rec	11		634		#N/A	-2		A-102	A-102				0	0	226.260		0			
C-102	1965	3	SEND	-187		447		#N/A	-2	SU		T-103				0	0	226.260		4	O	RL-SEP-821-5	
C-102	1965	3	STAT		447	447	238	#N/A	-2	CW			SEND total -240	Rec'd 350, 232 to BY & T		0	0	226.260		4	O	RL-SEP-821-5	
C-102	1965	4	XIN	278		725		#N/A	-2	CWP		CWP2				0.02674	7.4338	233.694	CWP2	4	O	RL-SEP-821-4	
C-102	1965	4	SEND	-264		461		#N/A	-2	SU		BY-112				0	0	233.694		4	O	RL-SEP-821-4	
C-102	1965	4	STAT		461	461	238	#N/A	-2	CW				Rec'd 278, 264, to 112 BY		0	0	233.694		1			
C-102	1966	1	XIN	429		890		#N/A	-2	CWP		CWP2				0.02674	11.472	245.165	CWP2	4	O	ISO-226-4	
C-102	1966	1	SEND	-418		472		#N/A	-2	SU		BY-112				0	0	245.165		4	O	ISO-226-4	
C-102	1966	1	STAT		472	472	238	#N/A	-2					Rec'd 429 CW, 418 to 112 BY		0	0	245.165		1			
C-102	1966	2	XIN	443		915		#N/A	-2	TH		TH1				0.05869074	26	271.165	TH1	4	O	ISO-404-4	
C-102	1966	2	SEND	-556		359		#N/A	-2	SU		BY-111				0	0	271.165		4	O	ISO-404-4	
C-102	1966	2	REC	113		472		#N/A	-2	SU	C-108	C-108				0	0	271.165		4	O	ISO-404-4	
C-102	1966	2	XIN	0		472		#N/A	-2	CWP		CWP2				0	0	271.165		1			
C-102	1966	2	STAT		472	472	238	#N/A	-2	CW				Rec'd 443 CW & TH, 113 from 108C, 556 to 111 BY		0	0	271.165		1			
C-102	1966	3	XIN	282		754		#N/A	-2	CWP		CWP2				0.02674	7.5407	278.706	CWP2	4	O	ISO-538-5	
C-102	1966	3	SEND	-124		630		#N/A	-2			BY-106				0	0	278.706		3	V	ISO-538-5	
C-102	1966	3	SEND	-170		460		#N/A	-2	SU		BY-111				0	0	278.706		4	O	ISO-538-5	
C-102	1966	3	XIN	0		460		#N/A	-2	CWP		CWP2				0	0	278.706		1			
C-102	1966	3	STAT		464	464	238	4	2	CW			SEND total -294	Rec'd 282, 290 to BY		0	0	278.706		1			
C-102	1966	4	XIN	444		908		#N/A	2	CWP		CWP2				0.02674	11.873	290.579	CWP2	4	O	ISO-674-4	
C-102	1966	4	SEND	-127		781		#N/A	2	SU		BY-103				0	0	290.579		4	O	ISO-674-5	
C-102	1966	4	rec	19		800		#N/A	2		BY-102	BY-102				0	0	290.579		0			
C-102	1966	4	SEND	-347		453		#N/A	2	SU		BY-109				0	0	290.579		4	O	ISO-538-5/ISO-674-5	
C-102	1966	4	STAT		453	453	238	#N/A	2	CW			SEND total -474	Rec'd 444 CW, 474 to BY		0	0	290.579		1		SEND	
C-102	1967	1	XIN	370		823		#N/A	2	CWP		CWP2				0.02674	9.8938	300.472	CWP2	4	O	ISO-806-4	
C-102	1967	1	SEND	-168		655		#N/A	2	SU		T-107				0	0	300.472		4	O	ISO-806-5	
C-102	1967	1	SEND	-156		499		#N/A	2	SU		BY-109				0	0	300.472		4	O	ISO-674-5/ISO-806-5	
C-102	1967	1	STAT		499	499	238	#N/A	2	CW			SEND total -324	370 rec'd, 324 to T & BY		0	0	300.472		1		SEND	
C-102	1967	2	XIN	387		886		#N/A	2	CWP		CWP2				0.02674	10.348	310.821	CWP2	4	O	ISO-967-4	
C-102	1967	2	SEND	-171		715		#N/A	2	SU		BY-106				0	0	310.821		4	O	ISO-967-5	
C-102	1967	2	SEND	-129		586		#N/A	2	SU		T-107				0	0	310.821		4	O	ISO-967-5	
C-102	1967	2	SEND	-100		486		#N/A	2	SU		BY-109				0	0	310.821		4	O	ISO-806-5/ISO-967-5E	
C-102	1967	2	STAT		486	486	238	#N/A	2				SEND total -400	387 rec'd, 400 to B & TY		0	0	310.821		1		SEND	
C-102	1967	3	XIN	513		999		#N/A	2	CWP		CWP2				0.02674	13.718	324.539	CWP2	4	O	ARRH-95-5	
C-102	1967	3	SEND	-44		955		#N/A	2	SU		BY-104				0	0	324.539		4	O	ARRH-95-6	
C-102	1967	3	SEND	-469		486		#N/A	2			BY-106	OC BY-102 to BY-106			0	0	324.539		3	MV	ARRH-95-6	
C-102	1967	3	STAT		486	486	238	#N/A	2	CW			SEND total -513	513 Purex CW, 513 to BY	Omission, Xfer to BY-106	0	0	324.539		1			
C-102	1967	4	XIN	362		849		#N/A	2	CWP		CWP2				0.02674	9.6799	334.218	CWP2	4	O	ARRH-326-5	
C-102	1967	4	SEND	-404		444		#N/A	2	SU		BY-104				0	0	334.218		4	O	ARRH-326-6	
C-102	1967	4	STAT		444	444	238	#N/A	2	CW				362 Purex CW, 404 to BY		0	0	334.218		1			
C-102	1968	1	XIN	731		1175		#N/A	2	CWP		CWP2				0.02674	19.547	353.765	CWP2	2			
C-102	1968	1	SEND	-423		752		#N/A	2			BY-103				0	0	353.765		3	V	ARRH-534-6	
C-102	1968	1	REC	25		777		#N/A	2	SU	AX-102	AX-102				0	0	353.765		3	O	ARRH-534-9	

Tank n.	Year	Qtr	Type	Trans vel	Stat vel	Total vel	Scuffs vol	Link tfr	Cum unit	Waste type	Trans tank	DWAT	LANL comment	Anderson comment	Oxden comment	sc vol%	TLM scuffs	Cum scuff	sc type	QI	LOA	Document/PRI #
C-102	1968	1	SEND	-222	555	555		#N/A	2			BX-105			Omission	0	0	363,765		3 V		ARRH-534-6
C-102	1968	1	SEND	-77	476	476		#N/A	2			BY-104			Omission	0	0	353,765		3 V		ARRH-534-6
C-102	1968	2	STAT		238	238		-2	0	CW			Rec'd 731 CW			0	0	353,765		1		
C-102	1968	2	XIN	359	835	835		#N/A	0	CWP						0.02674	9,5937	363,365	CWP2	4 O		ARRH-721-5
C-102	1968	2	XIN	200	1035	1035		#N/A	0	OWW						0	0	363,365		4 O		ARRH-721-5
C-102	1968	2	SEND	-496	539	539		#N/A	0	SU						0	0	363,365		4 O		ARRH-721-6
C-102	1968	2	REC	30	589	589		#N/A	0		BY-112					0	0	363,365		0		
C-102	1968	2	SEND	-103	466	466		#N/A	0	SU						0	0	363,365		4 O		ARRH-721-6
C-102	1968	2	STAT		466	466	238	#N/A	0	CW,OWW			SEND total -599	200 OWW & 358 CW from Purex 659 to 103 BX & 103 BX		0	0	363,365		1		
C-102	1968	3	XIN	521	987	987		#N/A	0	CWP						0.02674	13,932	377,297	CWP2	4 O		ARRH-871-5
C-102	1968	3	XIN	265	1252	1252		#N/A	0	OWW						0	0	377,297		4 O		ARRH-871-5
C-102	1968	3	SEND	-787	455	455		#N/A	0	SU						0	0	377,297		4 O		ARRH-871-6
C-102	1968	3	STAT		455	455	238	#N/A	0	CW,OWW				521 CW & 265 OWW, 765 to 103 BX		0	0	377,297		1		
C-102	1968	4	XIN	885	1340	1340		#N/A	0	OWW						0	0	377,297		4 O		ARRH-1061-5
C-102	1968	4	SEND	-883	457	457		#N/A	0	SU						0	0	377,297		4 O		ARRH-1061-6
C-102	1968	4	STAT		457	457	307	#N/A	0	CW,OWW				685 from Purex,883 to 103 BX		0	0	377,297		1		
C-102	1969	1	SEND	-478	462	462		#N/A	0	SU						0	0	377,297		4 O		ARRH-1200A-5
C-102	1969	1	STAT		462	462	332	#N/A	0	CW,OWW				483 from Purex,478 to 103 BX		0	0	377,297		1		
C-102	1969	2	XIN	872	1334	1334		#N/A	0	CWP						0.02674	23,317	400,614	CWP2	4 O		ARRH-1200B-5
C-102	1969	2	REC	330	1664	1664		#N/A	0	SU	C-104					0	0	400,614		4 O		ARRH-1200B-5
C-102	1969	2	SEND	-1421	243	243		#N/A	0							0	0	400,614		3 V		ARRH-1200B-5
C-102	1969	2	REC	215	458	458		#N/A	0	SU	C-110					0	0	400,614		4 O		ARRH-1200B-5
C-102	1969	3	STAT		458	458	369	#N/A	0	CW,OWW				872 from Purex		0	0	400,614		1		
C-102	1969	3	XIN	351	809	809		#N/A	0	CWP						0.02674	9,3658	410,000	CWP2	3 V		ARRH-1200C-5
C-102	1969	3	XIN	428	1238	1238		#N/A	0	OWW						0	0	410,000		4 O		ARRH-1200C-5
C-102	1969	3	SEND	-738	500	500		#N/A	0	SU						0	0	410,000		4 O		ARRH-1200C-5
C-102	1969	3	REC	0	500	500		#N/A	0	SU	A-102					0	0	410,000		2 V		ARRH-1200C-10
C-102	1969	3	STAT		501	501	351	#N/A	1	CW,OWW				760 from Purex,738 to 103 BX		0	0	410,000		1		
C-102	1969	4	XIN	550	1051	1051		#N/A	1	CWP						0.02369636	13	423,000	CWP2	4 O		ARRH-1200D-5
C-102	1969	4	SEND	-841	110	110		#N/A	1	SU						0	0	423,000		4 O		ARRH-1200D-5
C-102	1969	4	REC	375	495	495		#N/A	1	SU	C-108					0	0	423,000		4 O		ARRH-1200D-5
C-102	1969	4	STAT		495	495	345	#N/A	2	CW,OWW				550 from Purex,375 from 106C, 941 to 103 BX		0	0	423,000		1		
C-102	1970	1	STAT		496	496	328	#N/A	2	CW,OWW						0	0	423,000		1		
C-102	1970	2	STAT		486	486	312	#N/A	2	CW,OWW						0	0	423,000		1		
C-102	1970	3	STAT		486	486	299	#N/A	2	OWW						0	0	423,000		1		
C-102	1970	4	STAT		486	486	289	#N/A	2	CW,OWW						0	0	423,000		1		
C-102	1971	1	STAT		480	480	259	#N/A	-6	OWW						0	0	423,000		1		
C-102	1971	2	STAT		480	480	289	#N/A	-4	OWW						0	0	423,000		1		
C-102	1971	3	STAT		480	480	289	#N/A	-4	CW,OWW						0	0	423,000		1		
C-102	1971	4	STAT		479	479	289	#N/A	-1	CW,OWW						0	0	423,000		1		
C-102	1972	1	STAT		475	475	289	#N/A	-4	CW,OWW						0	0	423,000		1		
C-102	1972	2	STAT		477	477	289	#N/A	-7	CW,OWW						0	0	423,000		1		
C-102	1972	3	STAT		474	474	289	#N/A	-3	CW,OWW						0	0	423,000		1		
C-102	1972	4	STAT		474	474	289	#N/A	-3	CW,OWW						0	0	423,000		1		
C-102	1973	1	STAT		484	484	289	#N/A	9	CW,OWW						0	0	423,000		1		
C-102	1973	2	STAT		483	483	289	#N/A	-1	CW,OWW						0	0	423,000		1		
C-102	1973	3	STAT		465	465	289	#N/A	-18	CW,OWW						0	0	423,000		1		
C-102	1973	4	STAT		466	466	289	#N/A	-18	CW,OWW						0	0	423,000		1		
C-102	1974	1	STAT		467	467	289	#N/A	-17	OWW						0	0	423,000		1		

Tank_n	Year	Chr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oyden comment	sol vol%	TLM solids	Cum solids	sol type	Ch	O/A	Document/Eq #	
C-102	1974	2	STAT	467	467	467	299	#N/A	-17	CW,OWW						0	0	423,000		1			
C-102	1974	3	STAT	467	467	467	299	#N/A	-17	CW,OWW						0	0	423,000		1			
C-102	1974	4	STAT	466	466	466	332	-1	-18	OWW						0	0	423,000		1			
C-102	1975	1	STAT	466	466	466	332	#N/A	-18	OWW						0	0	423,000		1			
C-102	1975	2	STAT	466	466	466	332	#N/A	-18	OWW						0	0	423,000		1			
C-102	1975	3	STAT	466	466	466	332	#N/A	-18	CW,OWW						0	0	423,000		1			
C-102	1975	4	SEND	35		431	431	#N/A	-18	SU		C-103	*-111 to, pushed to ST			0	0	423,000		4	O	ARIH-CD-336D-4	
C-102	1976	1	STAT	8	431	431	423	#N/A	-18	CW,OWW				111 to 103C			0	0	423,000		1		
C-102	1976	1	STAT	8	431	431	431	#N/A	-18			BYEVAP					0	0	423,000		1		
C-102	1976	1	STAT	431	431	431	62	#N/A	-18	CW,OWW				Removed from service			0	0	423,000		0		
C-102	1976	2	STAT	431	431	431	431	#N/A	-18			BYESICK		Removed from service			0	0	423,000		0		
C-102	1976	3	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1976	4	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1977	1	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1977	2	STAT	431	431	431	431	#N/A	-18					Salt Well Pumped			0	0	423,000		1		
C-102	1977	3	STAT	431	431	431	431	#N/A	-18					Salt Well Pumped			0	0	423,000		1		
C-102	1977	4	STAT	431	431	431	431	#N/A	-18					Inactive Current Salt Well			0	0	423,000		1		
C-102	1978	1	STAT	431	431	431	431	#N/A	-18					Installed			0	0	423,000		1		
C-102	1978	2	STAT	431	431	431	431	#N/A	-18					fractive			0	0	423,000		1		
C-102	1978	3	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1978	4	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1979	1	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1979	2	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1979	3	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1979	4	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1980	1	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1980	2	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1980	3	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1980	4	STAT	431	431	431	431	#N/A	-18								0	0	423,000		1		
C-102	1983	4	SEND	8		423	423	#N/A	-18	CW,OWW		AN-103				0	0	423,000		1			
C-102	1993	2	STAT	423	423	423	423	#N/A	-18	swlg						0	0	423,000		0			
C-102	1993	4	STAT	423	423	423	423	#N/A	-18	DC						0	0	423,000		1			
C-102	1994	1	STAT	423	423	423	423	#N/A	-18							0	0	423,000		1			
C-102	2000																						

Trnk_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ttr	Cum untk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ordan comment	act vol%	TLM solids	Cum solids	sol type	O/A	Document/Pg #
C-103	1900																				
C-103	1946	1	CREC	0		0		#N/A	0	0 SET	C-102						0	0.000		1	
C-103	1946	1	STAT		N/A	0		#N/A	0								0	0.000		1	
C-103	1946	2	STAT		N/A	0		#N/A	0								0	0.000		1	
C-103	1946	3	rec	169		169		#N/A	0	0 cas	C-102	C-102				0	0.000		0		
C-103	1946	3	rec	164		333		#N/A	0	0 cas	C-102	C-102				0	0.000		0		
C-103	1946	3	STAT		333	333		#N/A	0	0 MW				Last in Cascade, began filling August, 1946			0	0.000		1	
C-103	1946	4	rec	197		530		#N/A	0	0 cas	C-102	C-102				0	0.000		0		
C-103	1946	4	STAT		530	530		#N/A	0					Filed in October, 1946			0	0.000		1	
C-103	1947	1	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1947	2	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1947	3	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1947	4	STAT		530	530		#N/A	0	0 MW							0	0.000		1	
C-103	1948	1	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1948	2	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1948	3	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1948	4	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1949	1	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1949	2	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1949	3	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1949	4	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1950	1	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1950	2	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1950	3	STAT		530	530		#N/A	0	0 MW							0	0.000		1	
C-103	1950	4	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1951	1	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1951	2	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1951	3	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1951	4	STAT		530	530		#N/A	0								0	0.000		1	
C-103	1952	1	STAT		519	519		#N/A	-11								0	0.000		1	
C-103	1952	2	STAT		519	519		#N/A	-11								0	0.000		1	
C-103	1952	3	STAT		519	519		#N/A	-11	0 MW				Supernate to pump to 109-C			0	0.000		1	
C-103	1952	4	REC	108		627		#N/A	-11		BY-103						0	0.000		1	
C-103	1952	4	REC	530		1157		#N/A	-11		C-101						0	0.000		1	
C-103	1952	4	REC	530		1687		#N/A	-11		C-102						0	0.000		1	
C-103	1952	4	OUTX	-277		1410		#N/A	-11		UR						0	0.000		1	
C-103	1952	4	STAT		N/A	1410		#N/A	-11					984 in Cascade, Cascade now processing for feed to TBP plant			0	0.000		1	
C-103	1953	1	OUTX	-216		1194		#N/A	-11		UR						0	0.000		1	
C-103	1953	1	OUTX	-146		1048		#N/A	-11		UR						0	0.000		1	
C-103	1953	1	OUTX	-266		780		#N/A	-11		UR						0	0.000		1	
C-103	1953	1	STAT		N/A	780		#N/A	-11				?103-C-->				0	0.000		1	
C-103	1953	2	wh	45		825		#N/A	-11		WTR			1507 in 101 thru 106-C, 1651 removed thru CR 12-19			0	0.000		1	
C-103	1953	2	OUTX	-277		548		#N/A	-11		UR						0	0.000		0	
C-103	1953	2	OUTX	-301		247		#N/A	-11		UR						0	0.000		1	
C-103	1953	2	OUTX	-202		45		#N/A	-11		UR						0	0.000		1	
C-103	1953	2	STAT		45	45		#N/A	-11		UR			MW removal in progress			0	0.000		1	
C-103	1953	3	REC	0		45		#N/A	-11		C-102						0	0.000		1	
C-103	1953	3	REC	308		353		#N/A	-11		C-101						0	0.000		1	
C-103	1953	3	rec	157		510		#N/A	-11		C-102						0	0.000		0	
C-103	1953	3	STAT		508	508		0	-2	-13 TBP				Pumped MW waste to 106-C and received TBP waste from 101-C			0	0.000		1	
C-103	1953	4	rec	73		581		#N/A	-13		C-102						0	0.000		1	
C-103	1953	4	STAT		560	560		0	-21	-34				Received TBP waste			0	0.000		1	



Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum untk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-103	1984	1	CREC	0	560	560	0	#N/A	-34	SET	C-102					0	0.000	0	1			
C-103	1984	1	STAT		560	560	0	#N/A	-34							0	0.000	0	1			
C-103	1984	2	STAT		560	560	0	#N/A	-34							0	0.000	0	1			
C-103	1984	3	STAT		560	560	0	#N/A	-34							0	0.000	0	1			
C-103	1984	4	STAT		560	560	0	#N/A	-34							0	0.000	0	1			
C-103	1985	1	STAT		560	560	0	#N/A	-34							0	0.000	0	1			
C-103	1985	2	STAT		560	560	0	#N/A	-34							0	0.000	0	1			
C-103	1985	3	STAT		560	560	0	#N/A	-34							0	0.000	0	1			
C-103	1985	4	STAT		560	560	0	#N/A	-34							0	0.000	0	1			
C-103	1986	1	STAT		560	560	0	#N/A	-34							0	0.000	0	1			
C-103	1986	2	STAT		560	560	0	#N/A	-34							0	0.000	0	1			
C-103	1986	3	STAT		560	560	0	#N/A	-34							0	0.000	0	1			
C-103	1986	4	STAT		560	560	0	#N/A	-34	TBP						0	0.000	0	1			
C-103	1987	1	STAT		N/A	560	0	#N/A	-34	TBP			Stat to N/A, phasing probes in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0.000	0	1			N-54-285
C-103	1987	2	OUTX	-486	74	74	0	#N/A	-34	T11	C-111	TFeCN				0	0.000	0	1			
C-103	1987	2	OUTX	-58	16	16	0	#N/A	-34	T12	C-112	TFeCN				0	0.000	0	1			
C-103	1987	2	STAT		N/A	16	0	#N/A	-34	P						0	0.000	0	1			
C-103	1987	3	REC	292	308	308	0	#N/A	-34	SU	A-102	A-102				0	0.000	0	1			
C-103	1987	3	STAT		329	329	0	21	-13	TBP, P						0	0.000	0	1			
C-103	1987	4	REC	19	348	348	0	#N/A	-13	SU	A-102	A-102	292M from 102-A			0	0.000	0	1			
C-103	1987	4	STAT		348	348	0	#N/A	-13	TBP, P			Shows 19 not 25			0	0.000	0	1			
C-103	1988	1	SEND	-286	62	62	0	#N/A	-13	SU			19 from 102-A			0	0.000	0	1			
C-103	1988	1	STAT		62	62	0	#N/A	-13	TBP, P			286 to 103 BY			0	0.000	0	1			
C-103	1988	2	STAT		62	62	0	#N/A	-13	TBP, P						0	0.000	0	1			
C-103	1988	3	STAT		46	46	0	-16	-29	P						0	0.000	0	1			
C-103	1988	4	STAT		46	46	0	#N/A	-29	TBP, P			New electrode reading			0	0.000	0	1			
C-103	1989	1	STAT		45	45	0	-1	-30	TBP, P						0	0.000	0	1			
C-103	1989	2	STAT		48	48	0	3	-27	TBP, P						0	0.000	0	1			
C-103	1989	3	STAT		45	45	0	-3	-30	P			Latest electrode reading			0	0.000	0	1			
C-103	1989	4	STAT		45	45	0	#N/A	-30	P			Latest electrode reading			0	0.000	0	1			
C-103	1990	1	STAT		45	45	0	#N/A	-30	TBP						0	0.000	0	1			
C-103	1990	2	XIN	99	144	144	0	#N/A	-30	TBP, TBP						0.07724426	7.6472	7.6472	CWP1	4		HW-65643-4
C-103	1990	2	XIN	99	243	243	0	#N/A	-30	CWP						0.07724426	7.6472	15.294	CWP1	2		
C-103	1990	2	XIN	66	309	309	0	#N/A	-30	CWP						0.07724426	5.0981	20.392	CWP1	4		HW-66187-4
C-103	1990	3	STAT		309	309	0	#N/A	-30	TBP, P, CW			XIN total 264			0	0.000	0	1			
C-103	1990	3	XIN	86	395	395	0	#N/A	-30	CWP						0.07724426	6.843	27.095	CWP1	4		HW-66557-4
C-103	1990	3	XIN	13	408	408	0	#N/A	-30	CWP						0.07724426	1.0042	28.040	CWP1	4		HW-66827-4
C-103	1990	3	STAT		416	416	0	#N/A	-30	TBP, P, CW						0.07724426	0.618	28.658	CWP1	4		HW-67696-4
C-103	1990	4	XIN	8	424	424	0	#N/A	-30	CWP						0	0.000	0	1			
C-103	1990	4	XIN	8	524	524	0	#N/A	-30	CWP						0.07724426	0.618	29.276	CWP1	4		HW-67705-4
C-103	1990	4	STAT		524	524	0	#N/A	-30	TBP, P, CW						0.07724426	7.7244	37.000	CWP1	4		HW-68282-4
C-103	1991	1	CREC	0	524	524	0	#N/A	-30	SET						0	0.000	0	1			
C-103	1991	1	rec	4	528	528	0	#N/A	-30	cas						0	0.000	0	1			
C-103	1991	2	STAT		N/A	528	0	#N/A	-30							0	0.000	0	1			
C-103	1991	3	STAT		N/A	557	0	29	-1	TBP, P, CW			6 month report			0	0.000	0	1			
C-103	1991	4	STAT		563	563	0	6	5	TBP, P, CW			New electrode (6 month report)			0	0.000	0	1			
C-103	1992	1	SEND	-300	263	263	0	#N/A	5	SU						0	0.000	0	1			
C-103	1992	1	STAT		N/A	263	0	#N/A	5				OC 322 to 300			0	0.000	0	1			HW-74647-5
C-103	1992	2	STAT		227	227	0	-36	-31	CW						0	0.000	0	1			
C-103	1992	3	SEND	0	227	227	0	#N/A	-31	SU			OC 190 to 0, no xfer from C-103			0	0.000	0	1			
C-103	1992	3	SEND	0	227	227	0	#N/A	-31	SU						0	0.000	0	1			
C-103	1992	3	SEND	0	227	227	0	#N/A	-31	SU						0	0.000	0	1			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trf	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Andersson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
C-103	1962	3	STAT		N/A	227		#N/A	-31								0	37,000		1		
C-103	1962	4	SEND	-170		57		#N/A	-31			C-102	assumed				0	37,000		0		
C-103	1962	4	SEND	0		57		#N/A	-31	SU	BX-103	C-102	OC-484 to 0, no xfer from C-103		XFER from C-102 not C-0103		0	37,000		2	V	HW-76223-5
C-103	1962	4	SEND	0		57		#N/A	-31	SU	BX-103	BX-103	OC-319 to 0, no xfer from C-103		XFER from C-102 not C-0103		0	37,000		2	V	HW-76223-5
C-103	1963	1	REC	473		530		#N/A	-31	CW	BX-104	A-105		6 month report		0	37,000		4	O	HW-76279-4	
C-103	1963	1	STAT		N/A	530		#N/A	-31		A-105					0	37,000		1			
C-103	1963	2	STAT		530	530		0	-31	CW,P				473 from 105-A 6 month report		0	37,000		1			
C-103	1963	3	SEND	-17		513		#N/A	-31	SU	B-101					0	37,000		1			
C-103	1963	3	SEND	-44		469		#N/A	-31	SU	B-107					0	37,000		1			
C-103	1963	3	STAT		N/A	469		#N/A	-31							0	37,000		1			
C-103	1963	4	STAT		469	469		0	-31	P				Supernatant from 103-A 6 month report		0	37,000		1			
C-103	1964	1	STAT		N/A	469		#N/A	-31							0	37,000		1			
C-103	1964	2	STAT		442	442		0	-27	P						0	37,000		1			
C-103	1964	3	STAT		N/A	442		#N/A	-58							0	37,000		1			
C-103	1964	4	STAT		420	420		0	-22	P				Used for Cs recovery 6 month report		0	37,000		1			
C-103	1965	1	STAT		N/A	420		#N/A	-80							0	37,000		1			
C-103	1965	2	STAT		458	458		0	-38	P				Used for Cs recovery		0	37,000		1			
C-103	1965	3	STAT		455	455		0	-45	P				Used for Cs recovery		0	37,000		1			
C-103	1965	4	SEND	-435		20		#N/A	-45	SU	A-103					0	37,000		4	O	HWN-1991-26	
C-103	1965	4	REC	202		222		#N/A	-45	SU	A-101					0	37,000		4	O	HWN-1991-24	
C-103	1965	4	STAT		222	222		0	-45	P				435 to 103-A, 202 from 101A, Cs recovery		0	37,000		1			
C-103	1966	1	SEND	-141		61		#N/A	-45	SU	A-103					0	37,000		4	O	ISO-228-4	
C-103	1966	1	REC	446		527		#N/A	-45	SU	A-101					0	37,000		4	O	ISO-228-4	
C-103	1966	1	STAT		527	527		0	-45	P				141 to 103A, 446 from 101A, Cs recovery		0	37,000		1			
C-103	1966	2	STAT		497	497		0	-30	P				Cs recovery		0	37,000		1			
C-103	1966	3	STAT		494	494		0	-3	P				For Cs recovery		0	37,000		1			
C-103	1966	4	STAT		475	475		0	-19	P				For Cs recovery		0	37,000		1			
C-103	1967	1	STAT		450	450		0	-25	P				For Cs recovery		0	37,000		1			
C-103	1967	2	STAT		439	439		0	-11	P				For Cs recovery		0	37,000		1			
C-103	1967	3	STAT		433	433		35	-6	P				For Cs recovery		0	37,000		1			
C-103	1967	4	STAT		433	433		35	N/A					For Cs recovery		0	37,000		1			
C-103	1968	1	STAT		436	436		35	-3	P				For Cs recovery		0	37,000		1			
C-103	1968	2	STAT		435	435		35	-1	P				For Cs recovery		0	37,000		1			
C-103	1968	3	STAT		433	433		35	-2	P				For Cs recovery		0	37,000		1			
C-103	1968	4	STAT		431	431		35	-2	P				Cs feed		0	37,000		1			
C-103	1969	1	STAT		431	431		35	N/A					Cs feed		0	37,000		1			
C-103	1969	2	STAT		429	429		35	-2	P				For Cs recovery		0	37,000		1			
C-103	1969	3	SEND	-326		103		#N/A	-143	SU	C-105					0	37,000		4	O	ARH-1200C-5	
C-103	1969	3	STAT		103	103		35	N/A							0	37,000		1			
C-103	1969	4	STAT		103	103		35	N/A							0	37,000		1			
C-103	1970	1	XIN	3		106		#N/A	-143	P						0	37,000		1			
C-103	1970	1	REC	385		491		#N/A	-143	SU	BX-101				326 to 105C		0	37,000		4	O	ARH-1666A-5
C-103	1970	1	STAT		491	491		35	N/A							0	37,000		1			
C-103	1970	2	REC	415		906		#N/A	-143	P, BL	B-102			385 from 101-BX, 3 from water flush		0	37,000		1			
C-103	1970	2	SEND	-798		108		#N/A	-143	SU	C-105					0	37,000		4	O	ARH-1666B-5	
C-103	1970	2	STAT		109	109		85	1	BL						0	37,000		4	O	ARH-1666B-5	
C-103	1970	3	REC	69		178		#N/A	-142	SU	C-106			415 from 102-B, 798 to 105-C		0	37,000		1			
C-103	1970	3	REC	69		178		#N/A	-142	SU	C-106					0.05882353	4.0588	41.059	AR	4	O	ARH-1666D-5/ARH-1666C-5 SEND

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-103	1970	3	STAT		180	180	99	2	-140	BL,PSS				69 from 106C		0	0	41.059		1		
C-103	1970	4	REC	99		279		#N/A	-140	SU	C-106	C-106			0.05882353	5.8235	46.882	AR	4	O	ARH-1666A-5	
C-103	1970	4	STAT		279	279	99	#N/A	-140	BL,PSS				99 from 106C		0	0	46.882		1		
C-103	1971	1	REC	257		536		#N/A	-140	SU	C-106	C-106			0.05882353	15.118	62.000	AR	4	O	ARH-2074A-5	
C-103	1971	1	SEND	-444		92		#N/A	-140	SU		C-106			0	0	62.000		4	O	ARH-2074-A5	
C-103	1971	1	STAT		92	92	92	#N/A	-140					257 from 106-C, 444 to 106-C		0	0	62.000		1		
C-103	1971	2	STAT		92	92	92	#N/A	-140							0	0	62.000		1		
C-103	1971	3	STAT		90	90	90	-2	-142							0	0	62.000		1		
C-103	1971	4	STAT		102	102	102	12	-130							0	0	62.000		1		
C-103	1972	1	STAT		102	102	102	#N/A	-130							0	0	62.000		1		
C-103	1972	2	STAT		102	102	102	#N/A	-130							0	0	62.000		1		
C-103	1972	3	REC	437		539		#N/A	-130	SU	C-104	C-104			0	0	62.000		4	O	ARH-2456C-4	
C-103	1972	3	STAT		539	539	90	#N/A	-130	CW,OWW				437 from 104-C		0	0	62.000		1		
C-103	1972	4	SEND	-443		96		#N/A	-130	SU		C-104			0	0	62.000		4	O	ARH-2456D-4	
C-103	1972	4	STAT		92	92	90	4	-134	CW				443 to 104-C		0	0	62.000		1		
C-103	1973	1	STAT		94	94	90	2	-132	CW						0	0	62.000		1		
C-103	1973	2	REC	145		239		#N/A	-132	SU	C-104	C-104			0	0	62.000		4	O	ARH-2794B-4	
C-103	1973	2	STAT		239	239	90	#N/A	-132	BNW,N,LW,CW,PL				145 from 104-C		0	0	62.000		1		
C-103	1973	3	REC	151		390		#N/A	-132	SU	C-104	C-104			0	0	62.000		4	O	ARH-2794C-4	
C-103	1973	3	STAT		390	390	90	#N/A	-132	BNW,N,LW,CW,PL				151 from 104-C		0	0	62.000		1		
C-103	1973	4	STAT		392	392	90	2	-130	LW,LW,LW,CW,PL						0	0	62.000		1		
C-103	1974	1	REC	114		506		#N/A	-130	SU	C-104	C-104			0	0	62.000		4	O	ARH-CD-133A-4	
C-103	1974	1	STAT		506	506	90	2	-128	BNW,N,LW,P,B,CW,DW,IX,EB,PL				114 from 104-C * Dry Well 30-03-01, 30-03-03, 30-03-05, 30-03-07, 30-03-09 drilled.		0	0	62.000		1		
C-103	1974	2	SEND	-165		343		#N/A	-128	SU		C-104				0	0	62.000		4	O	ARH-CD-133B-4
C-103	1974	2	STAT		343	343	90	#N/A	-128	B,LW,R,B,CW,DW,IX,PL				165 to 104-C		0	0	62.000		1		
C-103	1974	3	REC	59		402		#N/A	-128	SU	C-104	C-104			0	0	62.000		4	O	ARH-CD-133C-4	
C-103	1974	3	SEND	-297		105		#N/A	-128	SU		S-107			0	0	62.000		4	O	ARH-CD-133C-8	
C-103	1974	3	STAT		107	107	90	2	-126	BNW,N,LW,PL,B,CW,EB				59 from 104-C, 297 to 107-S		0	0	62.000		1		
C-103	1974	4	REC	409		516		#N/A	-126	SU	C-106	C-106			0	0	62.000		4	O	ARH-CD-133D-4	
C-103	1974	4	SEND	-7		509		#N/A	-126	SU		S-107			0	0	62.000		4	O	ARH-CD-133D-4	
C-103	1974	4	SEND	-281		228		#N/A	-126	SU		TX-101			0	0	62.000		4	O	ARH-CD-133D-4	
C-103	1974	4	STAT		224	224	73	-4	-130	BL				409 from 106-C, 7 to 107-S, 281 to 101-TX		0	0	62.000		1		
C-103	1975	1	REC	108		332		#N/A	-130	SU	C-104	C-104			0	0	62.000		4	O	ARH-CD-336A-4	
C-103	1975	1	REC	404		736		#N/A	-130	SU	C-106	C-106			0	0	62.000		4	O	ARH-CD-336A-4	
C-103	1975	1	REC	65		801		#N/A	-130	SU	C-107	C-107			0	0	62.000		4	O	ARH-CD-336A-4	
C-103	1975	1	REC	66		867		#N/A	-130	SU	C-112	C-112			0	0	62.000		4	O	ARH-CD-336A-4	
C-103	1975	1	SEND	-349		518		#N/A	-130	SU		SX-106			0	0	62.000		4	O	ARH-CD-336A-4	
C-103	1975	1	STAT		516	516	73	-2	-132	BNW,N,LW,CW,DW,IX,EB,B,PL,BL				108 from 104-C, 404 from 106-C, 65 from 107-C, 66 from 112-C, 349 to 106-SX		0	0	62.000		1		
C-103	1975	2	REC	399		915		#N/A	-132	SU	C-104	C-104			0	0	62.000		4	O	ARH-CD-336B-4	
C-103	1975	2	REC	258		1173		#N/A	-132	SU	C-106	C-106			0	0	62.000		4	O	ARH-CD-336B-4	
C-103	1975	2	SEND	-426		747		#N/A	-132	SU		SX-106			0	0	62.000		4	O	ARH-CD-336B-4	
C-103	1975	2	SEND	-584		163		#N/A	-132	SU		TX-101			0	0	62.000		4	O	ARH-CD-336B-4	
C-103	1975	2	STAT		164	164	73	1	-131	BNW,N,PL,EB,P,B				399 from 104-C, 258 from 106-C, 426 to 106-SX, 584 to 101-TX		0	0	62.000		1		
C-103	1975	3	REC	195		359		#N/A	-131	SU	C-107	C-107			0	0	62.000		4	O	ARH-CD-336C-4	
C-103	1975	3	REC	364		723		#N/A	-131	SU	C-109	C-109			0	0	62.000		4	O	ARH-CD-336C-4	
C-103	1975	3	REC	400		1123		#N/A	-131	SU	C-112	C-112			0	0	62.000		4	O	ARH-CD-336C-4	
C-103	1975	3	SEND	-1014		109		#N/A	-131	SU		SX-108			0	0	62.000		4	O	ARH-CD-336C-4	
C-103	1975	3	STAT		109	109	73	#N/A	-131	OWW,CW,IX				195 from 107-C, 364 from 109-C, 400 from 112-C, 1014 to 106-SX		0	0	62.000		1		

Tank n	Year	Qty	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk Wt	Cum Wt	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM Solids	Cum Solids	sol type	Cl	O/A	Document/eq #	
C-103	1975	4	REC	58	144	144		#N/A	-131	SU	C-102	C-102				0	0	62,000		4	0	ARRH-CD-336D-4	
C-103	1975	4	REC	426	570	570		#N/A	-131	SU	C-108	C-108	*111 to pushed to SI			0	0	62,000		4	0	ARRH-CD-336D-4	
C-103	1975	4	REC	85	655	655		#N/A	-131	SU	C-109	C-109	LC C-109 to C-103		Omission	0	0	62,000		3	1	ARRH-CD-336D-4	
C-103	1975	4	REC	85	740	740		#N/A	-131	SU	C-112	C-112				0	0	62,000		4	0	ARRH-CD-336D-4	
C-103	1975	4	SEND	-634	106	106		#N/A	-131	SU	SX-106	SX-106	*711 to	111 from 102-C, 426 from 108-C, 85 from 109-C, 85 from 112-C, 711 to 106-SX		0	0	62,000		4	0	ARRH-CD-336D-4	
C-103	1975	4	STAT		106	106		73	#N/A	-131	CW/OWW					0	0	62,000		1			
C-103	1976	1	REC	1	107	107		#N/A	-131	SU	C-107	C-107				0	0	62,000		4	0	ARRH-CD-702A-4	
C-103	1976	1	REC	27	134	134		#N/A	-131	SU	C-108	C-108				0	0	62,000		4	0	ARRH-CD-702A-4	
C-103	1976	1	REC	8	143	143		#N/A	-131	SU	C-109	C-109				0	0	62,000		4	0	ARRH-CD-702A-4	
C-103	1976	1	REC	62	205	205		#N/A	-131	SU	C-110	C-110				0	0	62,000		4	0	ARRH-CD-702A-4	
C-103	1976	1	REC	41	246	246		#N/A	-131	SU	C-111	C-111	PUMPED ONLY 417			0	0	62,000		4	0	ARRH-CD-702A-4	
C-103	1976	1	REC	3	249	249		#N/A	-131	SU	C-112	C-112				0	0	62,000		4	0	ARRH-CD-702A-4	
C-103	1976	1	STAT		274	274		25	-106	BNW,NLW,CW,DW,IX,TBP,R,R,OWW				1 from 107-C, 27 from 108-C, 9 from 109-C, 62 from 110-C, 63 from 111-C, 3 from 112-C		0	0	62,000		1			
C-103	1976	2	XIN	5	280	280		#N/A	-106	WTR	WTR	WTR	Omis.		Omission	0	0	62,000		3	1	ARRH-CD-702B-4	
C-103	1976	2	REC	1	280	280		#N/A	-106	SU	C-108	C-108				0	0	62,000		4	0	ARRH-CD-702B-4	
C-103	1976	2	REC	4	284	284		#N/A	-106	SU	C-110	C-110				0	0	62,000		4	0	ARRH-CD-702B-4	
C-103	1976	2	REC	11	295	295		#N/A	-106	SU	C-111	C-111	PUMPED 117			0	0	62,000		4	0	ARRH-CD-702B-4	
C-103	1976	2	REC	1	296	296		#N/A	-106	SU	C-112	C-112				0	0	62,000		4	0	ARRH-CD-702B-4	
C-103	1976	2	STAT		288	288		73	-8	-114	BNW,NLW,CW,DW,IX,TBP,R,OWW,R,IX,EB			1 from 108-C, 4 from 110-C, 2 from 111-C, 1 from 112-C, 5 water		0	0	62,000		1			
C-103	1976	3	STAT		321	321		73	-81	FD	A-102	A-102		Purex Waste Storage		0	0	62,000		1			
C-103	1976	4	rec	24	345	345		#N/A	-81	FD	A-102	A-102				0	0	62,000		0			
C-103	1976	4	STAT		345	345		73	#N/A	-81	FD	A-102	A-102				0	0	62,000		1		
C-103	1977	1	rec	39	384	384		#N/A	-81	FD	A-102	A-102				0	0	62,000		0			
C-103	1977	1	STAT		384	384		68	#N/A	-81	FD	A-102	A-102				0	0	62,000		1		
C-103	1977	2	rec	3	387	387		#N/A	-81	FD	A-102	A-102				0	0	62,000		0			
C-103	1977	2	STAT		387	387		68	#N/A	-81	FD	A-102	A-102				0	0	62,000		1		
C-103	1977	3	send	-113	274	274		#N/A	-81	SRS						0	0	62,000		0			
C-103	1977	3	STAT		274	274		150	#N/A	-81	SRS	A-102	A-102				0	0	62,000		1		
C-103	1977	4	rec	148	422	422		#N/A	-81	SRS	A-102	A-102				0	0	62,000		0			
C-103	1977	4	STAT		422	422		153	#N/A	-81	SRS						0	0	62,000		1		
C-103	1978	1	REC	119	541	541		#N/A	-81	SU	C-107	C-107				0	0	62,000		1			
C-103	1978	1	REC	100	641	641		#N/A	-81	SU	C-107	C-107				0	0	62,000		1			
C-103	1978	1	rec	11	652	652		#N/A	-81	SU	A-102	A-102				0	0	62,000		0			
C-103	1978	1	SEND	-204	448	448		#N/A	-81	SU	BX-104	BX-104				0	0	62,000		1			
C-103	1978	1	SEND	-64	384	384		#N/A	-81	SU	BX-104	BX-104				0	0	62,000		1			
C-103	1978	1	SEND	-54	330	330		#N/A	-81	SU	BX-104	BX-104				0	0	62,000		1			
C-103	1978	1	SEND	-50	280	280		#N/A	-81	SU	BX-104	BX-104				0	0	62,000		1			
C-103	1978	1	SEND	-45	235	235		#N/A	-81	SU	BX-104	BX-104				0	0	62,000		1			
C-103	1978	1	STAT		235	235		164	#N/A	-81	NCPLX	A-102	A-102				0	0	62,000		1		
C-103	1978	2	rec	25	260	260		#N/A	-81	NCPLX	A-102	A-102				0	0	62,000		0			
C-103	1978	2	STAT		260	260		167	#N/A	-81	NCPLX	A-102	A-102				0	0	62,000		1		
C-103	1978	3	send	-18	242	242		#N/A	-81	NCPLX	A-102	A-102				0	0	62,000		0			
C-103	1978	3	STAT		242	242		175	#N/A	-81	NCPLX	A-102	A-102				0	0	62,000		1		
C-103	1978	4	rec	54	296	296		#N/A	-81	NCPLX	A-102	A-102				0	0	62,000		0			
C-103	1978	4	STAT		296	296		175	#N/A	-81	NCPLX	A-102	A-102				0	0	62,000		1		
C-103	1979	1	STAT		301	301		175	5	-76	NCPLX						0	0	62,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	act vol%	TLM solids	Cum solids	sol type	Cl	Document/Pg #
C-103	1979	2	STAT		307	307	175	6	-70	NCPLX						0	0	0	1		
C-103	1979	3	SEND	-113		194		#N/A	-70	SU		C-104				0	0	0	1		
C-103	1979	3	STAT		200	200	175	6	-64							0	0	0	1		
C-103	1979	4	STAT		200	200	175	#N/A	-64				Inactive			0	0	0	1		
C-103	1980	1	STAT		200	200	175	#N/A	-64							0	0	0	1		
C-103	1980	2	STAT		200	200	175	#N/A	-64							0	0	0	1		
C-103	1980	3	STAT		200	200	175	#N/A	-64							0	0	0	1		
C-103	1980	4	STAT		200	200	175	#N/A	-64	NCPLX						0	0	0	1		
C-103	1993	2	STAT		195	195	62	-5	-69	NCPLX						0	0	0	1		
C-103	1993	4	STAT		195	195	62	#N/A	-69							0	0	0	1		
C-103	1994	1	STAT		195	195	62	#N/A	-69							0	0	0	1		
C-103	2000															0	0	0	1		

Unit	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWFT	LAHL comment	Anderson comment	Opten comment	sol vol%	TLM solids	Cum solids	sol type	Ol	O/A	Document/Pg #
C-104	1900																					
C-104	1946	4	SEND	0	0	0	0	#NA	0	SET	C-105					0	0	0.000				
C-104	1946	4	XIN	5	5	5	5	#NA	0	MW						0.001887	0.0084	0.008	MW1			
C-104	1946	4	XIN	160	160	165	165	#NA	0	MW						0.001887	0.3019	0.311	MW1			
C-104	1946	4	XIN	193	193	388	388	#NA	0	MW						0.001887	0.3642	0.675	MW1			
C-104	1946	4	STAT		358	358	358	#NA	0	MW				1st in Cascade, began filling October 1946			0	0.675				
C-104	1947	1	XIN	111	111	469	469	#NA	0	MW						0.001887	0.2084	0.885	MW1			
C-104	1947	1	XIN	81	81	550	550	#NA	0	MW						0.001887	0.1528	1.038	MW1			
C-104	1947	1	XIN	188	188	738	738	#NA	0	MW						0.001887	0.3547	1.392	MW1			
C-104	1947	1	send	-188	-188	550	550	#NA	0	cas						0	0	1.392				
C-104	1947	1	send	-20	-20	530	530	#NA	0	cas						0	0	1.392				
C-104	1947	1	STAT		530	530	530	#NA	0	cas						0	0	1.392				
C-104	1947	2	XIN	96	96	628	628	#NA	0	MW						0	0	1.392				
C-104	1947	2	XIN	107	107	735	735	#NA	0	MW						0.001887	0.1849	1.577	MW1			
C-104	1947	2	XIN	124	124	859	859	#NA	0	MW						0.001887	0.2019	1.778	MW1			
C-104	1947	2	send	-124	-124	735	735	#NA	0	cas						0.001887	0.234	2.013	MW1			
C-104	1947	2	send	-107	-107	628	628	#NA	0	cas						0	0	2.013				
C-104	1947	2	send	-98	-98	530	530	#NA	0	cas						0	0	2.013				
C-104	1947	2	STAT		530	530	530	#NA	0	cas						0	0	2.013				
C-104	1947	3	XIN	138	138	668	668	#NA	0	MW				Cascading to 105-C		0	0	2.013				
C-104	1947	3	XIN	112	112	780	780	#NA	0	MW						0.001887	0.2604	2.274	MW1			
C-104	1947	3	XIN	131	131	911	911	#NA	0	MW						0.001887	0.2113	2.485	MW1			
C-104	1947	3	send	-138	-138	773	773	#NA	0	cas						0.001887	0.2472	2.732	MW1			
C-104	1947	3	send	-131	-131	642	642	#NA	0	cas						0	0	2.732				
C-104	1947	3	send	-112	-112	530	530	#NA	0	cas						0	0	2.732				
C-104	1947	3	STAT		530	530	530	#NA	0	cas						0	0	2.732				
C-104	1947	4	XIN	86	86	616	616	#NA	0	MW				Cascading to 105-C & 106-C		0	0	2.732				
C-104	1947	4	XIN	56	56	672	672	#NA	0	MW						0.001887	0.1823	2.984	MW1			
C-104	1947	4	send	-86	-86	586	586	#NA	0	cas						0.001887	0.1057	3.000	MW1			
C-104	1947	4	send	-56	-56	530	530	#NA	0	cas						0	0	3.000				
C-104	1947	4	STAT		530	530	530	#NA	0	cas						0	0	3.000				
C-104	1947	4	STAT		530	530	530	#NA	0	MW				Cascade full in November 1947		0	0	3.000				
C-104	1948	1	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1948	2	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1948	3	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1948	4	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1949	1	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1949	2	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1949	3	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1949	4	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1950	1	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1950	2	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1950	3	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1950	4	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1951	1	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1951	2	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1951	3	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1951	4	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1952	1	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1952	2	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1952	3	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1952	4	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1953	1	STAT		530	530	530	#NA	0	MW				1507 in 101 thru 106-C. 1651 removed thru CR 1218		0	0	3.000				
C-104	1953	2	STAT		530	530	530	#NA	0	MW						0	0	3.000				
C-104	1953	2	STAT		530	530	530	#NA	0	MW						0	0	3.000				

Tank_n	Year	Dtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk tfr	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Occden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-104	1953	3	outx	-484	46	46	0	#N/A	0	#N/A	UR					0	0	3,000				
C-104	1953	3	STAT		46	46	0	#N/A	0	MW				MW removal in progress		0	0	3,000				
C-104	1953	4	outx	-46	0	0	0	#N/A	0							0	0	3,000				
C-104	1953	4	STAT		0	0	0	#N/A	0							0	0	3,000				
C-104	1954	1	xin	312	312	312	0	#N/A	0	MW				Supernatant supply to 244-CR. Suiced until 1-4-54		0	0	3,000				
C-104	1954	1	STAT		312	312	0	#N/A	0							0	0	3,000				
C-104	1954	2	xin	11	323	323	0	#N/A	0							0	0	3,000				
C-104	1954	2	STAT		323	323	0	#N/A	0	MW				Supernatant supply to 244-CR Rec'd from 109-BY		0	0	3,000				
C-104	1954	3	outx	-52	271	271	0	#N/A	0							0	0	3,000				
C-104	1954	3	STAT		271	271	0	#N/A	0	MW				Supernatant supply to 244-CR. Rec'd from 109-BY		0	0	3,000				
C-104	1954	4	xin	223	494	494	0	#N/A	0							0	0	3,000				
C-104	1954	4	STAT		494	494	0	#N/A	0	MW				Supernatant supply to 244-CR. Rec'd from 109-BY		0	0	3,000				
C-104	1955	1	outx	-494	0	0	0	#N/A	0							0	0	3,000				
C-104	1955	1	STAT		0	0	0	#N/A	0							0	0	3,000				
C-104	1955	2	STAT		0	0	0	#N/A	0					Tank to be declared empty		0	0	3,000				
C-104	1955	3	STAT		0	0	0	#N/A	0							0	0	3,000				
C-104	1955	4	REC	420	420	420	0	#N/A	0	SU						0	0	3,000				
C-104	1955	4	STAT		420	420	0	#N/A	0					Received TBP in October from 112.		0	0	3,000				
C-104	1956	1	XIN	40	480	480	0	#N/A	0	CWP						0.087892	3,5157	6,516	CWP1			
C-104	1956	1	STAT		480	480	0	#N/A	0							0.087892	9,7581	16,272	CWP1			
C-104	1956	1	XIN	28	599	599	0	#N/A	0	CWP						0.087892	2,461	18,733	CWP1			
C-104	1956	1	SEND	375	224	224	0	#N/A	0	SU						0	0	18,733				
C-104	1956	1	STAT		224	224	45	#N/A	0	CW				Emptied in January & started receiving CW in January		0	0	18,733				
C-104	1956	2	XIN	47	271	271	0	#N/A	0	CWP						0.087892	4,1309	22,864	CWP1			
C-104	1956	2	STAT		271	271	0	#N/A	0							0.087892	5,0978	27,961	CWP1			
C-104	1956	2	XIN	110	439	439	0	#N/A	0	CWP						0.087892	9,6582	37,630	CWP1			
C-104	1956	2	STAT		439	439	45	#N/A	0					Received CW		0	0	37,630				
C-104	1956	3	XIN	80	519	519	0	#N/A	0	CWP						0.087892	7,0314	44,661	CWP1			
C-104	1956	3	STAT		519	519	0	#N/A	0							0.087892	3,8915	48,352	CWP1			
C-104	1956	3	XIN	42	627	627	0	#N/A	0	CWP						0.087892	5,8009	54,153	CWP1			
C-104	1956	3	SEND	451	176	176	0	#N/A	0	SU						0	0	54,153				
C-104	1956	3	STAT		176	176	45	#N/A	0					Pumped 429 to 105-C. Receiving CW		0	0	54,153				
C-104	1956	4	XIN	63	239	239	0	#N/A	0	CWP						0.087892	5,6372	59,691	CWP1			
C-104	1956	4	STAT		239	239	0	#N/A	0							0.087892	7,0314	66,722	CWP1			
C-104	1956	4	XIN	80	319	319	0	#N/A	0	CWP						0.087892	7,6466	74,369	CWP1			
C-104	1956	4	STAT		319	319	45	#N/A	0							0	0	74,369				
C-104	1957	1	XIN	5	409	409	0	#N/A	0	CWP						0.087892	0,4395	74,908	CWP1			
C-104	1957	1	STAT		409	409	0	#N/A	0							0.087892	4,6593	79,466	CWP1			
C-104	1957	1	XIN	53	467	467	0	#N/A	0	CWP				Latest electrode reading - est. reading SS CW rec'd		0	0	79,466				
C-104	1957	2	SEND	0	464	464	45	#N/A	-3							0	0	79,466				
C-104	1957	2	STAT		464	464	0	#N/A	0							0.087892	6,2404	85,707	CWP1			
C-104	1957	2	XIN	71	535	535	0	#N/A	0	CWP						0.087892	5,3614	91,069	CWP1			
C-104	1957	2	STAT		535	535	0	#N/A	0							0.087892	9,9318	101,000	CWP1			
C-104	1957	2	XIN	61	596	596	0	#N/A	0	CWP						0	0	101,000				
C-104	1957	2	STAT		596	596	0	#N/A	0							0	0	101,000				
C-104	1957	2	SEND	113	709	709	0	#N/A	0	CWP						0	0	101,000				
C-104	1957	2	STAT		709	709	0	#N/A	0							0	0	101,000				
C-104	1957	2	SEND	-113	596	596	0	#N/A	0	CWP						0	0	101,000				
C-104	1957	2	STAT		596	596	0	#N/A	0							0	0	101,000				
C-104	1957	2	SEND	-61	535	535	0	#N/A	0	CWP						0	0	101,000				
C-104	1957	2	STAT		535	535	0	#N/A	0							0	0	101,000				
C-104	1957	2	SEND	5	530	530	0	#N/A	0	CWP						0	0	101,000				
C-104	1957	2	STAT		530	530	0	#N/A	0							0	0	101,000				



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LAML comment	Anderson comment	Order comment	sol wt%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-104	1957	2	STAT	541	541	541	45	11	11	CW				SS 71M gals, 61M gal, 113M gals, CW rec'd, cascading to 105-C		0	0	101,000	1			
C-104	1957	3	STAT	543	543	543	46	2	13	CW						0	0	101,000	1			
C-104	1957	4	STAT	535	535	535	46	-8	5	CW						0	0	101,000	1			
C-104	1958	1	STAT	538	538	538	46	3	8	CW						0	0	101,000	1			
C-104	1958	2	XIN	0	0	0	N/A	N/A	0	CWP						0	0	101,000	1			
C-104	1958	2	XIN	0	0	0	N/A	N/A	0	CWP						0	0	101,000	3	V		HW-5597-4
C-104	1958	3	STAT	535	535	535	46	-3	5	CW						0	0	101,000	3	V		HW-5637-4
C-104	1958	4	STAT	541	541	541	46	6	11	CW						0	0	101,000	1			
C-104	1959	1	STAT	524	524	524	46	-17	-13	CW						0	0	101,000	1			
C-104	1959	3	STAT	517	517	517	46	-7	-6	CW						0	0	101,000	1			
C-104	1959	4	STAT	524	524	524	46	7	-3	CW						0	0	101,000	1			
C-104	1960	1	REC	14	14	14	46	N/A	-6	CW						0	0	101,000	1			
C-104	1960	1	STAT	538	538	538	46	N/A	-6	SU						0	0	101,000	1			
C-104	1960	2	STAT	538	538	538	46	N/A	-6	CW						0	0	101,000	1			
C-104	1960	3	STAT	538	538	538	46	N/A	-6	CW						0	0	101,000	1			
C-104	1960	4	STAT	538	538	538	46	N/A	-6	CW						0	0	101,000	1			
C-104	1961	1	STAT	N/A	N/A	N/A	N/A	N/A	-6	CW						0	0	101,000	1			
C-104	1961	2	STAT	538	538	538	46	N/A	-6	CW						0	0	101,000	1			
C-104	1961	3	STAT	N/A	N/A	N/A	N/A	N/A	-6	CW						0	0	101,000	1			
C-104	1961	4	STAT	541	541	541	46	3	-3	CW						0	0	101,000	1			
C-104	1962	1	STAT	N/A	N/A	N/A	N/A	N/A	-3	CW						0	0	101,000	1			
C-104	1962	2	STAT	538	538	538	46	-3	-3	CW						0	0	101,000	1			
C-104	1962	3	STAT	N/A	N/A	N/A	N/A	N/A	-6	CW						0	0	101,000	1			
C-104	1962	4	STAT	538	538	538	46	N/A	-6	CW						0	0	101,000	1			
C-104	1963	1	STAT	N/A	N/A	N/A	N/A	N/A	-6	CW						0	0	101,000	1			
C-104	1963	2	STAT	543	543	543	101	5	-1	CW						0	0	101,000	1			
C-104	1963	3	STAT	N/A	N/A	N/A	N/A	N/A	-1	CW						0	0	101,000	1			
C-104	1963	4	STAT	541	541	541	101	-2	-3	CW						0	0	101,000	1			
C-104	1964	1	STAT	N/A	N/A	N/A	N/A	N/A	-3	CW						0	0	101,000	1			
C-104	1964	2	STAT	539	539	539	101	-2	-5	CW						0	0	101,000	1			
C-104	1964	3	STAT	N/A	N/A	N/A	N/A	N/A	-5	CW						0	0	101,000	1			
C-104	1964	4	STAT	539	539	539	101	N/A	-5	CW						0	0	101,000	1			
C-104	1965	1	STAT	N/A	N/A	N/A	N/A	N/A	-5	CW						0	0	101,000	1			
C-104	1965	2	XIN	15	15	15	564	N/A	-5	CW						0	0	101,000	1			
C-104	1965	2	STAT	554	554	554	90	N/A	-5	CW						0	0	101,000	3	V		RL-SEP-659-4
C-104	1965	3	STAT	560	560	560	90	6	1	CW						0	0	101,000	1			
C-104	1965	4	STAT	560	560	560	90	N/A	1	CW						0	0	101,000	1			
C-104	1966	1	STAT	560	560	560	90	N/A	1	CW						0	0	101,000	1			
C-104	1966	2	STAT	532	532	532	90	-28	-27	CW						0	0	101,000	1			
C-104	1966	3	STAT	532	532	532	90	N/A	-27	CW						0	0	101,000	1			
C-104	1966	4	STAT	532	532	532	90	N/A	-27	CW						0	0	101,000	1			
C-104	1967	1	STAT	532	532	532	90	N/A	-27	CW						0	0	101,000	1			
C-104	1967	2	STAT	532	532	532	90	N/A	-27	CW						0	0	101,000	1			
C-104	1967	3	STAT	532	532	532	90	N/A	-27	CW						0	0	101,000	1			
C-104	1967	4	STAT	532	532	532	90	N/A	-27	CW						0	0	101,000	1			
C-104	1968	1	STAT	531	531	531	90	-1	-28	CW						0	0	101,000	1			
C-104	1968	2	STAT	531	531	531	90	N/A	-28	CW						0	0	101,000	1			
C-104	1968	3	STAT	530	530	530	90	-1	-29	CW						0	0	101,000	1			
C-104	1968	4	STAT	530	530	530	90	N/A	-29	CW						0	0	101,000	1			
C-104	1969	1	STAT	530	530	530	90	N/A	-29	CW						0	0	101,000	1			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qr	C/A	Document/Pg #
C-104	1969	2	SEND	-330		200		#N/A	-29	SU		C-102				0	0	101,000		4	O	ARH-1200B-5
C-104	1969	2	STAT		200	200		90	#N/A	-29	CW			330 to 102-C		0	0	101,000		1		
C-104	1969	3	STAT		200	200		90	#N/A	-29	CW					0	0	101,000		1		
C-104	1969	4	XIN	262		462		#N/A	-29	CWP		CWP2				0.018405	4.8221	105,822	CWP2	4	O	ARH-1200D-5
C-104	1969	4	XIN	262		724		#N/A	-29	OWW		OWW3				0.006004	1.5731	107,395	OWW	4	O	ARH-1200D-5
C-104	1969	4	REC	223		947		#N/A	-29	SU	C-107	C-107				0	0	107,395		4	O	ARH-1200D-5
C-104	1969	4	REC	349		1296		#N/A	-29	SU	C-111	C-111				0	0	107,395		4	O	ARH-1200D-5
C-104	1969	4	SEND	-1048		248		#N/A	-29			BX-103				0	0	107,395		4	V	ARH-1200D-5
C-104	1969	4	STAT		246	246		90	-2	-31	CW		XIN total 524, REC total 572	523 from Purex, 572 from 107-C & 111-C, 1,048 to 103-3X		0	0	107,395		1		
C-104	1970	1	XIN	273		519		#N/A	-31	CWP		CWP2				0.018405	5.0245	112,420	CWP2	4	O	ARH-1666A-5
C-104	1970	1	XIN	273		792		#N/A	-31	OWW		OWW3				0.006004	1.6392	114,059	OWW	4	O	ARH-1666A-5
C-104	1970	1	REC	397		1189		#N/A	-31	SU	C-109	C-109				0	0	114,059		4	O	ARH-1666A-5
C-104	1970	1	REC	340		1529		#N/A	-31	SU	C-112	C-112				0	0	114,059		4	O	ARH-1666A-5
C-104	1970	1	SEND	-1182		347		#N/A	-31	SU		BX-103				0	0	114,059		4	O	ARH-1666A-5
C-104	1970	1	STAT		347	347		96	#N/A	-31	CW,OWW		XIN total 546, REC total 737	737 from 109-C & 112-C, 546 from Purex, 1182 to 103-BX		0	0	114,059		1		
C-104	1970	2	XIN	410		757		#N/A	-31	CWP		CWP2				0.018405	7.548	121,505	CWP2	4	O	ARH-1666B-5
C-104	1970	2	XIN	410		1167		#N/A	-31	OWW		OWW3				0.006004	2.4617	124,067	OWW	4	O	ARH-1666B-5
C-104	1970	2	SEND	-1007		160		#N/A	-31	SU		BX-103				0	0	124,067		4	O	ARH-1666B-5
C-104	1970	2	REC	54		214		#N/A	-31	SU	C-201	C-201				0	0	124,067		4	O	ARH-1666B-5
C-104	1970	2	REC	55		269		#N/A	-31	SU	C-202	C-202				0	0	124,067		4	O	ARH-1666B-5
C-104	1970	2	REC	12		281		#N/A	-31	SU	C-203	C-203				0	0	124,067		4	O	ARH-1666B-5
C-104	1970	2	REC	14		295		#N/A	-31	SU	C-204	C-204				0	0	124,067		4	O	ARH-1666B-5
C-104	1970	2	STAT		296	296	149	1	-30	CW,OWW			REC total 135, XIN total 821	821 from Purex, 135 from 201, 202, 203, & 204-C, 1007 to 103-BX		0	0	124,067		1		
C-104	1970	3	XIN	171		467		#N/A	-30	CWP		CWP2				0.018405	3.1472	127,214	CWP2	4	O	ARH-1666C-5
C-104	1970	3	XIN	466		933		#N/A	-30	OWW		OWW3				0.006004	2.798	130,012	OWW	4	O	ARH-1666C-5
C-104	1970	3	XIN	71		1004		#N/A	-30	TH		TH2				0.026316	1.8684	131,880	TH2	4	O	ARH-1666C-5
C-104	1970	3	XIN	428		1432		#N/A	-30	THL		TH2				0.026316	11.263	143,143	TH2	4	O	ARH-1666C-5
C-104	1970	3	SEND	-848		584		#N/A	-30	SU		BX-101				0	0	143,143		4	O	ARH-1666C-5/ARH-1666C-5 SEND
C-104	1970	3	SEND	-104		480		#N/A	-30	SU		BX-103				0	0	143,143		4	O	ARH-1666C-5
C-104	1970	3	STAT		480	480		92	#N/A	-30	OWW,CW,IWW		XIN total 1136	1136 from Purex, 104 to 103-BX, 848 to 101-BX		0	0	143,143		1		
C-104	1970	4	XIN	279		759		#N/A	-30	CWP		CWP2				0.018405	5.135	148,278	CWP2	4	O	ARH-1666D-5
C-104	1970	4	XIN	40		799		#N/A	-30		CR-VAL	DW	Omis.			0	0	148,278		3	V	ARH-1666D-5
C-104	1970	4	XIN	679		1478		#N/A	-30	OWW		OWW3				0.006004	4.0769	152,355	OWW	4	O	ARH-1666D-5
C-104	1970	4	XIN	175		1653		#N/A	-30	PL		PL1				0.022936	4.0138	158,369	PL1	4	O	ARH-1666D-5
C-104	1970	4	XIN	413		2066		#N/A	-30	TH		TH2				0.026316	10.868	167,238	TH2	4	O	ARH-1666D-5
C-104	1970	4	SEND	-1614		452		#N/A	-30	SU		BX-101				0	0	167,238		4	O	ARH-1666D-5
C-104	1970	4	STAT		453	453		132	1	-29	CW,OWW		XIN total 1547	1547 from Purex, 40 from 011-CR, 1614 to 101-BX		0	0	167,238		1		
C-104	1971	1	XIN	189		642		#N/A	-29	CWP		CWP2				0.018405	3.4785	170,716	CWP2	4	O	ARH-2074A-5
C-104	1971	1	XIN	189		831		#N/A	-29	OWW		OWW3				0.006004	1.1348	171,851	OWW	4	O	ARH-2074A-5
C-104	1971	1	SEND	-348		483		#N/A	-29	SU		BX-101				0	0	171,851		4	O	ARH-2074A-6
C-104	1971	1	STAT		481	481		153	-2	-31	OWW		XIN total 378	377 from Purex, 348 to 101-BX		0	0	171,851		1		
C-104	1971	2	XIN	559		1040		#N/A	-31	CWP		CWP2				0.018405	10.288	182,139	CWP2	4	O	ARH-2074B-5
C-104	1971	2	XIN	559		1599		#N/A	-31	OWW		OWW3				0.006004	3.3564	185,496	OWW	4	O	ARH-2074B-5
C-104	1971	2	SEND	-1092		507		#N/A	-31	SU		BX-101				0	0	185,496		4	O	ARH-2074B-5
C-104	1971	2	STAT		507	507		153	#N/A	-31	CW,OWW		XIN total 1118	1,118 from Purex, 1,092 to 101-BX		0	0	185,496		1		
C-104	1971	3	XIN	474		981		#N/A	-31	CWP		CWP2				0.018405	8.7239	194,219	CWP2	3	O	ARH-2074C-5
C-104	1971	3	XIN	474		1455		#N/A	-31	OWW		OWW3				0.006004	2.848	197,068	OWW	3	O	ARH-2074C-5

Tank n	Year	Off	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderton comment	Opden comment	sol vol	TLM solids	Cum solids	sol type	QI	OVA	Document/fg #	
C-104	1971	3	SEND	89		1366		#N/A	-31	SU		BX-101					0	197,066		4	O	ARH-2074C-5	
C-104	1971	3	SEND	-896		470		#N/A	-31	SU		BX-103					0	197,066		4	O	ARH-2074D-6/ARH-2074C-5 SEND	
C-104	1971	3	STAT		466	466	153	-4	-35	CW,OWW				89 to 101-BX, Q47 from Purex, 896 to 103-B			0	197,066		1			
C-104	1971	4	XIN	487		953		#N/A	-35	CWP		CWP2					0.018405	6,9632	206,029	CWPE	4	O	ARH-2074D-5
C-104	1971	4	XIN	487		1440		#N/A	-35	OWW		OWW3					0.006004	2,9241	208,953	OWW	4	O	ARH-2074D-5
C-104	1971	4	SEND	-102		1338		#N/A	-35	SU		BX-101					0	208,953		4	O	ARH-2074D-5	
C-104	1971	4	SEND	-1230		108		#N/A	-35	SU		BX-103					0	208,953		4	O	ARH-2074D-5	
C-104	1971	4	REC	326		434		#N/A	-35	SU		C-110					0	208,953		4	O	ARH-2074D-5	
C-104	1971	4	STAT		437	437	175	3	-32	CW,OWW			XIN total 973	973 from Purex, 326 from 110-C, 1,230 to 103-BX, 102 to 101-BX			0	208,953		1			
C-104	1972	1	XIN	364		801		#N/A	-32	CWP		CWP2					0.018405	6,6994	215,652	CWPE	4	O	ARH-2456A-4
C-104	1972	1	XIN	364		1165		#N/A	-32	OWW		OWW3					0.006004	2,1656	217,698	OWW	4	O	ARH-2456A-4
C-104	1972	1	REC	253		1418		#N/A	-32	SU		C-107					0	217,698		4	O	ARH-2456A-4	
C-104	1972	1	REC	195		1613		#N/A	-32	SU		C-108					0	217,698		4	O	ARH-2456A-4	
C-104	1972	1	SEND	-1282		351		#N/A	-32	SU		BX-103					0	217,698		4	O	ARH-2456A-4	
C-104	1972	1	STAT		351	351	186	#N/A	-32	CW,OWW			XIN total 728	727 from Purex, 253 from 107-C, 195 from 108-C, 1262 to 103-BX * Dry Wells 30-04-02, 30-04-08, 30-04-12 drilled.			0	217,698		1			
C-104	1972	2	XIN	281		632		#N/A	-32	CWP		CWP2					0.018405	5,1718	223,010	CWPE	4	O	ARH-2456B-4
C-104	1972	2	XIN	260		892		#N/A	-32	OWW		OWW3					0.006004	1,5611	224,571	OWW	4	O	ARH-2456B-4
C-104	1972	2	SEND	-595		297		#N/A	-32	SU		BX-103					0	224,571		4	O	ARH-2456B-4	
C-104	1972	2	REC	69		366		#N/A	-32	SU		C-108					0	224,571		4	O	ARH-2456B-4	
C-104	1972	2	STAT		366	366	186	#N/A	-32	CW,OWW,P			XIN total 541	541 from Purex, 69 from 108-C, 595 to 103-BX			0	224,571		1			
C-104	1972	3	XIN	623		989		#N/A	-32	CWP		CWP2					0.04333668	27,251,571	251,571	CWPE	4	O	ARH-2456C-4
C-104	1972	3	XIN	623		1612		#N/A	-32	OWW		OWW3					0.006004	3,7407	255,311	OWW	4	O	ARH-2456C-4
C-104	1972	3	SEND	-758		854		#N/A	-32	SU		BX-103					0	255,311		4	O	ARH-2456C-4	
C-104	1972	3	SEND	-437		417		#N/A	-32	SU		C-103					0	255,311		4	O	ARH-2456C-4	
C-104	1972	3	SEND	-34		383		#N/A	-32	SU		C-105					0	255,311		4	O	ARH-2456C-4	
C-104	1972	3	STAT		384	384	186	1	-31	OWW,P			XIN total 1247	1247 from Purex, 758 to 103-BX, 437 to 104-C, 34 to 105-C			0	255,311		1			
C-104	1972	4	XIN	117		501		#N/A	-31	OWW		OWW3					0.006004	0,7025	256,014	OWW	4	O	ARH-2456D-4
C-104	1972	4	REC	309		810		#N/A	-31	SU		U-107					0.00664	2,0518	258,066	CWPE	4	O	ARH-2456D-4
C-104	1972	4	REC	443		1283		#N/A	-31	SU		C-103					0	258,066		4	O	ARH-2456D-4	
C-104	1972	4	SEND	-918		335		#N/A	-31	SU		BX-103					0	258,066		4	O	ARH-2456D-4	
C-104	1972	4	STAT		334	334	186	-1	-32	N,BNW,OWW,CW,EEB			XIN total 1247	117 from Purex, 443 from 103-C, 309 from 107-U, 918 to 103-BX			0	258,066		1			
C-104	1973	1	REC	748		1128		#N/A	-32	PL		PL1					0.022936	1,055	259,121	PL1	4	O	ARH-2794A-4
C-104	1973	1	SEND	-611		517		#N/A	-32	SU		U-107					0.00664	4,9668	264,087	CWPE	4	O	ARH-2794A-4
C-104	1973	1	STAT		517	517	198	#N/A	-32	CW,BNW,PL,N				46 from Purex, 748 from 107-U, 611 to 103-BX			0	264,087		4	O	ARH-2794A-4	
C-104	1973	2	XIN	44		561		#N/A	-32	PL		PL1					0.002936	1,0082	265,087	PL1	4	O	ARH-2794B-4
C-104	1973	2	REC	481		1042		#N/A	-32	SU		U-107					0.00664	3,1939	268,290	CWPE	4	O	ARH-2794B-4
C-104	1973	2	SEND	-566		476		#N/A	-32	SU		BX-103					0	268,290		4	O	ARH-2794B-4	
C-104	1973	2	SEND	-145		331		#N/A	-32	SU		C-103					0	268,290		4	O	ARH-2794B-4	
C-104	1973	2	STAT		332	332	198	1	-31	BNW,NLW,CW,PL				44 from Purex, 481 from 107-U, 145 to 103-C, 566 to 103-BX			0	268,290		1			
C-104	1973	3	SEND	-151		181		#N/A	-31	SU		C-103					0	268,290		4	O	ARH-2794C-4	
C-104	1973	3	REC	222		403		#N/A	-31	SU		TY-101					0	268,290		4	O	ARH-2794C-4	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unkl	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oxden comment	sol vol%	TLM solids	Cum solids	sol type	OL	O/A	Document/fg #	
C-104	1973	3	REC	354	483	757	198	2	29	BNW,NLW,R,CW,DW,IX,TBP	U-107			222 from 101-TY,354 from 107-U, 151 to 103-C, 31 to 107-C, 245 to 108-C		0.00664	2,3506	270,641	CWFR	4	0	ARRH-2794C-4	
C-104	1973	3	SEND	-31	514	726		#NVA	-31	SU	U-107					0	0	270,641		4	0	ARRH-2794C-4	
C-104	1973	3	SEND	-245	207	481		#NVA	-31	SU	C-107					0	0	270,641		4	0	ARRH-2794C-4	
C-104	1973	3	STAT		483	483	198	2	29	BNW,NLW,R,CW,DW,IX,TBP	U-107					0	0	270,641		1			
C-104	1973	4	XIN	31	514	545		#NVA	-29	P	P2				0.021978	0,6813	271,322	P2	4	0	ARRH-2794D-4		
C-104	1973	4	SEND	-307	207	481		#NVA	-29	SU	B-103				0	0	271,322		4	0	ARRH-2794D-4		
C-104	1973	4	REC	79	286	365		#NVA	-29	SU	A-101				0.008409	0,6643	271,987	SRR	4	0	ARRH-2794D-4		
C-104	1973	4	REC	367	653	1020		#NVA	-29	SU	U-107				0.00664	2,4389	274,424	CWFR	4	0	ARRH-2794D-4		
C-104	1973	4	SEND	-213	440	227		#NVA	-29	SU	C-107				0	0	274,424		4	0	ARRH-2794D-4		
C-104	1973	4	STAT		436	436	274	4	33	P,B,CW,NLW,BNWX,IB	AX-103		31 from Purex, 79 from 101-A, 367 from 107-U, 307 to 103-B, 213 to 107-C			0	0	274,424		4	0	ARRH-2794D-4	
C-104	1974	1	XIN	35	471	506		#NVA	-33	P	CH VAL/DW				Omission	0	0	274,424		1			
C-104	1974	1	XIN	27	498	525		#NVA	-33	P	P2					0.021978	0,5934	275,017	P2	3	V	ARRH-CD-133A-4	
C-104	1974	1	XIN	1	499	500		#NVA	-33	WTR	WTR				Shows 1 not 0	0	0	275,017		3	V	ARRH-CD-133A-4	
C-104	1974	1	XIN	4	503	507		#NVA	-33	WTR	WTR				Omission	0	0	275,017		3	V	ARRH-CD-133A-4	
C-104	1974	1	SEND	-114	389	275		#NVA	-33	SU	C-103					0.008409	0,3784	275,395	SRR	4	0	ARRH-CD-133A-4	
C-104	1974	1	REC	45	434	479		#NVA	-33	SU	A-101					0	0	275,395		4	0	ARRH-CD-133A-4	
C-104	1974	1	REC	1	435	436		#NVA	-33	SU	AX-103					0	0	275,395		4	0	ARRH-CD-133A-4	
C-104	1974	1	STAT		436	436	274	4	33	P,B,CW,NLW,BNWX,IB	AX-103		27 from Purex, 35 from CR Vault, 4 from 302-A Catch Tank, 45 from 101-A, 1 from 103-AX, 1 water, 114 to 103-C *Dry Walls 30-04-01, 30-04-03, 30-04-04, 30-04-05 drilled.			0	0	275,395		1			
C-104	1974	2	XIN	16	455	471		#NVA	-29	PL	PL1					0.022936	0,367	275,762	PL1	4	0	ARRH-CD-133B-4	
C-104	1974	2	XIN	13	468	481		#NVA	-29	WTR	WTR					0	0	275,762		4	0	ARRH-CD-133B-4	
C-104	1974	2	REC	165	633	800		#NVA	-29	SU	C-103					0	0	275,762		4	0	ARRH-CD-133B-4	
C-104	1974	2	REC	65	698	763		#NVA	-29	SU	C-111					0	0	275,762		4	0	ARRH-CD-133B-4	
C-104	1974	2	SEND	-368	340	402		#NVA	-29	SU	S-107					0	0	275,762		4	0	ARRH-CD-133B-4	
C-104	1974	2	STAT		307	307	274	3	32	BNW,NLW,B,CW,P				16 from Purex, 165 from 103-C, 65 from 111-C, 13 water, 358 to 107-S			0	0	275,762		1		
C-104	1974	3	XIN	10	347	357		#NVA	-32	PL	PL1					0.022936	0,2294	275,992	PL1	4	0	ARRH-CD-133C-4	
C-104	1974	3	XIN	3	350	353		#NVA	-32	WTR	WTR					0	0	275,992		4	0	ARRH-CD-133C-4	
C-104	1974	3	SEND	-59	291	232		#NVA	-32	SU	C-103					0	0	275,992		4	0	ARRH-CD-133C-4	
C-104	1974	3	REC	49	340	389		#NVA	-32	SU	C-101					0	0	275,992		4	0	ARRH-CD-133C-4	
C-104	1974	3	STAT		340	340	274	3	32	BNW,NLW,B,CW,P				10 from Purex, 49 from 101-C, 3 water, 59 to 103-C			0	0	275,992		1		
C-104	1974	4	XIN	11	351	362		#NVA	-32	PL	PL1					0.022936	0,2523	276,244	PL1	4	0	ARRH-CD-133D-4	
C-104	1974	4	STAT		351	351	236	3	32	BNW,NLW,B,CW,P				11 from Purex			0	0	276,244		1		
C-104	1975	1	XIN	50	401	451		#NVA	-32	PL	PL1					0.022936	1,1468	277,391	PL1	4	0	ARRH-CD-336A-4	
C-104	1975	1	SEND	-108	293	185		#NVA	-32	SU	C-103					0	0	277,391		4	0	ARRH-CD-336A-4	
C-104	1975	1	STAT		296	296	235	3	29	BNW,NLW,B,CW,P						0.021978	0,7253	278,116	P2	4	0	ARRH-CD-336B-4	
C-104	1975	2	XIN	33	329	362		#NVA	-29	P	P2					0.008409	4,0785	282,195	SRR	4	0	ARRH-CD-336B-4	
C-104	1975	2	REC	485	814	1299		#NVA	-29	SU	A-101					0	0	282,195		4	0	ARRH-CD-336B-4	
C-104	1975	2	SEND	-399	415	106		#NVA	-29	SU	C-103					0	0	282,195		4	0	ARRH-CD-336B-4	
C-104	1975	2	STAT		417	417	235	2	27	P,B				33 from Purex, 485 from 101-A, 399 to 103-C			0	0	282,195		1		
C-104	1975	3	XIN	14	431	445		#NVA	-27	PL	PL1					0.022936	0,3211	282,516	PL1	4	0	ARRH-CD-336C-4	
C-104	1975	3	XIN	1	432	433		#NVA	-27	WTR	WTR					0	0	282,516		4	0	ARRH-CD-336C-4	
C-104	1975	3	REC	818	1250	2068		#NVA	-27	SU	A-101					0.008409	6,8788	289,394	SRR	4	0	ARRH-CD-336C-4	
C-104	1975	3	REC	101	1351	1452		#NVA	-27	SU	C-106					0	0	289,394		4	0	ARRH-CD-336C-4	
C-104	1975	3	SEND	-1044	307	203		#NVA	-27	SU	TX-101					0	0	289,394		4	0	ARRH-CD-336C-4	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Q1	Q/A	Document/Pg #
C-104	1975	3	STAT		299	299	235	-8	-35	BL				14 from Purex, 818 from 101-A, 101 from 106-C, 1 water, 1044 to 101-TX		0	0	289,394		1		
C-104	1975	4	XIN	38		337		#N/A	-35	PL		PL1				0.022936	0.8716	290,266	PL1	4	O	ARH-CD-336D-4
C-104	1975	4	XIN	4		341		#N/A	-35	WTR		WTR	Omis. REC A-151 CT		Omission	0	0	290,266		3	V	ARH-CD-336D-4
C-104	1975	4	REC	595		936		#N/A	-35	SU	C-106	C-106				0	0	290,266		4	O	ARH-CD-336D-4
C-104	1975	4	SEND	-193		743		#N/A	-35	SU		TX-101				0	0	290,266		4	O	ARH-CD-336D-4
C-104	1975	4	SEND	-229		514		#N/A	-35	SU		U-106				0	0	290,266		4	O	ARH-CD-336D-4
C-104	1975	4	STAT		513	513	235	-1	-36	PL,BL				38 from Purex, 4 from 151-A-CT, 595 from 106-C, 193 to 101-TX, 229 to 106-U		0	0	290,266		1		
C-104	1976	1	XIN	20		533		#N/A	-36	PL		PL1				0.022936	0.4587	290,725	PL1	4	O	ARH-CD-702A-4
C-104	1976	1	REC	201		734		#N/A	-36	SU	A-101	A-101				0	0	280,725		4	O	ARH-CD-702A-4
C-104	1976	1	REC	130		864		#N/A	-36	SU	A-102	A-102				0	0	290,725		4	O	ARH-CD-702A-4
C-104	1976	1	REC	477		1341		#N/A	-36	SU	C-106	C-106				0	0	290,725		4	O	ARH-CD-702A-4
C-104	1976	1	SEND	-483		858		#N/A	-36	SU		SX-106				0	0	290,725		4	O	ARH-CD-702A-4
C-104	1976	1	SEND	-322		536		#N/A	-36	SU		U-102				0	0	290,725		4	O	ARH-CD-702A-4
C-104	1976	1	SEND	-173		363		#N/A	-36	SU		U-106				0	0	290,725		4	O	ARH-CD-702A-4
C-104	1976	1	STAT		362	362	235	-1	-37	PL,B				20 from Purex, 130 from 102-A, 201 from 101-A, 477 from 106-C, 483 to 106-SX, 322 to 102-U, 173 to 106-U		0	0	290,725		1		
C-104	1976	2	XIN	12		374		#N/A	-37	PL		PL1				0.022936	0.2752	291,000	PL1	4	O	ARH-CD-702B-4
C-104	1976	2	REC	920		1294		#N/A	-37	SU	A-103	A-103				0	0	291,000		4	O	ARH-CD-702B-4
C-104	1976	2	REC	148		1442		#N/A	-37	SU	C-106	C-106				0	0	291,000		4	O	ARH-CD-702B-4
C-104	1976	2	SEND	-932		510		#N/A	-37	SU		SX-106	OC omission		Omission	0	0	291,000		3	V	ARH-CD-702B-4
C-104	1976	2	STAT		505	505	235	-5	-42	PSS,B				12 from Purex, 148 from 106-C, 920 from 103-A		0	0	291,000		1		
C-104	1976	3	send	-85		420		#N/A	-42			A-102				0	0	291,000		0		
C-104	1976	3	STAT		420	420	235	#N/A	-42	FD				Purex Waste Storage		0	0	291,000		1		
C-104	1976	4	send	-47		373		#N/A	-42			A-102				0	0	291,000		0		
C-104	1976	4	STAT		373	373	246	#N/A	-42	FD				Purex Waste Storage		0	0	291,000		1		
C-104	1977	1	rec	33		406		#N/A	-42		A-102	A-102				0	0	291,000		0		
C-104	1977	1	STAT		406	406	268	#N/A	-42	FD				Purex Waste Storage		0	0	291,000		1		
C-104	1977	2	rec	47		453		#N/A	-42		A-102	A-102				0	0	291,000		0		
C-104	1977	2	STAT		453	453	268	#N/A	-42	FD						0	0	291,000		1		
C-104	1977	3	send	-119		334		#N/A	-42			A-102				0	0	291,000		0		
C-104	1977	3	STAT		334	334	274	#N/A	-42	FD						0	0	291,000		1		
C-104	1977	4	rec	6		340		#N/A	-42		A-102	A-102				0	0	291,000		0		
C-104	1977	4	STAT		340	340	290	#N/A	-42	FD						0	0	291,000		1		
C-104	1978	1	rec	352		692		#N/A	-42	SU	A-102	A-102	*-165 to			0	0	291,000		0		
C-104	1978	1	SEND	-153		539		#N/A	-42	SU		AZ-101				0	0	291,000		1		
C-104	1978	1	SEND	-130		409		#N/A	-42	SU		AZ-101				0	0	291,000		1		
C-104	1978	1	STAT		409	409	304	#N/A	-42	NCPLX				New Solids Level 1/10/78		0	0	291,000		1		
C-104	1978	2	SEND	-80		329		#N/A	-42	SU		A-102	*+171 to			0	0	291,000		1		
C-104	1978	2	STAT		329	329	304	#N/A	-42	NCPLX				Active Wst. - RCR		0	0	291,000		1		
C-104	1978	3	rec	157		486		#N/A	-42		A-102	A-102				0	0	291,000		0		
C-104	1978	3	SEND	-108		378		#N/A	-42	SU		AX-102				0	0	291,000		1		
C-104	1978	3	STAT		378	378	304	#N/A	-42	NCPLX						0	0	291,000		1		
C-104	1978	4	rec	86		464		#N/A	-42		A-102	A-102				0	0	291,000		0		
C-104	1978	4	STAT		464	464	304	#N/A	-42	NCPLX						0	0	291,000		1		
C-104	1979	1	SEND	-149		315		#N/A	-42	SU		A-102	*+186 to			0	0	291,000		1		
C-104	1979	1	STAT		315	315	304	#N/A	-42	CPLX						0	0	291,000		1		
C-104	1979	2	rec	30		345		#N/A	-42		A-102	A-102				0	0	291,000		0		
C-104	1979	2	STAT		345	345	304	#N/A	-42	CPLX						0	0	291,000		1		
C-104	1979	3	send	-93		252		#N/A	-42			A-102				0	0	291,000		0		
C-104	1979	3	REC	113		365		#N/A	-42	SU	C-103	C-103				0	0	291,000		1		
C-104	1979	3	STAT		365	365	304	#N/A	-42	CPLX						0	0	291,000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk trf	Cum unk	Waste type	Trans tank	DWXT	LAMI comment	Anderson comment	Opden comment	sol vol%	TLM solids	Cum solids	sol type	OI	O/A	Document/Pg #
C-104	1979	4	sec	85	450	450	304	#N/A	-42	-42	A-102	A-102				0	0	291,000		0		
C-104	1979	4	STAT		450	450	315	#N/A	-42	-42	A-102	A-102		New Solids Level B/3/79		0	0	291,000		1		
C-104	1980	1	send	-135	315	315	293	#N/A	-42	-42				inactive 3/31/80		0	0	291,000		0		
C-104	1980	1	STAT		315	315	293	#N/A	-42	-42						0	0	291,000		1		
C-104	1980	2	STAT		315	315	293	#N/A	-42	-42						0	0	291,000		1		
C-104	1980	3	STAT		315	315	293	#N/A	-42	-42						0	0	291,000		1		
C-104	1980	4	STAT		315	315	293	#N/A	-42	-42						0	0	291,000		1		
C-104	1985	3	send	-21	294	294	295	#N/A	-41	-41		AW-105				0	0	291,000		1		
C-104	1993	2	STAT		295	295	295	1	-41	-41						0	0	291,000		1		
C-104	1993	4	STAT		295	295	295	#N/A	-41	-41						0	0	291,000		0		
C-104	1994	1	STAT		295	295	295	#N/A	-41	-41						0	0	291,000		1		
C-104	2000				295	295	295	#N/A	-41	-41						0	0	291,000		1		



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-105	1946	4	CREC	0		0		#N/A	0	SET	C-104						0	0.000			1	
C-105	1946	4	CSEND	0		0		#N/A	0	SET	C-106						0	0.000			1	
C-105	1947	1	rec	188		188		#N/A	0	cas	C-104	C-104				0	0	0.000			0	
C-105	1947	1	rec	20		208		#N/A	0	cas	C-104	C-104				0	0	0.000			0	
C-105	1947	1	STAT		208	208	0	#N/A	0	MW				2nd in Cascade, began filling Feb-47		0	0	0.000			1	
C-105	1947	2	rec	124		332		#N/A	0	cas	C-104	C-104				0	0	0.000			0	
C-105	1947	2	rec	107		439		#N/A	0	cas	C-104	C-104				0	0	0.000			0	
C-105	1947	2	rec	98		537		#N/A	0	cas	C-104	C-104				0	0	0.000			0	
C-105	1947	2	send	-7		530		#N/A	0	cas		C-106				0	0	0.000			0	
C-105	1947	2	STAT		530	530	0	#N/A	0					Full in June 1947		0	0	0.000			1	
C-105	1947	3	rec	138		668		#N/A	0	cas	C-104	C-104				0	0	0.000			0	
C-105	1947	3	rec	131		799		#N/A	0	cas	C-104	C-104				0	0	0.000			0	
C-105	1947	3	rec	112		911		#N/A	0	cas	C-104	C-104				0	0	0.000			0	
C-105	1947	3	send	-138		773		#N/A	0	cas		C-106				0	0	0.000			0	
C-105	1947	3	send	-131		642		#N/A	0	cas		C-106				0	0	0.000			0	
C-105	1947	3	send	-112		530		#N/A	0	cas		C-106				0	0	0.000			0	
C-105	1947	3	STAT		530	530	0	#N/A	0					Cascading to 106-C		0	0	0.000			1	
C-105	1947	4	rec	86		616		#N/A	0	cas	C-104	C-104				0	0	0.000			0	
C-105	1947	4	rec	56		672		#N/A	0	cas	C-104	C-104				0	0	0.000			0	
C-105	1947	4	send	-86		586		#N/A	0	cas		C-106				0	0	0.000			0	
C-105	1947	4	send	-56		530		#N/A	0	cas		C-106				0	0	0.000			0	
C-105	1947	4	STAT		530	530	0	#N/A	0	MW				Cascade full in November 1947		0	0	0.000			1	
C-105	1948	1	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1948	2	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1948	3	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1948	4	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1949	1	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1949	2	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1949	3	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1949	4	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1950	1	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1950	2	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1950	3	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1950	4	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1951	1	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1951	2	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1951	3	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1951	4	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1952	1	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1952	2	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1952	3	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1952	4	STAT		530	530	0	#N/A	0							0	0	0.000			1	
C-105	1953	1	STAT		530	530	0	#N/A	0					1507 in 101 thru 106-C. 1651 removed thru batch CR 1218		0	0	0.000			1	
C-105	1953	2	SEND	-530		0		#N/A	0	SL	C-106					0	0	0.000			1	
C-105	1953	2	STAT		N/A	0	0	#N/A	0	MW			PHASE ERRORS STAT TO N/A			0	0	0.000			1	
C-105	1953	3	STAT		N/A	0	0	#N/A	0	MW			PHASE ERRORS STAT TO N/A	MW removal in progress		0	0	0.000			1	
C-105	1953	4	STAT		N/A	0	0	#N/A	0	MW			PHASE ERRORS STAT TO N/A	MW removal in progress		0	0	0.000			1	
C-105	1954	1	CSEND	0		0		#N/A	0	END	C-106					0	0	0.000			1	
C-105	1954	1	STAT		N/A	0	0	#N/A	0	MW			PHASE ERRORS STAT TO N/A	Supernatant, sluiced until 1-8-54		0	0	0.000			1	



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Crden comment	sol vol%	TLM solids	Cum solids	sol Type	Q/A	Document/Pg #
C-105	1954	2	XIN	85		85		#N/A	0	UR	UR					0.02747253	2,332	2,335	UR	1	
C-105	1954	2	STAT		N/A	85		#N/A	0					Transferred MW supernate to 104-C. (Last transf. in June)		0.02747253	12,225	14,560	UR	1	
C-105	1954	3	XIN	445		530		#N/A	0	UR	UR					0.02747253	0,436	15,000	UR	1	
C-105	1954	3	XIN	16		546		#N/A	0	UR	UR			Received TBP waste during July							
C-105	1954	3	STAT		546	546	0	#N/A	0								0	15,000		1	
C-105	1954	4	STAT		546	546	0	#N/A	0								0	15,000		1	
C-105	1955	1	STAT		546	546	0	#N/A	0								0	15,000		1	
C-105	1955	2	STAT		546	546	0	#N/A	0								0	15,000		1	
C-105	1955	3	STAT		546	546	0	#N/A	0								0	15,000		1	
C-105	1955	4	STAT		546	546	0	#N/A	0	TBP							0	15,000		1	
C-105	1955	1	OUTX	-33		513		#N/A	0	T05	C-111	TF&CN					0	15,000		3	N-54-279
C-105	1955	1	STAT		N/A	513	0	#N/A	0	TBP			Stat to N/A, phasing probs in Fe&CN process, refer to WHC-SD-WM-ER-133 Rev 0.	Pumped in March			0	15,000		1	
C-105	1956	2	OUTX	-434		79		#N/A	0	T06	C-112	TF&CN					0	15,000		3	N-54-203
C-105	1956	2	STAT		N/A	79	15	#N/A	0	TBP	C-104	C-104					0	15,000		1	
C-105	1956	3	REC	451		530		#N/A	0	SU	C-104	C-104					0	15,000		3	HW-45140-4
C-105	1956	3	STAT		508	508	15	-22	22	CW							0	15,000		1	
C-105	1956	4	STAT		508	508	15	-22	22	TBP, CW							0	15,000		1	
C-105	1957	1	STAT		538	538	0	30	8	TBP, CW							0	15,000		1	
C-105	1957	2	CREC		538	538	0	#N/A	8	SET	C-104						0	15,000		1	
C-105	1957	2	SEND		538	538	0	#N/A	8	SU	BY-111						0	15,000		4	HW-50127-4
C-105	1957	2	rec	113		351		#N/A	8	cas	C-104	C-104				0.040541	4,581	19,581	CWP1	0	
C-105	1957	2	rec	61		412		#N/A	8	cas	C-104	C-104				0.040541	2,473	22,054	CWP1	0	
C-105	1957	2	rec	5		417		#N/A	8	cas	C-104	C-104				0.040541	0,202	22,257	CWP1	0	
C-105	1957	2	CREC		406	406	0	-11	-3	TBP, CW							0	22,257		1	
C-105	1957	3	STAT		504	504	0	#N/A	-3	CWP	CWP1						0	22,257		1	
C-105	1957	3	XIN	98		504		#N/A	-3	CWP	CWP1						0	22,257		4	HW-51858-4
C-105	1957	3	XIN	121		625		#N/A	-3	CWP	CWP1						0	22,257		4	HW-52114-4
C-105	1957	3	XIN	55		680		#N/A	-3	CWP	CWP1						0	22,257		4	HW-52932-4
C-105	1957	3	SEND	-50		630		#N/A	-3	SU	BY-102						0	22,257		4	HW-52932-4
C-105	1957	3	SEND	-250		380		#N/A	-3	SU	BY-112						0	22,257		4	HW-51858-4
C-105	1957	3	SEND	-200		180		#N/A	-3	SU	BY-112						0	22,257		4	HW-52932-4
C-105	1957	3	STAT		178	178	0	-2	-5	TBP, CW							0	22,257		1	
C-105	1957	4	XIN	138		316		#N/A	-5	CWP	CWP1						0	22,257		1	
C-105	1957	4	XIN	133		449		#N/A	-5	CWP	CWP1						0	22,257		4	HW-53573-4
C-105	1957	4	XIN	109		558		#N/A	-5	CWP	CWP1						0	22,257		4	HW-54067-4
C-105	1957	4	SEND	-67		491		#N/A	-5	SU	BY-110						0	22,257		4	HW-54519-4
C-105	1957	4	SEND	-124		367		#N/A	-5	SU	BY-112						0	22,257		4	HW-54067-5
C-105	1957	4	STAT		381	381	0	14	9	TBP, CW							0	22,257		4	HW-54067-5
C-105	1958	1	XIN	147		528		#N/A	9	CWP	CWP1						0	22,257		1	
C-105	1958	1	XIN	140		668		#N/A	9	CWP	CWP1						0	22,257		4	HW-54916-4
C-105	1958	1	XIN	108		776		#N/A	9	CWP	CWP1						0	22,257		3	V
C-105	1958	1	SEND	-298		478		#N/A	9	SU	BY-110						0	22,257		4	HW-54916-4
C-105	1958	1	STAT		475	475	0	-3	6	TBP, CW							0	22,257		4	HW-54916-4
C-105	1958	2	XIN	17		492		#N/A	6	CWP	CWP1						0	22,257		1	
C-105	1958	2	XIN	35		527		#N/A	6	CWP	CWP1						0	22,257		1	
C-105	1958	2	STAT		541	541	0	14	20	CW							0	22,257		3	V
C-105	1958	3	STAT		541	541	0	#N/A	20	TBP, CW							0	22,257		1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	Q/A	Document/Pg #
C-105	1958	4	XIN	121		662		#N/A	20	CWP		CWP1										
C-105	1958	4	XIN	141		803		#N/A	20	CWP		CWP1				0.040541	4.9054	71.797	CWP1	4	O	HW-58201-4
C-105	1958	4	XIN	129		932		#N/A	20	CWP		CWP1				0.040541	5.7182	77.514	CWP1	4	O	HW-58579-4
C-105	1958	4	SEND	-363		569		#N/A	20	SU		BY-107				0.040541	5.2297	82.743	CWP1	4	O	HW-58831-4
C-105	1958	4	SEND	-108		461		#N/A	20	SU		BY-110	OC 106 TO 108		Shows 108 not 106	0	0	82.743		4	O	HW-58201-5
C-105	1958	4	STAT		461	461	0	#N/A	20	TBP,CW			XIN total 391, SEND total -471	SS 391 CW rec'd, 471 to 107 & 110-BY		0	0	82.743		3	V	HW-58201
C-105	1959	1	XIN	90		551		#N/A	20	CWP		CWP1				0.040541	3.6486	86.392	CWP1	4	O	HW-59204-4
C-105	1959	1	XIN	61		612		#N/A	20	CWP		CWP1				0.040541	2.473	88.865	CWP1	4	O	HW-59586-4
C-105	1959	1	XIN	134		746		#N/A	20	CWP		CWP1				0.040541	5.4324	94.297	CWP1	4	O	HW-60065-4
C-105	1959	1	SEND	-170		576		#N/A	20	SU		BY-107				0	0	94.297		4	O	HW-59204-4
C-105	1959	1	SEND	-305		271		#N/A	20	SU		BY-108				0	0	94.297		4	O	HW-59586-4
C-105	1959	1	STAT		271	271	0	#N/A	20	TBP,CW			XIN total 285	SS 285 CW rec'd, 170 to 107 BY, 305 to 108-BY		0	0	94.297		1		
C-105	1959	2	XIN	82		353		#N/A	20	CWP		CWP1				0.040541	3.3243	97.622	CWP1	4	O	HW-60419-4
C-105	1959	2	XIN	92		445		#N/A	20	CWP		CWP1				0.040541	3.7297	101.351	CWP1	4	O	HW-60738-4
C-105	1959	2	XIN	150		595		#N/A	20	CWP		CWP1	OC 145 to 150		Shows 150 not 145	0.040541	6.0811	107.432	CWP1	3	V	HW-61095-4
C-105	1959	2	SEND	-187		408		#N/A	20	SU		BY-108				0	0	107.432		3	O	HW-61095-5
C-105	1959	2	SEND	-261		147		#N/A	20	SU		C-109				0	0	107.432		4	O	HW-61095-4
C-105	1959	2	STAT		142	142	0	-5	15	TBP,CW			XIN total 324	SS 324 CW rec'd, 261 to 109-C		0	0	107.432		1		
C-105	1959	3	XIN	65		207		#N/A	15	CWP		CWP1				0.040541	2.6351	110.068	CWP1	4	O	HW-61582-4
C-105	1959	3	XIN	182		389		#N/A	15	CWP		CWP1	OC 160 to 182		Shows 182 not 160	0.040541	7.3784	117.446	CWP1	3	V	HW-61952-4
C-105	1959	3	XIN	114		503		#N/A	15	CWP		CWP1	OC 96 to 114		Shows 114 not 96	0.040541	4.6216	122.068	CWP1	3	V	HW-62421-4
C-105	1959	3	SEND	-154		349		#N/A	15	SU		C-109				0	0	122.068		4	O	HW-62421-4
C-105	1959	3	STAT		309	309	0	-40	-25	TBP,CW			XIN total 361	SS 361 CW rec'd, 154 to 109-C		0	0	122.068		1		
C-105	1959	4	XIN	77		386		#N/A	-25	CWP		CWP1				0.040541	3.1216	125.189	CWP1	4	O	HW-62723-4
C-105	1959	4	XIN	110		496		#N/A	-25	CWP		CWP1				0.040541	4.4595	129.649	CWP1	4	O	HW-63083-4
C-105	1959	4	XIN	122		618		#N/A	-25	CWP		CWP1				0.040541	4.9459	134.595	CWP1	4	O	HW-63559-4
C-105	1959	4	SEND	-187		431		#N/A	-25	SU		C-111				0	0	134.595		4	O	HW-62723-4
C-105	1959	4	STAT		431	431	0	#N/A	-25	CW,CW			XIN total 309	SS 309 CW rec'd, 187 to 111-C		0	0	134.595		1		
C-105	1960	1	XIN	155		586		#N/A	-25	CWP		CWP1				0.040541	6.2838	140.878	CWP1	4	O	HW-63896-4
C-105	1960	1	XIN	86		672		#N/A	-25	CWP		CWP1				0.040541	3.4865	144.365	CWP1	4	O	HW-64373-4
C-105	1960	1	XIN	73		745		#N/A	-25	CWP		CWP1				0.040541	2.9585	147.324	CWP1	4	O	HW-64810-4
C-105	1960	1	XIN	65		810		#N/A	-25	FLSH		WTR				0	0	147.324		4	O	HW-64810-4
C-105	1960	1	SEND	-14		796		#N/A	-25	SU		C-104				0	0	147.324		4	O	HW-64810-4
C-105	1960	1	SEND	-306		490		#N/A	-25	SU		C-108				0	0	147.324		4	O	HW-63896-4
C-105	1960	1	SEND	-39		451		#N/A	-25	SU		C-111				0	0	147.324		4	O	HW-64810-4
C-105	1960	1	XIN	0		451		#N/A	-25	WTR		WTR	DUP TRANS			0	0	147.324		1		
C-105	1960	1	STAT		461	461	0	10	-15	TBP,CW			XIN total 314	SS 314 CW rec'd, 65 acid flush 39 to 105-C		0	0	147.324		1		
C-105	1960	2	XIN	66		527		#N/A	-15	CWP		CWP1	OC 58 to 66		Shows 66 not 58	0.040541	2.6757	150.000	CWP1	3	V	HW-65272-4
C-105	1960	2	STAT		529	529	0	2	-13	CW			SS 66 CW rec'd, latest electrode reading			0.040541	0	150.000		1		
C-105	1960	3	STAT		529	529	0	#N/A	-13	CW						0	0	150.000		1		
C-105	1960	4	STAT		529	529	0	#N/A	-13	TBP,CW						0	0	150.000		1		
C-105	1961	1	STAT		N/A	529		#N/A	-13							0	0	150.000		1		
C-105	1961	2	STAT		521	521	0	-8	-21	TBP,CW						0	0	150.000		1		
C-105	1961	3	STAT		N/A	521		#N/A	-21					{ 6 months report		0	0	150.000		1		
C-105	1961	4	STAT		521	521	0	#N/A	-21	TBP,CW						0	0	150.000		1		
C-105	1962	1	STAT		N/A	521		#N/A	-21							0	0	150.000		1		
C-105	1962	2	STAT		519	519	0	-2	-23	TBP,CW						0	0	150.000		1		
C-105	1962	3	STAT		N/A	519		#N/A	-23					Latest in electrode reading		0	0	150.000		1		
C-105	1962	4	STAT		519	519	0	#N/A	-23	TBP,CW						0	0	150.000		1		
C-105	1963	1	SEND	-164		355		#N/A	-23	SU		C-102				0	0	150.000		1		
C-105	1963	1	STAT		N/A	355		#N/A	-23					{ 6 months report		0	0	150.000		4	O	HW-78279-4
																0	0	150.000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ol	O/A	Document/Pg #	
C-105	1963	2	SEND	-200		125		#N/A	-23	SU		C-102					0	0	150.000		4	O	HW-78279-4
C-105	1963	2	STAT		125	125	0	#N/A	-23	CW			394?	394 to 102-C [ 6 Months report			0	0	150.000		1		
C-105	1963	3	REC	407		532		#N/A	-23	SU	A-102	A-102	OC 204 to 407		Shows 407 not 204		0	0	150.000		3	V	HW-80379-4
C-105	1963	3	STAT		N/A	532		#N/A	-23								0	0	150.000		1		
C-105	1963	4	STAT		532	532	0	#N/A	-23	CW,P			204?	407 from 102-A [ 6 months report			0	0	150.000		1		
C-105	1964	1	REC	50		582		#N/A	-23	SL	A-103	A-103					0	0	150.000		1		
C-105	1964	1	STAT		N/A	582		#N/A	-23								0	0	150.000		1		
C-105	1964	2	send	-60		522		#N/A	-23			A-102					0	0	150.000		1		
C-105	1964	2	STAT		522	522	0	#N/A	-23	CW,P				New electrode			0	0	150.000		1		
C-105	1964	3	STAT		N/A	522		#N/A	-23								0	0	150.000		1		
C-105	1964	4	send	-106		416		#N/A	-23			A-102					0	0	150.000		1		
C-105	1964	4	REC	100		516		#N/A	-23	SL	A-103	A-103					0	0	150.000		0		
C-105	1964	4	STAT		516	516	0	#N/A	-23	CW,P				New elect. (reading confirmed)			0	0	150.000		1		
C-105	1965	1	OUTX	-25		491		#N/A	-23	CWP		PCOND	Omision. Lost to atmosphere from steaming		Omision, lost from steaming		0	0	150.000		3	V	RL-SEP-659-4
C-105	1965	1	STAT		N/A	491		#N/A	-23								0	0	150.000		1		
C-105	1965	2	STAT		491	491	109	#N/A	-23	P				25 lost from steaming			0	0	150.000		1		
C-105	1965	3	STAT		491	491	109	#N/A	-23	CW,P							0	0	150.000		1		
C-105	1965	4	STAT		483	483	109	-8	-31	CW,P							0	0	150.000		1		
C-105	1966	1	STAT		475	475	109	-8	-39	CW,P							0	0	150.000		1		
C-105	1966	2	send	-25		450		#N/A	-39			A-102					0	0	150.000		1		
C-105	1966	2	STAT		450	450	109	#N/A	-39	P				New electrode			0	0	150.000		0		
C-105	1966	3	STAT		450	450	109	#N/A	-39	CW,P							0	0	150.000		1		
C-105	1966	4	send	-100		350		#N/A	-39			A-102					0	0	150.000		1		
C-105	1966	4	REC	100		450		#N/A	-39	SL	A-103	A-103					0	0	150.000		0		
C-105	1966	4	OUTX	8		442		#N/A	-39	CWP		PCOND	Omision. Lost to atmosphere from steaming		Omision, lost from steaming		0	0	150.000		3	V	ISO-674-4
C-105	1966	4	STAT		442	442	109	#N/A	-39	CW,P				8 loss from steaming			0	0	150.000		1		
C-105	1967	1	STAT		439	439	109	-3	-42	CW,P							0	0	150.000		1		
C-105	1967	2	STAT		435	435	109	-4	-46	CW,P							0	0	150.000		1		
C-105	1967	3	OUTX	-4		431		#N/A	-46	CWP		PCOND	Omision. Lost to atmosphere from steaming		Omision, lost from steaming		0	0	150.000		3	V	ARH-95-5
C-105	1967	3	STAT		431	431	109	#N/A	-46	CW,P							0	0	150.000		1		
C-105	1967	4	OUTX	-72		359		#N/A	-46	SU	CSR	CSR		4 evaporation			0	0	150.000		1		
C-105	1967	4	STAT		359	359	109	#N/A	-46	CW,P				Feed TK PSN to B-PH, 72 pumped			0	0	150.000		4	O	ARH-326-5
C-105	1968	1	REC	195		554		#N/A	-46	SU	AX-102	AX-102					0	0	150.000		1		
C-105	1968	1	REC	461		1015		#N/A	-46	SU	C-106	C-106					0	0	150.000		4	O	ARH-534-9
C-105	1968	1	OUTX	-470		545		#N/A	-46	SU	CSR	CSR					0	0	150.000		4	O	ARH-534-5
C-105	1968	1	STAT		542	542	109	-3	-49	P			REC 656	Rec'd 656 PSN, 470 to 221-B			0	0	150.000		1		
C-105	1968	2	REC	264		806		#N/A	-49	SU	AX-102	AX-102	OC 257 to 264		Shows 264 not 257		0	0	150.000		3	V	ARH-721-5
C-105	1968	2	OUTX	-404		402		#N/A	-49	SU	CSR	CSR					0	0	150.000		4	O	ARH-721-5
C-105	1968	2	STAT		392	392	109	-10	-59	P				264 PSN from 102-AX, 404 to 221-B			0	0	150.000		1		
C-105	1968	3	REC	255		647		#N/A	-59	SU	AX-102	AX-102	OC 260 to 255		Shows 255 not 260		0	0	150.000		4	V	ARH-871-5
C-105	1968	3	OUTX	-204		443		#N/A	-59	SU	CSR	CSR					0	0	150.000		4	O	ARH-871-5
C-105	1968	3	STAT		444	444	109	1	-58	P				255 from 102-AX, 204 to 221-B, IX			0	0	150.000		1		
C-105	1968	4	REC	410		854		#N/A	-58	SU	AX-102	AX-102					0	0	150.000		4	O	ARH-1061-5
C-105	1968	4	OUTX	-470		384		#N/A	-58	SU	CSR	CSR					0	0	150.000		4	O	ARH-1061-5
C-105	1968	4	STAT		384	384	96	#N/A	-58	P				410 from 102-AX, 470 to 221-B, IX COL			0	0	150.000		1		
C-105	1969	1	REC	532		916		#N/A	-58	SU	A-104	A-104	OC 481 to 532		Shows 532 not 481		0	0	150.000		3	V	ARH-1200A-5/ARH-1200A-10 SEND

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unk	Waste type	Trans tank	DWXT	LANI comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	Q/A	Document/sg #
C-105	1969	1	REC	334	334	1250		#NA	-58	SU	AX-102	AX-102				0	0	150,000	4	O	ARH-1200A-5
C-105	1969	1	REC	264	264	1514		#NA	-58	SU	AX-102	AX-102			Omission	0	0	150,000	2	V	ARH-1200A-10
C-105	1969	1	OUTX	-872	-872	642		#NA	-58	SU	CSR	CSR				0	0	150,000	4	O	ARH-1200A-5
C-105	1969	1	OUTX	-264	-264	378		#NA	-58	SU	CSR	CSR				0	0	150,000	0		
C-105	1969	1	STAT		378	378	109	#NVA	-58	P				334 from 102-AX, 532 from 104-A, 866 from A-AX tanks, 872 to B Plant IX		0	0	150,000	1		
C-105	1969	2	REC	278	278	656		#NA	-58	SU	A-102	A-102			516 total for these 2	0	0	150,000	3	V	ARH-1200B-5/ARH-1200B-10 SEND
C-105	1969	2	REC	238	238	894		#NA	-58	SU	A-102	A-102	OC 242 to 238		516 total for these 2	0	0	150,000	3	V	ARH-1200B-5/ARH-1200B-10 SEND
C-105	1969	2	REC	188	188	1082		#NA	-58	SU	A-104	A-104				0	0	150,000	4	O	ARH-1200B-5
C-105	1969	2	OUTX	-580	-580	502		#NA	-58	SU	CSR	CSR				0	0	150,000	4	O	ARH-1200B-5
C-105	1969	2	STAT		490	490	89	-12	-70	P			REC total 704	706 from A tank, 580 to B Plant		0	0	150,000	1		
C-105	1969	3	XIN	10	10	509		#NA	-70	WTR	WTR					0	0	150,000	4	O	ARH-1200C-5
C-105	1969	3	REC	196	196	696		#NA	-70	SU	A-102	A-102				0	0	150,000	4	O	ARH-1200C-10
C-105	1969	3	REC	156	156	852		#NA	-70	SU	A-102	A-102			Omission, 156 XFER to C-105	0	0	150,000	3	M/V	ARH-1200C-10
C-105	1969	3	REC	149	149	1001		#NA	-70	SU	A-102	A-102				0	0	150,000	4	O	ARH-1200C-10
C-105	1969	3	REC	326	326	1327		#NA	-70	SU	C-103	C-103				0	0	150,000	4	O	ARH-1200C-5
C-105	1969	3	OUTX	-860	-860	367		#NA	-70	SU	CSR	CSR				0	0	150,000	4	O	ARH-1200C-5
C-105	1969	3	STAT		366	366	139	-1	-71	P			REC total 501	501 from A tank, 326 from 103-C, 10 from flushes, 860 to B Plant		0	0	150,000	1		
C-105	1969	4	REC	443	443	809		#NA	-71	SU	A-102	A-102				0	0	150,000	4	O	ARH-1200D-5
C-105	1969	4	REC	166	166	975		#NA	-71	SU	A-102	A-102				0	0	150,000	4	O	ARH-1200D-5
C-105	1969	4	REC	404	404	1379		#NA	-71	SU	C-101	C-101				0	0	150,000	4	O	ARH-1200D-5
C-105	1969	4	REC	178	178	1555		#NA	-71	SU	C-106	C-106				0	0	150,000	4	O	ARH-1200D-5
C-105	1969	4	OUTX	-1106	-1106	449		#NA	-71	SU	CSR	CSR				0	0	150,000	4	O	ARH-1200D-5
C-105	1969	4	STAT		450	450	233	1	-70	P			XIN total 609, XIN total 550	609 from 102-A, 550 from 101-C & 106-C, 1,106 to B Plant IX		0	0	150,000	1		
C-105	1970	1	REC	171	171	621		#NA	-70	SU	A-102	A-102				0	0	150,000	4	O	ARH-1666A-5
C-105	1970	1	OUTX	-267	-267	354		#NA	-70	SU	CSR	CSR				0	0	150,000	4	O	ARH-1666A-5
C-105	1970	1	STAT		348	348	123	-6	-76	P				171 from 102-A, 267 to B Plant IX		0	0	150,000	1		
C-105	1970	2	REC	206	206	554		#NA	-76	SU	A-102	A-102				0	0	150,000	4	O	ARH-1666B-5, ARH-1666B
C-105	1970	2	REC	798	798	1352		#NA	-76	SU	C-103	C-103				0	0	150,000	4	O	10 SEND
C-105	1970	2	OUTX	-1155	-1155	197		#NA	-76	SU	CSR	CSR				0	0	150,000	4	O	ARH-1666B-5
C-105	1970	2	STAT		198	198	136	1	-75	BL			OC ADD to REC from TX-101	208 from 102-A, 798 from 103-C, 1155 to B Plant IX (contained BL requiring a reduction in cesium prior to in-tank solidification)		0	0	150,000	1		
C-105	1970	3	XIN	87	87	285		#NA	-75	WTR	WTR				Shows from TX-101	0	0	150,000	3	V	ARH-1666C-5
C-105	1970	3	REC	455	455	740		#NA	-75	SU	TX-101	TX-101				0	0	150,000	4	O	ARH-1666C-5
C-105	1970	3	OUTX	-230	-230	510		#NA	-75	SU	CSR	CSR				0	0	150,000	4	O	ARH-1666C-5
C-105	1970	3	REC	0	0	510		#NA	-75	SU	TX-101	TX-101	LC 87 to 0 duplicate record		Omission	0	0	150,000	2	V	ARH-1666C-5
C-105	1970	3	STAT		497	497	139	-13	-88	BL H2O R			REC'd 454 of recox waste & 87 of dilution water from 101-TX, B Plant IX rec'd 230 (BL-18, water-34, R-178 from 105-C		0	0	150,000	1			
C-105	1970	4	XIN	17	17	514		#NA	-88	WTR	WTR					0	0	150,000	2		
C-105	1970	4	STAT		158	672		#NA	-88	WTR	WTR					0	0	150,000	4	O	ARH-1666D-5

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-105	1970	4	REC	485		1157		#N/A	-88	SU	TX-101	TX-101	LC 502 to 485 water addition in sep transaction			0	0	150.000		4	O	ARH-1666D-5
C-105	1970	4	REC	681		1838		#N/A	-88	SU	TX-102	TX-102				0	0	150.000		4	O	ARH-1666D-5
C-105	1970	4	REC	228		2068		#N/A	-88	SU	TX-105	TX-105				0	0	150.000		4	O	ARH-1666D-5
C-105	1970	4	OUTX	-1619		447		#N/A	-88	SU	CSR	CSR				0	0	150.000		4	O	ARH-1666D-5
C-105	1970	4	STAT		447	447	156	#N/A	-88	H2O.RSN				Rec'd 485 RSN & 17 water from 101-TX, 228 RSN from 105-TX, 681 RSN from 102-TX, & 158 dilution water. B Plant IX rec'd 1619 as follows: 1412 of RSN, 195 of water, 12 of BL		0	0	150.000		1		
C-105	1971	1	XIN	127		574		#N/A	-88	WTR		WTR				0	0	150.000		4	O	ARH-2074A-5
C-105	1971	1	REC	827		1401		#N/A	-88	SU	C-106	C-106				0	0	150.000		4	O	ARH-2074A-5
C-105	1971	1	REC	561		1962		#N/A	-88	SU	TX-106	TX-106				0	0	150.000		4	O	ARH-2074A-5
C-105	1971	1	OUTX	-1748		214		#N/A	-88		B PLAN	CSR	Omis.		Omission	0	0	150.000		2	V	ARH-2074A-5
C-105	1971	1	STAT		211	211	162	-3	-91	PSS				561 RSN & 127 dilution water from 106-TX, & 827 PSS from 106-C, Bplant IX rec'd		0	0	150.000		1		
C-105	1971	2	XIN	769		980		#N/A	-91	PSS		UNK				0	0	150.000		2		
C-105	1971	2	XIN	819		1799		#N/A	-91	RSN		UNK				0	0	150.000		2		
C-105	1971	2	XIN	160		1959		#N/A	-91	WTR		WTR				0	0	150.000		2		
C-105	1971	2	outx	-1748		211		#N/A	-91			CSR				0	0	150.000		0		
C-105	1971	2	STAT		211	211	164	#N/A	-91	PSS				1748 as follows: RSN 819, H2O 160 PSS 769		0	0	150.000		1		
C-105	1971	3	STAT		216	216	164	5	-86	PSS						0	0	150.000		1		
C-105	1971	4	rec	37		253		#N/A	-86		A-106	A-106				0	0	150.000		0		
C-105	1971	4	STAT		253	253	164	#N/A	-86	PSS						0	0	150.000		1		
C-105	1972	1	REC	264		517		#N/A	-86	SU	B-103	B-103				0	0	150.000		3	O	ARH-2456A-4
C-105	1972	1	STAT		510	510	98	-7	-93	PSS				264 from 103-B "Dry Wells 30-05-02, 30-05-04, 30-05-10 drilled.		0	0	150.000		1		
C-105	1972	2	REC	384		894		#N/A	-93	SU	A-101	A-101				0	0	150.000		4	O	ARH-2456B-4
C-105	1972	2	REC	302		1196		#N/A	-93	SU	A-103	A-103				0	0	150.000		4	O	ARH-2456B-4
C-105	1972	2	OUTX	-795		401		#N/A	-93	SU	CSR	CSR				0	0	150.000		4	O	ARH-2456B-4
C-105	1972	2	STAT		400	400	98	-1	-94	PSS				384 from 101-A, 302 from 103-A, 795 to B Plant (TK 17-2)		0	0	150.000		1		
C-105	1972	3	XIN	250		650		#N/A	-94	WTR		WTR				0	0	150.000		4	O	ARH-2456C-4
C-105	1972	3	REC	969		1619		#N/A	-94	SU	AX-103	AX-103				0	0	150.000		4	O	ARH-2456C-4
C-105	1972	3	REC	34		1653		#N/A	-94	SU	C-104	C-104				0	0	150.000		4	O	ARH-2456C-4
C-105	1972	3	OUTX	-1182		471		#N/A	-94	SU	CSR	CSR				0	0	150.000		4	O	ARH-2456C-4
C-105	1972	3	STAT		471	471	98	#N/A	-94	P.H2O				969 from 103-AX 34 from 104 C, 250 water, 1182 to B Plant (TK 17-2)		0	0	150.000		1		
C-105	1972	4	xin	17		488		#N/A	-94	AR	A-102	AR				0	0	150.000		0		
C-105	1972	4	REC	921		1409		#N/A	-94	SU	AX-103	AX-103				0	0	150.000		4	O	ARH-2456D-4
C-105	1972	4	REC	141		1550		#N/A	-94		BX-104	BX-104				0	0	150.000		3	V	ARH-2456D-4
C-105	1972	4	OUTX	-1123		427		#N/A	-94	SU	CSR	CSR				0	0	150.000		4	O	ARH-2456D-4
C-105	1972	4	STAT		411	411	98	-16	-110	P				921 from 103-AX, 141 from 104-BX, 1123 to B plant (TK 17-2)		0	0	150.000		1		
C-105	1973	1	xin	8		419		#N/A	-110	AR	A-102	AR				0	0	150.000		0		
C-105	1973	1	REC	844		1263		#N/A	-110	SU	AX-103	AX-103				0	0	150.000		4	O	ARH-2794A-4
C-105	1973	1	OUTX	-930		333		#N/A	-110	SU	CSR	CSR				0	0	150.000		4	O	ARH-2794A-4
C-105	1973	1	STAT		326	326	98	-7	-117	P				844 from 103-AX, 930 to B Plant (TK 17-2)		0	0	150.000		1		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans tank	DWXT	LAHL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-105	1973	2	REC	1266		1592		#N/A	-117	SU	AX-103 CSR					0	0	150,000		4	O	ARRH-2794B-4
C-105	1973	2	OUTX	-1363		229		#N/A	-117	SU	CSR			1266 from 103-AX, 1363 to Plant (TK 17-2)		0	0	150,000		4	O	ARRH-2794B-4
C-105	1973	2	STAT		227	227	112	-2	-119	PSS						0	0	150,000		1		
C-105	1973	3	STAT		239	239	112	12	-107	PSS						0	0	150,000		1		
C-105	1973	4	STAT		234	234	112	-5	-112	PSS						0	0	150,000		1		
C-105	1974	1	Xin		3	237		#N/A	-112	AR	A-102 AR					0	0	150,000		0		
C-105	1974	1	REC	219		456		#N/A	-112	SU	AX-103 AX-103			219 from 103-AX **Dry Wells 30-05-03, 30-05-05, 30-05-06, 30-05-07, 30-05-08, 30-05-09 omitted.		0	0	150,000		4	O	ARRH-CD-133A-4
C-105	1974	1	STAT		447	447	112	-9	-121	PSS						0	0	150,000		1		
C-105	1974	2	Xin	16		463		#N/A	-121	AR	A-103 AR					0	0	150,000		0		
C-105	1974	2	STAT		442	442	112	-21	-142	PSS						0	0	150,000		1		
C-105	1974	3	Xin	4		446		#N/A	-142	AR	A-103 AR					0	0	150,000		0		
C-105	1974	3	OUTX	-203		243		#N/A	-142	SU	CSR					0	0	150,000		0		
C-105	1974	3	STAT		231	231	112	-12	-154	PSS				203 to B Plant		0	0	150,000		4	O	ARRH-CD-133C-4
C-105	1974	4	REC	59		290		#N/A	-154	SU	AX-103 AX-103					0	0	150,000		1		
C-105	1974	4	STAT		279	279	139	-11	-165	PSS				59 from 103-AX		0	0	150,000		4	O	ARRH-CD-133D-4
C-105	1975	1	REC	127		406		#N/A	-165	SU	AX-103 AX-103					0	0	150,000		1		
C-105	1975	1	OUTX	-178		228		#N/A	-165	SU	CSR					0	0	150,000		4	O	ARRH-CD-336A-4
C-105	1975	1	STAT		224	224	139	-4	-169	PSS				127 from 103-AX, 178 to B Plant		0	0	150,000		1		
C-105	1975	2	REC	525		749		#N/A	-169	SU	AX-103 AX-103					0	0	150,000		3	V	ARRH-CD-336B-4
C-105	1975	2	OUTX	-516		233		#N/A	-169	SU	CSR			Omission		0	0	150,000		4	O	ARRH-CD-336B-4
C-105	1975	2	STAT		233	233	139	#N/A	-169	PSS				525 from 103-AX, 516 to B Plant		0	0	150,000		1		
C-105	1975	3	Xin	2		235		#N/A	-169	AR	AX-101 AR					0	0	150,000		0		
C-105	1975	3	XIN	125		360		#N/A	-169	WTR	WTR					0	0	150,000		0		
C-105	1975	3	REC	544		904		#N/A	-169	SU	AX-103 AX-103					0	0	150,000		4	O	ARRH-CD-336C-4
C-105	1975	3	OUTX	-665		239		#N/A	-169	SU	CSR					0	0	150,000		4	O	ARRH-CD-336C-4
C-105	1975	3	STAT		235	235	139	-4	-173	PSS				544 from 103-AX, 125 water, 665 to B Plant		0	0	150,000		1		
C-105	1975	4	Xin	1		236		#N/A	-173	AR	AX-102 AR					0	0	150,000		0		
C-105	1975	4	Xin	3		239		#N/A	-173	AR	AX-101 AR					0	0	150,000		0		
C-105	1975	4	XIN	119		358		#N/A	-173	WTR	WTR					0	0	150,000		0		
C-105	1975	4	REC	490		848		#N/A	-173	SU	AX-103 AX-103					0	0	150,000		4	O	ARRH-CD-336D-4
C-105	1975	4	OUTX	-361		487		#N/A	-173	SU	CSR					0	0	150,000		4	O	ARRH-CD-336D-4
C-105	1975	4	STAT		483	483	139	-4	-177	PSS				490 from 103-AX, 119 water, 361 to B Plant		0	0	150,000		1		
C-105	1976	1	Xin	5		488		#N/A	-177	AR	AX-102 AR					0	0	150,000		0		
C-105	1976	1	Xin	7		495		#N/A	-177	AR	AX-101 AR					0	0	150,000		0		
C-105	1976	1	XIN	15		510		#N/A	-177	WTR	WTR					0	0	150,000		0		
C-105	1976	1	REC	36		546		#N/A	-177	SU	AX-103 AX-103					0	0	150,000		4	O	ARRH-CD-702A-4
C-105	1976	1	REC	234		780		#N/A	-177	SU	AX-104 AX-104					0	0	150,000		4	O	ARRH-CD-702A-4
C-105	1976	1	OUTX	-384		396		#N/A	-177	SU	CSR					0	0	150,000		4	O	ARRH-CD-702A-4
C-105	1976	1	STAT		381	381	139	-15	-192	PSS				234 from 104-AX, 15 water, 36 from 103-AX, 384 to B Plant		0	0	150,000		1		
C-105	1976	2	Xin	1		382		#N/A	-192	AR	AX-101 AR					0	0	150,000		0		
C-105	1976	2	Xin	1		383		#N/A	-192	AR	AX-102 AR					0	0	150,000		0		
C-105	1976	2	Xin	4		387		#N/A	-192	AR	AX-103 AR					0	0	150,000		0		
C-105	1976	2	OUTX	-160		227		#N/A	-192	SU	CSR					0	0	150,000		0		
C-105	1976	2	STAT		222	222	139	-5	-197	PSS				160 to B Plant		0	0	150,000		4	O	ARRH-CD-702B-4
C-105	1976	3	Xin	11		233		#N/A	-197	AR	AX-103 AR					0	0	150,000		0		
C-105	1976	3	rec	134		367		#N/A	-197		AX-103 AX-103					0	0	150,000		0		
C-105	1976	3	STAT		367	367	139	#N/A	-197	CF						0	0	150,000		1		

Tank n.	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum Link	Waste Type	Trans tank	DWAT	LANL comment	Anderson comment	Opden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	O/A	Document/Pg #
C-105	1976	4	outk	-68	299	299	139	#N/A	-197			CSR				0	0	150,000		0		
C-105	1976	4	STAT		299	299		#N/A	-197					Ion-Exchange Feed		0	0	150,000		1		
C-105	1977	1	in	2	301	301		#N/A	-197							0	0	150,000		0		
C-105	1977	1	outk	-77	224	224	167	#N/A	-197			AX-102 AR				0	0	150,000		0		
C-105	1977	1	STAT		224	224	167	#N/A	-197			CSR				0	0	150,000		0		
C-105	1977	2	STAT		224	224	167	#N/A	-197					Ion-Exchange Feed		0	0	150,000		1		
C-105	1977	3	in	2	226	226		#N/A	-197					Ion-Exchange Feed		0	0	150,000		1		
C-105	1977	3	STAT		224	224	167	#N/A	-197			AX-103 AR				0	0	150,000		0		
C-105	1977	4	rec	228	452	452		#N/A	-199					B Plant Cs. Feed		0	0	150,000		0		
C-105	1977	4	STAT		447	447	167	#N/A	-199			AY-101				0	0	150,000		1		
C-105	1978	1	REC	154	601	601	5	#N/A	-204					B Plant Cs. Feed		0	0	150,000		1		
C-105	1978	1	REC	127	728	728		#N/A	-204			AY-101 AY-101				0	0	150,000		0		
C-105	1978	1	REC	-385	343	343		#N/A	-204			AY-101 AY-101				0	0	150,000		1		
C-105	1978	1	outk		343	343	167	#N/A	-204			CSR				0	0	150,000		0		
C-105	1978	2	REC	186	529	529		#N/A	-204							0	0	150,000		0		
C-105	1978	2	REC	160	689	689		#N/A	-204							0	0	150,000		0		
C-105	1978	2	outk	-379	310	310	167	#N/A	-204			AY-101 AY-101				0	0	150,000		1		
C-105	1978	3	rec	17	327	327		#N/A	-204			CSR				0	0	150,000		0		
C-105	1978	3	STAT		327	327	167	#N/A	-204			A-106				0	0	150,000		1		
C-105	1978	4	rec	16	343	343		#N/A	-204			A-106				0	0	150,000		0		
C-105	1978	4	STAT		343	343	167	#N/A	-204			A-106				0	0	150,000		0		
C-105	1978	1	outk	-119	224	224		#N/A	-204							0	0	150,000		0		
C-105	1979	1	STAT		224	224	167	#N/A	-204			CSR				0	0	150,000		1		
C-105	1979	2	SEND	-63	161	161		#N/A	-204					PSS		0	0	150,000		0		
C-105	1979	2	STAT		172	172	167	#N/A	-193							0	0	150,000		1		
C-105	1979	3	STAT		172	172	150	#N/A	-193							0	0	150,000		1		
C-105	1979	4	STAT		172	172	150	#N/A	-193							0	0	150,000		1		
C-105	1980	1	STAT		172	172	150	#N/A	-193							0	0	150,000		1		
C-105	1980	2	STAT		172	172	150	#N/A	-193							0	0	150,000		1		
C-105	1980	3	STAT		172	172	150	#N/A	-193							0	0	150,000		1		
C-105	1980	4	STAT		172	172	150	#N/A	-193							0	0	150,000		1		
C-105	1990	3	send	-22	150	150		#N/A	-193							0	0	150,000		0		
C-105	1993	2	STAT		150	150	150	#N/A	-193							0	0	150,000		1		
C-105	1993	4	STAT		150	150	150	#N/A	-193							0	0	150,000		1		
C-105	1994	1	STAT		150	150	150	#N/A	-193							0	0	150,000		1		
C-105	2000				150	150	150	#N/A	-193							0	0	150,000		1		



Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Operdn comment	sol vol %	TLM solids	Cum solids	sol type	O/A	Document/Pg #
C-106	1946	4	CREC	0		0	0	#N/A	0	0	C-105						0	0.000			
C-106	1947	1	STAT		N/A			#N/A	0	0							0	0.000			
C-106	1947	2	rec	7		7	7	#N/A	0	0	C-105						0	0.000			
C-106	1947	2	STAT			7		0	#N/A	0							0	0.000			
C-106	1947	3	rec	138		145	145	#N/A	0	0	C-105						0	0.000			
C-106	1947	3	rec	131		276	276	#N/A	0	0	C-105						0	0.000			
C-106	1947	3	rec	112		388	388	#N/A	0	0	C-105						0	0.000			
C-106	1947	3	STAT		388	388	388	0	#N/A	0				Str'd in Cascade, began filling July 1947			0	0.000			
C-106	1947	4	rec	86		474	474	#N/A	0	0	C-105						0	0.000			
C-106	1947	4	rec	56		530	530	#N/A	0	0	C-105						0	0.000			
C-106	1947	4	STAT		530	530	530	0	#N/A	0				Full in November 1947			0	0.000			
C-106	1948	1	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1948	2	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1948	3	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1948	4	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1949	1	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1949	2	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1949	3	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1949	4	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1950	1	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1950	2	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1950	3	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1950	4	STAT		530	530	530	0	#N/A	0							0	0.000			
C-106	1951	1	STAT		551	551	551	0	21	21							0	0.000			
C-106	1951	2	STAT		551	551	551	0	#N/A	21							0	0.000			
C-106	1951	3	STAT		551	551	551	0	#N/A	21							0	0.000			
C-106	1951	4	STAT		551	551	551	0	#N/A	21							0	0.000			
C-106	1952	1	STAT		519	519	519	0	-32	-11							0	0.000			
C-106	1952	2	STAT		519	519	519	0	#N/A	-11							0	0.000			
C-106	1952	3	STAT		519	519	519	0	#N/A	-11							0	0.000			
C-106	1952	4	STAT		519	519	519	0	#N/A	-11							0	0.000			
C-106	1953	1	STAT		N/A	519	519	#N/A	-11	MW							0	0.000			
C-106	1953	2	REC	182		681	681	#N/A	-11	SU	BY-102						0	0.000			
C-106	1953	2	REC	530		1211	1211	#N/A	-11	SL	C-104						0	0.000			
C-106	1953	2	REC	530		1741	1741	#N/A	-11	SL	C-105						0	0.000			
C-106	1953	2	REC	55		1796	1796	#N/A	-11	SU	C-202						0	0.000			
C-106	1953	2	REC	55		1851	1851	#N/A	-11	SU	C-203						0	0.000			
C-106	1953	2	REC	55		1906	1906	#N/A	-11	SU	C-204						0	0.000			
C-106	1953	2	OUTX	-56		1850	1850	#N/A	-11	SL	UR						0	0.000			
C-106	1953	2	OUTX	-1774		76	76	#N/A	-11	SL	UR						0	0.000			
C-106	1953	2	STAT		76	76	76	0	#N/A	-11	MW						0	0.000			
C-106	1953	3	IN	782		838	838	#N/A	-11	MW	WTR						0	0.000			
C-106	1953	3	OUTX	-399		439	439	#N/A	-11	SL	UR						0	0.000			
C-106	1953	3	STAT		439	439	439	0	#N/A	-11	MW						0	0.000			
C-106	1953	4	IN	1066		1505	1505	#N/A	-11	MW	WTR						0	0.000			
C-106	1953	4	OUTX	-728		777	777	#N/A	-11	SL	UR						0	0.000			
C-106	1953	4	OUTX	-470		307	307	#N/A	-11	SL	UR						0	0.000			
C-106	1953	4	OUTX	-164		143	143	#N/A	-11	SL	UR						0	0.000			
C-106	1953	4	STAT		143	143	143	0	#N/A	-11	MW						0	0.000			
C-106	1954	1	OUTX	-89		54	54	#N/A	-11	SL	UR						0	0.000			
C-106	1954	1	CREC		0	54	54	#N/A	-11	END	C-105						0	0.000			
C-106	1954	1	STAT		50	50	50	0	-4	-15							0	0.000			
C-106	1954	2	STAT		50	50	50	0	#N/A	-15	MW						0	0.000			
C-106	1954	3	XIN	85		135	135	#N/A	-15	UR							0	0.000			
C-106	1954	3	IN					#N/A	-15	UR							0.027881	2.3699			
C-106	1954	3	OUTX					#N/A	-15	UR							2.3701	UR			

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids	Unk	Cum	Waste	Trans	DWXT	LANL comment	Anderson comment	Organ comment	sol	Cum	TLM	sol	Document/Pg #	
				453		588	vol	#N/A	#N/A	type	bank	UR				type	solids	solids	O/A		
C-106	1954	3	XIN														12.63	15,000	UR		
C-106	1954	3	STAT		538	538	0	-50	-65					Rec'd TBP waste during August			0	0	1		
C-106	1954	4	STAT		538	538	0	#N/A	-65	TBP							0	15,000	1		
C-106	1955	1	STAT		538	538	12	#N/A	-65								0	15,000	1		
C-106	1955	2	STAT		538	538	12	#N/A	-65								0	15,000	1		
C-106	1955	3	STAT		538	538	12	#N/A	-65								0	15,000	1		
C-106	1955	4	STAT		538	538	12	#N/A	-65								0	15,000	1	N-54-287	
C-106	1956	1	STAT		538	538	12	#N/A	-65								0	15,000	1		
C-106	1956	2	STAT		538	538	12	#N/A	-65								0	15,000	1		
C-106	1956	3	STAT		538	538	12	#N/A	-65								0	15,000	1		
C-106	1956	4	STAT		538	538	12	#N/A	-65	TBP				Latest electrode reading, enough for 171 TU			0	15,000	1		
C-106	1957	1	STAT		519	519	12	-19	-84	TBP							0	15,000	1		
C-106	1957	2	XIN	43	562	562		#N/A	-84			WTR					0	15,000	0		
C-106	1957	2	OUTX	-48	114	114		#N/A	-84	T12				Shows 506 not 448			0	15,000	2 V	N-54-286	
C-106	1957	2	OUTX	-102	12	12		#N/A	-84	T13				Shows 114 not 109			0	15,000	2 V	N-54-287	
C-106	1957	2	REC	234	246	246		#N/A	-84	SU							0	15,000	4 O	HWN-1991-2	
C-106	1957	2	REC	77	323	323		#N/A	-84	SU							0	15,000	4 O	HWN-1991-4	
C-106	1957	2	STAT		N/A	323	12	#N/A	-84	P				Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	15,000	1		
C-106	1957	3	XIN	121	444	444		#N/A	-84					LC as per stiching rule			0	15,000	0		
C-106	1957	3	REC	170	614	614		#N/A	-84	SU				AND says 70 to C-106 pos			0	15,000	0		
C-106	1957	3	STAT		N/A	614	12	#N/A	-84	TBP P				Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	15,000	1		
C-106	1957	4	SEND	-466	158	158		#N/A	-84	SU				Rec'd 170 from 102-A (CW)			0	15,000	3 V	HW-54067-4	
C-106	1957	4	OUTX	-52	106	106		#N/A	-84	ADJ				Shows 456 not 418			0	15,000	0		
C-106	1957	4	STAT		N/A	106	29	#N/A	-84	TBP P				New electrode reading, 456 to 103-BY			0	15,000	1		
C-106	1958	1	STAT		106	106	29	#N/A	-84	CWP							0	15,000	1		
C-106	1958	2	XIN	74	180	180		#N/A	-84	CWP							0.08095238	20,990	CWP1		
C-106	1958	2	STAT	35	215	215		#N/A	-84	CWP							0.08095238	23,824	CWP1		
C-106	1958	2	STAT		232	232	29	17	-67	TBP P, CW							0	23,824	1		
C-106	1958	3	XIN	111	343	343		#N/A	-67	CWP							0.08095238	32,810	CWP1		
C-106	1958	3	XIN	49	392	392		#N/A	-67	CWP							0.08095238	36,776	CWP1		
C-106	1958	3	XIN	134	526	526		#N/A	-67	CWP							0.08095238	40,848	CWP1		
C-106	1958	3	SEND	-7	519	519		#N/A	-67	SU							0	47,624	4 O	HW-57122-4	
C-106	1958	3	STAT		519	519	29	#N/A	-67	TBP P, CW							0	47,624	1		
C-106	1958	4	STAT		535	535	29	16	-51	TBP P, CW							0	47,624	1		
C-106	1959	1	STAT		510	510	29	-25	-76	P, CW							0	47,624	1		
C-106	1959	2	STAT		510	510	29	#N/A	-76	P, CW							0	47,624	1		
C-106	1959	3	STAT		510	510	29	#N/A	-76	P, CW							0	47,624	1		
C-106	1959	4	STAT		510	510	29	#N/A	-76	P, CW							0	47,624	1		
C-106	1960	1	STAT		510	510	29	#N/A	-76	TBP P, CW							0	47,624	1		
C-106	1960	2	XIN	17	527	527		#N/A	-76	CWP							0.08095238	1,3762	49,000	CWP1	
C-106	1960	2	STAT		527	527	29	#N/A	-76	P, CW							0	49,000	1		
C-106	1960	3	STAT		527	527	29	#N/A	-76	P, CW							0	49,000	1		
C-106	1960	4	STAT		527	527	29	#N/A	-76	TBP P, CW							0	49,000	1		
C-106	1961	1	STAT		N/A	527	29	#N/A	-76	TBP P, CW							0	49,000	1		
C-106	1961	2	STAT		527	527	29	#N/A	-76	TBP P, CW							0	49,000	1		
C-106	1961	3	STAT		N/A	527	29	#N/A	-76	TBP P, CW							0	49,000	1		
C-106	1961	4	STAT		527	527	29	#N/A	-76	TBP P, CW							0	49,000	1		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Dyden comment	sol work	TLM solids	Cum solids	sol type	Ol	IOA	Document/PG #
C-106	1962	1	STAT	N/A	527	N/A	-76	#N/A	-76	TBP, P, CW				[ 6 months report		0	49,000		1			
C-106	1962	2	STAT	527	527	527	29	#N/A	-76	TBP, P, CW						0	49,000		1			
C-106	1962	3	STAT	N/A	527	N/A	-76	#N/A	-76	TBP, P, CW				[ 6 months report		0	49,000		1			
C-106	1962	4	STAT	527	527	527	29	#N/A	-76	TBP, P, CW						0	49,000		1			
C-106	1963	1	STAT	N/A	527	N/A	-76	#N/A	-76	TBP, P, CW				[ 6 months report		0	49,000		1			
C-106	1963	2	STAT	530	530	530	24	#N/A	-73	TBP, P, CW						0	49,000		1			
C-106	1963	3	SEND	-101	429	N/A	-73	#N/A	-73	SU	B-101					0	49,000		1			
C-106	1963	3	SEND	-252	177	N/A	-73	#N/A	-73	SU	B-107					0	49,000		1			
C-106	1963	3	REC	245	422	N/A	-73	#N/A	-73	SU	A-102		OC 182 to 245			0	49,000		1			
C-106	1963	3	REC	182	604	N/A	-73	#N/A	-73	SU	A-102			427 total for these 2		0	49,000		3 V			HW-80379-4
C-106	1963	3	STAT	N/A	604	N/A	-73	#N/A	-73	SU	A-102			427 total for these 2		0	49,000		3 V			HW-80379-4
C-106	1963	4	SEND	-66	538	N/A	-73	#N/A	-73	P	A-102		sludging/out, sludging?			0	49,000		0			
C-106	1963	4	STAT	538	538	538	24	#N/A	-73	P			REC total 427	427 from 102-A		0	49,000		1			
C-106	1964	1	STAT	N/A	538	N/A	-73	#N/A	-73	P						0	49,000		1			
C-106	1964	2	SEND	-16	522	N/A	-73	#N/A	-73	P	A-102		sludging?			0	49,000		0			
C-106	1964	2	STAT	522	522	522	24	#N/A	-73	P				New electrode [ 6 months report		0	49,000		1			
C-106	1964	3	STAT	N/A	522	N/A	-73	#N/A	-73	P						0	49,000		1			
C-106	1964	4	SEND	-17	505	N/A	-73	#N/A	-73	P			sludging?			0	49,000		0			
C-106	1964	4	STAT	505	505	505	24	#N/A	-73	P				[ 6 months report		0	49,000		0			
C-106	1965	1	XIN	36	541	N/A	-73	#N/A	-73	P	CR VAL, DW				Omission	0	49,000		0			RL-SEP-659-4
C-106	1965	1	STAT	N/A	541	N/A	-73	#N/A	-73	P						0	49,000		3 V			
C-106	1965	2	STAT	541	541	541	62	#N/A	-73	P				38 from CR vault		0	49,000		1			
C-106	1965	3	STAT	546	546	546	62	#N/A	-68	P						0	49,000		1			
C-106	1965	4	STAT	549	549	549	62	#N/A	-65	P						0	49,000		1			
C-106	1966	1	STAT	549	549	549	62	#N/A	-65	P						0	49,000		1			
C-106	1966	2	STAT	519	519	519	62	#N/A	-30	-95				New electrode		0	49,000		1			
C-106	1966	3	STAT	519	519	519	62	#N/A	-85	P						0	49,000		1			
C-106	1967	1	STAT	527	527	527	62	#N/A	-97	P				New electrode		0	49,000		1			
C-106	1967	2	STAT	527	527	527	62	#N/A	-87	P						0	49,000		1			
C-106	1967	3	STAT	527	527	527	62	#N/A	-87	P						0	49,000		1			
C-106	1967	4	STAT	527	527	527	62	#N/A	-87	P						0	49,000		1			
C-106	1968	1	SEND	-461	66	66	62	#N/A	-87	P						0	49,000		1			ARH-534-5
C-106	1968	1	STAT	66	66	66	62	#N/A	-87	P						0	49,000		1			
C-106	1968	2	STAT	72	72	72	62	#N/A	-81	P						0	49,000		1			
C-106	1968	3	STAT	70	70	70	62	#N/A	-83	P				461 FSN to 105-C		0	49,000		1			
C-106	1968	4	STAT	70	70	70	62	#N/A	-83	P						0	49,000		1			
C-106	1969	1	XIN	54	124	N/A	-83	#N/A	-83	AR			Omision		Omission	0.082051	4,4308	53.431	AR	3 V		ARH-1200A-5
C-106	1969	1	STAT	124	124	124	62	#N/A	-83	P				54 from 002 AR 101-A sludge wash		0	53.431		1			
C-106	1969	2	XIN	120	244	N/A	-83	#N/A	-83	AR			Omision		Omission	0.082051	8.8462	63.277	AR	3 V		ARH-1200B-5
C-106	1969	2	STAT	244	244	244	62	#N/A	-83	P				120 from AR sludge washes		0	63.277		1			
C-106	1969	3	XIN	50	294	N/A	-83	#N/A	-83	AR			Omision		Omission	0.082051	4.1026	67.379	AR	3 V		ARH-1200C-5
C-106	1969	3	STAT	293	293	293	62	#N/A	-84	P				50 from 002 AR sludge washes		0	67.379		1			
C-106	1969	4	XIN	52	345	N/A	-84	#N/A	-84	SU			Omision		Omission	0.082051	4.2667	71.646	AR	3 V		ARH-1200D-5
C-106	1969	4	SEND	-176	169	N/A	-84	#N/A	-84	SU	C-105					0	71.646		4 O			ARH-1200D-5
C-106	1969	4	STAT	167	167	167	57	#N/A	-86	PSS				52 from 002 AR, 176 to 105-C		0	71.646		1			
C-106	1970	1	XIN	61	173	N/A	-86	#N/A	-86	AR	A-106					0.082051	0.4923	72.138	AR	0		
C-106	1970	1	XIN	55	228	N/A	-86	#N/A	-86	AR			Omision		Omission	0.082051	4.5128	76.651	AR	3 V		ARH-1666A-5
C-106	1970	1	STAT	222	222	222	57	#N/A	-82	PSS				55 from 002 AR		0	76.651		0			
C-106	1970	2	XIN	2	224	N/A	-82	#N/A	-82	AR	A-106					0.082051	0.1641	76.815	AR	0		
C-106	1970	2	XIN	149	373	N/A	-82	#N/A	-82	AR						0.082051	12.226	89.041	AR	3 V		ARH-1666B-5
C-106	1970	2	STAT	379	379	379	57	#N/A	-86	PSS				149 from 002 AR		0	89.041		0			
C-106	1970	3	XIN	4	383	N/A	-86	#N/A	-86	AR	A-106					0.082051	0.3282	89.369	AR	0		
C-106	1970	3	XIN	216	599	N/A	-86	#N/A	-86	AR			Omision		Omission	0.082051	17.723	107.092	AR	3 V		ARH-1666C-5

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-106	1970	3	SEND	-69		530		#N/A	-86	SU		C-103				0	0	107.092		4	O	ARH-1666D-5/ARH-1666C-5 SEND
C-106	1970	3	STAT		517	517	79	-13	-99	PSS				216 from 002 AR, 69 to 103-C		0	0	107.092		1		
C-106	1970	4	xin	8		525		#N/A	-99	AR	A-106	AR				0.082051	0.6584	107.749	AR	0		
C-106	1970	4	XIN	303		828		#N/A	-99	AR		AR	Omis.		Omission	0.082051	24.862	132.610	AR	3	V	ARH-1666D-5
C-106	1970	4	SEND	-194		634		#N/A	-99	SU		A-102				0	0	132.610		4	O	ARH-1666D-5
C-106	1970	4	SEND	-99		535		#N/A	-99	SU		C-103				0	0	132.610		4	O	ARH-1666A-5
C-106	1970	4	STAT		530	530	145	-5	-104	PSS				303 from 002 AR, 99 to 103-C, 194 to 102-A		0	0	132.610		1		
C-106	1971	1	xin	5		535		#N/A	-104	AR	A-106	AR				0.082051	0.4103	133.021	AR	0		
C-106	1971	1	XIN	131		666		#N/A	-104	AR		AR	Omis.		Omission	0.082051	10.749	143.769	AR	3	V	ARH-2074A-5
C-106	1971	1	SEND	-257		409		#N/A	-104	SU		C-103				0	0	143.769		4	O	ARH-2074A-5
C-106	1971	1	REC	444		853		#N/A	-104	SU	C-103	C-103				0	0	143.769		4	O	ARH-2074-A5
C-106	1971	1	SEND	-927		26		#N/A	-104	SU		C-105				0	0	143.769		4	O	ARH-2074A-5
C-106	1971	1	REC	194		220		#N/A	-104	SU	A-102	A-102				0	0	143.769		4	O	ARH-2074-A5
C-106	1971	1	STAT		212	212	150	-8	-112	PSS				131 from 002 AR, 444 from 103-C, 194 from 102-A, 267 to 103-C, 827 to 105-C		0	0	143.769		1		
C-106	1971	2	STAT		212	212	150	#N/A	-112	PSS						0	0	143.769		1		
C-106	1971	3	XIN	27		239		#N/A	-112	WTR		WTR	*63 to 27		Omission	0	0	143.769		3	V	ARH-2074C-5
C-106	1971	3	STAT		239	239	150	#N/A	-112	H2O,PSS				63 water		0	0	143.769		1		
C-106	1971	4	XIN	0		239		#N/A	-112	COND		WTR	omission not used		Omission	0	0	143.769		3	V	ARH-2074D-5
C-106	1971	4	XIN	0		239		#N/A	-112	WTR		WTR	omission not used		Omission	0	0	143.769		3	V	ARH-2074D-5
C-106	1971	4	STAT		235	235	150	-4	-116	H2O,PSS				16 water, 22 condensate		0	0	143.769		1		
C-106	1972	1	STAT		233	233	150	-2	-118	PSS				* Dry Wells 30-08-02, 30-06-04, 30-06-10 drilled.		0	0	143.769		1		
C-106	1972	2	xin	15		248		#N/A	-118	AR	A-106	AR				0.082051	1.2308	145.000	AR	0		
C-106	1972	2	STAT		235	235	125	-13	-131	PSS						0	0	145.000		1		
C-106	1972	3	STAT		244	244	125	9	-122	PSS						0	0	145.000		1		
C-106	1972	4	STAT		248	248	125	4	-118	PSS						0	0	145.000		1		
C-106	1973	1	STAT		255	255	125	7	-111	PSS						0	0	145.000		1		
C-106	1973	2	STAT		249	249	125	-6	-117	PSS						0	0	145.000		1		
C-106	1973	3	STAT		241	241	125	-8	-125	PSS						0	0	145.000		1		
C-106	1973	4	STAT		238	238	125	-3	-128	PSS						0	0	145.000		1		
C-106	1974	1	STAT		237	237	125	-1	-129	PSS				** Dry Wells 30-08-03, 30-06-09, 30-06-12 drilled.		0	0	145.000		1		
C-106	1974	2	STAT		250	250	125	13	-116	PSS						0	0	145.000		1		
C-106	1974	3	XIN	283		533		#N/A	-116	BL		BL	OC 238 to 283, AND reports 238		Shows 283 not 238	0.017705	5.0106	150.011	BL	3	V	ARH-CD-133C-4
C-106	1974	3	XIN	3		536		#N/A	-116	WTR		WTR				0	0	150.011		4	O	ARH-CD-133C-4
C-106	1974	3	XIN	15		551		#N/A	-116	WTR		WTR	Omis. REC B-154 CT		Omission	0	0	150.011		3	V	ARH-CD-133C-4
C-106	1974	3	SEND	-221		330		#N/A	-116	SU		AX-103				0	0	150.011		4	O	ARH-CD-133C-4
C-106	1974	3	STAT		324	324	125	-6	-122	PSS,BL				238 from B Plant, 15 from 154-B catch tank, 3 water, 221 to 103-AX		0	0	150.011		1		
C-106	1974	4	XIN	506		830		#N/A	-122	BL		BL				0.017705	8.9588	158.969	BL	4	O	ARH-CD-133D-4
C-106	1974	4	XIN	1		831		#N/A	-122	WTR		WTR				0	0	158.969		4	O	ARH-CD-133D-4
C-106	1974	4	SEND	-409		422		#N/A	-122	SU		C-103				0	0	158.969		4	O	ARH-CD-133D-4
C-106	1974	4	STAT		420	420	106	-2	-124	BL				506 from B Plant, 1 water, 409 to 103-C		0	0	158.969		1		
C-106	1975	1	XIN	356		776		#N/A	-124	BL		BL				0.017705	6.3003	165.272	BL	4	O	ARH-CD-336A-4
C-106	1975	1	SEND	-404		372		#N/A	-124	SU		C-103				0	0	165.272		4	O	ARH-CD-336A-4
C-106	1975	1	STAT		373	373	106	1	-123	BL				356 from B Plant, 404 to 103-C		0	0	165.272		1		
C-106	1975	2	XIN	296		609		#N/A	-123	BL		BL				0.017705	4.1784	169.451	BL	4	O	ARH-CD-336B-4
C-106	1975	2	XIN	7		616		#N/A	-123	WTR		WTR	Omis. REC 302 CT		Omission	0	0	169.451		3	V	ARH-CD-336B-4
C-106	1975	2	SEND	-259		358		#N/A	-123	SU		C-103				0	0	169.451		4	O	ARH-CD-336B-4

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Ql	Q/A	Document/Pg #
C-106	1975	2	outx	-13		345		#N/A	-123							0	0	169.451		0		
C-106	1975	2	STAT		345	345	106	#N/A	-123	BL				236 from B Plant, 7 from 302-CT, 258 to 103-C		0	0	169.451		1		
C-106	1975	3	XIN	242		587		#N/A	-123	BL		BL				0.017705	4.2846	173.735	BL	4	O	ARH-CD-336C-4
C-106	1975	3	SEND	-101		486		#N/A	-123	SU		C-104				0	0	173.735		4	O	ARH-CD-336C-4
C-106	1975	3	outx	-17		469		#N/A	-123			COND				0	0	173.735		0		
C-106	1975	3	STAT		469	469	106	#N/A	-123	BL				242 from B Plant, 101 to 104-C		0	0	173.735		1		
C-106	1975	4	XIN	414		883		#N/A	-123	BL		BL				0.017705	7.3299	181.065	BL	4	O	ARH-CD-336D-4
C-106	1975	4	SEND	-595		288		#N/A	-123	SU		C-104				0	0	181.065		4	O	ARH-CD-336D-4
C-106	1975	4	STAT		288	288	106	#N/A	-123	BL				414 from B Plant, 595 to 104-C		0	0	181.065		1		
C-106	1976	1	XIN	581		869		#N/A	-123	BL		BL				0.017705	10.287	191.352	BL	4	O	ARH-CD-702A-4
C-106	1976	1	SEND	-477		392		#N/A	-123	SU		C-104				0	0	191.352		4	O	ARH-CD-702A-4
C-106	1976	1	outx	-63		329		#N/A	-123			COND				0	0	191.352		0		
C-106	1976	1	STAT		329	329	106	#N/A	-123	BL				581 from B Plant, 477 to 104-C		0	0	191.352		1		
C-106	1976	2	XIN	319		648		#N/A	-123	BL		BL				0.017705	5.6479	197.000	BL	4	O	ARH-CD-702B-4
C-106	1976	2	SEND	-148		500		#N/A	-123	SU		C-104				0	0	197.000		4	O	ARH-CD-702B-4
C-106	1976	2	STAT		499	499	106	-1	-124	BL				319 from B Plant, 148 to 104-C		0	0	197.000		1		
C-106	1976	3	send	-77		422		#N/A	-124			A-102				0	0	197.000		0		
C-106	1976	3	STAT		422	422	106	#N/A	-124	SRS				B Plant Waste Recovery		0	0	197.000		1		
C-106	1976	4	send	-189		233		#N/A	-124			A-102				0	0	197.000		0		
C-106	1976	4	STAT		233	233	106	#N/A	-124	SRS				B Plant Waste Recovery		0	0	197.000		1		
C-106	1977	1	rec	140		373		#N/A	-124		A-102	A-102				0	0	197.000		0		
C-106	1977	1	STAT		373	373	145	#N/A	-124	SRS				B Plant Waste Recovery		0	0	197.000		1		
C-106	1977	2	rec	107		480		#N/A	-124		A-102	A-102				0	0	197.000		0		
C-106	1977	2	STAT		480	480	145	#N/A	-124	SRS				B Plant Waste Recovery		0	0	197.000		1		
C-106	1977	3	send	-82		398		#N/A	-124			A-102				0	0	197.000		0		
C-106	1977	3	STAT		398	398	145	#N/A	-124	SRS				B Plant Waste Recovery		0	0	197.000		1		
C-106	1977	4	send	-14		384		#N/A	-124			A-102				0	0	197.000		0		
C-106	1977	4	STAT		384	384	156	#N/A	-124							0	0	197.000		1		
C-106	1978	1	SEND	-44		340		#N/A	-124	SU		A-102	*237 to			0	0	197.000		1		
C-106	1978	1	SEND	-64		276		#N/A	-124	SU		AZ-101				0	0	197.000		1		
C-106	1978	1	SEND	-20		256		#N/A	-124	SU		AZ-101				0	0	197.000		1		
C-106	1978	1	SEND	-1		255		#N/A	-124	SU		AZ-101				0	0	197.000		1		
C-106	1978	1	STAT		255	255	156	#N/A	-124	CPLX				Active-Receiving B Pfl. Wst.		0	0	197.000		1		
C-106	1978	2	SEND	-159		96		#N/A	-124	SU		A-102				0	0	197.000		1		
C-106	1978	2	rec	280		356		#N/A	-124	SU	A-102	A-102	*-1 to			0	0	197.000		0		
C-106	1978	2	STAT		356	356	156	#N/A	-124	CPLX						0	0	197.000		1		
C-106	1978	3	rec	88		444		#N/A	-124		A-102	A-102				0	0	197.000		0		
C-106	1978	3	STAT		444	444	156	#N/A	-124	CPLX						0	0	197.000		1		
C-106	1978	4	send	-22		422		#N/A	-124			A-102				0	0	197.000		0		
C-106	1978	4	STAT		422	422	142	#N/A	-124	CPLX				Solids level evaluated 11/3/78		0	0	197.000		1		
C-106	1979	1	SEND	-209		213		#N/A	-124	SU		A-102				0	0	197.000		1		
C-106	1979	1	SEND	-11		202		#N/A	-124	SU		A-102	*+40 to			0	0	197.000		1		
C-106	1979	1	STAT		202	202	197	#N/A	-124	NCPLX				Solids level 3/31/79 inactive		0	0	197.000		1		
C-106	1979	2	rec	17		219		#N/A	-124		A-102	A-102				0	0	197.000		0		
C-106	1979	2	STAT		219	219	197	#N/A	-124					New photo 4/5/79		0	0	197.000		1		
C-106	1979	3	STAT		219	219	197	#N/A	-124							0	0	197.000		1		
C-106	1979	4	STAT		219	219	197	#N/A	-124							0	0	197.000		1		
C-106	1980	1	STAT		219	219	197	#N/A	-124							0	0	197.000		1		
C-106	1980	2	STAT		219	219	197	#N/A	-124							0	0	197.000		1		
C-106	1980	3	STAT		219	219	197	#N/A	-124							0	0	197.000		1		
C-106	1980	4	STAT		219	219	197	#N/A	-124	CPLX						0	0	197.000		1		
C-106	1983	2	STAT		229	229	197	10	-114	NCPLX						0	0	197.000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	O/A	Document/Pg #
C-106	1993	4	STAT	229	229	229	197	#N/A	.114							0	0	197.000		1	
C-106	1994	1	STAT	229	229	229	197	#N/A	.114							0	0	197.000		1	
C-106	2000																				



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-107	1900																					
C-107	1946	2	CSEND	0		0		#N/A	0	SET	C-108											
C-107	1946	2	XIN	2		2		#N/A	0	1C		1C1					0	0.000		1		
C-107	1946	2	STAT		N/A	2		0	#N/A	0			phase error? 53 to N/A	Added in April 1946		0.13728	0.2748	0.275	1C1	1		
C-107	1946	3	STAT		N/A	2		0	#N/A	0			phase error? 53 to N/A			0	0	0.275		1		
C-107	1946	4	STAT		N/A	2		0	#N/A	0			phase error? 53 to N/A			0	0	0.275		1		
C-107	1947	1	STAT		N/A	2		0	#N/A	0	1C		phase error? 53 to N/A			0	0	0.275		1		
C-107	1947	2	XIN	133		135		#N/A	0	1C		1C1				0.13728	18.258	18.533	1C1	1		
C-107	1947	2	XIN	49		184		#N/A	0	1C		1C1				0.13728	6.7267	25.259	1C1	1		
C-107	1947	2	XIN	91		275		#N/A	0	1C		1C1				0.13728	12.492	37.752	1C1	1		
C-107	1947	2	STAT		275	275	0	#N/A	0	1C				1st in cascade, began filling April 1947		0	0	37.752		1		
C-107	1947	3	XIN	102		377		#N/A	0	1C		1C1				0.13728	14.003	51.754	1C1	1		
C-107	1947	3	XIN	71		448		#N/A	0	1C		1C1				0.13728	9.7469	61.501	1C1	1		
C-107	1947	3	XIN	95		543		#N/A	0	1C		1C1				0.13728	13.042	74.543	1C1	1		
C-107	1947	3	send	-13		530		#N/A	0	cas		C-108				0	0	74.543		0		
C-107	1947	3	STAT		530	530	0	#N/A	0					Full September 1947		0	0	74.543		1		
C-107	1947	4	XIN	70		600		#N/A	0	1C		1C1				0.13728	9.6096	84.152	1C1	1		
C-107	1947	4	XIN	73		673		#N/A	0	1C		1C1				0.13728	10.021	94.174	1C1	1		
C-107	1947	4	XIN	91		764		#N/A	0	1C		1C1				0.13728	12.492	106.666	1C1	1		
C-107	1947	4	send	-91		673		#N/A	0	cas		C-108				0	0	106.666		0		
C-107	1947	4	send	-73		600		#N/A	0	cas		C-108				0	0	106.666		0		
C-107	1947	4	send	-70		530		#N/A	0	cas		C-108				0	0	106.666		0		
C-107	1947	4	STAT		530	530	0	#N/A	0	1C				Cascading to 108-C		0	0	106.666		1		
C-107	1948	1	XIN	70		600		#N/A	0	1C		1C1				0.13728	9.6096	116.276	1C1	1		
C-107	1948	1	XIN	92		692		#N/A	0	1C		1C1				0.13728	12.63	128.906	1C1	1		
C-107	1948	1	XIN	104		796		#N/A	0	1C		1C1				0.13728	14.277	143.183	1C1	1		
C-107	1948	1	send	-104		692		#N/A	0	cas		C-108				0	0	143.183		0		
C-107	1948	1	send	-92		600		#N/A	0	cas		C-108				0	0	143.183		0		
C-107	1948	1	send	-70		530		#N/A	0	cas		C-108				0	0	143.183		0		
C-107	1948	1	STAT		530	530	0	#N/A	0					Cascading to 108-C		0	0	143.183		1		
C-107	1948	2	XIN	79		609		#N/A	0	1C		1C1				0.13728	10.845	154.028	1C1	1		
C-107	1948	2	XIN	108		717		#N/A	0	1C		1C1				0.13728	14.826	168.854	1C1	1		
C-107	1948	2	XIN	116		833		#N/A	0	1C		1C1				0.13728	15.924	184.778	1C1	1		
C-107	1948	2	send	-116		717		#N/A	0	cas		C-108				0	0	184.778		0		
C-107	1948	2	send	-108		609		#N/A	0	cas		C-108				0	0	184.778		0		
C-107	1948	2	send	-79		530		#N/A	0	cas		C-108				0	0	184.778		0		
C-107	1948	2	STAT		530	530	0	#N/A	0					Cascading to 108-C & 109-C		0	0	184.778		1		
C-107	1948	3	XIN	121		651		#N/A	0	1C		1C1				0.13728	16.611	201.389	1C1	1		
C-107	1948	3	XIN	92		743		#N/A	0	1C		1C1				0.13728	12.63	214.019	1C1	1		
C-107	1948	3	XIN	29		772		#N/A	0	1C		1C1				0.13728	3.9611	218.000	1C1	1		
C-107	1948	3	send	-121		651		#N/A	0	cas		C-108				0	0	218.000		0		
C-107	1948	3	send	-92		559		#N/A	0	cas		C-108				0	0	218.000		0		
C-107	1948	3	send	-29		530		#N/A	0	cas		C-108				0	0	218.000		0		
C-107	1948	3	STAT		530	530	0	#N/A	0					Cascade full in September 1948		0	0	218.000		1		
C-107	1948	4	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1949	1	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1949	2	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1949	3	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1949	4	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1950	1	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1950	2	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1950	3	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1950	4	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1951	1	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1951	2	STAT		530	530	0	#N/A	0							0	0	218.000		1		
C-107	1951	3	STAT		N/A	530		#N/A	0							0	0	218.000		1		



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum untk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Oxygen comment	sol. vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
C-107	1951	4	STAT		N/A	530		#N/A	0							0	0	218,000				
C-107	1952	1	SEND	-131	399	399		#N/A	0	SU		B-106				0	0	218,000				
C-107	1952	1	STAT		399	399		#N/A	0							0	0	218,000				
C-107	1952	2	STAT		399	399		#N/A	0							0	0	218,000				
C-107	1952	3	STAT		399	399		#N/A	0	1C						0	0	218,000				
C-107	1952	4	XIN	198	598	598		#N/A	0			UR				0	0	218,000				
C-107	1952	4	send	-68	530	530		#N/A	0	cas		C-108				0	0	218,000				
C-107	1952	4	STAT		547	547		17	17	TBP			Overflow line to 108-C plugged 12-18-52			0	0	218,000				
C-107	1953	1	SEND	-29	518	518		#N/A	17	SL		C-108				0	0	218,000				
C-107	1953	1	STAT		399	399		#N/A	17	TBP			Overflow to 108-C plugged			0	0	218,000				
C-107	1953	2	SEND	0	518	518		#N/A	17	END						0	0	218,000				
C-107	1953	2	STAT		399	399		#N/A	18	TBP			Overflow to 108-C plugged			0	0	218,000				
C-107	1953	3	XIN	12	531	531		#N/A	18	UR						0	0	218,000				
C-107	1953	3	STAT		399	399		-1	17							0	0	218,000				
C-107	1954	1	STAT		530	530		#N/A	17				Overflow to 108-C plugged			0	0	218,000				
C-107	1954	1	STAT		530	530		#N/A	17				Overflow to 108-C plugged			0	0	218,000				
C-107	1954	2	STAT		530	530		#N/A	17				Overflow to 108-C plugged			0	0	218,000				
C-107	1954	3	STAT		530	530		#N/A	17				Overflow to 108-C plugged			0	0	218,000				
C-107	1954	4	STAT		530	530		#N/A	17				Overflow to 108-C plugged			0	0	218,000				
C-107	1955	1	STAT		530	530		#N/A	17				Overflow to 108-C plugged			0	0	218,000				
C-107	1955	2	STAT		530	530		#N/A	17				Overflow to 108-C plugged			0	0	218,000				
C-107	1955	3	STAT		530	530		#N/A	17				Overflow partially plugged			0	0	218,000				
C-107	1955	4	STAT		530	530		#N/A	17							0	0	218,000				
C-107	1956	1	STAT		530	530		#N/A	17							0	0	218,000				
C-107	1956	2	STAT		530	530		#N/A	17							0	0	218,000				
C-107	1956	3	STAT		530	530		#N/A	17	TBP						0	0	218,000				
C-107	1956	4	OUTX	-172	358	358		#N/A	17	TBP						0	0	218,000				
C-107	1956	4	STAT		375	375		17	34	TBP			155 scavenged during October			0	0	218,000				
C-107	1957	1	STAT		376	376		1	35	1C			Latest electrode reading, 3" gal. (flushes)			0	0	218,000				
C-107	1957	2	STAT		381	381		5	40	1C			Latest electrode reading			0	0	218,000				
C-107	1957	3	XIN	22	403	403		#N/A	40	1C		WTR	Omits line flushing w/ water			0	0	218,000				
C-107	1957	3	XIN	8	411	411		#N/A	40	1C		WTR	Omits line flushing w/ water			0	0	218,000				
C-107	1957	3	STAT		392	392		19	21	1C			Latest electrode reading, 30 line flushes rec'd			0	0	218,000				
C-107	1957	4	XIN	19	411	411		#N/A	21	1C		WTR	Omits line flushing w/ water			0	0	218,000				
C-107	1957	4	XIN	0	411	411		#N/A	21	WTR			53 spill up			0	0	218,000				
C-107	1957	4	STAT		411	411		375	21	1C						0	0	218,000				
C-107	1958	1	XIN	17	428	428		#N/A	21	FLSH						0	0	218,000				
C-107	1958	1	STAT		425	425		375	18							0	0	218,000				
C-107	1958	2	STAT		425	425		375	18	1C						0	0	218,000				
C-107	1958	3	STAT		422	422		375	15	1C						0	0	218,000				
C-107	1958	4	STAT		425	425		375	18							0	0	218,000				
C-107	1959	1	STAT		425	425		375	18	1C						0	0	218,000				
C-107	1959	2	STAT		422	422		375	15							0	0	218,000				
C-107	1959	3	STAT		422	422		375	15							0	0	218,000				
C-107	1959	4	STAT		422	422		375	15							0	0	218,000				
C-107	1960	1	STAT		422	422		375	15							0	0	218,000				
C-107	1960	2	STAT		422	422		375	15							0	0	218,000				
C-107	1960	3	STAT		422	422		375	15							0	0	218,000				
C-107	1960	4	STAT		422	422		375	15	1C						0	0	218,000				
C-107	1961	1	STAT		N/A	422		#N/A	15							0	0	218,000				
C-107	1961	2	STAT		439	439		375	17							0	0	218,000				
C-107	1961	3	XIN	514	963	963		#N/A	32	CWP			16 months report			0.027007	13,882	231,882	CWPF			HW-72625-4
C-107	1961	3	SEND	-245	708	708		#N/A	32	SU			902 total for these 2 Shows 245 not 258			0	0	231,882				HW-72625-5

Trank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soilds vol	Unk ltr	Cum Unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	act vol%	TLM soilds	Cum soilds	act type	Of	O/A	Document/Pg #
C-107	1981	3	SEND	-138		570	#N/A	32 SU	#N/A	32 SU	BY-104	OC 133 to 136			Shows 138 not 139	0	0	231.882	3 V		HW-72625-5	
C-107	1981	3	SEND	-20		550	#N/A	32 SU	#N/A	32 SU	BY-105					0	0	231.882	4 O		HW-72625-5	
C-107	1981	3	STAT		N/A	550	#N/A	32	#N/A	32						0	0	231.882	1			
C-107	1981	4	XIN	368		938	#N/A	32	#N/A	CWP	CWP2				902 total for these 2	0.027007	10.479	242.361	CWP2	3 V	HW-72625-4	
C-107	1981	4	SEND	-172		766	#N/A	32 SU	#N/A	32 SU	BY-105	AND reports 192 pos typo error				0	0	242.361	4 O		HW-72625-5	
C-107	1981	4	SEND	-256		510	#N/A	32 SU	#N/A	32 SU	BY-106	OC 250 to 256			Shows 256 not 250	0	0	242.361	3 V		HW-74647-5	
C-107	1981	4	STAT		483	483	375	27	5	CW						0	0	242.361	1			
C-107	1982	1	XIN	320		803	#N/A	5 CWP	5	CWP						0.027007	8.6423	251.003	CWP2	3 V	HW-74647-4	
C-107	1982	1	SEND	-435		368	#N/A	5 SU	#N/A	5 SU	CWP2	XIN total 902, SEND total 531, AND reports -658			468 total for these 2	0	0	251.003	3 O		HW-74647-4	
C-107	1982	2	STAT		N/A	368	#N/A	5	#N/A	5	BY-109					0	0	251.003	1			
C-107	1982	2	XIN	148		518	#N/A	5 CWP	5	CWP						0.027007	3.9971	255.000	CWP2	3 V	HW-74647-4	
C-107	1982	2	SEND	-14		502	#N/A	5 SU	#N/A	5 SU	BY-104				468 total for these 2	0	0	255.000	4 O		HW-74647-5	
C-107	1982	2	SEND	-118		384	#N/A	5 SU	#N/A	5 SU	BY-106					0	0	255.000	4 O		HW-74647-5	
C-107	1982	2	STAT		364	364	375	#N/A	5	CW						0	0	255.000	1			
C-107	1982	3	STAT		N/A	364	#N/A	5	#N/A	5						0	0	255.000	1			
C-107	1982	4	STAT		384	384	375	#N/A	5	CW						0	0	255.000	1			
C-107	1983	1	STAT		N/A	384	#N/A	5	#N/A	5						0	0	255.000	1			
C-107	1983	2	STAT		384	384	321	#N/A	5	CW						0	0	255.000	1			
C-107	1983	3	STAT		N/A	384	#N/A	3	2	CW						0	0	255.000	1			
C-107	1983	4	STAT		381	381	321	#N/A	2	CW						0	0	255.000	1			
C-107	1984	1	STAT		N/A	381	#N/A	2	#N/A	2						0	0	255.000	1			
C-107	1984	2	STAT		381	381	321	#N/A	2	HS						0	0	255.000	1			
C-107	1984	3	STAT		N/A	381	#N/A	2	#N/A	2						0	0	255.000	1			
C-107	1984	4	STAT		383	383	321	#N/A	2	CW/HS						0	0	255.000	1			
C-107	1985	1	STAT		N/A	383	#N/A	2	#N/A	2						0	0	255.000	1			
C-107	1985	2	XIN	12		396	#N/A	2	#N/A	2	CR VAL/DW					0	0	255.000	1			
C-107	1985	2	STAT		395	395	225	#N/A	2	CW/HS						0	0	255.000	3 V		RL-SEP-658-4	
C-107	1985	3	XIN	30		425	#N/A	2	#N/A	2	HS					0	0	255.000	1			
C-107	1985	3	STAT		425	425	225	#N/A	2	CW/HS						0	0	255.000	4 O		RL-SEP-821-4	
C-107	1985	4	XIN	40		465	#N/A	2	#N/A	2	HS					0	0	255.000	1			
C-107	1985	4	STAT		466	466	225	#N/A	3	CW/HS						0	0	255.000	4 O		RL-SEP-923-4	
C-107	1986	1	XIN	61		527	#N/A	3	#N/A	3	HS					0	0	255.000	1			
C-107	1986	1	STAT		527	527	255	#N/A	3	CW/HS						0	0	255.000	4 O		ISO-226-4	
C-107	1986	2	XIN	39		566	#N/A	3	#N/A	3	HS					0	0	255.000	1			
C-107	1986	2	STAT		464	464	255	#N/A	3	SU						0	0	255.000	4 O		ISO-404-4	
C-107	1986	3	STAT		464	464	255	#N/A	3	CW/HS						0	0	255.000	4 O		ISO-404-4	
C-107	1986	3	XIN	23		487	#N/A	3	#N/A	3	HS					0	0	255.000	1			
C-107	1986	4	STAT		486	486	255	-1	2	CW/HS						0	0	255.000	4 O		ISO-538-4	
C-107	1986	4	XIN	41		527	#N/A	2	#N/A	2	HS					0	0	255.000	4 O		ISO-674-4	
C-107	1986	4	STAT		527	527	255	#N/A	2	CW/HS						0	0	255.000	1			
C-107	1987	1	XIN	3		500	#N/A	2	HLO	2	WTR					0	0	255.000	4 O		ISO-806-4	
C-107	1987	1	STAT		530	530	255	#N/A	2	CW/HS/HLO						0	0	255.000	1			
C-107	1987	2	STAT		528	528	255	-2	0	HS/HLO						0	0	255.000	1			
C-107	1987	3	STAT		528	528	255	#N/A	0	CW/HS/HLO						0	0	255.000	1			
C-107	1987	4	XIN	6		534	#N/A	0	HS	0	HS					0	0	255.000	1			
C-107	1987	4	STAT		534	534	255	#N/A	0	CW/HS/HLO						0	0	255.000	4 O		ARH-326-5	
C-107	1988	1	STAT		534	534	255	#N/A	0	HS/HLO						0	0	255.000	1			
C-107	1988	2	STAT		534	534	255	#N/A	0	HS/HLO						0	0	255.000	1			
C-107	1988	3	STAT		528	528	255	-6	8	SSW B/W						0	0	255.000	1			
C-107	1989	1	STAT		528	528	255	#N/A	-6	CW/SSW B/W						0	0	255.000	1			
C-107	1989	2	STAT		525	525	255	-3	-9	CW/SSW B/W						0	0	255.000	1			
C-107	1989	3	STAT		524	524	255	-1	-10	CW/SSW B/W						0	0	255.000	1			
C-107	1989	4	SEND	-223		301	#N/A	-10	SU	-10	C-104					0	0	255.000	4 O		ARH-12000-5	

Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum unk	Waste type	Trans tank	DWXT	LAML comment	Anderson comment	Optgen comment	sol vol%	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #
C-107	1969	4	STAT	301	301	255	N/A	-10	CW				223 to 104-C		0	0	255,000		1		
C-107	1970	1	STAT	303	303	255	2	-8	CW						0	0	255,000		1		
C-107	1970	2	STAT	304	304	200	1	-7	CW						0	0	255,000		1		
C-107	1970	3	REC	245	549		N/A			BX-104	BX-104				0	0	255,000		4	O	ARH-1666C-5
C-107	1970	3	STAT	547	547	195	-2	-9	SU				245 from 104-BX		0	0	255,000		1		
C-107	1970	4	STAT	547	547	195	N/A	-9	CW,IX						0	0	255,000		1		
C-107	1971	1	STAT	546	546	195	-1	-10	CW,IX						0	0	255,000		1		
C-107	1971	2	STAT	546	546	197	N/A	-10	IX						0	0	255,000		1		
C-107	1971	3	STAT	546	546	197	N/A	-10	CW,IX						0	0	255,000		1		
C-107	1971	4	STAT	541	541	197	-5	-15	CW,IX						0	0	255,000		1		
C-107	1972	1	SEND	288	288		N/A	-15	SU						0	0	255,000		1		
C-107	1972	1	STAT	288	288	197	N/A	-15	CW,IX						0	0	255,000		4	O	ARH-2456A-4
C-107	1972	2	STAT	289	289	197	1	-14	CW,IX						0	0	255,000		1		
C-107	1972	3	STAT	289	289	206	N/A	-14	CW,IX						0	0	255,000		1		
C-107	1972	4	STAT	280	280	206	-29	-43	IX						0	0	255,000		1		
C-107	1973	1	STAT	260	260	206	N/A	-43	CW,IX						0	0	255,000		1		
C-107	1973	2	STAT	261	261	206	1	-42	CW,IX						0	0	255,000		1		
C-107	1973	3	REC	31	292		N/A								0	0	255,000		1		
C-107	1973	3	STAT	299	299	206	7	-35	BNW,NLW,CW,DW,IX				31 from 104-C		0	0	255,000		4	O	ARH-2794C-4
C-107	1973	4	REC	213	512		N/A	-35	SU						0	0	255,000		4	O	ARH-2794D-4
C-107	1973	4	STAT	513	513	206	1	-34	BNW,NLW,CW,DW,IX,EB				213 from 104-C		0	0	255,000		1		
C-107	1974	1	STAT	514	514	206	1	-33	NLW,CW,DW,IX,EB						0	0	255,000		1		
C-107	1974	2	STAT	514	514	206	N/A	-33	BNW,NLW,CW,DW,IX,EB						0	0	255,000		1		
C-107	1974	3	STAT	515	515	206	1	-32	BNW,NLW,CW,DW,IX,EB						0	0	255,000		1		
C-107	1974	4	STAT	513	513	191	-2	-34	CW,NLW,CW,DW,IX,EB						0	0	255,000		1		
C-107	1975	1	SEND	448	448		N/A								0	0	255,000		4	O	ARH-CD-336A-4
C-107	1975	1	STAT	450	450	191	2	-32	BNW,NLW,CW,DW,IX,EB				65 to 103-C		0	0	255,000		1		
C-107	1975	2	STAT	450	450	191	N/A	-32	BNW,NLW,CW,DW,IX,EB						0	0	255,000		1		
C-107	1975	3	SEND	255	255		N/A								0	0	255,000		4	O	ARH-CD-336C-4
C-107	1975	3	STAT	255	255	191	N/A	-32	BNW,NLW,CW,DW,IX,EB				195 to 103-C		0	0	255,000		1		
C-107	1975	4	STAT	255	255	191	N/A	-32	BNW,NLW,CW,DW,IX,EB						0	0	255,000		1		
C-107	1976	1	SEND	254	254		N/A								0	0	255,000		4	O	ARH-CD-702A-4
C-107	1976	1	STAT	257	257	191	3	-29	BNW,NLW,CW,DW,IX,EB				Removed from service 1 to 103-C		0	0	255,000		1		
C-107	1976	2	STAT	257	257	191	N/A	-29	BNW,NLW,CW,DW,IX,EB				RFS		0	0	255,000		1		
C-107	1976	3	STAT	257	257	191	N/A	-29					Salt Well Pumped		0	0	255,000		1		
C-107	1976	4	STAT	257	257	191	N/A	-29					Salt Well Pumped		0	0	255,000		1		
C-107	1977	1	STAT	257	257	191	N/A	-29					Salt Well Pumped		0	0	255,000		1		
C-107	1977	2	STAT	249	249	191	-8	-37					Salt Well Pumped		0	0	255,000		1		
C-107	1977	3	Stat	201	450		N/A								0.050891	10,229	265,229	SRR	0		
C-107	1977	3	STAT	450	450	191	N/A	-37	SRS				assumed SRR from PSS lost transactions		0	0	265,229		1		
C-107	1977	4	SEND	367	367		N/A						Sludge Waste Recovery		0	0	265,229		0		
C-107	1977	4	STAT	367	367	296	N/A	-37	SRS						0	0	265,229		1		
C-107	1978	1	Stat	192	559		N/A								0.050891	9,771	275,000	SRR	0		
C-107	1978	1	SEND	-119	440		N/A								0	0	275,000		1		
C-107	1978	1	SEND	-100	340		N/A								0	0	275,000		1		
C-107	1978	1	STAT	340	340	337	N/A	-37	NOPLX				Inactive		0	0	275,000		1		
C-107	1978	2	STAT	340	340	337	N/A	-37							0	0	275,000		1		
C-107	1978	3	STAT	337	337	337	-3	-40							0	0	275,000		1		
C-107	1978	4	STAT	337	337	337	N/A	-40							0	0	275,000		1		
C-107	1979	1	STAT	337	337	337	N/A	-40							0	0	275,000		1		
C-107	1979	2	STAT	337	337	337	N/A	-40							0	0	275,000		1		
C-107	1979	3	STAT	337	337	337	N/A	-40							0	0	275,000		1		
C-107	1979	4	STAT	337	337	337	N/A	-40							0	0	275,000		1		
C-107	1978	4	STAT	337	337	337	N/A	-40							0	0	275,000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk itr	Cum junk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Orphan comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Obj #
C-107	1990	1	STAT		337	337	337	#N/A	-40							0	0	0	275,000	1		
C-107	1990	2	STAT		337	337	337	#N/A	-40							0	0	0	275,000	1		
C-107	1990	3	STAT		337	337	337	#N/A	-40							0	0	0	275,000	1		
C-107	1990	4	STAT		337	337	337	#N/A	-40	NCPLX						0	0	0	275,000	1		
C-107	1994	1	send	-61		276	276	#N/A	-40	swifq		AN-101				0	0	0	275,000	0		
C-107	1993	2	STAT		275	275	275	-1	-41	DC						0	0	0	275,000	1		
C-107	1993	4	STAT		275	275	275	#N/A	-41							0	0	0	275,000	1		
C-107	1994	1	STAT		275	275	275	#N/A	-41							0	0	0	275,000	1		
C-107	2000															0	0	0	275,000	1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #	
C-108	1900																						
C-108	1945	1	STAT		N/A	0		#N/A	0														
C-108	1946	2	CREC	0		0		#N/A	0	SET	C-107		moved from 1944 to 1945	Dry Well 30-08-02 drilled.			0	0.000				1	
C-108	1946	2	CSEND	0		0		#N/A	0	SET	C-109						0	0.000				1	
C-108	1946	2	STAT		N/A	0		#N/A	0								0	0.000				1	
C-108	1946	3	STAT		N/A	0		#N/A	0								0	0.000				1	
C-108	1946	4	STAT		N/A	0		#N/A	0								0	0.000				1	
C-108	1947	1	STAT		N/A	0		#N/A	0								0	0.000				1	
C-108	1947	2	STAT		N/A	0		#N/A	0								0	0.000				1	
C-108	1947	3	rec	13		13		#N/A	0	cas	C-107	C-107				0.025755	0.3348	0.335	1C1			0	
C-108	1947	3	STAT		53	53	0	40	40	1C				2nd In cascade, began filling September 1947.			0	0	0.335			1	
C-108	1947	4	rec	91		144		#N/A	40	cas	C-107	C-107				0.025755	2.3437	2.679	1C1			0	
C-108	1947	4	rec	73		217		#N/A	40	cas	C-107	C-107				0.025755	1.8901	4.559	1C1			0	
C-108	1947	4	rec	70		287		#N/A	40	cas	C-107	C-107				0.025755	1.8028	6.361	1C1			0	
C-108	1947	4	STAT		249	249	0	-38	2	1C							0	0	6.361			1	
C-108	1948	1	rec	104		353		#N/A	2	cas	C-107	C-107				0.025755	2.6785	9.040	1C1			0	
C-108	1948	1	rec	92		445		#N/A	2	cas	C-107	C-107				0.025755	2.3694	11.409	1C1			0	
C-108	1948	1	rec	70		515		#N/A	2	cas	C-107	C-107				0.025755	1.8028	13.212	1C1			0	
C-108	1948	1	STAT		530	530	0	15	17	1C				Full in March 1948			0	0	13.212			1	
C-108	1948	2	rec	116		646		#N/A	17	cas	C-107	C-107				0.025755	2.9876	16.200	1C1			0	
C-108	1948	2	rec	108		754		#N/A	17	cas	C-107	C-107				0.025755	2.7815	18.981	1C1			0	
C-108	1948	2	rec	79		833		#N/A	17	cas	C-107	C-107				0.025755	2.0346	21.016	1C1			0	
C-108	1948	2	send	-116		717		#N/A	17	cas		C-109				0	0	21.016				0	
C-108	1948	2	send	-108		609		#N/A	17	cas		C-109				0	0	21.016				0	
C-108	1948	2	send	-79		530		#N/A	17	cas		C-109				0	0	21.016				0	
C-108	1948	2	STAT		530	530	0	#N/A	17					Cascading to 109-C			0	0	21.016				0
C-108	1948	3	rec	121		651		#N/A	17	cas	C-107	C-107				0.025755	3.1163	24.132	1C1			0	
C-108	1948	3	rec	92		743		#N/A	17	cas	C-107	C-107				0.025755	2.3694	26.502	1C1			0	
C-108	1948	3	rec	29		772		#N/A	17	cas	C-107	C-107				0.025755	0.7469	27.249	1C1			0	
C-108	1948	3	send	-121		651		#N/A	17	cas		C-109				0	0	27.249				0	
C-108	1948	3	send	-92		559		#N/A	17	cas		C-109				0	0	27.249				0	
C-108	1948	3	send	-29		530		#N/A	17	cas		C-109				0	0	27.249				0	
C-108	1948	3	STAT		530	530	0	#N/A	17					Cascade full in September 1948			0	0	27.249				1
C-108	1948	4	STAT		530	530	0	#N/A	17	IC						0	0	27.249				1	
C-108	1949	1	STAT		530	530	0	#N/A	17							0	0	27.249				1	
C-108	1949	2	STAT		530	530	0	#N/A	17							0	0	27.249				1	
C-108	1949	3	STAT		530	530	0	#N/A	17							0	0	27.249				1	
C-108	1949	4	STAT		530	530	0	#N/A	17	1C						0	0	27.249				1	
C-108	1950	1	STAT		530	530	0	#N/A	17							0	0	27.249				1	
C-108	1950	2	STAT		530	530	0	#N/A	17							0	0	27.249				1	
C-108	1950	3	STAT		530	530	0	#N/A	17							0	0	27.249				1	
C-108	1950	4	STAT		530	530	0	#N/A	17							0	0	27.249				1	
C-108	1951	1	STAT		530	530	0	#N/A	17							0	0	27.249				1	
C-108	1951	2	STAT		530	530	0	#N/A	17							0	0	27.249				1	
C-108	1951	3	STAT		530	530	0	#N/A	17							0	0	27.249				1	
C-108	1951	4	STAT		530	530	0	#N/A	17	1C						0	0	27.249				1	
C-108	1952	1	STAT		N/A	530		#N/A	17							0	0	27.249				1	
C-108	1952	2	SEND	-496		34		#N/A	17	SU		B-106				0	0	27.249				1	
C-108	1952	2	STAT		34	34	34	#N/A	17					Finished pumping on 4-15-52			0	0	27.249				1
C-108	1952	3	STAT		34	34	34	#N/A	17	1C						0	0	27.249				1	
C-108	1952	4	rec	68		102		#N/A	17	cas	C-107	C-107				0.025755	1.7513	29.000	1C1			0	
C-108	1952	4	STAT		85	85	34	-17	0	TBP				Overflow line from 108-C, plugged 12-13-52			0	0	29.000				1
C-108	1953	1	XIN	388		473		#N/A	0	UR		UR				0.02771619	10.754	39.754	UR			1	
C-108	1953	1	XIN	172		645		#N/A	0	UR		UR				0.02771619	4.7672	44.521	UR			1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qt	C/A	Document/Pg #
C-108	1953	1	REC	29		674		#N/A	0	SL	C-107	C-107				0	0	44,521		1		
C-108	1953	1	send	-144		530		#N/A	0	cas		C-109	phase error? 496 to n/a			0	0	44,521		0		
C-108	1953	1	STAT		527	527	34	-3	-3	TBP				Now receiving TBP process waste		0	0	44,521		1		
C-108	1953	2	XIN	3		530		#N/A	-3	UR		UR				0.02771619	0.0831	44,604	UR	1		
C-108	1953	2	XIN	339		869		#N/A	-3	UR		UR				0.02771619	9.3958	54,000	UR	1		
C-108	1953	2	send	-339		530		#N/A	-3	cas		C-109				0	0	54,000		0		
C-108	1953	2	CREC	0		530		#N/A	-3	END		C-107				0	0	54,000		1		
C-108	1953	2	CSEND	0		530		#N/A	-3	END		C-109				0	0	54,000		1		
C-108	1953	2	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1953	3	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1953	4	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1954	1	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1954	2	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1954	3	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1954	4	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1954	1	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1954	2	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1954	3	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1954	4	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1955	1	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1955	2	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1955	3	STAT		530	530	34	#N/A	-3							0	0	54,000		1		
C-108	1955	4	STAT		530	530	34	#N/A	-3	TBP						0	0	54,000		1		
C-108	1956	1	REC	433		963		#N/A	-3	SU	C-112	C-112				0	0	54,000		1		
C-108	1956	1	OUTX	-124		839		#N/A	-3	TO4		C-109	TFeCN			0	0	54,000		3	O	N-54-278
C-108	1956	1	OUTX	-364		475		#N/A	-3	TO5		C-111	TFeCN			0	0	54,000		3	O	N-54-209
C-108	1956	1	STAT		N/A	475	34	#N/A	-3	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Non-disposable material. Transfer- red to 001-CR		0	0	54,000		1		
C-108	1956	2	STAT		N/A	475	34	#N/A	-3	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Non-cribbable material		0	0	54,000		1		
C-108	1956	3	OUTX	-278		197		#N/A	-3	SU	B-020	CRIB	OC 241 to 278, AND reports 399		Shows 278 & BC-7 Ditch	0	0	54,000		2	V	N-54-209
C-108	1956	3	OUTX	-179		18		#N/A	-3	SU	B-021	CRIB	OC 156 to 179, AND reports 24		Shows 179 & BC-8 Ditch	0	0	54,000		2	V	N-54-210
C-108	1956	3	STAT		N/A	18	34	#N/A	-3	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Pumped 399 to BC #7 ditch and 24 to BC #8 ditch		0	0	54,000		1		
C-108	1956	4	STAT		N/A	18	34	#N/A	-3	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	0	54,000		1		
C-108	1957	1	STAT		N/A	18	34	#N/A	-3	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading		0	0	54,000		1		
C-108	1957	2	STAT		N/A	18	34	#N/A	-3	1C,TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.			0	0	54,000		1		
C-108	1957	3	XIN	465		483		#N/A	-3	T21	B-108	TFeCN	OC 385 to 465		Shows 465 not 385	0.010582	4.9206	58,921	TFeCl	2	V	N-54-295
C-108	1957	3	XIN	54		537		#N/A	-3	WTR						0	0	58,921		1		
C-108	1957	3	REC	451		988		#N/A	-3	SU	C-111	C-111	OC 432 to 451		Shows 451 not 432	0	0	58,921		4	V	N-54-291
C-108	1957	3	OUTX	-462		526		#N/A	-3	SU	B-032	CRIB	OC 437 to 462		Shows 482	0	0	58,921		3	V	N-54-249
C-108	1957	3	STAT		N/A	526	34	#N/A	-3	EB			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Latest electrode reading, 463 to BC-19, rec'd #8 ditch		0	0	58,921		1		
C-108	1957	4	XIN	451		977		#N/A	-3	T25	B-112	TFeCN				0.010582	4.7725	63,693	TFeCl	4	O	N-54-299
C-108	1957	4	XIN	218		1195		#N/A	-3	T29	BX-109	TFeCN				0.010582	2.3069	66,000	TFeCl	4	O	N-54-273
C-108	1957	4	OUTX	-380		815		#N/A	-3	SU	B-033	CRIB	OC 359 to 380		Shows 380 not 359	0	0	66,000		3	V	N-54-250
C-108	1957	4	OUTX	-309		506		#N/A	-3	SU	B-035	CRIB				0	0	66,000		4	O	N-54-252
C-108	1957	4	OUTX	-69		437		#N/A	-3	SU	B-034	CRIB	OC 65 to 69		Shows 69 not 65	0	0	66,000		3	V	N-54-251



Tank n	Year	Qty	Type	Trans vol	Stat vol	Total vol	Solids	Unk	Cum	Waste	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
C-108	1957	4	OUTX	-41	396	396					B-034	CRI8	Start to N/A, phasing probes in FcCh process, refer to WHC-SD-WM-ER-133 Rev 0	REPORTS -774, XIN total 669, AND reports 714		0	0	66,000	4	O	N-54-251	
C-108	1957	4	STAT	N/A	396	396		79	#N/A	-3	TBP					0	0	66,000	1			
C-108	1958	1	STAT	175	175	175		79	#N/A	-3	SU	CRI8	OC 250 to 264, AND reports 297	774 to BC-20 & 21, 714 rec'd	Shows 264 not 250	0	0	66,000	2	V	N-54-252	
C-108	1958	2	STAT	183	183	183		79	#N/A	40	TBP					0	0	66,000	1			
C-108	1959	2	STAT	183	183	183		79	#N/A	40	TBP					0	0	66,000	1			
C-108	1959	3	STAT	188	188	188		79	#N/A	53	TBP					0	0	66,000	1			
C-108	1959	4	STAT	188	188	188		79	#N/A	53	TBP					0	0	66,000	1			
C-108	1960	1	REC	306	494	494		79	#N/A	53	SU	C-105		306 from 105-C	Latest electrode reading	0	0	66,000	1			
C-108	1960	1	STAT	494	494	494		79	#N/A	53	TBP					0	0	66,000	1			
C-108	1960	2	STAT	494	494	494		79	#N/A	53	TBP					0	0	66,000	1			
C-108	1960	3	STAT	N/A	494	494		79	#N/A	53	TBP					0	0	66,000	1			
C-108	1960	4	STAT	186	186	186		79	#N/A	59	TBP					0	0	66,000	1			
C-108	1961	1	STAT	486	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	2	STAT	486	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	3	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	4	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	5	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	6	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	7	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	8	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	9	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	10	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	11	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	12	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	13	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	14	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	15	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	16	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	17	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	18	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	19	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	20	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	21	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	22	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	23	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	24	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	25	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	26	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	27	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	28	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	29	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	30	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	31	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	32	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	33	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	34	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	35	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	36	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	37	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	38	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	39	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	40	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	41	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	42	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	43	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	44	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	45	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	46	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	47	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	48	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	49	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	50	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	51	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	52	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	53	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	54	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	55	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	56	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	57	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	58	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	59	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	60	STAT	N/A	486	486		79	#N/A	57	CW					0	0	66,000	1			
C-108	1961	61	STAT	N/A	486																	



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unkl	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #
C-108	1966	2	STAT		521	521	98	13	39	CW,HS				113 to 102-C, 13 to 109-C		0	0	66.000		1		
C-108	1966	3	STAT		521	521	98	#N/A	39	HS						0	0	66.000		1		
C-108	1966	4	STAT		521	521	98	#N/A	39	HS						0	0	66.000		1		
C-108	1967	1	STAT		521	521	98	#N/A	39	HS				New electrode		0	0	66.000		1		
C-108	1967	2	STAT		521	521	98	#N/A	39	HS						0	0	66.000		1		
C-108	1967	3	STAT		521	521	98	#N/A	39	CW,HS						0	0	66.000		1		
C-108	1967	4	STAT		517	517	98	-4	35	CW,HS						0	0	66.000		1		
C-108	1968	1	STAT		516	516	98	-1	34	HS						0	0	66.000		1		
C-108	1968	2	STAT		516	516	98	#N/A	34	HS						0	0	66.000		1		
C-108	1968	3	STAT		516	516	98	#N/A	34	CW,HS						0	0	66.000		1		
C-108	1968	4	STAT		514	514	98	-2	32	SSW						0	0	66.000		1		
C-108	1969	1	STAT		514	514	98	#N/A	32	SSW						0	0	66.000		1		
C-108	1969	2	STAT		514	514	98	#N/A	32	CW,SSW						0	0	66.000		1		
C-108	1969	3	STAT		513	513	98	-1	31	CW,SSW						0	0	66.000		1		
C-108	1969	4	SEND	-375		138		#N/A	31	SU		C-102				0	0	66.000		1		
C-108	1969	4	STAT		138	138	98	#N/A	31	CW						0	0	66.000		4	O	ARH-1200D-5
C-108	1970	1	STAT		138	138	98	#N/A	31	CW						0	0	66.000		1		
C-108	1970	2	REC	395		533		#N/A	31	SU	C-110	C-110				0	0	66.000		1		
C-108	1970	2	STAT		532	532	95	-1	30	CW,OWW,IX				395 from 110-C		0	0	66.000		4	O	ARH-1666B-5
C-108	1970	3	STAT		532	532	69	#N/A	30	OWW,IX						0	0	66.000		1		
C-108	1970	4	STAT		532	532	69	#N/A	30	OWW,IX						0	0	66.000		1		
C-108	1971	1	STAT		532	532	69	#N/A	30	OWW,IX						0	0	66.000		1		
C-108	1971	2	STAT		532	532	69	#N/A	30	OWW,IX						0	0	66.000		1		
C-108	1971	3	STAT		532	532	69	#N/A	30	OWW,IX						0	0	66.000		1		
C-108	1971	4	STAT		532	532	69	#N/A	30	CW,OWW,IX						0	0	66.000		1		
C-108	1972	1	SEND	-195		337		#N/A	30	SU		C-104				0	0	66.000		1		
C-108	1972	1	STAT		334	334	69	-3	27	CW,OWW,IX				195 to 104-C		0	0	66.000		4	O	ARH-2456A-4
C-108	1972	2	SEND	-69		265		#N/A	27	SU		C-104				0	0	66.000		1		
C-108	1972	2	STAT		266	266	69	1	28	CW,OWW,IX				69 to 104-C		0	0	66.000		1		ARH-2456B-4
C-108	1972	3	STAT		266	266	78	#N/A	28	CW,OWW,IX						0	0	66.000		1		
C-108	1972	4	STAT		271	271	76	5	33	CW,OWW,IX						0	0	66.000		1		
C-108	1973	1	STAT		270	270	76	-1	32	OWW,IX						0	0	66.000		1		
C-108	1973	2	STAT		270	270	76	#N/A	32	CW,OWW,IX						0	0	66.000		1		
C-108	1973	3	REC	245		515		#N/A	32	SU	C-104	C-104				0	0	66.000		1		
C-108	1973	3	STAT		516	516	76	1	33	N,LW,CW,DW,IX,TBP,R,OWW				245 from 104-C		0	0	66.000		4	O	ARH-2794C-4
C-108	1973	4	STAT		516	516	76	#N/A	33	BNW,N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1974	1	STAT		515	515	76	-1	32	N,LW,CW,DW,IX,TBP,R,OWW				*Dry Well 30-08-02, 30-08-12 drilled.		0	0	66.000		1		
C-108	1974	2	STAT		515	515	76	#N/A	32	BNW,N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1974	3	STAT		516	516	78	1	33	BNW,N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1974	4	STAT		516	516	65	#N/A	33	N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1975	1	STAT		516	516	65	#N/A	33	N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1975	2	STAT		516	516	65	#N/A	33	N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1975	3	STAT		516	516	65	#N/A	33	BNW,N,LW,CW,DW,IX,TBP,R,OWW						0	0	66.000		1		
C-108	1975	4	SEND	-426		90		#N/A	33	SU		C-103				0	0	66.000		1		
C-108	1975	4	STAT		87	87	65	-3	30	BNW,N,LW,CW,DW,IX,TBP,R,OWW				426 to 103-C		0	0	66.000		4	O	ARH-CD-336D-4
C-108	1976	1	SEND	-27		60		#N/A	30	SU		C-103				0	0	66.000		1		
C-108	1976	1	STAT		76	76	65	16	46	CW,DW,IX,R,OWW				Removed from service 27 to 103-C		0	0	66.000		4	O	ARH-CD-702A-4
C-108	1976	2	SEND	-1		75		#N/A	46	SU		C-103				0	0	66.000		1		
C-108	1976	2	STAT		76	76	65	1	47	N,CW,DW,IX,R,OWW						0	0	66.000		4	O	ARH-CD-702B-4
C-108	1976	3	STAT		65	65	65	-11	36					RFS 1 to 103 C		0	0	66.000		1		
C-108	1976	4	STAT		65	65	65	#N/A	36					Salt Well Pumped		0	0	66.000		1		
C-108	1977	1	STAT		65	65	65	#N/A	36					Salt Well Pumped		0	0	66.000		1		
C-108	1977	2	STAT		65	65	65	#N/A	36					Salt Well Pumped		0	0	66.000		1		
C-108	1977	3	STAT		65	65	65	#N/A	36					Salt Well Pumped		0	0	66.000		1		
C-108	1977	4	STAT		65	65	65	#N/A	36					Inactive Current		0	0	66.000		1		
C-108	1977	4	STAT		65	65	65	#N/A	36					Inactive Current Salt Well Pumped		0	0	66.000		1		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Objct comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-108	1978	1	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1978	2	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1978	3	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1978	4	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1979	1	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1979	2	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1979	3	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1979	4	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1980	1	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1980	2	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1980	3	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1980	4	STAT	65	65	65	65	#NA	36							0	0	66,000		1		
C-108	1983	2	STAT	66	66	66	66	1	37	IXROW						0	0	66,000		1		
C-108	1983	4	STAT	66	66	66	66	#NA	37	NCPLX						0	0	66,000		1		
C-108	1984	1	STAT	66	66	66	66	#NA	37							0	0	66,000		1		
C-108	2000			66	66	66	66	#NA	37							0	0	66,000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soilvol vol	Unk tfr	Cum untk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	act vol%	TLM solts	Cum solts	sol type	Cl	O/A	Document/Pg #
C-109	1900																					
C-109	1946	2	CREC	0		0		#N/A	0	D SET	C-108						0	0.000		1		
C-109	1948	1	STAT		N/A			#N/A	0								0	0.000		1		
C-109	1948	2	rec	116		116		#N/A	0	0 CBS	C-108	C-108					0.00972765	1.1284	1.1284	1	1	
C-109	1948	2	rec	108		224		#N/A	0	0 CBS	C-108	C-108					0.00972765	1.0506	2.179	1	1	
C-109	1948	2	rec	79		303		#N/A	0	0 CBS	C-108	C-108					0.00972765	0.7685	2.947	1	1	
C-109	1948	2	STAT		288	288	0	-15	-15					3rd in cascade, began filling April 1948			0	0	2.947	1		
C-109	1948	3	rec	121		409		#N/A	-15	0 CBS	C-108	C-108					0.00972765	1.177	4.125	1	1	
C-109	1948	3	rec	92		501		#N/A	-15	0 CBS	C-108	C-108					0.00972765	0.9849	5.019	1	1	
C-109	1948	3	rec	28		530		#N/A	-15	0 CBS	C-108	C-108					0.00972765	0.2821	5.302	1	1	
C-109	1948	3	STAT		530	530	0	#N/A	-15					Filled in September 1948			0	0	5.302	1		
C-109	1949	1	STAT		530	530	0	#N/A	-15								0	0	5.302	1		
C-109	1949	2	STAT		530	530	0	#N/A	-15								0	0	5.302	1		
C-109	1949	3	STAT		530	530	0	#N/A	-15								0	0	5.302	1		
C-109	1949	4	STAT		530	530	0	#N/A	-15								0	0	5.302	1		
C-109	1950	1	STAT		530	530	0	#N/A	-15								0	0	5.302	1		
C-109	1950	2	STAT		530	530	0	#N/A	-15								0	0	5.302	1		
C-109	1950	3	STAT		530	530	0	#N/A	-15	1C							0	0	5.302	1		
C-109	1950	4	STAT		530	530	0	#N/A	-15								0	0	5.302	1		
C-109	1951	1	STAT		530	530	0	#N/A	-15								0	0	5.302	1		
C-109	1951	2	STAT		530	530	0	#N/A	-15								0	0	5.302	1		
C-109	1951	3	STAT		530	530	0	#N/A	-15								0	0	5.302	1		
C-109	1951	4	STAT		530	530	0	#N/A	-15								0	0	5.302	1		
C-109	1952	1	STAT		525	525	0	-5	-20	1C							0	0	5.302	1		
C-109	1952	2	SEND	214		311		#N/A	-20	1C				Pumping to 106-B			0	0	5.302	1		
C-109	1952	2	STAT		311	311	10	#N/A	-20	1C	B-106						0	0	5.302	1		
C-109	1952	3	SEND	301		10		#N/A	-20	1C				Finished pumping 7-25-52 Temp supstrate tank for C farm removal operations			0	0	5.302	1		
C-109	1952	3	STAT		10	10	10	#N/A	-20	1C				Tank was emptied 1/8/53 Rec'd TBP in March			0	0	5.302	1		
C-109	1952	4	STAT		N/A	10		#N/A	-20	TBP							0.00972765	1.4008	6.702	1	1	
C-109	1953	1	rec	144		154		#N/A	-20	0 CBS	C-108	C-108	phase error/ 496 to n/a				0	0	6.702	1		
C-109	1953	1	STAT		182	182	10	28	8	TBP							0	0	6.702	1		
C-109	1953	2	rec	339		521		#N/A	8		C-108	C-108				0.00972765	3.2977	10.000	1	1		
C-109	1953	2	CREC	0		521		#N/A	8								0	0	10.000	1		
C-109	1953	2	STAT		521	521	10	#N/A	8		C-108						0	0	10.000	1		
C-109	1953	3	STAT		521	521	10	#N/A	8								0	0	10.000	1		
C-109	1953	4	STAT		521	521	10	#N/A	8					Filled in April			0	0	10.000	1		
C-109	1954	1	STAT		521	521	10	#N/A	8								0	0	10.000	1		
C-109	1954	2	STAT		521	521	10	#N/A	8								0	0	10.000	1		
C-109	1954	3	STAT		521	521	10	#N/A	8								0	0	10.000	1		
C-109	1954	4	STAT		521	521	10	#N/A	8								0	0	10.000	1		
C-109	1955	1	STAT		521	521	10	#N/A	8								0	0	10.000	1		
C-109	1955	2	STAT		521	521	10	#N/A	8								0	0	10.000	1		
C-109	1955	3	STAT		521	521	10	#N/A	8								0	0	10.000	1		
C-109	1955	4	OUTX	483		56		#N/A	8	TBP							0	0	10.000	1		
C-109	1955	4	OUTX			56		#N/A	8	T01	C-112	TFECN					0	0	10.000	3	0	N-54-275
C-109	1955	4	STAT		N/A	56	10	#N/A	8	TBP							0	0	10.000	1		
C-109	1956	1	XIN	384		442		#N/A	8	T02	C-101	TFECN				0.01511081	5.8026	15.803	3	0	N-54-276	
C-109	1956	1	XIN	32		474		#N/A	8	T04	C-111	TFECN				0.01511081	0.4835	16.286	3	0	N-54-278	
C-109	1956	1	XIN	124		598		#N/A	8	T04	C-108	TFECN				0.01511081	1.8737	18.160	3	0	N-54-278	
C-109	1956	1	XIN	272		870		#N/A	8	T04	C-110	TFECN				0.01511081	4.1101	22.270	3	0	N-54-278	
C-109	1956	1	OUTX	437		433		#N/A	8	SU	B-017	CRIB	OC-383 to 437			0	0	22.270	2	1	N-54-204	

Shows 437 not 383

Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.

Tank #	Year	Qty	Type	Trans Vol	Stat Vol	Total Vol	Solids	Unk	Cum	Waste	Trans	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	solids	TLM	Cum	sol	type	Cl	O/A	Document/Pg #
C-109	1956	1	STAT	N/A	433	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Decant tank. Filled in February	0	0	22.270					1		
C-109	1956	2	STAT	N/A	433	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Non-crebbable material	0	0	22.270					1		
C-109	1956	3	STAT	N/A	433	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Non-crebbable scvg. TBP	0	0	22.270					1		
C-109	1956	4	XIN	11	444	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	waste	0	0	22.270					1		
C-109	1956	4	XIN	172	616	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0.01511081	22.436	0.1662	22.436	TFACI	3	0	N-54-282		
C-109	1956	4	XIN	487	129	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0.01511081	25.035	0.6991	25.035	TFACI	3	0	N-54-282		
C-109	1956	4	OUTX	487	129	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0.01511081	25.035	0.6991	25.035	TFACI	3	0	N-54-282		
C-109	1956	4	STAT	N/A	129	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	484 transferred to BC #10 ditch in October	0	0	25.035					1		
C-109	1957	1	STAT	N/A	129	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	25.035					1		
C-109	1957	2	XIN	135	264	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Latest electrode reading	0	0	25.035					1		
C-109	1957	2	XIN	114	376	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0.01511081	27.075	1.7226	27.075	TFACI	3	0	N-54-284		
C-109	1957	2	XIN	337	715	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Shows 114 not 102	0.01511081	2.04	27.075	1.7226	27.075	TFACI	3	0	N-54-287	
C-109	1957	2	OUTX	456	259	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Shows 337 and BY-102	0.01511081	5.0923	33.890	5.0923	TFACI	2	V	N-54-287		
C-109	1957	2	OUTX	456	259	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Shows 456 not 360	0	0	33.890					4	V	N-54-244
C-109	1957	2	STAT	N/A	259	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	To be cribbed, 462 to #17 BC trench, 456 to #15 BC ditch	0	0	33.890					1		
C-109	1957	2	STAT	234	493	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0.01511081	37.426	3.5369	37.426	TFACI	3	0	N-54-206		
C-109	1957	3	XIN	202	695	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Shows total 473 for this & this one	0.01511081	3.0524	40.479	3.0524	TFACI	4	V	N-54-293		
C-109	1957	3	XIN	271	956	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0.01511081	4.095	44.574	4.095	TFACI	4	V	N-54-293		
C-109	1957	3	XIN	242	1208	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0.01511081	3.6568	48.230	3.6568	TFACI	4	V	N-54-297		
C-109	1957	3	OUTX	461	747	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Shows 461 not 392	0	0	48.230					3	V	N-54-247
C-109	1957	3	OUTX	461	747	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Shows 242 not 217	0.01511081	3.6568	48.230	3.6568	TFACI	4	V	N-54-297		
C-109	1957	3	OUTX	245	502	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Shows 245 to BC-6 Chb	0	0	48.230					4	V	N-54-206
C-109	1957	3	OUTX	151	351	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Shows 448 not 445	0	0	48.230					4	V	N-54-250
C-109	1957	3	STAT	N/A	351	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Rec'd 715, 245 to BC-6 chb, 443 to BC-20	0	0	48.230					1		
C-109	1957	4	OUTX	256	799	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	XIN total 715	0.01511081	6.7696	55.000	6.7696	TFACI	4	0	N-54-271		
C-109	1957	4	STAT	448	857	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	Shows 256 not 253	0	0	55.000					4	V	N-54-251
C-109	1957	4	STAT	435	543	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	456 rec'd, 253 to BC-21	0	0	55.000					4	V	N-54-252
C-109	1958	1	STAT	112	112	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	431 to BC-22 trench	0	0	55.000					1		
C-109	1958	2	STAT	112	112	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					1		
C-109	1958	3	STAT	112	112	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					1		
C-109	1958	4	STAT	112	112	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					1		
C-109	1959	1	STAT	540	540	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					1		
C-109	1959	3	STAT	540	540	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	154 from 105-C, latest electrode reading	0	0	55.000					1		
C-109	1959	3	REC	154	540	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					4	0	HW-62421-4
C-109	1959	3	XIN	13	386	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	261 CW from 105-C	0	0	55.000					4	0	HW-61095-4
C-109	1959	2	REC	261	373	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					4	0	HW-61095-4
C-109	1959	2	STAT	373	373	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					4	0	HW-61095-4
C-109	1959	3	XIN	13	386	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					4	0	HW-61095-4
C-109	1959	3	REC	154	540	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					4	0	HW-62421-4
C-109	1960	1	STAT	540	540	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					1		
C-109	1960	2	STAT	540	540	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					1		
C-109	1960	3	STAT	540	540	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					1		
C-109	1960	4	XIN	6	546	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0		0	0	55.000					4	0	HW-6291-4
C-109	1960	4	STAT	546	546	N/A							Stat to N/A, phasing probe in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0	6 back flush rec'd	0	0	55.000					4	0	HW-6291-4

Bank n	Year	Ctrl	Type	Trans vol	Stat vol	Total vol	Solids vol	Link ltr	Cum unit	Waste type	Trans bank	DWPT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
C-109	1961	2	STAT	549	549	549	90	3	15	EB,CW				[ 6 months report		0	0	55,000	1			
C-109	1961	3	STAT	N/A	549	549	N/A	N/A	15	EB,CW				[ 6 months report		0	0	55,000	1			
C-109	1961	4	STAT	549	549	549	90	N/A	15	EB,CW						0	0	55,000	1			
C-109	1962	1	SEND	137	412	412	N/A	N/A	15	SU		BY-109	no change made		Shows 695 BC-16 Ditch	0	0	55,000	4	O		N-54-109/HW-74647-4
C-109	1962	1	STAT	N/A	412	412	N/A	N/A	15							0	0	55,000	1			
C-109	1962	2	XIN	21	433	433	N/A	N/A	15	HS		HS				0.05263156	1,109.3	55,105	HS	3	O	HW-74647-4
C-109	1962	2	STAT	433	433	433	90	N/A	15	EB,CW,FP				137 to BY, rec'd 21 HS		0	0	56,105	1			
C-109	1962	3	STAT	N/A	433	433	N/A	N/A	15	EB,CW,FP						0.05263156	3,052.6	59,158	HS	4	O	HW-76223-4
C-109	1962	4	XIN	58	491	491	N/A	N/A	15	HS		HS				0	0	59,158	1			
C-109	1962	4	STAT	491	491	491	90	N/A	15	EB,CW,FP				58 from HS [ 6 months report		0	0	59,158	1			
C-109	1963	1	STAT	N/A	491	491	N/A	N/A	15					[ 6 months report		0	0	59,158	1			
C-109	1963	2	STAT	494	494	494	90	3	18	EB,CW,FP				Latest electrode reading		0	0	59,158	1			
C-109	1963	3	STAT	N/A	494	494	N/A	N/A	18							0	0	59,158	1			
C-109	1963	4	STAT	497	497	497	90	3	21	EB,CW,HS						0	0	59,158	1			
C-109	1964	1	STAT	N/A	497	497	N/A	N/A	21	HS		HS				0.05263156	1,842.1	61,000	HS	4	O	HW-83308-4
C-109	1964	2	XIN	35	532	532	N/A	N/A	21	HS				Rec'd 35 HS [ 6 months report		0	0	61,000	1			
C-109	1964	2	STAT	532	532	532	90	N/A	21	EB,CW,HS						0	0	61,000	1			
C-109	1964	3	STAT	N/A	532	532	N/A	N/A	21					[ 6 months report		0	0	61,000	1			
C-109	1964	4	STAT	533	533	533	90	3	24	EB,CW,HS						0	0	61,000	1			
C-109	1965	1	STAT	N/A	533	533	N/A	N/A	24							0	0	61,000	1			
C-109	1965	2	XIN	19	554	554	N/A	N/A	24	HS		HS				0.05263156	1	62,000	HS	4	O	FL-SEP-659-4
C-109	1965	2	STAT	554	554	554	79	N/A	24	CW,HS				19 from HS [ 6 months report		0	0	62,000	1			
C-109	1965	3	STAT	554	554	554	79	N/A	24	CW,HS						0	0	62,000	1			
C-109	1965	4	STAT	554	554	554	79	N/A	24	EB,CW,HS						0	0	62,000	1			
C-109	1966	1	STAT	552	552	552	79	-2	22	EB,CW,HS						0	0	62,000	1			
C-109	1966	2	REC	13	565	565	N/A	N/A	22	SU		C-108				0	0	62,000	1			
C-109	1966	2	STAT	565	565	565	79	N/A	22	CW,HS				13 from 108-C		0	0	62,000	1			
C-109	1966	3	STAT	565	565	565	79	N/A	22	EB,CW,HS						0	0	62,000	1			
C-109	1966	4	STAT	562	562	562	79	-13	9	CW,HS				New electrode		0	0	62,000	1			
C-109	1967	1	STAT	552	552	552	79	N/A	9	CW,HS						0	0	62,000	1			
C-109	1967	2	STAT	552	552	552	79	N/A	9	CW,HS						0	0	62,000	1			
C-109	1967	3	STAT	552	552	552	79	N/A	9	EB,CW,HS						0	0	62,000	1			
C-109	1967	4	STAT	549	549	549	79	-3	6	EB,CW,HS						0	0	62,000	1			
C-109	1968	1	STAT	549	549	549	79	N/A	6	EB,CW,HS						0	0	62,000	1			
C-109	1968	2	STAT	543	543	543	79	-6	0	CW,HS						0	0	62,000	1			
C-109	1968	3	STAT	543	543	543	79	N/A	0	CW,HS						0	0	62,000	1			
C-109	1968	4	STAT	543	543	543	79	N/A	0	CW,SSW						0	0	62,000	1			
C-109	1969	1	STAT	543	543	543	79	N/A	0	CW,SSW						0	0	62,000	1			
C-109	1969	2	STAT	543	543	543	79	N/A	0	CW,SSW						0	0	62,000	1			
C-109	1969	3	STAT	543	543	543	79	N/A	0	CW,SSW						0	0	62,000	1			
C-109	1969	4	STAT	543	543	543	79	N/A	0	CW,SSW						0	0	62,000	1			
C-109	1970	1	SEND	-397	146	146	N/A	N/A	0	SU		C-104				0	0	62,000	1			
C-109	1970	1	REC	19	165	165	N/A	N/A	0	SU		C-203				0	0	62,000	1			
C-109	1970	1	STAT	165	165	165	79	N/A	0	CW		C-203				0	0	62,000	1			
C-109	1970	2	REC	375	541	541	N/A	N/A	0	SU		C-110				0	0	62,000	1			
C-109	1970	2	STAT	541	541	541	106	1	1	CW,IX		C-110				0	0	62,000	1			
C-109	1970	3	STAT	543	543	543	95	2	3	IX						0	0	62,000	1			
C-109	1970	4	STAT	543	543	543	95	N/A	3	CW,IX						0	0	62,000	1			
C-109	1971	1	STAT	542	542	542	95	-1	2	CW,IX						0	0	62,000	1			
C-109	1971	2	STAT	543	543	543	95	1	3	CW,IX						0	0	62,000	1			
C-109	1971	3	STAT	542	542	542	95	-1	2	IX						0	0	62,000	1			
C-109	1971	4	STAT	542	542	542	95	N/A	2	CW,IX						0	0	62,000	1			
C-109	1972	1	STAT	540	540	540	95	-2	0	IX						0	0	62,000	1			
C-109	1972	2	STAT	540	540	540	95	N/A	0	IX						0	0	62,000	1			
C-109	1972	3	STAT	540	540	540	95	N/A	0	CW,IX						0	0	62,000	1			
C-109	1972	4	STAT	530	530	530	95	-10	-10	CW,IX						0	0	62,000	1			

Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unkl	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol	Cum solids	TLM solids	sol type	QI	O/A	Document/Pa #
1973	1	STAT	529	529	529	95	-1	-11	IX						0	0	0		1		
1973	2	STAT	529	529	529	95	N/A	-11	CW/IX						0	0	0		1		
1973	3	STAT	505	505	505	95	24	-35	CW/IX						0	0	0		1		
1973	4	STAT	504	504	504	95	-1	-36	IX						0	0	0		1		
1974	1	STAT	504	504	504	95	N/A	-36	IX						0	0	0		1		
1974	2	STAT	504	504	504	95	N/A	-36	IX						0	0	0		1		
1974	3	STAT	504	504	504	95	N/A	-36	CW/IX						0	0	0		1		
1974	4	STAT	505	505	505	79	1	-35	IX						0	0	0		1		
1975	1	STAT	505	505	505	79	N/A	-35	IX						0	0	0		1		
1975	2	STAT	505	505	505	79	N/A	-35	CW/IX						0	0	0		1		
1975	3	SEND	-364		141			-34	SU	C-103					0	0	0		4	O	ARH-CD-336C-4
1975	4	SEND	-85		57			-34	CW/IX	C-103					0	0	0		1		
1975	4	SEND		62	62	62	5	-29	SU	C-103					0	0	0		3	MV	ARH-CD-336D-4
1976	1	SEND	-9		53			-29	SU	C-103					0	0	0		4	O	ARH-CD-702A-4
1976	1	STAT	62	62	62	62	9	-20							0	0	0		1		
1976	2	STAT	62	62	62	62	N/A	-20							0	0	0		1		
1976	3	STAT	62	62	62	62	N/A	-20							0	0	0		1		
1976	4	STAT	62	62	62	62	N/A	-20							0	0	0		1		
1977	1	STAT	62	62	62	62	N/A	-20							0	0	0		1		
1977	2	STAT	62	62	62	62	N/A	-20							0	0	0		1		
1977	3	STAT	62	62	62	62	N/A	-20							0	0	0		1		
1977	4	STAT	62	62	62	62	N/A	-20							0	0	0		1		
1978	1	STAT	62	62	62	62	N/A	-20							0	0	0		1		
1978	2	STAT	62	62	62	62	N/A	-20							0	0	0		1		
1978	3	STAT	62	62	62	62	N/A	-20							0	0	0		1		
1978	4	STAT	62	62	62	62	N/A	-20							0	0	0		1		
1979	1	STAT	68	68	68	68	6	-14							0	0	0		1		
1979	2	STAT	68	68	68	68	N/A	-14							0	0	0		1		
1979	3	STAT	68	68	68	68	N/A	-14							0	0	0		1		
1979	4	STAT	68	68	68	68	N/A	-14							0	0	0		1		
1980	1	STAT	68	68	68	68	N/A	-14							0	0	0		1		
1980	2	STAT	68	68	68	68	N/A	-14							0	0	0		1		
1980	3	STAT	68	68	68	68	N/A	-14							0	0	0		1		
1980	4	STAT	68	68	68	68	N/A	-14	NCPLX						0	0	0		1		
1993	2	STAT	66	66	66	66	2	-16	NCPLX						0	0	0		1		
1993	4	STAT	66	66	66	66	N/A	-16	NCPLX						0	0	0		1		
1994	1	STAT	66	66	66	66	N/A	-16							0	0	0		1		
2000	1	STAT	66	66	66	66	N/A	-16							0	0	0		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soillets vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Drden comment	sol vol%	TLM solets	Cum solets	sol type	Q/A	Document/Pg #
C-110	1946	2	CSEND	0	0	0	0	#N/A	0	0 SET	C-111					0	0	0			
C-110	1946	2	XIN	192	192	192	192	#N/A	0	0 IC		IC1				0.11768406	22.595	22.595	1C1		1
C-110	1946	2	XIN	147	147	339	339	#N/A	0	0 IC		IC1				0.11768406	17.3	39.895	1C1		1
C-110	1946	2	STAT		337	337	337	-2	-2	-2 IC				1st in cascade, began filling May 1946		0	0	39.895			1
C-110	1946	3	XIN	165	502	502	502	#N/A	-2	-2 IC		IC1				0.11768406	19.418	59.313	1C1		1
C-110	1946	3	XIN	234	736	736	736	#N/A	-2	-2 IC		IC1				0.11768406	27.538	86.851	1C1		1
C-110	1946	3	XIN	124	860	860	860	#N/A	-2	-2 IC		IC1				0.11768406	14.593	101.444	1C1		1
C-110	1946	3	send	206	654	654	654	#N/A	-2	-2 cas		C-111				0	0	101.444			0
C-110	1946	3	send	-124	530	530	530	0	0	-2 cas		C-111				0	0	101.444			0
C-110	1946	4	STAT		530	530	530	-2	-2	-2 IC				Filled in August		0	0	101.444			0
C-110	1946	4	XIN	157	687	687	687	#N/A	-2	-2 IC		IC1				0.11768406	18.476	119.920	1C1		1
C-110	1946	4	XIN	119	806	806	806	#N/A	-2	-2 IC		IC1				0.11768406	14.004	133.924	1C1		1
C-110	1946	4	XIN	146	952	952	952	#N/A	-2	-2 IC		IC1				0.11768406	17.182	151.106	1C1		1
C-110	1946	4	send	-157	795	795	795	#N/A	-2	-2 cas		C-111				0	0	151.106			0
C-110	1946	4	send	-148	649	649	649	#N/A	-2	-2 cas		C-111				0	0	151.106			0
C-110	1946	4	send	-119	530	530	530	0	0	-2 cas		C-111				0	0	151.106			0
C-110	1946	4	STAT		530	530	530	-2	-2	-2 cas				Cascading to 111-C		0	0	151.106			0
C-110	1947	1	XIN	92	622	622	622	#N/A	-2	-2 IC		IC1				0.11768406	10.827	161.933	1C1		1
C-110	1947	1	XIN	64	686	686	686	#N/A	-2	-2 IC		IC1				0.11768406	7.5318	169.465	1C1		1
C-110	1947	1	XIN	132	818	818	818	#N/A	-2	-2 IC		IC1				0.11768406	15.534	184.999	1C1		1
C-110	1947	1	send	-132	686	686	686	#N/A	-2	-2 cas		C-111				0	0	184.999			0
C-110	1947	1	send	-92	594	594	594	#N/A	-2	-2 cas		C-111				0	0	184.999			0
C-110	1947	1	send	-64	530	530	530	0	0	-2 cas		C-111				0	0	184.999			0
C-110	1947	2	STAT		530	530	530	-2	-2	-2 IC				Cascading to 111-C & 112-C		0	0	184.999			0
C-110	1947	2	send	-17	500	500	500	0	0	-2 cas		C-111				0.11768406	2.0006	187.000	1C1		1
C-110	1947	2	STAT		530	530	530	-2	-2	-2 cas				Cascade filled in April 1974		0	0	187.000			0
C-110	1947	3	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1947	4	STAT		530	530	530	0	0	-2 IC						0	0	187.000			0
C-110	1948	1	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1948	2	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1948	3	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1948	4	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1949	1	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1949	2	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1949	3	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1949	4	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1950	1	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1950	2	STAT		530	530	530	0	0	-2 IC						0	0	187.000			0
C-110	1950	3	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1950	4	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1951	1	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1951	2	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1951	3	STAT		530	530	530	0	0	-2						0	0	187.000			0
C-110	1951	4	STAT		530	530	530	0	0	-2 IC						0	0	187.000			0
C-110	1952	1	STAT		530	530	530	0	0	-2 IC						0	0	187.000			0
C-110	1952	2	STAT		530	530	530	231	231	-2 IC						0	0	187.000			0
C-110	1952	3	SEND	-299	231	231	231	#N/A	-2	-2 SU		B-106		Finished pumping to 106-B 7-22-52		0	0	187.000			0
C-110	1952	3	STAT		231	231	231	#N/A	-2	-2 IC						0	0	187.000			0
C-110	1952	4	XIN	259	490	490	490	#N/A	-2	-2 UR				Active receiver of TBP wastes Overflow to 111-C plugged on 11-15-52		0	0	187.000			0
C-110	1952	4	STAT		490	490	490	#N/A	-2	-2 TBP						0	0	187.000			0
C-110	1953	1	XIN	48	538	538	538	#N/A	-2	-2 UR						0	0	187.000			0
C-110	1953	1	STAT		530	530	530	-8	-8	-10				Overflow to 111-C plugged		0	0	187.000			0



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-110	1953	2	CSENO	0		530		#N/A	-10	END	C-111						0	187,000		1		
C-110	1953	2	STAT		538	538	231	8	-2							0	0	187,000		1		
C-110	1953	3	STAT		538	538	231	#N/A	-2					Overflow to 111-C plugged		0	0	187,000		1		
C-110	1953	4	STAT		538	538	231	#N/A	-2					Overflow to 111-C plugged		0	0	187,000		1		
C-110	1954	1	STAT		538	538	231	#N/A	-2					Overflow to 111-C plugged		0	0	187,000		1		
C-110	1954	2	STAT		538	538	231	#N/A	-2					Overflow to 111-C plugged		0	0	187,000		1		
C-110	1954	3	STAT		538	538	231	#N/A	-2					Overflow to 111-C plugged		0	0	187,000		1		
C-110	1954	4	STAT		538	538	231	#N/A	-2					Overflow to 111-C plugged		0	0	187,000		1		
C-110	1955	1	STAT		538	538	231	#N/A	-2							0	0	187,000		1		
C-110	1955	2	STAT		538	538	231	#N/A	-2							0	0	187,000		1		
C-110	1955	3	STAT		538	538	231	#N/A	-2							0	0	187,000		1		
C-110	1955	4	STAT		538	538	231	#N/A	-2	TBP						0	0	187,000		1		
C-110	1956	1	OUTX	-272		266		#N/A	-2	T04	C-109	TFeCN				0	0	187,000		3	O	N-54-278
C-110	1956	1	STAT		265	265	231	-1	-3	TBP				Transferred to 001-CR in March		0	0	187,000		1		
C-110	1956	2	XIN	134		399		#N/A	-3	OWW			OC 22 to 134		Shows 181 total for this & this one	0	0	187,000		2	V	HW-43895-4
C-110	1956	2	XIN	47		446		#N/A	-3	OWW						0	0	187,000		2	V	HW-43895-4
C-110	1956	2	STAT		436	436	231	-10	-13	OWW				Received OWW in June		0	0	187,000		1		
C-110	1956	3	XIN	22		458		#N/A	-13	OWW			OC 32 to 22		Shows 47 total for this & this one	0	0	187,000		2	V	HW-44860-4
C-110	1956	3	XIN	25		483		#N/A	-13	OWW						0	0	187,000		2	V	HW-44860-4
C-110	1956	3	XIN	30		513		#N/A	-13	OWW						0	0	187,000		1		
C-110	1956	3	XIN	8		521		#N/A	-13	OWW	PUREX		Omis.		Omission	0	0	187,000		2	V	HW-45738-4
C-110	1956	3	STAT		491	491	231	-30	-43					Received OWW		0	0	187,000		1		
C-110	1956	4	XIN	0		491		#N/A	-43	OWW						0	0	187,000		1		
C-110	1956	4	XIN	0		491		#N/A	-43	OWW				OWW1 31 TO 0 AND COMMENTS		0	0	187,000		1		
C-110	1956	4	XIN	0		491		#N/A	-43	OWW				OWW1 36 TO 0 AND COMMENTS		0	0	187,000		1		
C-110	1956	4	XIN	0		491		#N/A	-43	OWW				OWW1 327 TO 0 AND COMMENTS		0	0	187,000		1		
C-110	1956	4	STAT		491	491	231	#N/A	-43	OWW				No OWW received		0	0	187,000		1		
C-110	1957	1	STAT		513	513	231	22	-21	1C,OWW				Latest electrode reading		0	0	187,000		1		
C-110	1957	2	STAT		508	508	231	-5	-26	1C,OWW				Latest electrode reading		0	0	187,000		1		
C-110	1957	3	STAT		510	510	231	2	-24	OWW				Latest electrode reading		0	0	187,000		1		
C-110	1957	4	STAT		510	510	231	#N/A	-24	1C,OWW						0	0	187,000		1		
C-110	1958	1	STAT		508	508	231	-2	-26	OWW					Latest electrode reading	0	0	187,000		1		
C-110	1958	2	STAT		508	508	231	#N/A	-26	OWW						0	0	187,000		1		
C-110	1958	3	STAT		508	508	231	#N/A	-26	OWW						0	0	187,000		1		
C-110	1958	4	STAT		508	508	231	#N/A	-26	OWW					Latest electrode reading	0	0	187,000		1		
C-110	1959	1	STAT		508	508	231	#N/A	-26	1C,OWW						0	0	187,000		1		
C-110	1959	2	STAT		507	507	231	-1	-27	OWW					Latest electrode reading	0	0	187,000		1		
C-110	1959	3	STAT		507	507	231	#N/A	-27	OWW						0	0	187,000		1		
C-110	1959	4	STAT		507	507	231	#N/A	-27	OWW						0	0	187,000		1		
C-110	1960	1	STAT		507	507	231	#N/A	-27	OWW						0	0	187,000		1		
C-110	1960	2	STAT		507	507	231	#N/A	-27	OWW						0	0	187,000		1		
C-110	1960	3	STAT		507	507	231	#N/A	-27	1C,OWW						0	0	187,000		1		
C-110	1960	4	STAT		N/A	507	231	#N/A	-27	1C,OWW			STAT 455 TO N/A		Latest electrode reading	0	0	187,000		1		
C-110	1961	1	STAT		N/A	507	231	#N/A	-27							0	0	187,000		1		
C-110	1961	2	STAT		505	505	231	-2	-29	1C,OWW						0	0	187,000		1		
C-110	1961	3	STAT		N/A	505	231	#N/A	-29							0	0	187,000		1		
C-110	1961	4	STAT		510	510	231	5	-24	1C,OWW					Latest electrode reading	0	0	187,000		1		
C-110	1962	1	STAT		N/A	510	231	#N/A	-24							0	0	187,000		1		
C-110	1962	2	STAT		510	510	231	#N/A	-24	1C,OWW						0	0	187,000		1		
C-110	1962	3	STAT		N/A	510	231	#N/A	-24							0	0	187,000		1		
C-110	1962	4	STAT		508	508	231	-2	-28	1C,OWW					Latest electrode reading	0	0	187,000		1		
C-110	1963	1	STAT		N/A	508	231	#N/A	-28							0	0	187,000		1		
C-110	1963	2	STAT		505	505	230	-3	-29	1C,OWW					6 months report	0	0	187,000		1		
C-110	1963	3	STAT		N/A	505	230	#N/A	-29							0	0	187,000		1		
C-110	1963	4	STAT		505	505	230	#N/A	-29	1C,OWW					6 months report	0	0	187,000		1		
C-110	1964	1	STAT		N/A	505	230	#N/A	-29							0	0	187,000		1		
C-110	1964	2	STAT		505	505	230	#N/A	-29	1C,OWW					6 months report	0	0	187,000		1		
C-110	1964	3	STAT		N/A	505	230	#N/A	-29							0	0	187,000		1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	cl	C/A	Document/Pg #
C-110	1964	4	STAT		513	513	230	8		-21 1C,OWW						0	0	187,000				
C-110	1965	1	STAT		N/A	513		#N/A	-21					New elect. (reading confirmed) 16 months report			0	187,000				
C-110	1965	2	STAT		508	508	191	-5	-26	OWW				16 months report			0	187,000				
C-110	1965	3	STAT		508	508	191	#N/A	-26	OWW				New electrode			0	187,000				
C-110	1965	4	STAT		508	508	191	#N/A	-26	1C,OWW							0	187,000				
C-110	1966	1	STAT		505	505	191	3	-29	1C,OWW							0	187,000				
C-110	1966	2	STAT		508	508	191	3	-26	OWW							0	187,000				
C-110	1966	3	STAT		508	508	191	#N/A	-26	OWW							0	187,000				
C-110	1966	4	STAT		508	508	191	#N/A	-26	OWW							0	187,000				
C-110	1967	1	STAT		508	508	191	#N/A	-26	OWW							0	187,000				
C-110	1967	2	STAT		508	508	191	#N/A	-26	1C,OWW							0	187,000				
C-110	1967	3	OUX	0	508	508	191	#N/A	-26	SU	CSR						0	187,000				
C-110	1967	3	STAT		508	508	191	#N/A	-26	1C,OWW				73 to Cell 23			0	187,000				
C-110	1967	4	send	-73	435	435		#N/A	26								0	187,000				ARH-326-5
C-110	1967	4	STAT		435	435	191	#N/A	-26	OWW					Omission		0	187,000				
C-110	1968	1	STAT		435	435	191	#N/A	-26	OWW							0	187,000				
C-110	1968	2	STAT		435	435	191	#N/A	-26	OWW							0	187,000				
C-110	1968	3	STAT		435	435	191	#N/A	-26	OWW							0	187,000				
C-110	1968	4	STAT		435	435	191	#N/A	-26	OWW							0	187,000				
C-110	1969	1	STAT		435	435	191	#N/A	-26	OWW							0	187,000				
C-110	1969	2	SEND	-215	220	220		#N/A	26	SU							0	187,000				ARH-1200B-5
C-110	1969	2	STAT		220	220	191	#N/A	-26	OWW							0	187,000				
C-110	1969	3	STAT		224	224	191	4	-22					215 to 102-C			0	187,000				
C-110	1969	4	STAT		224	224	191	#N/A	-22	OWW							0	187,000				
C-110	1970	1	REC	151	375	375	191	#N/A	-22	OWW							0	187,000				
C-110	1970	1	STAT		375	375	191	#N/A	-22	OWW				131 from 104-BY			0	187,000				ARH-1200B-5
C-110	1970	2	REC	1191	1566	1566		#N/A	-22	SU							0	187,000				
C-110	1970	2	SEND	-385	1171	1171		#N/A	-22	SU							0	187,000				ARH-1666B-5
C-110	1970	2	SEND	-375	796	796		#N/A	-22	SU							0	187,000				ARH-1666B-5
C-110	1970	2	SEND	-327	469	469		#N/A	-22	SU							0	187,000				ARH-1666B-5
C-110	1970	2	STAT		470	470	211	1	-21	EB,IX				1182 from 104-BX-1097 to 108-C, 109-C & 112-C			0	187,000				
C-110	1970	3	REC	66	536	536		#N/A	-21	SU							0	187,000				ARH-1656C-5
C-110	1970	3	SEND	0	536	536		#N/A	-21	SU							0	187,000				
C-110	1970	3	STAT		536	536	189	#N/A	-21	EB,IX							0	187,000				
C-110	1970	4	STAT		536	536	189	#N/A	-21	IX				66 from 104-BX			0	187,000				
C-110	1971	1	STAT		536	536	189	#N/A	-21	IX							0	187,000				
C-110	1971	2	STAT		536	536	189	#N/A	-21	IX							0	187,000				
C-110	1971	3	STAT		536	536	189	#N/A	-21	EB,IX							0	187,000				
C-110	1971	4	SEND	-326	210	210		#N/A	-21	SU							0	187,000				ARH-2074D-5
C-110	1971	4	STAT		211	211	189	1	-20	EB,IX				326 to 104-C			0	187,000				
C-110	1972	1	REC	160	371	371		#N/A	-20	SU							0	187,000				
C-110	1972	1	STAT		376	376	189	5	-15	OWW,EB,RIX				160 from 103-BX			0	187,000				ARH-2456A-4
C-110	1972	2	STAT		376	376	189	#N/A	-15	OWW,EB,RIX							0	187,000				
C-110	1972	3	STAT		376	376	183	#N/A	-15	OWW,EB,RIX							0	187,000				
C-110	1972	4	STAT		376	376	183	#N/A	-15	OWW,EB,RIX							0	187,000				
C-110	1973	1	STAT		376	376	183	#N/A	-15	OWW,EB,RIX							0	187,000				
C-110	1973	2	STAT		376	376	183	#N/A	-15	OWW,EB,RIX							0	187,000				
C-110	1973	3	STAT		376	376	183	#N/A	-15	OWW,EB,RIX							0	187,000				
C-110	1973	4	STAT		376	376	183	#N/A	-15	OWW,EB,RIX							0	187,000				
C-110	1974	1	STAT		376	376	200	#N/A	-15	OWW,EB,RIX							0	187,000				
C-110	1974	2	STAT		376	376	200	#N/A	-15	OWW,EB,RIX							0	187,000				
C-110	1974	3	STAT		376	376	200	#N/A	-15	OWW,EB,RIX							0	187,000				
C-110	1974	4	STAT		376	376	211	#N/A	-15	OWW,EB,RIX							0	187,000				

\* Dry Weils 30-10-01, 30-10-02, 30-10-05 drilled.

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Opdan comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #	
C-110	1975	1	STAT		376	376	211	#N/A	-15	OWW,EB,RIK				**Dry Wells 30-10-11 drilled.		0	0	187,000	1				
C-110	1975	2	STAT		376	376	211	#N/A	-15	CW,OWW,EB,RIK						0	0	187,000	1				
C-110	1975	3	SEND	-109		267	211	#N/A	-15	SU						0	0	187,000	4	O		ARH-CD-336C-4	
C-110	1975	3	STAT		268	268	211	1	-14	CW,OWW,EB,RIK		C-112		109 to 112-C		0	0	187,000	1				
C-110	1975	4	STAT		268	268	211	#N/A	-14	CW,OWW,EB,RIK						0	0	187,000	1				
C-110	1976	1	SEND	-62		206	211	#N/A	-14	SU		C-103				0	0	187,000	4	O		ARH-CD-702A-4	
C-110	1976	1	STAT		233	233	211	27	13	CW,OWW,EB,RIK				Removed from Service 62 to 103-C		0	0	187,000	1				
C-110	1976	2	SEND	-4		229	211	#N/A	13	SU		C-103		Removed from Service 4 to 103-C		0	0	187,000	4	O		ARH-CD-702B-4	
C-110	1976	2	STAT		211	211	211	-18	-5							0	0	187,000	1				
C-110	1976	3	STAT		211	211	211	#N/A	-5					Salt Well Pumped		0	0	187,000	1				
C-110	1976	4	STAT		211	211	211	#N/A	-5					Salt Well Pumped		0	0	187,000	1				
C-110	1977	1	STAT		211	211	211	#N/A	-5					Salt Well Pumped		0	0	187,000	1				
C-110	1977	2	STAT		211	211	211	#N/A	-5					Salt Well Pumped		0	0	187,000	1				
C-110	1977	3	STAT		211	211	211	#N/A	-5					Salt Well Pumped		0	0	187,000	1				
C-110	1977	3	STAT		211	211	211	#N/A	-5					Salt Well Pumped		0	0	187,000	1				
C-110	1977	4	STAT		211	211	211	#N/A	-5					Inactive Current Salt Well Installed		0	0	187,000	1				
C-110	1978	1	STAT		211	211	211	#N/A	-5							0	0	187,000	1				
C-110	1978	1	STAT		211	211	211	#N/A	-5							0	0	187,000	1				
C-110	1978	2	STAT		211	211	211	#N/A	-5							0	0	187,000	1				
C-110	1978	3	STAT		211	211	211	#N/A	-5							0	0	187,000	1				
C-110	1978	4	STAT		211	211	211	#N/A	-5	NCPLX						0	0	187,000	1				
C-110	1979	1	STAT		213	213	211	2	-3					Questionable Integrity Primary Stabilized		0	0	187,000	1				
C-110	1979	2	STAT		213	213	211	#N/A	-3							0	0	187,000	1				
C-110	1979	3	STAT		213	213	211	#N/A	-3							0	0	187,000	1				
C-110	1979	4	STAT		213	213	211	#N/A	-3							0	0	187,000	1				
C-110	1980	1	STAT		213	213	211	#N/A	-3							0	0	187,000	1				
C-110	1980	2	STAT		213	213	211	#N/A	-3							0	0	187,000	1				
C-110	1980	3	STAT		213	213	211	#N/A	-3							0	0	187,000	1				
C-110	1980	4	STAT		213	213	211	#N/A	-3	NCPLX						0	0	187,000	1				
C-110	1983	4	SEND	-26		187	187	#N/A	-3	swdg		AN-103				0	0	187,000	1				
C-110	1993	2	STAT		187	187	187	#N/A	-3	DC						0	0	187,000	1				
C-110	1993	4	STAT		187	187	187	#N/A	-3							0	0	187,000	1				
C-110	1994	1	STAT		187	187	187	#N/A	-3							0	0	187,000	1				
C-110	2000				187	187	187	#N/A	-3							0	0	187,000	1				

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #	
C-111	1900																						
C-111	1946	2	CREC	0		0		#N/A	0	SET	C-110						0	0.000		1			
C-111	1946	2	CSEND	0		0		#N/A	0	SET	C-112						0	0.000		1			
C-111	1946	2	STAT		N/A	0		#N/A	0								0	0.000		1			
C-111	1946	3	rec	206		206		#N/A	0	cas	C-110	C-110				0.03405866	7.0161	7.016	1C1	0			
C-111	1946	3	rec	124		330		#N/A	0	cas	C-110	C-110				0.03405866	4.2233	11.239	1C1	0			
C-111	1946	3	STAT			332	0	2	2	1C				2nd in Cascade, began filling August 1946			0	0	11.239		1		
C-111	1946	4	rec	157		489		#N/A	2	cas	C-110	C-110				0.03405866	5.3472	16.587	1C1	0			
C-111	1946	4	rec	146		635		#N/A	2	cas	C-110	C-110				0.03405866	4.9726	21.559	1C1	0			
C-111	1946	4	rec	119		754		#N/A	2	cas	C-110	C-110				0.03405866	4.053	25.612	1C1	0			
C-111	1946	4	send	-146		608		#N/A	2	cas		C-112					0	0	25.612		0		
C-111	1946	4	send	-78		530		#N/A	2	cas		C-112					0	0	25.612		0		
C-111	1946	4	STAT			530	0	#N/A	2					filled in November 1946			0	0	25.612		1		
C-111	1947	1	rec	132		662		#N/A	2	cas	C-110	C-110				0.03405866	4.4957	30.108	1C1	0			
C-111	1947	1	rec	92		754		#N/A	2	cas	C-110	C-110				0.03405866	3.1334	33.241	1C1	0			
C-111	1947	1	rec	64		818		#N/A	2	cas	C-110	C-110				0.03405866	2.1798	35.421	1C1	0			
C-111	1947	1	send	-132		686		#N/A	2	cas		C-112					0	0	35.421		0		
C-111	1947	1	send	-92		594		#N/A	2	cas		C-112					0	0	35.421		0		
C-111	1947	1	send	-64		530		#N/A	2	cas		C-112					0	0	35.421		0		
C-111	1947	1	STAT			530	0	#N/A	2					Cascading to 112-C			0	0	35.421		1		
C-111	1947	2	rec	17		547		#N/A	2	cas	C-110	C-110				0.03405866	0.579	36.000	1C1	0			
C-111	1947	2	send	-17		530		#N/A	2	cas		C-112					0	0	36.000		0		
C-111	1947	2	STAT			530	0	#N/A	2					Cascade filled April 1947			0	0	36.000		1		
C-111	1947	3	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1947	4	STAT			530	0	#N/A	2	1C							0	0	36.000		1		
C-111	1948	1	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1948	2	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1948	3	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1948	4	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1949	1	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1949	2	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1949	3	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1949	4	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1950	1	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1950	2	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1950	3	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1950	4	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1951	1	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1951	2	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1951	3	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1951	4	STAT			530	0	#N/A	2								0	0	36.000		1		
C-111	1952	1	STAT			530	0	#N/A	2	1C							0	0	36.000		1		
C-111	1952	2	STAT			530	36	#N/A	2	1C							0	0	36.000		1		
C-111	1952	3	SEND	-293		237		#N/A	2	SU		B-106					0	0	36.000		1		
C-111	1952	3	SEND	-201		36		#N/A	2	SU		B-106					0	0	36.000		1		
C-111	1952	3	STAT		36	36	36	#N/A	2	1C				Finished pumping to 106-B			0	0	36.000		1		
C-111	1952	4	XIN	103		139		#N/A	2	UR		UR					0	0	36.000		1		
C-111	1952	4	STAT			139	36	#N/A	2	TBP				Overflow from 110-C plugged on 11-15-52			0	0	36.000		1		
C-111	1953	1	XIN	610		749		#N/A	2	UR		UR					0	0	36.000		1		
C-111	1953	1	XIN	19		768		#N/A	2	UR		UR					0	0	36.000		1		
C-111	1953	1	send	-219		549		#N/A	2	cas		C-112					0	0	36.000		0		
C-111	1953	1	send	-19		530		#N/A	2	cas		C-112					0	0	36.000		0		
C-111	1953	1	STAT			536	36	#N/A	8								0	0	36.000		1		
C-111	1953	2	XIN	258		794		#N/A	8	UR		UR					0	0	36.000		1		
C-111	1953	2	send	-264		530		#N/A	8	cas		C-112					0	0	36.000		0		
C-111	1953	2	CREC	0		530		#N/A	8	END	C-110						0	0	36.000		1		

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Orden comment	sol vol type	Cum solids	TLM solids	sol vol%	
C-111	1953	2	STAT	536	536	536	36	6	14								0	36,000	0	
C-111	1953	3	STAT	536	536	536	36	N/A	14								0	36,000	0	
C-111	1953	4	STAT	536	536	536	36	N/A	14								0	36,000	0	
C-111	1954	1	STAT	536	536	536	36	N/A	14								0	36,000	0	
C-111	1954	2	STAT	536	536	536	36	N/A	14								0	36,000	0	
C-111	1954	3	STAT	536	536	536	36	N/A	14								0	36,000	0	
C-111	1954	4	STAT	536	536	536	36	N/A	14								0	36,000	0	
C-111	1955	1	STAT	536	536	536	36	N/A	14								0	36,000	0	
C-111	1955	2	STAT	536	536	536	36	N/A	14								0	36,000	0	
C-111	1955	3	STAT	536	536	536	36	N/A	14								0	36,000	0	
C-111	1955	4	STAT	536	536	536	36	N/A	14								0	36,000	0	
C-111	1956	1	OUTX	485	51	536	36	N/A	14	TBP							0	36,000	0	
C-111	1956	2	OUTX	32	19	51	36	N/A	14	TBP							0	36,000	0	
C-111	1956	3	XIN	33	52	51	36	N/A	14	TBP							0	36,000	0	
C-111	1956	4	XIN	364	416	51	36	N/A	14	TBP							0	36,000	0	
C-111	1956	1	XIN	114	530	530	36	N/A	14	TBP							0	36,000	0	
C-111	1956	2	STAT	530	530	530	36	N/A	14	TBP							0	36,000	0	
C-111	1956	3	STAT	530	530	530	36	N/A	14	TBP							0	36,000	0	
C-111	1956	4	STAT	530	530	530	36	N/A	14	TBP							0	36,000	0	
C-111	1957	1	STAT	56	56	56	36	N/A	13	OWW							0	36,834	0	
C-111	1957	2	STAT	56	56	56	36	N/A	13	OWW							0	36,834	0	
C-111	1957	3	STAT	56	56	56	36	N/A	13	OWW							0	36,834	0	
C-111	1957	4	STAT	56	56	56	36	N/A	13	OWW							0	36,834	0	
C-111	1957	1	XIN	6	70	70	36	N/A	13	OWW							0	36,834	0	
C-111	1957	2	XIN	6	70	70	36	N/A	13	OWW							0	36,834	0	
C-111	1957	3	XIN	6	70	70	36	N/A	13	OWW							0	36,834	0	
C-111	1957	4	XIN	6	70	70	36	N/A	13	OWW							0	36,834	0	
C-111	1957	1	XIN	82	122	122	36	N/A	13	CWP							0	36,834	0	
C-111	1957	2	XIN	91	213	213	36	N/A	13	CWP							0	36,834	0	
C-111	1957	3	XIN	119	332	332	36	N/A	13	CWP							0	36,834	0	
C-111	1957	4	XIN	119	332	332	36	N/A	13	CWP							0	36,834	0	
C-111	1957	1	STAT	77	409	409	36	N/A	13	OWW							0	36,834	0	
C-111	1957	2	STAT	77	409	409	36	N/A	13	OWW							0	36,834	0	
C-111	1957	3	STAT	77	409	409	36	N/A	13	OWW							0	36,834	0	
C-111	1957	4	STAT	77	409	409	36	N/A	13	OWW							0	36,834	0	
C-111	1957	1	XIN	486	895	895	36	N/A	13	T11							0	36,834	0	
C-111	1957	2	XIN	486	895	895	36	N/A	13	T11							0	36,834	0	
C-111	1957	3	XIN	436	1331	1331	36	N/A	13	T14							0	36,834	0	
C-111	1957	4	XIN	18	1349	1349	36	N/A	13	T14							0	36,834	0	
C-111	1957	2	SEND	-363	966	966	36	N/A	13	SU							0	36,834	0	
C-111	1957	3	OUTX	-461	525	525	36	N/A	13	SU							0	36,834	0	
C-111	1957	4	OUTX	-461	525	525	36	N/A	13	SU							0	36,834	0	
C-111	1957	2	STAT	521	521	521	13	-4	9	TBP							0	53,969	0	
C-111	1957	3	XIN	482	963	963	13	-4	9	TBP							0	53,969	0	
C-111	1957	4	XIN	287	1240	1240	13	-4	9	TBP							0	53,969	0	
C-111	1957	1	XIN	40	1280	1280	13	-4	9	TBP							0	53,969	0	
C-111	1957	2	XIN	465	1745	1745	13	-4	9	TBP							0	53,969	0	
C-111	1957	3	XIN	22	1767	1767	13	-4	9	TBP							0	53,969	0	
C-111	1957	4	XIN	451	1316	1316	13	-4	9	TBP							0	53,969	0	
C-111	1957	1	OUTX	-485	851	851	13	-4	9	TBP							0	53,969	0	
C-111	1957	2	OUTX	-286	555	555	13	-4	9	TBP							0	53,969	0	
C-111	1957	3	OUTX	-286	555	555	13	-4	9	TBP							0	53,969	0	
C-111	1957	4	OUTX	-286	555	555	13	-4	9	TBP							0	53,969	0	
C-111	1957	3	STAT	549	549	549	54	-6	3	EB							0	55,966	0	
C-111	1957	4	XIN	88	637	637	54	-6	3	EB							0	55,966	0	
C-111	1957	1	XIN	320	957	957	54	-6	3	EB							0	55,966	0	
C-111	1957	2	XIN	31	988	988	54	-6	3	EB							0	55,966	0	

Rank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans ltr	DWAT	LAML comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-111	1957	4	OUTX	-396		592		#N/A	3	SU	B-034	CRIB	OC 379 to 396, AND reports - 414		Shows 396 not 379	0	0	56,631		2	V	N-54-251
C-111	1957	4	OUTX	-373		219		#N/A	3	SU	B-035	CRIB	OC 357 to 373, AND reports - 346		Shows 373 not 357	0	0	56,631		2	V	N-54-252
C-111	1957	4	outk	-121		98		#N/A	3			CRIB				0	0	56,631		0		
C-111	1957	4	STAT		98		95	#N/A	3	EB				336 rec'd, 346 to BC-22, 414 to BC 21		0	0	56,631		1		
C-111	1958	1	STAT		101		95	3	6					Latest electrode reading		0	0	56,631		1		
C-111	1958	2	STAT		101		95	#N/A	6							0	0	56,631		1		
C-111	1958	3	STAT		101		95	#N/A	6	EB				Latest & new electrode reading		0	0	56,631		1		
C-111	1958	4	STAT		88		88	-13	-7	EB						0	0	56,631		1		
C-111	1959	1	STAT		90		90	2	-3							0	0	56,631		1		
C-111	1959	2	outk	-10		80		#N/A	-5	ADJ						0	0	56,631		1		
C-111	1959	2	STAT		90		90	10	5	EB						0	0	56,631		1		
C-111	1959	3	STAT		111		95	21	26	EB				Latest electrode reading, increase To be investigated.		0	0	56,631		1		
C-111	1959	4	REC	187		298		#N/A	26	SU		C-105				0	0	56,631		4	O	HW-62723-4
C-111	1959	4	STAT		298		95	#N/A	26	EB,CW				187 from 105-C		0	0	56,631		1		
C-111	1960	1	REC	39		337		#N/A	26	SU		C-105				0	0	56,631		4	O	HW-64810-4
C-111	1960	1	STAT		337		95	#N/A	26	EB,CW				39 from 105-C		0	0	56,631		1		
C-111	1960	2	STAT		337		95	#N/A	26							0	0	56,631		1		
C-111	1960	3	STAT		337		95	#N/A	26	EB,CW						0	0	56,631		1		
C-111	1960	4	XIN	8		345		#N/A	26	CWP					Shows 5 not 8	0.0461095	0.9689	57,000	CWP1	3	V	HW-68291-4
C-111	1960	4	STAT		N/A	345		#N/A	26	EB,CW			INCORRECT STAT 309 TO N/A	Latest electrode reading, 5 CW rec'd		0	0	57,000		1		
C-111	1961	1	STAT		N/A	345		#N/A	26							0	0	57,000		1		
C-111	1961	2	STAT		345		95	#N/A	26	EB,CW						0	0	57,000		1		
C-111	1961	3	STAT		N/A	345		#N/A	26							0	0	57,000		1		
C-111	1961	4	STAT		345		95	#N/A	26	EB,CW						0	0	57,000		1		
C-111	1962	1	STAT		N/A	345		#N/A	26							0	0	57,000		1		
C-111	1962	2	STAT		345		95	#N/A	26	EB,CW						0	0	57,000		1		
C-111	1962	3	STAT		N/A	345		#N/A	26							0	0	57,000		1		
C-111	1962	4	XIN	25		370		#N/A	26	HS						0	0	57,000		4	O	HW-76223-4
C-111	1962	4	STAT		370		95	#N/A	26	EB,CW,FP				25 from HS		0	0	57,000		1		
C-111	1963	1	STAT		N/A	370		#N/A	26							0	0	57,000		1		
C-111	1963	2	XIN	61		431		#N/A	26	HS						0	0	57,000		1		
C-111	1963	2	STAT		431		95	#N/A	26	EB,CW,FP				Rec'd 61 from HS		0	0	57,000		4	O	HW-78279-4
C-111	1963	3	STAT		N/A	431		#N/A	26							0	0	57,000		1		
C-111	1963	4	XIN	41		472		#N/A	26	HS						0	0	57,000		1		
C-111	1964	1	STAT		472		95	#N/A	26	EB,CW,HS						0	0	57,000		1		
C-111	1964	2	XIN	101		573		#N/A	26	HS				Rec'd 41 from Semisworks		0	0	57,000		4	O	HW-80379-4
C-111	1964	3	STAT		N/A	539		#N/A	-8							0	0	57,000		1		
C-111	1964	4	STAT		539		95	#N/A	-8	EB,CW,HS				Rec'd 101 HS		0	0	57,000		4	O	HW-83968-4
C-111	1965	1	STAT		539		95	#N/A	-8							0	0	57,000		1		
C-111	1965	2	STAT		519		81	-20	28	EB,CW,HS				New elect.		0	0	57,000		1		
C-111	1965	3	STAT		520		81	1	-27	EB,CW,HS				New electrode		0	0	57,000		1		
C-111	1965	4	STAT		516		81	-4	-31	EB,CW,HS						0	0	57,000		1		
C-111	1966	1	STAT		513		81	-3	-34	EB,CW,HS						0	0	57,000		1		
C-111	1966	2	STAT		510		81	-3	-37	CW,HS						0	0	57,000		1		
C-111	1966	3	STAT		510		81	#N/A	-37	EB,CW,HS						0	0	57,000		1		
C-111	1966	4	STAT		508		81	-2	-39	CW						0	0	57,000		1		
C-111	1967	1	STAT		508		81	#N/A	39	EB,CW,HS						0	0	57,000		1		
C-111	1967	2	STAT		503		81	-5	-44	CW,HS						0	0	57,000		1		
C-111	1967	3	STAT		503		81	#N/A	-44	EB,CW,HS						0	0	57,000		1		
C-111	1967	4	STAT		502		81	-1	-45	EB,CW,HS						0	0	57,000		1		



Year	Qtr	Type	Trans vol	Stat vol	Total vol	Soilids vol	Unk cfr	Cum unit	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Origin comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
1968	1	STAT	498	498	498	81	-3	-48	CW/HS						0	0	57,000		1		
1968	2	STAT	499	499	499	81	#N/A	-48	CW/HS						0	0	57,000		1		
1968	3	STAT	499	499	499	81	#N/A	-48	CW/HS						0	0	57,000		1		
1968	4	STAT	499	499	499	81	#N/A	-49	EB,CW,SSW						0	0	57,000		1		
1969	1	STAT	498	498	498	81	-1	-50	CW,SSW						0	0	57,000		1		
1969	2	STAT	497	497	497	81	-1	-50	EB,CW,SSW						0	0	57,000		1		
1969	3	STAT	497	497	497	81	#N/A	-50	SU						0	0	57,000		4	O	ARH-1200D-5
1969	4	STAT	147	147	147	81	-1	-51	CW				349 to 104-C		0	0	57,000		1		
1970	1	STAT	147	147	147	81	#N/A	-51	CW				*Dry Wells 30-11-01, 30-11-06, 30-11-09 drilled		0	0	57,000		1		
1970	2	STAT	146	146	146	96	-1	-52	CW						0	0	57,000		1		
1970	3	STAT	150	150	150	92	4	-48	CW						0	0	57,000		1		
1970	4	STAT	151	151	151	92	1	-47							0	0	57,000		1		
1971	1	STAT	151	151	151	92	#N/A	-47							0	0	57,000		1		
1971	2	STAT	151	151	151	92	#N/A	-47							0	0	57,000		1		
1971	3	STAT	151	151	151	92	#N/A	-47							0	0	57,000		1		
1971	4	STAT	151	151	151	92	#N/A	-47	CW						0	0	57,000		1		
1972	1	STAT	150	150	150	92	-1	-48	CW						0	0	57,000		1		
1972	2	XIN	22	22	172	76	#N/A	-48	WTR				22 from 301-C	Omission	0	0	57,000		1		
1972	3	STAT	172	172	172	76	#N/A	-48	CW						0	0	57,000		3	V	ARH-2456B-4
1972	4	STAT	174	174	174	76	2	-46	CW						0	0	57,000		1		
1973	1	STAT	172	172	172	76	-2	-48							0	0	57,000		1		
1973	2	STAT	172	172	172	76	#N/A	-48							0	0	57,000		1		
1973	3	STAT	172	172	172	76	#N/A	-48	CW						0	0	57,000		1		
1973	4	STAT	171	171	171	76	-1	-49							0	0	57,000		1		
1974	1	STAT	171	171	171	76	#N/A	-49	CW						0	0	57,000		1		
1974	2	SEND	66	106	106	8	#N/A	-49	SU						0	0	57,000		4	O	ARH-CD-1308-4
1974	3	STAT	114	114	114	76	8	-41	CW						0	0	57,000		1		
1974	4	STAT	114	114	114	76	1	-40	CW						0	0	57,000		1		
1975	1	STAT	114	114	114	62	-1	-41							0	0	57,000		1		
1975	2	STAT	114	114	114	62	#N/A	-41							0	0	57,000		1		
1975	3	STAT	114	114	114	62	#N/A	-41							0	0	57,000		1		
1975	4	STAT	114	114	114	62	#N/A	-41	CW						0	0	57,000		1		
1975	1	SEND	-41	73	73	62	#N/A	-41	SU						0	0	57,000		4	O	ARH-CD-702A-4
1976	1	STAT	73	73	73	62	#N/A	-41	CW						0	0	57,000		1		
1976	2	SEND	-11	82	82	62	#N/A	-41	SU						0	0	57,000		4	O	ARH-CD-702B-4
1976	3	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1976	4	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1977	1	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1977	2	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1977	3	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1977	4	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1978	1	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1978	2	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1978	3	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1978	4	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1979	1	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1979	2	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1979	3	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1979	4	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		
1980	1	STAT	62	62	62	62	#N/A	-41							0	0	57,000		1		



Rank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans link	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-111	1980	2	STAT		62	62	62	#N/A	-41							0	0	57,000	1			
C-111	1980	3	STAT		62	62	62	#N/A	-41	CW						0	0	57,000	1			
C-111	1980	4	STAT		62	62	62	#N/A	-41	CW						0	0	57,000	1			
C-111	1985	2	send	-5	57	57	57	#N/A	-41	swiql		AW-105				0	0	57,000	0			
C-111	1983	2	STAT		57	57	57	#N/A	-41	NCPX						0	0	57,000	1			
C-111	1983	4	STAT		57	57	57	#N/A	-41							0	0	57,000	1			
C-111	1984	1	STAT		57	57	57	#N/A	-41							0	0	57,000	1			
C-111	2000				57	57	57	#N/A	-41							0	0	57,000	1			

Tank n	Year	Dtr	Type	Trans vol	Stat vol	Total vol	Soiltes vol	Unk tit	Cum unk	Waste type	Trans limit	DWXT	LANL comment	Anderson comment	Ogden comment	act vol%	TLM soiltes	Cum soiltes	sol type	Cl	O/A	Document/Pg #
C-112	1900																					
C-112	1946	2	CREC	0		0		#N/A	0	SET	C-111						0	0.000				1
C-112	1946	2	STAT					#N/A	0								0	0.000				1
C-112	1946	3	STAT					#N/A	0								0	0.000				1
C-112	1946	4	rec	148		146		#N/A	0	CAS	C-111					0.02835539	4.1399	4.140	1C1		0	
C-112	1946	4	rec	78		224		#N/A	0	CAS	C-111					0.02835539	2.2117	6.352	1C1		0	
C-112	1946	4	STAT		225			#N/A	1	1C				3rd in cascade, began filling November 1946			0	6.352			1	
C-112	1947	1	rec	132		357		#N/A	1	CAS	C-111					0.02835539	3.7429	10.095	1C1		0	
C-112	1947	1	rec	92		449		#N/A	1	CAS	C-111					0.02835539	2.8097	12.703	1C1		0	
C-112	1947	1	rec	64		513		#N/A	1	CAS	C-111					0.02835539	1.8187	14.518	1C1		0	
C-112	1947	1	STAT		513			#N/A	1	1C							0	14.518			1	
C-112	1947	2	rec	17		530		#N/A	1	CAS	C-111					0.02835539	0.482	15.000	1C1		0	
C-112	1947	2	STAT		530			#N/A	1								0	15.000			1	
C-112	1947	3	STAT		530			#N/A	1	1C							0	15.000			1	
C-112	1947	4	STAT		530			#N/A	1								0	15.000			1	
C-112	1948	1	STAT		530			#N/A	1								0	15.000			1	
C-112	1948	2	STAT		530			#N/A	1								0	15.000			1	
C-112	1948	3	STAT		530			#N/A	1								0	15.000			1	
C-112	1948	4	STAT		530			#N/A	1								0	15.000			1	
C-112	1949	1	STAT		530			#N/A	1								0	15.000			1	
C-112	1949	2	STAT		530			#N/A	1								0	15.000			1	
C-112	1949	3	STAT		530			#N/A	1								0	15.000			1	
C-112	1949	4	STAT		530			#N/A	1								0	15.000			1	
C-112	1950	1	STAT		530			#N/A	1								0	15.000			1	
C-112	1950	2	STAT		530			#N/A	1	1C							0	15.000			1	
C-112	1950	3	STAT		530			#N/A	1								0	15.000			1	
C-112	1950	4	STAT		530			#N/A	1								0	15.000			1	
C-112	1951	1	STAT		530			#N/A	1								0	15.000			1	
C-112	1951	2	STAT		530			#N/A	1								0	15.000			1	
C-112	1951	3	STAT		530			#N/A	1								0	15.000			1	
C-112	1951	4	STAT		530			#N/A	1								0	15.000			1	
C-112	1952	1	STAT		525			-5	-4	1C							0	15.000			1	
C-112	1952	2	SEND	-426		99		#N/A	-4	SU	B-106						0	15.000			1	
C-112	1952	2	STAT		99			#N/A	-4	1C				Partially pumped to 106-B. To be finished at a later date			0	15.000			1	
C-112	1952	3	SEND	-82		17		#N/A	-4	SU	B-106						0	15.000			1	
C-112	1952	3	STAT		17			#N/A	-4	1C							0	15.000			1	
C-112	1952	4	STAT		17			#N/A	-4	1C							0	15.000			1	
C-112	1953	1	rec	219		236		#N/A	-4	CAS	C-111						0	15.000			1	
C-112	1953	1	rec	19		255		#N/A	-4	CAS	C-111						0	15.000			0	
C-112	1953	1	STAT		249			-6	-10	1C, TBP							0	15.000			0	
C-112	1953	2	rec	264		513		#N/A	-10	CAS	C-111			Started filling in January			0	15.000			1	
C-112	1953	2	STAT		517			#N/A	-6	1C, TBP							0	15.000			0	
C-112	1953	3	SEND	-239		278		#N/A	-6	SU	B-106						0	15.000			1	
C-112	1953	3	SEND	-100		178		#N/A	-6	SU	B-106						0	15.000			1	
C-112	1953	3	STAT		178			#N/A	-6	1C, TBP							0	15.000			1	
C-112	1953	4	SEND	-33		145		#N/A	-6	SU	B-106						0	15.000			1	
C-112	1953	4	STAT		145			#N/A	-6	TBP				Pumped TBP waste to 106-B			0	15.000			1	
C-112	1954	1	STAT		145			#N/A	-6	1C, TBP							0	15.000			1	
C-112	1954	2	XIN	33		178		#N/A	-6	UR							0	15.000			1	
C-112	1954	2	XIN	255		433		#N/A	-6	UR							0	15.000			1	
C-112	1954	2	STAT		433			#N/A	-6	1C, TBP				Rec'd TBP waste during June			0	15.000			1	
C-112	1954	3	XIN	33		466		#N/A	-6	UR							0	15.000			1	

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-112	1954	3	STAT		466	466	15	#N/A	-6	TBP				Rec'd material from 301-C catch tank		0	0	15.000		1		
C-112	1954	4	STAT		466	466	15	#N/A	-6	TBP						0	0	15.000		1		
C-112	1955	1	STAT		466	466	15	#N/A	-6	1C,TBP						0	0	15.000		1		
C-112	1955	2	STAT		466	466	17	#N/A	-6							0	0	15.000		1		
C-112	1955	3	STAT		466	466	17	#N/A	-6	TBP						0	0	15.000		1		
C-112	1955	4	XIN	463		923		#N/A	-6	T01	C-109	TFeCN				0.015863	7.3443	22.344	TFeCl	3	O	N-54-275
C-112	1955	4	SEND	-420		509		#N/A	-6	SU		C-104				0	0	22.344		1		
C-112	1955	4	STAT		524	524	17	15	9	TBP				Pumped to 104-C in October. Rec'd TBP in December		0	0	22.344		1		
C-112	1956	1	XIN	485		1009		#N/A	9	T03	C-111	TFeCN				0.015863	7.6933	30.038	TFeCl	3	O	N-54-277
C-112	1956	1	SEND	-433		576		#N/A	9	SU		C-108				0	0	30.038		1		
C-112	1956	1	OUTX	-452		124		#N/A	9	SU	B-017	CRIB	OC 408 to 452		Shows 452 BC-4 Crib	0	0	30.038		2	V	N-54-204
C-112	1956	1	STAT		N/A	124	17	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Pumped in March. Rec'd scvg waste from 001-CR		0	0	30.038		1		
C-112	1956	2	XIN	434		558		#N/A	9	T06	C-105	TFeCN				0.015863	6.8843	36.922	TFeCl	3	O	N-54-203 & 280
C-112	1956	2	STAT		N/A	558	17	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Rec'd scvg waste from 001-CR in April. Non-cribbable material		0	0	36.922		1		
C-112	1956	3	OUTX	-445		113		#N/A	9	SU	B-016	CRIB	OC 420 to 445, AND reports 336		Shows 445 to BC-3	0	0	36.922		2	V	N-54-203 & 280
C-112	1956	3	STAT		N/A	113	17	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Rec'd scvg waste from 001-CR vault. Pumped 336 to BC #3 crib		0	0	36.922		1		
C-112	1956	4	XIN	429		542		#N/A	9	T07	C-101	TFeCN	OC 360 to 429		Shows 429 not 360	0.015863	6.805	43.727	TFeCl	2	V	N-54-281
C-112	1956	4	OUTX	-476		66		#N/A	9	SU	B-023	CRIB	OC 429 to 476		Shows 476 to BC-10 Ditch	0	0	43.727		3	V	N-54-239
C-112	1956	4	STAT		N/A	66	39	#N/A	9				Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	Pumped 476 to BC #10 ditch in October		0	0	43.727		1		
C-112	1957	1	STAT		N/A	66	39	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	27" gain. Flushing BX line, latest electrode reading		0	0	43.727		1		
C-112	1957	2	XIN	370		436		#N/A	9	T09	C-102	TFeCN				0.015863	5.8691	49.596	TFeCl	3	O	N-54-283
C-112	1957	2	XIN	58		494		#N/A	9	T12	C-103	TFeCN				0.015863	0.92	50.516	TFeCl	1		
C-112	1957	2	XIN	506		1000		#N/A	9	T12	C-106	TFeCN	OC 448 to 506, AND reports 487		Shows 506 not 448	0.015863	8.0264	58.543	TFeCl	2	V	N-54-286
C-112	1957	2	SEND	-471		529		#N/A	9	SU		BY-102	AND reports -483			0	0	58.543		3	O	N-54-102
C-112	1957	2	SEND	-496		33		#N/A	9	SU		BY-108	OC 440 to 496, AND reports 279		Shows 496 not 440	0	0	58.543		2	V	N-54-283
C-112	1957	2	STAT		N/A	33	21	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	483 to 102-BY, 474 to 108-BY, 487 rec'd		0	0	58.543		1		
C-112	1957	3	XIN	474		507		#N/A	9	T15	BY-101	TFeCN	AND reports 478			0.015863	7.5188	68.061	TFeCl	3	O	N-54-289
C-112	1957	3	XIN	446		953		#N/A	9	T20	B-102	TFeCN	AND reports 459			0.015863	7.0747	73.136	TFeCl	3	O	N-54-294
C-112	1957	3	OUTX	-450		503		#N/A	9	SU	B-019	CRIB	AND reports -450			0	0	73.136		4	O	N-54-206 & 289
C-112	1957	3	STAT		N/A	503	39	#N/A	9	EB			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	450 to BC-6, 459 rec'd, rec'd 478 scvg waste		0	0	73.136		1		
C-112	1957	4	XIN	461		964		#N/A	9	T24	B-106	TFeCN				0.015863	7.3126	80.449	TFeCl	4	O	N-54-298
C-112	1957	4	XIN	413		1377		#N/A	9	T28	BX-108	TFeCN	OC 443 to 413		Shows 413 not 443	0.015863	6.5512	87.000	TFeCl	3	V	N-54-272
C-112	1957	4	OUTX	-470		907		#N/A	9	SU	B-019	CRIB				0	0	87.000		4	O	N-54-206
C-112	1957	4	OUTX	-414		493		#N/A	9	SU	B-034	CRIB		XIN total 874		0	0	87.000		4	O	N-54-251
C-112	1957	4	STAT		N/A	493	39	#N/A	9	TBP			Stat to N/A, phasing probs in FeCN process, refer to WHC-SD-WM-ER-133 Rev 0.	869 rec'd, 470 to BC-6, 414 to BC-21		0	0	87.000		1		
C-112	1958	1	OUTX	-439		54		#N/A	9	SU	B-035	CRIB	OC 469 to 439		Shows 439 not 469	0	0	87.000		3	V	N-54-252

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	Q/A	Document/Pg #	
C-112	1958	1	STAT		84	84	46	30	39	TBP							0	0	87.000		1		
C-112	1958	2	STAT		84	84	46	#N/A	39					432 to BC-22 trench			0	0	87.000		1		
C-112	1958	3	STAT		84	84	46	#N/A	39	TBP							0	0	87.000		1		
C-112	1958	4	xln	20		104		#N/A	39	ADJ	CORR	WTR					0	0	87.000		0		
C-112	1958	4	STAT		134	134	46	30	69	TBP							0	0	87.000		1		
C-112	1959	1	STAT		137	137	46	3	72					Latest new electrode reading			0	0	87.000		1		
C-112	1959	2	STAT		137	137	46	#N/A	72	TBP							0	0	87.000		1		
C-112	1959	3	STAT		N/A	137	46	#N/A	72	TBP			LC bad STAT? 84 to N/A	Latest electrode reading			0	0	87.000		1		
C-112	1959	4	STAT		136	136	46	-1	71	TBP							0	0	87.000		1		
C-112	1960	1	STAT		137	137	46	1	72								0	0	87.000		1		
C-112	1960	2	STAT		137	137	46	#N/A	72	TBP							0	0	87.000		1		
C-112	1960	3	XIN	71		208		#N/A	72	CWP		CWP1				0.078313	5.5602	92.560	CWP1	4	O	HW-67696-4	
C-112	1960	3	XIN	55		263		#N/A	72	WTR		WTR					0	0	92.560		4	O	HW-67696-4
C-112	1960	3	STAT		263	263	46	#N/A	72	TBP			XIN total 126	SS rec'd 126 CW & dilution			0	0	92.560		1		
C-112	1960	4	XIN	54		317		#N/A	72	CWP		CWP1				0.078313	4.2289	96.789	CWP1	4	O	HW-67705-4	
C-112	1960	4	XIN	41		358		#N/A	72	CWP		CWP1				0.078313	3.2108	100.000	CWP1	4	O	HW-68291-4	
C-112	1960	4	XIN	42		400		#N/A	72	WTR		WTR					0	0	100.000		4	O	HW-67705-4
C-112	1960	4	STAT		367	367	46	-33	39	TBP			XIN total 137	Latest electrode reading, 137 CW rec'd			0	0	100.000		1		
C-112	1961	1	XIN	55		422		#N/A	39	CWP		CWP2				0.034091	1.875	101.875	CWP2	1			
C-112	1961	1	STAT		N/A	422		#N/A	39								0	0	101.875		1		
C-112	1961	2	XIN	33		455		#N/A	39	CWP		CWP2				0.034091	1.125	103.000	CWP2	1			
C-112	1961	2	STAT		455	455	46	#N/A	39	TBP,CW				[ 6 month report]			0	0	103.000		1		
C-112	1961	3	STAT		N/A	455		#N/A	39								0	0	103.000		1		
C-112	1961	4	XIN	31		486		#N/A	39	HS		HS				0.018868	0.5849	103.585	HS	4	O	HW-72625-4	
C-112	1961	4	STAT		486	486	46	#N/A	39	TBP,CW,HS				31 from HS [ 6 month report]			0	0	103.585		1		
C-112	1962	1	STAT		N/A	486		#N/A	39								0	0	103.585		1		
C-112	1962	2	XIN	22		508		#N/A	39	HS		HS	OC 27 to 22			0.018868	0.4151	104.000	HS	3	V	HW-74647-4	
C-112	1962	2	STAT		508	508	46	#N/A	39	TBP,CW,FP				22 from HS [ 6 month report]	Show 22 not 27		0	0	104.000		1		
C-112	1962	3	STAT		N/A	508		#N/A	39								0	0	104.000		1		
C-112	1962	4	STAT		505	505	46	-3	38	TBP,CW,FP				Latest electrode reading [ 6 month report]			0	0	104.000		1		
C-112	1963	1	STAT		N/A	505		#N/A	38								0	0	104.000		1		
C-112	1963	2	STAT		510	510	46	5	41	TBP,CW,FP				Latest electrode reading [ 6 month report]			0	0	104.000		1		
C-112	1963	3	STAT		N/A	510		#N/A	41								0	0	104.000		1		
C-112	1963	4	STAT		513	513	46	3	44	TBP,CW,HS				Latest electrode reading [ 6 month report]			0	0	104.000		1		
C-112	1964	1	STAT		N/A	513		#N/A	44								0	0	104.000		1		
C-112	1964	2	STAT		547	547	46	34	78	TBP,CW,HS				[6 month report]			0	0	104.000		1		
C-112	1964	3	STAT		N/A	547		#N/A	78								0	0	104.000		1		
C-112	1964	4	STAT		547	547	46	#N/A	78	TBP,CW				[6 month report]			0	0	104.000		1		
C-112	1965	1	STAT		N/A	547		#N/A	78								0	0	104.000		1		
C-112	1965	2	STAT		538	538	128	-9	69	CW,HS				New electrode			0	0	104.000		1		
C-112	1965	3	STAT		538	538	128	#N/A	69	CW,HS				New electrode			0	0	104.000		1		
C-112	1965	4	STAT		538	538	128	#N/A	69	CW,HS							0	0	104.000		1		
C-112	1966	1	STAT		538	538	128	#N/A	69	TBP,CW,HS							0	0	104.000		1		
C-112	1966	2	STAT		535	535	128	-3	66	CW,HS							0	0	104.000		1		
C-112	1966	3	STAT		535	535	128	#N/A	66	CW,HS							0	0	104.000		1		
C-112	1966	4	STAT		535	535	128	#N/A	66	CW,HS							0	0	104.000		1		
C-112	1967	1	STAT		535	535	128	#N/A	66	CW,HS							0	0	104.000		1		
C-112	1967	2	STAT		535	535	128	#N/A	66	CW,HS							0	0	104.000		1		
C-112	1967	3	STAT		535	535	128	#N/A	66	CW,HS							0	0	104.000		1		
C-112	1967	4	STAT		535	535	128	#N/A	66	TBP,CW,HS							0	0	104.000		1		
C-112	1968	1	STAT		534	534	128	-1	65	CW,HS							0	0	104.000		1		
C-112	1968	2	STAT		534	534	128	#N/A	65	CW,HS							0	0	104.000		1		
C-112	1968	3	STAT		534	534	128	#N/A	65	CW,HS							0	0	104.000		1		

Well #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Other comment	sol type	Cl	Q/A	Document/Pt #
C-112	1966	4	STAT	534	534	534	128	#N/A	65	CW,SSW						0	0	104,000	
C-112	1969	1	STAT	534	534	534	128	#N/A	65	TBP,CW,SSW						0	0	104,000	
C-112	1969	2	STAT	532	532	532	128	#N/A	63	CW,SSW						0	0	104,000	
C-112	1969	3	STAT	532	532	532	128	#N/A	63	CW,SSW						0	0	104,000	
C-112	1969	4	STAT	532	532	532	128	#N/A	63	TBP,CW,SSW						0	0	104,000	
C-112	1970	1	XIN	21	553	553		#N/A	63	WTR						0	0	104,000	ARH-1665A-5
C-112	1970	1	SEND	-340	213	213		#N/A	63	SU						0	0	104,000	ARH-1665A-5
C-112	1970	1	STAT		213	213	128	#N/A	63	CW				21 from 301-C catch tk, 340 to 104-C		0	0	104,000	
C-112	1970	2	REC	327	540	540		#N/A	63	SU				327 from 110-C		0	0	104,000	ARH-1665B-5
C-112	1970	3	STAT	541	541	541	138	1	64	CW,IX						0	0	104,000	
C-112	1970	3	STAT	543	543	543	136	2	66	IX						0	0	104,000	
C-112	1970	4	STAT	543	543	543	136	#N/A	66	IX						0	0	104,000	
C-112	1971	1	STAT	543	543	543	136	#N/A	66	IX						0	0	104,000	
C-112	1971	2	STAT	543	543	543	136	#N/A	66	IX						0	0	104,000	
C-112	1971	3	STAT	543	543	543	136	#N/A	66	IX						0	0	104,000	
C-112	1971	4	STAT	543	543	543	136	#N/A	66	CW,IX						0	0	104,000	
C-112	1972	1	STAT	542	542	542	136	1	65	CW,IX						0	0	104,000	
C-112	1972	2	STAT	543	543	543	136	1	66	CW,IX						0	0	104,000	
C-112	1972	3	STAT	543	543	543	120	#N/A	66	CW,IX						0	0	104,000	
C-112	1972	4	STAT	532	532	532	120	11	55	IX						0	0	104,000	
C-112	1973	1	STAT	532	532	532	120	#N/A	55	CW,IX						0	0	104,000	
C-112	1973	2	STAT	531	531	531	120	1	54	IX						0	0	104,000	
C-112	1973	3	STAT	531	531	531	120	#N/A	54	IX						0	0	104,000	
C-112	1973	4	STAT	531	531	531	120	#N/A	54	CW,IX						0	0	104,000	
C-112	1974	1	STAT	530	530	530	120	1	53	IX						0	0	104,000	
C-112	1974	2	STAT	530	530	530	120	#N/A	53	IX						0	0	104,000	
C-112	1974	3	STAT	530	530	530	120	#N/A	53	CW,IX						0	0	104,000	
C-112	1974	4	STAT	532	532	532	128	2	55	CW,IX						0	0	104,000	
C-112	1975	1	XIN	19	551	551		#N/A	55	WTR						0	0	104,000	
C-112	1975	1	SEND	-66	465	465		#N/A	55	SU						0	0	104,000	
C-112	1975	1	STAT	463	463	463	128	2	53	CW,IX				19 from 301-C, 66 to 103-C		0	0	104,000	
C-112	1975	2	STAT	463	463	463	128	#N/A	53	CW,IX				"Dry Wells 30-12-01, 30-12-03, 30-12-08 drilled.		0	0	104,000	
C-112	1975	3	SEND	-400	83	83		#N/A	53	SU						0	0	104,000	
C-112	1975	3	REC	109	182	182		#N/A	53	SU						0	0	104,000	
C-112	1975	3	STAT	194	194	194	128	2	55	CW,CW,EB,RIK				109 from 110-C, 400 to 103-C		0	0	104,000	
C-112	1975	4	SEND	-85	109	109		#N/A	55	SU						0	0	104,000	
C-112	1975	4	STAT	109	109	109	108	#N/A	55	SU				85 to 103-C		0	0	104,000	
C-112	1976	1	SEND	-3	106	106		#N/A	55	SU				Removed from service 3 to 103-C		0	0	104,000	
C-112	1976	1	STAT	109	109	109	108	3	58	SU				Removed from service 1 to 103-C		0	0	104,000	
C-112	1976	2	SEND	-1	108	108		#N/A	58	SU				Removed from service 1 to 103-C		0	0	104,000	
C-112	1976	2	STAT	109	109	109	108	1	59	SU				Salt Well Pumped		0	0	104,000	
C-112	1976	3	STAT	109	109	109	108	#N/A	59	SU				Salt Well Pumped		0	0	104,000	
C-112	1976	4	STAT	109	109	109	108	#N/A	59	SU				Salt Well Pumped		0	0	104,000	
C-112	1977	1	STAT	109	109	109	108	#N/A	59	SU				Salt Well Pumped		0	0	104,000	
C-112	1977	2	STAT	109	109	109	108	#N/A	59	SU				Salt Well Pumped		0	0	104,000	
C-112	1977	3	STAT	109	109	109	108	#N/A	59	SU				Salt Well Pumped		0	0	104,000	
C-112	1977	4	STAT	109	109	109	108	#N/A	59	SU				Inactive Current Salt Well Installed		0	0	104,000	
C-112	1978	1	STAT	109	109	109	108	#N/A	59	SU						0	0	104,000	
C-112	1978	2	STAT	109	109	109	108	#N/A	59	SU						0	0	104,000	
C-112	1978	3	STAT	109	109	109	108	#N/A	59	SU						0	0	104,000	
C-112	1978	4	STAT	109	109	109	108	#N/A	59	SU				New Photo 11/18/78		0	0	104,000	

Tank No	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unit	Waste type	Trans tank	DWAT	LAML comment	Anderson comment	Ogden comment	sol work%	TLM solids	Cum solids	sol type	Cl	C/A	Document/Pg #
C-112	1979	1	STAT		109	109	109	#N/A	59							0	0	104,000				
C-112	1979	2	STAT		109	109	109	#N/A	59							0	0	104,000				
C-112	1979	3	STAT		109	109	109	#N/A	59							0	0	104,000				
C-112	1979	4	STAT		109	109	109	#N/A	59	EBRIX						0	0	104,000				
C-112	1980	1	STAT		109	109	109	#N/A	59							0	0	104,000				
C-112	1980	2	STAT		109	109	109	#N/A	59					*30-12-13 dry well drilled 5-78		0	0	104,000				
C-112	1980	3	STAT		109	109	109	#N/A	59							0	0	104,000				
C-112	1980	4	STAT		109	109	109	#N/A	59	EB,RI						0	0	104,000				
C-112	1983	4	send	-5		104	104	#N/A	59	swtlq		AN-103			0	0	104,000					
C-112	1993	2	STAT		104	104	104	#N/A	59	NCPLX						0	0	104,000				
C-112	1993	4	STAT		104	104	104	#N/A	59							0	0	104,000				
C-112	1994	1	STAT		104	104	104	#N/A	59							0	0	104,000				
C-112	2000				104	104	104	#N/A	59							0	0	104,000				

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solites vol	Link tfr	Cum unkl	Waste type	Trans Isank	DWXT	LANL comment	Anderson comment	Cyclon comment	sol vol	Cum solites	TLM Solites	sol vol%	sol type	Cl	O/A	Document/PA #
C-201	1900																						
C-201	1947	4	CSEND	0		0	0	#N/A	0	SET	C-202						0	0.000					
C-201	1947	4	XIN	55		55	55	#N/A	0	MW		MW1					0.250	0.004545		MW1			
C-201	1947	4	XIN	96		151	151	#N/A	0	MW		MW1					0.686	0.004545		MW1			
C-201	1947	4	send	96		55	55	#N/A	0		C-202						0.686	0					
C-201	1947	4	STAT		55	55	55	#N/A	0					Filed during March & November			0	0					
C-201	1948	1	XIN	69		124	124	#N/A	0	MW		MW1					0.3136	0.004545		MW1			
C-201	1948	1	send	69		55	55	#N/A	0		C-202						0	0					
C-201	1948	1	STAT		55	55	55	#N/A	0								0	0					
C-201	1948	2	STAT		55	55	55	#N/A	0								0	0					
C-201	1948	3	STAT		55	55	55	#N/A	0								0	0					
C-201	1948	4	STAT		55	55	55	#N/A	0								0	0					
C-201	1949	1	STAT		55	55	55	#N/A	0								0	0					
C-201	1949	2	STAT		55	55	55	#N/A	0								0	0					
C-201	1949	3	STAT		55	55	55	#N/A	0								0	0					
C-201	1949	4	STAT		55	55	55	#N/A	0								0	0					
C-201	1950	1	STAT		55	55	55	#N/A	0								0	0					
C-201	1950	2	STAT		55	55	55	#N/A	0								0	0					
C-201	1950	3	STAT		55	55	55	#N/A	0								0	0					
C-201	1950	4	STAT		55	55	55	#N/A	0								0	0					
C-201	1951	1	STAT		55	55	55	#N/A	0								0	0					
C-201	1951	2	STAT		55	55	55	#N/A	0								0	0					
C-201	1951	3	STAT		55	55	55	#N/A	0								0	0					
C-201	1951	4	STAT		55	55	55	#N/A	0								0	0					
C-201	1952	1	STAT		54.5	54.5	54.5	0	-0.5								0	0					
C-201	1952	2	STAT		54.5	54.5	54.5	0	-0.5								0	0					
C-201	1952	3	STAT		54.5	54.5	54.5	0	-0.5	MW							0	0					
C-201	1952	4	STAT		52.5	52.5	52.5	0	-2.5								0	0					
C-201	1953	1	STAT		52.5	52.5	52.5	0	-2.5	MW							0	0					
C-201	1953	2	STAT		54.5	54.5	54.5	0	-0.5					Cascade now processing. For feed to TBP Plant.			0	0					
C-201	1953	3	STAT		54.5	54.5	54.5	0	-0.5	MW							0	0					
C-201	1953	4	STAT		N/A	N/A	54.5	0	-0.5	MW			switching phasing errors stat to n/a				0	0					
C-201	1954	1	CSEND	0		54.5	54.5	#N/A	-0.5	END	C-202			MW removal in progress. Supernatant transferred to 106-C			0	0					
C-201	1954	1	STAT		N/A	54.5	54.5	0	-0.5				switching phasing errors stat to n/a				0	0					
C-201	1954	2	STAT		N/A	54.5	54.5	0	-0.5				switching phasing errors stat to n/a				0	0					
C-201	1954	3	STAT		N/A	54.5	54.5	0	-0.5				switching phasing errors stat to n/a				0	0					
C-201	1954	4	SEND	-53		1.5	1.5	#N/A	-0.5	SL	C-204			Declared empty on 3-17-54			0	0					
C-201	1954	4	STAT		0	0	0	-1.5	-2	MW			switching phasing errors stat to n/a				0	0					
C-201	1955	1	STAT		0	0	0	#N/A	-2	MW							0	0					
C-201	1955	2	XIN	13		13	13	#N/A	-2		HS						0.2281	0.017544		SSW			
C-201	1955	2	STAT		13	13	13	#N/A	-2	SSW							0	0					
C-201	1955	3	XIN	17		30	30	#N/A	-2		HS						0.2962	0.017544		SSW			
C-201	1955	3	STAT		30	30	30	#N/A	-2	SSW							0	0					
C-201	1955	4	XIN	27		57	57	#N/A	-2		HS						0.4737	0.017544		SSW			
C-201	1955	4	STAT		57	57	57	#N/A	-2	SSW							0	0					
C-201	1956	1	STAT		54.5	54.5	54.5	0	-2.5								0	0					
C-201	1956	2	STAT		54.5	54.5	54.5	0	-4.5								0	0					
C-201	1956	3	STAT		54.5	54.5	54.5	0	-4.5								0	0					
C-201	1956	4	STAT		55	55	55	0	-4	SSW							0	0					
C-201	1957	1	STAT		54	54	54	0	-1								0	0					



Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unkltr	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Open comment	sol vol%	TLM solids	Cum solids	sol type	QVA	Document/Pg #
C-201	1957	2	STAT	54	54	54	0	#N/A	-5	HS				Latest electrode reading		0	0	2,000	1		
C-201	1957	3	STAT	55	55	55	0	1	-4							0	0	2,000	1		
C-201	1957	4	STAT	55	55	55	0	#N/A	-4							0	0	2,000	1		
C-201	1958	1	STAT	55	55	55	0	#N/A	-4							0	0	2,000	1		
C-201	1958	2	STAT	55	55	55	0	#N/A	-4							0	0	2,000	1		
C-201	1958	3	STAT	55	55	55	0	#N/A	-4	HS						0	0	2,000	1		
C-201	1958	4	STAT	55	55	55	0	#N/A	-4							0	0	2,000	1		
C-201	1959	1	STAT	54	54	54	0	1	-5							0	0	2,000	1		
C-201	1959	2	STAT	54	54	54	0	#N/A	-5	HS						0	0	2,000	1		
C-201	1959	3	STAT	54	54	54	0	#N/A	-5							0	0	2,000	1		
C-201	1959	4	STAT	55	55	55	0	1	-4							0	0	2,000	1		
C-201	1960	1	STAT	55	55	55	0	#N/A	-4							0	0	2,000	1		
C-201	1960	2	STAT	55	55	55	0	#N/A	-4							0	0	2,000	1		
C-201	1960	3	STAT	55	55	55	0	#N/A	-4							0	0	2,000	1		
C-201	1960	4	STAT	55	55	55	0	#N/A	-4	HS						0	0	2,000	1		
C-201	1961	1	STAT	N/A	N/A	N/A	0	#N/A	-4							0	0	2,000	1		
C-201	1961	2	STAT	N/A	N/A	N/A	0	1	-3	HS						0	0	2,000	1		
C-201	1961	3	STAT	N/A	N/A	N/A	0	#N/A	-3							0	0	2,000	1		
C-201	1961	4	STAT	N/A	N/A	N/A	0	#N/A	-3	HS						0	0	2,000	1		
C-201	1962	1	STAT	N/A	N/A	N/A	0	#N/A	-3							0	0	2,000	1		
C-201	1962	2	STAT	N/A	N/A	N/A	0	#N/A	-3	HS						0	0	2,000	1		
C-201	1962	3	STAT	N/A	N/A	N/A	0	#N/A	-3							0	0	2,000	1		
C-201	1962	4	STAT	N/A	N/A	N/A	0	#N/A	-3	HS						0	0	2,000	1		
C-201	1963	1	STAT	N/A	N/A	N/A	0	#N/A	-3							0	0	2,000	1		
C-201	1963	2	STAT	N/A	N/A	N/A	0	#N/A	-3	HS						0	0	2,000	1		
C-201	1963	3	STAT	N/A	N/A	N/A	0	#N/A	-3							0	0	2,000	1		
C-201	1963	4	STAT	N/A	N/A	N/A	0	2	-5	HS						0	0	2,000	1		
C-201	1964	1	STAT	N/A	N/A	N/A	0	#N/A	-5							0	0	2,000	1		
C-201	1964	2	STAT	N/A	N/A	N/A	0	#N/A	-5	HS						0	0	2,000	1		
C-201	1964	3	STAT	N/A	N/A	N/A	0	#N/A	-5							0	0	2,000	1		
C-201	1964	4	STAT	N/A	N/A	N/A	0	#N/A	-5	HS						0	0	2,000	1		
C-201	1965	1	STAT	N/A	N/A	N/A	0	#N/A	-3							0	0	2,000	1		
C-201	1965	2	STAT	N/A	N/A	N/A	0	#N/A	-5							0	0	2,000	1		
C-201	1965	3	STAT	N/A	N/A	N/A	0	#N/A	-5	HS						0	0	2,000	1		
C-201	1965	4	STAT	N/A	N/A	N/A	0	2	-7							0	0	2,000	1		
C-201	1966	1	STAT	N/A	N/A	N/A	0	#N/A	-7							0	0	2,000	1		
C-201	1966	2	STAT	N/A	N/A	N/A	0	#N/A	-7	HS						0	0	2,000	1		
C-201	1966	3	STAT	N/A	N/A	N/A	0	#N/A	-7							0	0	2,000	1		
C-201	1966	4	STAT	N/A	N/A	N/A	0	#N/A	-7	HS						0	0	2,000	1		
C-201	1967	1	STAT	N/A	N/A	N/A	0	3	-4							0	0	2,000	1		
C-201	1967	2	STAT	N/A	N/A	N/A	0	#N/A	-4							0	0	2,000	1		
C-201	1967	3	STAT	N/A	N/A	N/A	0	#N/A	-4							0	0	2,000	1		
C-201	1967	4	STAT	N/A	N/A	N/A	0	#N/A	-4							0	0	2,000	1		
C-201	1968	1	STAT	N/A	N/A	N/A	0	#N/A	-4							0	0	2,000	1		
C-201	1968	2	STAT	N/A	N/A	N/A	0	#N/A	-4	HS						0	0	2,000	1		
C-201	1968	3	STAT	N/A	N/A	N/A	0	#N/A	-4							0	0	2,000	1		
C-201	1968	4	STAT	N/A	N/A	N/A	0	#N/A	-4							0	0	2,000	1		
C-201	1969	1	STAT	N/A	N/A	N/A	0	#N/A	-4							0	0	2,000	1		
C-201	1969	2	STAT	N/A	N/A	N/A	0	#N/A	-4							0	0	2,000	1		
C-201	1969	3	STAT	N/A	N/A	N/A	0	#N/A	-4	SSW						0	0	2,000	1		
C-201	1969	4	STAT	N/A	N/A	N/A	0	#N/A	-4	SSW						0	0	2,000	1		
C-201	1970	1	STAT	N/A	N/A	N/A	0	#N/A	-4	SSW						0	0	2,000	1		
C-201	1970	2	SEND	-54	1	1	1	#N/A	-4	SU						0	0	2,000	4	O	ARH-1656B-5
C-201	1970	3	STAT	1	1	1	1	#N/A	-4					54 to 104-C		0	0	2,000	1		
C-201	1970	4	STAT	1	1	1	1	#N/A	-4							0	0	2,000	1		
C-201	1971	1	STAT	1	1	1	1	#N/A	-4							0	0	2,000	1		
C-201	1971	2	STAT	1	1	1	1	#N/A	-4							0	0	2,000	1		

Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Options comment	sol vol%	TLW solids	Cum solids	sol type	Cl	O/A	Document/Pg #
C-201	1971	3	STAT	1	1	1	1	#N/A	4							0	0	2,000	1			
C-201	1971	4	STAT	1	1	1	1	#N/A	4							0	0	2,000	1			
C-201	1972	1	STAT	1	1	1	1	#N/A	4							0	0	2,000	1			
C-201	1972	2	STAT	1	1	1	1	#N/A	4							0	0	2,000	1			
C-201	1972	3	STAT	1	1	1	1	#N/A	4							0	0	2,000	1			
C-201	1972	4	STAT	1	1	1	1	#N/A	4							0	0	2,000	1			
C-201	1973	1	STAT	1	1	1	1	#N/A	4							0	0	2,000	1			
C-201	1973	2	STAT	1	1	1	1	#N/A	4							0	0	2,000	1			
C-201	1973	3	STAT	1	1	1	1	#N/A	4							0	0	2,000	1			
C-201	1973	4	STAT	3	3	3	3	2	-2							0	0	2,000	1			
C-201	1974	1	STAT	3	3	3	3	#N/A	-2							0	0	2,000	1			
C-201	1974	2	STAT	3	3	3	3	#N/A	-2							0	0	2,000	1			
C-201	1974	3	STAT	3	3	3	3	#N/A	-2							0	0	2,000	1			
C-201	1974	4	STAT	3	3	3	3	0	#N/A	-2						0	0	2,000	1			
C-201	1975	1	STAT	4	4	4	4	0	1							0	0	2,000	1			
C-201	1975	2	STAT	4	4	4	4	#N/A	-1							0	0	2,000	1			
C-201	1975	3	STAT	4	4	4	4	#N/A	-1							0	0	2,000	1			
C-201	1975	4	STAT	4	4	4	4	#N/A	-1							0	0	2,000	1			
C-201	1976	1	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1976	2	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1976	3	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1976	4	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1977	1	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1977	2	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1977	3	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1977	4	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1978	1	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1978	2	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1978	3	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1978	4	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1979	1	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1979	2	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1979	3	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1979	4	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1980	1	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1980	2	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1980	3	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1980	4	STAT	4	4	4	4	0	#N/A	-1						0	0	2,000	1			
C-201	1993	2	STAT	2	2	2	2	2	-2							0	0	2,000	1			
C-201	1993	4	STAT	2	2	2	2	2	-3							0	0	2,000	1			
C-201	1994	1	STAT	2	2	2	2	2	-3							0	0	2,000	1			
C-201	2000															0	0	2,000	1			

Removed from service  
 Evap. Active Restricted  
 Evap. Active Restricted  
 Evap. Active Restricted  
 Evap. Active Restricted  
 Evap. Active Restricted  
 Inactive

Rank	Year	Off	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tr	Cum unk	Waste type	Trans bank	DWXT	LANL comment	Anderson comment	Oxidan comment	sol vol%	TLM solids	Cum Solids	sol type	Cl	QA	Document/Pg #
C-202	1900																					
C-202	1947	4	CREC	0	0	0	0	#NA	0	SET	C-201						0	0.000				
C-202	1947	4	CSEND	0	0	0	0	#NA	0	SET	C-203						0	0.000				
C-202	1947	4	rec	96				#NA	0			C-201					0	0.000				
C-202	1947	4	send	-41				#NA	0			C-203					0	0.000				
C-202	1947	4	STAT		55	55	55	0	0					Filed in March & November			0	0.000				
C-202	1948	1	rec	69		124		#NA	0			C-201					0	0.000				
C-202	1948	1	send	-69		55		#NA	0			C-203					0	0.000				
C-202	1948	1	STAT		55	55	55	0	0								0	0.000				
C-202	1948	2	STAT		55	55	55	0	0								0	0.000				
C-202	1948	3	STAT		55	55	55	0	0								0	0.000				
C-202	1948	4	STAT		55	55	55	0	0								0	0.000				
C-202	1949	1	STAT		55	55	55	0	0								0	0.000				
C-202	1949	2	STAT		55	55	55	0	0								0	0.000				
C-202	1949	3	STAT		55	55	55	0	0								0	0.000				
C-202	1949	4	STAT		55	55	55	0	0								0	0.000				
C-202	1950	1	STAT		55	55	55	0	0								0	0.000				
C-202	1950	2	STAT		55	55	55	0	0								0	0.000				
C-202	1950	3	STAT		55	55	55	0	0								0	0.000				
C-202	1950	4	STAT		55	55	55	0	0								0	0.000				
C-202	1951	1	STAT		55	55	55	0	0								0	0.000				
C-202	1951	2	STAT		55	55	55	0	0		55						0	0.000				
C-202	1951	3	STAT		55	55	55	0	0								0	0.000				
C-202	1951	4	STAT		55	55	55	0	0								0	0.000				
C-202	1952	1	STAT		54.5	54.5	54.5	0	-0.5								0	0.000				
C-202	1952	2	STAT		54.5	54.5	54.5	0	-0.5								0	0.000				
C-202	1952	3	STAT		54.5	54.5	54.5	0	-0.5								0	0.000				
C-202	1952	4	STAT		54.5	54.5	54.5	0	-0.5								0	0.000				
C-202	1953	1	STAT		55	55	55	0	0.5								0	0.000				
C-202	1953	2	xip	8		63		#NA	0	MW		WTR				0	0.000					
C-202	1953	2	SEND	-55		8		#NA	0	SU		C-106		Cascade now processing for feed to TBP Plant		0	0.000					
C-202	1953	2	STAT		8	8	8	0	0	MW						0	0.000					
C-202	1953	3	STAT		8	8	8	0	0	MW						0	0.000					
C-202	1953	4	xip	36		44		#NA	0			WTR				0	0.000					
C-202	1953	4	STAT		44	44	44	0	0	MW						0	0.000					
C-202	1954	1	OUTX	-44		0		#NA	0							0	0.000					
C-202	1954	1	CREC	0		0		#NA	0	END	C-201					0	0.000					
C-202	1954	1	STAT		0	0	0	0	0							0	0.000					
C-202	1954	2	STAT		0	0	0	0	0							0	0.000					
C-202	1954	3	STAT		0	0	0	0	0							0	0.000					
C-202	1954	4	STAT		0	0	0	0	0							0	0.000					
C-202	1955	1	STAT		0	0	0	0	0							0	0.000					
C-202	1955	2	STAT		0	0	0	0	0							0	0.000					
C-202	1955	3	STAT		0	0	0	0	0							0	0.000					
C-202	1955	4	xip	6		6		#NA	0	MW		HS				0.018182	0.109	SSW				
C-202	1955	4	STAT		6	6	6	0	0	SSW						0	0.109	SSW				
C-202	1956	1	xip	18		24		#NA	0			HS				0.018182	0.496	SSW				
C-202	1956	1	STAT		24	24	24	0	0	SSW						0	0.496	SSW				
C-202	1956	2	STAT		54.5	54.5	54.5	0	-0.5					Received in February		0.018182	1.000	SSW				
C-202	1956	3	STAT		54.5	54.5	54.5	0	-0.5							0.018182	1.000	SSW				
C-202	1956	4	STAT		55	55	55	0	0.5	SSW						0	1.000	SSW				
C-202	1957	1	STAT		56	56	56	0	1					Filled in May		0	1.000	SSW				
C-202	1957	2	STAT		56	56	56	0	1					Latest electrode reading		0	1.000	SSW				

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum unk	Waste type	Trans tank	DWAT	LANL comment	Anderson comment	Oyden comment	sol vol%	TLM solids	Cum solids	sol type	Oil	O/A	Document/Pa #
C-202	1987	3	STAT	56	56	56	0	#N/A	1							0	0	1,000		1		
C-202	1987	4	STAT	56	56	56	0	#N/A	1							0	0	1,000		1		
C-202	1988	1	STAT	56	56	56	0	#N/A	1							0	0	1,000		1		
C-202	1988	2	STAT	56	56	56	0	#N/A	1							0	0	1,000		1		
C-202	1988	3	STAT	56	56	56	0	#N/A	1	HS						0	0	1,000		1		
C-202	1988	4	STAT	55	55	55	0	-1	0					New electrode reading		0	0	1,000		1		
C-202	1989	1	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1989	2	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1989	3	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1989	4	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1990	1	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1990	2	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1990	3	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1990	4	STAT	55	55	55	0	#N/A	0	HS						0	0	1,000		1		
C-202	1991	1	STAT	N/A	55	55	0	#N/A	0					[6 month report]		0	0	1,000		1		
C-202	1991	2	STAT	56	56	56	0	1	1	HS						0	0	1,000		1		
C-202	1991	3	STAT	N/A	56	56	0	#N/A	1					[6 month report]		0	0	1,000		1		
C-202	1991	4	STAT	56	56	56	0	#N/A	1	HS						0	0	1,000		1		
C-202	1992	1	STAT	N/A	56	56	0	#N/A	1							0	0	1,000		1		
C-202	1992	2	STAT	56	56	56	0	#N/A	1	HS				[6 month report]		0	0	1,000		1		
C-202	1992	3	STAT	N/A	56	56	0	#N/A	1							0	0	1,000		1		
C-202	1992	4	STAT	56	56	56	0	#N/A	1	HS				[6 month report]		0	0	1,000		1		
C-202	1993	1	STAT	N/A	56	56	0	#N/A	1							0	0	1,000		1		
C-202	1993	2	STAT	56	56	56	0	#N/A	1	HS				[6 month report]		0	0	1,000		1		
C-202	1993	3	STAT	N/A	56	56	0	#N/A	1							0	0	1,000		1		
C-202	1993	4	STAT	57	57	57	0	1	2	HS				[6 month report]		0	0	1,000		1		
C-202	1994	1	STAT	56	56	56	0	1	1	HS						0	0	1,000		1		
C-202	1994	2	STAT	56	56	56	0	1	1							0	0	1,000		1		
C-202	1994	3	STAT	N/A	56	56	0	#N/A	1							0	0	1,000		1		
C-202	1994	4	STAT	55	55	55	0	-1	0	HS				[6 month report]		0	0	1,000		1		
C-202	1995	1	STAT	N/A	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1995	2	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1995	3	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1995	4	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1996	1	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1996	2	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1996	3	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1996	4	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1997	1	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1997	2	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1997	3	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1997	4	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1998	1	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1998	2	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1998	3	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1998	4	STAT	55	55	55	0	#N/A	0	HS						0	0	1,000		1		
C-202	1999	1	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1999	2	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1999	3	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1999	4	STAT	55	55	55	0	#N/A	0							0	0	1,000		1		
C-202	1970	1	STAT	55	55	55	0	#N/A	0	SSW						0	0	1,000		1		
C-202	1970	2	SEND	-55	0	0	0	#N/A	0	SU		C-104		55 to 104-C		0	0	1,000		4	O	ARH-1666B-5
C-202	1970	3	STAT	0	0	0	0	#N/A	0							0	0	1,000		1		
C-202	1970	4	STAT	0	0	0	0	#N/A	0							0	0	1,000		1		
C-202	1971	1	STAT	0	0	0	0	#N/A	0							0	0	1,000		1		
C-202	1971	2	STAT	0	0	0	0	#N/A	0							0	0	1,000		1		
C-202	1971	3	STAT	0	0	0	0	#N/A	0							0	0	1,000		1		

Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unit ttr	Cum unit	Waste type	Trans bank	DWAT	LANL comment	Anderson comment	Order comment	sol vol%	TLM solids	Cum solids	sol type	sol	O/A	Document/Pg #
C-202	1971	1	STAT	0	0	0	0	#N/A	0						0	0	1,000	1			
C-202	1972	1	STAT	0	0	0	0	#N/A	0						0	0	1,000	1			
C-202	1972	2	STAT	0	0	0	0	#N/A	0						0	0	1,000	1			
C-202	1972	3	STAT	0	0	0	0	#N/A	0						0	0	1,000	1			
C-202	1972	4	STAT	0	0	0	0	#N/A	0						0	0	1,000	1			
C-202	1973	1	STAT	0	0	0	0	#N/A	0						0	0	1,000	1			
C-202	1973	2	STAT	0	0	0	0	#N/A	0						0	0	1,000	1			
C-202	1973	3	STAT	0	0	0	0	#N/A	0						0	0	1,000	1			
C-202	1973	4	STAT	1	1	1	1	1	0						0	0	1,000	1			
C-202	1974	1	STAT	1	1	1	1	1	0						0	0	1,000	1			
C-202	1974	2	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1974	3	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1974	4	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1975	1	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1975	2	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1975	3	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1975	4	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1976	1	STAT	2	2	2	2	2	0				Removed from service		0	0	1,000	1			
C-202	1976	2	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1976	3	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1976	4	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1977	1	STAT	2	2	2	2	2	0				Active Restricted		0	0	1,000	1			
C-202	1977	2	STAT	2	2	2	2	2	0				Active Restricted		0	0	1,000	1			
C-202	1977	3	STAT	2	2	2	2	2	0				Active Restricted		0	0	1,000	1			
C-202	1977	4	STAT	2	2	2	2	2	0				Active Restricted		0	0	1,000	1			
C-202	1978	1	STAT	2	2	2	2	2	0				Inactive Current		0	0	1,000	1			
C-202	1978	2	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1978	3	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1978	4	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1979	1	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1979	2	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1979	3	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1979	4	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1980	1	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1980	2	STAT	2	2	2	2	2	0						0	0	1,000	1			
C-202	1980	3	STAT	3	3	3	3	3	1						0	0	1,000	1			
C-202	1980	4	STAT	1	1	1	1	1	0						0	0	1,000	1			
C-202	1983	2	STAT	1	1	1	1	1	0						0	0	1,000	1			
C-202	1983	4	STAT	1	1	1	1	1	0						0	0	1,000	1			
C-202	1984	1	STAT	1	1	1	1	1	0						0	0	1,000	1			
C-202	2000														0	0	1,000	1			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	OI	Q/A	Document/Pg #
C-203	1900																					
C-203	1947	4	CREC	0		0		#N/A	0	SET	C-202						0	0.000		1		
C-203	1947	4	rec	41		41		#N/A	0							0	0.000		0			
C-203	1947	4	STAT		41	41	0	#N/A	0	MW						0	0.000		1			
C-203	1948	1	rec	69		110		#N/A	0					Filled in March & November		0	0.000		1			
C-203	1948	1	send	-55		55		#N/A	0							0.057971	4	4.000	MW1	0		
C-203	1948	1	STAT		55	55	0	#N/A	0							0	0.000		0			
C-203	1948	2	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1948	3	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1948	4	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1949	1	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1949	2	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1949	3	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1949	4	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1950	1	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1950	2	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1950	3	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1950	4	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1951	1	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1951	2	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1951	3	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1951	4	STAT		55	55	0	#N/A	0							0	0.000		1			
C-203	1952	1	STAT		54.5	54.5	0	-0.5	-0.5							0	0.000		1			
C-203	1952	2	STAT		54.5	54.5	0	#N/A	-0.5							0	0.000		1			
C-203	1952	3	STAT		54.5	54.5	0	#N/A	-0.5							0	0.000		1			
C-203	1952	4	STAT		54.5	54.5	0	#N/A	-0.5							0	0.000		1			
C-203	1953	1	STAT		54.5	54.5	0	#N/A	-0.5							0	0.000		1			
C-203	1953	2	xin	59		110		#N/A	-0.5			WTR				0	0.000		0			
C-203	1953	2	SEND	-55		54.5		#N/A	-0.5	SU		C-108				0	0.000		1			
C-203	1953	2	STAT		54.5	54.5	0	#N/A	-0.5							0	0.000		1			
C-203	1953	3	STAT		55	55	0	0.5	0	MW						0	0.000		1			
C-203	1953	4	outx	-40		15		#N/A	0			UR				0	0.000		0			
C-203	1953	4	STAT		15	15	0	#N/A	0	MW				MW removal in progress. Supemat transferred to 106-C		0	0.000		1			
C-203	1954	1	outx	-15		0		#N/A	0			UR				0	0.000		0			
C-203	1954	1	STAT		0	0	0	#N/A	0					Sluicing completed in February		0	0.000		1			
C-203	1954	2	STAT		0	0	0	#N/A	0							0	0.000		1			
C-203	1954	3	STAT		0	0	0	#N/A	0							0	0.000		1			
C-203	1954	4	STAT		0	0	0	#N/A	0							0	0.000		1			
C-203	1955	1	STAT		0	0	0	#N/A	0							0	0.000		1			
C-203	1955	2	STAT		0	0	0	#N/A	0							0	0.000		1			
C-203	1955	3	STAT		0	0	0	#N/A	0	MW						0	0.000		1			
C-203	1955	4	xin	5		5		#N/A	0			HS				0	0.000		1			
C-203	1955	4	CSEND	0		5		#N/A	0	END	C-204					0.028571	0.1429	4.143	SSW	0		
C-203	1955	4	STAT		5	5	0	#N/A	0	SSW						0	0.000		1			
C-203	1956	1	STAT		5	5	0	#N/A	0							0	0.000		1			
C-203	1956	2	STAT		5	5	0	#N/A	0	SSW						0	0.000		1			
C-203	1956	3	XIN	2		7		#N/A	0	HOT SEMI		HS	Omision			0.028571	0.0571	4.200	SSW	2	V HW-45738-4	
C-203	1956	3	xin	15		22		#N/A	0			HS				0.028571	0.4286	4.629	SSW	0		
C-203	1956	3	STAT		22	22	0	#N/A	0	SSW				Received in Aug & Sept		0	0.000		1			
C-203	1956	4	xin	13		35		#N/A	0			HS				0.028571	0.3714	5.000	SSW	0		
C-203	1956	4	STAT		35	35	0	#N/A	0	SSW				Rec'd in October		0	0.000		1			
C-203	1957	1	STAT		36	36	0	1	1	HS				SS latest electrode reading		0	0.000		1			
C-203	1957	2	STAT		35	35	0	-1	0					Latest electrode reading		0	0.000		1			
C-203	1957	3	STAT		35	35	0	#N/A	0							0	0.000		1			
C-203	1957	4	STAT		35	35	0	#N/A	0							0	0.000		1			

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
C-203	1958	1	STAT		35	35	0	#N/A	0							0	0	5,000		1		
C-203	1958	2	STAT		35	35	0	#N/A	0							0	0	5,000		1		
C-203	1958	3	STAT		35	35	0	#N/A	0							0	0	5,000		1		
C-203	1958	4	STAT		35	35	0	#N/A	0	HS						0	0	5,000		1		
C-203	1959	1	STAT		34	34	0	-1	-1							0	0	5,000		1		
C-203	1959	2	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1959	3	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1959	4	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1960	1	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1960	2	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1960	3	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1960	4	STAT		34	34	0	#N/A	-1	HS						0	0	5,000		1		
C-203	1961	1	STAT		N/A	34	0	#N/A	-1							0	0	5,000		1		
C-203	1961	2	STAT		34	34	0	#N/A	-1	HS				[6 month report]		0	0	5,000		1		
C-203	1961	3	STAT		N/A	34	0	#N/A	-1							0	0	5,000		1		
C-203	1961	4	STAT		34	34	0	#N/A	-1	HS				[6 month report]		0	0	5,000		1		
C-203	1962	1	STAT		N/A	34	0	#N/A	-1							0	0	5,000		1		
C-203	1962	2	STAT		34	34	0	#N/A	-1	HS				[6 month report]		0	0	5,000		1		
C-203	1962	3	STAT		N/A	34	0	#N/A	-1							0	0	5,000		1		
C-203	1962	4	STAT		34	34	0	#N/A	-1	HS				[6 month report]		0	0	5,000		1		
C-203	1963	1	STAT		N/A	34	0	#N/A	-1							0	0	5,000		1		
C-203	1963	2	STAT		34	34	0	#N/A	-1	HS				[6 month report]		0	0	5,000		1		
C-203	1963	3	STAT		N/A	34	0	#N/A	-1							0	0	5,000		1		
C-203	1963	4	STAT		35	35	0	1	0	HS				[6 month report]		0	0	5,000		1		
C-203	1964	1	STAT		N/A	35	0	#N/A	0							0	0	5,000		1		
C-203	1964	2	STAT		35	35	0	#N/A	0	HS				[6 month report]		0	0	5,000		1		
C-203	1964	3	STAT		N/A	35	0	#N/A	0							0	0	5,000		1		
C-203	1964	4	STAT		35	35	0	#N/A	0	HS				[6 month report]		0	0	5,000		1		
C-203	1965	1	STAT		N/A	35	0	#N/A	0							0	0	5,000		1		
C-203	1965	2	STAT		33	33	0	-2	-2					New elect. (6 month report)		0	0	5,000		1		
C-203	1965	3	STAT		33	33	0	#N/A	-2					New electrode		0	0	5,000		1		
C-203	1965	4	STAT		33	33	0	#N/A	-2							0	0	5,000		1		
C-203	1966	1	STAT		33	33	0	#N/A	-2							0	0	5,000		1		
C-203	1966	2	STAT		33	33	0	#N/A	-2							0	0	5,000		1		
C-203	1966	3	STAT		33	33	0	#N/A	-2							0	0	5,000		1		
C-203	1966	4	STAT		33	33	0	#N/A	-2	HS						0	0	5,000		1		
C-203	1967	1	STAT		34	34	0	1	-1							0	0	5,000		1		
C-203	1967	2	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1967	3	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1967	4	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1968	1	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1968	2	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1968	3	STAT		34	34	0	#N/A	-1	HS						0	0	5,000		1		
C-203	1968	4	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1969	1	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1969	2	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1969	3	STAT		34	34	0	#N/A	-1							0	0	5,000		1		
C-203	1969	4	STAT		34	34	0	#N/A	-1	SSW						0	0	5,000		1		
C-203	1970	1	SEND	-19		15		#N/A	-1	SU	C-109					0	0	5,000		4	O	ARH-1666A-5
C-203	1970	1	STAT		18	18	5	3	2	SSW				19 to 109-C		0	0	5,000		1		
C-203	1970	2	SEND	-12		6		#N/A	2	SU	C-104					0	0	5,000		4	O	ARH-1666B-5
C-203	1970	2	STAT		6	6	5	#N/A	2	SSW				12 to 104-C		0	0	5,000		1		
C-203	1970	3	STAT		6	6	5	#N/A	2							0	0	5,000		1		
C-203	1970	4	STAT		6	6	5	#N/A	2							0	0	5,000		1		
C-203	1971	1	STAT		6	6	5	#N/A	2							0	0	5,000		1		
C-203	1971	2	STAT		6	6	5	#N/A	2							0	0	5,000		1		
C-203	1971	3	STAT		6	6	5	#N/A	2							0	0	5,000		1		
C-203	1971	4	STAT		6	6	5	#N/A	2	SSW						0	0	5,000		1		



Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk ltr	Cum tank	Waste type	Trans tank	DWAT	LANL comment	Anderson comment	Cydr comment	sol vol%	TLM solids	Cum solids	sol type	Ol	O/A	Document/Pg #
C-203	1972	1	STAT	6	6	6	3	#N/A	2	2						0	0	5,000	1			
C-203	1972	2	STAT	6	6	6	3	#N/A	2	2						0	0	5,000	1			
C-203	1972	3	STAT	6	6	6	3	#N/A	2	2						0	0	5,000	1			
C-203	1972	4	STAT	6	6	6	3	#N/A	2	2						0	0	5,000	1			
C-203	1973	1	STAT	6	6	6	3	#N/A	2	2						0	0	5,000	1			
C-203	1973	2	STAT	6	6	6	3	#N/A	2	2						0	0	5,000	1			
C-203	1973	3	STAT	6	6	6	3	#N/A	2	2						0	0	5,000	1			
C-203	1973	4	STAT	7	7	7	3	#N/A	3	3						0	0	5,000	1			
C-203	1974	1	STAT	7	7	7	3	#N/A	3	3						0	0	5,000	1			
C-203	1974	2	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1974	3	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1974	4	STAT	7	7	7	3	#N/A	3	3						0	0	5,000	1			
C-203	1975	1	STAT	7	7	7	3	#N/A	3	3						0	0	5,000	1			
C-203	1975	2	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1975	3	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1975	4	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1976	1	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1976	2	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1976	3	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1976	4	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1977	1	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1977	2	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1977	3	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1977	4	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1978	1	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1978	2	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1978	3	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1978	4	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1979	1	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1979	2	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1979	3	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1979	4	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1980	1	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1980	2	STAT	8	8	8	3	#N/A	4	4						0	0	5,000	1			
C-203	1980	3	STAT	9	9	9	3	#N/A	5	5						0	0	5,000	1			
C-203	1980	4	STAT	9	9	9	3	#N/A	5	5						0	0	5,000	1			
C-203	1983	2	STAT	5	5	5	5	#N/A	5	5						0	0	5,000	1			
C-203	1983	4	STAT	5	5	5	5	#N/A	5	5						0	0	5,000	1			
C-203	1984	1	STAT	5	5	5	5	#N/A	5	5						0	0	5,000	1			
C-203	2000															0	0	5,000	1			

Removed from service  
Removed from service  
Removed from service

Inactive


New Photo 4/3/80

Tank n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum Unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Cl	Q/A	Document/Pg #
C-204	1900																					
C-204	1947	4	CREC	0		0		#N/A	0	SET	C-203											
C-204	1948	1	rec	55		55		#N/A	0			C-203				0.036364	0	0.000	MW1	1		
C-204	1948	1	STAT		55	55	0	#N/A	0					Full In January 1948		0	0	2.000		1		
C-204	1948	2	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1948	3	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1948	4	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1949	1	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1949	2	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1949	3	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1949	4	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1950	1	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1950	2	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1950	3	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1950	4	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1951	1	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1951	2	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1951	3	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1951	4	STAT		55	55	0	#N/A	0							0	0	2.000		1		
C-204	1952	1	STAT		54.5	54.5	0	-0.5	-0.5							0	0	2.000		1		
C-204	1952	2	STAT		54.5	54.5	0	#N/A	-0.5							0	0	2.000		1		
C-204	1952	3	STAT		54.5	54.5	0	#N/A	-0.5							0	0	2.000		1		
C-204	1952	4	STAT		54.5	54.5	0	#N/A	-0.5							0	0	2.000		1		
C-204	1953	1	STAT		54.5	54.5	0	#N/A	-0.5							0	0	2.000		1		
C-204	1953	2	xin	55.5		110		#N/A	-0.5			WTR				0	0	2.000		0		
C-204	1953	2	SEND	-55		55		#N/A	-0.5	SU		C-106				0	0	2.000		1		
C-204	1953	2	STAT		55	55	0	#N/A	-0.5	MW						0	0	2.000		1		
C-204	1953	3	STAT		55	55	0	#N/A	-0.5	MW						0	0	2.000		1		
C-204	1953	4	outx	-40		15		#N/A	-0.5			UR				0	0	2.000		0		
C-204	1953	4	STAT		15	15	0	#N/A	-0.5	MW				MW removal in progress. Supernatant transferred to 106-C		0	0	2.000		1		
C-204	1954	1	xin	36		51		#N/A	-0.5			WTR				0	0	2.000		0		
C-204	1954	1	STAT		51	51	11	#N/A	-0.5					Contains water and initial sludge		0	0	2.000		1		
C-204	1954	2	STAT		51	51	11	#N/A	-0.5					Contains water and initial sludge		0	0	2.000		1		
C-204	1954	3	STAT		51	51	11	#N/A	-0.5	MW				Contains water and initial sludge		0	0	2.000		1		
C-204	1954	4	REC	53		104		#N/A	-0.5	SL	C-201	C-201				0	0	2.000		1		
C-204	1954	4	OUTX	-5		99		#N/A	-0.5	SL	UR	UR				0	0	2.000		1		
C-204	1954	4	OUTX	-48		51		#N/A	-0.5	SL	UR	UR				0	0	2.000		1		
C-204	1954	4	outx	-4		47		#N/A	-0.5			UR				0	0	2.000		0		
C-204	1954	4	STAT		47	47	11	#N/A	-0.5	MW				Pumped in November		0	0	2.000		1		
C-204	1955	1	outx	-47		0		#N/A	-0.5			UR				0	0	2.000		0		
C-204	1955	1	STAT		0	0	0	#N/A	-0.5					Pumped in January		0	0	2.000		1		
C-204	1955	2	STAT		0	0	0	#N/A	-0.5							0	0	2.000		1		
C-204	1955	3	STAT		0	0	0	#N/A	-0.5	MW						0	0	2.000		1		
C-204	1955	4	xin	5		5		#N/A	-0.5			HS				0.029412	0.1471	2.147	SSW	0		
C-204	1955	4	CREC	0		5		#N/A	-0.5	END	C-203					0	0	2.147		1		
C-204	1955	4	STAT		5	5	0	#N/A	-0.5							0	0	2.147		1		
C-204	1956	1	STAT		5	5	0	#N/A	-0.5	SSW						0	0	2.147		1		
C-204	1956	2	xin	29		34		#N/A	-0.5			HS				0.029412	0.0529	3.000	SSW	0		
C-204	1956	2	STAT		34	34	0	#N/A	-0.5					Rec'd SSW in May		0	0	3.000		1		
C-204	1956	3	STAT		34	34	0	#N/A	-0.5	SSW						0	0	3.000		1		
C-204	1956	4	STAT		35	35	0	1	0.5	SSW						0	0	3.000		1		
C-204	1957	1	STAT		N/A	35	0	#N/A	0.5	HS			bad stat? 54 to N/A			0	0	3.000		1		
C-204	1957	2	STAT		33	33	0	-2	-1.5	HS				Latest electrode reading		0	0	3.000		1		


Tank #	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	Qf	Q/A	Document/Pg #
C-204	1957	3	STAT		32	32	0	-1	-2.5													
C-204	1957	4	STAT		32	32	0	#N/A	-2.5	HS				Latest electrode reading			0	0	3,000	1		
C-204	1958	1	STAT		34	34	0	2	-0.5								0	0	3,000	1		
C-204	1958	2	STAT		34	34	0	#N/A	-0.5					Latest electrode reading			0	0	3,000	1		
C-204	1958	3	STAT		34	34	0	#N/A	-0.5								0	0	3,000	1		
C-204	1958	4	STAT		34	34	0	#N/A	-0.5	HS							0	0	3,000	1		
C-204	1959	1	STAT		33	33	0	-1	-1.5								0	0	3,000	1		
C-204	1959	2	STAT		33	33	0	#N/A	-1.5								0	0	3,000	1		
C-204	1959	3	STAT		33	33	0	#N/A	-1.5	HS							0	0	3,000	1		
C-204	1959	4	STAT		36	36	0	3	1.5					New electrode installed			0	0	3,000	1		
C-204	1960	1	STAT		36	36	0	#N/A	1.5								0	0	3,000	1		
C-204	1960	2	STAT		36	36	0	#N/A	1.5								0	0	3,000	1		
C-204	1960	3	STAT		36	36	0	#N/A	1.5								0	0	3,000	1		
C-204	1960	4	STAT		36	36	0	#N/A	1.5	HS							0	0	3,000	1		
C-204	1961	1	STAT		N/A	36		#N/A	1.5								0	0	3,000	1		
C-204	1961	2	STAT		37	37	0	1	2.5	HS				{6 month report}			0	0	3,000	1		
C-204	1961	3	STAT		N/A	37		#N/A	2.5								0	0	3,000	1		
C-204	1961	4	STAT		37	37	0	#N/A	2.5	HS				{8 month report}			0	0	3,000	1		
C-204	1962	1	STAT		N/A	37		#N/A	2.5								0	0	3,000	1		
C-204	1962	2	STAT		37	37	11	#N/A	2.5	HS				{6 month report}			0	0	3,000	1		
C-204	1962	3	STAT		N/A	37		#N/A	2.5								0	0	3,000	1		
C-204	1962	4	STAT		37	37	11	#N/A	2.5	HS				{8 month report}			0	0	3,000	1		
C-204	1963	1	STAT		N/A	37		#N/A	2.5								0	0	3,000	1		
C-204	1963	2	STAT		37	37	11	#N/A	2.5	HS				{6 month report}			0	0	3,000	1		
C-204	1963	3	STAT		N/A	37		#N/A	2.5								0	0	3,000	1		
C-204	1963	4	STAT		36	36	11	-1	1.5	HS				{6 month report}			0	0	3,000	1		
C-204	1964	1	STAT		N/A	36		#N/A	1.5								0	0	3,000	1		
C-204	1964	2	STAT		36	36	11	#N/A	1.5	HS				{6 month report}			0	0	3,000	1		
C-204	1964	3	STAT		N/A	36		#N/A	1.5								0	0	3,000	1		
C-204	1964	4	STAT		36	36	11	#N/A	1.5	HS				{6 month report}			0	0	3,000	1		
C-204	1965	1	STAT		N/A	36		#N/A	1.5								0	0	3,000	1		
C-204	1965	2	STAT		36	36	11	#N/A	1.5					New elect.[6 month report]			0	0	3,000	1		
C-204	1965	3	STAT		36	36	11	#N/A	1.5					New electrode			0	0	3,000	1		
C-204	1965	4	STAT		36	36	11	#N/A	1.5								0	0	3,000	1		
C-204	1966	1	STAT		36	36	11	#N/A	1.5								0	0	3,000	1		
C-204	1966	2	STAT		36	36	11	#N/A	1.5								0	0	3,000	1		
C-204	1966	3	STAT		36	36	11	#N/A	1.5	HS,HS							0	0	3,000	1		
C-204	1966	4	STAT		36	36	11	#N/A	1.5								0	0	3,000	1		
C-204	1967	1	STAT		36	36	11	#N/A	1.5								0	0	3,000	1		
C-204	1967	2	STAT		36	36	11	#N/A	1.5	HS							0	0	3,000	1		
C-204	1967	3	stat	19		55		#N/A	1.5			HS					0	0	3,000	0		
C-204	1967	3	STAT		36	36	11	-19	-17.5								0	0	3,000	1		
C-204	1967	4	STAT		57	57	11	21	3.5								0	0	3,000	1		
C-204	1968	1	STAT		57	57	11	#N/A	3.5								0	0	3,000	1		
C-204	1968	2	STAT		57	57	11	#N/A	3.5								0	0	3,000	1		
C-204	1968	3	STAT		57	57	11	#N/A	3.5	HS							0	0	3,000	1		
C-204	1968	4	STAT		57	57	11	#N/A	3.5								0	0	3,000	1		
C-204	1969	1	STAT		57	57	11	#N/A	3.5								0	0	3,000	1		
C-204	1969	2	STAT		57	57	11	#N/A	3.5								0	0	3,000	1		
C-204	1969	3	STAT		57	57	11	#N/A	3.5								0	0	3,000	1		
C-204	1969	4	STAT		57	57	11	#N/A	3.5	SSW							0	0	3,000	1		
C-204	1970	1	STAT		57	57	2	#N/A	3.5	SSW							0	0	3,000	1		
C-204	1970	2	SEND	-14		43		#N/A	3.5	SU		C-104					0	0	3,000	1		
C-204	1970	2	STAT		43	43	2	#N/A	3.5	SSW				14 to 104-C			0	0	3,000	1		ARH-1666B-5
C-204	1970	3	STAT		42	42	2	-1	2.5								0	0	3,000	1		
C-204	1970	4	STAT		42	42	2	#N/A	2.5								0	0	3,000	1		
C-204	1971	1	STAT		42	42	2	#N/A	2.5								0	0	3,000	1		
C-204	1971	2	STAT		42	42	2	#N/A	2.5								0	0	3,000	1		

Tank_n	Year	Qtr	Type	Trans vol	Stat vol	Total vol	Solids vol	Unk tfr	Cum unk	Waste type	Trans tank	DWXT	LANL comment	Anderson comment	Ogden comment	sol vol%	TLM solids	Cum solids	sol type	QI	O/A	Document/Pg #
C-204	1971	3	STAT		42	42	2	#N/A	2.5							0	0	3,000		1		
C-204	1971	4	STAT		42	42	2	#N/A	2.5	SSW						0	0	3,000		1		
C-204	1972	1	STAT		42	42	1	#N/A	2.5							0	0	3,000		1		
C-204	1972	2	STAT		42	42	1	#N/A	2.5							0	0	3,000		1		
C-204	1972	3	STAT		42	42	1	#N/A	2.5							0	0	3,000		1		
C-204	1972	4	STAT		42	42	1	#N/A	2.5							0	0	3,000		1		
C-204	1973	1	STAT		42	42	1	#N/A	2.5							0	0	3,000		1		
C-204	1973	2	STAT		42	42	1	#N/A	2.5							0	0	3,000		1		
C-204	1973	3	STAT		42	42	1	#N/A	2.5	SSW						0	0	3,000		1		
C-204	1973	4	STAT		44	44	1	2	4.5							0	0	3,000		1		
C-204	1974	1	STAT		44	44	1	#N/A	4.5							0	0	3,000		1		
C-204	1974	2	STAT		44	44	1	#N/A	4.5							0	0	3,000		1		
C-204	1974	3	STAT		44	44	1	#N/A	4.5	SSW						0	0	3,000		1		
C-204	1974	4	STAT		44	44	0	#N/A	4.5							0	0	3,000		1		
C-204	1975	1	STAT		44	44	0	#N/A	4.5							0	0	3,000		1		
C-204	1975	2	STAT		44	44	0	#N/A	4.5							0	0	3,000		1		
C-204	1975	3	STAT		44	44	0	#N/A	4.5							0	0	3,000		1		
C-204	1975	4	STAT		44	44	0	#N/A	4.5							0	0	3,000		1		
C-204	1976	1	STAT		44	44	0	#N/A	4.5							0	0	3,000		1		
C-204	1976	2	STAT		44	44	0	#N/A	4.5	SSW						0	0	3,000		1		
C-204	1976	3	STAT		44	44	0	#N/A	4.5							0	0	3,000		1		
C-204	1976	4	STAT		44	44	0	#N/A	4.5							0	0	3,000		1		
C-204	1977	1	STAT		44	44	0	#N/A	4.5							0	0	3,000		1		
C-204	1977	2	STAT		44	44	0	#N/A	4.5							0	0	3,000		1		
C-204	1977	3	STAT		3	3	0	-41	-36.5							0	0	3,000		1		
C-204	1977	4	STAT		3	3	0	#N/A	-36.5				Inactive Current			0	0	3,000		1		
C-204	1978	1	STAT		3	3	0	#N/A	-36.5				Inactive Current			0	0	3,000		1		
C-204	1978	2	STAT		3	3	0	#N/A	-36.5				Inactive			0	0	3,000		1		
C-204	1978	3	STAT		3	3	0	#N/A	-36.5							0	0	3,000		1		
C-204	1978	4	STAT		3	3	0	#N/A	-36.5							0	0	3,000		1		
C-204	1979	1	STAT		3	3	0	#N/A	-36.5							0	0	3,000		1		
C-204	1979	2	STAT		3	3	0	#N/A	-36.5				Primary Stabilized			0	0	3,000		1		
C-204	1979	3	STAT		3	3	0	#N/A	-36.5							0	0	3,000		1		
C-204	1979	4	STAT		3	3	0	#N/A	-36.5							0	0	3,000		1		
C-204	1980	1	STAT		3	3	0	#N/A	-36.5							0	0	3,000		1		
C-204	1980	2	STAT		3	3	0	#N/A	-36.5	NCPLX						0	0	3,000		1		
C-204	1980	3	STAT		3	3	1	#N/A	-36.5							0	0	3,000		1		
C-204	1980	4	STAT		3	3	1	#N/A	-36.5	NCPLX			New Photo 4/3/80			0	0	3,000		1		
C-204	1993	2	STAT		3	3	3	#N/A	-36.5	NCPLX						0	0	3,000		1		
C-204	1993	4	STAT		3	3	3	#N/A	-36.5							0	0	3,000		1		
C-204	1994	1	STAT		3	3	3	#N/A	-36.5							0	0	3,000		1		
C-204	2000				3	3	3	#N/A	-36.5							0	0	3,000		1		


# 241-A-101 Waste Volume History



# 241-A-102 Waste Volume History




# 241-A-103 Waste Volume History







# 241-A-104 Waste Volume History




# 241-A-105 Waste Volume History




# 241-A-106 Waste Volume History




# 241-AX-101 Waste Volume History




# 241-AX-102 Waste Volume History



# 241-AX-103 Waste Volume History




# 241-AX-104 Waste Volume History







# 241-B-101 Waste Volume History




# 241-B-102 Waste Volume History




# 241-B-103 Waste Volume History




# 241-B-104 Waste Volume History




# 241-B-105 Waste Volume History



# 241-B-106 Waste Volume History




# 241-B-107 Waste Volume History







# 241-B-108 Waste Volume History




# 241-B-109 Waste Volume History




# 241-B-110 Waste Volume History




# 241-B-111 Waste Volume History




# 241-B-112 Waste Volume History



# 241-B-201 Waste Volume History




# 241-B-202 Waste Volume History







# 241-B-203 Waste Volume History




# 241-B-204 Waste Volume History




# 241-BX-101 Waste Volume History




# 241-BX-102 Waste Volume History




# 241-BX-103 Waste Volume History



# 241-BX-104 Waste Volume History




# 241-BX-105 Waste Volume History







# 241-BX-106 Waste Volume History




# 241-BX-107 Waste Volume History




# 241-BX-108 Waste Volume History




# 241-BX-109 Waste Volume History




# 241-BX-110 Waste Volume History



# 241-BX-111 Waste Volume History




# 241-BX-112 Waste Volume History







# 241-BY-101 Waste Volume History




# 241-BY-102 Waste Volume History




# 241-BY-103 Waste Volume History




# 241-BY-104 Waste Volume History




# 241-BY-105 Waste Volume History



# 241-BY-106 Waste Volume History




# 241-BY-107 Waste Volume History







# 241-BY-108 Waste Volume History




# 241-BY-109 Waste Volume History




# 241-BY-110 Waste Volume History




# 241-BY-111 Waste Volume History




# 241-BY-112 Waste Volume History




# 241-C-101 Waste Volume History



# 241-C-102 Waste Volume History




# 241-C-103 Waste Volume History







# 241-C-104 Waste Volume History




# 241-C-105 Waste Volume History




# 241-C-106 Waste Volume History




# 241-C-107 Waste Volume History




# 241-C-108 Waste Volume History




# 241-C-109 Waste Volume History



# 241-C-110 Waste Volume History




# 241-C-111 Waste Volume History





# 241-C-112 Waste Volume History



**DISTRIBUTION SHEET**

To	From	Page 1 of 2
Distribution	C. H. Brevick	Date Jan. 30, 1996
Project Title/Work Order		EDT No.
Waste Status and Transaction Record Summary for the Northeast Quadrant of the Hanford 200 East Area		ECN No. 624016

Name	MSIN	Text With All Attach.	Text Only	Attach./Appendix Only	EDT/ECN Only
------	------	-----------------------	-----------	-----------------------	--------------

Westinghouse Hanford Company

D. G. Baide	R2-12	X			
K. D. Boomer	H5-49	X			
T. M. Brown	R2-12	X			
R. J. Cash	S7-15	X			
W. L. Cowley	A3-37	X			
G. D. Forehand	S7-21	X			
J. S. Garfield	H5-49	X			
B. A. Higley	H5-27	X			
J. W. Hunt	R2-12	X			
N. W. Kirch	R2-11	X			
M. J. Kupfer	H5-49	X			
D. E. Place	H5-27	X			
L. W. Shelton	H5-49	X			
B. C. Simpson	R2-12	X			
J. P. Sloughter	R2-54	X			
D. J. Washenfelder	H5-61	X			
Central Files	A3-88	X (2)			
Tank Characterization Resource Library	R2-12	X			

ICF Kaiser Hanford Company

C. H. Brevick	S3-10	X (3)			
E. D. Johnson	S3-09	X			
S. K. Kujak	S3-10	X			
T. P. Kunthara	S3-10	X			
D. A. Lauhala	S3-09	X			
E. D. Johnson	S3-09	X			
R. L. Newell	S3-09	X (2)			
ICF KH Publications	E6-63	0			
ICF KH Document Control	R1-29	X			

Pacific Northwest National Laboratory

S. F. Bobrowski	K7-28	X			
J. D. Brown	K7-98	X			
N. G. Colton	K2-40	X			
A. F. Noonan	K9-91	X			
K. M. Remund	K5-12	X			
P. D. Whitney	K5-12	X			
K. L. Wiemers	K6-51	X			

DISTRIBUTION SHEET

WHC-SD-WM-TI-615, Rev. 1  
Page 2 of 2

Department of Energy - Richland Operations

S. T. Burnum	S7-53	X
J. F. Thompson	S7-54	X

Los Alamos National Laboratory

S. F. Agnew CST-14, MS-J586 PO Box 1663 Los Alamos, New Mexico 87545		X
---	--	---

Los Alamos Technical Associates

T. T. Tran 903 Bradley Boulevard Richland, Washington 99352		X (2)
---	--	-------

Ogden Environmental

R. J. Anema 101E Wellsian Way Richland, Washington 99352		X
--	--	---

---