


**Groundwater Sampling and Analysis Plan  
for the 100-FR-3 Operable Unit**

M. D. Sweeney

September 2000

Prepared for  
the U.S. Department of Energy  
under Contract DE-AC06-76RL01830

Pacific Northwest National Laboratory  
Richland, Washington 99352



## **DISCLAIMER**

**This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.**

## **DISCLAIMER**

**Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.**

# Contents

1.0 Introduction.....	1
2.0 Hydrogeology .....	1
3.0 Monitoring Network .....	3
4.0 Sampling and Analysis Protocol.....	3
5.0 Quality Assurance and Quality Control.....	4
6.0 Data Management, Evaluation, and Reporting .....	4
6.1 Data Management.....	4
6.2 Interpretation .....	5
6.3 Reporting.....	5
7.0 References.....	5
Appendix A - Federal Facility Agreement and Consent Order Change Control Form M-16-99-02.....	A.1

## Figure

1 Well Locations for the 100-FR-3 Operable Unit .....	2
---	---

## 1.0 Introduction

The purpose of this plan is to describe groundwater sampling and analysis for the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) in the 100-FR-3 Operable Unit. The plan describes the well network, constituents analyzed, sampling protocol, and reporting and quality assurance requirements. Sampling and analysis requirements for this operable unit are specified in the change control form to the Federal Facility Agreement and Consent Order (Appendix A). The 100-FR-3 Operable Unit is the groundwater/surface water operable unit associated with past nuclear reactor operations in the 100-F Area of the U.S. Department of Energy's (DOE's) Hanford Site. The operable unit includes the groundwater below the source operable units (100-FR-1 and 100-FR-2) plus the adjacent groundwater, surface water, sediments, and aquatic biota impacted by 100-F Area operations (DOE/RL-93-82).

The 100-F Area (Figure 1) is located the farthest east and downstream of the reactor areas on the Hanford Site. F Reactor operated from 1945 to 1965. Like all of the other Hanford Site reactors, except N Reactor, F Reactor was cooled by a single-pass system (i.e., cooling water passed through the reactor and was discharged directly to the Columbia River). Waste sites in the 100-F Area included leaking retention basins for reactor coolant, liquid waste disposal trenches, and French drains. Waste sites are described in DOE/RL-95-54 and DOE/RL-95-92. Groundwater contaminants include nitrate, strontium-90, and tritium. Local contamination with chromium, trichloroethylene, and uranium is also detected.

## 2.0 Hydrogeology

The geology of the 100-F Area is described in detail in *Conceptual Site Models for Groundwater Contamination at 100-BC-5, 100-KR-4, 100-HR-03, and 100-FR-3 Operable Units* (BHI-00917). In general, the stratigraphy beneath the 100-F Area consists of the Hanford formation. The unconfined aquifer in the 100-F Area lies within the unconsolidated sediments in the lower part of the Hanford formation. Sandy gravel and silty gravel dominate these sediments. Underlying the Hanford formation are the Ringold paleosols and overbank deposits, which are dominated by silt and clay with sandy interbeds. The top of the paleosol/overbank deposits locally forms the bottom of the unconfined aquifer in the 100-F Area. The unconfined aquifer thickness ranges from up to a maximum of 9 m. Depth to the water table ranges from <1 m near the Columbia River to ~14 m farther inland. The depth to the top of the basalt is estimated to be ~110 m below ground surface.

River-stage fluctuations strongly affect groundwater flow beneath the 100-F Area. The general direction of unconfined groundwater flow beneath the 100-F Area under normal river-stage conditions is east toward the Columbia River (BHI-00917). However, prolonged high-river stage results in groundwater flow toward the southwest near the river and toward the southeast farther inland.




Figure 1. Well Locations for the 100-FR-3 Operable Unit

The groundwater gradient for the 100-F Area is estimated to be 0.001. Hydraulic conductivity of the Hanford formation in the 100-F Area ranges from 9.1 to 69 m/d (BHI-00917). Using this range for hydraulic conductivity, a 0.001 gradient, and an estimated effective porosity of 0.2, the groundwater-flow velocity ranges from 0.04 to 0.3 m/d.

### 3.0 Monitoring Network

The 100-FR-3 groundwater-monitoring network wells are shown in Figure 1 and are listed in Appendix A. The form in Appendix A also lists the specific constituents monitored at each well and the frequency of sampling. Additional constituents may be sampled at these wells for the requirements of the *Atomic Energy Act of 1954* ("surveillance monitoring"), or for the requirements of the Integrated Monitoring Program (PNNL-11989, or the most recent edition).

Groundwater near the Columbia River is sampled annually in the late fall via aquifer sampling tubes and riverbank seeps. The sampling tubes are polyethylene tubes that were driven into the aquifer at locations near the low-water shoreline. Seeps are locations where groundwater discharges above the river level.

### 4.0 Sampling and Analysis Protocol

Monitoring for the 100-FR-3 Operable Unit is part of the Hanford Groundwater Monitoring Project. Procedures for groundwater sampling, documentation, sample preservation, shipment, and chain-of-custody requirements are described in Pacific Northwest National Laboratory (PNNL) or subcontractor manuals (currently a Waste Management Northwest procedure manual) and in the quality assurance plan (a PNNL internal document). Samples generally are collected after three casing volumes of water have been purged from the well or after field parameters (pH, temperature, specific conductance, and turbidity) have stabilized. For routine groundwater samples, preservatives are added to the collection bottles before their use in the field. Samples to be analyzed for metals are usually filtered in the field so that results represent dissolved metals.

Procedures for field measurements are specified in the subcontractor's or manufacturer's manuals. Analytical methods are specified in contracts with laboratories, and most are standard methods from *Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods* (SW-846). Alternative procedures meet the guidelines of SW-846, Chapter 10. Analytical methods are described in Gillespie (1999).



## 5.0 Quality Assurance and Quality Control

The groundwater monitoring project's quality assurance/quality control (QA/QC) program is designed to assess and enhance the reliability and validity of groundwater data. The primary quantitative measures or parameters used to assess data quality are accuracy, precision, completeness, and the method detection limit. Qualitative measures include representativeness and comparability. Goals for data representativeness for groundwater monitoring projects are addressed qualitatively by the specification of well locations, well construction, sampling intervals, and sampling and analysis techniques. Comparability is the confidence with which one data set can be compared to another. The QC parameters are evaluated through laboratory checks (e.g., matrix spikes, laboratory blanks), replicate sampling and analysis, analysis of blind standards and blanks, and interlaboratory comparisons. Acceptance criteria have been established for each of these parameters, based on guidance from the U.S. Environmental Protection Agency (OSWER-9950.1), and are specified in the project's quality assurance manual. When a parameter is outside the criteria, corrective actions are taken to prevent a future occurrence and affected data are flagged in the database.

## 6.0 Data Management, Evaluation, and Reporting

This chapter describes how groundwater data are stored, retrieved, evaluated, interpreted, and reported.

### 6.1 Data Management

The contract laboratories report analytical results electronically. The results are loaded into the Hanford Environmental Information System (HEIS) database. Field-measured parameters are entered manually or through electronic transfer. Paper data reports and field records are considered to be the record copies and are stored at PNNL.

The data undergo a validation/verification process according to a documented procedure, as described in the project QA plan. QC data are evaluated against the criteria listed in the project QA plan and data flags are assigned when appropriate. In addition, data are screened by scientists familiar with the hydrogeology of the unit, compared to historical trends or spatial patterns, and flagged if they are not representative. Other checks on data may include comparison of general parameters to their specific counterparts (e.g., conductivity to ions; gross alpha to uranium), calculation of charge balances, and comparison of calculated versus measured conductivity. If necessary, the laboratory may be asked to check calculations or reanalyze the sample, or the well may be resampled.

## 6.2 Interpretation

After data are validated and verified, the acceptable data are used to interpret groundwater conditions at the site. Interpretive techniques include:

- Hydrographs: graph water levels versus time to determine decreases, increases, seasonal, or man-made fluctuations in groundwater levels.
- Water-table maps: use water-table elevations from multiple wells to construct contour maps to estimate flow directions. Groundwater flow is assumed to be perpendicular to lines of equal potential.
- Trend plots: graph concentrations of chemical or radiological constituents versus time to determine increases, decreases, and fluctuations. May be used in tandem with hydrographs and/or water-table maps to determine if concentrations relate to changes in water-level or in groundwater flow directions.
- Plume maps: map distributions of chemical or radiological constituents areally in the aquifer to determine extent of contamination. Changes in plume distribution over time aid in determining movement of plumes and direction of flow.
- Contaminant ratios: can sometimes be used to distinguish between different sources of contamination.

## 6.3 Reporting

Interpretations of data for the 100-FR-3 Operable Unit are reported annually along with the rest of the Groundwater Project (e.g., PNNL-13116).

## 7.0 References

BHI-00917. 1996. *Conceptual Site Models for Groundwater Contamination at 100-BC-5, 100-KR-4, 100-HR-03, and 100-FR-3 Operable Units*. R. E. Peterson, R. F. Raidel, and C. W. Denslow, Bechtel Hanford, Inc., Richland, Washington.

DOE/RL-93-82. 1994. *Limited Field Investigation for the 100-FR-3 Operable Unit*. U.S. Department of Energy, Richland Operations Office, Richland, Washington.

DOE/RL-95-54, Draft B. 1995. *Proposed Plan for Interim Remedial Measures at the 100-FR-1 Operable Unit*. U.S. Department of Energy, Richland Operations Office, Richland, Washington.

DOE/RL-95-92, Decisional Draft. 1995. *Proposed Plan for Interim Remedial Measures at the 100-FR-2 Operable Unit*. U.S. Department of Energy, Richland Operations Office, Richland, Washington.

Gillespie, B. M. 1999. "Appendix C, Analytical Methods." In PNNL-12086, *Hanford Site Groundwater Monitoring for 1998*, Pacific Northwest National Laboratory, Richland, Washington.

Newcomb, R. C., J. R. Strand, and F. J. Frank. 1972. *Geology and Ground-Water Characteristics of the Hanford Reservation of the U.S. Atomic Energy Commission, Washington*. Professional Paper 717, U.S. Geological Survey, Washington, D.C.

OSWER-9950.1. 1986. *Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document (TEGD)*. U.S. Environmental Protection Agency, Washington, D.C.

SW-846. 1986. *Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods, 3<sup>rd</sup> ed.* Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, D.C.

WHC-SD-EN-TI-133. 1993. *Geology of the 100-B/C Area, Hanford Site, South-Central Washington*. J. W. Lindberg, Westinghouse Hanford Company, Richland, Washington.

**Appendix A**

**Federal Facility Agreement and Consent Order  
Change Control Form M-15-99-02**

Change Number M-15-99-02	Federal Facility Agreement and Consent Order Change Control Form <small>Do not use blue ink. Type or print using black ink.</small>	Date 7/14/99
Originator M. J. Furman		Phone 373-9630
Class of Change <input type="checkbox"/> I - Signatories <input type="checkbox"/> II - Executive Manager <input checked="" type="checkbox"/> III - Project Manager		
Change Title Modifications to the Groundwater Sampling and Analysis for the 100-FR-3 Operable Unit Groundwater Sampling Project		
Description/Justification of Change The following encapsulates changes to the 100-FR-3 Operable Unit Monitoring as of 07/31/96:  1) Wells 199-F5-2, 199-F5-7 and 199-F8-1 were deleted as part of the site-wide decommissioning program. The 100-FR-3 Operable Unit continues to have adequate coverage from remaining groundwater monitoring wells. Changes in groundwater conditions or elevation of constituent levels could require new well installations. Well placements are selected on the basis of proximity to the Columbia River, historical trends in each well, and contaminant plume locations.  2) Integration of groundwater programs within the Hanford Site has eliminated overlap in sampling schedules and constituents. Surveillance and 100-FR-3 Operable Unit monitoring were added to the Integrated Monitoring Plan for the Hanford Groundwater Monitoring Project (PNNL-11989) in September 1998. Future changes to surveillance monitoring and the 100-FR-3 Change Control Form will be reflected in revisions to the Integrated Monitoring Plan.  3) Data validation will follow requirements outlined in the Integrated Monitoring Plan (PNNL-11989).  4) Analytical change  The attached Tables 1 and 2 summarize the changes to 100-FR-3 sampling. Minor modifications to the list of specific wells used and constituents analyzed may occur to meet the changing field conditions and the results of data evaluation.		
Impact of Change The changes continue the trend established in Change Control Form M-15-96-06 to produce a more integrated and cost-effective system. Changes to the monitoring network as a result of excavation in support of remediation are also included. Sample collection efforts will be integrated further under the Integrated Monitoring Plan (PNNL-11989). Where reductions in number of samples, analytes, and frequency of sampling occur, a minimal or negligible loss of relevant information is expected.		
Affected Documents 1) Remedial Investigation/Feasibility Study Work Plan for the 100-FR-3 Operable Unit, Hanford Site, Richland, WA; DOE/RL-91-53, September 1992. 2) 100 NPL Agreement/Change Control Form #39, "100-FR-3 Operable Unit Groundwater Monitoring Network," EPA approval December 1992; 3) Federal Facility Agreement and Consent Order Change Control Form, Change Number M-15-96-06.		
Approvals		
<i>M. J. Furman</i> DOE	6/22/99 ✓ Date	Approved _____ Disapproved _____
<i>Don Felle</i> EPA	7-14-99 ✓ Date	Approved _____ Disapproved _____
<i>N/A</i> Ecology		Approved _____ Disapproved _____

**Table 1. Sampling and Analysis Schedule for 100-FR-3 Groundwater Project (Page 1 of 2)**

Well Number	Facility Monitored/Purpose	Schedule	Program	Change
199-F1-2	Lewis canal/near river	A	FRLFI	None
199-F5-1	116-F-2 Retention basin/near river	A/Q(Sr-90)	FRLFI	None
199-F5-2	107-F Retention basin/near river	N/A	N/A	Decommissioned
199-F5-3	116-F-2 Retention basin/near river	A/Q(Sr-90)	FRLFI/S	None
199-F5-4	105-F Reactor building effluent disposal	2-0	FRLFI	None
199-F5-5	116-F-9 Animal farm liquid effluent	N/A	N/A	Reserve
199-F5-6	Biological and pharmacological laboratory effluent	A	FRLFI/S	None
199-F5-7	116-F-2 Retention basin/ reactor building effluent	N/A	FRLFI	Decommissioned
199-F5-42	107-F Retention basin/near river	A	FRLFI	None
199-F5-43A	107-F Retention basin/near river	A	FRLFI	None
199-F5-43B (deep well)	107-F Retention basin/near river	A	FRLFI	None
199-F5-44	Biological and pharmacological laboratory effluent/near river	A	FRLFI	None
199-F5-45	105-F Reactor building effluent	2-0/ Q(NO <sub>x</sub> )	FRLFI	None
199-F5-46	105-F Reactor building effluent	A/Q(Cr <sup>6+</sup> )	FRLFI/S	None
199-F5-47	105-F Reactor building effluent	2-E	FRLFI/S	None
199-F5-48	105-F Reactor building effluent	2-E	FRLFI	None
199-F6-1	116-F-2 Liquid waste disposal trench/near river	A	FRLFI	None
199-F7-1	Background/TCE plume	2-E	FRLFI/S	None
199-F7-2	116-F-1 "Lewis" canal	2-E	FRLFI	None
199-F7-3	Background/TCE plume	2-0	FRLFI/S	None

Notes: 2-E = biennial sampling, even years (starting 1998), A = annual sampling, 2-0 = biennial sampling, odd years (starting 1997), S = Surveillance Monitoring, FRLFI = 100-FR-3 Limited Field Investigation  
N/A = not applicable/decommissioned well

**Table 1. Sampling and Analysis Schedule for 100-FR-3 Groundwater Project (Page 2 of 2)**

Well Number	Facility Monitored/Purpose	Schedule	Program	Change
199-F8-1	105-F Reactor building effluent	N/A	N/A	Decommissioned
199-F8-2	105-F Reactor building effluent	2-E	FRLFI/S	None
199-F8-3	Background/118-F-1 solid waste burial ground #2	2-0	FRLFI/S	None
199-F8-4	Area downgradient of facilities	A	FRLFI	None
699-71-30	Background/downgradient	2-0	FRLFI	None
699-74-44	Background/TCE plume	N/A	N/A	Reserve
699-77-36	Background/TCE plume	2-E	FRLFI	None
699-80-43s	Background/TCE plume	N/A	N/A	Reserve
699-81-38	Background/TCE plume	2-0	FRLFI	None
699-82-32	Background	N/A	N/A	Reserve
699-82-34	Background	N/A	N/A	Reserve
699-83-36	Background	N/A	N/A	Reserve
699-83-47	Background	2-E	FRLFI/S	None
699-84-35A	Background*	2-0	FRLFI/S	None
Seep 187-1	Area/shoreline exposure	A	FRLFI	None
Seep 190-4	Area/shoreline exposure	A	FRLFI	None
Seep 207-1	Area/shoreline exposure	A	FRLFI	None

Notes: 2-E = biennial sampling, even years (starting 1998), A = annual sampling, 2-0 = biennial sampling, odd years (starting 1997), S = Surveillance Monitoring, FRLFI = 100-FR-3 Limited Field Investigation, N/A = not applicable/decommissioned well, \* = Piezometer not sampled/reserved for future use

**Table 2. Analysis Suite Codes for the 100-FR-3 Groundwater Project**

Analysis/Parameter	Constituent
Metals by routine ICP (EPA 6010A-Target Analyte List)  Note: Filtered samples only for all metal analysis	Aluminum
	Antimony
	Barium
	Beryllium
	Cadmium
	Calcium
	Chromium
	Cobalt
	Copper
	Iron
	Magnesium
	Manganese
Anions by IC (EPA 300.0)	Nickel
	Potassium
	Silver
Volatile Organics	Sodium
	Vanadium
Radionuclide screening	Zinc
	Chloride
Specific radionuclides	Nitrate
	Fluoride
Field parameters	Sulfate
	TCL (including TCE)**
	Gross alpha
	Gross beta
Field parameters	Activity scan*
	Strontium-90
	Tritium
	PH
Field parameters	Specific conductance
	Temperature
	Turbidity

Note: \* = Selected wells only, ICP= Inductively coupled plasma  
IC = Ion chromatography, \*\* - TCL samples obtained from wells identified as monitoring "TCE plume" in Facility Monitored/Purpose column of Table 1.  
Constituent selection based on TPA Change Control Form M-15-96-06, August 1996.

## Distribution

<u>No. of Copies</u>		<u>No. of Copies</u>	
<b>ONSITE</b>			<b>Washington State Department of Ecology</b>
<b>2 DOE Richland Operations Office</b>			W. W. Soper B5-18
M. J. Furman	A5-13	<b>15 Pacific Northwest National Laboratory</b>	
A. C. Tortoso	H0-12	M. J. Hartman	K6-96
<b>U.S. Environmental Protection Agency</b>		S. P. Luttrell	K6-96
D. A. Faulk	B5-01	M. D. Sweeney (5)	K6-81
		D. Vela	K6-96
		Information Release Office (7)	K1-01