
**Pacific Northwest
National Laboratory**

Operated by Battelle for the
U.S. Department of Energy

Hanford Site Environmental Surveillance Master Sampling Schedule for Calendar Year 2006

L. E. Bisping

January 2006

Prepared for the U.S. Department of Energy
under Contract DE-AC05-76RL01830



DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. This report is a summary of major or significant activities occurring at the Hanford Site only, and is not a full disclosure of all details associated with Hanford-related activities, nor a substitute for legally required information subject to reporting requirements regarding releases, violations, etc.

PACIFIC NORTHWEST NATIONAL LABORATORY

operated by
BATTELLE

for the

UNITED STATES DEPARTMENT OF ENERGY
under Contract DE-AC05-76RL01830

Printed in the United States of America

May be available to DOE and DOE contractors from the
Office of Scientific and Technical Information,
P.O. Box 62, Oak Ridge, TN 37831-0062;
ph: (865) 576-8401
fax: (865) 576-5728
email: reports@adonis.osti.gov

May be available to the public from the National Technical Information Service,
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161
ph: (800) 553-6847
fax: (703) 605-6900
email: orders@ntis.fedworld.gov
online ordering: <http://www.ntis.gov/ordering.htm>



This document was printed on recycled paper.

**Hanford Site Environmental Surveillance
Master Sampling Schedule for
Calendar Year 2006**

L. E. Bisping

January 2006

Prepared for
the U.S. Department of Energy
under Contract DE-AC05-76RL01830

Pacific Northwest National Laboratory
Richland, Washington 99352

Summary

Environmental surveillance of the Hanford Site and surrounding areas is conducted by the Pacific Northwest National Laboratory (PNNL)^(a) for the U.S. Department of Energy (DOE). Sampling is conducted to evaluate levels of radioactive and nonradioactive pollutants in the Hanford environs, as required in DOE Order 450.1, *Environmental Protection Program*, and DOE Order 5400.5, *Radiation Protection of the Public and the Environment*. The sampling design is described in the Hanford Site *Environmental Monitoring Plan* (DOE/RL-91-50, U.S. Department of Energy, Richland Operations Office, Richland, Washington). The changing mission at Hanford from plutonium production to clean-up has resulted in decreases in radiological sampling scope over the past ten years. External radiation surveillance was discontinued at the end of CY2005.

This document contains the calendar year 2006 schedules for the routine and non-routine collection of samples for the Surface Environmental Surveillance Project (SESP) and Drinking Water Monitoring Project. Each section includes sampling locations, sample types, and analyses to be performed. In some cases, samples are scheduled on a rotating basis and may not be collected in 2006 in which case the anticipated year for collection is provided. In addition, a map showing approximate sampling locations is included for each media scheduled for collection in 2006.

SESP Sampling

The SESP is a multimedia environmental surveillance effort to measure the concentrations of radionuclides and chemicals in environmental media and assess the integrated effects of these materials on the environment and the public. Project staff collect samples of air, surface water, agricultural products, wildlife, and sediments. In addition, soil and natural vegetation samples are collected approximately every 5 years. The project also includes the capability to monitor particulate matter mass concentrations in air. Analytical capabilities include the measurement of radionuclides at very low environmental concentrations and, in selected media, nonradiological chemicals including metals, anions, and volatile organic compounds.

(a) Pacific Northwest National Laboratory is operated by Battelle Memorial Institute for the U.S. Department of Energy under Contract DE-AC05-76RL01830.

Drinking Water Monitoring Project Sampling

Fluor Hanford, Inc. is responsible for monitoring the quality of drinking water supplied by the DOE to its onsite facilities in accordance with federal and state regulations. PNNL conducts radiological monitoring of onsite drinking water for Fluor Hanford, Inc. concurrent with SESP activities to promote sampling efficiency and consistency, utilize expertise developed over the years, and reduce costs associated with management, sample collection procedure development, analytical contracting, data management, quality control, and reporting.

Data Management

The Hanford Environmental Information System (HEIS) database is used as a repository for data gathered during environmental surveillance activities at the Hanford Site. For ease in retrieving SESP or drinking water data from the HEIS database, the majority of the location names in this document are the location names used in the database.

Schedule Changes

This schedule is subject to modification during the year in response to changes in site operations, program requirements, and the nature of the observed results. Operational limitations such as weather, mechanical failures, sample availability, etc., may also impact scheduled sampling. Therefore, this document may not be an accurate record of samples collected during the year.

Co-Samples

Samples that are co-sampled and analyzed by both PNNL and the Washington State Department of Health (DOH) are indicated in the schedule, as are samples that are co-sampled and analyzed by both PNNL and the U.S. Food and Drug Administration (FDA).

Additional Information

Questions relating to the content of this document can be directed to T. M. Poston, Manager, Surface Environmental Surveillance Project, (509) 376-5678 or R.W. (Bill) Hanf, Manager, Drinking Water Monitoring Project, (509) 376-8264.

Contents

Summary	iii
Abbreviations	vii
1.0 Air Surveillance	1
1.1 Air – Particulate Filter	1
1.2 Air – Tritium and Iodine	3
1.3 Air – Particulate Mass Concentration	3
2.0 Surface Water Surveillance	5
2.1 Water – Columbia River	5
2.2 Water – Riverbank Springs	7
2.3 Water – Onsite Pond	8
2.4 Water – Offsite Irrigation	8
2.5 Water – Onsite Drinking	9
3.0 Biota	11
3.1 Foodstuffs and Farm Products	11
3.1.1 Whole Milk	11
3.1.2 Leafy Vegetables	11
3.1.3 Vegetables	11
3.1.4 Fruit	12
3.1.5 Wine	12
3.1.6 Alfalfa	13
3.1.7 Honey	13
3.2 Wildlife	15
3.2.1 Aquatic Biota	15
3.2.2 Geese	16
3.2.3 Game Birds	16
3.2.4 Rabbits	17
3.2.5 Deer/Elk	17
4.0 Soil and Vegetation	19
4.1 Soil	19
4.2 Vegetation	20
5.0 Sediment	21
6.0 References	23

Figures

Figure 1.1. 2006 Air Sampling Locations.....	4
Figure 2.1. 2006 Surface Water and Drinking Water Sampling Locations	10
Figure 3.1. 2006 Food and Farm Product Sampling Locations	14
Figure 3.2. 2006 Wildlife Sampling Locations.....	18
Figure 5.1. 2006 Sediment Sampling Locations	22

Abbreviations

Frequency Symbols Used

A	annually
BE	biennially (every 2 years)
BW	biweekly (every 2 weeks)
M	monthly
M Comp.	monthly composite
Q	quarterly
Q Comp.	quarterly composite
SA	semiannually (twice each year)
TE	triennially (every 3 years)

Analytical Symbols Used

Generally, standard element, chemical, and isotope designations are used to indicate the analyses performed. Other analytical designations used are:

Alpha	gross alpha activity of sample
Anions	major anions-generally chloride, fluoride, nitrate, nitrite, sulfate
Beta	gross beta activity of sample
DDD	dichlorodiphenyl dichloroethane
DDE	dichlorodiphenyl dichloroethylene
DDT	dichlorodiphenyl trichloroethane
Gamma Scan	analysis of photon energy spectrum for individual photon-emitting radionuclides
HTO	tritiated water ($^3\text{H}^1\text{H}^{16}\text{O}$)
Hg-CVAA	mercury by cold vapor atomic absorbance spectrometry
Hg-CVAF	total mercury in water by cold vapor atomic fluorescence
ICP-MS	major metals by inductively coupled plasma mass spectrometry – samples unfiltered unless otherwise noted
Lo ^3H	analytical procedure includes electrolytic enrichment
PM ₁₀ & PM _{2.5}	particulates having an aerodynamic diameter less than 10 and 2.5 micrometers respectively. Note that a PM ₁₀ sample includes PM _{2.5} particulates
Pu	isotopic plutonium (^{238}Pu , $^{239/240}\text{Pu}$)
SEM/AVS	simultaneously extracted metals/acid volatile sulfide
TOC	total organic carbon
U	isotopic uranium (^{234}U , ^{235}U , ^{238}U)
VOA	volatile organic compounds

1.0 Air Surveillance

1.1 Air – Particulate Filter

Location	Individual Samples			Composited Samples		
	Location Number ^(a)	Frequency	Analyses	Composite Group	Frequency	Analyses
<u>Onsite</u>						
100 K Area	1	BW	Beta, Alpha	100 Areas	Q	⁹⁰ Sr, Pu, Gamma Scan
100 N-1325 Crib	2	BW	Beta, Alpha			
100 D Area	3	BW	Beta, Alpha			
100 F Met Tower	4	BW	Beta, Alpha	Hanford Townsite	Q	⁹⁰ Sr, Pu, Gamma Scan
Hanford Townsite	5	BW	Beta, Alpha			
N of 200 E	6	BW	Beta, Alpha	N of 200 E	Q	Gamma Scan
200 ESE ^(b)	7	BW	Beta, Alpha	200 E Area	Q	⁹⁰ Sr, Pu, U, Gamma Scan
S of 200 E	8	BW	Beta, Alpha			
B Pond	9	BW	Beta, Alpha	B Pond	Q	Pu, U, Gamma Scan
Army Loop Camp	10	BW	Beta, Alpha	200 W South East	Q	⁹⁰ Sr, Pu, U, Gamma Scan
200 Tel. Exchange	11	BW	Beta, Alpha			
SW of B/C Cribs	12	BW	Beta, Alpha			
200 W SE	13	BW	Beta, Alpha	200 West Area	Q	Pu, U, Gamma Scan
300 Water Intake	14	BW	Beta, Alpha	300 Area	Q	⁹⁰ Sr, Pu, U, Gamma Scan
300 South Gate	15	BW	Beta, Alpha			
300 South West	16	BW	Beta, Alpha			
300 Trench	17	BW	Beta, Alpha	300 Trench	Q	⁹⁰ Sr, Pu, U, Gamma Scan
300 NE	18	BW	Beta, Alpha	300 NE	Q	⁹⁰ Sr, Pu, U, Gamma Scan
400 E	19	BW	Beta, Alpha	400 Area	Q	⁹⁰ Sr, Pu, Gamma Scan
400 W	20	BW	Beta, Alpha			
400 S	21	BW	Beta, Alpha			
400 N	22	BW	Beta, Alpha			
Wye Barricade ^(b)	23	BW	Beta, Alpha	Wye Barricade	Q	⁹⁰ Sr, Pu, U, Gamma Scan
<u>Perimeter</u>						
Ringold Met Tower	24	BW	Beta, Alpha	Ringold Met Tower	Q	⁹⁰ Sr, Pu, Gamma Scan
W End of Fir Road ^(b)	25	BW	Beta, Alpha	W End of Fir Road	Q	⁹⁰ Sr, Pu, U, Gamma Scan

1.1 Air – Particulate Filter (contd)

Location	Individual Samples			Composited Samples		
	Location Number ^(a)	Fre-quency	Analyses	Composite Group	Fre-quency	Analyses
<u>Perimeter</u>						
Dogwood Met Tower	26	BW	Beta, Alpha	Dogwood Met Tower	Q	⁹⁰ Sr, U, Gamma Scan
Byers Landing	27	BW	Beta, Alpha	Byers Landing	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Battelle Complex ^(b)	28	BW	Beta, Alpha	Battelle Complex	Q	Gamma Scan
Horn Rapids Substa	29	BW	Beta, Alpha	Prosser Barricade	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Prosser Barricade ^(b)	30	BW	Beta, Alpha			
Yakima Barricade ^(b)	31	BW	Beta, Alpha	Yakima Barricade	Q	⁹⁰ Sr, Pu, Gamma Scan
Rattlesnake Springs	32	BW	Beta, Alpha			
Wahluke Slope	33	BW	Beta, Alpha	Wahluke Slope	Q	⁹⁰ Sr, Pu, Gamma Scan
S End Vernita Bridge	34	BW	Beta, Alpha			
<u>Community</u>						
Basin City School	35	BW	Beta, Alpha	Basin City School	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Leslie Groves-Rchlnd	36	BW	Beta, Alpha	Leslie Groves-Rchlnd	Q	⁹⁰ Sr, Pu, U, Gamma Scan
Pasco	37	BW	Beta	Tri Cities	Q	⁹⁰ Sr, Pu, Gamma Scan
Kennewick-Ely Street	38	BW	Beta, Alpha			
Benton City	39	BW	Beta	Benton City	Q	Gamma Scan
Mattawa	40	BW	Beta	Mattawa	Q	Gamma Scan
Othello	41	BW	Beta	Othello	Q	Gamma Scan
<u>Distant</u>						
Yakima	42	BW	Beta, Alpha	Yakima	Q	⁹⁰ Sr, Pu, U, Gamma Scan

(a) Refer to Figure 1.1, 2006 Air Sampling Locations.

(b) Washington State Department of Health air sampler also at this location.

1.2 Air – Tritium and Iodine


<u>Location</u>	<u>Location Number^(a)</u>	<u>Frequency^(b)</u>	<u>Analysis</u>	<u>Frequency</u>	<u>Analysis^(c)</u>
<u>Onsite</u>					
100 K Area	1			M	³ H
100 N-1325 Crib	2			M	³ H
200 ESE	7	Q Comp.	¹²⁹ I	M	³ H
200 Tel. Exchange	11			M	³ H
300 Water Intake ^(d)	14			M	³ H
300 South Gate ^(e)	15			M	³ H
300 South West	16			M	³ H
300 Trench	17			M	³ H
300 NE	18			M	³ H
400 E	19			M	³ H
<u>Perimeter</u>					
Ringold Met Tower	24	Q Comp.	¹²⁹ I	M	³ H
W End of Fir Road	25			M	³ H
Dogwood Met Tower	26			M	³ H
Byers Landing	27	Q Comp.	¹²⁹ I	M	³ H
Battelle Complex ^(d)	28			M	³ H
Prosser Barricade ^(d)	30			M	³ H
Wahluke Slope	33			M	³ H
<u>Community</u>					
Basin City School	35			M	³ H
Leslie Groves-Rchlnd	36			M	³ H
<u>Distant</u>					
Yakima	42	Q Comp.	¹²⁹ I	M	³ H

- (a) Refer to Figure 1.1, 2006 Air Sampling Locations.
 (b) Samples are collected monthly and composited for quarterly analyses.
 (c) As HTO.
 (d) Washington State Department of Health air sampler also at this location.
 (e) Two tritium samples are collected from this location.

1.3 Air – Particulate Mass Concentration

<u>Location</u>	<u>Location Number^(a)</u>	<u>Frequency</u>	<u>Analysis^(b)</u>
Hanford Meteorological Station	43	Hourly	Mass Concentration

- (a) Refer to Figure 1.1, 2006 Air Sampling Locations.
 (b) Hourly average mass concentration data are collected at the Hanford Meteorological Station for two size fractions, PM₁₀ and PM_{2.5}. These data are not available in the HEIS database but can be obtained from the SESP manager.



G05120011.1

Figure 1.1. 2006 Air Sampling Locations

2.0 Surface Water Surveillance

2.1 Water – Columbia River

Location ^(a)	Sample Type	Frequency	Analyses/Co-Sample
Priest Rapids-River	Cumulative	M Comp. ^(b) Q Comp. ^(b)	Alpha, Beta, Lo ³ H, ⁹⁰ Sr, ⁹⁹ Tc, U, DOH ^(c) ¹²⁹ I
	Particulate (filter)	M Comp. ^(d) Q Comp. ^(d)	Gamma Scan Pu
	Soluble (resin)	M Comp. ^(d) Q Comp. ^(d)	Gamma San Pu
Rich.Pmphs HRM 46.4	Cumulative	M Comp. ^(b) Q Comp. ^(b)	Alpha, Beta, Lo ³ H, ⁹⁰ Sr, ⁹⁹ Tc, U ¹²⁹ I
	Particulate (filter)	M Comp. ^(d) Q Comp. ^(d)	Gamma Scan Pu
	Soluble (resin)	M Comp. ^(d) Q Comp. ^(d)	Gamma Scan Pu
	Grab	3/Yr	USGS-NASQAN ^(e)
Rich.Pmphs-1 HRM46.4 ^(f)	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs-2 HRM46.4	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs-3 HRM46.4	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs-5 HRM46.4	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs-7 HRM46.4	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs-10 HRM46.4	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Rich.Pmphs HRM 43.5	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, DOH ^(g)
Rich.Pmphs HRM 43.9	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, DOH ^(g)
Rich.Pmphs HRM 45.0	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, DOH ^(g)
Rich.Pmphs HRM 45.8	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, DOH ^(g)
Vernita	Grab	3/Yr	USGS-NASQAN ^(e)
Vernita-1 HRM 0.3	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Vernita-2 HRM 0.3	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA

2.1 Water – Columbia River (contd)

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Analyses/Co-Sample</u>
Vernita-3 HRM 0.3	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
Vernita-4 HRM 0.3	Transect	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered, VOA
100 N -1 HRM 9.5 ^(b)	Transect		Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N -2 HRM 9.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N -3 HRM 9.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N -5 HRM 9.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N -7 HRM 9.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N -10 HRM 9.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100 N Shore HRM 8.4	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)
100 N Shore HRM 8.9	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)
100 N Shore HRM 9.2	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)
100 N Shore HRM 9.8	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)
Hanfrd TS-1 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd TS-2 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd TS-3 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd TS-5 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd TS-7 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd TS-10 HRM 28.7	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanfrd Twnsite HRM26	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)
Hanfrd Twnsite HRM27	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)
Hanfrd Twnsite HRM28	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)
Hanfrd Twnsite HRM30	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)
300 Area -1 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area -2 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area -3 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area -5 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area -7 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area -10 HRM 43.1	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area Shr HRM41.5	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)
300 Area Spring 42-2	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)
300 Area Spr DR 42-2	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)

2.1 Water – Columbia River (contd)

Location ^(a)	Sample Type	Frequency	Analyses/Co-Sample
300 Area Shr HRM42.9	Transect	A	Lo ³ H, ⁹⁰ Sr, U, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(g)
300 Area Outfl13	Grab	Q A	Lo ³ H, ⁹⁰ Sr, U, Anions ICP-MS, Hg-CVAF, ICP-MS Filtered

- (a) Refer to Figure 2.1, 2006 Surface Water and Drinking Water Sampling Locations. Hanford River Markers (HRM) are a series of signposts along the Hanford shoreline of the Columbia River that are roughly 1.6 kilometer (1 mile) apart. The Vernita Bridge is HRM #0 and Ferry Street in Richland is HRM #46. Samples collected between HRMs are assigned a decimal.
- (b) Cumulative sample is collected weekly and composited for analysis.
- (c) Co-sample provided to the Washington State Department of Health (January and June only).
- (d) Sample is collected biweekly and composited for analysis.
- (e) Analyses are performed by the United States Geological Survey (USGS) in conjunction with the National Stream Quality Accounting Network (NASQAN) Program, and include: conductance, pH, temperature, turbidity, dissolved oxygen, hardness, Ca, Mg, alkalinity, carbonates, sulfate, Cl, F, solids, NH₄-N, NO₃+NO₂, N-Kjeldahl, P, Cr, Fe, dissolved organic carbon.
- (f) Quality assurance sample submitted for analyses twice per year.
- (g) One co-sample provided to the Washington State Department of Health.
- (h) Quality assurance sample submitted for analyses once per year.

2.2 Water – Riverbank Springs

Location ^(a)	HRM ^(b)	Sample Type	Frequency	Analyses/Co-Sample
100-B Spring 38-3	3.8	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, ⁹⁹ Tc, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA
100-B Spring 39-2	3.9	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, ⁹⁹ Tc, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA
100-K Spring 63-1	6.3	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA, DOH ^(c)
100-K Spring 77-1	7.6	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA, DOH ^(c)
100-N Spring Near 199N-46	8.9	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100-N Spring 8-13	9.3	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(c)
100-D Spring 102-1	10.2	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100-D Spring 110-1	11.0	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100-H Spring 145-1	14.4	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, ⁹⁹ Tc, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100-H Spring 152-2	15.3	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, ⁹⁹ Tc, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
100-F Spring 207-1	21.3	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA

2.2 Water – Riverbank Springs (contd)

<u>Location^(a)</u>	<u>HRM^(b)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Analyses/Co-Sample</u>
Hanford Spr UR 28-2 ^(d)	27.8	Grab	A	Alpha, Beta, ³ H, ⁹⁹ Tc, U, ¹²⁹ I, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
Hanford Spring 28-2	28.1	Grab	A	Alpha, Beta, ³ H, ⁹⁹ Tc, U, ¹²⁹ I, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, DOH ^(c)
Hanford Spr DR 28-2 ^(e)	28.3	Grab	A	Alpha, Beta, ³ H, ⁹⁹ Tc, U, ¹²⁹ I, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area Spring 41-9	41.9	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions
300 Area Spring 42-2	42.1	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, U, ¹²⁹ I, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA
300 Area Spr DR 42-2 ^(e)	42.4	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, U, ¹²⁹ I, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions, VOA, DOH ^(c)
300 Area Spring 42-7	42.7	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, U, Gamma Scan, Anions
Richland Spr(SRL 437-1)	43.7	Grab	A	Alpha, Beta, ³ H, ⁹⁰ Sr, U, Gamma Scan, ICP-MS, Hg-CVAF, ICP-MS Filtered, Anions

(a) Refer to Figure 2.1, 2006 Surface Water and Drinking Water Sampling Locations.

(b) Hanford River Markers (HRM) are a series of signposts along the Hanford shoreline of the Columbia River that are roughly 1.6 kilometer (1 mile) apart. The Vernita Bridge is HRM #0 and Ferry Street in Richland is HRM #46. Samples collected between HRMs are assigned a decimal.

(c) One co-sample provided to the Washington State Department of Health.

(d) UR - Upriver from noted location.

(e) DR - Downriver from noted location.

2.3 Water – Onsite Pond

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Analyses</u>
West Lake	Grab	Q	³ H
FFTF Pond ^(b)	Grab	Q	Alpha, Beta, ³ H, Gamma Scan

(a) Refer to Figure 2.1, 2006 Surface Water and Drinking Water Sampling Locations.

(b) Quality assurance sample submitted for analyses once per year.

2.4 Water – Offsite Irrigation

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Analyses/Co-Sample</u>
Riverview Canal	Grab	3 (May-Sept)	Alpha, Beta, Lo ³ H, ⁹⁰ Sr, U, Gamma Scan, DOH ^(b)
Horn Rapids Area	Grab	3 (May-Sept)	Alpha, Beta, Lo ³ H, ⁹⁰ Sr, U, Gamma Scan, DOH ^(b)

(a) Refer to Figure 2.1, 2006 Surface Water and Drinking Water Sampling Locations.

(b) One co-sample provided to the Washington State Department of Health.

2.5 Water – Onsite Drinking

Location ^(a)	Sample Type	Individual Samples		Composited Samples		
		Fre-quency	Analyses/Co-Sample	Composite Group	Fre-quency	Analyses
100 N Area	Grab	M ^(b)	}	100 N Area	Q	Beta
100 N Area	Grab	Q ^(c)	Alpha, ²²⁶ Ra, ²²⁸ Ra, ¹³¹ I }	100 N Area	A	⁹⁰ Sr, ³ H
200 W Area	Grab	M ^(b)	}	200 W Area	Q	Beta
200 W Area	Grab	Q ^(c)	Alpha, ²²⁶ Ra, ²²⁸ Ra, ¹³¹ I }	200 W Area	A	⁹⁰ Sr, ³ H
100 K Area	Grab	M ^(b)	}	100 K Area	Q	Beta
100 K Area	Grab	Q ^(c)	Alpha, ²²⁶ Ra, ²²⁸ Ra, ¹³¹ I }	100 K Area	A	⁹⁰ Sr, ³ H
400 Area	Grab	M ^(b)	}	400 Area	Q	Beta
400 Area	Grab	Q ^(c)	Alpha, ²²⁶ Ra, ²²⁸ Ra, ¹³¹ I, ³ H, DOH ^(d) }	400 Area	A	⁹⁰ Sr

(a) Refer to Figure 2.1, 2006 Surface Water and Drinking Water Sampling Locations.

(b) Sample is collected monthly and composited for quarterly analysis.

(c) Sample is collected and analyzed quarterly and then composited for annual analysis.

(d) One co-sample provided to the Washington State Department of Health for ³H (January only).




Figure 2.1. 2006 Surface Water and Drinking Water Sampling Locations

3.0 Biota

3.1 Foodstuffs and Farm Products

3.1.1 Whole Milk

<u>Location^(a)</u>	<u>Frequency</u>	<u>Analyses</u>
East Wahluke Area ^(b)	Q SA	Lo ³ H, ⁹⁰ Sr, Gamma Scan ¹²⁹ I
Sage Moor Composite ^{(b)(c)}	Q SA	Lo ³ H, ⁹⁰ Sr, Gamma Scan ¹²⁹ I
Sunnyside Area	Q SA	Lo ³ H, ⁹⁰ Sr, Gamma Scan ¹²⁹ I

(a) Refer to Figure 3.1, 2006 Food and Farm Product Sampling Locations.

(b) Sample composited from multiple dairies in each area.

(c) Quality assurance samples submitted for analyses once per year.

3.1.2 Leafy Vegetables

<u>Location^{(a)(b)}</u>	<u>Frequency^(c)</u>	<u>Analyses/Co-Sample</u>
Riverview Area	A	⁹⁰ Sr, Gamma Scan, FDA ^(d)
Sunnyside Area	A	⁹⁰ Sr, Gamma Scan, FDA ^(d)
East Wahluke Area	BE (2006)	⁹⁰ Sr, Gamma Scan, DOH ^(e)
Sage Moor Area	BE (2007)	⁹⁰ Sr, Gamma Scan, DOH ^(e)

(a) Refer to Figure 3.1, 2006 Food and Farm Product Sampling Locations.

(b) Two samples collected for PNNL within each area, one sample analyzed and one archived.

(c) Samples are collected in 2006 according to their specified frequency unless otherwise noted.

(d) Two co-samples sent to U.S. Food and Drug Administration.

(e) One co-sample provided to the Washington State Department of Health.

3.1.3 Vegetables

<u>Location^{(a)(b)}</u>	<u>Sample Type</u>	<u>Frequency^(c)</u>	<u>Analyses/Co-Sample</u>
Riverview Area	Potatoes	A	⁹⁰ Sr, Gamma Scan
	Tomatoes	A	⁹⁰ Sr, ³ H, Gamma Scan
	Asparagus	A	⁹⁰ Sr, U, Gamma Scan
Sunnyside Area	Potatoes	A	⁹⁰ Sr, Gamma Scan, FDA ^(d)
	Asparagus	A	⁹⁰ Sr, U, Gamma Scan
East Wahluke Area	Potatoes	A	⁹⁰ Sr, Gamma Scan
Harrah/Wapato Area	Tomatoes	A	⁹⁰ Sr, ³ H, Gamma Scan
Sage Moor Area	Asparagus	A	⁹⁰ Sr, U, Gamma Scan, DOH ^(e)
	Potatoes	TE (2006)	⁹⁰ Sr, Gamma Scan, DOH, ^(e) FDA ^(d)
Horn Rapids Area	Potatoes	TE (2008)	⁹⁰ Sr, Gamma Scan, DOH, ^(e) FDA ^(d)

(a) Refer to Figure 3.1, 2006 Food and Farm Product Sampling Locations.

(b) Two samples collected for PNNL within each area, one sample analyzed and one archived.

(c) Samples are collected in 2006 according to their specified frequency unless otherwise noted.

(d) Two co-samples sent to U.S. Food and Drug Administration.

(e) One co-sample provided to the Washington State Department of Health.

3.1.4 Fruit

<u>Location^{(a)(b)}</u>	<u>Sample Type</u>	<u>Frequency^(c)</u>	<u>Collection Period</u>	<u>Analyses/Co-Sample</u>
Sage Moor Area	Apples	TE (2006)	September	⁹⁰ Sr, Gamma Scan, DOH, ^(d) FDA ^(e)
	Concord Grapes ^(f)	TE (2007)	September	⁹⁰ Sr, Gamma Scan, DOH ^(d)
	Cherries	TE (2008)	June	⁹⁰ Sr, Gamma Scan, DOH, ^(d) FDA ^(e)
Sunnyside Area	Apples	TE (2006)	September	⁹⁰ Sr, Gamma Scan, DOH ^(d)
	Concord Grapes ^(f)	TE (2007)	September	⁹⁰ Sr, Gamma Scan
	Cherries	TE (2008)	June	⁹⁰ Sr, Gamma Scan
Riverview Area	Apples	TE (2006)	September	⁹⁰ Sr, Gamma Scan, DOH, ^(d) FDA ^(e)
	Concord Grapes ^(f)	TE (2007)	September	⁹⁰ Sr, Gamma Scan, DOH, ^(d) FDA ^(e)
	Cherries	TE (2008)	June	⁹⁰ Sr, Gamma Scan
Mattawa Area	Apples	TE (2006)	September	⁹⁰ Sr, Gamma Scan, DOH ^(d)
Cold Creek Area	Concord Grapes ^(f)	TE (2007)	September	⁹⁰ Sr, Gamma Scan
Ringold Area	Cherries	TE (2008)	June	⁹⁰ Sr, Gamma Scan, DOH ^(d)
East Wahluke Area	Cherries	TE (2008)	June	⁹⁰ Sr, Gamma Scan

- (a) Refer to Figure 3.1, 2006 Food and Farm Product Sampling Locations.
 (b) Two samples collected for PNNL within each area, one sample analyzed and one archived.
 (c) Samples are collected in 2006 according to their specified frequency unless otherwise noted.
 (d) One co-sample provided to the Washington State Department of Health.
 (e) Two co-samples sent to U.S. Food and Drug Administration.
 (f) Concord grapes preferred; table grapes acceptable if concord grapes are unavailable.

3.1.5 Wine

<u>Location^{(a)(b)}</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Co-Sample</u>
Columbia Basin	White	A	December	Lo ³ H, Gamma Scan, DOH ^(c)
	Red	A	December	Lo ³ H, Gamma Scan, DOH ^(c)
Yakima Valley	White	A	December	Lo ³ H, Gamma Scan, DOH ^(c)
	Red	A	December	Lo ³ H, Gamma Scan, DOH ^(c)

- (a) Refer to Figure 3.1, 2006 Food and Farm Product Sampling Locations.
 (b) Two samples of each type collected for PNNL within each area.
 (c) One co-sample provided to the Washington State Department of Health.

3.1.6 Alfalfa

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Co-Sample</u>
Sagemoor Area	Alfalfa	BE (2007)	May	⁹⁰ Sr, Gamma Scan, DOH ^(b)
Riverview Area	Alfalfa	BE (2007)	May	⁹⁰ Sr, Gamma Scan, DOH, ^(b) FDA ^(c)
Sunnyside Area	Alfalfa	BE (2007)	May	⁹⁰ Sr, Gamma Scan, FDA ^(c)
Horn Rapids Area	Alfalfa	BE (2007)	May	⁹⁰ Sr, Gamma Scan, DOH ^(b)

(a) Two samples collected for PNNL within each area, one sample analyzed and one archived.

(b) One co-sample provided to the Washington State Department of Health


(c) Two co-samples sent to U.S. Food and Drug Administration.

3.1.7 Honey

<u>Location^(a)</u>	<u>Sample Type</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Co-Sample</u>
East Wahluke Area	Honey	BE (2007)	Aug-Oct	⁹⁰ Sr, Pu, U, Gamma Scan, DOH ^(b)
Yakima Valley	Honey	BE (2007)	Aug-Oct	⁹⁰ Sr, Pu, U, Gamma Scan, DOH ^(b)

(a) One sample collected for PNNL within each area.

(b) One co-sample provided to the Washington State Department of Health.



G05120011.3

Figure 3.1. 2006 Food and Farm Product Sampling Locations

3.2 Wildlife

3.2.1 Aquatic Biota

<u>Location^(a)</u>	<u>Species/ Sample</u>	<u>Number of Samples</u>	<u>Frequency^(b)</u>	<u>Collection Period</u>	<u>Analyses/Co-Sample</u>
100-N to 100-D	Carp				
	Fillet	5	BE (2006)	April-July	Gamma Scan, DOH ^(c)
	Carcass	5	BE (2006)	April-July	⁹⁰ Sr, DOH ^(c)
	Liver ^(d)	5	BE (2006)	April-July	ICP-MS
	Whitefish				
	Fillet	5	BE (2007)	November	Gamma Scan, DOH ^(c)
	Carcass	5	BE (2007)	November	⁹⁰ Sr, DOH ^(c)
	Liver ^(d)	5	BE (2007)	November	ICP-MS
300 Area	Carp				
	Fillet	5	BE (2006)	April-July	Gamma Scan, U, DOH ^(c)
	Carcass	5	BE (2006)	April-July	⁹⁰ Sr, DOH ^(c)
	Liver ^(d)	5	BE (2006)	April-July	ICP-MS, Hg-CVAA
	Bass				
	Fillet	5	TE (2008)	April-May	Gamma Scan, U, DOH ^(c)
	Carcass	5	TE (2008)	April-May	⁹⁰ Sr, DOH ^(c)
	Liver ^(d)	5	TE (2008)	April-May	ICP-MS, Hg-CVAA
Background - Desert Aire/Vantage	Carp				
	Fillet	5	BE (2006)	April-July	Gamma Scan, U
	Carcass	5	BE (2006)	April-July	⁹⁰ Sr
	Liver ^(d)	5	BE (2006)	April-July	ICP-MS, Hg-CVAA
	Bass				
	Fillet	5	TE (2008)	April-May	Gamma Scan, U
	Carcass	5	TE (2008)	April-May	⁹⁰ Sr
	Liver ^(d)	5	TE (2008)	April-May	ICP-MS, Hg-CVAA
Background - Priest Rapids/Wanapum Pools	Whitefish				
	Fillet	5	BE (2007)	November	Gamma Scan
	Carcass	5	BE (2007)	November	⁹⁰ Sr
	Liver ^(d)	5	BE (2007)	November	ICP-MS, Hg-CVAA
100 F Slough	Bass				
	Fillet	5	TE (2008)	April-May	Gamma Scan, DOH ^(c)
	Carcass	5	TE (2008)	April-May	⁹⁰ Sr, DOH ^(c)
	Liver ^(d)	5	TE (2008)	April-May	ICP-MS, Hg-CVAA
Hanford Slough	Bass				
	Fillet	5	TE (2008)	April-May	Gamma Scan, DOH ^(c)
	Carcass	5	TE (2008)	April-May	⁹⁰ Sr, DOH ^(c)
	Liver ^(d)	5	TE (2008)	April-May	ICP-MS, Hg-CVAA

(a) Refer to Figure 3.2, 2006 Wildlife Sampling Locations.

(b) Samples are collected in 2006 according to their specified frequency unless otherwise noted.

(c) One co-sample provided to the Washington State Department of Health.

(d) Ecological assessment sample.

3.2.2 Geese

<u>Location</u>	<u>Species/Sample</u>	<u>Number of Samples</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses</u>
100 Areas	Canada Goose				
	Muscle	5	BE (2007)	May-July	Gamma Scan
	Bone	5	BE (2007)	May-July	⁹⁰ Sr
	Liver ^(a)	5	BE (2007)	May-July	ICP-MS, Hg-CVAA
	Eggshells ^(a)	10	BE (2007)	May-June	⁹⁰ Sr
Hanf Townsite to 300 Area	Canada Goose				
	Muscle	5	BE (2007)	May-July	Gamma Scan
	Bone	5	BE (2007)	May-July	⁹⁰ Sr
	Liver ^(a)	5	BE (2007)	May-July	ICP-MS, Hg-CVAA
	Eggshells ^(a)	10	BE (2007)	May-June	⁹⁰ Sr
Background -Vantage	Canada Goose				
	Muscle	5	BE (2007)	May-July	Gamma Scan
	Bone	5	BE (2007)	May-July	⁹⁰ Sr
	Liver ^(a)	5	BE (2007)	May-July	ICP-MS, Hg-CVAA
	Eggshells ^(a)	10	BE (2007)	May-June	⁹⁰ Sr

(a) Ecological assessment sample.

3.2.3 Game Birds

<u>Location^(a)</u>	<u>Species/Sample^(b)</u>	<u>Number of Samples</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Co-Sample</u>
100-D to 100-H	Pheasant				
	Muscle	4	BE (2006)	September	Gamma Scan
	Bone	4	BE (2006)	September	⁹⁰ Sr
	Liver ^(c)	4	BE (2006)	September	ICP-MS
100-H to 100-F	Pheasant				
	Muscle	6	BE (2006)	September	Gamma Scan, DOH ^(d)
	Bone	6	BE (2006)	September	⁹⁰ Sr, DOH ^(d)
	Liver ^(c)	6	BE (2006)	September	ICP-MS
Background	Pheasant				
	Muscle	5	BE (2006)	September	Gamma Scan, DOH ^(d)
	Bone	5	BE (2006)	September	⁹⁰ Sr, DOH ^(d)
	Liver ^(c)	5	BE (2006)	September	ICP-MS

(a) Refer to Figure 3.2, 2006 Wildlife Sampling Locations.

(b) Pheasant preferred; chukars or quail acceptable if pheasants are unavailable.

(c) Ecological assessment sample.

(d) One co-sample provided to the Washington State Department of Health.

3.2.4 Rabbits

<u>Location</u>	<u>Species/Sample</u>	<u>Number of Samples</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Co-Sample</u>
100 N Area	Cottontail				
	Muscle	4	BE (2007)	Jan-Dec	Gamma Scan, DOH ^(a)
	Bone	4	BE (2007)	Jan-Dec	⁹⁰ Sr, DOH ^(a)
	Liver ^(b)	4	BE (2007)	Jan-Dec	ICP-MS
200 E Area	Cottontail				
	Muscle	4	BE (2007)	Jan-Dec	Gamma Scan, DOH ^(a)
	Bone	4	BE (2007)	Jan-Dec	⁹⁰ Sr, DOH ^(a)
	Liver ^(b)	4	BE (2007)	Jan-Dec	Pu, ICP-MS
200 West	Cottontail				
	Muscle	4	BE (2007)	Jan-Dec	Gamma Scan, DOH ^(a)
	Bone	4	BE (2007)	Jan-Dec	⁹⁰ Sr, DOH ^(a)
	Liver ^(b)	4	BE (2007)	Jan-Dec	Pu, ICP-MS
Background	Cottontail				
	Muscle	5	BE (2007)	Jan-Dec	Gamma Scan
	Bone	5	BE (2007)	Jan-Dec	⁹⁰ Sr
	Liver ^(b)	5	BE (2007)	Jan-Dec	Pu, ICP-MS

(a) One co-sample provided to the Washington State Department of Health.

(b) Ecological assessment sample.

3.2.5 Deer/Elk

<u>Location^(a)</u>	<u>Species/Sample</u>	<u>Number of Samples</u>	<u>Frequency</u>	<u>Collection Period</u>	<u>Analyses/Co-Sample</u>
100 N Area	Mule Deer				
	Muscle	2	BE (2006)	Nov-Dec	Gamma Scan, DOH ^(b)
	Bone	2	BE (2006)	Nov-Dec	⁹⁰ Sr, DOH ^(b)
	Liver ^(c)	2	BE (2006)	Nov-Dec	ICP-MS
200 Areas	Mule Deer				
	Muscle	2	BE (2006)	Nov-Dec	Gamma Scan
	Bone	2	BE (2006)	Nov-Dec	⁹⁰ Sr
	Liver ^(c)	2	BE (2006)	Nov-Dec	Pu, ICP-MS
Road Kill at Onsite Location ^(d)	Mule Deer or Elk				
	Muscle	10	BE (2006)	As Available	Gamma Scan
	Bone	10	BE (2006)	As Available	⁹⁰ Sr
Background ^(e)	Mule Deer				
	Muscle	2	BE (2006)	October	Gamma Scan, DOH ^(b)
	Bone	2	BE (2006)	October	⁹⁰ Sr, DOH ^(b)
	Liver ^(c)	2	BE (2006)	October	Pu, ICP-MS


(a) Refer to Figure 3.2, 2006 Wildlife Sampling Locations.

(b) One co-sample provided to the Washington State Department of Health.

(c) Ecological assessment sample.

(d) As available, according to location.

(e) One background sample provided to the Washington State Department of Health, the other background sample will be provided to PNNL by Washington State Department of Health.



G05120011.4

Figure 3.2. 2006 Wildlife Sampling Locations

4.0 Soil and Vegetation

4.1 Soil

Location	Frequency ^(a)	Collection Period	Analyses/Co-Sample
100 K Area	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
NE of 100 N Area	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
E of 100 N Area	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
100N Shore Above HGP	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
100N Spring Shoreline	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Above 100D Pumphouse	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
100 Area Fire Stat	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
200 ENC	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
E of 200 E	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
200 ESE	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, ²⁴¹ Am
S of 200 E	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
SW of B/C Cribs	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, ²⁴¹ Am, DOH ^(b)
E of 200 W Gate	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, ²⁴¹ Am, DOH ^(b)
S of 200 W	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
Rattlesnake Springs	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
Yakima Barricade	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
400 E	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
SE Side of FFTF	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
North of 300 Area	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
South of 300 Area	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
Hanford Townsite	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Wye Barricade ^(c)	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Prosser Barricade	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
ALE Field Lab	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
N End Vernita Bridge	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Wahluke Slope	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Berg Ranch	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Ringold Area	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
W End of Fir Road	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Taylor Flats No. 2	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Sagemoor Farm ^(c)	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, ²⁴¹ Am
Byers Landing	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Riverview-Harris	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Benton City	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Sunnyside	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, ²⁴¹ Am
McNary Dam	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Walla Walla	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Washtucna	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Toppenish	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
George	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
Othello	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
Wanapum	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)

(a) Samples are collected once every 3 to 5 years and will be collected in 2007.

(b) One co-sample provided to the Washington State Department of Health.

(c) Quality assurance samples submitted for analyses.

4.2 Vegetation

<u>Location</u>	<u>Frequency^(a)</u>	<u>Collection Period</u>	<u>Analyses/Co-Sample</u>
100 K Area	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
NE of 100 N Area	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
E of 100 N Area	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
100N Spring Shoreline	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
E of 200 W Gate	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
300 Area Shoreline	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
Hanford Townsite	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Hanford Twnsite HRM28	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
Ringold Area	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Sagemoor Farm	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Byers Landing	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Riverview-Harris	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Sunnyside	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
Toppenish	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu
George	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
Othello	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)
Wanapum	3 to 5 yrs	June-Sept	Gamma Scan, ⁹⁰ Sr, U, Pu, DOH ^(b)

(a) Samples are collected once every 3 to 5 years and will be collected in 2007.

(b) One co-sample provided to the Washington State Department of Health.

5.0 Sediment

<u>Location</u> ^(a)	<u>HRM</u> ^(b)	<u>Frequency</u>	<u>Analyses/Co-Sample</u>
<u>Onsite Pond</u>			
West Lake		Q	Gamma Scan, ⁹⁰ Sr, U, ⁹⁹ Tc, Alpha, Beta
<u>River</u>			
McNary Dam			
McNary-OR. Side Near Dam		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-MS, Hg-CVAA, TOC, DOH ^(c)
McNary-Wash. Side Near Dam		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-MS, Hg-CVAA, TOC, DOH ^(c)
Priest Rapids Dam (PRD)			
PRD-Grant Side Near Dam		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-MS, Hg-CVAA, TOC, DOH ^(c)
PRD-Yakima Side Near Dam		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-MS, Hg-CVAA, TOC, DOH ^(c)
White Bluffs Slough		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-MS, Hg-CVAA, TOC
100 F Slough		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-MS, Hg-CVAA, TOC, DOH ^(c)
Hanford Slough		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-MS, Hg-CVAA, TOC
Richland		A	Gamma Scan, ⁹⁰ Sr, U, Pu, ICP-MS, Hg-CVAA, TOC
<u>Riverbank Springs</u>			
100-B Spring 38-3	3.8	A	Gamma Scan, ⁹⁰ Sr, U, ICP-MS, Hg-CVAA
100-K Spring 63-1	6.3	A	Gamma Scan, ⁹⁰ Sr, U, ICP-MS, Hg-CVAA, DOH ^(c)
100-H Spring 145-1	14.4	A	Gamma Scan, ⁹⁰ Sr, U, ICP-MS, Hg-CVAA, DOH ^(c)
100-F Spring 207-1	21.3	A	Gamma Scan, ⁹⁰ Sr, U, ICP-MS, Hg-CVAA
Hanford Spr UR 28-2 ^(d)	27.8	A	Gamma Scan, ⁹⁰ Sr, U, ICP-MS, Hg-CVAA
Hanford Spr DR 28-2 ^(e)	28.3	A	Gamma Scan, ⁹⁰ Sr, U, ICP-MS, Hg-CVAA, DOH ^(c)
300 Area Spring 41-9	41.9	A	Gamma Scan, U
300 Area Spring 42-2	42.1	A	Gamma Scan, ⁹⁰ Sr, U, ICP-MS, Hg-CVAA
300 Area Spr DR 42-2 ^(e)	42.4	A	Gamma Scan, ⁹⁰ Sr, U, ICP-MS, Hg-CVAA, DOH ^(c)
300 Area Spring 42-7	42.7	A	Gamma Scan, U
Richland Spr(SRL 437-1)	43.7	A	Gamma Scan, U

(a) Refer to Figure 5.1, 2006 Sediment Sampling Locations.

(b) Hanford River Markers (HRM) are a series of signposts along the Hanford shoreline of the Columbia River that are roughly 1.6 kilometer (1 mile) apart. Vernita Bridge is HRM #0 and Ferry Street in Richland is HRM #46. Samples collected between HRMs are assigned a decimal.

(c) One co-sample provided to the Washington State Department of Health.

(d) UR - Upriver from noted location.

(e) DR - Downriver from noted location.




Figure 5.1. 2006 Sediment Sampling Locations

6.0 References

DOE. 1991. *Environmental Monitoring Plan, United States Department of Energy, U.S. Department of Energy, Richland Operations Office*. DOE/RL-91-50, U.S. Department of Energy, Richland, Washington.

DOE Order 450.1. *Environmental Protection Program*.

DOE Order 5400.5. *Radiation Protection of the Public and the Environment*.

Distribution

**No. of
Copies**

**No. of
Copies**

OFFSITE (23)

2 L. Albin
Division of Radiation Protection
Washington State Dept. of Health
P.O. Box 47827
Olympia, WA 98504-7827

R. Buck, Jr.
Wanapum
P.O. Box 878
Ephrata, WA 98823

2 N. Ceto
U.S. Environmental Protection Agency,
Hanford Project Office
309 Bradley, Suite 115, MS B1-46
Richland, WA 99352

S. Harris
Confederated Tribes of the Umatilla Indian
Reservation
P.O. Box 638
Pendleton, OR 97801

G. Hughes
U.S. Fish and Wildlife Service
3250 Port of Benton Boulevard
Richland, WA 99354-1670

R. Jim, Manager
Environmental Restoration and Waste
Management Program
The Confederated Tribes and Bands of the
Yakama Nation
P.O. Box 151
Toppenish, WA 98948

D. Landeen
Hanford Natural Resources Trustee Council
Nez Perce Tribe
P.O. Box 365
Lapwai, ID 83540

S. Langford
Division of Radiation Protection
Washington State Dept. of Health
P.O. Box 47827
Olympia, WA 98504-7827

D. McBaugh
Division of Radiation Protection
Washington State Department of Health
P.O. Box 47827
Olympia, WA 98504-7827

Office of Environmental Cleanup
Director - Hanford Project Office
1200 6th Avenue
Seattle, WA 98101

C. Palmer
The Confederated Tribes and Bands of the
Yakama Nation
Department of Natural Resources
P.O. Box 151
Toppenish, WA 98948

C. Pleasants
Confederated Tribes of the Colville Reservation
P.O. Box 150
Nespelem, WA 99155

M. Priddy
Washington State Department of Health
309 Bradley, Suite 201
Richland, WA 99352

M. Ritter
U.S. Fish and Wildlife Service
3250 Port of Benton Boulevard
Richland, WA 99354

B. Ruben
Washington State Department of Health
309 Bradley, Suite 201
Richland, WA 99352

**No. of
Copies**

L. Seelatsee
Wanapum
P.O. Box 878
Ephrata, WA 98823

P. Sobotta
Environmental Restoration and Waste
Management Program
Nez Perce Tribe
P.O. Box 365
Lapwai, ID 83540

T. Southworth
Energy Northwest
P.O. Box 968
Richland, WA 99354

E. Stensgar
Coeur d'Alene Tribal Council
P.O. Box 408
Plummer, ID 83851-9704

U.S. Environmental Protection Agency,
Hanford Project Office
309 Bradley, Suite 115 MS B1-46
Richland WA 99352

S.P. Van Verst
Division of Radiation Protection
Washington State Department of Health
P.O. Box 47827
Olympia, WA 98504-7827

ONSITE (97)

14 DOE Richland Operations

L. Erickson	A3-04
K.A. Klein	A7-50
J.P. Sands	A3-04
K.M. Thompson	A6-38
A.C. Tortoso	A6-38
D.C. Ward (5)	A2-17
S.H. Wisness	A3-04
J. Zeisloft	A3-04
DOE Public Reading Room (2)	H2-53

DOE Office of River Protection

W. Russell	H6-60
------------	-------

**No. of
Copies**

Duratek Federal Services of Hanford

L.P. Diediker	H8-13
---------------	-------

4 Duratek Federal Services Northwest

J.J. Dorian	H1-11
S.M. McKinney	H1-11
R.M. Mitchell	H1-11
C.J. Perkins	H1-11

3 Fluor Hanford

D.L. Dyekman	H8-13
A.R. Johnson	H5-26
L.M. Kelly	S4-21

3 Washington Closure Hanford

K.A. Gano	H9-03
R.W. Ovink	H9-01
J.E. Thomson	H0-23

71 Pacific Northwest National Laboratory

E.J. Antonio	K3-54
L.E. Bisping (30)	K6-75
J.M. Brandenburger	Sequim
A.T. Cooper	K6-75
R.L. Dirkes (20)	K6-75
J.L. Downs	K6-85
P.E. Dresel	K6-96
B.G. Fritz	K6-75
R.W. Fulton	K6-75
R.W. Hanf, Jr.	K6-75
M.J. Hartman	K6-96
B.K. Lasora	Sequim
E.A. Lepel	P8-01
B.E. Opitz	K6-75
G.W. Patton	K6-75
R.E. Peterson	K6-75
T.M. Poston	K6-75
E.L. Radford	K6-75
J.A. Stegen	K6-85
R.K. Zufelt	K6-85
Historical File—T.M. Poston	K6-75
Hanford Technical Library (2)	P8-55