

ORGDP

ER025510



ER DMC Central

OAK RIDGE GASEOUS DIFFUSION PLANT

MARTIN MARIETTA

RCRA FACILITY INVESTIGATION PLAN K-1004 AREA LAB DRAIN AND THE K-1007-B POND OAK RIDGE GASEOUS DIFFUSION PLANT OAK RIDGE, TENNESSEE

DECEMBER 1988

This document has been reviewed for Unclassified-Sensitive issues. The review resulted in a decision the document is void of U-S issues and that the 6/19/88 K-25 CICO public release approval is yet valid.

G. F. McBride/dw 2/1/2008
BJC ETP Classification and Information Control Office

This document has been approved for release *6/3/88*
to the public by:

Ad. Quist / est 9/19/95
Technical Information Officer Date
Oak Ridge K-25 Site

DOCUMENT MANAGEMENT CENTER

OPERATED BY
MARTIN MARIETTA ENERGY SYSTEMS, INC.
FOR THE UNITED STATES
DEPARTMENT OF ENERGY

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DECEMBER 1988

K/HS-154

RCRA FACILITY INVESTIGATION PLAN
K-1004 AREA LAB DRAIN AND
THE K-1007-B POND
OAK RIDGE GASEOUS DIFFUSION PLANT
OAK RIDGE, TENNESSEE

Prepared by the
Oak Ridge Gaseous Diffusion Plant
Oak Ridge, Tennessee 37831
operated by
MARTIN MARIETTA ENERGY SYSTEMS, INC.
for the
U. S. DEPARTMENT OF ENERGY
under contract DE-AC05-84OR21400

Table with multiple columns and rows, containing faint text and numbers. The text is illegible due to low contrast and blurring.



TABLE OF CONTENTS

	<u>Page</u>
1. INTRODUCTION	1
2. OBJECTIVES OF RCRA FACILITY INVESTIGATION PLANNING	2
2.1 OBJECTIVES	2
2.2 EVALUATION CRITERIA	2
2.3 SCHEDULE FOR SPECIFIC RFI ACTIVITIES	2
2.4 FEASIBLE ALTERNATIVES	4
2.5 RISK ASSESSMENT	4
3. DESCRIPTION OF CURRENT CONDITIONS	6
3.1 GEOGRAPHICAL INFORMATION	6
3.2 HISTORICAL INFORMATION	6
3.3 OPERATIONAL INFORMATION	11
4. CHARACTERIZATION OF THE CONTAMINANT SOURCE	12
4.1 K-1004 AREA LAB DRAIN	12
4.2 EXISTING K-1007-B POND DATA	14
5. CHARACTERIZATION OF THE ENVIRONMENTAL SETTING	19
5.1 HYDROGEOLOGY	19
5.2 SURFACE WATER	22
5.3 AIR	22
6. IDENTIFICATION OF POTENTIAL PATHWAYS AND RECEPTORS	23
6.1 POTENTIAL PATHWAYS OF MIGRATION	23
6.2 POTENTIAL RECEPTORS	25
6.3 SUMMARY AND CONCLUSIONS	26
7. EXISTING MONITORING DATA	27
8. SAMPLING PLAN	29
8.1 SAMPLING AND ANALYTICAL STRATEGY	29
8.2 SAMPLING ANALYSIS	30
8.3 FIELD SAMPLING	37
8.4 ANALYTICAL PROTOCOL	40
8.5 SAMPLE ANALYSIS	41

9. DATA MANAGEMENT PROCEDURES	42
10. HEALTH AND SAFETY PROCEDURES	43
10.1 INTRODUCTION	43
10.2 KNOWN HAZARDS AND RISKS	43
10.3 LEVEL OF PROTECTION	44
10.4 DESIGNATION OF WORK AREA ZONES	44
10.5 EXPOSURE LIMITS	44
11. REFERENCES	46
APPENDIX A	
APPENDIX B	
APPENDIX C	
APPENDIX D	

1. INTRODUCTION

Within the confines of the Oak Ridge Gaseous Diffusion Plant (ORGDP) are hazardous waste treatment, storage, and disposal facilities; some are in operation while others are no longer in use. These solid waste management units (SWMUs) are subject to assessment by the U.S. Environmental Protection Agency (EPA). The RCRA Facility Investigation (RFI) Plans are scheduled to be submitted for all units during calendar years 1987 and 1988. The RFI Plan - General Document (K/HS-132) includes information applicable to all the ORGDP SWMUs and serves as a reference document for the site-specific RFI Plans.

This document is the site-specific RFI Plan for the K-1004 Area Lab Drain (ALD) and the K-1007-B Pond. This plan is based upon requirements described in the draft document, RFI Guidance, Vols. I-IV, December 1987 (EPA 530/SW-87-001). This unit is regulated by Section 3004(u) of the 1984 Hazardous and Solid Waste Amendments (HSWA) to the Resource Conservation Recovery Act (RCRA). Contained within this document are geographical, historical, operational, geological, and hydrological data specific to the K-1004 ALD and the K-1007-B Pond. The potential for release of contamination through the various media to receptors is addressed. A sampling plan is proposed to further determine the extent (if any) of release of contamination to the surrounding environment. Included are health and safety procedures to be followed when implementing the sampling plan. Quality control (QC) procedures for remedial action occurring on the Oak Ridge Reservation (ORR) are presented in The Environmental Surveillance Procedures Quality Control Program, Martin Marietta Energy Systems, Inc., (ESH/Sub/87-21706/1), and quality assurance (QA) guidelines for ORGDP investigations are contained in The K-25 Remedial Actions Program Quality Assurance Plan, K/HS-231.

2. OBJECTIVES OF RCRA FACILITY INVESTIGATION PLANNING

2.1 OBJECTIVES

This RFI Plan will identify actions necessary to determine the nature and extent of releases of hazardous and/or radioactive contamination from the K-1004 ALD and the K-1007-B Pond. The plan summarizes existing site information and addresses the potential for contamination of the soil, groundwater, surface water, air, and biota.

2.2 EVALUATION CRITERIA

In order to prepare and implement a comprehensive sampling plan and to effectively evaluate analytical sampling results, evaluation criteria must first be established. Criteria for evaluating the extent of release of contaminants are based on existing state and federal regulatory guidance and best technical judgment.

The primary media of interest for this site are surface water, groundwater, and soil. Soil, surface water, and fish samples will be collected as part of this RFI and analyzed for contaminants as described in Section 8 of this document. Groundwater will be sampled as part of the RFI in accordance with the protocol of the ORGDP Groundwater Protection Program. The sampling methodology and analytical procedures are designed to characterize the contaminants of interest at or below levels summarized in Table 2.2 of K/HS-132.

2.3 SCHEDULE FOR SPECIFIC RFI ACTIVITIES

A list of the sampling and analysis activities that will be performed for this RFI and the duration of each activity is shown in Table 2.1.

Table 2.1. Duration of RFI activities for the K-1004 Area Lab Drain and the K-1007-B Pond

Activities	Duration
1. Site preparation and sample location	
<u>K-1004 Area Lab Drain</u>	
(a) Soil samples	1 week
(b) Surface water samples	2 weeks
(c) Groundwater samples (includes well construction)	8 weeks
2. Collection of samples	
<u>K-1004 Area Lab Drain</u>	
(a) Soil samples	1 week
(b) Surface water samples	6 weeks
(c) Groundwater samples	52 weeks
<u>K-1007-B Pond</u>	
(a) Surface water samples	26 weeks
(b) Fish samples	1 week
3. Analysis of samples	
(a) Soil samples	4 weeks
(b) Surface water samples	16 weeks
(c) Groundwater samples ^a	66 weeks
(d) Fish samples	8 weeks
4. Compilation of data and data presentation	18 weeks
5. Evaluation of results and recommendations (may include preliminary risk assessments)	12 weeks
6. Preparation of RFI report and submittal to EPA	8 weeks
7. Additional sampling phases (if needed)	TBD
^a Groundwater sample analysis will occur concurrently with groundwater sample collection	

2.4 FEASIBLE ALTERNATIVES

Knowledge of feasible corrective measures has been used in preparing this RFI plan. Based on existing geologic, hydrologic, and contaminant source data, potential corrective measures for this site have been identified and are shown in Table 2.2. These corrective measures will be re-evaluated after the RFI report is completed.

2.5 RISK ASSESSMENT

The environmental and public health risks associated with possible site contamination and the remedial action alternatives listed in Table 2.2 will be evaluated. This evaluation will consist of a characterization of contaminant sources, the environmental setting, the magnitude of release, pathways to human exposures, and characterization of risks. The site sampling plan has been designed to provide data necessary for performing risk assessment.

Table 2.2. Potential corrective measures for the K-1004 Area Lab Drain and the K-1007-B Pond

General Response Action	Technologies
Monitoring	Surveillance monitoring and analysis
Removal of source	Excavate and treat or dispose of contaminated soil or sediment at an approved landfill or place in long term storage
Containment from surface water	Cap - synthetic membrane, clay, asphalt, multimedia cap, concrete, or chemical sealants and stabilizers
Containment from groundwater	Subsurface collection drains - french drains, tile drains, pipe drains Vertical containment barriers - soil bentonite slurry wall, cement-bentonite slurry wall, vibrating beam, grout curtains, steel sheet piling
Treatment of groundwater	Groundwater diversion pumping - well points, deep wells, suction wells, ejector wells Collect the groundwater and pump to a wastewater treatment plant or on-site treatment by aeration, filtration, carbon adsorption, or biological processes
Isolate pond	Prevent access to pond by fencing, post warning and no fishing signs
In-situ treatment	Grout lines and replace existing lines with new lines

3. DESCRIPTION OF CURRENT CONDITIONS

3.1 GEOGRAPHICAL INFORMATION

The area of concern in this RFI is located on the south side of ORGDP near Portals 2 and 3. The scope of this RFI includes:


- process drains associated with Buildings K-1004-A, B, C, D, J, and L (K-1004 group), K-1003, K-1005, and K-1006;
- retention pits around K-1004-A, B, C, and D;
- K-1007-B Pond; and
- a portion of Storm Drain (SD) 100 that drains this area of the ORGDP.

Flow in the drains and retention pits eventually enters the SD-100 System which extends to the north and west of the K-1007 Computer Center and then discharges to the K-1007-B Holding Pond (Figures 3.1 and 3.2). This process/storm drain system is referred to as the ALD. The components of this RFI are located both inside and outside of the security perimeter fence. Complete geographical information is located in Section 3.1 of K/HS-132.

3.2 HISTORICAL INFORMATION

The components of this RFI were constructed or installed in the mid to late 1940s. Buildings K-1005, K-1006, and the K-1004 group contain chemical laboratories which were originally used in support of various uranium enrichment programs at ORGDP and have remained in use to support other programs. The K-1003 building has been a medical center for ORGDP personnel since the 1940s.

KEY							
K-101	PROCESS (VACANT)	K-896	COOLING WATER TREATMENT PLANT	K-1058	BUILDING MATERIAL WAREHOUSE	K-1400	ENGINEERING OFFICE BUILDING
K-131	FIELD MAINT. SHOP & OFFICE	K-902-1 Thru K-902-B	K-33 PROCESS	K-1059	BUILDING MATERIAL WAREHOUSE	K-1401	MAINTENANCE BUILDING
K-303-1 Thru K-312-3	K-25 PROCESS	K-1000	CONFERENCE ROOM (PORTAL 2)	K-1061	OIL STORAGE BUILDING	K-1405-6	HIGH TEMPERATURE LABORATORY
K-402-1 Thru K-402-9	K-27 PROCESS	K-1001	ADMINISTRATION BUILDING	K-1064	SALVAGE YARD	K-1407	LABORATORY & STORAGE
K-413	PRODUCT WITHDRAWAL	K-1002	CAFETERIA	K-1066-A Thru 1066-L	CYLINDER STORAGE YARDS	K-1407-B-F	HOLDING PONDS
K-502-1 Thru K-502-3	K-29 PROCESS	K-1003	DISPENSARY	K-1071	TRASH COMPACTOR	K-1410	NICKEL PLATING FACILITY
K-601	MAINTENANCE TRAINING	K-1003A	DISPENSARY OFFICE TRAILER	K-1095	PAINT SHOP	K-1413	LABORATORY - ENGINEERING
K-602-1 Thru K-602-6	K-31 PROCESS	K-1004-A Thru K-1004-C	LABORATORY FACILITIES	K-1097	CARPENTER SHOP	K-1414	GARAGE
K-631	PROCESS TAILS	K-1004-D	LABORATORY FACILITIES	K-1098	CEMENT STORAGE	K-1414B	VEHICLE WASH FACILITY
K-633	ORGDP TEST LOOP FACILITY	K-1004-H	GAS CYLINDER STORAGE	K-1098E	SAND BLAST FACILITY (OLO)	K-1415	STORAGE SHED
K-701	BOILER HOUSE (VACANT)	K-1004-J	LABORATORY COMPLEX	K-1098F	SAND BLAST FACILITY (NEW)	K-1416	ACID STORAGE
K-702	TURBINE ROOM & DISCH. TUNNEL (VACANT)	K-1004-L	LABORATORY FACILITY	K-1098-G	MAINTENANCE (SHED)	K-1417	CASTING YARD
K-704	K-25 MAIN SWITCH HOUSE	K-1004-N	COOLING TOWER	K-1101	AIR PLANT	K-1419	SLUDGE FIXATION FACILITY
K-709	K-25 SWITCHYARD	K-1004-N1	COOLING TOWER	K-1131	FEED & TAILS	K-1420	DECONTAMINATION & URANIUM RECOVERY
K-710	SEWAGE TREATMENT	K-1004-P	ISOSTATIC TEST FACILITY	K-1132 & K-1133	HF STORAGE	K-1423	TOLL ENRICHMENT FACILITY
K-711	WELD TRAINING FACILITY	K-1006	LABORATORY FACILITIES	K-1200	COMPONENT PREPARATION LAB. (CPL)	K-1425	WASTE OIL STORAGE
K-722	STORAGE WAREHOUSE	K-1007	COMPUTER CENTER	K-1201	COMPRESSOR BUILDING	K-1435	TSCA INCINERATOR
K-723	STORAGE WAREHOUSE	K-1008A Thru K-1008D	CHANGE HOUSES	K-1203	WASTE WATER & SEWAGE TREATMENT PLANT	K-1501	STEAM PLANT
K-724	EXCESS STORAGE	K-1008E Thru K-1008F	CHANGE HOUSES	K-12060	FIRE WATER TANK - 300,000 GALLON	K-1501A	FUEL OIL TANK
K-725	WAREHOUSE (VACANT)	K-1010	LABORATORY REC. & HANDLING	K-1206E	FIRE WATER TANK - 100,000 GALLON	K-1501E	TRANSFER/CRUSHER BUILDING
K-726	STORAGE BLDG.	K-1015	LAUNDRY	K-1208	METEOROLOGICAL TOWER	K-1501H	MAINTENANCE FACILITY
K-731	K-27 & K-29 SWITCH HOUSE (CONTROL ROOM)	K-1020	HEALTH, SAFETY & ENVIRONMENTAL AFFAIRS	K-1208F	FIRE WATER TANK - 400,000 GALLON	K-1513	PUMP HOUSE
K-732	K-27 & K-29 SWITCHYARD	K-1021	OLD FIRE HEADQUARTERS	K-1210	COMPONENT TEST FACILITY (CTF)	K-1514	SANITARY WATER TANK - 220,000 GALLON
K-735	STORAGE BUILDING	K-1023	LABORATORY	K-1210A	ADVANCED ENGINEERING TEST FACILITY	K-1515	WATER FILTRATION PLANT
K-736	STORAGE BUILDING	K-1024	LABORATORY & MAINT. TRAINING	K-1211	CTF STORAGE	K-1528	CONC. WATER STOR. TANK - 2,500,000 GALLON
K-761	K-31 SWITCH HOUSE (CONTROL ROOM)	K-1025A Thru K-1025E	RAD. SOURCE STORAGE & WHSE. SHIP. DRUMS	K-1216	SCALE HOUSE	K-1529	STEEL WATER STOR. TANK - 1,500,000 GALLON
K-762	K-31 SWITCHYARD	K-1030	MAINTENANCE SHOP & OPERS. ANALYSIS OFF.	K-1220	CENTRIFUGE PLANT DEMONST. FACILITY	K-1548-C	ENGINEERING TRAILER
K-791	K-33 SWITCH HOUSE (CONTROL ROOM)	K-1034A	PLANT RECORDS VAULT	K-1225	S. S. O. OFFICE BUILDING	K-1547	VISITORS OVERLOOK
K-792	K-33 SWITCHYARD	K-1035	MAINTENANCE BUILDING	K-1231	PROCESS	K-1548	CANTEEN TRAILER
K-796-A	MAINTENANCE STORAGE	K-1036	MAINTENANCE STORES-SHIP. & REC.	K-1231A	STORAGE	K-1550 Thru K-1550-W	ENGINEERING OFFICE TRAILERS
K-801	INTAKE WATER PUMP HOUSE	K-1037	AVLIS FACILITY	K-1232	CHEMICAL RECOVERY FACILITY	K-1556	COMPUTER OFFICE TRAILER
K-801A	WATER TREATMENT PLANT	K-1039	TELEPHONE BUILDING	K-1233	COLLECTION FACILITY	K-1580	ENGINEERING OFFICE BUILDING
K-801B	CLARIFLOW TANK	K-1040	MAINTENANCE SHOP K-633	K-1234	STORAGE	K-1600	TECHNOLOGY TEST FACILITY
K-801H	COOLING TOWER (PARTIAL BASIN ONLY)	K-1045	STORAGE BUILDING	K-1301	NITROGEN PLANT	K-1650	CENTRAL CONTROL FACILITY
K-802	RECIRCULATING WATER PUMP HOUSE	K-1045A	FIRE TRAINING FACILITY	K-1302	STORAGE	K-1652	SECURITY & PLANT PROTECTION DIVISION
K-822	PUMP HOUSE	K-1052	AMDL LABORATORY	K-1303	RESEARCH COMPRESSOR BUILDING		
K-822A	COOLING TOWER	K-1055	COMPRESSED GAS CYLINDER STORAGE	K-1320	ENGINEERING OFFICE		
K-822B	COOLING TOWER	K-1056	LUMBER WAREHOUSE	K-1328	ENGINEERING OFFICE		
K-832	RECIRCULATING WATER PUMP HOUSE						
K-832H	COOLING TOWER						
K-861	K-31 COOLING TOWER						
K-862	K-31 RECIRCULATING WATER PUMP HOUSE						
K-891	RAW WATER PUMP HOUSE						
K-892	FIRE WATER & RECIRC. WATER PUMP HOUSE						
K-892A	WATER TREATMENT PLANT CENTER						
K-892B	WATER TREATMENT PLANT SOUTH						
K-892C	WATER TREATMENT PLANT NORTH						
K-892G	COOLING TOWER						
K-892H	COOLING TOWER						
K-892J	COOLING TOWER						



Oak Ridge Gaseous Diffusion Plant

Operated by
 Martin Marietta Energy Systems, Inc.
 for the
 U. S. Department of Energy

Fig. 3.1. ORGDP location map for the K-1004 ALD/K-1007-B POND

()

)

)

ORNL-DWG 88-14375





Fig. 3.2 Surface water sampling locations



The drains which exit these buildings are vitrified clay pipes or ductile cast iron, normally 6 or 8 inches in diameter. They increase in size (to 12 inches or 15 inches) until they enter the 48-inch diameter SD-100 System. Because of leaks in the lines, the process drains inside Building K-1004-A, B, and C were replaced with polypropylene and were connected to the old lines outside of the building.

The drains from Buildings K-1004-A, B, C, and D entered retention pits prior to combining with the SD-100 System. Only one of the original pits is currently visible north of Building K-1004-A, B, and C (Figure 3.3) and remains in use. Personnel interviews indicated that six more pits existed around Building K-1004-A, B, and C, and six pits were in use at Building K-1004-D. These pits have been removed or filled in and piping to the pits rerouted; some of the pit locations are now covered with asphalt or are underneath equipment. Engineering drawings did not verify these locations and show pits at the locations designated in Figure 3.3.

From the beginning of ORGDP operations until 1985, chemical by-products of routine analytical operations carried out in ORGDP laboratories were discharged through the K-1004 ALD to the K-1007-B Pond at a rate of approximately 2,200 gallons/year (personal conversation, Jimmy Stone, formerly of ORGDP Environmental Management). The K-1007-B Pond covers approximately 25 acres and has been permitted to discharge to Poplar Creek under National Pollutant Discharge Elimination System (NPDES) regulations since 1974. A Best Management Practice (BMP) for the Pond was implemented in 1985 to control the release of hazardous waste through the K-1004 ALD. As a result of the BMP, chemical wastes from laboratory operations are now collected for proper treatment or disposal. Complete historical information is located in Section 3.2 of K/HS-132.




Fig. 3.3. Retention pit location map

3.3 OPERATIONAL INFORMATION

Until implementation of the BMP in 1985, many chemicals used and wastes produced in the laboratories were discharged to the K-1004 ALD. Information from interviews provided laboratory-specific details on chemicals and procedures, but much of the information on chemicals is general to the K-1004 laboratory area. Hazardous substances which are suspected to have entered the K-1004 ALD from these laboratories are listed in Section 4. Uranium-containing solutions from the analytical laboratories were not routinely disposed of in the ALD. Concern for safety, uranium accountability, and environmental issues required the implementation of operational procedures to control the handling of uranium solutions. Containers placed in the laboratories were used for collecting these solutions which were transported to the uranium recovery facility. Thus, only accidental releases of uranium solutions would have entered the ALD.

Wastes from K-1004-A, B, C, and D Laboratories were discharged to concrete-lined retention pits prior to entering the SD-100 System. These pits were approximately 3' x 2' x 3' deep and had redwood baffles in the center. Waste solutions entering one side of the pit were temporarily retained and diluted by the contents of the pit prior to spilling over the baffle into the other side of the pit and being discharged to the SD-100 System. Only one of these pits remains in use (Figure 3.3).

In 1985, a BMP was implemented to stop the release of hazardous waste to the K-1007-B Pond. As a result of this plan, a Lab Waste Disposal System was implemented in the K-1004 laboratories. Hazardous wastes produced in this area are presently collected in the laboratories and are treated, stored, or disposed of at RCRA-permitted facilities. Only a water and soap mixture generated from the cleaning of glassware in the laboratories is currently permitted to be discharged through the K-1004 ALD.

4. CHARACTERIZATION OF THE CONTAMINANT SOURCE

The scope of this RFI addresses two contaminant sources--the K-1004 ALD and the K-1007-B Pond. Records of the quantities and concentrations of the various waste solutions carried in the ALD and discharged to the K-1007-B Pond are not available.

4.1 K-1004 AREA LAB DRAIN (ALD)

Hazardous substances which may have entered the K-1004 ALD from various surrounding laboratories are listed in Table 4.1. In addition to those chemicals listed in Table 4.1, other buildings in the area discharged chemicals to the ALD. The K-1003 Medical Center discharged x-ray fixer and developer chemicals (including silver chloride) and azide cleaning agent to the drain lines. The K-1005 Laboratory housed equipment used for experimental work on the separation of uranium from spent reactor fuel. These experiments used only gram quantities of fuel in the experiments and, as described in Section 3, any uranium-containing wastes were collected and sent to the uranium recovery facility. The Applied Technology Division (ATD) Facility in the K-1005 building and the K-1004-J Laboratory used silicon nitrite-treated cooling water. Because of the hazardous nature of silicon nitrite, ORGDP Environmental Management required that this waste be deposited in containers for special disposal. ERL 2258, which is the tradename for an epoxy based resin and associated hardeners, was used in the fabrication of centrifuge parts at the ATD Facility. ERL 2258 is a mixture of Bis-(2,3-epoxy-cyclopentyl) ether and Diglycidyl ether of Bisphenol A (DGEBA). The resin was combined with an aromatic amine hardener, such as ZZL-0820, a mixture of metaphenylenediamine, Bis-(4-aminophenyl) methane, and DGEBA. These materials could have reached the K-1004 ALD.

Table 4.1. Hazardous substances which may have entered K-1004 ALD

. acetic acid	. mercury
. acetone	. methyl ethyl ketone
. acetonitrile	. methylene chloride
. alcohols, NOS*	. neptunium
. ammonium hydroxide	. nickel compounds
. benzene	. nitric acid
. bromoform	. Oakite (a caustic cleaning agent)
. cadmium (from washing Cd-coated UF ₆ cylinders)	. PCBs
. chloroform	. phosphoric acid
. carbon tetrachloride	. potassium hydroxide
. chromates	. pyridine
. code BE turbine lubricating oil (non-PCB) (from leaks and spills)	. rhenium
. copper	. sodium hydroxide
. dichloropropane	. sulfuric acid
. diethylene glycol-dibutyl ether (Carbitol)	. technetium
. freon	. tetrachloroethylene
. glycols	. toluene
. saturated hydrocarbons	. trichloroacetic acid
. hydrochloric acid	. trichloroethylene
. hydrofluoric acid	. tungsten
. hypophosphorous acid	. uranium
	. silver chloride

* Not otherwise specified.

4.2 EXISTING K-1007-B POND DATA

4.2.1 Sampling Scheme

Data were obtained from 36 sediment samples taken in August 1987 from the bottom of K-1007-B Pond and connecting smaller ponds. The sampling locations were selected to provide uniform coverage over the pond and are shown in Figure 4.1. The samples were obtained in a random order.

4.2.2 Data Summary

For each analyte in the sediment data, the following summary statistics are provided in Appendix A:

- number of samples
- number of samples less than detection limit
- smallest detection limit value reported (see explanation below)
- minimum value reported
- maximum value reported
- lower bound on pond average
- upper bound on pond average
- units

Many of the compounds in Appendix A have more than one detection limit. Multiple detection limits occur because the detection limits are reported on a dry weight basis and the samples contain varying amounts of moisture. For each analyte, the number of samples less than detection limit represents all results which were reported as less than any detection limit. Because there are numerous cases where multiple detection limits are reported, the smallest detection limit reported is shown in Appendix A (see footnote 3). All of the data, including detection limit values, were used in finding the minimum and maximum values and the lower and upper arithmetic bounds on the pond average for each analyte. The upper bound is the average calculated using the value of the detection limit. The lower bound is the average using zero instead of the value of the detection limit.




Fig. 4.1. K-1007-B Pond sediments sample locations

Several analytes were found to have results exceeding the prescribed maximum soil limits shown in Table 2.2 of K/HS-132. These analytes are shown in Table 4.2 along with the number of samples taken for these analytes, the number of results reported that are greater than the maximum limit, the actual results involved, and the K-1007-B sampling location (Figure 4.1). EP toxicity data and limits are also shown for these analytes.

4.2.3 Spatial Plots of Analytes

Appendix B contains plots of the analytes according to their sampling locations in the K-1007-B Pond. Plots are presented for regulated metals and for all organics with any detectable result.

The symbols plotted are as follows:

- All results reported as less than a detection limit are shown as a "<" (no distinction for multiple detection limits).
- Any result exceeding the K/HS-132 Table 2.2 maximum limit for soil is indicated on the plots as "**".
- Quartile numbers, "1", "2", "3", and "4", represent the magnitude of the data which remain after deleting results that were less than a detection limit or greater than the maximum K/HS-132 Table 2.2 soil limit.

Several spatial patterns are evident for the results contained in the third and fourth quartiles. Samples taken along the southeast bank of K-1007-B (sample locations 17, 28, 32, and 36 on Figure 4.1.) were consistently higher for some analytes. The northern leg of K-1007-B (sample locations 5, 6, 7, 10, 11, 12, 13, 39, 40, 41, and 43) and a small area in the middle of the pond (sample locations 18, 21, and 23) often showed higher results. Higher values were consistently reported

Table 4.2. Sediment results greater than K/HS-132 Table 2.2 maximum limits for soil

ANALYTE	N ¹	NGTMAX ²	SAMPLE RESULT ug/g	LOCATION	EP TOX ³ ug/ml	EP TOX LIMIT ug/ml
CHROMIUM	36	14	110	1	<0.01	5
			130	2		
			170	3		
			170	35		
			200	27		
			230	18		
			390	5		
			370	6		
			290	23		
			540	7		
			260	21		
			530	10		
			520	11		
			190	13		
COPPER	36	3	110	1		
			170	3		
			110	10		
LEAD	36	4	220	15	<0.05	5
			110	5		
			110	7		
			120	10		
MERCURY	36	4	4.2	18	0.0003	0.2
			4.5	23		
			4.3	21		
			4.1	13		
NAPHTHALENE	36	4	2500	26		
			2700	22		
			2200	25		
			3900	12		
ZINC	36	1	540	10		

¹N - Total number of samples analyzed.

²NGTMAX - Number of results greater than K/HS-132, Table 2.2 limit for soil.

³EP TOX - EP Toxicity extractions were performed on those samples with an inorganic species content sufficient to exceed EP Toxicity limits (assuming the inorganic species were 100% extractable).

for samples taken in the small pond located northeast of K-1007-B. In most of the plots considered, higher sample results were found in the northern leg of K-1007-B, the southeast bank of K-1007-B, the middle of K-1007-B, and in the small pond to the northeast.

In the case of naphthalene, some of the reported detection limits are greater than the maximum limits given in K/HS-132 Table 2.2. These values are shown as "*" on this plot.


5. CHARACTERIZATION OF THE ENVIRONMENTAL SETTING

The K-1004 ALD and the K-1007-B Pond is situated in an area of little topographic expression and very low slopes of about 2 percent. Maximum surface relief over the length of the ALD is approximately 30 feet. The drain discharges into the K-1007-B Pond with the end of the pipe underwater so the pond backs up into the drain line for some indeterminate distance.

Drill hole data are not currently available for this RFI area; however, there are numerous groundwater monitoring wells in other areas of ORGDP which penetrate both the same geologic formation and the soils that underlie the subject area. The well logs have been published by Geraghty and Miller in Hydrogeology of the Oak Ridge Gaseous Diffusion Plant Site, July 1986, and Phase II - Detection Monitoring, June 1987. The areal geology of ORGDP is shown in Figure 5.1 and has been compiled from three major sources: (1) Hydrogeology of the Oak Ridge Diffusion Plant; (2) recent unpublished work by R. H. Ketelle, Oak Ridge National Laboratory; and (3) "Geologic Map of the Oak Ridge Area, Tennessee," by W. M. McMaster, U.S. Geological Survey, 1958. The following geologic descriptions and discussions of hydrogeology are based on these sources, and specific data, permeabilities, etc., are referenced as applicable.

5.1 HYDROGEOLOGY

The K-1004 ALD is underlain by the Chickamauga limestone which, in the ORGDP area, consists mainly of gray to blue-gray or green, very fine-grained (micritic) limestone interbedded with calcareous shale and shaley limestone. The limestone may be relatively "pure" or argillaceous (contains clay), and it is generally medium to thinly bedded with bedding planes comprised of very thin shaley partings. Chert may occur in certain horizons of the Chickamauga as zones of nodules or as thin, irregular layers. The calcareous shales are mostly gray to green and contain occasional very thin beds of micritic limestone.



Adapted from: Hydrogeology of the Oak Ridge Gaseous Diffusion Plant Site, Geraghty & Hiller (1986); and an unpublished map by R.H. Ketelle, ORNL.

Fig. 6.1. Areal geology of ORGP

The dominant geologic structural feature of the area is the Whiteoak Mountain fault, the trace of which is indicated to traverse part of the K-1007-B Pond just south of the discharge end of the K-1004 ALD (Figure 5.1). The ALD is in the footwall of this fault which has thrust the Rome formation over the Chickamauga, and the bedrock here has been subjected to extensive deformation and fracturing so that dips (inclination of beds) are likely to be highly variable. The strike of the inclined strata will be generally northeast-southwest, approximately parallel to the strike of the fault. There are no known bedrock outcrops in this area and bedrock attitudes are inferred from observations in nearby areas.

There are no available descriptions of the unconsolidated (soil) zone in this vicinity. The Chickamauga limestone in the ORGDP area is generally overlain with residual soils of varying depths up to about 30 feet, although here the soil depth probably does not exceed 20 feet. These soils are typically red to brown, silty clays with scattered small fragments of chert or weathered limestone. There may also be surficial deposits of alluvial sediments in portions of the area.

Groundwater storage and movement in the Chickamauga bedrock occur in a system of interconnecting channels developed mainly within the carbonate units by solution-enlargement along joints, fractures, and bedding planes. Fractures in the more insoluble shales tend to be "tight" and water movement is thereby restricted. The shaley units channel groundwater flow along bedding planes, parallel to strike. The direction of groundwater flow in the bedrock beneath this area is southwestward along strike toward Poplar Creek. There are no permeability data presently available for bedrock beneath this RFI area; however, tests of wells in the Chickamauga limestone in nearby areas have indicated the average hydraulic conductivity of that formation to be approximately 3.5×10^{-3} cm/sec. This value is presumed to be representative of the Chickamauga beneath the subject area.

Groundwater flow direction in the unconsolidated zone is probably to the southwest toward the K-1007-B Pond. No site-specific permeability data are available for the soils of this area, but tests on similar soils within the ORGDP site suggest a probable range of hydraulic conductivity to be from 10^{-5} to 10^{-6} cm/sec.

Hydraulic gradients in both bedrock and the unconsolidated zone should be very low with correspondingly low flow rates, and there is little interflow between the two aquifer systems. There are no known outcrops, sinks, or other features which would enhance infiltration in this area.

5.2 SURFACE WATER

Much of the surface runoff in the area covered by the ALD is diverted to the SD-100 system which eventually discharges into the K-1007-B Pond (see Figure 3.2). This area is almost flat but slopes very gently to the southwest, and any storm water not intercepted by the SD-100 System will also flow over the surface toward the K-1007-B Pond. The pond drains into Poplar Creek through a weir which is also an NPDES discharge point. This weir prevents aquatic fauna in Poplar Creek from entering the pond.

Most of this area is above the 100-year flood level according to flood data developed by the Tennessee Valley Authority (TVA) and presented in Figure 3.5 of K/HS-132. However, because the discharge end of the ALD is already underwater, any flood will cause water in the K-1007-B Pond to back up further into the drain line. There are no springs or other surface waters which would be affected by the drainage system.

5.3 AIR

No site-specific air quality data are available for the SWMU. Martin Marietta Energy Systems, Inc., has an ongoing study of the air quality and meteorological conditions, and general data for ORGDP are available in K/HS-132.

6. IDENTIFICATION OF POTENTIAL PATHWAYS AND RECEPTORS

Assessment of a hazardous waste disposal, treatment, or storage site is required to evaluate the site's potential for health or safety risks to the environment, public, and personnel. Determination of such risks must be based on evaluations of both the potential pathways of contaminant migration from toxic releases and the possible receptors of the contamination. Information used in the evaluation of the pathways which might release contaminants from the K-1004 ALD and the K-1007-B Pond has been obtained from (1) existing analyses of sediment data from the K-1007-B Pond, (2) NPDES monitoring data from the K-1007-B Pond, (3) data from surface water sampling from SD-100, and (4) interviews with personnel familiar with operations in this area of ORGDP. K/HS-132 will serve as a general reference concerning the potential pathways and receptors for ORGDP.

The possibility of pipe or pit leakage presents the potential for soil and groundwater contamination at this site. Residual contamination in the SD-100 system could also be transported from the area via surface water. Fish in the K-1007-B Pond could contain bioaccumulated contaminants which entered the pond via the ALD or by groundwater or surface water discharge. A Phase I investigation of soil, surface water, groundwater, and pond biota is proposed to assess the extent (if any) of contamination.

6.1 POTENTIAL PATHWAYS OF MIGRATION

6.1.1 Groundwater

The possibility of leakage from the ALD and retention pit presents the potential for groundwater contamination. The low hydraulic gradient and low permeability suggest that any groundwater contamination in the vicinity of the K-1007 Computer Center will move slowly through the unconsolidated zone to the nearby discharge area (i.e., Poplar Creek and

the K-1007-B Pond). Since previously installed wells in the unconsolidated zone in the K-1004 Laboratory area were found to be dry, wells in this area will be completed to bedrock. Assessment of the nature and extent of possible groundwater contamination will be carried out in accordance with the ORGDP Groundwater Protection Program.

6.1.2 Surface Water

Residual contamination in the storm sewer lines may be contaminating surface water flow in the storm sewer system. Surface water grab samples will be collected from catch basins in the SD-100 System and analyzed to assess the nature and extent of possible surface water contamination. Water samples will also be collected at the NPDES discharge point and analyzed to assess the impact of contamination in the K-1007-B Pond on Poplar Creek.

6.1.3 Soil

The practice of discharging wastes into the ALD during the history of this area, and the possibility of leakage from the ALD and K-1004 retention pits present the potential for soil contamination. The extent of residual contamination surrounding the known retention pit will be assessed by analysis of soil samples as described in Section 8 of this document. A Phase II soil sampling plan around the K-1004-A, B, C, and D Laboratories will be proposed should groundwater analyses reveal a contaminant plume. A Phase II soil sampling plan along the ALD may also be proposed should surface water and groundwater analyses reveal unacceptable contaminant levels. This phased sampling procedure will ensure a more realistic site characterization and will allow determination of general contamination locations, as well as contaminants of interest, should contamination exist.

6.1.4 Fish

Contaminants entering the K-1007-B Pond from the ALD and environmental pathways could potentially bioaccumulate in the pond's fish population. Fish samples will be collected and analyzed specifically for mercury and polychlorinated biphenyls (PCB), contaminants which readily bioaccumulate.

6.2 POTENTIAL RECEPTORS

6.2.1 Human Populations

The security controls required by the Department of Energy (DOE) on entrance to ORGDP prevent public access to most of the area covered in the scope of this document. The K-1007-B Pond is outside of the security fence; however, contamination warning signs are posted around the pond and this area is not frequented by the public.

Of the 25 potable water wells within one mile of ORGDP, none of the wells are in proximity to the ALD or the K-1007-B Pond, and none are believed to occupy the same hydrogeological environment as the groundwater at the site. Further, of the 10 public water supplies which withdraw from the Clinch - Tennessee River system (into which Poplar Creek drains), none of these are nearer than 8 miles to the ORR. While direct discharge of surface runoff and site groundwater presents the potential for contamination, distance and dilution effects make pollution of public water supplies of low probability. Finally, the effects of distance and dilution also make unlikely the possibility that contamination of surface water and groundwater would reach the waters used downstream in the Clinch - Tennessee River system for recreational and industrial use.

6.2.2 Fauna and Flora

K/HS-132 discusses the rare, threatened, and endangered plant and animal species which are thought to inhabit the area. To date, there has been no report that any of these species in the vicinity of the ALD, the K-1007-B Pond, or surrounding areas are directly threatened by any contamination present there. However, other local fauna, namely fish in the pond, are potentially threatened by contamination emanating from the components of this site. Fish in Poplar Creek cannot enter the pond due to the NPDES weir located at the pond's only outfall to Poplar Creek and are not believed to be threatened by contamination in the pond. The risk of contamination released from the site to the local flora and fauna will be assessed subsequent to the RFI.

6.3 SUMMARY AND CONCLUSIONS

The nature of the material discharged through the ALD, disposed of in the K-1007-B Pond, and the site hydrogeology indicate the potential for soil, groundwater, surface water, and biota contamination. Evaluation of the potential pathways of contaminant migration and possible receptors shows sufficient potential for environmental contamination and warrants an investigation of the site.

7. EXISTING MONITORING DATA

NPDES data were collected from January 1976 through March 1988 with monthly averages available for January 1976 through October 1986, and individual sample results were reported from November 1986 through March 1988. The sample results collected from November 1986 through March 1988 were averaged for each month in order to be consistent with the monthly averages reported from January 1976 through October 1986. Table 7.1 summarizes these monthly averages showing the frequency and type of sample, number of monthly averages, number of reported results and/or monthly averages less than detection limit, lower and upper arithmetic bounds (as defined in 4.2) on the average of the monthly averages, and the minimum and maximum monthly averages. Also shown are the existing permit limits expressed in terms of concentration of the analyte in the sample and quantity discharged per day.

Figures C.1 - C.22 in Appendix C present plots of the monthly averages for each analyte over time, with the overall average (the "upper bound"-the average calculated using the analytical detection limit) shown for reference purposes. Also shown for reference purposes only are permit limits for individual samples, since no limits were available for monthly averages. Because the data collected from November 1986 through March 1988 are reported as sample results and not monthly averages, plots are presented which show these results over time along with the average result and appropriate permit level in terms of concentrations and quantity discharged (kg/day) per day.

Data from the SD-100 System are given in Appendix D. Point 07 in the SD-100 System has historically shown elevated levels of some contaminants and is located near the visible retention pit (see Figure 3.3).

TABLE 7.1 NPDES MONTHLY AVERAGE DATA SUMMARY

ANALYTE	# AVG ⁵	# LTDL ²	OVERALL AVERAGE ^{3,4}		MONTHLY AVERAGE ^{6,4}		UNITS	DAILY MAXIMUM DISCHARGE LIMITATIONS		MONITORING REQUIREMENTS	
			UPPER BOUND	LOWER BOUND	MIN	MAX		MG/L	KG/DAY	MEASUREMENT FREQUENCY	SAMPLE TYPE
ALUMINUM	1	0	0.4700	0.4700	0.4700	0.4700	MG/L				
BERYLLIUM	2	2	0.0010	0.0000	0.0010	0.0010	MG/L	0.002			
CADMIUM	2	2	0.0020	0.0000	0.0020	0.0020	MG/L	0.010			
CESIUM	3	3	100.0000	0.0000	100.0000	100.0000	PCI/L				
CHEMICAL OXYGEN DEMAND	150	52	12.5157	9.0902	0.1100	25.0000	MG/L	25.000	151.000	WEEKLY	COMPOSITE
CHROMIUM	148	155	0.0132	0.0033	0.0040	0.1000	MG/L	0.050	0.300	WEEKLY	COMPOSITE
COPPER	2	1	0.0105	0.0055	0.0100	0.0110	MG/L	0.290			
CR +3	1	1	0.0100	0.0000	0.0100	0.0100	MG/L				
CR +6	1	1	0.0100	0.0000	0.0100	0.0100	MG/L				
DISSOLVED OXYGEN	135	0	9.7306	9.7306	4.6000	18.0000	MG/L	>5.000		WEEKLY	GRAB
FLUORIDE	147	79	0.1924	0.1285	0.0110	0.9400	MG/L	1.500	9.100	WEEKLY	COMPOSITE
LEAD	2	2	0.0070	0.0000	0.0040	0.0100	MG/L	0.930			
MERCURY	2	2	0.0010	0.0000	0.0010	0.0010	MG/L	0.011			
METHYLENE CHLORIDE	2	2	0.0100	0.0000	0.0100	0.0100	MG/L				
NEPTUNIUM	3	3	1.0000	0.0000	1.0000	1.0000	PCI/L				
NITRATE-N	2	2	0.1050	0.0000	0.1000	0.1100	MG/L	32.500			
OIL & GREASE	52	93	2.2635	0.0928	2.0000	7.0000	MG/L	15.000	91.000	WEEKLY	GRAB
PERCHLOROETHYLENE	2	2	0.0125	0.0000	0.0100	0.0150	MG/L	0.210			
PH	116	0	8.3439	8.3439	6.800	9.0000				DAILY	GRAB
PLUTONIUM	3	3	1.0000	0.0000	1.0000	1.0000	PCI/L				
SELENIUM	2	2	0.0050	0.0000	0.0050	0.0050	MG/L	0.310			
SILVER	2	2	0.0100	0.0000	0.0100	0.0100	MG/L	0.027			
SULFATE	1	0	23.8000	23.8000	23.8000	23.8000	MG/L				
TECHNETIUM	3	3	120.0000	0.0000	82.0000	169.0000	PCI/L				
TEMPERATURE	1	0	4.5875	4.5875	4.5875	4.5875	DEG C				
TOTAL HALOMETHANE	1	1	0.0100	0.0000	0.0100	0.0100	MG/L	2.050			
TOTAL SUSPENDED SOLIDS	151	66	12.8544	7.8948	5.0000	28.0000	MG/L	50.000	303.000	WEEKLY	COMPOSITE
TRICHLOROETHANE	2	2	0.0100	0.0000	0.0100	0.0100	MG/L				
TRICHLOROETHYLENE	2	2	0.0100	0.0000	0.0100	0.0100	MG/L	0.610			
URANIUM	16	21	0.0049	0.0022	0.0012	0.0252	MG/L				
ZINC	1	1	0.0200	0.0000	0.0200	0.0200	MG/L	1.520			

¹ NOT TO BE LESS THAN 6.0 OR GREATER THAN 10.0

² # LESS THAN DETECTION LIMIT INCLUDES MONTHLY AVERAGES FOR 1976-1983 AND INDIVIDUAL SAMPLE RESULTS FOR 1984-1988

³ OVERALL AVERAGE OF MONTHLY AVERAGES FOR 1976-1988. THE UPPER BOUND IS CALCULATED BY AVERAGING THE MONTHLY AVERAGES WHICH INCLUDE LESS THAN DETECTION LIMIT VALUES INPUTTED AS THE DETECTION LIMIT. THE LOWER BOUND IS CALCULATED BY AVERAGING THE MONTHLY AVERAGES WHICH INCLUDE LESS THAN DETECTION LIMIT VALUES INPUTTED AS 0.

⁴ THE NUMBER OF SIGNIFICANT FIGURES IS SOFTWARE DEPENDENT AND DOES NOT NECESSARILY REPRESENT ANALYTICAL PRECISION.

⁵ THE NUMBER OF MONTHLY AVERAGES.

⁶ THE MINIMUM AND MAXIMUM VALUES OF MONTHLY AVERAGES FOR 1976-1988. THE MINIMUM VALUE IS NOT REPORTED LESS THAN THE DETECTION LIMIT.

8. SAMPLING PLAN

8.1 SAMPLING AND ANALYTICAL STRATEGY

Prior to 1985, all non-uranium containing wastes from ORGDP laboratories were disposed of via the ALD which discharged to the K-1007-B Pond. An informal survey conducted prior to the implementation of the BMP for the K-1007-B Pond indicated that acidic, basic, and neutral inorganic and organic reagents were disposed of via the ALD. Incidental quantities of uranium and other transuranics may also have accidentally entered the ALD.

The ALD, associated retention pits, and the K-1007-B Pond are considered to be potential contaminant release sources. Direct characterization (soil sampling) of the area immediately adjacent to the ALD and the K-1004 Laboratories is considered impractical due to the density of structures in the area as well as the length of line that would have to be investigated. As an alternative to extensive soil sampling, groundwater monitoring wells will be installed to evaluate groundwater contamination resulting from any leaks. However, the area surrounding the visible retention pit is generally accessible and sampling of the soil directly adjacent to this pit will be performed as part of this RFI. Residual contamination in the ALD will be assessed by collection and analysis of surface water grab samples from SD 100 catch basins. In addition, archived sediment samples from the K-1007-B Pond which were high in total contaminant metal species will undergo EP toxicity analyses.

It will be necessary to examine the biota in the K-1007-B Pond and the outflow from the pond to Poplar Creek. Surface water samples will be collected at the NPDES discharge point (see Figure 4.1). The parameters measured as a part of the NPDES program will be expanded to include all

metals, volatile and semi-volatile organics, and gross alpha, beta and gamma. The K-1007-B Pond sediment has been previously characterized and, since the sediment samples were archived, further analysis will include EP toxic analysis in those samples found to be high in total contaminant metal species. The results of the initial sediment characterization are discussed in Section 4 of this document. Fish samples will be collected from K-1007-B and analyzed for mercury and PCBs.

If the results of this Phase I investigation reveal unacceptable contaminant levels, a Phase II investigation will be initiated to locate or further define the contamination source.

8.2 SAMPLING STRATEGY

8.2.1 Soil Sampling

Sampling will occur in steps consisting of soil sampling, chemical analysis, statistical analysis, and reduction of the resultant data. Sampling phases will continue until there is sufficient information on the extent of contamination in the soil around the retention pit and decisions can be made concerning remedial actions (if appropriate).

The first phase soil sampling is designed to determine whether there have been leaks from the visible retention pit located outside of Building K-1004-C (see Figure 3.3). Two corings to bedrock will be made on both sides of the discharge drainage line as close as possible to the exit point from the pit (Figure 8.1). A background coring will also be taken (Figure 8.1).

From each drilling to bedrock, a soil sample will be taken: (a) from every distinct layer of soil, (b) from boundaries between soil layers, and (c) at regular intervals of four feet of depth in thick homogeneous layers. For these thicker layers, soil from 2 consecutive two-foot split barrels will be composited, with care not to composite across soil layer

ORNL-DWG 88M-11350

* BACKGROUND
B1 SOIL CORING
SEE
ENLARGEMENT




Fig. 8.1. Soil sampling locations

types or layer boundaries. In addition, a sample will also be taken from the same elevation as the invert of the discharge drainage line (Figure 8.2). These individual samples will be divided with a portion of each sample from the coring going into a single coring composite, and a portion of each sample individually saved in case better resolution on the composite or a backup analysis is needed. The analysis order will be randomized after the total number of samples is determined.

8.2.2 Groundwater Sampling

Installation of five shallow groundwater monitoring wells is proposed, and analysis of groundwater from these wells will indicate if leaks from the ALD have contaminated the uppermost aquifer in the vicinity of the K-1007 Computer Center. The wells are to be placed adjacent to the ALD as shown in Figure 8.3. Four bedrock wells are also proposed to monitor groundwater which may have been contaminated from leaks in the ALD and the retention pits in the vicinity of the K-1004 laboratories. These wells have been placed hydraulically downgradient from the K-1004 laboratories in an array which should intercept any groundwater contaminant plume emanating from this area (Figure 8.4). The unconsolidated zone wells will be incorporated into the ORGDP Groundwater Protection Program, and they will be sampled according to the standard RCRA protocol. The bedrock wells will be installed as a part of this RFI, but installation, sampling, and analysis of these wells will follow the protocol of the ORGDP Groundwater Protection Program.

8.2.3 Surface Water Sampling

Surface water grab samples will be taken from eleven catch basins in the SD 100 system following three discrete rainfall events. These points are SD-100-04, SD-100-06, SD-100-07, SD-100-08, SD-100-09, SD-100-10, SD-100-11, SD-100-12, SD-100-13, SD-100-14, and SD-104 as shown in Figure 8.5.




Fig. 8.2. Schematic cross-section showing soil sample locations




Fig. 8.3. Unconsolidated zone groundwater monitoring well locations




Fig. 8.4. Bedrock groundwater monitoring well locations

ORNL-DWG 88-14375




Fig. 8.5. Surface water sampling locations

Surface water grab samples will also be collected from the NPDES discharge point where the K-1007-B Pond discharges to Poplar Creek (see Figure 4.1). Samples will be collected as a part of NPDES monitoring over a six month period. The analysis order will be randomized.

8.2.4 Fish Sampling

Eight bluegill (*Lepomis macrochivus*) and eight carp (*Cyprinus carpio*) will be collected by electrofishing. Only fish of a size likely to be taken by sport fisherman (bluegill, 50-150 g; carp, >500 g) will be included in the collections.

8.3 FIELD SAMPLING

All field sampling procedures discussed in Section 8.3 are more fully described and documented in The Environmental Surveillance Procedures Quality Control Program, Martin Marietta Energy Systems, Inc., (ESH/SUB/87-21706/1).

8.3.1 Site Preparation

In order to sample around the retention pit, it will be necessary to obtain the requisite permits through Martin Marietta Energy Systems Engineering. The location of drilling locations for soil sampling should be surveyed and marked prior to the arrival of the drilling crew; locations will also be recorded in the site's administrative record.

Prior to any groundwater sampling it will be necessary to install the groundwater monitoring wells discussed in Section 8.2. These wells should be constructed in accordance with the specifications contained in RCRA Ground-Water Monitoring Technical Enforcement Guidance Document (EPA/OSWER-9950.1).

8.3.2 Equipment and Supplies

The drillers will provide all necessary drilling equipment (hollow core auger, split-barrel sampler, etc.). The following field sampling supplies will be required:

- . nonionic detergent, Micro (International Products Corp.)
- . deionized water
- . isopropyl alcohol
- . volatile organic analysis (VOA) bottles
- . glass containers, pre-cleaned, with Teflon-lined lids, one quart capacity
- . bound logbook
- . chain-of-custody seals
- . sample labels
- . chain-of-custody forms
- . stainless steel trays
- . aluminum foil - heavy duty
- . stainless steel spatulas
- . boat
- . motor (optional)
- . electroshocker
- . ice chest

8.3.3 Soil Sampling Procedure

Collection of samples from this site will follow ASTM Method D 1586-84 Penetration Test Split-Barrel Sampling of Soils. The drilling will be performed by private drilling contractors. In this method, a hollow core auger will be used to remove the soil above each segment to be sampled, and the split-barrel sampler will be driven into the soil through the center of the auger. This technique will obtain a sample that is undisturbed by the drilling operation. Using a split-barrel sampler of two-foot length, samples will be removed from each position in two-foot segments. Samples will be collected to refusal. At each two-foot increment, the split-barrel sampler will be removed from the drilling rig (to be performed by the drilling crew) and separated to expose the sample. The core samples will be composited as described in Section 8.2.1.

Between samples, the equipment used for sample transfer will be cleaned with nonionic detergent and water and rinsed with deionized water and isopropyl alcohol. The split-barrel samplers will be detergent cleaned and rinsed with water by the drilling company.

After sampling of each coring is complete, drilled holes will be filled with a grout column (see Section 7.1.3 of K/HS-132) to prevent any contamination of the groundwater. From 10 percent of the core segments, duplicate samples will be submitted to the laboratory to fulfill duplicate requirements per Section 7.1 of K/HS-132. Sample containers will be labeled with the site identification, date, time, sample identification, and the sampler's name. Sampling date, site identification, time, sample identification, sampler's name, and coordinates of the sample will be recorded in the logbook. In addition to the required entries, any other pertinent information and/or observations will be recorded. The logbook used for these records will contain a map of the area and a copy of the sampling plan. The sample containers will be sealed and transported to the laboratory under chain-of-custody protocol as referenced in Section 7.4 of K/HS-132.

8.3.4 Groundwater Sampling Procedures

Sampling of the groundwater monitoring well system described in Section 8.2 will occur in accordance with the ORGDP Groundwater Protection Program and will follow all the associated protocols.

8.3.5 Surface Water Sampling Procedures

Sampling of surface water as described in Section 8.1 will require the expansion of the analysis parameters (to include all parameters listed in Table 2.1, K/HS-132) for the K-1007-B Pond NPDES discharge point. Expansion of the analysis parameters should commence with initial groundwater sampling and follow the already established NPDES sampling schedule.

8.3.6 Fish Sampling Procedure

Fish collected at the site will be placed on ice in a labeled ice chest and returned to the laboratory for processing. At the laboratory the fish will be tagged with a unique four digit tag wired to the lower jaw. Each fish will then be weighed, measured, and filleted with a stainless steel filet knife and the skin removed from the filet. A 1-2 g sample of the anterior dorsal portion of the axial muscle filet will be excised for the determination of mercury; the remainder of the filet will be retained for PCB analysis. The remaining filet will either be utilized as a duplicate sample or archived. If archived, the filet of large fish (carp) will be ground three times in a hand meat grinder (i.e., Chop Rite Corp., Model 5) to homogenize the tissue and samples will be wrapped in heavy-duty aluminum foil prior to freezing.

8.4 ANALYTICAL PROTOCOL

Groundwater samples will be collected quarterly as required in the ORGDP Groundwater Protection Program. Surface water sample collection from the K-1007-B Pond will follow established NPDES sampling schedules. Surface water sample collection from the SD-100 System will be collected

as described in Section 8.2.3. All water samples will be analyzed for the parameters listed in Table 2.1 of K/HS-132. Fish samples will be collected as described in Section 8.3.6 and analyzed for mercury and PCBs.

Soil samples will be collected and composited as discussed in Section 8.2.1. Because of the variety of chemicals disposed of via the ALD, it will be necessary to analyze soil samples for radioactivity (gross alpha, beta, and gamma), the inorganic elements listed in Table 7.4 of K/HS-132 (includes all regulated metals and uranium), volatile and semi-volatile organics, listed in Table 7.6 of K/HS-132. EP toxicity extractions will only be performed on those samples (including archived samples from initial sediment sampling) whose total regulated inorganic species content exceeds the limits contained in Table 2.2 of K/HS-132. An EP toxicity type extraction and subsequent radionuclide analysis will also be necessary for those samples whose total radioactivity exceeds maximum acceptable levels (based on best technical judgement).

8.5 SAMPLE ANALYSIS

Groundwater and surface water analyses will follow standard EPA protocol as outlined in Methods for Chemical Analysis of Water and Wastes (EPA-600/4-79-020). Soil analysis will follow standard EPA protocol as outlined in Test Methods for Evaluating Solid Waste: Physical/Chemical Methods (SW-846). Fish sample analysis will follow EPA procedure 600/4-81-055 for PCBs as outlined in Interim Methods for the Sampling and Analysis for Priority Pollutants in Sediments and Fish Tissue (EPA, 1980), and for mercury the analytical procedure will follow SW-846, EPA-7471. The QA/QC requirements outlined in Section 7.3 of K/HS-132 will be adhered to for all analyses.

9. DATA MANAGEMENT PROCEDURES

The results of sample analyses will be presented in a clear and logical format to best illustrate any patterns in the data. These will include tabular, graphic, and other visual displays such as maps and contour plots, as appropriate to the data.

Statistical analyses will provide for treatment of duplicate laboratory analyses and results which are reported as less than detection limit and for examination for statistical outliers. Where possible, values which are reported as less than detection limits will be handled according to RCRA Ground-Water Monitoring Enforcement Guidance Document, OSWER-9950.1, September 1986, which directs calculation through the use of Cohen's statistical methodology. This is found in Tables for Maximum Likelihood Estimates from Single Truncated and Singly Censored Samples, Technometrics, Volume 3, pages 535-541, 1961. Otherwise, the detection limit will be used in the statistical analysis.

10. HEALTH AND SAFETY PROCEDURES

10.1 INTRODUCTION

Special requirements and procedures to protect the health and safety of the investigating team, ORGDP site personnel, and the general public during this RFI are addressed in this section. K/HS-132 details the health, safety, environmental, security, plant protection, and emergency response organizations which are in place at ORGDP. These organizations provide the support to ORGDP line organizations to meet the requirements for health and safety during the RFIs. They provide the communications, response, and reporting for any plant emergency; on-site medical facilities with medical surveillance, treatment, monitoring, and periodic physical examinations; health physics and industrial hygiene surveillance hazard evaluation and control; operational safety accident prevention and control; plant security and visitor control.

In addition, K/HS-132 identifies the organizational responsibilities for health and safety at SWMUs during the RFIs. The document includes the methodology for establishing the work zones of each SWMU, the level of protection required in the exclusion zone, decontamination procedures, personnel exposure limits, monitoring requirements, and respiratory protection requirements.

10.2 KNOWN HAZARDS AND RISKS

Since a variety of chemicals and wastes were discharged to the K-1007-B Pond via the ALD the potential exists for contamination by all classes of hazardous compounds (metals, radioactivity [gross alpha, beta, and gamma], volatile and semi-volatile organics, and PCBs).

10.3 LEVEL OF PROTECTION

The level of personnel protection is designated below for soil and surface water sampling. Monitoring parameters are indicated for soil sampling.

<u>Level of Designation</u>	<u>Monitoring Parameters</u>
A _____	Airborne Pollutants <u> X </u>
B _____	Explosion Potential <u> </u>
C _____	Radiation <u> X </u>
D <u> X </u>	

10.4 DESIGNATION OF WORK AREA ZONES

The three zones (Exclusion, Contamination Reduction, and Support) will be established for the work activity area in accordance with the methodology developed in Section 9 of K/HS-132. As work activity requires, the exclusion zone will move to encompass areas of drilling and sampling of soil or surface water.

10.5 EXPOSURE LIMITS

The personnel protection recommended for work activity in the exclusion zone of the ALD and the K-1007-B Pond SWMU is Level D.

Employee exposure to airborne pollutants (e.g., organics) throughout the course of the investigation will be monitored through the use of air monitoring equipment. If pollutants or unusual odors are detected, work will be stopped and the area will be evacuated. The ORGDP Industrial Hygiene Department will be contacted to determine the necessary actions to mitigate health and safety concerns.

The responsibility for limiting the exposure of the workers to nonhazardous levels of radiation resides in the Site Health and Safety Officer (SHSO) using instruments described in Section 9 of K/HS-132. The SHSO will monitor for radiation in the air and adjacent to sample drillings and/or diggings with a radiation meter capable of measuring 0.1 mR/hr. Should the reading exceed 0.1 mR/hr, the SHSO will order work to be stopped and the crew removed from the exclusion zone. The SHSO will request the presence of a health physicist on site who will assess the potential hazard of the conditions and determine whether or not work should continue.

Sampling personnel must be aware that equipment used for soil sampling could become contaminated with radioactive material. Personal safety shoes and other protective equipment could become contaminated. Surveys should be performed on such equipment in the soil sampling areas before and after each operation. Each survey should include monitoring all applicable personnel and equipment. Equipment that is found to be contaminated above the guidelines for unrestricted release (alpha-5,000 dpm/100 cm² surface, 1,000 dpm/100 cm² transferrable, and 0.1 mR/hr beta and gamma) will be decontaminated. Should the reading exceed an action level of 2 mR/hr (set by ORGDP Health Physics as an action point), the SHSO will order work to be stopped and the crew will be removed. The SHSO will request the presence of a health physicist on site who will assess the potential hazard of the conditions and determine whether or not work should continue.

11. REFERENCES

- American Society for Testing and Materials, ASTM Method D 1586-84, Penetration Test Split-Barrel Sampling of Soils
- Cohen, "Tables for Maximum Likelihood Estimates from Single Censored Samples," Technometrics, Vol. 3: 535-541, (1961)
- EPA (Environmental Protection Agency), Methods for Chemical Analysis of Water and Wastes, EPA-600/4-79-020
- EPA (Environmental Protection Agency), December 1987, RCRA Facility Investigation Guidance, EPA 530/SW-87-001, Vols. I-IV, OSWER Directive 9502.00.6C
- EPA (Environmental Protection Agency), September 1986, RCRA Ground Water Monitoring Enforcement Guidance Document, OSWER Directive 9950.1
- EPA, Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, (SW-846).
- EPA, Interim Methods for the Sampling and Analysis for Priority Pollutants in Sediments and Fish Tissue, 1980
- EPA, RCRA Groundwater Monitoring Technical Enforcement Guidance Document (EPA/OSWER-9950.1)
- Geraghty and Miller, Hydrogeology of the Oak Ridge Gaseous Diffusion Plant Site, July 1986
- Geraghty and Miller, Phase II-Detection Monitoring, June 1987
- Ketelle, R. H., Oak Ridge National Laboratory, Recent Unpublished Geological Work
- Martin Marietta Energy Systems, Inc., The Environmental Surveillance Procedures Quality Control Program, ESH/SUB/87-21706(1)
- McMaster, W. H., "Geologic Map of the Oak Ridge Area, Tennessee," U.S. Geological Survey, 1958
- Oak Ridge Gaseous Diffusion Plant, RCRA Facility Investigation Plan, General Document, Oak Ridge, Tennessee, K/HS-132, March 1987
- Oak Ridge Gaseous Diffusion Plant, ORGDP Remedial Actions Program Quality Assurance Plan, K/HS-231
- Oak Ridge Gaseous Diffusion Plant, ORGDP Remedial Actions Program Data Management Plan, K/HS-232

APPENDIX A

Table with multiple columns and rows, containing faint text and numbers. The content is illegible due to low contrast and blurring.

Handwritten marks or symbols, possibly page numbers or annotations, located on the right side of the page.

K-1007-B POND SEDIMENT DATA SUMMARY

ANALYTE	N	MLTDL ²	DL	MIN	MAX	POND AVERAGE		UNITS
						LOWER BOUND	UPPER BOUND	
ACENAPHTHENE	36	24	440.0000 ^{3,6}	27.0000 ⁶	2500.0000 ⁶	180.4722	917.6944	UG/KG
ACENAPHTHYLENE	36	33	440.0000 ³	38.0000	3900.0000	7.7222	1131.0556	UG/KG
ACETONE	57	50	10.0000	0.9000	22.0000	0.8930	9.6649	UG/KG
ALUMINUM ¹	36	0	.	7600.0000	24000.0000	15569.4444	15569.4444	UG/G
ALUMINUM (EP-TOX)	8	4	0.1000	0.1000	0.3300	0.1025	0.1525	MG/L
ANTHRACENE	36	26	440.0000 ³	67.0000	3200.0000	263.8056	1128.8056	UG/KG
ARSENIC ¹	36	0	.	0.9000	9.1000	4.7917	4.7917	MG/KG
ARSENIC (EP-TOX)	8	8	0.0050	0.0050	0.0050	0.0000	0.0050	MG/L
BARIUM ¹	36	0	.	19.0000	170.0000	86.9444	86.9444	UG/G
BARIUM (EP-TOX) ¹	8	2	0.1000	0.1000	0.7400	0.3075	0.3325	MG/L
BENZENE	57	49	5.0000 ³	0.1000	5.0000	0.0263	4.3246	UG/KG
BENZO(A)ANTHRACENE ¹	36	14	530.0000 ³	140.0000	12000.0000	1383.0556	1853.6111	UG/KG
BENZO(A)PYRENE	36	20	510.0000 ³	170.0000	11000.0000	1310.8333	1987.2222	UG/KG
BENZO(B)FLUORANTHENE ¹	36	19	440.0000 ³	440.0000	16000.0000	2090.8333	2738.3333	UG/KG
BENZO(G,H,I)PERYLENE	36	26	440.0000 ³	400.0000	7300.0000	768.8889	1591.9444	UG/KG
BENZO(K)FLUORANTHENE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
BENZOIC ACID	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
BENZYL ALCOHOL	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
BERYLLIUM ¹	36	0	.	0.4400	2.0000	0.9636	0.9636	UG/G
BERYLLIUM (EP-TOX)	8	8	0.0010	0.0010	0.0010	0.0000	0.0010	MG/L
BIS(2-CHLOROETHOXY)METHANE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
BIS(2-CHLOROETHYL)ETHER	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
BIS(2-CHLOROISOPROPYL)ETHER	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
BIS(2-ETHYLHEXYL)PHTHALATE	36	23	530.0000 ³	530.0000	4900.0000	511.6667	1328.6111	UG/G
BORON ¹	36	12	0.4000	0.4000	23.0000	9.5611	9.6944	UG/G
BORON (EP-TOX)	8	0	.	0.0340	0.0800	0.0612	0.0612	MG/L
BROMODICHLOROMETHANE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
BROMOFORM	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
BROMOMETHANE	57	57	10.0000	10.0000	10.0000	0.0000	10.0000	UG/KG
BUTYLBENZYLPHTHALATE	36	34	440.0000 ³	400.0000	3900.0000	36.6667	1170.0000	UG/KG
CADMIUM ¹	36	30	0.3000	0.3000	1.5000	0.1558	0.4058	UG/G
CADMIUM (EP-TOX) ¹	8	5	0.0030	0.0030	0.0270	0.0077	0.0096	MG/L
CALCIUM ^{1,4}	36	0	.	1700.0000	11000.0000	27088.8889	27088.8889	UG/G
CALCIUM (EP-TOX)	8	0	.	38.0000	520.0000	225.8750	225.8750	MG/L
CARBON DISULFIDE	57	56	5.0000	4.0000	5.0000	0.0702	4.9825	UG/KG
CARBON TETRACHLORIDE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
CHLOROBENZENE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
CHLOROETHANE	57	57	10.0000	10.0000	10.0000	0.0000	10.0000	UG/KG
CHLOROFORM	57	53	5.0000	0.3000	5.0000	0.0368	4.6860	UG/KG
CHLOROMETHANE	57	57	10.0000	10.0000	10.0000	0.0000	10.0000	UG/KG
CHROMIUM ¹	36	0	.	14.0000	540.0000 ⁵	131.8611	131.8611	UG/G
CHROMIUM (EP-TOX)	8	8	0.0100	0.0100	0.0100	0.0000	0.0100	MG/L
CHRYSENE ¹	36	19	440.0000 ³	360.0000	11000.0000	1454.4444	2048.3333	UG/KG
CIS-1,3-DICHLOROPROPENE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
COBALT ¹	36	0	.	6.5000	24.0000	13.3167	13.3167	UG/G
COBALT (EP-TOX)	8	8	0.1000	0.1000	0.1000	0.0000	0.1000	MG/L
COPPER ¹	36	0	.	7.3000	170.0000 ⁵	50.5361	50.5361	UG/G
COPPER (EP-TOX)	8	6	0.0040	0.0040	0.0520	0.0071	0.0101	MG/L
DECAHOIC ACID	1	0	.	38.0000	38.0000	38.0000	38.0000	UG/KG
DI-N-BUTYLPHTHALATE	36	27	440.0000 ³	51.0000	3900.0000	54.1667	1054.4444	UG/KG
DI-N-OCTYLPHTHALATE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
DIACETONE ALCOHOL	30	0	.	21000.0000	310000.0000	1105033.3333	1105033.3333	UG/KG
DIBENZ(A,H)ANTHRACENE	36	32	440.0000 ³	110.0000	2500.0000	58.8889	1040.0000	UG/KG
DIBENZOFURAN	36	30	440.0000 ³	48.0000	2700.0000	32.5556	1028.3889	UG/KG
DIBROMOCHLOROMETHANE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG

K-1007 POND DATA SUMMARY (CONTINUED)

PAGE 2

ANALYTE	N	MLTDL ²	DL	MIN	MAX	POND AVERAGE		UNITS
						LOWER BOUND	UPPER BOUND	
DIETHYLPHTHALATE	36	32	450.0000 ³	30.0000	3900.0000	20.2778	1089.4444	UG/KG
DIMETHYLPHTHALATE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
DODECANOIC ACID	2	0	.	72.0000	110.0000	91.0000	91.0000	UG/KG
ENDRIN	8	8	0.1000	0.1000	0.1000	0.0000	0.1000	UG/L
ETHYLBENZENE	57	57	5.0000 ³	5.0000	5.0000	0.0000	5.0000	UG/KG
FLUORANTHENE ¹	36	10	530.0000 ³	200.0000	18000.0000	2262.2222	2613.0556	UG/KG
FLUORENE	36	30	440.0000 ³	130.0000	2700.0000	103.6111	1054.4444	UG/KG
FLUORIDE ¹	36	2	2.0000	2.0000	30.0000	5.5000	5.6111	UG/G
HEPTANOIC ACID	2	0	.	95.0000	120.0000	107.5000	107.5000	UG/KG
HEXACHLOROBENZENE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
HEXACHLOROBUTADIENE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
HEXACHLOROCYCLOPENTADIENE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
HEXACHLOROETHANE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
HEXANOIC ACID	2	0	.	58.0000	110.0000	84.0000	84.0000	UG/KG
INDENO(1,2,3-CD)PYRENE	36	24	440.0000 ³	390.0000	6900.0000	699.7222	1464.4444	UG/KG
IRON	36	0	.	15000.0000	44000.0000	26472.2222	26472.2222	UG/G
IRON (EP-TOX) ¹	8	4	0.0500	0.0500	0.1800	0.0639	0.0889	MG/L
ISOPHORONE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
LEAD	36	0	.	5.5000	220.0000 ⁵	50.2361	50.2361	UG/G
LEAD (EP-TOX) ¹	8	5	0.0500	0.0500	0.0580	0.0210	0.0522	MG/L
LINDANE	8	7	0.0500	0.0500	0.0800	0.0100	0.0537	UG/L
LITHIUM ¹	36	0	.	8.4000	33.0000	18.4833	18.4833	UG/G
LITHIUM (EP-TOX) ¹	8	2	0.0040	0.0040	0.0071	0.0042	0.0052	MG/L
MAGNESIUM	36	0	.	1000.0000	13000.0000	5497.2222	5497.2222	UG/G
MAGNESIUM (EP-TOX)	8	0	.	7.4000	92.0000	41.5375	41.5375	MG/L
MANGANESE ¹	36	0	.	340.0000	1300.0000	687.2222	687.2222	UG/G
MANGANESE (EP-TOX) ¹	8	2	0.0100	0.0100	19.0000	6.1000	6.1025	MG/L
MERCURY	36	21	1.0000	1.0000	4.5000 ⁵	1.2500	1.8333	UG/G
MERCURY (EP-TOX) ¹	8	3	0.0002	0.0002	0.0006	0.0003	0.0003	MG/L
METHOXYCHLOR	8	8	0.5000	0.5000	0.5000	0.0000	0.5000	UG/L
METHYLENE CHLORIDE	57	55	5.0000	0.2000	5.0000	0.0070	4.8316	UG/KG
MOLYBDENUM ¹	36	12	1.0000	1.0000	2.7000	1.2250	1.5583	UG/G
MOLYBDENUM (EP-TOX)	8	8	0.0100	0.0100	0.0100	0.0000	0.0100	MG/L
MYRISTIC ACID	6	0	.	200.0000	3600.0000	1416.6667	1416.6667	UG/KG
N-NITROSO-DI-N-PROPYLAMINE	36	35	440.0000 ³	440.0000	3900.0000	55.5556	1225.2778	UG/KG
N-NITROSDIPHENYLAMINE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
NAPHTHALENE ¹	36	33	440.0000 ³	45.0000	3900.0000 ⁵	9.1944	1146.6944	UG/KG
NICKEL	36	0	.	12.0000	260.0000	77.5556	77.5556	UG/G
NICKEL (EP-TOX) ¹	8	4	0.0500	0.0500	2.0000	0.4307	0.4557	MG/L
NIOBIUM	36	32	0.7000	0.7000	2.0000	0.1547	0.7769	UG/G
NIOBIUM (EP-TOX)	8	8	0.0070	0.0070	0.0070	0.0000	0.0070	MG/L
NITROBENZENE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
OCTANOIC ACID	5	0	.	76.0000	150.0000	119.2000	119.2000	UG/KG
PALMITIC ACID	19	0	.	1800.0000	12000.0000	4636.8421	4636.8421	UG/KG
PCB	9	0	.	1000.0000	33000.0000	10188.8889	10188.8889	UG/KG
PCB (AROCLOR-1016)	36	36	0.5000 ³	0.5000	80.0000	0.0000	77.7917	UG/KG
PCB (AROCLOR-1221)	36	36	0.5000 ³	0.5000	80.0000	0.0000	77.7917	UG/KG
PCB (AROCLOR-1232)	36	36	0.5000 ³	0.5000	80.0000	0.0000	77.7917	UG/KG
PCB (AROCLOR-1242)	36	36	0.5000 ³	0.5000	80.0000	0.0000	77.7917	UG/KG
PCB (AROCLOR-1248)	36	31	0.5000 ³	0.5000	12000.0000	963.0556	1029.7361	UG/KG
PCB (AROCLOR-1254) ¹	36	11	1.0000 ³	1.0000	16900.0000	1944.1667	1988.6389	UG/KG
PCB (AROCLOR-1260)	36	34	1.0000 ³	1.0000	270.0000	13.0556	159.7500	UG/KG
PENTACHLOROPHENOL	36	35	2100.0000 ³	2100.0000	19000.0000	97.2222	5777.7778	UG/KG

K-1007 POND DATA SUMMARY (CONTINUED)

ANALYTE	M	NLTDL	DL	MIN	MAX	POND AVERAGE		UNITS
						LOWER BOUND	UPPER BOUND	
PH	36	0	.	6.2000	9.0000	8.0000	8.0000	
PHENANTHRENE ¹	36	15	530.0000 ³	92.0000	13000.0000	1367.0833	1969.8611	UG/KG
PHENOL	36	35	440.0000 ³	440.0000	5900.0000	163.8889	1333.6111	UG/KG
PHOSPHORUS ¹	36	0	.	170.0000	1600.0000	666.3889	666.3889	UG/G
PHOSPHORUS (EP-TOX)	8	8	0.2000	0.2000	0.2000	0.0000	0.2000	MG/L
PLUTONIUM 238,240	36	36	1.0000	1.0000	1.0000	0.0000	1.0000	PCI/G
POTASSIUM	36	0	.	850.0000	3500.0000	1893.0556	1893.0556	UG/G
POTASSIUM (EP-TOX)	8	0	.	1.0000	4.9000	3.4125	3.4125	MG/L
PROBABLE HYDROCARBON #1	4	0	.	5.0000	9.0000	7.0000	7.0000	UG/KG
PROBABLE HYDROCARBON #2	4	0	.	6.0000	8.0000	7.0000	7.0000	UG/KG
PYRENE ¹	36	12	530.0000 ³	350.0000	25000.0000	3354.4444	3781.3889	UG/KG
SELENIUM	36	33	0.5000	0.5000	0.5000	0.0417	0.5000	MG/KG
SELENIUM (EP-TOX)	8	8	0.0050	0.0050	0.0050	0.0000	0.0050	MG/L
SILICON ¹	36	0	.	290.0000	790.0000	555.8333	555.8333	UG/G
SILICON (EP-TOX)	8	0	.	1.7000	3.7000	2.8750	2.8750	MG/L
SILVER	36	18	0.6000	0.6000	41.0000	6.0083	6.3083	UG/G
SILVER (EP-TOX)	8	8	0.0100	0.0100	0.0100	0.0000	0.0100	MG/L
SODIUM ¹	36	5	2.0000	2.0000	230.0000	107.2500	107.5278	UG/G
SODIUM (EP-TOX)	8	0	.	4.7000	5.8000	5.3125	5.3125	MG/L
STRONTIUM ¹	36	0	.	4.7000	100.0000	21.5528	21.5528	UG/G
STRONTIUM (EP-TOX)	8	0	.	0.0760	0.3700	0.2130	0.2130	MG/L
STYRENE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
SULFUR	36	0	.	260.0000	82000.0000	109975.2941	109975.2941	UG/KG
TECHNETIUM	36	22	28.0000	28.0000	304.0000	41.3889	58.5000	PCI/G
TETRACHLOROETHENE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
THALLIUM	36	35	1.0000	1.0000	1.0000	0.0278	1.0000	MG/KG
THALLIUM (EP-TOX)	8	8	0.0100	0.0100	0.0100	0.0000	0.0100	MG/L
THORIUM	36	36	20.0000	20.0000	20.0000	0.0000	20.0000	UG/G
THORIUM (EP-TOX)	8	8	0.2000	0.2000	0.2000	0.0000	0.2000	MG/L
TITANIUM ¹	36	0	.	45.0000	250.0000	112.1944	112.1944	UG/G
TITANIUM (EP-TOX) ¹	8	3	0.0030	0.0030	0.0230	0.0066	0.0077	MG/L
TOLUENE	57	53	5.0000	0.3000	5.0000	0.0526	4.7018	UG/KG
TOTAL XYLENES	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
TOXAPHENE	8	8	1.0000	1.0000	1.0000	0.0000	1.0000	UG/L
TRANS-1,2-DICHLOROETHENE	57	56	5.0000	0.2000	5.0000	0.0035	4.9158	UG/KG
TRANS-1,3-DICHLOROPROPENE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
TRICHLOROETHENE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
URANIUM	36	35	3.0000	3.0000	25.0000	0.6944	3.6111	UG/G
VALERIC ACID	6	0	.	150.0000	330000.0000	55351.6667	55351.6667	UG/KG
VANADIUM ¹	36	0	.	12.0000	42.0000	24.7500	24.7500	UG/G
VANADIUM (EP-TOX)	8	8	0.5000	0.5000	0.5000	0.0000	0.5000	MG/L
VINYL ACETATE	57	57	10.0000	10.0000	10.0000	0.0000	10.0000	UG/KG
VINYL CHLORIDE	56	56	10.0000	10.0000	10.0000	0.0000	10.0000	UG/KG
WATER	36	0	.	8.4000	74.8000	36.8556	36.8556	X
ZINC ¹	36	0	.	3.7000	540.0000 ⁵	172.2972	172.2972	UG/G
ZINC (EP-TOX) ¹	8	2	0.0200	0.0200	2.1000	0.6740	0.6790	MG/L
ZIRCONIUM ¹	36	0	.	4.8000	20.0000	10.4028	10.4028	UG/G
ZIRCONIUM (EP-TOX)	8	8	0.0050	0.0050	0.0050	0.0000	0.0050	MG/L
1,1-DICHLOROETHANE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
1,1-DICHLOROETHENE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
1,1,1-TRICHLOROETHANE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
1,1,2-TRICHLOROETHANE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
1,1,2,2-TETRACHLOROETHANE	58	58	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG


ANALYTE	N	NLTDL	DL	MIN	MAX	POND AVERAGE		UNITS
						LOWER BOUND	UPPER BOUND	
1,2-DICHLOROBENZENE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
1,2-DICHLOROETHANE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
1,2-DICHLOROPROPANE	57	57	5.0000	5.0000	5.0000	0.0000	5.0000	UG/KG
1,2,4-TRICHLOROBENZENE	36	35	440.0000 ³	440.0000	3900.0000	21.6667	1191.3889	UG/KG
1,3-DICHLOROBENZENE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
1,4-DICHLOROBENZENE	36	35	440.0000 ³	440.0000	3900.0000	12.7778	1182.5000	UG/KG
2-BUTANONE	57	52	10.0000	5.0000	10.0000	0.6842	9.8070	UG/KG
2-CHLOROETHYL VINYL ETHER	57	57	10.0000	10.0000	10.0000	0.0000	10.0000	UG/KG
2-CHLORONAPHTHALENE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
2-CHLOROPHENOL	36	35	440.0000 ³	440.0000	4100.0000	113.8889	1283.6111	UG/KG
2-HEXANONE	57	55	10.0000	0.5000	10.0000	0.0263	9.6754	UG/KG
2-METHYLNAPHTHALENE	36	33	440.0000 ³	18.0000	3900.0000	4.2222	1146.4444	UG/KG
2-METHYLPHENOL	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
2-NITROANILINE	36	36	2100.0000 ³	2100.0000	19000.0000	0.0000	5813.8889	UG/KG
2-NITROPHENOL	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
2,4-D	8	0	-	0.3200	1.2000	0.5475	0.5475	UG/L
2,4-DICHLOROPHENOL	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
2,4-DIMETHYLPHENOL	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
2,4-DINITROPHENOL	36	36	2100.0000 ³	2100.0000	19000.0000	0.0000	5813.8889	UG/KG
2,4-DINITROTOLUENE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
2,4,5-T	8	8	0.1000	0.1000	0.1000	0.0000	0.1000	UG/L
2,4,5-TP (SILVEX)	8	8	0.1000	0.1000	0.1000	0.0000	0.1000	UG/L
2,4,5-TRICHLOROPHENOL	36	36	2100.0000 ³	2100.0000	19000.0000	0.0000	5813.8889	UG/KG
2,4,6-TRICHLOROPHENOL	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
2,6-DINITROTOLUENE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
3-NITROANILINE	36	36	2100.0000 ³	2100.0000	19000.0000	0.0000	5813.8889	UG/KG
3,3'-DICHLOROBENZIDINE	36	36	880.0000 ³	880.0000	7800.0000	0.0000	2388.3333	UG/KG
4-BROMOPHENYL-PHENYLETHER	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
4-CHLORO-3-METHYLPHENOL	36	35	440.0000 ³	440.0000	4300.0000	119.4444	1289.1667	UG/KG
4-CHLOROANILINE	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
4-CHLOROPHENYL-PHENYLETHER	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
4-METHYL-2-PENTANONE	57	57	10.0000	10.0000	10.0000	0.0000	10.0000	UG/KG
4-METHYLPHENOL	36	36	440.0000 ³	440.0000	3900.0000	0.0000	1197.5000	UG/KG
4-NITROANILINE	36	36	2100.0000 ³	2100.0000	19000.0000	0.0000	5813.8889	UG/KG
4-NITROPHENOL	36	36	2100.0000 ³	2100.0000	19000.0000	0.0000	5813.8889	UG/KG
4,6-DINITRO-2-METHYLPHENOL	36	36	2100.0000 ³	2100.0000	19000.0000	0.0000	5813.8889	UG/KG

- 1 PLOT OF INDIVIDUAL RESULTS AVAILABLE
- 2 NLTDL = NUMBER OF RESULTS LESS THAN DETECTION LIMIT
- 3 SMALLEST OF MULTIPLE DETECTION LIMITS.
- 4 ONE RESULT IS REPORTED AS GREATER THAN DETECTION LIMIT
- 5 RESULT IS GREATER THAN K/HS-132 TABLE 2.2 MAX LIMIT FOR SOIL
- 6 THE NUMBER OF SIGNIFICANT FIGURES IS SOFTWARE DEPENDENT AND IS NOT NECESSARILY INDICATIVE OF THE ANALYTICAL PRECISION.

APPENDIX B

K-1007 POND - CHRYSENE UG/KG

N
O
R
T
H




EAST

RESULTS

1	1	1	<=640 UG/KG
3	3	3	<=3850 UG/KG

2	2	2	<=1400 UG/KG
4	4	4	<=11000 UG/KG
<	<	<	LTDL

K-1007 POND - BENZO(A)ANTHRACENE UG/KG



RESULTS


1 1 1 <-420 UG/KG
 3 3 3 <-2575 UG/KG

EAST

2 2 2 <-1000 UG/KG
 4 4 4 <-12000 UG/KG
 < < < LTDL

K-1007 POND - ZINC (EP-TOX)-EXTRACT MG/L

N
O
R
T
H




EAST

RESULTS	1	1	1	<=0.0675 MG/L	2	2	2	<=0.6850 MG/L
	3	3	3	<=1.8750 MG/L	4	4	4	<=2.1000 MG/L
					<	<	<	LTDL

NO ESTABLISHED EP-TOX LEVEL

K-1007 POND - ZINC UG/G



RESULTS


1 1 1 <=46 UG/G
 3 3 3 <=290 UG/G

EAST

2 2 2 <=66 UG/G
 4 4 4 <=460 UG/G
 * * * >500 UG/G LIMIT

K-1007 POND - SULFUR UG/KG

NORTH



EAST


RESULTS

1 1 1 <=21500 UG/KG
 3 3 3 <=135000 UG/KG

2 2 2 <=60500 UG/KG
 4 4 4 <=820000 UG/KG

K-1007 POND - STRONTIUM UG/G

N
O
R
T
H




E
A
S
T

RESULTS

1 1 1 <=8.7 UG/G
3 3 3 <=27 UG/G

2 2 2 <=15.5 UG/G
4 4 4 <=100 UG/G

K-1007 POND - SILVER (EP-TOX) - EXTRACT MG/L




NORTH

EAST

RESULTS < < < < LTDL

EP-TOX LIMIT FOR SILVER-5.00 MG/L

K-1007 POND - SELENIUM (EP-TOX)-EXTRACT MG/L




EAST

RESULTS < < < LTDL

EP-TOX LIMIT FOR SELENIUM=1.00 MG/L

K-1007 POND - NICKEL (EP-TOX)-EXTRACT MG/L

N
O
R
T
H



EAST


RESULTS

1 1 1 =0.056 MG/L
3 3 3 =0.74 MG/L

2 2 2 =0.65 MG/L
4 4 4 =2.00 MG/L
< < < LTDL

NO ESTABLISHED EP-TOX LEVEL

K-1007 POND - NICKEL UG/G



RESULTS

1 1 1 <=17.3 UG/G
 3 3 3 <=148 UG/G


EAST

2 2 2 <=31.5 UG/G
 4 4 4 <=260 UG/G

K/HS-132 TABLE 2.2 MAX LIMIT FOR SOIL=400 UG/G

K-1007 POND - MERCURY (EP-TOX)-EXTRACT MG/L

N
O
R
T
H



E
A
S
T


RESULTS

< < < <=0.0002 MG/L
3 3 3 <=0.0006 MG/L

2 2 2 <=0.0005 MG/L
< < < LTDL

EP-TOX LIMIT FOR MERCURY=0.2 MG/L


K-1007 POND - MERCURY UG/G



RESULTS	1	1	1	<=1.7	UG/G	2	2	2	<=2.7	UG/G
	3	3	3	<=3.4	UG/G	4	4	4	<=3.8	UG/G
	*	*	*	>4	UG/G LIMIT	<	<	<	LTDL	

K/HS-132 TABLE 2.2 MAX LIMIT FOR SOIL=4 UG/G

K-1007 POND - LEAD (EP-TOX) - EXTRACT MG/L




N O R T H

E A S T

RESULTS	1	1	=0.053	MG/L	2	2	=0.057	MG/L
	3	3	3	=0.058	MG/L	<	<	<
								< LTDL

EP-TOX LIMIT FOR LEAD=5.00 MG/L

K-1007 POND - LEAD UG/G



EAST


RESULTS

1 1 1 <=21.5 UG/G
 3 3 3 <=60.25 UG/G

2 2 2 <=33.0 UG/G
 4 4 4 <=97.0 UG/G
 * * * >100 UG/G LIMIT

K-1007 POND - IRON (EP-TOX)-EXTRACT MG/L

N
O
R
T
H



E
A
S
T


RESULTS

1	1	1	=0.085 MG/L
3	3	3	=0.150 MG/L

2	2	2	=0.096 MG/L
4	4	4	=0.180 MG/L
<	<	<	LTDL

NO ESTABLISHED EP-TOX LEVEL

K-1007 POND - IRON UG/G



RESULTS

1 1 1 <= 21000 UG/G
 3 3 3 <= 31500 UG/G


EAST

2 2 2 <= 27000 UG/G
 4 4 4 <= 44000 UG/G

NO K/HS-132 TABLE 2.2 MAX LIMIT FOR SOIL

K-1007 POND - COPPER UG/G

N
O
R
T
H




EAST

RESULTS 1 1 1 <=15.5 UG/G
 3 3 3 <=72 UG/G

2 2 2 <=34 UG/G
4 4 4 <=100 UG/G
* * * >100 UG/G LIMIT

K-1007 POND - COBALT UG/G

N
O
R
T
H




E
A
S
T

RESULTS

1	1	1	<=11 UG/G
3	3	3	<=15 UG/G

2	2	2	<=13 UG/G
4	4	4	<=24 UG/G

K-1007 POND - CHROMIUM (EP-TOX) - EXTRACT MG/L




N O R T H

E A S T

R E S U L T S < < < < L T D L

EP-TOX LIMIT FOR CHROMIUM-5.00 MG/L

K-1007 POND - CHROMIUM UG/G



RESULTS


1 1 1 <=20.75 UG/G
 3 3 3 <=37 UG/G

EAST

2 2 2 <=23.5 UG/G
 4 4 4 <=72 UG/G
 * * * >100 UG/G LIMIT

K-1007 POND - CADMIUM (EP-TOX)-EXTRACT MG/L

N
O
R
T
H



EAST

RESULTS


1	1	1	=0.012 MG/L
3	3	3	=0.027 MG/L

2	2	2	=0.023 MG/L
<	<	<	LTDL

EP-TOX LIMIT FOR CADMIUM=1.00 MG/L

K-1007 POND - CADMIUM MG/L

N
O
R
T
H



EAST


RESULTS

1	1	1	<=0.5675 MG/L
3	3	3	<=1.2000 MG/L

2	2	2	<=1.0100 MG/L
4	4	4	<=1.5000 MG/L
<	<	<	LTDL

K-1007 POND - BERYLLIUM UG/G

N
O
R
T
H



E
A
S
T

RESULTS


1 1 1 <=0.7525 UG/G
3 3 3 <=1.100 UG/G

2 2 2 <=0.9200 UG/G
4 4 4 <=2.000 UG/G

NO K/HS-132 TABLE 2.2 MAX LIMIT FOR SOIL

K-1007 POND - BARIUM (EP-TOX)-EXTRACT MG/L

N
O
R
T
H



E
A
S
T


RESULTS 1 1 1 <=0.2425 MG/L
 3 3 3 <=0.6425 MG/L

2 2 2 <=0.3200 MG/L
 4 4 4 <=0.7400 MG/L
 < < < LTDL

EP-TOX LIMIT FOR BARIUM=100 MG/L

K-1007 POND - BARIUM UG/G

N
O
R
T
H




E
A
S
T

RESULTS 1 1 1 <=66 UG/G
 3 3 3 <=107 UG/G

2 2 2 <=82 UG/G
 4 4 4 <=170 UG/G

K-1007 POND - ARSENIC (EP-TOX) - EXTRACT MG/L



NORTH


EAST

RESULTS < < < LTDL

EP-TOX LIMIT FOR ARSENIC=5.00 MG/L

K-1007 POND - ARSENIC MG/KG

N
O
R
T
H




E
A
S
T

RESULTS

1 1 1 <=3.525 MG/KG
3 3 3 <=5.300 MG/KG

2 2 2 <=4.450 MG/KG
4 4 4 <=9.100 MG/KG

K-1007 POND - 2,4-D UG/L




RESULTS 1 1 1 <=0.3325 UG/L
 3 3 3 <=0.6925 UG/L

 2 2 2 <=0.4200 UG/L
 4 4 4 <=1.200 UG/L

K-1007 POND - 4-CHLORO-3-METHYLPHENOL UG/KG

N
O
R
T
H



EAST


RESULTS

1 1 1 = 4300 UG/KG

< < < LTDL

NO K/MS-132 TABLE 2.2 MAX LIMIT FOR SOIL

K-1007 POND - 2-METHYLNAPHTHALENE UG/KG



EAST


RESULTS

1 1 1 =18.0 UG/KG
 3 3 3 =92.0 UG/KG

2 2 2 =42.0 UG/KG
 < < < LTDL

NO K/HS-132 TABLE 2.2 MAX LIMIT FOR SOIL

K-1007 POND - 2-HEXANONE UG/KG




N O R T H

EAST

RESULTS	1	1	1	=0.5 UG/KG	2	2	2	=1.0 UG/KG
	<	<	<	< LTDL				

K-1007 POND - 2-CHLOROPHENOL UG/KG




EAST

RESULTS 1 1 1 = 4100 UG/KG < < < LTDL


NO K/HS-132 TABLE 2.2 MAX LIMIT FOR SOIL

K-1007 POND - 2-BUTANONE UG/KG



RESULTS	1	1	1	5.0 UG/KG	EAST	2	2	2	8.0 UG/KG
	3	3	3	9.0 UG/KG					


K-1007 POND - 1,2,4-TRICHLOROBENZENE UG/KG



EAST

RESULTS 1 1 1 =780 UG/KG < < < LTDL

K-1007 POND - PCB (AROCOR-1254) UG/KG



EAST

RESULTS

1 1 1 <=532.5 UG/KG
 3 3 3 <=3650 UG/KG

2 2 2 <=2600 UG/KG
 4 4 4 <=16900 UG/KG
 < < < LTDL

K/HS-132 TABLE 2.2 MAX LIMIT FOR SOIL=100,000 UG/KG

APPENDIX C



Figure C.1
NPDES DATA - CHEMICAL OXYGEN DEMAND MG/L
Monthly Average Concentration




Figure C.2
NPDES DATA - CHROMIUM MG/L
Monthly Average Concentration




Figure C.3
NPDES DATA - DISSOLVED OXYGEN MG/L

Monthly Average Concentration




Figure C.4
NPDES DATA - FLUORIDE MG/L

Monthly Average Concentrations




Figure C.5
NPDES DATA - OIL AND GREASE MG/L
Monthly Average Concentrations




Figure C.6
NPDES DATA - PERCHLOROETHYLENE MG/L

Monthly Average Concentrations




Figure C.7
NPDES DATA — TOTAL SUSPENDED SOLIDS MG/L

Monthly Average Concentrations




Figure C.8
NPDES DATA - URANIUM MG/L

Monthly Average Concentrations




Figure C.9
 NPDES DATA - PH

Monthly Average Concentrations




Figure C.10
NPDES DATA - TEMPERATURE DEG C

Monthly Average Concentrations




Figure C.11
NPDES DATA - CHEMICAL OXYGEN DEMAND MG/L
Individual Sample Results




Figure C.12
NPDES DATA - CHROMIUM MG/L

Individual Sample Results




Figure C.13
NPDES DATA - DISSOLVED OXYGEN MG/L

Individual Sample Results




Figure C.14
NPDES DATA - FLUORIDE MG/L

Individual Sample Results




Figure C.15
NPDES DATA -- OIL AND GREASE MG/L

Individual Sample Results




Figure C.16
NPDES DATA - PH
Individual Sample Results




Figure C.17
NPDES DATA - TOTAL SUSPENDED SOLIDS MG/L

Individual Sample Results




Figure C.18
NPDES DATA - CHROMIUM KG/DAY

Individual Sample Result - Quantity Discharged




Figure C.19
NPDES DATA - CHEMICAL OXYGEN DEMAND KG/DAY
Individual Sample Result - Quantity Discharged




Figure C.20

NPDES DATA - FLUORIDE KG/DAY

Individual Sample Result - Quantity Discharged




Figure C.21

NPDES DATA - OIL AND GREASE KG/DAY

Individual Sample Result - Quantity Discharged





Figure C.22
NPDES DATA - TOTAL SUSPENDED SOLIDS KG/DAY

Individual Sample Result - Quantity Discharged



APPENDIX D

The first part of the paper is devoted to a general discussion of the problem. It is shown that the problem is well-posed in the sense of Hadamard. The second part is devoted to the construction of the solution. The third part is devoted to the numerical solution of the problem. The fourth part is devoted to the numerical solution of the problem. The fifth part is devoted to the numerical solution of the problem.



Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	1 1 1-TRICHLOROETHANE	7	ug/L
SD-100	11-Mar-1987	1 1 1-TRICHLOROETHANE	5	ug/L
SD-100	18-Mar-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100	24-Mar-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100	6-Apr-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100	19-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-01	18-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-01	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-01	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-01	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-01	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-02	18-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-02	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-02	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-02	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-02	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-03	18-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-03	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-03	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-03	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-03	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-03D	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-04	18-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-04	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-04	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-04	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-04	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-06	18-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-06	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-06	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-06	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-06	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	1 1 1-TRICHLOROETHANE	190	ug/L
SD-100-07	19-May-1987	1 1 1-TRICHLOROETHANE	540	ug/L
SD-100-07	26-May-1987	1 1 1-TRICHLOROETHANE	690	ug/L
SD-100-07	3-Jun-1987	1 1 1-TRICHLOROETHANE	1800	ug/L
SD-100-07	11-Jun-1987	1 1 1-TRICHLOROETHANE	270	ug/L
SD-100-07	18-Jun-1987	1 1 1-TRICHLOROETHANE	1400	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	1 1 1-TRICHLOROETHANE	1100	ug/L
** SD-100-09				
SD-100-09	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-09	18-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-09	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-09	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-09	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-09	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-10	19-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-10	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-10	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-10	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-10	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-11	19-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-11	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-11	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-11	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-11	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-12	19-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-12	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-12	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-12	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-12	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-13	19-May-1987	1 1 1-TRICHLOROETHANE	5	ug/L
SD-100-13	26-May-1987	1 1 1-TRICHLOROETHANE	5	ug/L
SD-100-13	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-13	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-13	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-14	19-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-14	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-14	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-14	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-14	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	1 1 1-TRICHLOROETHANE	5	ug/L
SD-100-C	9-Mar-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-C	17-Mar-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-C	24-Mar-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-C	8-Apr-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-C	13-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-C	20-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-C	27-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-C	12-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-C	19-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-100-D	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100	11-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100	18-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100	24-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100	6-Apr-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100	12-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100	19-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100	26-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100	3-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100	11-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100	18-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-01	18-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-01	26-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-01	3-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-01	11-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-01	18-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-02	18-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-02	26-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-02	3-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-02	11-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-02	18-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-03	18-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-03	26-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-03	3-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-03	11-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-03	18-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-03D	26-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-04	18-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-04	26-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-04	3-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-04	11-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-04	18-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-06	18-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-06	26-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-06	3-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-06	11-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-06	18-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-07	19-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-07	26-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-07	3-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-07	11-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-07	18-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test	Compound	Results	Units
** SD-100-07D					
SD-100-07D	18-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
** SD-100-09					
SD-100-09	12-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-09	18-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-09	26-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-09	3-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-09	11-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-09	18-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
** SD-100-10					
SD-100-10	12-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-10	19-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-10	26-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-10	3-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-10	11-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-10	18-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
** SD-100-11					
SD-100-11	12-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-11	19-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-11	26-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-11	3-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-11	11-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-11	18-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
** SD-100-12					
SD-100-12	12-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-12	19-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-12	26-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-12	3-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-12	11-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-12	18-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
** SD-100-13					
SD-100-13	12-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-13	19-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-13	26-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-13	3-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-13	11-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-13	18-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
** SD-100-14					
SD-100-14	12-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-14	19-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-14	26-May-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-14	3-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-14	11-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L
SD-100-14	18-Jun-1987	1 1 2	2-TETRACHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-C				
SD-100-C	5-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-C	9-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-C	17-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-C	24-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-C	8-Apr-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-C	13-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-C	20-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-C	27-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-C	12-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-C	19-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-100-D	11-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100	11-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100	18-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100	24-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100	6-Apr-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100	19-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-01	18-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-01	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-01	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-01	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-01	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-02	18-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-02	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-02	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-02	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-02	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-03	18-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-03	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-03	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-03	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-03	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-03D	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-04	18-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-04	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-04	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-04	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-04	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-06	18-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-06	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-06	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-06	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-06	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-07	19-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-07	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-07	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-07	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-07	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-09	18-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-09	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-09	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-09	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-09	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-10	19-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-10	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-10	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-10	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-10	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-11	19-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-11	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-11	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-11	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-11	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-12	19-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-12	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-12	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-12	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-12	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-13	19-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-13	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-13	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-13	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-13	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-14	19-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-14	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-14	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-14	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-14	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-C	9-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-C	17-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-C	24-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-C	8-Apr-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-C	13-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-C	20-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-C	27-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-C	12-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-C	19-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-100-D	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	11-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100	18-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100	24-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100	6-Apr-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100	19-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-01	18-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-01	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-01	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-01	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-01	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-02	18-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-02	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-02	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-02	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-02	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-03	18-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-03	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-03	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-03	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-03	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-03D	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-04	18-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-04	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-04	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-04	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-04	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-06	18-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-06	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-06	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-06	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-06	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-07	19-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-07	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-07	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-07	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-07	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-09	18-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-09	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-09	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-09	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-09	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-10	19-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-10	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-10	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-10	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-10	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-11	19-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-11	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-11	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-11	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-11	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-12	19-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-12	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-12	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-12	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-12	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-13	19-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-13	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-13	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-13	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-13	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-14	19-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-14	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-14	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-14	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-14	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-C	9-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-C	17-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-C	24-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-C	8-Apr-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-C	13-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-C	20-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-C	27-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-C	12-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-C	19-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-100-D	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100	11-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100	18-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100	24-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100	6-Apr-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100	19-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-01	18-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-01	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-01	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-01	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-01	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-02	18-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-02	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-02	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-02	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-02	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-03	18-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-03	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-03	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-03	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-03	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-03D	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-04	18-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-04	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-04	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-04	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-04	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-06	18-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-06	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-06	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-06	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-06	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	1 1-DICHLOROETHENE	5	ug/L
SD-100-07	19-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-07	26-May-1987	1 1-DICHLOROETHENE	6	ug/L
SD-100-07	3-Jun-1987	1 1-DICHLOROETHENE	7	ug/L
SD-100-07	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-07	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	1 1-DICHLOROETHENE	6	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-09	18-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-09	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-09	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-09	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-09	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-10	19-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-10	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-10	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-10	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-10	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-11	19-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-11	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-11	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-11	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-11	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-12	19-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-12	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-12	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-12	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-12	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-13	19-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-13	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-13	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-13	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-13	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-14	19-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-14	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-14	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-14	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-14	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	9-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-C	17-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-C	24-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-C	8-Apr-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-C	13-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-C	20-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-C	27-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-C	12-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-C	19-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-100-D	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-100	11-Mar-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-100	12-May-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-100	26-May-1987	1 2 4-TRICHLOROBENZENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-100-01	26-May-1987	1 2 4-TRICHLOROBENZENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-100-02	26-May-1987	1 2 4-TRICHLOROBENZENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-100-03	26-May-1987	1 2 4-TRICHLOROBENZENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-100-03D	26-May-1987	1 2 4-TRICHLOROBENZENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-100-04	26-May-1987	1 2 4-TRICHLOROBENZENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-100-06	26-May-1987	1 2 4-TRICHLOROBENZENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-100-07	26-May-1987	1 2 4-TRICHLOROBENZENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-100-09	26-May-1987	1 2 4-TRICHLOROBENZENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-10				
SD-100-10	12-May-1987	1 2 4-TRICHLOROENZENE	<10	ug/L
SD-100-10	26-May-1987	1 2 4-TRICHLOROENZENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	1 2 4-TRICHLOROENZENE	<10	ug/L
SD-100-11	26-May-1987	1 2 4-TRICHLOROENZENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	1 2 4-TRICHLOROENZENE	<10	ug/L
SD-100-12	26-May-1987	1 2 4-TRICHLOROENZENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	1 2 4-TRICHLOROENZENE	<10	ug/L
SD-100-13	26-May-1987	1 2 4-TRICHLOROENZENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	1 2 4-TRICHLOROENZENE	<10	ug/L
SD-100-14	26-May-1987	1 2 4-TRICHLOROENZENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	1 2 4-TRICHLOROENZENE	<10	ug/L
SD-100-C	9-Mar-1987	1 2 4-TRICHLOROENZENE	<10	ug/L
SD-100-C	17-Mar-1987	1 2 4-TRICHLOROENZENE	<10	ug/L
SD-100-C	24-Mar-1987	1 2 4-TRICHLOROENZENE	<10	ug/L
SD-100-C	8-Apr-1987	1 2 4-TRICHLOROENZENE	<10	ug/L
SD-100-C	13-May-1987	1 2 4-TRICHLOROENZENE	<5.0	ug/L
SD-100-C	20-May-1987	1 2 4-TRICHLOROENZENE	<5.0	ug/L
SD-100-C	27-May-1987	1 2 4-TRICHLOROENZENE	<5.0	ug/L
SD-100-C	12-Jun-1987	1 2 4-TRICHLOROENZENE	<5.0	ug/L
SD-100-C	19-Jun-1987	1 2 4-TRICHLOROENZENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	1 2-DICHLOROENZENE	<10	ug/L
SD-100	11-Mar-1987	1 2-DICHLOROENZENE	<10	ug/L
SD-100	12-May-1987	1 2-DICHLOROENZENE	<10	ug/L
SD-100	26-May-1987	1 2-DICHLOROENZENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	1 2-DICHLOROENZENE	<10	ug/L
SD-100-01	26-May-1987	1 2-DICHLOROENZENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	1 2-DICHLOROENZENE	<10	ug/L
SD-100-02	26-May-1987	1 2-DICHLOROENZENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	1 2-DICHLOROENZENE	<10	ug/L
SD-100-03	26-May-1987	1 2-DICHLOROENZENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03D				
SD-100-03D	12-May-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-03D	26-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-04	26-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-06	26-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-07	26-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-09	26-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-10	26-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-11	26-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-12	26-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-13	26-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-14	26-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-C	9-Mar-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-C	17-Mar-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-C	24-Mar-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-C	8-Apr-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-100-C	13-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
SD-100-C	20-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
SD-100-C	27-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
SD-100-C	12-Jun-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
SD-100-C	19-Jun-1987	1 2-DICHLOROBENZENE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100	11-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100	18-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100	24-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100	6-Apr-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100	19-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-01	18-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-01	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-01	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-01	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-01	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-02	18-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-02	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-02	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-02	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-02	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-03	18-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-03	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-03	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-03	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-03	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-03D	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-04	18-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-04	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-04	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-04	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-04	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06				
SD-100-06	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-06	18-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-06	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-06	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-06	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-06	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-07	19-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-07	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-07	3-Jun-1987	1 2-DICHLOROETHANE	<5	5ug/L
SD-100-07	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-07	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-09	18-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-09	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-09	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-09	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-09	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-10	19-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-10	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-10	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-10	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-10	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-11	19-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-11	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-11	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-11	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-11	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-12	19-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-12	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-12	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-12	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-12	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-13	19-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-13	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-13	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-13	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-13	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-14	19-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-14	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-14	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-14	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-14	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-C	9-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-C	17-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-C	24-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-C	8-Apr-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-C	13-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-C	20-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-C	27-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-C	12-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-C	19-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-100-D	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100	11-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100	18-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100	24-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100	6-Apr-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100	19-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-01	18-May-1987	1 2-DICHLOROPROPANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-01	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-01	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-01	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-01	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-02	18-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-02	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-02	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-02	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-02	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-03	18-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-03	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-03	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-03	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-03	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-03D	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-04	18-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-04	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-04	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-04	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-04	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-06	18-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-06	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-06	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-06	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-06	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-07	19-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-07	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-07	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-07	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-07	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07D				
SD-100-07D	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-09	18-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-09	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-09	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-09	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-09	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-10	19-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-10	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-10	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-10	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-10	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-11	19-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-11	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-11	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-11	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-11	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-12	19-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-12	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-12	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-12	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-12	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-13	19-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-13	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-13	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-13	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-13	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-14	19-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-14	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-14	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-14	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-14	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-C				
SD-100-C	5-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-C	9-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-C	17-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-C	24-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-C	8-Apr-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-C	13-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-C	20-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-C	27-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-C	12-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-C	19-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-100-D	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-100	11-Mar-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-100	12-May-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-100	26-May-1987	1 3-DICHLOROBENZENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-100-01	26-May-1987	1 3-DICHLOROBENZENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-100-02	26-May-1987	1 3-DICHLOROBENZENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-100-03	26-May-1987	1 3-DICHLOROBENZENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-100-03D	26-May-1987	1 3-DICHLOROBENZENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-100-04	26-May-1987	1 3-DICHLOROBENZENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-100-06	26-May-1987	1 3-DICHLOROBENZENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-100-07	26-May-1987	1 3-DICHLOROBENZENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	1 3-DICHLORO BENZENE	<10	ug/L
SD-100-09	26-May-1987	1 3-DICHLORO BENZENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	1 3-DICHLORO BENZENE	<10	ug/L
SD-100-10	26-May-1987	1 3-DICHLORO BENZENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	1 3-DICHLORO BENZENE	<10	ug/L
SD-100-11	26-May-1987	1 3-DICHLORO BENZENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	1 3-DICHLORO BENZENE	<10	ug/L
SD-100-12	26-May-1987	1 3-DICHLORO BENZENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	1 3-DICHLORO BENZENE	<10	ug/L
SD-100-13	26-May-1987	1 3-DICHLORO BENZENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	1 3-DICHLORO BENZENE	<10	ug/L
SD-100-14	26-May-1987	1 3-DICHLORO BENZENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	1 3-DICHLORO BENZENE	<10	ug/L
SD-100-C	9-Mar-1987	1 3-DICHLORO BENZENE	<10	ug/L
SD-100-C	17-Mar-1987	1 3-DICHLORO BENZENE	<10	ug/L
SD-100-C	24-Mar-1987	1 3-DICHLORO BENZENE	<10	ug/L
SD-100-C	8-Apr-1987	1 3-DICHLORO BENZENE	<10	ug/L
SD-100-C	13-May-1987	1 3-DICHLORO BENZENE	<5.0	ug/L
SD-100-C	20-May-1987	1 3-DICHLORO BENZENE	<5.0	ug/L
SD-100-C	27-May-1987	1 3-DICHLORO BENZENE	<5.0	ug/L
SD-100-C	12-Jun-1987	1 3-DICHLORO BENZENE	<5.0	ug/L
SD-100-C	19-Jun-1987	1 3-DICHLORO BENZENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	1 4-DICHLORO BENZENE	<10	ug/L
SD-100	11-Mar-1987	1 4-DICHLORO BENZENE	<10	ug/L
SD-100	12-May-1987	1 4-DICHLORO BENZENE	<10	ug/L
SD-100	26-May-1987	1 4-DICHLORO BENZENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	1 4-DICHLORO BENZENE	<10	ug/L
SD-100-01	26-May-1987	1 4-DICHLORO BENZENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	1 4-DICHLORO BENZENE	<10	ug/L
SD-100-02	26-May-1987	1 4-DICHLORO BENZENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03				
SD-100-03	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-03	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-03D	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-04	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-06	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-07	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-09	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-10	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-11	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-12	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-13	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-14	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-C	9-Mar-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-C	17-Mar-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-C	24-Mar-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-C	8-Apr-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-100-C	13-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	20-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
SD-100-C	27-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
SD-100-C	12-Jun-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
SD-100-C	19-Jun-1987	1 4-DICHLOROBENZENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100	11-Mar-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-01	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-02	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-03	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-03D	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-04	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-06	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-07	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-09	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-10	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-11	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-12				
SD-100-12	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-12	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-13	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-14	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-C	9-Mar-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-C	17-Mar-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-C	24-Mar-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-C	8-Apr-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-100-C	13-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
SD-100-C	20-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
SD-100-C	27-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
SD-100-C	12-Jun-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
SD-100-C	19-Jun-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100	11-Mar-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-01	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-02	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-03	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-03D	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-04	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06				
SD-100-06	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-06	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-07	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-09	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-10	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-11	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-12	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-13	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-14	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-C	9-Mar-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-C	17-Mar-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-C	24-Mar-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-C	8-Apr-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-100-C	13-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
SD-100-C	20-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
SD-100-C	27-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
SD-100-C	12-Jun-1987	2 4-DICHLOROPHENOL	<5.0	ug/L
SD-100-C	19-Jun-1987	2 4-DICHLOROPHENOL	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100	11-Mar-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-01				
SD-100-01	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-01	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-02	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-03	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-03D	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-04	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-06	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-07	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-09	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-10	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-11	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-12	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-13	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-14	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-C				
SD-100-C	5-Mar-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-C	9-Mar-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-C	17-Mar-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-C	24-Mar-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-C	8-Apr-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-100-C	13-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
SD-100-C	20-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
SD-100-C	27-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
SD-100-C	12-Jun-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
SD-100-C	19-Jun-1987	2 4-DIMETHYLPHENOL	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100	11-Mar-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100	26-May-1987	2 4-DINITROPHENOL	<25.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-01	26-May-1987	2 4-DINITROPHENOL	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-02	26-May-1987	2 4-DINITROPHENOL	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-03	26-May-1987	2 4-DINITROPHENOL	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-03D	26-May-1987	2 4-DINITROPHENOL	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-04	26-May-1987	2 4-DINITROPHENOL	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-06	26-May-1987	2 4-DINITROPHENOL	<25.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-07	26-May-1987	2 4-DINITROPHENOL	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-09	26-May-1987	2 4-DINITROPHENOL	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-10				
SD-100-10	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-10	26-May-1987	2 4-DINITROPHENOL	<25.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-11	26-May-1987	2 4-DINITROPHENOL	<25.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-12	26-May-1987	2 4-DINITROPHENOL	<25.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-13	26-May-1987	2 4-DINITROPHENOL	<25	ug/L
** SD-100-14				
SD-100-14	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-14	26-May-1987	2 4-DINITROPHENOL	<25.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-C	9-Mar-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-C	17-Mar-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-C	24-Mar-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-C	8-Apr-1987	2 4-DINITROPHENOL	<10	ug/L
SD-100-C	13-May-1987	2 4-DINITROPHENOL	<5.0	ug/L
SD-100-C	20-May-1987	2 4-DINITROPHENOL	<5.0	ug/L
SD-100-C	27-May-1987	2 4-DINITROPHENOL	<5.0	ug/L
SD-100-C	12-Jun-1987	2 4-DINITROPHENOL	<25.0	ug/L
SD-100-C	19-Jun-1987	2 4-DINITROPHENOL	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100	11-Mar-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-01	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-02	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-03	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03D				
SD-100-03D	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-03D	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-04	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-06	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-07	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-09	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-10	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-11	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-12	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-13	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-14	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-C	9-Mar-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-C	17-Mar-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-C	24-Mar-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-C	8-Apr-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-100-C	13-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
SD-100-C	20-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
SD-100-C	27-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
SD-100-C	12-Jun-1987	2 4-DINITROTOLUENE	<5.0	ug/L
SD-100-C	19-Jun-1987	2 4-DINITROTOLUENE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100	11-Mar-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-01	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-02	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-03	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-03D	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-04	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-06	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-07	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-09	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-10	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-11	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-12	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-13	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-14	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-C	9-Mar-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-C	17-Mar-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-C	24-Mar-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-C	8-Apr-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-100-C	13-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
SD-100-C	20-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
SD-100-C	27-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
SD-100-C	12-Jun-1987	2 6-DINITROTOLUENE	<5.0	ug/L
SD-100-C	19-Jun-1987	2 6-DINITROTOLUENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100	11-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100	18-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100	24-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100	6-Apr-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100	19-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-01				
SD-100-01	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-01	18-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-01	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-01	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-01	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-01	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-02				
SD-100-02	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-02	18-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-02	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-02	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-02	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-02	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-03				
SD-100-03	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-03	18-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-03	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-03	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-03	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-03	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-03D	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-04				
SD-100-04	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-04	18-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-04	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-04	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-04	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-04	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-06				
SD-100-06	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-06	18-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-06	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-06	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-06	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-06	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-07				
SD-100-07	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-07	19-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-07	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-07	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-07	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-07	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-09				
SD-100-09	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-09	18-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-09	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-09	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-09	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-09	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-10				
SD-100-10	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-10	19-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-10	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-10	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-10	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-10	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-11				
SD-100-11	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-11	19-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-11	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-11	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-11	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-11	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-12				
SD-100-12	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-12	19-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-12	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-12	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-12	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-12	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-13				
SD-100-13	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-13	19-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-13	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-13	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-13	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-13	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-14				
SD-100-14	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-14	19-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-14	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-14	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-14	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-14	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-C	9-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-C	17-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-C	24-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-C	8-Apr-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-C	13-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-C	20-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-C	27-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-C	12-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-100-C	19-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-D	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100	11-Mar-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-01	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-02	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-03	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-03D	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-04	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-06	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-07	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-09	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-10	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-11	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-12	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-13	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-14	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-C	9-Mar-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-C	17-Mar-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-C	24-Mar-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-C	8-Apr-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-100-C	13-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
SD-100-C	20-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
SD-100-C	27-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
SD-100-C	12-Jun-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
SD-100-C	19-Jun-1987	2-CHLORONAPHTHALENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	2-CHLOROPHENOL	<10	ug/L
SD-100	11-Mar-1987	2-CHLOROPHENOL	<10	ug/L
SD-100	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-01	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-02	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-03	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-03D	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-04	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-06	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07				
SD-100-07	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-07	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-09	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-10	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-11	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-12	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-13	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-14	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-C	9-Mar-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-C	17-Mar-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-C	24-Mar-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-C	8-Apr-1987	2-CHLOROPHENOL	<10	ug/L
SD-100-C	13-May-1987	2-CHLOROPHENOL	<5.0	ug/L
SD-100-C	20-May-1987	2-CHLOROPHENOL	<5.0	ug/L
SD-100-C	27-May-1987	2-CHLOROPHENOL	<5.0	ug/L
SD-100-C	12-Jun-1987	2-CHLOROPHENOL	<5.0	ug/L
SD-100-C	19-Jun-1987	2-CHLOROPHENOL	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	2-NITROPHENOL	<10	ug/L
SD-100	11-Mar-1987	2-NITROPHENOL	<10	ug/L
SD-100	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-01	26-May-1987	2-NITROPHENOL	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-02	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-03	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-03D	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-04	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-06	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-07	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-09	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-10	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-11	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-12	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-13	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-100-14	26-May-1987	2-NITROPHENOL	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	2-NITROPHENOL	<10	ug/L
SD-100-C	9-Mar-1987	2-NITROPHENOL	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	17-Mar-1987	2-NITROPHENOL	<10	ug/L
SD-100-C	24-Mar-1987	2-NITROPHENOL	<10	ug/L
SD-100-C	8-Apr-1987	2-NITROPHENOL	<10	ug/L
SD-100-C	13-May-1987	2-NITROPHENOL	<5.0	ug/L
SD-100-C	20-May-1987	2-NITROPHENOL	<5.0	ug/L
SD-100-C	27-May-1987	2-NITROPHENOL	<5.0	ug/L
SD-100-C	12-Jun-1987	2-NITROPHENOL	<5.0	ug/L
SD-100-C	19-Jun-1987	2-NITROPHENOL	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100	11-Mar-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-01	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-02	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-03	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-03D	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-04	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-06	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-07	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-09	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-10	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-11	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-12	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-13	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-14	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-C	9-Mar-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-C	17-Mar-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-C	24-Mar-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-C	8-Apr-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-100-C	13-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
SD-100-C	20-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
SD-100-C	27-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
SD-100-C	12-Jun-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L
SD-100-C	19-Jun-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
** SD-100				
SD-100	5-Mar-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100	11-Mar-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-01	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-02	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-03	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-03D	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-04				
SD-100-04	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-04	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-06	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-07	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-09	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-10	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-11	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-12	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-13	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-14	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-C	9-Mar-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-C	17-Mar-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-C	24-Mar-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-C	8-Apr-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-100-C	13-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
SD-100-C	20-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
SD-100-C	27-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
SD-100-C	12-Jun-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
SD-100-C	19-Jun-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
** SD-100				
SD-100	5-Mar-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100	11-Mar-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-01	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-02	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-03	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-03D	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-04	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-06	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-07	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-09	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-10	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-11	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-12	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-13	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-14				
SD-100-14	12-May-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-14	26-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-C	9-Mar-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-C	17-Mar-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-C	24-Mar-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-C	8-Apr-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
SD-100-C	13-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
SD-100-C	20-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
SD-100-C	27-May-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
SD-100-C	12-Jun-1987	4-BROMOPHENYL-PHENYLETHER	<5.0	ug/L
SD-100-C	19-Jun-1987	4-BROMOPHENYL-PHENYLETHER	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100	11-Mar-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-01	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-02	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-03	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-03D	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-04	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-06	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-07	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-09	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-10	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-11	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-12	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-13	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-14	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-C	9-Mar-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-C	17-Mar-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-C	24-Mar-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-C	8-Apr-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-100-C	13-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
SD-100-C	20-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
SD-100-C	27-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
SD-100-C	12-Jun-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
SD-100-C	19-Jun-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100	11-Mar-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-01	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-02	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03				
SD-100-03	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-03	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-03D	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-04	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-06	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-07	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-09	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-10	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-11	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-12	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-13	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-14	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-C	9-Mar-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-C	17-Mar-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-C	24-Mar-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-C	8-Apr-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-100-C	13-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	20-May-1987	4-CHLOROPHENYL-PHENYLETHER	<5.0	ug/L
SD-100-C	27-May-1987	4-CHLOROPHENYL-PHENYLETHER	<5.0	ug/L
SD-100-C	12-Jun-1987	4-CHLOROPHENYL-PHENYLETHER	<5.0	ug/L
SD-100-C	19-Jun-1987	4-CHLOROPHENYL-PHENYLETHER	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	4-NITROPHENOL	<50	ug/L
SD-100	11-Mar-1987	4-NITROPHENOL	<50	ug/L
SD-100	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-01	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-02	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-03	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-03D	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-04	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-06	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-07	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-09	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-10	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-11	26-May-1987	4-NITROPHENOL	<25.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-12				
SD-100-12	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-12	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-13	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-100-14	26-May-1987	4-NITROPHENOL	<25.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	4-NITROPHENOL	<50	ug/L
SD-100-C	9-Mar-1987	4-NITROPHENOL	<50	ug/L
SD-100-C	17-Mar-1987	4-NITROPHENOL	<50	ug/L
SD-100-C	24-Mar-1987	4-NITROPHENOL	<50	ug/L
SD-100-C	8-Apr-1987	4-NITROPHENOL	<50	ug/L
SD-100-C	13-May-1987	4-NITROPHENOL	<25.0	ug/L
SD-100-C	20-May-1987	4-NITROPHENOL	<25.0	ug/L
SD-100-C	27-May-1987	4-NITROPHENOL	<25.0	ug/L
SD-100-C	12-Jun-1987	4-NITROPHENOL	<25.0	ug/L
SD-100-C	19-Jun-1987	4-NITROPHENOL	<50	ug/L
** SD-100-01				
SD-100-01	12-May-1987	4-TERT-BUTYLPHENOL	0.6 B	ug/L
** SD-100-07				
SD-100-07	12-May-1987	4-TERT-BUTYLPHENOL	3 B	ug/L
** SD-100				
SD-100	5-Mar-1987	ACENAPHTHENE	<10	ug/L
SD-100	11-Mar-1987	ACENAPHTHENE	<10	ug/L
SD-100	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-01	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-02	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-03	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-03D	26-May-1987	ACENAPHTHENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-04				
SD-100-04	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-04	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-06	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-07	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-09	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-10	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-11	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-12	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-13	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-100-14	26-May-1987	ACENAPHTHENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	ACENAPHTHENE	<10	ug/L
SD-100-C	9-Mar-1987	ACENAPHTHENE	<10	ug/L
SD-100-C	17-Mar-1987	ACENAPHTHENE	<10	ug/L
SD-100-C	24-Mar-1987	ACENAPHTHENE	<10	ug/L
SD-100-C	8-Apr-1987	ACENAPHTHENE	<10	ug/L
SD-100-C	13-May-1987	ACENAPHTHENE	<5.0	ug/L
SD-100-C	20-May-1987	ACENAPHTHENE	<5.0	ug/L
SD-100-C	27-May-1987	ACENAPHTHENE	<5.0	ug/L
SD-100-C	12-Jun-1987	ACENAPHTHENE	<5.0	ug/L
SD-100-C	19-Jun-1987	ACENAPHTHENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	ACENAPHTHYLENE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	11-Mar-1987	ACENAPHTHYLENE	<10	ug/L
SD-100	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-01	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-02	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-03	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-03D	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-04	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-06	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-07	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-09	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-10	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-11	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-12	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-13	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-14	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-C	9-Mar-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-C	17-Mar-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-C	24-Mar-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-C	8-Apr-1987	ACENAPHTHYLENE	<10	ug/L
SD-100-C	13-May-1987	ACENAPHTHYLENE	<5.0	ug/L
SD-100-C	20-May-1987	ACENAPHTHYLENE	<5.0	ug/L
SD-100-C	27-May-1987	ACENAPHTHYLENE	<5.0	ug/L
SD-100-C	12-Jun-1987	ACENAPHTHYLENE	<5.0	ug/L
SD-100-C	19-Jun-1987	ACENAPHTHYLENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	ALKALINITY	97	mg/L
SD-100	11-Mar-1987	ALKALINITY	97	mg/L
SD-100	18-Mar-1987	ALKALINITY	100	mg/L
SD-100	24-Mar-1987	ALKALINITY	100	mg/L
SD-100	3-Apr-1987	ALKALINITY	93	mg/L
SD-100	6-Apr-1987	ALKALINITY	97	mg/L
SD-100	12-May-1987	ALKALINITY	98	mg/L
SD-100	19-May-1987	ALKALINITY	104	mg/L
SD-100	26-May-1987	ALKALINITY	102	mg/L
SD-100	3-Jun-1987	ALKALINITY	102	mg/L
SD-100	11-Jun-1987	ALKALINITY	97	mg/L
SD-100	18-Jun-1987	ALKALINITY	97	mg/L
** SD-100-01				
SD-100-01	12-May-1987	ALKALINITY	63	mg/L
SD-100-01	18-May-1987	ALKALINITY	76	mg/L
SD-100-01	26-May-1987	ALKALINITY	91	mg/L
SD-100-01	3-Jun-1987	ALKALINITY	98	mg/L
SD-100-01	11-Jun-1987	ALKALINITY	161	mg/L
SD-100-01	18-Jun-1987	ALKALINITY	110	mg/L
** SD-100-02				
SD-100-02	12-May-1987	ALKALINITY	99	mg/L
SD-100-02	18-May-1987	ALKALINITY	104	mg/L
SD-100-02	26-May-1987	ALKALINITY	103	mg/L
SD-100-02	3-Jun-1987	ALKALINITY	103	mg/L
SD-100-02	11-Jun-1987	ALKALINITY	99	mg/L
SD-100-02	18-Jun-1987	ALKALINITY	96	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03				
SD-100-03	12-May-1987	ALKALINITY	98	mg/L
SD-100-03	18-May-1987	ALKALINITY	102	mg/L
SD-100-03	26-May-1987	ALKALINITY	100	mg/L
SD-100-03	3-Jun-1987	ALKALINITY	104	mg/L
SD-100-03	11-Jun-1987	ALKALINITY	99	mg/L
SD-100-03	18-Jun-1987	ALKALINITY	98	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	ALKALINITY	101	mg/L
SD-100-03D	26-May-1987	ALKALINITY	105	mg/L
** SD-100-04				
SD-100-04	12-May-1987	ALKALINITY	99	mg/L
SD-100-04	18-May-1987	ALKALINITY	103	mg/L
SD-100-04	26-May-1987	ALKALINITY	101	mg/L
SD-100-04	3-Jun-1987	ALKALINITY	100	mg/L
SD-100-04	11-Jun-1987	ALKALINITY	98	mg/L
SD-100-04	18-Jun-1987	ALKALINITY	98	mg/L
** SD-100-06				
SD-100-06	12-May-1987	ALKALINITY	99	mg/L
SD-100-06	18-May-1987	ALKALINITY	102	mg/L
SD-100-06	26-May-1987	ALKALINITY	101	mg/L
SD-100-06	3-Jun-1987	ALKALINITY	105	mg/L
SD-100-06	11-Jun-1987	ALKALINITY	100	mg/L
SD-100-06	18-Jun-1987	ALKALINITY	99	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	ALKALINITY	104	mg/L
** SD-100-07				
SD-100-07	12-May-1987	ALKALINITY	<1	mg/L
SD-100-07	19-May-1987	ALKALINITY	74	mg/L
SD-100-07	26-May-1987	ALKALINITY	83	mg/L
SD-100-07	3-Jun-1987	ALKALINITY	344	mg/L
SD-100-07	11-Jun-1987	ALKALINITY	40	mg/L
SD-100-07	18-Jun-1987	ALKALINITY	56	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	ALKALINITY	56	mg/L
** SD-100-09				
SD-100-09	12-May-1987	ALKALINITY	100	mg/L
SD-100-09	18-May-1987	ALKALINITY	98	mg/L
SD-100-09	26-May-1987	ALKALINITY	101	mg/L
SD-100-09	3-Jun-1987	ALKALINITY	102	mg/L
SD-100-09	11-Jun-1987	ALKALINITY	95	mg/L
SD-100-09	18-Jun-1987	ALKALINITY	96	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-10				
SD-100-10	12-May-1987	ALKALINITY	99	mg/L
SD-100-10	19-May-1987	ALKALINITY	102	mg/L
SD-100-10	26-May-1987	ALKALINITY	102	mg/L
SD-100-10	3-Jun-1987	ALKALINITY	104	mg/L
SD-100-10	11-Jun-1987	ALKALINITY	100	mg/L
SD-100-10	18-Jun-1987	ALKALINITY	97	mg/L
** SD-100-11				
SD-100-11	12-May-1987	ALKALINITY	103	mg/L
SD-100-11	19-May-1987	ALKALINITY	105	mg/L
SD-100-11	26-May-1987	ALKALINITY	105	mg/L
SD-100-11	3-Jun-1987	ALKALINITY	105	mg/L
SD-100-11	11-Jun-1987	ALKALINITY	104	mg/L
SD-100-11	18-Jun-1987	ALKALINITY	105	mg/L
** SD-100-12				
SD-100-12	12-May-1987	ALKALINITY	100	mg/L
SD-100-12	19-May-1987	ALKALINITY	102	mg/L
SD-100-12	26-May-1987	ALKALINITY	102	mg/L
SD-100-12	3-Jun-1987	ALKALINITY	107	mg/L
SD-100-12	11-Jun-1987	ALKALINITY	100	mg/L
SD-100-12	18-Jun-1987	ALKALINITY	100	mg/L
** SD-100-13				
SD-100-13	12-May-1987	ALKALINITY	98	mg/L
SD-100-13	19-May-1987	ALKALINITY	102	mg/L
SD-100-13	26-May-1987	ALKALINITY	103	mg/L
SD-100-13	3-Jun-1987	ALKALINITY	104	mg/L
SD-100-13	11-Jun-1987	ALKALINITY	97	mg/L
SD-100-13	18-Jun-1987	ALKALINITY	92	mg/L
** SD-100-14				
SD-100-14	12-May-1987	ALKALINITY	108	mg/L
SD-100-14	19-May-1987	ALKALINITY	107	mg/L
SD-100-14	26-May-1987	ALKALINITY	101	mg/L
SD-100-14	3-Jun-1987	ALKALINITY	104	mg/L
SD-100-14	11-Jun-1987	ALKALINITY	97	mg/L
SD-100-14	18-Jun-1987	ALKALINITY	95	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	ALKALINITY	92	mg/L
SD-100-C	9-Mar-1987	ALKALINITY	81	mg/L
SD-100-C	17-Mar-1987	ALKALINITY	120	mg/L
SD-100-C	24-Mar-1987	ALKALINITY	110	mg/L
SD-100-C	8-Apr-1987	ALKALINITY	99	mg/L
SD-100-C	13-May-1987	ALKALINITY	101	mg/L
SD-100-C	20-May-1987	ALKALINITY	104	mg/L
SD-100-C	27-May-1987	ALKALINITY	101	mg/L
SD-100-C	4-Jun-1987	ALKALINITY	99	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	12-Jun-1987	ALKALINITY	102	mg/L
SD-100-C	19-Jun-1987	ALKALINITY	97	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	ALKALINITY	96	mg/L
SD-100-D	11-Jun-1987	ALKALINITY	97	mg/L
** SD-100-13				
SD-100-13	12-May-1987	ALKYL KETONE	50	ug/L
** SD-100				
SD-100	5-Mar-1987	ALPHA	<2	pCi/L
SD-100	11-Mar-1987	ALPHA	2.5	pCi/L
SD-100	18-Mar-1987	ALPHA	<2	pCi/L
SD-100	24-Mar-1987	ALPHA	3.6	pCi/L
SD-100	3-Apr-1987	ALPHA	<3	pCi/L
SD-100	6-Apr-1987	ALPHA	<1	pCi/L
SD-100	12-May-1987	ALPHA	<1	pCi/L
SD-100	19-May-1987	ALPHA	<2	pCi/L
SD-100	26-May-1987	ALPHA	<2	pCi/L
SD-100	3-Jun-1987	ALPHA	<2	pCi/L
SD-100	11-Jun-1987	ALPHA	<2	pCi/L
SD-100	18-Jun-1987	ALPHA	<1	pCi/L
** SD-100-01				
SD-100-01	12-May-1987	ALPHA	<1	pCi/L
SD-100-01	18-May-1987	ALPHA	<2	pCi/L
SD-100-01	26-May-1987	ALPHA	3	pCi/L
SD-100-01	3-Jun-1987	ALPHA	<2	pCi/L
SD-100-01	11-Jun-1987	ALPHA	<1	pCi/L
SD-100-01	18-Jun-1987	ALPHA	3.5	pCi/L
** SD-100-02				
SD-100-02	12-May-1987	ALPHA	1	pCi/L
SD-100-02	18-May-1987	ALPHA	<2	pCi/L
SD-100-02	26-May-1987	ALPHA	2	pCi/L
SD-100-02	3-Jun-1987	ALPHA	<2	pCi/L
SD-100-02	11-Jun-1987	ALPHA	<1	pCi/L
SD-100-02	18-Jun-1987	ALPHA	1.8	pCi/L
** SD-100-03				
SD-100-03	12-May-1987	ALPHA	<1	pCi/L
SD-100-03	18-May-1987	ALPHA	<2	pCi/L
SD-100-03	26-May-1987	ALPHA	<2	pCi/L
SD-100-03	3-Jun-1987	ALPHA	2.1	pCi/L
SD-100-03	11-Jun-1987	ALPHA	<1	pCi/L
SD-100-03	18-Jun-1987	ALPHA	<1	pCi/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03D				
SD-100-03D	12-May-1987	ALPHA	<1	pCi/L
SD-100-03D	26-May-1987	ALPHA	<2	pCi/L
** SD-100-04				
SD-100-04	12-May-1987	ALPHA	1	pCi/L
SD-100-04	18-May-1987	ALPHA	<2	pCi/L
SD-100-04	26-May-1987	ALPHA	2	pCi/L
SD-100-04	3-Jun-1987	ALPHA	7.3	pCi/L
SD-100-04	11-Jun-1987	ALPHA	<1	pCi/L
SD-100-04	18-Jun-1987	ALPHA	<1	pCi/L
** SD-100-06				
SD-100-06	12-May-1987	ALPHA	1	pCi/L
SD-100-06	18-May-1987	ALPHA	<2	pCi/L
SD-100-06	26-May-1987	ALPHA	<2	pCi/L
SD-100-06	3-Jun-1987	ALPHA	<2	pCi/L
SD-100-06	11-Jun-1987	ALPHA	<1	pCi/L
SD-100-06	18-Jun-1987	ALPHA	1.5	pCi/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	ALPHA	<2	pCi/L
** SD-100-07				
SD-100-07	12-May-1987	ALPHA	18	pCi/L
SD-100-07	19-May-1987	ALPHA	29.1	pCi/L
SD-100-07	26-May-1987	ALPHA	26	pCi/L
SD-100-07	3-Jun-1987	ALPHA	75.1	pCi/L
SD-100-07	11-Jun-1987	ALPHA	10.6	pCi/L
SD-100-07	18-Jun-1987	ALPHA	47.8	pCi/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	ALPHA	42.1	pCi/L
** SD-100-09				
SD-100-09	12-May-1987	ALPHA	2	pCi/L
SD-100-09	18-May-1987	ALPHA	<2	pCi/L
SD-100-09	26-May-1987	ALPHA	<2	pCi/L
SD-100-09	3-Jun-1987	ALPHA	8.0	pCi/L
SD-100-09	11-Jun-1987	ALPHA	<2	pCi/L
SD-100-09	18-Jun-1987	ALPHA	3.5	pCi/L
** SD-100-10				
SD-100-10	12-May-1987	ALPHA	2	pCi/L
SD-100-10	19-May-1987	ALPHA	<2	pCi/L
SD-100-10	26-May-1987	ALPHA	2	pCi/L
SD-100-10	3-Jun-1987	ALPHA	19.7	pCi/L
SD-100-10	11-Jun-1987	ALPHA	<2	pCi/L
SD-100-10	18-Jun-1987	ALPHA	<2	pCi/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	ALPHA	<1	pCi/L
SD-100-11	19-May-1987	ALPHA	2.1	pCi/L
SD-100-11	26-May-1987	ALPHA	2	pCi/L
SD-100-11	3-Jun-1987	ALPHA	<2	pCi/L
SD-100-11	11-Jun-1987	ALPHA	<2	pCi/L
SD-100-11	18-Jun-1987	ALPHA	<2	pCi/L
** SD-100-12				
SD-100-12	12-May-1987	ALPHA	2	pCi/L
SD-100-12	19-May-1987	ALPHA	<2	pCi/L
SD-100-12	26-May-1987	ALPHA	<2	pCi/L
SD-100-12	3-Jun-1987	ALPHA	<2	pCi/L
SD-100-12	11-Jun-1987	ALPHA	<2	pCi/L
SD-100-12	18-Jun-1987	ALPHA	<2	pCi/L
** SD-100-13				
SD-100-13	12-May-1987	ALPHA	<1	pCi/L
SD-100-13	19-May-1987	ALPHA	<2	pCi/L
SD-100-13	26-May-1987	ALPHA	<2	pCi/L
SD-100-13	3-Jun-1987	ALPHA	2.4	pCi/L
SD-100-13	11-Jun-1987	ALPHA	<2	pCi/L
SD-100-13	18-Jun-1987	ALPHA	<2	pCi/L
** SD-100-14				
SD-100-14	12-May-1987	ALPHA	2	pCi/L
SD-100-14	19-May-1987	ALPHA	<2	pCi/L
SD-100-14	26-May-1987	ALPHA	<2	pCi/L
SD-100-14	3-Jun-1987	ALPHA	17.1	pCi/L
SD-100-14	11-Jun-1987	ALPHA	<2	pCi/L
SD-100-14	18-Jun-1987	ALPHA	<2	pCi/L
** SD-100-C				
SD-100-C	5-Mar-1987	ALPHA	<2	pCi/L
SD-100-C	9-Mar-1987	ALPHA	1	pCi/L
SD-100-C	17-Mar-1987	ALPHA	<2	pCi/L
SD-100-C	24-Mar-1987	ALPHA	2.2	pCi/L
SD-100-C	8-Apr-1987	ALPHA	3.9	pCi/L
SD-100-C	13-May-1987	ALPHA	2	pCi/L
SD-100-C	20-May-1987	ALPHA	3	pCi/L
SD-100-C	27-May-1987	ALPHA	3	pCi/L
SD-100-C	12-Jun-1987	ALPHA	<2	pCi/L
SD-100-C	19-Jun-1987	ALPHA	<2	pCi/L
** SD-100-D				
SD-100-D	6-Apr-1987	ALPHA	<1	pCi/L
SD-100-D	11-Jun-1987	ALPHA	<2	pCi/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	ALUMINUM	<0.10	mg/L
SD-100	11-Mar-1987	ALUMINUM	0.13	mg/L
SD-100	18-Mar-1987	ALUMINUM	<0.10	mg/L
SD-100	24-Mar-1987	ALUMINUM	0.11	mg/L
SD-100	3-Apr-1987	ALUMINUM	<0.10	mg/L
SD-100	6-Apr-1987	ALUMINUM	<0.10	mg/L
SD-100	12-May-1987	ALUMINUM	<0.10	mg/L
SD-100	19-May-1987	ALUMINUM	<0.10	mg/L
SD-100	26-May-1987	ALUMINUM	0.055	mg/L
SD-100	3-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100	11-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100	18-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100-01				
SD-100-01	12-May-1987	ALUMINUM	0.20	mg/L
SD-100-01	18-May-1987	ALUMINUM	1.2	mg/L
SD-100-01	3-Jun-1987	ALUMINUM	0.54	mg/L
SD-100-01	11-Jun-1987	ALUMINUM	0.21	mg/L
SD-100-01	18-Jun-1987	ALUMINUM	1.1	mg/L
** SD-100-02				
SD-100-02	12-May-1987	ALUMINUM	<0.10	mg/L
SD-100-02	18-May-1987	ALUMINUM	<0.10	mg/L
SD-100-02	3-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-02	11-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-02	18-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100-03				
SD-100-03	12-May-1987	ALUMINUM	<0.10	mg/L
SD-100-03	18-May-1987	ALUMINUM	<0.10	mg/L
SD-100-03	26-May-1987	ALUMINUM	0.11	mg/L
SD-100-03	3-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-03	11-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-03	18-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	ALUMINUM	<0.10	mg/L
SD-100-03D	26-May-1987	ALUMINUM	0.11	mg/L
** SD-100-04				
SD-100-04	12-May-1987	ALUMINUM	<0.10	mg/L
SD-100-04	18-May-1987	ALUMINUM	<0.10	mg/L
SD-100-04	26-May-1987	ALUMINUM	0.11	mg/L
SD-100-04	3-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-04	11-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-04	18-Jun-1987	ALUMINUM	<0.10	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06				
SD-100-06	12-May-1987	ALUMINUM	<0.10	mg/L
SD-100-06	18-May-1987	ALUMINUM	<0.10	mg/L
SD-100-06	26-May-1987	ALUMINUM	<0.10	mg/L
SD-100-06	3-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-06	11-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-06	18-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100-07				
SD-100-07	12-May-1987	ALUMINUM	4.7	mg/L
SD-100-07	19-May-1987	ALUMINUM	0.65	mg/L
SD-100-07	26-May-1987	ALUMINUM	0.12	mg/L
SD-100-07	3-Jun-1987	ALUMINUM	0.53	mg/L
SD-100-07	11-Jun-1987	ALUMINUM	0.30	mg/L
SD-100-07	18-Jun-1987	ALUMINUM	0.37	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	ALUMINUM	0.56	mg/L
** SD-100-09				
SD-100-09	12-May-1987	ALUMINUM	0.10	mg/L
SD-100-09	18-May-1987	ALUMINUM	<0.10	mg/L
SD-100-09	26-May-1987	ALUMINUM	<0.10	mg/L
SD-100-09	3-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-09	11-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100-10				
SD-100-10	12-May-1987	ALUMINUM	<0.10	mg/L
SD-100-10	19-May-1987	ALUMINUM	<0.10	mg/L
SD-100-10	26-May-1987	ALUMINUM	<0.10	mg/L
SD-100-10	3-Jun-1987	ALUMINUM	0.60	mg/L
SD-100-10	11-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-10	18-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100-11				
SD-100-11	12-May-1987	ALUMINUM	<0.10	mg/L
SD-100-11	19-May-1987	ALUMINUM	<0.10	mg/L
SD-100-11	26-May-1987	ALUMINUM	0.54	mg/L
SD-100-11	3-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-11	11-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-11	18-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100-12				
SD-100-12	12-May-1987	ALUMINUM	0.84	mg/L
SD-100-12	19-May-1987	ALUMINUM	0.11	mg/L
SD-100-12	26-May-1987	ALUMINUM	0.12	mg/L
SD-100-12	3-Jun-1987	ALUMINUM	<0.10	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-12	11-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-12	18-Jun-1987	ALUMINUM	0.11	mg/L
** SD-100-13				
SD-100-13	12-May-1987	ALUMINUM	<0.10	mg/L
SD-100-13	19-May-1987	ALUMINUM	0.049	mg/L
SD-100-13	26-May-1987	ALUMINUM	<0.020	mg/L
SD-100-13	11-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-13	18-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100-14				
SD-100-14	12-May-1987	ALUMINUM	0.45	mg/L
SD-100-14	19-May-1987	ALUMINUM	0.52	mg/L
SD-100-14	26-May-1987	ALUMINUM	0.34	mg/L
SD-100-14	3-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-14	11-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-14	18-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	ALUMINUM	0.14	mg/L
SD-100-C	9-Mar-1987	ALUMINUM	0.12	mg/L
SD-100-C	17-Mar-1987	ALUMINUM	<0.10	mg/L
SD-100-C	24-Mar-1987	ALUMINUM	0.21	mg/L
SD-100-C	8-Apr-1987	ALUMINUM	<0.10	mg/L
SD-100-C	13-May-1987	ALUMINUM	<0.10	mg/L
SD-100-C	20-May-1987	ALUMINUM	<0.10	mg/L
SD-100-C	27-May-1987	ALUMINUM	<0.10	mg/L
SD-100-C	4-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-C	12-Jun-1987	ALUMINUM	<0.10	mg/L
SD-100-C	19-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	ALUMINUM	<0.10	mg/L
SD-100-D	11-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-100				
SD-100	5-Mar-1987	AMMONIA	0.26	mg/L
SD-100	11-Mar-1987	AMMONIA	0.2	mg/L
SD-100	18-Mar-1987	AMMONIA	<0.2	mg/L
SD-100	24-Mar-1987	AMMONIA	<0.2	mg/L
SD-100	3-Apr-1987	AMMONIA	<0.2	mg/L
SD-100	6-Apr-1987	AMMONIA	<0.2	mg/L
SD-100	12-May-1987	AMMONIA	<0.2	mg/L
SD-100	19-May-1987	AMMONIA	<0.2	mg/L
SD-100	26-May-1987	AMMONIA	<0.2	mg/L
SD-100	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100	18-Jun-1987	AMMONIA	<0.2	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-01				
SD-100-01	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-01	18-May-1987	AMMONIA	<0.2	mg/L
SD-100-01	26-May-1987	AMMONIA	<0.2	mg/L
SD-100-01	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-01	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-01	18-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-02				
SD-100-02	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-02	18-May-1987	AMMONIA	<0.2	mg/L
SD-100-02	26-May-1987	AMMONIA	<0.2	mg/L
SD-100-02	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-02	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-02	18-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-03				
SD-100-03	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-03	18-May-1987	AMMONIA	<0.2	mg/L
SD-100-03	26-May-1987	AMMONIA	<0.2	mg/L
SD-100-03	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-03	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-03	18-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-03D	26-May-1987	AMMONIA	<0.2	mg/L
** SD-100-04				
SD-100-04	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-04	18-May-1987	AMMONIA	<0.2	mg/L
SD-100-04	26-May-1987	AMMONIA	<0.2	mg/L
SD-100-04	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-04	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-04	18-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-06				
SD-100-06	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-06	18-May-1987	AMMONIA	<0.2	mg/L
SD-100-06	26-May-1987	AMMONIA	<0.2	mg/L
SD-100-06	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-06	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-06	18-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-07				
SD-100-07	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-07	19-May-1987	AMMONIA	0.2	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-07	26-May-1987	AMMONIA	<0.2	mg/L
SD-100-07	3-Jun-1987	AMMONIA	1.2	mg/L
SD-100-07	11-Jun-1987	AMMONIA	0.9	mg/L
SD-100-07	18-Jun-1987	AMMONIA	1.2	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	AMMONIA	1.0	mg/L
** SD-100-09				
SD-100-09	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-09	18-May-1987	AMMONIA	<0.2	mg/L
SD-100-09	26-May-1987	AMMONIA	<0.2	mg/L
SD-100-09	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-09	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-09	18-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-10				
SD-100-10	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-10	19-May-1987	AMMONIA	<0.2	mg/L
SD-100-10	26-May-1987	AMMONIA	<0.2	mg/L
SD-100-10	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-10	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-10	18-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-11				
SD-100-11	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-11	19-May-1987	AMMONIA	0.8	mg/L
SD-100-11	26-May-1987	AMMONIA	0.2	mg/L
SD-100-11	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-11	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-11	18-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-12				
SD-100-12	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-12	19-May-1987	AMMONIA	<0.2	mg/L
SD-100-12	26-May-1987	AMMONIA	<0.2	mg/L
SD-100-12	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-12	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-12	18-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-13				
SD-100-13	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-13	19-May-1987	AMMONIA	<0.2	mg/L
SD-100-13	26-May-1987	AMMONIA	<0.2	mg/L
SD-100-13	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-13	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-13	18-Jun-1987	AMMONIA	<0.2	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-14				
SD-100-14	12-May-1987	AMMONIA	<0.2	mg/L
SD-100-14	19-May-1987	AMMONIA	<0.2	mg/L
SD-100-14	26-May-1987	AMMONIA	<0.2	mg/L
SD-100-14	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-14	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-14	18-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	AMMONIA	<0.2	mg/L
SD-100-C	9-Mar-1987	AMMONIA	<0.2	mg/L
SD-100-C	17-Mar-1987	AMMONIA	<0.2	mg/L
SD-100-C	24-Mar-1987	AMMONIA	<0.2	mg/L
SD-100-C	8-Apr-1987	AMMONIA	<0.2	mg/L
SD-100-C	13-May-1987	AMMONIA	<0.2	mg/L
SD-100-C	20-May-1987	AMMONIA	<0.2	mg/L
SD-100-C	27-May-1987	AMMONIA	<0.2	mg/L
SD-100-C	4-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-C	12-Jun-1987	AMMONIA	<0.2	mg/L
SD-100-C	19-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	AMMONIA	<0.2	mg/L
SD-100-D	11-Jun-1987	AMMONIA	<0.2	mg/L
** SD-100				
SD-100	5-Mar-1987	ANTHRACENE	<10	ug/L
SD-100	11-Mar-1987	ANTHRACENE	<10	ug/L
SD-100	12-May-1987	ANTHRACENE	<10	ug/L
SD-100	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-01	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-02	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-03	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-03D	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-04	26-May-1987	ANTHRACENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06				
SD-100-06	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-06	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-07	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-09	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-10	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-11	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-12	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-13	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	ANTHRACENE	<10	ug/L
SD-100-14	26-May-1987	ANTHRACENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	ANTHRACENE	<10	ug/L
SD-100-C	9-Mar-1987	ANTHRACENE	<10	ug/L
SD-100-C	17-Mar-1987	ANTHRACENE	<10	ug/L
SD-100-C	24-Mar-1987	ANTHRACENE	<10	ug/L
SD-100-C	8-Apr-1987	ANTHRACENE	<10	ug/L
SD-100-C	13-May-1987	ANTHRACENE	<5.0	ug/L
SD-100-C	20-May-1987	ANTHRACENE	<5.0	ug/L
SD-100-C	27-May-1987	ANTHRACENE	<5.0	ug/L
SD-100-C	12-Jun-1987	ANTHRACENE	<5.0	ug/L
SD-100-C	19-Jun-1987	ANTHRACENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	ARSENIC	<0.005	mg/L
SD-100	11-Mar-1987	ARSENIC	<0.005	mg/L
SD-100	18-Mar-1987	ARSENIC	<0.005	mg/L
SD-100	24-Mar-1987	ARSENIC	<0.005	mg/L
SD-100	3-Apr-1987	ARSENIC	<0.005	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	6-Apr-1987	ARSENIC	<0.005	mg/L
SD-100	12-May-1987	ARSENIC	<0.005	mg/L
SD-100	19-May-1987	ARSENIC	<0.005	mg/L
SD-100	26-May-1987	ARSENIC	<0.005	mg/L
SD-100	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-01				
SD-100-01	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-01	18-May-1987	ARSENIC	<0.005	mg/L
SD-100-01	26-May-1987	ARSENIC	<0.005	mg/L
SD-100-01	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-01	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-01	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-02				
SD-100-02	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-02	18-May-1987	ARSENIC	0.005	mg/L
SD-100-02	26-May-1987	ARSENIC	<0.005	mg/L
SD-100-02	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-02	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-02	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-03				
SD-100-03	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-03	18-May-1987	ARSENIC	<0.005	mg/L
SD-100-03	26-May-1987	ARSENIC	<0.005	mg/L
SD-100-03	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-03	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-03	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-03D	26-May-1987	ARSENIC	<0.005	mg/L
** SD-100-04				
SD-100-04	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-04	18-May-1987	ARSENIC	<0.005	mg/L
SD-100-04	26-May-1987	ARSENIC	<0.005	mg/L
SD-100-04	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-04	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-04	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-06				
SD-100-06	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-06	18-May-1987	ARSENIC	<0.005	mg/L
SD-100-06	26-May-1987	ARSENIC	<0.005	mg/L
SD-100-06	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-06	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-06	18-Jun-1987	ARSENIC	<0.005	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06D				
SD-100-06D	3-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-07				
SD-100-07	12-May-1987	ARSENIC	0.009	mg/L
SD-100-07	19-May-1987	ARSENIC	<0.005	mg/L
SD-100-07	26-May-1987	ARSENIC	<0.005	mg/L
SD-100-07	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-07	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-07	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-09				
SD-100-09	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-09	18-May-1987	ARSENIC	<0.005	mg/L
SD-100-09	26-May-1987	ARSENIC	<0.005	mg/L
SD-100-09	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-09	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-09	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-10				
SD-100-10	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-10	19-May-1987	ARSENIC	<0.005	mg/L
SD-100-10	26-May-1987	ARSENIC	<0.005	mg/L
SD-100-10	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-10	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-10	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-11				
SD-100-11	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-11	19-May-1987	ARSENIC	<0.005	mg/L
SD-100-11	26-May-1987	ARSENIC	<0.005	mg/L
SD-100-11	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-11	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-11	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-12				
SD-100-12	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-12	19-May-1987	ARSENIC	<0.005	mg/L
SD-100-12	26-May-1987	ARSENIC	<0.005	mg/L
SD-100-12	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-12	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-12	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-13				
SD-100-13	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-13	19-May-1987	ARSENIC	<0.005	mg/L
SD-100-13	26-May-1987	ARSENIC	<0.005	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-13	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-13	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-13	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-14				
SD-100-14	12-May-1987	ARSENIC	<0.005	mg/L
SD-100-14	19-May-1987	ARSENIC	<0.005	mg/L
SD-100-14	26-May-1987	ARSENIC	<0.005	mg/L
SD-100-14	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-14	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-14	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	ARSENIC	<0.005	mg/L
SD-100-C	9-Mar-1987	ARSENIC	<0.005	mg/L
SD-100-C	17-Mar-1987	ARSENIC	<0.005	mg/L
SD-100-C	24-Mar-1987	ARSENIC	<0.005	mg/L
SD-100-C	8-Apr-1987	ARSENIC	<0.005	mg/L
SD-100-C	13-May-1987	ARSENIC	<0.005	mg/L
SD-100-C	20-May-1987	ARSENIC	<0.005	mg/L
SD-100-C	27-May-1987	ARSENIC	<0.005	mg/L
SD-100-C	4-Jun-1987	ARSENIC	<0.005	mg/L
SD-100-C	12-Jun-1987	ARSENIC	0.005	mg/L
SD-100-C	19-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	ARSENIC	<0.005	mg/L
SD-100-D	11-Jun-1987	ARSENIC	<0.005	mg/L
** SD-100				
SD-100	5-Mar-1987	BARIUM	<0.10	mg/L
SD-100	11-Mar-1987	BARIUM	<0.10	mg/L
SD-100	18-Mar-1987	BARIUM	<0.10	mg/L
SD-100	24-Mar-1987	BARIUM	<0.10	mg/L
SD-100	3-Apr-1987	BARIUM	<0.10	mg/L
SD-100	6-Apr-1987	BARIUM	<0.10	mg/L
SD-100	12-May-1987	BARIUM	<0.10	mg/L
SD-100	19-May-1987	BARIUM	<0.10	mg/L
SD-100	26-May-1987	BARIUM	0.026	mg/L
SD-100	3-Jun-1987	BARIUM	<0.10	mg/L
SD-100	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-01				
SD-100-01	12-May-1987	BARIUM	<0.10	mg/L
SD-100-01	18-May-1987	BARIUM	0.13	mg/L
SD-100-01	3-Jun-1987	BARIUM	<0.10	mg/L
SD-100-01	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100-01	18-Jun-1987	BARIUM	<0.10	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	BARIUM	<0.10	mg/L
SD-100-02	18-May-1987	BARIUM	<0.10	mg/L
SD-100-02	3-Jun-1987	BARIUM	<0.10	mg/L
SD-100-02	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100-02	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-03				
SD-100-03	12-May-1987	BARIUM	<0.10	mg/L
SD-100-03	18-May-1987	BARIUM	<0.10	mg/L
SD-100-03	26-May-1987	BARIUM	<0.10	mg/L
SD-100-03	3-Jun-1987	BARIUM	<0.10	mg/L
SD-100-03	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100-03	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	BARIUM	<0.10	mg/L
SD-100-03D	26-May-1987	BARIUM	<0.10	mg/L
** SD-100-04				
SD-100-04	12-May-1987	BARIUM	<0.10	mg/L
SD-100-04	18-May-1987	BARIUM	<0.10	mg/L
SD-100-04	26-May-1987	BARIUM	<0.10	mg/L
SD-100-04	3-Jun-1987	BARIUM	<0.10	mg/L
SD-100-04	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100-04	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-06				
SD-100-06	12-May-1987	BARIUM	<0.10	mg/L
SD-100-06	18-May-1987	BARIUM	<0.10	mg/L
SD-100-06	26-May-1987	BARIUM	<0.10	mg/L
SD-100-06	3-Jun-1987	BARIUM	<0.10	mg/L
SD-100-06	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100-06	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-07				
SD-100-07	12-May-1987	BARIUM	<0.10	mg/L
SD-100-07	19-May-1987	BARIUM	0.84	mg/L
SD-100-07	26-May-1987	BARIUM	0.11	mg/L
SD-100-07	3-Jun-1987	BARIUM	0.11	mg/L
SD-100-07	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100-07	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	BARIUM	<0.10	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	BARIUM	<0.10	mg/L
SD-100-09	18-May-1987	BARIUM	<0.10	mg/L
SD-100-09	26-May-1987	BARIUM	<0.10	mg/L
SD-100-09	3-Jun-1987	BARIUM	<0.10	mg/L
SD-100-09	11-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-10				
SD-100-10	12-May-1987	BARIUM	<0.10	mg/L
SD-100-10	19-May-1987	BARIUM	<0.10	mg/L
SD-100-10	26-May-1987	BARIUM	<0.10	mg/L
SD-100-10	3-Jun-1987	BARIUM	<0.10	mg/L
SD-100-10	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100-10	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-11				
SD-100-11	12-May-1987	BARIUM	<0.10	mg/L
SD-100-11	19-May-1987	BARIUM	<0.10	mg/L
SD-100-11	26-May-1987	BARIUM	<0.10	mg/L
SD-100-11	3-Jun-1987	BARIUM	<0.10	mg/L
SD-100-11	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100-11	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-12				
SD-100-12	12-May-1987	BARIUM	<0.10	mg/L
SD-100-12	19-May-1987	BARIUM	0.024	mg/L
SD-100-12	26-May-1987	BARIUM	0.028	mg/L
SD-100-12	3-Jun-1987	BARIUM	<0.10	mg/L
SD-100-12	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100-12	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-13				
SD-100-13	12-May-1987	BARIUM	<0.10	mg/L
SD-100-13	19-May-1987	BARIUM	0.025	mg/L
SD-100-13	26-May-1987	BARIUM	0.025	mg/L
SD-100-13	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100-13	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-14				
SD-100-14	12-May-1987	BARIUM	<0.10	mg/L
SD-100-14	19-May-1987	BARIUM	<0.10	mg/L
SD-100-14	26-May-1987	BARIUM	0.031	mg/L
SD-100-14	3-Jun-1987	BARIUM	<0.10	mg/L
SD-100-14	11-Jun-1987	BARIUM	<0.10	mg/L
SD-100-14	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	BARIUM	<0.10	mg/L
SD-100-C	9-Mar-1987	BARIUM	<0.10	mg/L
SD-100-C	17-Mar-1987	BARIUM	<0.10	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	24-Mar-1987	BARIUM	<0.10	mg/L
SD-100-C	8-Apr-1987	BARIUM	<0.10	mg/L
SD-100-C	13-May-1987	BARIUM	<0.10	mg/L
SD-100-C	20-May-1987	BARIUM	<0.10	mg/L
SD-100-C	27-May-1987	BARIUM	<0.10	mg/L
SD-100-C	4-Jun-1987	BARIUM	<0.10	mg/L
SD-100-C	12-Jun-1987	BARIUM	<0.10	mg/L
SD-100-C	19-Jun-1987	BARIUM	<0.10	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	BARIUM	<0.10	mg/L
SD-100-D	11-Jun-1987	BARIUM	<0.10	mg/L
** SD-100				
SD-100	5-Mar-1987	BENZENE	<5	ug/L
SD-100	11-Mar-1987	BENZENE	<5	ug/L
SD-100	18-Mar-1987	BENZENE	<5	ug/L
SD-100	24-Mar-1987	BENZENE	<5	ug/L
SD-100	6-Apr-1987	BENZENE	<5	ug/L
SD-100	12-May-1987	BENZENE	<5	ug/L
SD-100	19-May-1987	BENZENE	<5	ug/L
SD-100	26-May-1987	BENZENE	<5	ug/L
SD-100	3-Jun-1987	BENZENE	<5	ug/L
SD-100	11-Jun-1987	BENZENE	<5	ug/L
SD-100	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BENZENE	<5	ug/L
SD-100-01	18-May-1987	BENZENE	<5	ug/L
SD-100-01	26-May-1987	BENZENE	<5	ug/L
SD-100-01	3-Jun-1987	BENZENE	<5	ug/L
SD-100-01	11-Jun-1987	BENZENE	<5	ug/L
SD-100-01	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BENZENE	<5	ug/L
SD-100-02	18-May-1987	BENZENE	<5	ug/L
SD-100-02	26-May-1987	BENZENE	<5	ug/L
SD-100-02	3-Jun-1987	BENZENE	<5	ug/L
SD-100-02	11-Jun-1987	BENZENE	<5	ug/L
SD-100-02	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BENZENE	<5	ug/L
SD-100-03	18-May-1987	BENZENE	<5	ug/L
SD-100-03	26-May-1987	BENZENE	<5	ug/L
SD-100-03	3-Jun-1987	BENZENE	<5	ug/L
SD-100-03	11-Jun-1987	BENZENE	<5	ug/L
SD-100-03	18-Jun-1987	BENZENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03D				
SD-100-03D	12-May-1987	BENZENE	<5	ug/L
SD-100-03D	26-May-1987	BENZENE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BENZENE	<5	ug/L
SD-100-04	18-May-1987	BENZENE	<5	ug/L
SD-100-04	26-May-1987	BENZENE	<5	ug/L
SD-100-04	3-Jun-1987	BENZENE	<5	ug/L
SD-100-04	11-Jun-1987	BENZENE	<5	ug/L
SD-100-04	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BENZENE	<5	ug/L
SD-100-06	18-May-1987	BENZENE	<5	ug/L
SD-100-06	26-May-1987	BENZENE	<5	ug/L
SD-100-06	3-Jun-1987	BENZENE	<5	ug/L
SD-100-06	11-Jun-1987	BENZENE	<5	ug/L
SD-100-06	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	BENZENE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BENZENE	5	ug/L
SD-100-07	19-May-1987	BENZENE	<5	ug/L
SD-100-07	26-May-1987	BENZENE	5	ug/L
SD-100-07	3-Jun-1987	BENZENE	5	ug/L
SD-100-07	11-Jun-1987	BENZENE	<5	ug/L
SD-100-07	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BENZENE	<5	ug/L
SD-100-09	18-May-1987	BENZENE	<5	ug/L
SD-100-09	26-May-1987	BENZENE	<5	ug/L
SD-100-09	3-Jun-1987	BENZENE	<5	ug/L
SD-100-09	11-Jun-1987	BENZENE	<5	ug/L
SD-100-09	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BENZENE	<5	ug/L
SD-100-10	19-May-1987	BENZENE	<5	ug/L
SD-100-10	26-May-1987	BENZENE	<5	ug/L
SD-100-10	3-Jun-1987	BENZENE	<5	ug/L
SD-100-10	11-Jun-1987	BENZENE	<5	ug/L
SD-100-10	18-Jun-1987	BENZENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	BENZENE	<5	ug/L
SD-100-11	19-May-1987	BENZENE	<5	ug/L
SD-100-11	26-May-1987	BENZENE	<5	ug/L
SD-100-11	3-Jun-1987	BENZENE	<5	ug/L
SD-100-11	11-Jun-1987	BENZENE	<5	ug/L
SD-100-11	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BENZENE	<5	ug/L
SD-100-12	19-May-1987	BENZENE	<5	ug/L
SD-100-12	26-May-1987	BENZENE	<5	ug/L
SD-100-12	3-Jun-1987	BENZENE	<5	ug/L
SD-100-12	11-Jun-1987	BENZENE	<5	ug/L
SD-100-12	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BENZENE	<5	ug/L
SD-100-13	19-May-1987	BENZENE	<5	ug/L
SD-100-13	26-May-1987	BENZENE	<5	ug/L
SD-100-13	3-Jun-1987	BENZENE	<5	ug/L
SD-100-13	11-Jun-1987	BENZENE	<5	ug/L
SD-100-13	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BENZENE	<5	ug/L
SD-100-14	19-May-1987	BENZENE	<5	ug/L
SD-100-14	26-May-1987	BENZENE	<5	ug/L
SD-100-14	3-Jun-1987	BENZENE	<5	ug/L
SD-100-14	11-Jun-1987	BENZENE	<5	ug/L
SD-100-14	18-Jun-1987	BENZENE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BENZENE	<5	ug/L
SD-100-C	9-Mar-1987	BENZENE	<5	ug/L
SD-100-C	17-Mar-1987	BENZENE	<5	ug/L
SD-100-C	24-Mar-1987	BENZENE	<5	ug/L
SD-100-C	8-Apr-1987	BENZENE	<5	ug/L
SD-100-C	13-May-1987	BENZENE	<5	ug/L
SD-100-C	20-May-1987	BENZENE	<5	ug/L
SD-100-C	27-May-1987	BENZENE	<5	ug/L
SD-100-C	12-Jun-1987	BENZENE	<5	ug/L
SD-100-C	19-Jun-1987	BENZENE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	BENZENE	<5	ug/L
SD-100-D	11-Jun-1987	BENZENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	BENZIDINE	<10	ug/L
SD-100	11-Mar-1987	BENZIDINE	<10	ug/L
SD-100	12-May-1987	BENZIDINE	<10	ug/L
SD-100	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BENZIDINE	<10	ug/L
SD-100-01	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BENZIDINE	<10	ug/L
SD-100-02	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BENZIDINE	<10	ug/L
SD-100-03	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BENZIDINE	<10	ug/L
SD-100-03D	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BENZIDINE	<10	ug/L
SD-100-04	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BENZIDINE	<10	ug/L
SD-100-06	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BENZIDINE	<10	ug/L
SD-100-07	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BENZIDINE	<10	ug/L
SD-100-09	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BENZIDINE	<10	ug/L
SD-100-10	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BENZIDINE	<10	ug/L
SD-100-11	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BENZIDINE	<10	ug/L
SD-100-12	26-May-1987	BENZIDINE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	BENZIDINE	<10	ug/L
SD-100-13	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BENZIDINE	<10	ug/L
SD-100-14	26-May-1987	BENZIDINE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BENZIDINE	<10	ug/L
SD-100-C	9-Mar-1987	BENZIDINE	<10	ug/L
SD-100-C	17-Mar-1987	BENZIDINE	<10	ug/L
SD-100-C	24-Mar-1987	BENZIDINE	<10	ug/L
SD-100-C	8-Apr-1987	BENZIDINE	<10	ug/L
SD-100-C	13-May-1987	BENZIDINE	<5.0	ug/L
SD-100-C	20-May-1987	BENZIDINE	<5.0	ug/L
SD-100-C	27-May-1987	BENZIDINE	<5.0	ug/L
SD-100-C	12-Jun-1987	BENZIDINE	<5.0	ug/L
SD-100-C	19-Jun-1987	BENZIDINE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100	11-Mar-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-01	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-02	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-03	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-03D	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-04	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-06	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07				
SD-100-07	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-07	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-09	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-10	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-11	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-12	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-13	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-14	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-C	9-Mar-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-C	17-Mar-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-C	24-Mar-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-C	8-Apr-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-100-C	13-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
SD-100-C	20-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
SD-100-C	27-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
SD-100-C	12-Jun-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
SD-100-C	19-Jun-1987	BENZO(A)ANTHRACENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	BENZO(A)PYRENE	<10	ug/L
SD-100	11-Mar-1987	BENZO(A)PYRENE	<10	ug/L
SD-100	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-01	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-02	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-03	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-03D	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-04	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-06	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-07	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-09	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-10	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-11	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-12	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-13	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-14	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-C	9-Mar-1987	BENZO(A)PYRENE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	17-Mar-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-C	24-Mar-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-C	8-Apr-1987	BENZO(A)PYRENE	<10	ug/L
SD-100-C	13-May-1987	BENZO(A)PYRENE	<5.0	ug/L
SD-100-C	20-May-1987	BENZO(A)PYRENE	<5.0	ug/L
SD-100-C	27-May-1987	BENZO(A)PYRENE	<5.0	ug/L
SD-100-C	12-Jun-1987	BENZO(A)PYRENE	<5.0	ug/L
SD-100-C	19-Jun-1987	BENZO(A)PYRENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100	11-Mar-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-01	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-02	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-03	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-03D	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-04	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-06	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-07	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-09	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-10	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-11	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-12	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-13	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-14	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-C	9-Mar-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-C	17-Mar-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-C	24-Mar-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-C	8-Apr-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-100-C	13-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
SD-100-C	20-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
SD-100-C	27-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
SD-100-C	12-Jun-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
SD-100-C	19-Jun-1987	BENZO(B)FLUORANTHENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100	11-Mar-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-01	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-02	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-03	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-03D	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-04				
SD-100-04	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-04	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-06	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-07	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-09	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-10	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-11	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-12	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-13	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-14	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-C	9-Mar-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-C	17-Mar-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-C	24-Mar-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-C	8-Apr-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-100-C	13-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
SD-100-C	20-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
SD-100-C	27-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
SD-100-C	12-Jun-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
SD-100-C	19-Jun-1987	BENZO(G H I)PERYLENE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100	11-Mar-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-01	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-02	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-03	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-03D	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-04	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-06	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-07	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-09	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-10	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-11	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-12	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-13	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-14	26-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-C	9-Mar-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-C	17-Mar-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-C	24-Mar-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-C	8-Apr-1987	BENZO(K) FLUORANTHENE	<10	ug/L
SD-100-C	13-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
SD-100-C	20-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
SD-100-C	27-May-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
SD-100-C	12-Jun-1987	BENZO(K) FLUORANTHENE	<5.0	ug/L
SD-100-C	19-Jun-1987	BENZO(K) FLUORANTHENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	BENZYL ALCOHOL	1	ug/L
SD-100	11-Mar-1987	BENZYL ALCOHOL	4	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BENZYL ALCOHOL	3	ug/L
SD-100-C	8-Apr-1987	BENZYL ALCOHOL	1J	ug/L
** SD-100				
SD-100	5-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-100	11-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-100	18-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-100	24-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-100	3-Apr-1987	BERYLLIUM	<0.0010	mg/L
SD-100	6-Apr-1987	BERYLLIUM	<0.0010	mg/L
SD-100	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100	19-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100	26-May-1987	BERYLLIUM	<0.0003	mg/L
SD-100	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100	18-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-01				
SD-100-01	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-01	18-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-01	3-Jun-1987	BERYLLIUM	0.0010	mg/L
SD-100-01	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-01	18-Jun-1987	BERYLLIUM	<0.0010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-02	18-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-02	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-02	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-02	18-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-03				
SD-100-03	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-03	18-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-03	26-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-03	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-03	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-03	18-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-03D	26-May-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-04				
SD-100-04	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-04	18-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-04	26-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-04	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-04	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-04	18-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-06				
SD-100-06	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-06	18-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-06	26-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-06	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-06	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-06	18-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-07				
SD-100-07	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-07	19-May-1987	BERYLLIUM	0.0016	mg/L
SD-100-07	26-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-07	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-07	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-07	18-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	BERYLLIUM	<0.0010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-09	18-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-09	26-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-09	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-09	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-10				
SD-100-10	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-10	19-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-10	26-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-10	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-10	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-10	18-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-11				
SD-100-11	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-11	19-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-11	26-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-11	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-11	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-11	18-Jun-1987	BERYLLIUM	0.0012	mg/L
** SD-100-12				
SD-100-12	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-12	19-May-1987	BERYLLIUM	<0.0003	mg/L
SD-100-12	26-May-1987	BERYLLIUM	<0.0003	mg/L
SD-100-12	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-12	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-12	18-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-13				
SD-100-13	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-13	19-May-1987	BERYLLIUM	<0.0003	mg/L
SD-100-13	26-May-1987	BERYLLIUM	<0.0003	mg/L
SD-100-13	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-13	18-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-14				
SD-100-14	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-14	19-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-14	26-May-1987	BERYLLIUM	<0.0003	mg/L
SD-100-14	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-14	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-14	18-Jun-1987	BERYLLIUM	<0.0010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-C				
SD-100-C	5-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-100-C	9-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-100-C	17-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-100-C	24-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-100-C	8-Apr-1987	BERYLLIUM	<0.0010	mg/L
SD-100-C	13-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-C	20-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-C	27-May-1987	BERYLLIUM	<0.0010	mg/L
SD-100-C	4-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-C	12-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-100-C	19-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	BERYLLIUM	<0.0010	mg/L
SD-100-D	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-100				
SD-100	5-Mar-1987	BETA	4	pCi/L
SD-100	11-Mar-1987	BETA	5.5	pCi/L
SD-100	18-Mar-1987	BETA	<2	pCi/L
SD-100	24-Mar-1987	BETA	7.5	pCi/L
SD-100	3-Apr-1987	BETA	<3	pCi/L
SD-100	6-Apr-1987	BETA	6.3	pCi/L
SD-100	12-May-1987	BETA	2	pCi/L
SD-100	19-May-1987	BETA	4.3	pCi/L
SD-100	26-May-1987	BETA	<3	pCi/L
SD-100	3-Jun-1987	BETA	2.4	pCi/L
SD-100	11-Jun-1987	BETA	<2	pCi/L
SD-100	18-Jun-1987	BETA	4.5	pCi/L
** SD-100-01				
SD-100-01	12-May-1987	BETA	3	pCi/L
SD-100-01	18-May-1987	BETA	<2	pCi/L
SD-100-01	26-May-1987	BETA	5	pCi/L
SD-100-01	3-Jun-1987	BETA	4.3	pCi/L
SD-100-01	11-Jun-1987	BETA	<2	pCi/L
SD-100-01	18-Jun-1987	BETA	2.4	pCi/L
** SD-100-02				
SD-100-02	12-May-1987	BETA	2	pCi/L
SD-100-02	18-May-1987	BETA	<2	pCi/L
SD-100-02	26-May-1987	BETA	<2	pCi/L
SD-100-02	3-Jun-1987	BETA	6.2	pCi/L
SD-100-02	11-Jun-1987	BETA	3.0	pCi/L
SD-100-02	18-Jun-1987	BETA	3.5	pCi/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03				
SD-100-03	12-May-1987	BETA	2	pCi/L
SD-100-03	18-May-1987	BETA	<2	pCi/L
SD-100-03	26-May-1987	BETA	3	pCi/L
SD-100-03	3-Jun-1987	BETA	4.5	pCi/L
SD-100-03	11-Jun-1987	BETA	<2	pCi/L
SD-100-03	18-Jun-1987	BETA	3.1	pCi/L
** SD-100-03D				
SD-100-03D	12-May-1987	BETA	4	pCi/L
SD-100-03D	26-May-1987	BETA	<2	pCi/L
** SD-100-04				
SD-100-04	12-May-1987	BETA	5	pCi/L
SD-100-04	18-May-1987	BETA	<2	pCi/L
SD-100-04	26-May-1987	BETA	<2	pCi/L
SD-100-04	3-Jun-1987	BETA	10.2	pCi/L
SD-100-04	11-Jun-1987	BETA	<2	pCi/L
SD-100-04	18-Jun-1987	BETA	4.3	pCi/L
** SD-100-06				
SD-100-06	12-May-1987	BETA	4	pCi/L
SD-100-06	18-May-1987	BETA	<2	pCi/L
SD-100-06	26-May-1987	BETA	<2	pCi/L
SD-100-06	3-Jun-1987	BETA	4.4	pCi/L
SD-100-06	11-Jun-1987	BETA	<2	pCi/L
SD-100-06	18-Jun-1987	BETA	8.2	pCi/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	BETA	6.2	pCi/L
** SD-100-07				
SD-100-07	12-May-1987	BETA	27	pCi/L
SD-100-07	19-May-1987	BETA	52.1	pCi/L
SD-100-07	26-May-1987	BETA	24	pCi/L
SD-100-07	3-Jun-1987	BETA	92.1	pCi/L
SD-100-07	11-Jun-1987	BETA	19.7	pCi/L
SD-100-07	18-Jun-1987	BETA	68.4	pCi/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	BETA	63.9	pCi/L
** SD-100-09				
SD-100-09	12-May-1987	BETA	5	pCi/L
SD-100-09	18-May-1987	BETA	4.4	pCi/L
SD-100-09	26-May-1987	BETA	<3	pCi/L
SD-100-09	3-Jun-1987	BETA	12.1	pCi/L
SD-100-09	11-Jun-1987	BETA	3.2	pCi/L
SD-100-09	18-Jun-1987	BETA	4.4	pCi/L

Storm Drain Data for SD-100				
Location	Date	Test Compound	Results	Units
** SD-100-10				
SD-100-10	12-May-1987	BETA	2	pCi/L
SD-100-10	19-May-1987	BETA	<2	pCi/L
SD-100-10	26-May-1987	BETA	<3	pCi/L
SD-100-10	3-Jun-1987	BETA	25.0	pCi/L
SD-100-10	11-Jun-1987	BETA	<2	pCi/L
SD-100-10	18-Jun-1987	BETA	2.7	pCi/L
** SD-100-11				
SD-100-11	12-May-1987	BETA	3	pCi/L
SD-100-11	19-May-1987	BETA	3.1	pCi/L
SD-100-11	26-May-1987	BETA	<3	pCi/L
SD-100-11	3-Jun-1987	BETA	<2	pCi/L
SD-100-11	11-Jun-1987	BETA	<2	pCi/L
SD-100-11	18-Jun-1987	BETA	2.7	pCi/L
** SD-100-12				
SD-100-12	12-May-1987	BETA	4	pCi/L
SD-100-12	19-May-1987	BETA	2.6	pCi/L
SD-100-12	26-May-1987	BETA	<3	pCi/L
SD-100-12	3-Jun-1987	BETA	<2	pCi/L
SD-100-12	11-Jun-1987	BETA	<2	pCi/L
SD-100-12	18-Jun-1987	BETA	3.3	pCi/L
** SD-100-13				
SD-100-13	12-May-1987	BETA	3	pCi/L
SD-100-13	19-May-1987	BETA	4.0	pCi/L
SD-100-13	26-May-1987	BETA	<3	pCi/L
SD-100-13	3-Jun-1987	BETA	<2	pCi/L
SD-100-13	11-Jun-1987	BETA	<2	pCi/L
SD-100-13	18-Jun-1987	BETA	2.2	pCi/L
** SD-100-14				
SD-100-14	12-May-1987	BETA	6	pCi/L
SD-100-14	19-May-1987	BETA	3.4	pCi/L
SD-100-14	26-May-1987	BETA	<3	pCi/L
SD-100-14	3-Jun-1987	BETA	23.6	pCi/L
SD-100-14	11-Jun-1987	BETA	<2	pCi/L
SD-100-14	18-Jun-1987	BETA	2.7	pCi/L
** SD-100-C				
SD-100-C	5-Mar-1987	BETA	<2	pCi/L
SD-100-C	9-Mar-1987	BETA	7	pCi/L
SD-100-C	17-Mar-1987	BETA	3.1	pCi/L
SD-100-C	24-Mar-1987	BETA	7.1	pCi/L
SD-100-C	8-Apr-1987	BETA	5.8	pCi/L
SD-100-C	13-May-1987	BETA	12	pCi/L
SD-100-C	20-May-1987	BETA	<2	pCi/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	27-May-1987	BETA	<3	pCi/L
SD-100-C	12-Jun-1987	BETA	5.1	pCi/L
SD-100-C	19-Jun-1987	BETA	3.6	pCi/L
** SD-100-D				
SD-100-D	6-Apr-1987	BETA	4.8	pCi/L
SD-100-D	11-Jun-1987	BETA	<2	pCi/L
** SD-100-C				
SD-100-C	17-Mar-1987	BHT	8B	ug/L
SD-100-C	24-Mar-1987	BHT	4B	ug/L
** SD-100				
SD-100	5-Mar-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100	11-Mar-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-01	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-02	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-03	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-03D	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-04	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-06	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-07	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-09	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-10				
SD-100-10	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-10	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-11	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-12	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-13	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-14	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-C	9-Mar-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-C	17-Mar-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-C	24-Mar-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-C	8-Apr-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-100-C	13-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
SD-100-C	20-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
SD-100-C	27-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
SD-100-C	12-Jun-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
SD-100-C	19-Jun-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100	11-Mar-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-01	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-02	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-03	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03D				
SD-100-03D	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-03D	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-04	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-06	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-07	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-09	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-10	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-11	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-12	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-13	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-14	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-C	9-Mar-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-C	17-Mar-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-C	24-Mar-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-C	8-Apr-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-100-C	13-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
SD-100-C	20-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
SD-100-C	27-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
SD-100-C	12-Jun-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
SD-100-C	19-Jun-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100	11-Mar-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-01				
SD-100-01	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-02	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-03	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-03D	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-04	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-06	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-07	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-09	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-10	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-11	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-12	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-13	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-14	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-C	9-Mar-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-C	17-Mar-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-C	24-Mar-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-C	8-Apr-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-100-C	13-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
SD-100-C	20-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
SD-100-C	27-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
SD-100-C	12-Jun-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
SD-100-C	19-Jun-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER)	< 0	ug/L
** SD-100				
SD-100	5-Mar-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<10	ug/L
SD-100	11-Mar-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<10	ug/L
SD-100	12-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<10	ug/L
SD-100	26-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<10	ug/L
SD-100-01	26-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<10	ug/L
SD-100-02	26-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<10	ug/L
SD-100-03	26-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<10	ug/L
SD-100-03D	26-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	1 J	ug/L
SD-100-04	26-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-06	26-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	15	ug/L
SD-100-07	26-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	6	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<10	ug/L
SD-100-09	26-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<10	ug/L
SD-100-10	26-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<10	ug/L
SD-100-11	26-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<10	ug/L
SD-100-12	26-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<10	ug/L
SD-100-13	26-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<10	ug/L
SD-100-14	26-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<10	ug/L
SD-100-C	9-Mar-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<10	ug/L
SD-100-C	17-Mar-1987	BIS(2-ETHYLHEXYL) PHTHALATE	2 JB	ug/L
SD-100-C	24-Mar-1987	BIS(2-ETHYLHEXYL) PHTHALATE	7 JB	ug/L
SD-100-C	8-Apr-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<10	ug/L
SD-100-C	13-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<5.0	ug/L
SD-100-C	20-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<5.0	ug/L
SD-100-C	27-May-1987	BIS(2-ETHYLHEXYL) PHTHALATE	<5.0	ug/L
SD-100-C	12-Jun-1987	BIS(2-ETHYLHEXYL) PHTHALATE	51	ug/L
SD-100-C	19-Jun-1987	BIS(2-ETHYLHEXYL) PHTHALATE	3 J	ug/L
** SD-100				
SD-100	5-Mar-1987	BORON	0.040	mg/L
SD-100	11-Mar-1987	BORON	0.014	mg/L
SD-100	18-Mar-1987	BORON	<0.0040	mg/L
SD-100	24-Mar-1987	BORON	<0.0040	mg/L
SD-100	3-Apr-1987	BORON	0.058	mg/L
SD-100	6-Apr-1987	BORON	0.099	mg/L
SD-100	12-May-1987	BORON	0.0084	mg/L
SD-100	19-May-1987	BORON	0.016	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	26-May-1987	BORON	0.025	mg/L
SD-100	3-Jun-1987	BORON	0.015	mg/L
SD-100	11-Jun-1987	BORON	0.015	mg/L
SD-100	18-Jun-1987	BORON	0.014	mg/L
** SD-100-01				
SD-100-01	12-May-1987	BORON	0.0069	mg/L
SD-100-01	18-May-1987	BORON	0.028	mg/L
SD-100-01	3-Jun-1987	BORON	0.028	mg/L
SD-100-01	11-Jun-1987	BORON	0.010	mg/L
SD-100-01	18-Jun-1987	BORON	0.024	mg/L
** SD-100-02				
SD-100-02	12-May-1987	BORON	0.0078	mg/L
SD-100-02	18-May-1987	BORON	0.013	mg/L
SD-100-02	3-Jun-1987	BORON	0.014	mg/L
SD-100-02	11-Jun-1987	BORON	0.0082	mg/L
SD-100-02	18-Jun-1987	BORON	0.0072	mg/L
** SD-100-03				
SD-100-03	12-May-1987	BORON	0.0072	mg/L
SD-100-03	18-May-1987	BORON	0.013	mg/L
SD-100-03	26-May-1987	BORON	0.019	mg/L
SD-100-03	3-Jun-1987	BORON	0.013	mg/L
SD-100-03	11-Jun-1987	BORON	0.0093	mg/L
SD-100-03	18-Jun-1987	BORON	0.011	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	BORON	0.0050	mg/L
SD-100-03D	26-May-1987	BORON	0.013	mg/L
** SD-100-04				
SD-100-04	12-May-1987	BORON	0.0068	mg/L
SD-100-04	18-May-1987	BORON	0.014	mg/L
SD-100-04	26-May-1987	BORON	0.014	mg/L
SD-100-04	3-Jun-1987	BORON	0.010	mg/L
SD-100-04	11-Jun-1987	BORON	0.0088	mg/L
SD-100-04	18-Jun-1987	BORON	0.0092	mg/L
** SD-100-06				
SD-100-06	12-May-1987	BORON	0.0060	mg/L
SD-100-06	18-May-1987	BORON	0.013	mg/L
SD-100-06	26-May-1987	BORON	0.012	mg/L
SD-100-06	3-Jun-1987	BORON	0.016	mg/L
SD-100-06	11-Jun-1987	BORON	0.0071	mg/L
SD-100-06	18-Jun-1987	BORON	0.0088	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	BORON	0.020	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07				
SD-100-07	12-May-1987	BORON	0.033	mg/L
SD-100-07	19-May-1987	BORON	0.025	mg/L
SD-100-07	26-May-1987	BORON	0.010	mg/L
SD-100-07	3-Jun-1987	BORON	0.025	mg/L
SD-100-07	11-Jun-1987	BORON	0.050	mg/L
SD-100-07	18-Jun-1987	BORON	0.030	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	BORON	0.026	mg/L
** SD-100-09				
SD-100-09	12-May-1987	BORON	0.014	mg/L
SD-100-09	18-May-1987	BORON	0.013	mg/L
SD-100-09	26-May-1987	BORON	0.014	mg/L
SD-100-09	3-Jun-1987	BORON	0.014	mg/L
SD-100-09	11-Jun-1987	BORON	0.0077	mg/L
** SD-100-10				
SD-100-10	12-May-1987	BORON	0.011	mg/L
SD-100-10	19-May-1987	BORON	0.013	mg/L
SD-100-10	26-May-1987	BORON	0.012	mg/L
SD-100-10	3-Jun-1987	BORON	0.013	mg/L
SD-100-10	11-Jun-1987	BORON	0.0066	mg/L
SD-100-10	18-Jun-1987	BORON	0.012	mg/L
** SD-100-11				
SD-100-11	12-May-1987	BORON	0.0080	mg/L
SD-100-11	19-May-1987	BORON	0.014	mg/L
SD-100-11	26-May-1987	BORON	0.047	mg/L
SD-100-11	3-Jun-1987	BORON	0.014	mg/L
SD-100-11	11-Jun-1987	BORON	0.0091	mg/L
SD-100-11	18-Jun-1987	BORON	0.032	mg/L
** SD-100-12				
SD-100-12	12-May-1987	BORON	0.0080	mg/L
SD-100-12	19-May-1987	BORON	0.061	mg/L
SD-100-12	26-May-1987	BORON	0.017	mg/L
SD-100-12	3-Jun-1987	BORON	0.035	mg/L
SD-100-12	11-Jun-1987	BORON	0.012	mg/L
SD-100-12	18-Jun-1987	BORON	0.013	mg/L
** SD-100-13				
SD-100-13	12-May-1987	BORON	0.0061	mg/L
SD-100-13	19-May-1987	BORON	0.036	mg/L
SD-100-13	26-May-1987	BORON	0.015	mg/L
SD-100-13	11-Jun-1987	BORON	0.010	mg/L
SD-100-13	18-Jun-1987	BORON	0.010	mg/L
** SD-100-14				
SD-100-14	12-May-1987	BORON	0.0064	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-14	19-May-1987	BORON	0.027	mg/L
SD-100-14	26-May-1987	BORON	0.025	mg/L
SD-100-14	3-Jun-1987	BORON	0.053	mg/L
SD-100-14	11-Jun-1987	BORON	0.013	mg/L
SD-100-14	18-Jun-1987	BORON	0.0090	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	BORON	0.032	mg/L
SD-100-C	9-Mar-1987	BORON	0.024	mg/L
SD-100-C	17-Mar-1987	BORON	0.013	mg/L
SD-100-C	24-Mar-1987	BORON	0.036	mg/L
SD-100-C	8-Apr-1987	BORON	<0.0040	mg/L
SD-100-C	13-May-1987	BORON	0.013	mg/L
SD-100-C	20-May-1987	BORON	0.014	mg/L
SD-100-C	27-May-1987	BORON	0.012	mg/L
SD-100-C	4-Jun-1987	BORON	0.020	mg/L
SD-100-C	12-Jun-1987	BORON	0.018	mg/L
SD-100-C	19-Jun-1987	BORON	0.014	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	BORON	0.012	mg/L
SD-100-D	11-Jun-1987	BORON	0.023	mg/L
** SD-100-12				
SD-100-12	12-May-1987	BROMO CYCLOHEXENE	80	ug/L
** SD-100				
SD-100	5-Mar-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100	11-Mar-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100	18-Mar-1987	BROMODICHLOROMETHANE	8	ug/L
SD-100	24-Mar-1987	BROMODICHLOROMETHANE	8	ug/L
SD-100	6-Apr-1987	BROMODICHLOROMETHANE	9	ug/L
SD-100	12-May-1987	BROMODICHLOROMETHANE	10.	ug/L
SD-100	19-May-1987	BROMODICHLOROMETHANE	6	ug/L
SD-100	26-May-1987	BROMODICHLOROMETHANE	9	ug/L
SD-100	3-Jun-1987	BROMODICHLOROMETHANE	11	ug/L
SD-100	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100	18-Jun-1987	BROMODICHLOROMETHANE	16	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-100-01	18-May-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-100-01	26-May-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-100-01	3-Jun-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-100-01	11-Jun-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-100-01	18-Jun-1987	BROMODICHLOROMETHANE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-02	18-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-02	26-May-1987	BROMODICHLOROMETHANE	5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-02	3-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-02	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-02	18-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BROMODICHLOROMETHANE	6	ug/L
SD-100-03	18-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-03	26-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-03	3-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-03	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-03	18-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BROMODICHLOROMETHANE	6	ug/L
SD-100-03D	26-May-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BROMODICHLOROMETHANE	6	ug/L
SD-100-04	18-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-04	26-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-04	3-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-04	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-04	18-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BROMODICHLOROMETHANE	19	ug/L
SD-100-06	18-May-1987	BROMODICHLOROMETHANE	15	ug/L
SD-100-06	26-May-1987	BROMODICHLOROMETHANE	6	ug/L
SD-100-06	3-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-06	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-06	18-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-07	19-May-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-100-07	26-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-07	3-Jun-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-100-07	11-Jun-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-100-07	18-Jun-1987	BROMODICHLOROMETHANE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	BROMODICHLOROMETHANE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-09	18-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-09	26-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-09	3-Jun-1987	BROMODICHLOROMETHANE	5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-09	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-09	18-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BROMODICHLOROMETHANE	7	ug/L
SD-100-10	19-May-1987	BROMODICHLOROMETHANE	6	ug/L
SD-100-10	26-May-1987	BROMODICHLOROMETHANE	6	ug/L
SD-100-10	3-Jun-1987	BROMODICHLOROMETHANE	6	ug/L
SD-100-10	11-Jun-1987	BROMODICHLOROMETHANE	7	ug/L
SD-100-10	18-Jun-1987	BROMODICHLOROMETHANE	6	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-11	19-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-11	26-May-1987	BROMODICHLOROMETHANE	8	ug/L
SD-100-11	3-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-11	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-11	18-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-12	19-May-1987	BROMODICHLOROMETHANE	6	ug/L
SD-100-12	26-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-12	3-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-12	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-12	18-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BROMODICHLOROMETHANE	11	ug/L
SD-100-13	19-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-13	26-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-13	3-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-13	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-13	18-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-14	19-May-1987	BROMODICHLOROMETHANE	8	ug/L
SD-100-14	26-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-14	3-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-14	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-14	18-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-C	9-Mar-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-C	17-Mar-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-C	24-Mar-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-100-C	8-Apr-1987	BROMODICHLOROMETHANE	5	ug/L
SD-100-C	13-May-1987	BROMODICHLOROMETHANE	6	ug/L
SD-100-C	20-May-1987	BROMODICHLOROMETHANE	6	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	27-May-1987	BROMODICHLOROMETHANE	14	ug/L
SD-100-C	12-Jun-1987	BROMODICHLOROMETHANE	6	ug/L
SD-100-C	19-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	BROMODICHLOROMETHANE	10	ug/L
SD-100-D	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-100				
SD-100	5-Mar-1987	BROMOFORM	<5	ug/L
SD-100	11-Mar-1987	BROMOFORM	<5	ug/L
SD-100	18-Mar-1987	BROMOFORM	<5	ug/L
SD-100	24-Mar-1987	BROMOFORM	5 J	ug/L
SD-100	6-Apr-1987	BROMOFORM	<5	ug/L
SD-100	12-May-1987	BROMOFORM	<5	ug/L
SD-100	19-May-1987	BROMOFORM	5	ug/L
SD-100	26-May-1987	BROMOFORM	5	ug/L
SD-100	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100	18-Jun-1987	BROMOFORM	5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BROMOFORM	<5	ug/L
SD-100-01	18-May-1987	BROMOFORM	<5	ug/L
SD-100-01	26-May-1987	BROMOFORM	<5	ug/L
SD-100-01	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-01	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-01	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BROMOFORM	<5	ug/L
SD-100-02	18-May-1987	BROMOFORM	<5	ug/L
SD-100-02	26-May-1987	BROMOFORM	<5	ug/L
SD-100-02	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-02	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-02	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BROMOFORM	<5	ug/L
SD-100-03	18-May-1987	BROMOFORM	<5	ug/L
SD-100-03	26-May-1987	BROMOFORM	<5	ug/L
SD-100-03	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-03	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-03	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BROMOFORM	<5	ug/L
SD-100-03D	26-May-1987	BROMOFORM	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BROMOFORM	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-04	18-May-1987	BROMOFORM	<5	ug/L
SD-100-04	26-May-1987	BROMOFORM	<5	ug/L
SD-100-04	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-04	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-04	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BROMOFORM	5	ug/L
SD-100-06	18-May-1987	BROMOFORM	5	ug/L
SD-100-06	26-May-1987	BROMOFORM	<5	ug/L
SD-100-06	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-06	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-06	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BROMOFORM	<5	ug/L
SD-100-07	19-May-1987	BROMOFORM	<5	ug/L
SD-100-07	26-May-1987	BROMOFORM	<5	ug/L
SD-100-07	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-07	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-07	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BROMOFORM	<5	ug/L
SD-100-09	18-May-1987	BROMOFORM	<5	ug/L
SD-100-09	26-May-1987	BROMOFORM	<5	ug/L
SD-100-09	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-09	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-09	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BROMOFORM	<5	ug/L
SD-100-10	19-May-1987	BROMOFORM	<5	ug/L
SD-100-10	26-May-1987	BROMOFORM	<5	ug/L
SD-100-10	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-10	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-10	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BROMOFORM	<5	ug/L
SD-100-11	19-May-1987	BROMOFORM	5	ug/L
SD-100-11	26-May-1987	BROMOFORM	<5	ug/L
SD-100-11	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-11	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-11	18-Jun-1987	BROMOFORM	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-12				
SD-100-12	12-May-1987	BROMOFORM	<5	ug/L
SD-100-12	19-May-1987	BROMOFORM	<5	ug/L
SD-100-12	26-May-1987	BROMOFORM	<5	ug/L
SD-100-12	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-12	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-12	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BROMOFORM	<5	ug/L
SD-100-13	19-May-1987	BROMOFORM	<5	ug/L
SD-100-13	26-May-1987	BROMOFORM	<5	ug/L
SD-100-13	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-13	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-13	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BROMOFORM	<5	ug/L
SD-100-14	19-May-1987	BROMOFORM	<5	ug/L
SD-100-14	26-May-1987	BROMOFORM	<5	ug/L
SD-100-14	3-Jun-1987	BROMOFORM	<5	ug/L
SD-100-14	11-Jun-1987	BROMOFORM	<5	ug/L
SD-100-14	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BROMOFORM	<5	ug/L
SD-100-C	9-Mar-1987	BROMOFORM	<5	ug/L
SD-100-C	17-Mar-1987	BROMOFORM	<5	ug/L
SD-100-C	24-Mar-1987	BROMOFORM	<5	ug/L
SD-100-C	8-Apr-1987	BROMOFORM	1 J	ug/L
SD-100-C	13-May-1987	BROMOFORM	7	ug/L
SD-100-C	20-May-1987	BROMOFORM	5	ug/L
SD-100-C	27-May-1987	BROMOFORM	5	ug/L
SD-100-C	12-Jun-1987	BROMOFORM	5	ug/L
SD-100-C	19-Jun-1987	BROMOFORM	5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	BROMOFORM	<5	ug/L
SD-100-D	11-Jun-1987	BROMOFORM	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	BROMOMETHANE	<10	ug/L
SD-100	11-Mar-1987	BROMOMETHANE	<10	ug/L
SD-100	18-Mar-1987	BROMOMETHANE	<10	ug/L
SD-100	24-Mar-1987	BROMOMETHANE	<10	ug/L
SD-100	6-Apr-1987	BROMOMETHANE	<10	ug/L
SD-100	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100	19-May-1987	BROMOMETHANE	<10	ug/L
SD-100	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100	3-Jun-1987	BROMOMETHANE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-01	18-May-1987	BROMOMETHANE	<10	ug/L
SD-100-01	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-01	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-01	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-01	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-02	18-May-1987	BROMOMETHANE	<10	ug/L
SD-100-02	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-02	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-02	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-02	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-03	18-May-1987	BROMOMETHANE	<10	ug/L
SD-100-03	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-03	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-03	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-03	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-03D	26-May-1987	BROMOMETHANE	<10	ug/L
** SD-100-04				
SD-100-04	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-04	18-May-1987	BROMOMETHANE	<10	ug/L
SD-100-04	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-04	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-04	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-04	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-06	18-May-1987	BROMOMETHANE	<10	ug/L
SD-100-06	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-06	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-06	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-06	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	BROMOMETHANE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07				
SD-100-07	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-07	19-May-1987	BROMOMETHANE	<10	ug/L
SD-100-07	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-07	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-07	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-07	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-09	18-May-1987	BROMOMETHANE	<10	ug/L
SD-100-09	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-09	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-09	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-09	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-10	19-May-1987	BROMOMETHANE	<10	ug/L
SD-100-10	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-10	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-10	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-10	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-11	19-May-1987	BROMOMETHANE	<10	ug/L
SD-100-11	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-11	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-11	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-11	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-12	19-May-1987	BROMOMETHANE	<10	ug/L
SD-100-12	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-12	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-12	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-12	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-13	19-May-1987	BROMOMETHANE	<10	ug/L
SD-100-13	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-13	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-13	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-13	18-Jun-1987	BROMOMETHANE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-14				
SD-100-14	12-May-1987	BROMOMETHANE	<10	ug/L
SD-100-14	19-May-1987	BROMOMETHANE	<10	ug/L
SD-100-14	26-May-1987	BROMOMETHANE	<10	ug/L
SD-100-14	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-14	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-14	18-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BROMOMETHANE	<10	ug/L
SD-100-C	9-Mar-1987	BROMOMETHANE	<10	ug/L
SD-100-C	17-Mar-1987	BROMOMETHANE	<10	ug/L
SD-100-C	24-Mar-1987	BROMOMETHANE	<10	ug/L
SD-100-C	8-Apr-1987	BROMOMETHANE	<10	ug/L
SD-100-C	13-May-1987	BROMOMETHANE	<10	ug/L
SD-100-C	20-May-1987	BROMOMETHANE	<10	ug/L
SD-100-C	27-May-1987	BROMOMETHANE	<10	ug/L
SD-100-C	12-Jun-1987	BROMOMETHANE	<10	ug/L
SD-100-C	19-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	BROMOMETHANE	<10	ug/L
SD-100-D	11-Jun-1987	BROMOMETHANE	<10	ug/L
** SD-100-C				
SD-100-C	8-Apr-1987	BUTYL ALCOHOL	870	ug/L
SD-100-C	5-Mar-1987	BUTYL CARBITOL	930	ug/L
SD-100-C	9-Mar-1987	BUTYL CARBITOL	690	ug/L
SD-100-C	24-Mar-1987	BUTYL CARBITOL	2	ug/L
** SD-100				
SD-100	5-Mar-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100	11-Mar-1987	BUTYLBENZYLPHthalate	1 J	ug/L
SD-100	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-01	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-02	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-03	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-03D	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-04				
SD-100-04	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-04	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-06	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-07	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-09	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-10	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-11	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-12	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-13	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-14	26-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-C	9-Mar-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-C	17-Mar-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-C	24-Mar-1987	BUTYLBENZYLPHthalate	<10	ug/L
SD-100-C	8-Apr-1987	BUTYLBENZYLPHthalate	1 J	ug/L
SD-100-C	13-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
SD-100-C	20-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
SD-100-C	27-May-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
SD-100-C	12-Jun-1987	BUTYLBENZYLPHthalate	<5.0	ug/L
SD-100-C	19-Jun-1987	BUTYLBENZYLPHthalate	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	CADMIUM	<0.0030	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	11-Mar-1987	CADMIUM	<0.0030	mg/L
SD-100	18-Mar-1987	CADMIUM	<0.0030	mg/L
SD-100	24-Mar-1987	CADMIUM	<0.0030	mg/L
SD-100	3-Apr-1987	CADMIUM	<0.0030	mg/L
SD-100	6-Apr-1987	CADMIUM	<0.0030	mg/L
SD-100	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100	19-May-1987	CADMIUM	<0.0030	mg/L
SD-100	26-May-1987	CADMIUM	<0.0030	mg/L
SD-100	3-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-01				
SD-100-01	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-01	18-May-1987	CADMIUM	<0.0030	mg/L
SD-100-01	3-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-01	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-01	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-02				
SD-100-02	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-02	18-May-1987	CADMIUM	<0.0030	mg/L
SD-100-02	3-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-02	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-02	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-03				
SD-100-03	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-03	18-May-1987	CADMIUM	<0.0030	mg/L
SD-100-03	26-May-1987	CADMIUM	<0.0030	mg/L
SD-100-03	3-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-03	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-03	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-03D	26-May-1987	CADMIUM	<0.0030	mg/L
** SD-100-04				
SD-100-04	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-04	18-May-1987	CADMIUM	<0.0030	mg/L
SD-100-04	26-May-1987	CADMIUM	<0.0030	mg/L
SD-100-04	3-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-04	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-04	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-06				
SD-100-06	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-06	18-May-1987	CADMIUM	<0.0030	mg/L
SD-100-06	26-May-1987	CADMIUM	<0.0030	mg/L
SD-100-06	3-Jun-1987	CADMIUM	<0.0030	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-06	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-06	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-07				
SD-100-07	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-07	19-May-1987	CADMIUM	<0.0030	mg/L
SD-100-07	26-May-1987	CADMIUM	<0.0030	mg/L
SD-100-07	3-Jun-1987	CADMIUM	0.019	mg/L
SD-100-07	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-07	18-Jun-1987	CADMIUM	0.054	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CADMIUM	0.048	mg/L
** SD-100-09				
SD-100-09	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-09	18-May-1987	CADMIUM	<0.0030	mg/L
SD-100-09	26-May-1987	CADMIUM	<0.0030	mg/L
SD-100-09	3-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-09	11-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-10				
SD-100-10	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-10	19-May-1987	CADMIUM	<0.0030	mg/L
SD-100-10	26-May-1987	CADMIUM	<0.0030	mg/L
SD-100-10	3-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-10	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-10	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-11				
SD-100-11	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-11	19-May-1987	CADMIUM	<0.0030	mg/L
SD-100-11	26-May-1987	CADMIUM	<0.0030	mg/L
SD-100-11	3-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-11	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-11	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-12				
SD-100-12	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-12	19-May-1987	CADMIUM	<0.0030	mg/L
SD-100-12	26-May-1987	CADMIUM	<0.0030	mg/L
SD-100-12	3-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-12	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-12	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-13				
SD-100-13	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-13	19-May-1987	CADMIUM	<0.0030	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-13	26-May-1987	CADMIUM	<0.0030	mg/L
SD-100-13	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-13	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-14				
SD-100-14	12-May-1987	CADMIUM	<0.0030	mg/L
SD-100-14	19-May-1987	CADMIUM	0.0052	mg/L
SD-100-14	26-May-1987	CADMIUM	<0.0030	mg/L
SD-100-14	3-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-14	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-14	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	CADMIUM	<0.0030	mg/L
SD-100-C	9-Mar-1987	CADMIUM	<0.0030	mg/L
SD-100-C	17-Mar-1987	CADMIUM	<0.0030	mg/L
SD-100-C	24-Mar-1987	CADMIUM	<0.0030	mg/L
SD-100-C	8-Apr-1987	CADMIUM	<0.0030	mg/L
SD-100-C	13-May-1987	CADMIUM	<0.0030	mg/L
SD-100-C	20-May-1987	CADMIUM	<0.0030	mg/L
SD-100-C	27-May-1987	CADMIUM	<0.0030	mg/L
SD-100-C	4-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-C	12-Jun-1987	CADMIUM	<0.0030	mg/L
SD-100-C	19-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	CADMIUM	<0.0030	mg/L
SD-100-D	11-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-100				
SD-100	5-Mar-1987	CALCIUM	32	mg/L
SD-100	11-Mar-1987	CALCIUM	31	mg/L
SD-100	18-Mar-1987	CALCIUM	32	mg/L
SD-100	24-Mar-1987	CALCIUM	33	mg/L
SD-100	3-Apr-1987	CALCIUM	29	mg/L
SD-100	6-Apr-1987	CALCIUM	32	mg/L
SD-100	12-May-1987	CALCIUM	33	mg/L
SD-100	19-May-1987	CALCIUM	32	mg/L
SD-100	26-May-1987	CALCIUM	35	mg/L
SD-100	3-Jun-1987	CALCIUM	35	mg/L
SD-100	11-Jun-1987	CALCIUM	35	mg/L
SD-100	18-Jun-1987	CALCIUM	35	mg/L
** SD-100-01				
SD-100-01	12-May-1987	CALCIUM	17	mg/L
SD-100-01	18-May-1987	CALCIUM	23	mg/L
SD-100-01	3-Jun-1987	CALCIUM	27	mg/L
SD-100-01	11-Jun-1987	CALCIUM	48	mg/L
SD-100-01	18-Jun-1987	CALCIUM	31	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	CALCIUM	33	mg/L
SD-100-02	18-May-1987	CALCIUM	34	mg/L
SD-100-02	3-Jun-1987	CALCIUM	34	mg/L
SD-100-02	11-Jun-1987	CALCIUM	35	mg/L
SD-100-02	18-Jun-1987	CALCIUM	34	mg/L
** SD-100-03				
SD-100-03	12-May-1987	CALCIUM	33	mg/L
SD-100-03	18-May-1987	CALCIUM	31	mg/L
SD-100-03	26-May-1987	CALCIUM	32	mg/L
SD-100-03	3-Jun-1987	CALCIUM	34	mg/L
SD-100-03	11-Jun-1987	CALCIUM	35	mg/L
SD-100-03	18-Jun-1987	CALCIUM	36	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	CALCIUM	32	mg/L
SD-100-03D	26-May-1987	CALCIUM	32	mg/L
** SD-100-04				
SD-100-04	12-May-1987	CALCIUM	33	mg/L
SD-100-04	18-May-1987	CALCIUM	30	mg/L
SD-100-04	26-May-1987	CALCIUM	32	mg/L
SD-100-04	3-Jun-1987	CALCIUM	33	mg/L
SD-100-04	11-Jun-1987	CALCIUM	35	mg/L
SD-100-04	18-Jun-1987	CALCIUM	35	mg/L
** SD-100-06				
SD-100-06	12-May-1987	CALCIUM	32	mg/L
SD-100-06	18-May-1987	CALCIUM	31	mg/L
SD-100-06	26-May-1987	CALCIUM	32	mg/L
SD-100-06	3-Jun-1987	CALCIUM	34	mg/L
SD-100-06	11-Jun-1987	CALCIUM	35	mg/L
SD-100-06	18-Jun-1987	CALCIUM	36	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CALCIUM	34	mg/L
** SD-100-07				
SD-100-07	12-May-1987	CALCIUM	31	mg/L
SD-100-07	19-May-1987	CALCIUM	26	mg/L
SD-100-07	26-May-1987	CALCIUM	26	mg/L
SD-100-07	3-Jun-1987	CALCIUM	23	mg/L
SD-100-07	11-Jun-1987	CALCIUM	19	mg/L
SD-100-07	18-Jun-1987	CALCIUM	37	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CALCIUM	32	mg/L
** SD-100-09				
SD-100-09	12-May-1987	CALCIUM	32	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-09	18-May-1987	CALCIUM	31	mg/L
SD-100-09	26-May-1987	CALCIUM	32	mg/L
SD-100-09	3-Jun-1987	CALCIUM	33	mg/L
SD-100-09	11-Jun-1987	CALCIUM	34	mg/L
** SD-100-10				
SD-100-10	12-May-1987	CALCIUM	33	mg/L
SD-100-10	19-May-1987	CALCIUM	32	mg/L
SD-100-10	26-May-1987	CALCIUM	32	mg/L
SD-100-10	3-Jun-1987	CALCIUM	37	mg/L
SD-100-10	11-Jun-1987	CALCIUM	34	mg/L
SD-100-10	18-Jun-1987	CALCIUM	34	mg/L
** SD-100-11				
SD-100-11	12-May-1987	CALCIUM	35	mg/L
SD-100-11	19-May-1987	CALCIUM	33	mg/L
SD-100-11	26-May-1987	CALCIUM	37	mg/L
SD-100-11	3-Jun-1987	CALCIUM	36	mg/L
SD-100-11	11-Jun-1987	CALCIUM	37	mg/L
SD-100-11	18-Jun-1987	CALCIUM	38	mg/L
** SD-100-12				
SD-100-12	12-May-1987	CALCIUM	36	mg/L
SD-100-12	19-May-1987	CALCIUM	35	mg/L
SD-100-12	26-May-1987	CALCIUM	38	mg/L
SD-100-12	3-Jun-1987	CALCIUM	35	mg/L
SD-100-12	11-Jun-1987	CALCIUM	35	mg/L
SD-100-12	18-Jun-1987	CALCIUM	38	mg/L
** SD-100-13				
SD-100-13	12-May-1987	CALCIUM	32	mg/L
SD-100-13	19-May-1987	CALCIUM	35	mg/L
SD-100-13	26-May-1987	CALCIUM	35	mg/L
SD-100-13	11-Jun-1987	CALCIUM	35	mg/L
SD-100-13	18-Jun-1987	CALCIUM	35	mg/L
** SD-100-14				
SD-100-14	12-May-1987	CALCIUM	36	mg/L
SD-100-14	19-May-1987	CALCIUM	35	mg/L
SD-100-14	26-May-1987	CALCIUM	39	mg/L
SD-100-14	3-Jun-1987	CALCIUM	35	mg/L
SD-100-14	11-Jun-1987	CALCIUM	34	mg/L
SD-100-14	18-Jun-1987	CALCIUM	34	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	CALCIUM	31	mg/L
SD-100-C	9-Mar-1987	CALCIUM	23	mg/L
SD-100-C	17-Mar-1987	CALCIUM	31	mg/L
SD-100-C	24-Mar-1987	CALCIUM	37	mg/L
SD-100-C	8-Apr-1987	CALCIUM	32	mg/L
SD-100-C	13-May-1987	CALCIUM	34	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	20-May-1987	CALCIUM	31	mg/L
SD-100-C	27-May-1987	CALCIUM	36	mg/L
SD-100-C	4-Jun-1987	CALCIUM	34	mg/L
SD-100-C	12-Jun-1987	CALCIUM	35	mg/L
SD-100-C	19-Jun-1987	CALCIUM	34	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	CALCIUM	30	mg/L
SD-100-D	11-Jun-1987	CALCIUM	35	mg/L
** SD-100				
SD-100	11-Mar-1987	CARBITOL	16	ug/L
SD-100	5-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100	11-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100	18-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100	24-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100	6-Apr-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100	19-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-01	18-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-01	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-01	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-01	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-01	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-02	18-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-02	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-02	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-02	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-02	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-03	18-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-03	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-03	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-03	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-03	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-03D	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-04				
SD-100-04	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-04	18-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-04	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-04	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-04	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-04	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-06	18-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-06	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-06	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-06	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-06	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	CARBON TETRACHLORIDE	13	ug/L
SD-100-07	19-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-07	26-May-1987	CARBON TETRACHLORIDE	36	ug/L
SD-100-07	3-Jun-1987	CARBON TETRACHLORIDE	18	ug/L
SD-100-07	11-Jun-1987	CARBON TETRACHLORIDE	5	ug/L
SD-100-07	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-09	18-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-09	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-09	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-09	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-09	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-10	19-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-10	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-10	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-10	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-10	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-11	19-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-11	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-11	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-11	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-11	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-12	19-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-12	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-12	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-12	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-12	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-13	19-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-13	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-13	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-13	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-13	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-14	19-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-14	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-14	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-14	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-14	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-C	9-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-C	17-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-C	24-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-C	8-Apr-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-C	13-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-C	20-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-C	27-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-C	12-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-C	19-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-100-D	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	6	mg/L
SD-100	11-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100	18-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	10	mg/L
SD-100	24-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100	3-Apr-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100	6-Apr-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100	19-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	11.0	mg/L
SD-100	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	4.5	mg/L
SD-100	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
** SD-100-01				
SD-100-01	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	7.5	mg/L
SD-100-01	18-May-1987	CHEMICAL OXYGEN DEMAND (COD)	32.0	mg/L
SD-100-01	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	24.5	mg/L
SD-100-01	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	6.5	mg/L
SD-100-01	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	2.5	mg/L
SD-100-01	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	11	mg/L
** SD-100-02				
SD-100-02	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-02	18-May-1987	CHEMICAL OXYGEN DEMAND (COD)	7.5	mg/L
SD-100-02	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	7.5	mg/L
SD-100-02	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-02	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-02	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
** SD-100-03				
SD-100-03	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-03	18-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-03	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	14.5	mg/L
SD-100-03	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-03	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-03	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-03D	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
** SD-100-04				
SD-100-04	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-04	18-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-04	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-04	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-04	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	4.5	mg/L
SD-100-04	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
** SD-100-06				
SD-100-06	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-06	18-May-1987	CHEMICAL OXYGEN DEMAND (COD)	11.0	mg/L
SD-100-06	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-06	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-06	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-06	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06D				
SD-100-06D	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
** SD-100-07				
SD-100-07	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	835	mg/L
SD-100-07	19-May-1987	CHEMICAL OXYGEN DEMAND (COD)	255	mg/L
SD-100-07	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	85.5	mg/L
SD-100-07	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	610	mg/L
SD-100-07	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	38	mg/L
SD-100-07	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	1270	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	980	mg/L
** SD-100-09				
SD-100-09	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	18.0	mg/L
SD-100-09	18-May-1987	CHEMICAL OXYGEN DEMAND (COD)	19.5	mg/L
SD-100-09	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-09	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-09	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	2.5	mg/L
SD-100-09	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	8	mg/L
** SD-100-10				
SD-100-10	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-10	19-May-1987	CHEMICAL OXYGEN DEMAND (COD)	7.5	mg/L
SD-100-10	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	11.0	mg/L
SD-100-10	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-10	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	4.5	mg/L
SD-100-10	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
** SD-100-11				
SD-100-11	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-11	19-May-1987	CHEMICAL OXYGEN DEMAND (COD)	18.0	mg/L
SD-100-11	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-11	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-11	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	2.5	mg/L
SD-100-11	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
** SD-100-12				
SD-100-12	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-12	19-May-1987	CHEMICAL OXYGEN DEMAND (COD)	7.5	mg/L
SD-100-12	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	11.0	mg/L
SD-100-12	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-12	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	16	mg/L
SD-100-12	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	11	mg/L
** SD-100-13				
SD-100-13	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-13	19-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-13	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-13	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	7.5	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-13	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	4.5	mg/L
SD-100-13	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	7	mg/L
** SD-100-14				
SD-100-14	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-14	19-May-1987	CHEMICAL OXYGEN DEMAND (COD)	11.0	mg/L
SD-100-14	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	35.0	mg/L
SD-100-14	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-14	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	4.5	mg/L
SD-100-14	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-C	9-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	7	mg/L
SD-100-C	17-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	10	mg/L
SD-100-C	24-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	7	mg/L
SD-100-C	8-Apr-1987	CHEMICAL OXYGEN DEMAND (COD)	15	mg/L
SD-100-C	13-May-1987	CHEMICAL OXYGEN DEMAND (COD)	14.5	mg/L
SD-100-C	20-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-C	27-May-1987	CHEMICAL OXYGEN DEMAND (COD)	7.5	mg/L
SD-100-C	4-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	21	mg/L
SD-100-C	12-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-C	19-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	5	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-100-D	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	4.5	mg/L
** SD-100				
SD-100	5-Mar-1987	CHLORIDE	10.2	mg/L
SD-100	11-Mar-1987	CHLORIDE	8.4	mg/L
SD-100	18-Mar-1987	CHLORIDE	8.2	mg/L
SD-100	24-Mar-1987	CHLORIDE	8.4	mg/L
SD-100	3-Apr-1987	CHLORIDE	8.8	mg/L
SD-100	6-Apr-1987	CHLORIDE	9.2	mg/L
SD-100	12-May-1987	CHLORIDE	9.9	mg/L
SD-100	19-May-1987	CHLORIDE	10.2	mg/L
SD-100	26-May-1987	CHLORIDE	10.3	mg/L
SD-100	3-Jun-1987	CHLORIDE	10.2	mg/L
SD-100	11-Jun-1987	CHLORIDE	12	mg/L
SD-100	18-Jun-1987	CHLORIDE	15.6	mg/L
** SD-100-01				
SD-100-01	12-May-1987	CHLORIDE	1.2	mg/L
SD-100-01	18-May-1987	CHLORIDE	1.1	mg/L
SD-100-01	26-May-1987	CHLORIDE	1.3	mg/L
SD-100-01	3-Jun-1987	CHLORIDE	1.3	mg/L
SD-100-01	11-Jun-1987	CHLORIDE	1.1	mg/L
SD-100-01	18-Jun-1987	CHLORIDE	1.4	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	CHLORIDE	8.6	mg/L
SD-100-02	18-May-1987	CHLORIDE	9.6	mg/L
SD-100-02	26-May-1987	CHLORIDE	8.9	mg/L
SD-100-02	3-Jun-1987	CHLORIDE	10.5	mg/L
SD-100-02	11-Jun-1987	CHLORIDE	10.8	mg/L
SD-100-02	18-Jun-1987	CHLORIDE	12	mg/L
** SD-100-03				
SD-100-03	12-May-1987	CHLORIDE	7.8	mg/L
SD-100-03	18-May-1987	CHLORIDE	9.3	mg/L
SD-100-03	26-May-1987	CHLORIDE	9.5	mg/L
SD-100-03	3-Jun-1987	CHLORIDE	10.2	mg/L
SD-100-03	11-Jun-1987	CHLORIDE	10.6	mg/L
SD-100-03	18-Jun-1987	CHLORIDE	11	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	CHLORIDE	8.1	mg/L
SD-100-03D	26-May-1987	CHLORIDE	9.8	mg/L
** SD-100-04				
SD-100-04	12-May-1987	CHLORIDE	10	mg/L
SD-100-04	18-May-1987	CHLORIDE	9.3	mg/L
SD-100-04	26-May-1987	CHLORIDE	8.3	mg/L
SD-100-04	3-Jun-1987	CHLORIDE	10.5	mg/L
SD-100-04	11-Jun-1987	CHLORIDE	11.5	mg/L
SD-100-04	18-Jun-1987	CHLORIDE	11	mg/L
** SD-100-06				
SD-100-06	12-May-1987	CHLORIDE	9.9	mg/L
SD-100-06	18-May-1987	CHLORIDE	9.0	mg/L
SD-100-06	26-May-1987	CHLORIDE	8.3	mg/L
SD-100-06	3-Jun-1987	CHLORIDE	10.5	mg/L
SD-100-06	11-Jun-1987	CHLORIDE	11.1	mg/L
SD-100-06	18-Jun-1987	CHLORIDE	12	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CHLORIDE	10.8	mg/L
** SD-100-07				
SD-100-07	12-May-1987	CHLORIDE	143	mg/L
SD-100-07	19-May-1987	CHLORIDE	8.4	mg/L
SD-100-07	26-May-1987	CHLORIDE	7.9	mg/L
SD-100-07	3-Jun-1987	CHLORIDE	12	mg/L
SD-100-07	11-Jun-1987	CHLORIDE	11	mg/L
SD-100-07	18-Jun-1987	CHLORIDE	16.6	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CHLORIDE	13.9	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	CHLORIDE	8.5	mg/L
SD-100-09	18-May-1987	CHLORIDE	9.3	mg/L
SD-100-09	26-May-1987	CHLORIDE	8.1	mg/L
SD-100-09	3-Jun-1987	CHLORIDE	9.6	mg/L
SD-100-09	11-Jun-1987	CHLORIDE	11.1	mg/L
SD-100-09	18-Jun-1987	CHLORIDE	11	mg/L
** SD-100-10				
SD-100-10	12-May-1987	CHLORIDE	10.6	mg/L
SD-100-10	19-May-1987	CHLORIDE	9.3	mg/L
SD-100-10	26-May-1987	CHLORIDE	10.5	mg/L
SD-100-10	3-Jun-1987	CHLORIDE	10.2	mg/L
SD-100-10	11-Jun-1987	CHLORIDE	11.4	mg/L
SD-100-10	18-Jun-1987	CHLORIDE	11.4	mg/L
** SD-100-11				
SD-100-11	12-May-1987	CHLORIDE	12.5	mg/L
SD-100-11	19-May-1987	CHLORIDE	10.2	mg/L
SD-100-11	26-May-1987	CHLORIDE	11.1	mg/L
SD-100-11	3-Jun-1987	CHLORIDE	10.8	mg/L
SD-100-11	11-Jun-1987	CHLORIDE	12.3	mg/L
SD-100-11	18-Jun-1987	CHLORIDE	13.5	mg/L
** SD-100-12				
SD-100-12	12-May-1987	CHLORIDE	9.5	mg/L
SD-100-12	19-May-1987	CHLORIDE	9.3	mg/L
SD-100-12	26-May-1987	CHLORIDE	10.2	mg/L
SD-100-12	3-Jun-1987	CHLORIDE	10.4	mg/L
SD-100-12	11-Jun-1987	CHLORIDE	11.4	mg/L
SD-100-12	18-Jun-1987	CHLORIDE	11	mg/L
** SD-100-13				
SD-100-13	12-May-1987	CHLORIDE	10	mg/L
SD-100-13	19-May-1987	CHLORIDE	9.9	mg/L
SD-100-13	26-May-1987	CHLORIDE	9.4	mg/L
SD-100-13	3-Jun-1987	CHLORIDE	10.4	mg/L
SD-100-13	11-Jun-1987	CHLORIDE	11.0	mg/L
SD-100-13	18-Jun-1987	CHLORIDE	12	mg/L
** SD-100-14				
SD-100-14	12-May-1987	CHLORIDE	12	mg/L
SD-100-14	19-May-1987	CHLORIDE	10.5	mg/L
SD-100-14	26-May-1987	CHLORIDE	10.4	mg/L
SD-100-14	3-Jun-1987	CHLORIDE	10.2	mg/L
SD-100-14	11-Jun-1987	CHLORIDE	11.2	mg/L
SD-100-14	18-Jun-1987	CHLORIDE	12	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	CHLORIDE	10.5	mg/L
SD-100-C	9-Mar-1987	CHLORIDE	10.2	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	17-Mar-1987	CHLORIDE	7.5	mg/L
SD-100-C	24-Mar-1987	CHLORIDE	9.4	mg/L
SD-100-C	8-Apr-1987	CHLORIDE	9.0	mg/L
SD-100-C	13-May-1987	CHLORIDE	10.2	mg/L
SD-100-C	20-May-1987	CHLORIDE	10.2	mg/L
SD-100-C	27-May-1987	CHLORIDE	10.2	mg/L
SD-100-C	4-Jun-1987	CHLORIDE	10.5	mg/L
SD-100-C	12-Jun-1987	CHLORIDE	11.7	mg/L
SD-100-C	19-Jun-1987	CHLORIDE	12.3	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	CHLORIDE	9.2	mg/L
SD-100-D	11-Jun-1987	CHLORIDE	12	mg/L
** SD-100-02				
SD-100-02	12-May-1987	CHLORINATED HYDROCARBON	410	ug/L
** SD-100-10				
SD-100-10	12-May-1987	CHLORINATED HYDROCARBON	37	ug/L
** SD-100-03				
SD-100-03	12-May-1987	CHLORINATED HYDROCARBONS	180	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	CHLORINATED HYDROCARBONS	270	ug/L
** SD-100-04				
SD-100-04	12-May-1987	CHLORINATED HYDROCARBONS	270	ug/L
** SD-100-06				
SD-100-06	12-May-1987	CHLORINATED HYDROCARBONS	180	ug/L
** SD-100				
SD-100	5-Mar-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100	11-Mar-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100	18-Mar-1987	CHLORINE TOTAL RESIDUAL WATER	<1.0	mg/L
SD-100	24-Mar-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100	3-Apr-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100	6-Apr-1987	CHLORINE TOTAL RESIDUAL WATER	0.2	mg/L
SD-100	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100	19-May-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.2	mg/L
SD-100	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
** SD-100-01				
SD-100-01	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-01	18-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.5	mg/L
SD-100-01	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.7	mg/L
SD-100-01	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.2	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-01	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-01	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
** SD-100-02				
SD-100-02	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	1.3	mg/L
SD-100-02	18-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.6	mg/L
SD-100-02	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	1.2	mg/L
SD-100-02	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.6	mg/L
SD-100-02	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.0	mg/L
SD-100-02	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.2	mg/L
** SD-100-03				
SD-100-03	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	1.0	mg/L
SD-100-03	18-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.5	mg/L
SD-100-03	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.8	mg/L
SD-100-03	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.8	mg/L
SD-100-03	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.1	mg/L
SD-100-03	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.0	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	1.0	mg/L
SD-100-03D	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.8	mg/L
** SD-100-04				
SD-100-04	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	1.0	mg/L
SD-100-04	18-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.6	mg/L
SD-100-04	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.7	mg/L
SD-100-04	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.7	mg/L
SD-100-04	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.2	mg/L
SD-100-04	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.4	mg/L
** SD-100-06				
SD-100-06	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.3	mg/L
SD-100-06	18-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.6	mg/L
SD-100-06	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.4	mg/L
SD-100-06	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.7	mg/L
SD-100-06	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.1	mg/L
SD-100-06	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.4	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.5	mg/L
** SD-100-07				
SD-100-07	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.3	mg/L
SD-100-07	19-May-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-07	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.3	mg/L
SD-100-07	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	7.8	mg/L
SD-100-07	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-07	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07D				
SD-100-07D	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
** SD-100-09				
SD-100-09	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.2	mg/L
SD-100-09	18-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.2	mg/L
SD-100-09	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.9	mg/L
SD-100-09	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.2	mg/L
SD-100-09	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.4	mg/L
SD-100-09	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.4	mg/L
** SD-100-10				
SD-100-10	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	1.2	mg/L
SD-100-10	19-May-1987	CHLORINE TOTAL RESIDUAL WATER	1.0	mg/L
SD-100-10	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.7	mg/L
SD-100-10	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.0	mg/L
SD-100-10	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.1	mg/L
SD-100-10	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.4	mg/L
** SD-100-11				
SD-100-11	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	2.8	mg/L
SD-100-11	19-May-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-11	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.2	mg/L
SD-100-11	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.7	mg/L
SD-100-11	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.2	mg/L
SD-100-11	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.7	mg/L
** SD-100-12				
SD-100-12	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	1.0	mg/L
SD-100-12	19-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.8	mg/L
SD-100-12	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.1	mg/L
SD-100-12	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.8	mg/L
SD-100-12	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.6	mg/L
SD-100-12	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.9	mg/L
** SD-100-13				
SD-100-13	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.9	mg/L
SD-100-13	19-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.4	mg/L
SD-100-13	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.5	mg/L
SD-100-13	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.7	mg/L
SD-100-13	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.9	mg/L
SD-100-13	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.4	mg/L
** SD-100-14				
SD-100-14	12-May-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-14	19-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.3	mg/L
SD-100-14	26-May-1987	CHLORINE TOTAL RESIDUAL WATER	0.1	mg/L
SD-100-14	3-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	0.7	mg/L
SD-100-14	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.2	mg/L
SD-100-14	18-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	1.5	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-C				
SD-100-C	5-Mar-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-C	9-Mar-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-C	17-Mar-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-C	24-Mar-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-C	8-Apr-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-C	13-May-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-C	20-May-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-C	27-May-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-C	4-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-C	12-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
SD-100-C	19-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	CHLORINE TOTAL RESIDUAL WATER	0.2	mg/L
SD-100-D	11-Jun-1987	CHLORINE TOTAL RESIDUAL WATER	<0.1	mg/L
** SD-100-13				
SD-100-13	12-May-1987	CHLORO CHLOROCYCLOPENTANE	110	ug/L
** SD-100-11				
SD-100-11	12-May-1987	CHLORO CYCLOHEXANOL	1250	ug/L
** SD-100-12				
SD-100-12	12-May-1987	CHLORO CYCLOHEXANOL	760	ug/L
** SD-100-13				
SD-100-13	12-May-1987	CHLORO CYCLOHEXANOL	670	ug/L
** SD-100-14				
SD-100-14	12-May-1987	CHLORO CYCLOHEXANOL	760	ug/L
** SD-100-11				
SD-100-11	12-May-1987	CHLORO CYCLOHEXENE	370	ug/L
** SD-100-13				
SD-100-13	12-May-1987	CHLORO CYCLOHEXENE	40	ug/L
** SD-100-14				
SD-100-14	12-May-1987	CHLORO CYCLOHEXENE	90	ug/L
** SD-100				
SD-100	5-Mar-1987	CHLOROBENZENE	<5	ug/L
SD-100	11-Mar-1987	CHLOROBENZENE	<5	ug/L
SD-100	18-Mar-1987	CHLOROBENZENE	<5	ug/L
SD-100	24-Mar-1987	CHLOROBENZENE	<5	ug/L
SD-100	6-Apr-1987	CHLOROBENZENE	<5	ug/L
SD-100	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100	19-May-1987	CHLOROBENZENE	<5	ug/L
SD-100	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100	3-Jun-1987	CHLOROBENZENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-01	18-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-01	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-01	3-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-01	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-01	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-02	18-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-02	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-02	3-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-02	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-02	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-03	18-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-03	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-03	3-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-03	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-03	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-03D	26-May-1987	CHLOROBENZENE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-04	18-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-04	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-04	3-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-04	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-04	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-06	18-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-06	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-06	3-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-06	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-06	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CHLOROBENZENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07				
SD-100-07	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-07	19-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-07	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-07	3-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-07	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-07	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-09	18-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-09	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-09	3-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-09	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-09	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-10	19-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-10	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-10	3-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-10	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-10	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-11	19-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-11	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-11	3-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-11	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-11	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-12	19-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-12	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-12	3-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-12	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-12	18-Jun-1987	CHLOROBENZENE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-13	19-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-13	26-May-1987	CHLOROBENZENE	<5	ug/L
SD-100-13	3-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-13	11-Jun-1987	CHLOROBENZENE	<5	ug/L
SD-100-13	18-Jun-1987	CHLOROBENZENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-14				
SD-100-14	12-May-1987	CHLOROENZENE	<5	ug/L
SD-100-14	19-May-1987	CHLOROENZENE	<5	ug/L
SD-100-14	26-May-1987	CHLOROENZENE	<5	ug/L
SD-100-14	3-Jun-1987	CHLOROENZENE	<5	ug/L
SD-100-14	11-Jun-1987	CHLOROENZENE	<5	ug/L
SD-100-14	18-Jun-1987	CHLOROENZENE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	CHLOROENZENE	<5	ug/L
SD-100-C	9-Mar-1987	CHLOROENZENE	<5	ug/L
SD-100-C	17-Mar-1987	CHLOROENZENE	<5	ug/L
SD-100-C	24-Mar-1987	CHLOROENZENE	<5	ug/L
SD-100-C	8-Apr-1987	CHLOROENZENE	1 J	ug/L
SD-100-C	13-May-1987	CHLOROENZENE	<5	ug/L
SD-100-C	20-May-1987	CHLOROENZENE	<5	ug/L
SD-100-C	27-May-1987	CHLOROENZENE	<5	ug/L
SD-100-C	12-Jun-1987	CHLOROENZENE	<5	ug/L
SD-100-C	19-Jun-1987	CHLOROENZENE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	CHLOROENZENE	<5	ug/L
SD-100-D	11-Jun-1987	CHLOROENZENE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	CHLOROETHANE	<10	ug/L
SD-100	11-Mar-1987	CHLOROETHANE	<10	ug/L
SD-100	18-Mar-1987	CHLOROETHANE	<10	ug/L
SD-100	24-Mar-1987	CHLOROETHANE	<10	ug/L
SD-100	6-Apr-1987	CHLOROETHANE	<10	ug/L
SD-100	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100	19-May-1987	CHLOROETHANE	<10	ug/L
SD-100	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-01				
SD-100-01	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-01	18-May-1987	CHLOROETHANE	<10	ug/L
SD-100-01	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-01	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-01	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-01	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-02				
SD-100-02	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-02	18-May-1987	CHLOROETHANE	<10	ug/L
SD-100-02	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-02	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-02	11-Jun-1987	CHLOROETHANE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-02	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-03				
SD-100-03	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-03	18-May-1987	CHLOROETHANE	<10	ug/L
SD-100-03	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-03	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-03	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-03	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-03D	26-May-1987	CHLOROETHANE	<10	ug/L
** SD-100-04				
SD-100-04	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-04	18-May-1987	CHLOROETHANE	<10	ug/L
SD-100-04	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-04	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-04	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-04	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-06				
SD-100-06	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-06	18-May-1987	CHLOROETHANE	<10	ug/L
SD-100-06	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-06	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-06	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-06	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-07				
SD-100-07	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-07	19-May-1987	CHLOROETHANE	<10	ug/L
SD-100-07	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-07	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-07	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-07	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-09				
SD-100-09	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-09	18-May-1987	CHLOROETHANE	<10	ug/L
SD-100-09	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-09	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-09	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-09	18-Jun-1987	CHLOROETHANE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-10				
SD-100-10	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-10	19-May-1987	CHLOROETHANE	<10	ug/L
SD-100-10	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-10	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-10	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-10	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-11				
SD-100-11	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-11	19-May-1987	CHLOROETHANE	<10	ug/L
SD-100-11	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-11	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-11	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-11	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-12				
SD-100-12	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-12	19-May-1987	CHLOROETHANE	<10	ug/L
SD-100-12	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-12	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-12	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-12	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-13				
SD-100-13	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-13	19-May-1987	CHLOROETHANE	<10	ug/L
SD-100-13	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-13	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-13	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-13	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-14				
SD-100-14	12-May-1987	CHLOROETHANE	<10	ug/L
SD-100-14	19-May-1987	CHLOROETHANE	<10	ug/L
SD-100-14	26-May-1987	CHLOROETHANE	<10	ug/L
SD-100-14	3-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-14	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-100-14	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	CHLOROETHANE	<10	ug/L
SD-100-C	9-Mar-1987	CHLOROETHANE	<10	ug/L
SD-100-C	17-Mar-1987	CHLOROETHANE	<10	ug/L
SD-100-C	24-Mar-1987	CHLOROETHANE	<10	ug/L
SD-100-C	8-Apr-1987	CHLOROETHANE	<10	ug/L
SD-100-C	13-May-1987	CHLOROETHANE	<10	ug/L
SD-100-C	20-May-1987	CHLOROETHANE	<10	ug/L
SD-100-C	27-May-1987	CHLOROETHANE	<10	ug/L
SD-100-C	12-Jun-1987	CHLOROETHANE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	19-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	CHLOROETHANE	<10	ug/L
SD-100-D	11-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	CHLOROFORM	15	ug/L
SD-100	11-Mar-1987	CHLOROFORM	13	ug/L
SD-100	18-Mar-1987	CHLOROFORM	18	ug/L
SD-100	24-Mar-1987	CHLOROFORM	16	ug/L
SD-100	6-Apr-1987	CHLOROFORM	36	ug/L
SD-100	12-May-1987	CHLOROFORM	26	ug/L
SD-100	19-May-1987	CHLOROFORM	17	ug/L
SD-100	26-May-1987	CHLOROFORM	20	ug/L
SD-100	3-Jun-1987	CHLOROFORM	23	ug/L
SD-100	11-Jun-1987	CHLOROFORM	17	ug/L
SD-100	18-Jun-1987	CHLOROFORM	27	ug/L
** SD-100-01				
SD-100-01	12-May-1987	CHLOROFORM	<5	ug/L
SD-100-01	18-May-1987	CHLOROFORM	<5	ug/L
SD-100-01	26-May-1987	CHLOROFORM	<5	ug/L
SD-100-01	3-Jun-1987	CHLOROFORM	<5	ug/L
SD-100-01	11-Jun-1987	CHLOROFORM	<5	ug/L
SD-100-01	18-Jun-1987	CHLOROFORM	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	CHLOROFORM	33	ug/L
SD-100-02	18-May-1987	CHLOROFORM	30	ug/L
SD-100-02	26-May-1987	CHLOROFORM	29	ug/L
SD-100-02	3-Jun-1987	CHLOROFORM	34	ug/L
SD-100-02	11-Jun-1987	CHLOROFORM	47	ug/L
SD-100-02	18-Jun-1987	CHLOROFORM	36	ug/L
** SD-100-03				
SD-100-03	12-May-1987	CHLOROFORM	50	ug/L
SD-100-03	18-May-1987	CHLOROFORM	42	ug/L
SD-100-03	26-May-1987	CHLOROFORM	46	ug/L
SD-100-03	3-Jun-1987	CHLOROFORM	45	ug/L
SD-100-03	11-Jun-1987	CHLOROFORM	46	ug/L
SD-100-03	18-Jun-1987	CHLOROFORM	42	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	CHLOROFORM	46	ug/L
SD-100-03D	26-May-1987	CHLOROFORM	42	ug/L
** SD-100-04				
SD-100-04	12-May-1987	CHLOROFORM	48	ug/L
SD-100-04	18-May-1987	CHLOROFORM	38	ug/L
SD-100-04	26-May-1987	CHLOROFORM	36	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-10	3-Jun-1987	COPPER	0.054	mg/L
SD-100-10	11-Jun-1987	COPPER	<0.0040	mg/L
SD-100-10	18-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-11				
SD-100-11	12-May-1987	COPPER	<0.0040	mg/L
SD-100-11	19-May-1987	COPPER	<0.0040	mg/L
SD-100-11	26-May-1987	COPPER	<0.0040	mg/L
SD-100-11	3-Jun-1987	COPPER	0.0075	mg/L
SD-100-11	11-Jun-1987	COPPER	<0.0040	mg/L
SD-100-11	18-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-12				
SD-100-12	12-May-1987	COPPER	0.60	mg/L
SD-100-12	19-May-1987	COPPER	0.017	mg/L
SD-100-12	26-May-1987	COPPER	0.055	mg/L
SD-100-12	3-Jun-1987	COPPER	0.013	mg/L
SD-100-12	11-Jun-1987	COPPER	0.044	mg/L
SD-100-12	18-Jun-1987	COPPER	0.025	mg/L
** SD-100-13				
SD-100-13	12-May-1987	COPPER	<0.0040	mg/L
SD-100-13	19-May-1987	COPPER	0.011	mg/L
SD-100-13	26-May-1987	COPPER	<0.0040	mg/L
SD-100-13	11-Jun-1987	COPPER	<0.0040	mg/L
SD-100-13	18-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-14				
SD-100-14	12-May-1987	COPPER	0.019	mg/L
SD-100-14	19-May-1987	COPPER	0.030	mg/L
SD-100-14	26-May-1987	COPPER	0.029	mg/L
SD-100-14	3-Jun-1987	COPPER	0.010	mg/L
SD-100-14	11-Jun-1987	COPPER	0.013	mg/L
SD-100-14	18-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	COPPER	0.016	mg/L
SD-100-C	9-Mar-1987	COPPER	<0.0040	mg/L
SD-100-C	17-Mar-1987	COPPER	<0.0040	mg/L
SD-100-C	24-Mar-1987	COPPER	0.0090	mg/L
SD-100-C	8-Apr-1987	COPPER	<0.0040	mg/L
SD-100-C	13-May-1987	COPPER	<0.0040	mg/L
SD-100-C	20-May-1987	COPPER	<0.0040	mg/L
SD-100-C	27-May-1987	COPPER	<0.0040	mg/L
SD-100-C	4-Jun-1987	COPPER	<0.0040	mg/L
SD-100-C	12-Jun-1987	COPPER	<0.0040	mg/L
SD-100-C	19-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	COPPER	0.0055	mg/L
SD-100-D	11-Jun-1987	COPPER	<0.0040	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	CYANIDE	0.014	mg/L
SD-100	11-Mar-1987	CYANIDE	0.11	mg/L
SD-100	18-Mar-1987	CYANIDE	0.05	mg/L
SD-100	24-Mar-1987	CYANIDE	0.08	mg/L
SD-100	3-Apr-1987	CYANIDE	0.07	mg/L
SD-100	6-Apr-1987	CYANIDE	0.004	mg/L
SD-100	12-May-1987	CYANIDE	.041	mg/L
SD-100	19-May-1987	CYANIDE	0.02	mg/L
SD-100	26-May-1987	CYANIDE	0.016	mg/L
SD-100	3-Jun-1987	CYANIDE	<0.002	mg/L
SD-100	11-Jun-1987	CYANIDE	0.12	mg/L
SD-100	18-Jun-1987	CYANIDE	.08	mg/L
** SD-100-01				
SD-100-01	12-May-1987	CYANIDE	<0.002	mg/L
SD-100-01	18-May-1987	CYANIDE	0.002	mg/L
SD-100-01	26-May-1987	CYANIDE	0.002	mg/L
SD-100-01	3-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-01	11-Jun-1987	CYANIDE	.02	mg/L
SD-100-01	18-Jun-1987	CYANIDE	<0.002	mg/L
** SD-100-02				
SD-100-02	12-May-1987	CYANIDE	<0.002	mg/L
SD-100-02	18-May-1987	CYANIDE	<0.002	mg/L
SD-100-02	26-May-1987	CYANIDE	0.002	mg/L
SD-100-02	3-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-02	11-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-02	18-Jun-1987	CYANIDE	<0.002	mg/L
** SD-100-03				
SD-100-03	12-May-1987	CYANIDE	<0.002	mg/L
SD-100-03	18-May-1987	CYANIDE	0.002	mg/L
SD-100-03	26-May-1987	CYANIDE	<0.002	mg/L
SD-100-03	3-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-03	11-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-03	18-Jun-1987	CYANIDE	<0.002	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	CYANIDE	<0.002	mg/L
SD-100-03D	26-May-1987	CYANIDE	<0.002	mg/L
** SD-100-04				
SD-100-04	12-May-1987	CYANIDE	<0.002	mg/L
SD-100-04	18-May-1987	CYANIDE	<0.002	mg/L
SD-100-04	26-May-1987	CYANIDE	<0.002	mg/L
SD-100-04	3-Jun-1987	CYANIDE	0.002	mg/L
SD-100-04	11-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-04	18-Jun-1987	CYANIDE	<0.002	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06				
SD-100-06	12-May-1987	CYANIDE	<0.002	mg/L
SD-100-06	18-May-1987	CYANIDE	<0.002	mg/L
SD-100-06	26-May-1987	CYANIDE	<0.002	mg/L
SD-100-06	3-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-06	11-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-06	18-Jun-1987	CYANIDE	<0.002	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CYANIDE	<0.002	mg/L
** SD-100-07				
SD-100-07	12-May-1987	CYANIDE	<0.002	mg/L
SD-100-07	19-May-1987	CYANIDE	0.03	mg/L
SD-100-07	26-May-1987	CYANIDE	0.006	mg/L
SD-100-07	3-Jun-1987	CYANIDE	.002	mg/L
SD-100-07	11-Jun-1987	CYANIDE	.011	mg/L
SD-100-07	18-Jun-1987	CYANIDE	.07	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CYANIDE	.06	mg/L
** SD-100-09				
SD-100-09	12-May-1987	CYANIDE	<0.002	mg/L
SD-100-09	18-May-1987	CYANIDE	0.002	mg/L
SD-100-09	26-May-1987	CYANIDE	<0.002	mg/L
SD-100-09	3-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-09	11-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-09	18-Jun-1987	CYANIDE	<0.002	mg/L
** SD-100-10				
SD-100-10	12-May-1987	CYANIDE	<0.002	mg/L
SD-100-10	19-May-1987	CYANIDE	<0.002	mg/L
SD-100-10	26-May-1987	CYANIDE	<0.002	mg/L
SD-100-10	3-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-10	11-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-10	18-Jun-1987	CYANIDE	.002	mg/L
** SD-100-11				
SD-100-11	12-May-1987	CYANIDE	0.003	mg/L
SD-100-11	19-May-1987	CYANIDE	<0.002	mg/L
SD-100-11	26-May-1987	CYANIDE	0.004	mg/L
SD-100-11	3-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-11	11-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-11	18-Jun-1987	CYANIDE	<0.002	mg/L
** SD-100-12				
SD-100-12	12-May-1987	CYANIDE	0.003	mg/L
SD-100-12	19-May-1987	CYANIDE	<0.002	mg/L
SD-100-12	26-May-1987	CYANIDE	0.002	mg/L
SD-100-12	3-Jun-1987	CYANIDE	<0.002	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-12	11-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-12	18-Jun-1987	CYANIDE	<0.002	mg/L
** SD-100-13				
SD-100-13	12-May-1987	CYANIDE	<0.002	mg/L
SD-100-13	19-May-1987	CYANIDE	0.004	mg/L
SD-100-13	26-May-1987	CYANIDE	<0.002	mg/L
SD-100-13	3-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-13	11-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-13	18-Jun-1987	CYANIDE	<0.002	mg/L
** SD-100-14				
SD-100-14	12-May-1987	CYANIDE	0.002	mg/L
SD-100-14	19-May-1987	CYANIDE	0.03	mg/L
SD-100-14	26-May-1987	CYANIDE	<0.002	mg/L
SD-100-14	3-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-14	11-Jun-1987	CYANIDE	<0.002	mg/L
SD-100-14	18-Jun-1987	CYANIDE	<0.002	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	CYANIDE	0.08	mg/L
SD-100-C	9-Mar-1987	CYANIDE	0.01	mg/L
SD-100-C	17-Mar-1987	CYANIDE	0.03	mg/L
SD-100-C	24-Mar-1987	CYANIDE	0.1	mg/L
SD-100-C	8-Apr-1987	CYANIDE	0.03	mg/L
SD-100-C	13-May-1987	CYANIDE	0.16	mg/L
SD-100-C	20-May-1987	CYANIDE	0.11	mg/L
SD-100-C	27-May-1987	CYANIDE	0.07	mg/L
SD-100-C	4-Jun-1987	CYANIDE	.018	mg/L
SD-100-C	12-Jun-1987	CYANIDE	0.04	mg/L
SD-100-C	19-Jun-1987	CYANIDE	0.2	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	CYANIDE	0.003	mg/L
SD-100-D	11-Jun-1987	CYANIDE	0.12	mg/L
** SD-100-07				
SD-100-07	12-May-1987	DECANOIC ACID	5	ug/L
** SD-100				
SD-100	5-Mar-1987	DI-N-BUTYLPHthalate	<10	ug/L
SD-100	11-Mar-1987	DI-N-BUTYLPHthalate	<10	ug/L
SD-100	12-May-1987	DI-N-BUTYLPHthalate	<10	ug/L
SD-100	26-May-1987	DI-N-BUTYLPHthalate	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	DI-N-BUTYLPHthalate	<10	ug/L
SD-100-01	26-May-1987	DI-N-BUTYLPHthalate	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	DI-N-BUTYLPHthalate	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-02	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-03	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-03D	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-04	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	DI-N-BUTYLPHTHALATE	0.4 JB	ug/L
SD-100-06	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-07	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-09	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-10	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-11	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-12	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-13	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-14	26-May-1987	DI-N-BUTYLPHTHALATE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-C	9-Mar-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-C	17-Mar-1987	DI-N-BUTYLPHTHALATE	<10	ug/L
SD-100-C	24-Mar-1987	DI-N-BUTYLPHTHALATE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	8-Apr-1987	DI-N-BUTYLPHthalate	<10	ug/L
SD-100-C	13-May-1987	DI-N-BUTYLPHthalate	<5.0	ug/L
SD-100-C	20-May-1987	DI-N-BUTYLPHthalate	1 J	ug/L
SD-100-C	27-May-1987	DI-N-BUTYLPHthalate	<5.0	ug/L
SD-100-C	12-Jun-1987	DI-N-BUTYLPHthalate	<5.0	ug/L
SD-100-C	19-Jun-1987	DI-N-BUTYLPHthalate	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100	11-Mar-1987	DI-N-OCTYLPHthalate	1 J	ug/L
SD-100	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-01	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	DI-N-OCTYLPHthalate	0.2 JB	ug/L
SD-100-02	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	DI-N-OCTYLPHthalate	0.2 JB	ug/L
SD-100-03	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-03D	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-04	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-06	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-07	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-09	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-10	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-11	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-12	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-13	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-14	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-C	9-Mar-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-C	17-Mar-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-C	24-Mar-1987	DI-N-OCTYLPHthalate	1 J	ug/L
SD-100-C	8-Apr-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-100-C	13-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
SD-100-C	20-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
SD-100-C	27-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
SD-100-C	12-Jun-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
SD-100-C	19-Jun-1987	DI-N-OCTYLPHthalate	<10	ug/L
** SD-100				
SD-100	11-Mar-1987	DIACETONE ALCOHOL	120	ug/L
SD-100	12-May-1987	DIACETONE ALCOHOL	9	ug/L
** SD-100-11				
SD-100-11	12-May-1987	DIACETONE ALCOHOL	4	ug/L
** SD-100-13				
SD-100-13	12-May-1987	DIACETONE ALCOHOL	3	ug/L
** SD-100-14				
SD-100-14	12-May-1987	DIACETONE ALCOHOL	6	ug/L
** SD-100-C				
SD-100-C	17-Mar-1987	DIACETONE ALCOHOL	5B	ug/L
SD-100-C	24-Mar-1987	DIACETONE ALCOHOL	4B	ug/L
** SD-100				
SD-100	5-Mar-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100	11-Mar-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-01	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-02	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-03	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-03D	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-04	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-06	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-07	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-09	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-10	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-11	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-12	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-13	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-14	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-C				
SD-100-C	5-Mar-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-C	9-Mar-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-C	17-Mar-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-C	24-Mar-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-C	8-Apr-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-100-C	13-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
SD-100-C	20-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
SD-100-C	27-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
SD-100-C	12-Jun-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
SD-100-C	19-Jun-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100	11-Mar-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100	18-Mar-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100	24-Mar-1987	DIBROMOCHLOROMETHANE	10	ug/L
SD-100	6-Apr-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100	12-May-1987	DIBROMOCHLOROMETHANE	7	ug/L
SD-100	19-May-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100	26-May-1987	DIBROMOCHLOROMETHANE	10	ug/L
SD-100	3-Jun-1987	DIBROMOCHLOROMETHANE	9	ug/L
SD-100	11-Jun-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100	18-Jun-1987	DIBROMOCHLOROMETHANE	14	ug/L
** SD-100-01				
SD-100-01	12-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-01	18-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-01	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-01	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-01	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-01	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-02	18-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-02	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-02	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-02	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-02	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-03	18-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-03	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-03	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-03	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-03	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-03D	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-04	18-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-04	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-04	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-04	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-04	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	DIBROMOCHLOROMETHANE	15	ug/L
SD-100-06	18-May-1987	DIBROMOCHLOROMETHANE	10	ug/L
SD-100-06	26-May-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100-06	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-06	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-06	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-07	19-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-07	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-07	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-07	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-07	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-09	18-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-09	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-09	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-09	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-09	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-10	19-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-10	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-10	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-10	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-10	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-11	19-May-1987	DIBROMOCHLOROMETHANE	5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-11	26-May-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100-11	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-11	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-11	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-12	19-May-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100-12	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-12	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-12	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-12	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100-13	19-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-13	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-13	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-13	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-13	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-14	19-May-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100-14	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-14	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-14	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-14	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100-C	9-Mar-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-C	17-Mar-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-C	24-Mar-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-C	8-Apr-1987	DIBROMOCHLOROMETHANE	4 J	ug/L
SD-100-C	13-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-C	20-May-1987	DIBROMOCHLOROMETHANE	7	ug/L
SD-100-C	27-May-1987	DIBROMOCHLOROMETHANE	11	ug/L
SD-100-C	12-Jun-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-100-C	19-Jun-1987	DIBROMOCHLOROMETHANE	5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-100-D	11-Jun-1987	DIBROMOCHLOROMETHANE	5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	DICHLORO CYCLOHEXANE	1320	ug/L
** SD-100-12				
SD-100-12	12-May-1987	DICHLORO CYCLOHEXANE	400	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	DICHLORO CYCLOHEXANE	200	ug/L
** SD-100-14				
SD-100-14	12-May-1987	DICHLORO CYCLOHEXANE	420	ug/L
** SD-100				
SD-100	5-Mar-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100	11-Mar-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-01	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-02	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-03	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-03D	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-04	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-06	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	DIETHYLPHTHALATE	8 J	ug/L
SD-100-07	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-09	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-10	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-11	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-12				
SD-100-12	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-12	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-13	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-14	26-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-C	9-Mar-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-C	17-Mar-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-C	24-Mar-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-C	8-Apr-1987	DIETHYLPHTHALATE	<10	ug/L
SD-100-C	13-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
SD-100-C	20-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
SD-100-C	27-May-1987	DIETHYLPHTHALATE	<5.0	ug/L
SD-100-C	12-Jun-1987	DIETHYLPHTHALATE	<5.0	ug/L
SD-100-C	19-Jun-1987	DIETHYLPHTHALATE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	DIMETHYLPHTHALATE	<10	ug/L
SD-100	11-Mar-1987	DIMETHYLPHTHALATE	<10	ug/L
SD-100	12-May-1987	DIMETHYLPHTHALATE	<10	ug/L
SD-100	26-May-1987	DIMETHYLPHTHALATE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	DIMETHYLPHTHALATE	<10	ug/L
SD-100-01	26-May-1987	DIMETHYLPHTHALATE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	DIMETHYLPHTHALATE	<10	ug/L
SD-100-02	26-May-1987	DIMETHYLPHTHALATE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	DIMETHYLPHTHALATE	<10	ug/L
SD-100-03	26-May-1987	DIMETHYLPHTHALATE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	DIMETHYLPHTHALATE	<10	ug/L
SD-100-03D	26-May-1987	DIMETHYLPHTHALATE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	DIMETHYLPHTHALATE	<10	ug/L
SD-100-04	26-May-1987	DIMETHYLPHTHALATE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06				
SD-100-06	12-May-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-06	26-May-1987	DIMETHYLPHthalate	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-07	26-May-1987	DIMETHYLPHthalate	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-09	26-May-1987	DIMETHYLPHthalate	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-10	26-May-1987	DIMETHYLPHthalate	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-11	26-May-1987	DIMETHYLPHthalate	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-12	26-May-1987	DIMETHYLPHthalate	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-13	26-May-1987	DIMETHYLPHthalate	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-14	26-May-1987	DIMETHYLPHthalate	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-C	9-Mar-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-C	17-Mar-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-C	24-Mar-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-C	8-Apr-1987	DIMETHYLPHthalate	<10	ug/L
SD-100-C	13-May-1987	DIMETHYLPHthalate	<5.0	ug/L
SD-100-C	20-May-1987	DIMETHYLPHthalate	<5.0	ug/L
SD-100-C	27-May-1987	DIMETHYLPHthalate	<5.0	ug/L
SD-100-C	12-Jun-1987	DIMETHYLPHthalate	<5.0	ug/L
SD-100-C	19-Jun-1987	DIMETHYLPHthalate	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	DISSOLVED OXYGEN	10.0	ppm
SD-100	11-Mar-1987	DISSOLVED OXYGEN	11.2	ppm
SD-100	18-Mar-1987	DISSOLVED OXYGEN	7.3	ppm
SD-100	24-Mar-1987	DISSOLVED OXYGEN	7.2	ppm
SD-100	3-Apr-1987	DISSOLVED OXYGEN	7.2	ppm
SD-100	6-Apr-1987	DISSOLVED OXYGEN	8.3	ppm

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-04	3-Jun-1987	CHLOROFORM	48	ug/L
SD-100-04	11-Jun-1987	CHLOROFORM	45	ug/L
SD-100-04	18-Jun-1987	CHLOROFORM	43	ug/L
** SD-100-06				
SD-100-06	12-May-1987	CHLOROFORM	31	ug/L
SD-100-06	18-May-1987	CHLOROFORM	29	ug/L
SD-100-06	26-May-1987	CHLOROFORM	33	ug/L
SD-100-06	3-Jun-1987	CHLOROFORM	36	ug/L
SD-100-06	11-Jun-1987	CHLOROFORM	46	ug/L
SD-100-06	18-Jun-1987	CHLOROFORM	42	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CHLOROFORM	38	ug/L
** SD-100-07				
SD-100-07	12-May-1987	CHLOROFORM	1700	ug/L
SD-100-07	19-May-1987	CHLOROFORM	380	ug/L
SD-100-07	26-May-1987	CHLOROFORM	220	ug/L
SD-100-07	3-Jun-1987	CHLOROFORM	21	ug/L
SD-100-07	11-Jun-1987	CHLOROFORM	3500	ug/L
SD-100-07	18-Jun-1987	CHLOROFORM	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CHLOROFORM	23	ug/L
** SD-100-09				
SD-100-09	12-May-1987	CHLOROFORM	27	ug/L
SD-100-09	18-May-1987	CHLOROFORM	45	ug/L
SD-100-09	26-May-1987	CHLOROFORM	39	ug/L
SD-100-09	3-Jun-1987	CHLOROFORM	38	ug/L
SD-100-09	11-Jun-1987	CHLOROFORM	40	ug/L
SD-100-09	18-Jun-1987	CHLOROFORM	36	ug/L
** SD-100-10				
SD-100-10	12-May-1987	CHLOROFORM	57	ug/L
SD-100-10	19-May-1987	CHLOROFORM	44	ug/L
SD-100-10	26-May-1987	CHLOROFORM	44	ug/L
SD-100-10	3-Jun-1987	CHLOROFORM	44	ug/L
SD-100-10	11-Jun-1987	CHLOROFORM	51	ug/L
SD-100-10	18-Jun-1987	CHLOROFORM	35	ug/L
** SD-100-11				
SD-100-11	12-May-1987	CHLOROFORM	52	ug/L
SD-100-11	19-May-1987	CHLOROFORM	14	ug/L
SD-100-11	26-May-1987	CHLOROFORM	21	ug/L
SD-100-11	3-Jun-1987	CHLOROFORM	35	ug/L
SD-100-11	11-Jun-1987	CHLOROFORM	54	ug/L
SD-100-11	18-Jun-1987	CHLOROFORM	47	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-12				
SD-100-12	12-May-1987	CHLOROFORM	44	ug/L
SD-100-12	19-May-1987	CHLOROFORM	57	ug/L
SD-100-12	26-May-1987	CHLOROFORM	52	ug/L
SD-100-12	3-Jun-1987	CHLOROFORM	31	ug/L
SD-100-12	11-Jun-1987	CHLOROFORM	67	ug/L
SD-100-12	18-Jun-1987	CHLOROFORM	62	ug/L
** SD-100-13				
SD-100-13	12-May-1987	CHLOROFORM	49	ug/L
SD-100-13	19-May-1987	CHLOROFORM	40	ug/L
SD-100-13	26-May-1987	CHLOROFORM	42	ug/L
SD-100-13	3-Jun-1987	CHLOROFORM	36	ug/L
SD-100-13	11-Jun-1987	CHLOROFORM	40	ug/L
SD-100-13	18-Jun-1987	CHLOROFORM	59	ug/L
** SD-100-14				
SD-100-14	12-May-1987	CHLOROFORM	56	ug/L
SD-100-14	19-May-1987	CHLOROFORM	32	ug/L
SD-100-14	26-May-1987	CHLOROFORM	40	ug/L
SD-100-14	3-Jun-1987	CHLOROFORM	40	ug/L
SD-100-14	11-Jun-1987	CHLOROFORM	48	ug/L
SD-100-14	18-Jun-1987	CHLOROFORM	43	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	CHLOROFORM	12	ug/L
SD-100-C	9-Mar-1987	CHLOROFORM	19	ug/L
SD-100-C	17-Mar-1987	CHLOROFORM	10	ug/L
SD-100-C	24-Mar-1987	CHLOROFORM	10	ug/L
SD-100-C	8-Apr-1987	CHLOROFORM	11	ug/L
SD-100-C	13-May-1987	CHLOROFORM	11	ug/L
SD-100-C	20-May-1987	CHLOROFORM	11	ug/L
SD-100-C	27-May-1987	CHLOROFORM	27	ug/L
SD-100-C	12-Jun-1987	CHLOROFORM	13	ug/L
SD-100-C	19-Jun-1987	CHLOROFORM	10	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	CHLOROFORM	34	ug/L
SD-100-D	11-Jun-1987	CHLOROFORM	17	ug/L
** SD-100				
SD-100	5-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-100	11-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-100	18-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-100	24-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-100	6-Apr-1987	CHLOROMETHANE	<10	ug/L
SD-100	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100	19-May-1987	CHLOROMETHANE	<10	ug/L
SD-100	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100	11-Jun-1987	CHLOROMETHANE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-01				
SD-100-01	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-01	18-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-01	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-01	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-01	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-01	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-02				
SD-100-02	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-02	18-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-02	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-02	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-02	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-02	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-03				
SD-100-03	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-03	18-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-03	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-03	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-03	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-03	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-03D	26-May-1987	CHLOROMETHANE	<10	ug/L
** SD-100-04				
SD-100-04	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-04	18-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-04	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-04	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-04	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-04	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-06				
SD-100-06	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-06	18-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-06	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-06	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-06	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-06	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-07				
SD-100-07	12-May-1987	CHLOROMETHANE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-07	19-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-07	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-07	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-07	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-07	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-09				
SD-100-09	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-09	18-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-09	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-09	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-09	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-09	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-10				
SD-100-10	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-10	19-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-10	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-10	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-10	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-10	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-11				
SD-100-11	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-11	19-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-11	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-11	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-11	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-11	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-12				
SD-100-12	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-12	19-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-12	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-12	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-12	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-12	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-13				
SD-100-13	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-13	19-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-13	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-13	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-13	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-13	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-14				
SD-100-14	12-May-1987	CHLOROMETHANE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-14	19-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-14	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-14	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-14	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-14	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-100-C	9-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-100-C	17-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-100-C	24-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-100-C	8-Apr-1987	CHLOROMETHANE	<10	ug/L
SD-100-C	13-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-C	20-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-C	27-May-1987	CHLOROMETHANE	<10	ug/L
SD-100-C	12-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-100-C	19-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	CHLOROMETHANE	<10	ug/L
SD-100-D	11-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	CHROMIUM	<0.010	mg/L
SD-100	11-Mar-1987	CHROMIUM	<0.010	mg/L
SD-100	18-Mar-1987	CHROMIUM	<0.010	mg/L
SD-100	24-Mar-1987	CHROMIUM	<0.010	mg/L
SD-100	3-Apr-1987	CHROMIUM	<0.010	mg/L
SD-100	6-Apr-1987	CHROMIUM	<0.010	mg/L
SD-100	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100	19-May-1987	CHROMIUM	<0.010	mg/L
SD-100	26-May-1987	CHROMIUM	<0.010	mg/L
SD-100	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100	18-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-01				
SD-100-01	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100-01	18-May-1987	CHROMIUM	<0.010	mg/L
SD-100-01	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-01	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-01	18-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-02				
SD-100-02	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100-02	18-May-1987	CHROMIUM	<0.010	mg/L
SD-100-02	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-02	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-02	18-Jun-1987	CHROMIUM	<0.010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03				
SD-100-03	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100-03	18-May-1987	CHROMIUM	<0.010	mg/L
SD-100-03	26-May-1987	CHROMIUM	<0.010	mg/L
SD-100-03	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-03	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-03	18-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100-03D	26-May-1987	CHROMIUM	<0.010	mg/L
** SD-100-04				
SD-100-04	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100-04	18-May-1987	CHROMIUM	<0.010	mg/L
SD-100-04	26-May-1987	CHROMIUM	<0.010	mg/L
SD-100-04	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-04	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-04	18-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-06				
SD-100-06	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100-06	18-May-1987	CHROMIUM	<0.010	mg/L
SD-100-06	26-May-1987	CHROMIUM	<0.010	mg/L
SD-100-06	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-06	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-06	18-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-07				
SD-100-07	12-May-1987	CHROMIUM	0.19	mg/L
SD-100-07	19-May-1987	CHROMIUM	0.081	mg/L
SD-100-07	26-May-1987	CHROMIUM	0.011	mg/L
SD-100-07	3-Jun-1987	CHROMIUM	0.093	mg/L
SD-100-07	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-07	18-Jun-1987	CHROMIUM	0.037	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CHROMIUM	0.038	mg/L
** SD-100-09				
SD-100-09	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100-09	18-May-1987	CHROMIUM	<0.010	mg/L
SD-100-09	26-May-1987	CHROMIUM	<0.010	mg/L
SD-100-09	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-09	11-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-10				
SD-100-10	12-May-1987	CHROMIUM	<0.010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-10	19-May-1987	CHROMIUM	<0.010	mg/L
SD-100-10	26-May-1987	CHROMIUM	<0.010	mg/L
SD-100-10	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-10	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-10	18-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-11				
SD-100-11	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100-11	19-May-1987	CHROMIUM	<0.010	mg/L
SD-100-11	26-May-1987	CHROMIUM	<0.010	mg/L
SD-100-11	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-11	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-11	18-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-12				
SD-100-12	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100-12	19-May-1987	CHROMIUM	<0.010	mg/L
SD-100-12	26-May-1987	CHROMIUM	<0.010	mg/L
SD-100-12	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-12	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-12	18-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-13				
SD-100-13	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100-13	19-May-1987	CHROMIUM	<0.010	mg/L
SD-100-13	26-May-1987	CHROMIUM	<0.010	mg/L
SD-100-13	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-13	18-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-14				
SD-100-14	12-May-1987	CHROMIUM	<0.010	mg/L
SD-100-14	19-May-1987	CHROMIUM	<0.010	mg/L
SD-100-14	26-May-1987	CHROMIUM	<0.010	mg/L
SD-100-14	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-14	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-14	18-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	CHROMIUM	<0.010	mg/L
SD-100-C	9-Mar-1987	CHROMIUM	<0.010	mg/L
SD-100-C	17-Mar-1987	CHROMIUM	<0.010	mg/L
SD-100-C	24-Mar-1987	CHROMIUM	<0.010	mg/L
SD-100-C	8-Apr-1987	CHROMIUM	<0.010	mg/L
SD-100-C	13-May-1987	CHROMIUM	<0.010	mg/L
SD-100-C	20-May-1987	CHROMIUM	<0.010	mg/L
SD-100-C	27-May-1987	CHROMIUM	<0.010	mg/L
SD-100-C	4-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-C	12-Jun-1987	CHROMIUM	<0.010	mg/L
SD-100-C	19-Jun-1987	CHROMIUM	<0.010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-D				
SD-100-D	6-Apr-1987	CHROMIUM	<0.010	mg/L
SD-100-D	11-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-100				
SD-100	5-Mar-1987	CHRYSENE	<10	ug/L
SD-100	11-Mar-1987	CHRYSENE	<10	ug/L
SD-100	12-May-1987	CHRYSENE	<10	ug/L
SD-100	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	CHRYSENE	<10	ug/L
SD-100-01	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	CHRYSENE	<10	ug/L
SD-100-02	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	CHRYSENE	<10	ug/L
SD-100-03	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	CHRYSENE	<10	ug/L
SD-100-03D	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	CHRYSENE	<10	ug/L
SD-100-04	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	CHRYSENE	<10	ug/L
SD-100-06	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	CHRYSENE	<10	ug/L
SD-100-07	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	CHRYSENE	<10	ug/L
SD-100-09	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	CHRYSENE	<10	ug/L
SD-100-10	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	CHRYSENE	<10	ug/L
SD-100-11	26-May-1987	CHRYSENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-12				
SD-100-12	12-May-1987	CHRYSENE	<10	ug/L
SD-100-12	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	CHRYSENE	<10	ug/L
SD-100-13	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	CHRYSENE	<10	ug/L
SD-100-14	26-May-1987	CHRYSENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	CHRYSENE	<10	ug/L
SD-100-C	9-Mar-1987	CHRYSENE	<10	ug/L
SD-100-C	17-Mar-1987	CHRYSENE	<10	ug/L
SD-100-C	24-Mar-1987	CHRYSENE	<10	ug/L
SD-100-C	8-Apr-1987	CHRYSENE	<10	ug/L
SD-100-C	13-May-1987	CHRYSENE	<5.0	ug/L
SD-100-C	20-May-1987	CHRYSENE	<5.0	ug/L
SD-100-C	27-May-1987	CHRYSENE	<5.0	ug/L
SD-100-C	12-Jun-1987	CHRYSENE	<5.0	ug/L
SD-100-C	19-Jun-1987	CHRYSENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	11-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	18-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	24-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	6-Apr-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	19-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-01	18-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-01	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-01	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-01	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-01	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-02	18-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-02	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-02	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-02	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-02	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-03	18-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-03	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-03	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-03	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-03	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-03D	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-04	18-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-04	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-04	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-04	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-04	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-06	18-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-06	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-06	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-06	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-06	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-07	19-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-07	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-07	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-07	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-07	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-09	18-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-09	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-09	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-09	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-09	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-10				
SD-100-10	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-10	19-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-10	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-10	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-10	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-10	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-11	19-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-11	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-11	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-11	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-11	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-12	19-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-12	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-12	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-12	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-12	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-13	19-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-13	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-13	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-13	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-13	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-14	19-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-14	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-14	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-14	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-14	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-C	9-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-C	17-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-C	24-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-C	8-Apr-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-C	13-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-C	20-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-C	27-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-C	12-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	19-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-D	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	COBALT	<0.10	mg/L
SD-100	11-Mar-1987	COBALT	<0.10	mg/L
SD-100	18-Mar-1987	COBALT	<0.10	mg/L
SD-100	24-Mar-1987	COBALT	<0.10	mg/L
SD-100	3-Apr-1987	COBALT	<0.10	mg/L
SD-100	6-Apr-1987	COBALT	<0.10	mg/L
SD-100	12-May-1987	COBALT	<0.10	mg/L
SD-100	19-May-1987	COBALT	<0.10	mg/L
SD-100	26-May-1987	COBALT	<0.0050	mg/L
SD-100	3-Jun-1987	COBALT	<0.10	mg/L
SD-100	11-Jun-1987	COBALT	<0.10	mg/L
SD-100	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-01				
SD-100-01	12-May-1987	COBALT	<0.10	mg/L
SD-100-01	18-May-1987	COBALT	<0.10	mg/L
SD-100-01	3-Jun-1987	COBALT	<0.10	mg/L
SD-100-01	11-Jun-1987	COBALT	<0.10	mg/L
SD-100-01	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-02				
SD-100-02	12-May-1987	COBALT	<0.10	mg/L
SD-100-02	18-May-1987	COBALT	<0.10	mg/L
SD-100-02	3-Jun-1987	COBALT	<0.10	mg/L
SD-100-02	11-Jun-1987	COBALT	<0.10	mg/L
SD-100-02	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-03				
SD-100-03	12-May-1987	COBALT	<0.10	mg/L
SD-100-03	18-May-1987	COBALT	<0.10	mg/L
SD-100-03	26-May-1987	COBALT	<0.10	mg/L
SD-100-03	3-Jun-1987	COBALT	<0.10	mg/L
SD-100-03	11-Jun-1987	COBALT	<0.10	mg/L
SD-100-03	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	COBALT	<0.10	mg/L
SD-100-03D	26-May-1987	COBALT	<0.10	mg/L
** SD-100-04				
SD-100-04	12-May-1987	COBALT	<0.10	mg/L
SD-100-04	18-May-1987	COBALT	<0.10	mg/L
SD-100-04	26-May-1987	COBALT	<0.10	mg/L
SD-100-04	3-Jun-1987	COBALT	<0.10	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-04	11-Jun-1987	COBALT	<0.10	mg/L
SD-100-04	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-06				
SD-100-06	12-May-1987	COBALT	<0.10	mg/L
SD-100-06	18-May-1987	COBALT	<0.10	mg/L
SD-100-06	26-May-1987	COBALT	<0.10	mg/L
SD-100-06	3-Jun-1987	COBALT	<0.10	mg/L
SD-100-06	11-Jun-1987	COBALT	<0.10	mg/L
SD-100-06	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	COBALT	<0.10	mg/L
** SD-100-07				
SD-100-07	12-May-1987	COBALT	<0.10	mg/L
SD-100-07	19-May-1987	COBALT	<0.10	mg/L
SD-100-07	26-May-1987	COBALT	<0.10	mg/L
SD-100-07	3-Jun-1987	COBALT	<0.10	mg/L
SD-100-07	11-Jun-1987	COBALT	<0.10	mg/L
SD-100-07	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-09				
SD-100-09	12-May-1987	COBALT	<0.10	mg/L
SD-100-09	18-May-1987	COBALT	<0.10	mg/L
SD-100-09	26-May-1987	COBALT	<0.10	mg/L
SD-100-09	3-Jun-1987	COBALT	<0.10	mg/L
SD-100-09	11-Jun-1987	COBALT	<0.10	mg/L
** SD-100-10				
SD-100-10	12-May-1987	COBALT	<0.10	mg/L
SD-100-10	19-May-1987	COBALT	<0.10	mg/L
SD-100-10	26-May-1987	COBALT	<0.10	mg/L
SD-100-10	3-Jun-1987	COBALT	<0.10	mg/L
SD-100-10	11-Jun-1987	COBALT	<0.10	mg/L
SD-100-10	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-11				
SD-100-11	12-May-1987	COBALT	<0.10	mg/L
SD-100-11	19-May-1987	COBALT	<0.10	mg/L
SD-100-11	26-May-1987	COBALT	<0.10	mg/L
SD-100-11	3-Jun-1987	COBALT	<0.10	mg/L
SD-100-11	11-Jun-1987	COBALT	<0.10	mg/L
SD-100-11	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-12				
SD-100-12	12-May-1987	COBALT	<0.10	mg/L
SD-100-12	19-May-1987	COBALT	<0.0050	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-12	26-May-1987	COBALT	<0.0050	mg/L
SD-100-12	3-Jun-1987	COBALT	<0.10	mg/L
SD-100-12	11-Jun-1987	COBALT	<0.10	mg/L
SD-100-12	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-13				
SD-100-13	12-May-1987	COBALT	<0.10	mg/L
SD-100-13	19-May-1987	COBALT	<0.0050	mg/L
SD-100-13	26-May-1987	COBALT	<0.0050	mg/L
SD-100-13	11-Jun-1987	COBALT	<0.10	mg/L
SD-100-13	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-14				
SD-100-14	12-May-1987	COBALT	<0.10	mg/L
SD-100-14	19-May-1987	COBALT	<0.10	mg/L
SD-100-14	26-May-1987	COBALT	<0.0050	mg/L
SD-100-14	3-Jun-1987	COBALT	<0.10	mg/L
SD-100-14	11-Jun-1987	COBALT	<0.10	mg/L
SD-100-14	18-Jun-1987	COBALT	<0.10	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	COBALT	<0.10	mg/L
SD-100-C	9-Mar-1987	COBALT	<0.10	mg/L
SD-100-C	17-Mar-1987	COBALT	<0.10	mg/L
SD-100-C	24-Mar-1987	COBALT	<0.10	mg/L
SD-100-C	8-Apr-1987	COBALT	<0.10	mg/L
SD-100-C	13-May-1987	COBALT	<0.10	mg/L
SD-100-C	20-May-1987	COBALT	<0.10	mg/L
SD-100-C	27-May-1987	COBALT	<0.10	mg/L
SD-100-C	4-Jun-1987	COBALT	<0.10	mg/L
SD-100-C	12-Jun-1987	COBALT	<0.10	mg/L
SD-100-C	19-Jun-1987	COBALT	<0.10	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	COBALT	<0.10	mg/L
SD-100-D	11-Jun-1987	COBALT	<0.10	mg/L
** SD-100				
SD-100	5-Mar-1987	CONDUCTIVITY	281	umho/cm
SD-100	11-Mar-1987	CONDUCTIVITY	246	umho/cm
SD-100	18-Mar-1987	CONDUCTIVITY	266	umho/cm
SD-100	24-Mar-1987	CONDUCTIVITY	260	umho/cm
SD-100	3-Apr-1987	CONDUCTIVITY	262	umho/cm
SD-100	6-Apr-1987	CONDUCTIVITY	268	umho/cm
SD-100	12-May-1987	CONDUCTIVITY	299	umho/cm
SD-100	19-May-1987	CONDUCTIVITY	295	umho/cm
SD-100	26-May-1987	CONDUCTIVITY	299	umho/cm
SD-100	3-Jun-1987	CONDUCTIVITY	301	umho/cm
SD-100	11-Jun-1987	CONDUCTIVITY	318	umho/cm
SD-100	18-Jun-1987	CONDUCTIVITY	278	umho/cm

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-01				
SD-100-01	12-May-1987	CONDUCTIVITY	158	umho/cm
SD-100-01	18-May-1987	CONDUCTIVITY	154	umho/cm
SD-100-01	26-May-1987	CONDUCTIVITY	190	umho/cm
SD-100-01	3-Jun-1987	CONDUCTIVITY	207	umho/cm
SD-100-01	11-Jun-1987	CONDUCTIVITY	343	umho/cm
SD-100-01	18-Jun-1987	CONDUCTIVITY	210	umho/cm
** SD-100-02				
SD-100-02	12-May-1987	CONDUCTIVITY	294	umho/cm
SD-100-02	18-May-1987	CONDUCTIVITY	290	umho/cm
SD-100-02	26-May-1987	CONDUCTIVITY	293	umho/cm
SD-100-02	3-Jun-1987	CONDUCTIVITY	302	umho/cm
SD-100-02	11-Jun-1987	CONDUCTIVITY	312	umho/cm
SD-100-02	18-Jun-1987	CONDUCTIVITY	281	umho/cm
** SD-100-03				
SD-100-03	12-May-1987	CONDUCTIVITY	293	umho/cm
SD-100-03	18-May-1987	CONDUCTIVITY	283	umho/cm
SD-100-03	26-May-1987	CONDUCTIVITY	291	umho/cm
SD-100-03	3-Jun-1987	CONDUCTIVITY	302	umho/cm
SD-100-03	11-Jun-1987	CONDUCTIVITY	313	umho/cm
SD-100-03	18-Jun-1987	CONDUCTIVITY	282	umho/cm
** SD-100-03D				
SD-100-03D	12-May-1987	CONDUCTIVITY	289	umho/cm
SD-100-03D	26-May-1987	CONDUCTIVITY	291	umho/cm
** SD-100-04				
SD-100-04	12-May-1987	CONDUCTIVITY	380	umho/cm
SD-100-04	18-May-1987	CONDUCTIVITY	206000	umho/cm
SD-100-04	26-May-1987	CONDUCTIVITY	292	umho/cm
SD-100-04	3-Jun-1987	CONDUCTIVITY	300	umho/cm
SD-100-04	11-Jun-1987	CONDUCTIVITY	313	umho/cm
SD-100-04	18-Jun-1987	CONDUCTIVITY	280	umho/cm
** SD-100-06				
SD-100-06	12-May-1987	CONDUCTIVITY	284	umho/cm
SD-100-06	18-May-1987	CONDUCTIVITY	285	umho/cm
SD-100-06	26-May-1987	CONDUCTIVITY	294	umho/cm
SD-100-06	3-Jun-1987	CONDUCTIVITY	305	umho/cm
SD-100-06	11-Jun-1987	CONDUCTIVITY	312	umho/cm
SD-100-06	18-Jun-1987	CONDUCTIVITY	281	umho/cm
** SD-100-06D				
SD-100-06D	3-Jun-1987	CONDUCTIVITY	3970	umho/cm
** SD-100-07				
SD-100-07	12-May-1987	CONDUCTIVITY	1180	umho/cm
SD-100-07	19-May-1987	CONDUCTIVITY	266	umho/cm
SD-100-07	26-May-1987	CONDUCTIVITY	254	umho/cm

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-07	3-Jun-1987	CONDUCTIVITY	1280	umho/cm
SD-100-07	11-Jun-1987	CONDUCTIVITY	262	umho/cm
SD-100-07	18-Jun-1987	CONDUCTIVITY	666	umho/cm
** SD-100-07D				
SD-100-07D	18-Jun-1987	CONDUCTIVITY	559	umho/cm
** SD-100-09				
SD-100-09	12-May-1987	CONDUCTIVITY	285	umho/cm
SD-100-09	18-May-1987	CONDUCTIVITY	289	umho/cm
SD-100-09	26-May-1987	CONDUCTIVITY	295	umho/cm
SD-100-09	3-Jun-1987	CONDUCTIVITY	291	umho/cm
SD-100-09	11-Jun-1987	CONDUCTIVITY	303	umho/cm
SD-100-09	18-Jun-1987	CONDUCTIVITY	269	umho/cm
** SD-100-10				
SD-100-10	12-May-1987	CONDUCTIVITY	295	umho/cm
SD-100-10	19-May-1987	CONDUCTIVITY	289	umho/cm
SD-100-10	26-May-1987	CONDUCTIVITY	300	umho/cm
SD-100-10	3-Jun-1987	CONDUCTIVITY	303	umho/cm
SD-100-10	11-Jun-1987	CONDUCTIVITY	312	umho/cm
SD-100-10	18-Jun-1987	CONDUCTIVITY	281	umho/cm
** SD-100-11				
SD-100-11	12-May-1987	CONDUCTIVITY	321	umho/cm
SD-100-11	19-May-1987	CONDUCTIVITY	331	umho/cm
SD-100-11	26-May-1987	CONDUCTIVITY	323	umho/cm
SD-100-11	3-Jun-1987	CONDUCTIVITY	317	umho/cm
SD-100-11	11-Jun-1987	CONDUCTIVITY	331	umho/cm
SD-100-11	18-Jun-1987	CONDUCTIVITY	302	umho/cm
** SD-100-12				
SD-100-12	12-May-1987	CONDUCTIVITY	296	umho/cm
SD-100-12	19-May-1987	CONDUCTIVITY	290	umho/cm
SD-100-12	26-May-1987	CONDUCTIVITY	297	umho/cm
SD-100-12	3-Jun-1987	CONDUCTIVITY	305	umho/cm
SD-100-12	11-Jun-1987	CONDUCTIVITY	315	umho/cm
SD-100-12	18-Jun-1987	CONDUCTIVITY	281	umho/cm
** SD-100-13				
SD-100-13	12-May-1987	CONDUCTIVITY	297	umho/cm
SD-100-13	19-May-1987	CONDUCTIVITY	293	umho/cm
SD-100-13	26-May-1987	CONDUCTIVITY	298	umho/cm
SD-100-13	3-Jun-1987	CONDUCTIVITY	306	umho/cm
SD-100-13	11-Jun-1987	CONDUCTIVITY	311	umho/cm
SD-100-13	18-Jun-1987	CONDUCTIVITY	282	umho/cm
** SD-100-14				
SD-100-14	12-May-1987	CONDUCTIVITY	323	umho/cm
SD-100-14	19-May-1987	CONDUCTIVITY	363	umho/cm
SD-100-14	26-May-1987	CONDUCTIVITY	300	umho/cm

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-14	3-Jun-1987	CONDUCTIVITY	317	umho/cm
SD-100-14	11-Jun-1987	CONDUCTIVITY	312	umho/cm
SD-100-14	18-Jun-1987	CONDUCTIVITY	281	umho/cm
** SD-100-C				
SD-100-C	5-Mar-1987	CONDUCTIVITY	254	umho/cm
SD-100-C	9-Mar-1987	CONDUCTIVITY	225	umho/cm
SD-100-C	17-Mar-1987	CONDUCTIVITY	258	umho/cm
SD-100-C	24-Mar-1987	CONDUCTIVITY	311	umho/cm
SD-100-C	8-Apr-1987	CONDUCTIVITY	276	umho/cm
SD-100-C	13-May-1987	CONDUCTIVITY	296	umho/cm
SD-100-C	20-May-1987	CONDUCTIVITY	300	umho/cm
SD-100-C	27-May-1987	CONDUCTIVITY	281	umho/cm
SD-100-C	4-Jun-1987	CONDUCTIVITY	301	umho/cm
SD-100-C	12-Jun-1987	CONDUCTIVITY	291	umho/cm
SD-100-C	19-Jun-1987	CONDUCTIVITY	289	umho/cm
** SD-100-D				
SD-100-D	6-Apr-1987	CONDUCTIVITY	266	umho/cm
SD-100-D	11-Jun-1987	CONDUCTIVITY	318	umho/cm
** SD-100				
SD-100	5-Mar-1987	COPPER	0.0050	mg/L
SD-100	11-Mar-1987	COPPER	<0.0040	mg/L
SD-100	18-Mar-1987	COPPER	<0.0040	mg/L
SD-100	24-Mar-1987	COPPER	0.0090	mg/L
SD-100	3-Apr-1987	COPPER	0.0069	mg/L
SD-100	6-Apr-1987	COPPER	0.013	mg/L
SD-100	12-May-1987	COPPER	<0.0040	mg/L
SD-100	19-May-1987	COPPER	<0.0040	mg/L
SD-100	26-May-1987	COPPER	<0.0040	mg/L
SD-100	3-Jun-1987	COPPER	<0.0040	mg/L
SD-100	11-Jun-1987	COPPER	<0.0040	mg/L
SD-100	18-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-01				
SD-100-01	12-May-1987	COPPER	<0.0040	mg/L
SD-100-01	18-May-1987	COPPER	<0.0040	mg/L
SD-100-01	3-Jun-1987	COPPER	<0.0040	mg/L
SD-100-01	11-Jun-1987	COPPER	<0.0040	mg/L
SD-100-01	18-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-02				
SD-100-02	12-May-1987	COPPER	<0.0040	mg/L
SD-100-02	18-May-1987	COPPER	<0.0040	mg/L
SD-100-02	3-Jun-1987	COPPER	<0.0040	mg/L
SD-100-02	11-Jun-1987	COPPER	<0.0040	mg/L
SD-100-02	18-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-03				
SD-100-03	12-May-1987	COPPER	<0.0040	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-03	18-May-1987	COPPER	<0.0040	mg/L
SD-100-03	26-May-1987	COPPER	<0.0040	mg/L
SD-100-03	3-Jun-1987	COPPER	<0.0040	mg/L
SD-100-03	11-Jun-1987	COPPER	<0.0040	mg/L
SD-100-03	18-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	COPPER	<0.0040	mg/L
SD-100-03D	26-May-1987	COPPER	<0.0040	mg/L
** SD-100-04				
SD-100-04	12-May-1987	COPPER	<0.0040	mg/L
SD-100-04	18-May-1987	COPPER	<0.0040	mg/L
SD-100-04	26-May-1987	COPPER	<0.0040	mg/L
SD-100-04	3-Jun-1987	COPPER	<0.0040	mg/L
SD-100-04	11-Jun-1987	COPPER	<0.0040	mg/L
SD-100-04	18-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-06				
SD-100-06	12-May-1987	COPPER	<0.0040	mg/L
SD-100-06	18-May-1987	COPPER	<0.0040	mg/L
SD-100-06	26-May-1987	COPPER	<0.0040	mg/L
SD-100-06	3-Jun-1987	COPPER	0.0040	mg/L
SD-100-06	11-Jun-1987	COPPER	<0.0040	mg/L
SD-100-06	18-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	COPPER	<0.0040	mg/L
** SD-100-07				
SD-100-07	12-May-1987	COPPER	0.059	mg/L
SD-100-07	19-May-1987	COPPER	0.022	mg/L
SD-100-07	26-May-1987	COPPER	<0.0040	mg/L
SD-100-07	3-Jun-1987	COPPER	0.14	mg/L
SD-100-07	11-Jun-1987	COPPER	0.012	mg/L
SD-100-07	18-Jun-1987	COPPER	0.11	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	COPPER	0.099	mg/L
** SD-100-09				
SD-100-09	12-May-1987	COPPER	0.061	mg/L
SD-100-09	18-May-1987	COPPER	0.043	mg/L
SD-100-09	26-May-1987	COPPER	<0.0040	mg/L
SD-100-09	3-Jun-1987	COPPER	0.047	mg/L
SD-100-09	11-Jun-1987	COPPER	0.013	mg/L
** SD-100-10				
SD-100-10	12-May-1987	COPPER	<0.0040	mg/L
SD-100-10	19-May-1987	COPPER	<0.0040	mg/L
SD-100-10	26-May-1987	COPPER	<0.0040	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	12-May-1987	DISSOLVED OXYGEN	8.2	ppm
SD-100	19-May-1987	DISSOLVED OXYGEN	9.2	ppm
SD-100	26-May-1987	DISSOLVED OXYGEN	9.8	ppm
SD-100	3-Jun-1987	DISSOLVED OXYGEN	7.3	ppm
SD-100	11-Jun-1987	DISSOLVED OXYGEN	8.5	ppm
SD-100	18-Jun-1987	DISSOLVED OXYGEN	8.3	ppm
** SD-100-01				
SD-100-01	12-May-1987	DISSOLVED OXYGEN	9.2	ppm
SD-100-01	18-May-1987	DISSOLVED OXYGEN	8.5	ppm
SD-100-01	26-May-1987	DISSOLVED OXYGEN	8.8	ppm
SD-100-01	3-Jun-1987	DISSOLVED OXYGEN	8.0	ppm
SD-100-01	11-Jun-1987	DISSOLVED OXYGEN	8.5	ppm
SD-100-01	18-Jun-1987	DISSOLVED OXYGEN	8.7	ppm
** SD-100-02				
SD-100-02	12-May-1987	DISSOLVED OXYGEN	9.0	ppm
SD-100-02	18-May-1987	DISSOLVED OXYGEN	8.6	ppm
SD-100-02	26-May-1987	DISSOLVED OXYGEN	9.5	ppm
SD-100-02	3-Jun-1987	DISSOLVED OXYGEN	9.5	ppm
SD-100-02	11-Jun-1987	DISSOLVED OXYGEN	9.4	ppm
SD-100-02	18-Jun-1987	DISSOLVED OXYGEN	8.9	ppm
** SD-100-03				
SD-100-03	12-May-1987	DISSOLVED OXYGEN	10.5	ppm
SD-100-03	18-May-1987	DISSOLVED OXYGEN	8.5	ppm
SD-100-03	26-May-1987	DISSOLVED OXYGEN	7.5	ppm
SD-100-03	3-Jun-1987	DISSOLVED OXYGEN	7.4	ppm
SD-100-03	11-Jun-1987	DISSOLVED OXYGEN	8.6	ppm
SD-100-03	18-Jun-1987	DISSOLVED OXYGEN	8.5	ppm
** SD-100-03D				
SD-100-03D	12-May-1987	DISSOLVED OXYGEN	10.5	ppm
SD-100-03D	26-May-1987	DISSOLVED OXYGEN	7.5	ppm
** SD-100-04				
SD-100-04	12-May-1987	DISSOLVED OXYGEN	9.2	ppm
SD-100-04	18-May-1987	DISSOLVED OXYGEN	10.0	ppm
SD-100-04	26-May-1987	DISSOLVED OXYGEN	7.6	ppm
SD-100-04	3-Jun-1987	DISSOLVED OXYGEN	8.0	ppm
SD-100-04	11-Jun-1987	DISSOLVED OXYGEN	8.5	ppm
SD-100-04	18-Jun-1987	DISSOLVED OXYGEN	8.5	ppm
** SD-100-06				
SD-100-06	12-May-1987	DISSOLVED OXYGEN	8.8	ppm
SD-100-06	18-May-1987	DISSOLVED OXYGEN	8.4	ppm
SD-100-06	26-May-1987	DISSOLVED OXYGEN	7.8	ppm
SD-100-06	3-Jun-1987	DISSOLVED OXYGEN	7.5	ppm
SD-100-06	11-Jun-1987	DISSOLVED OXYGEN	8.8	ppm
SD-100-06	18-Jun-1987	DISSOLVED OXYGEN	9.2	ppm

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06D				
SD-100-06D	3-Jun-1987	DISSOLVED OXYGEN	7.5	ppm
** SD-100-07				
SD-100-07	12-May-1987	DISSOLVED OXYGEN	7.8	ppm
SD-100-07	19-May-1987	DISSOLVED OXYGEN	7.4	ppm
SD-100-07	26-May-1987	DISSOLVED OXYGEN	7.8	ppm
SD-100-07	3-Jun-1987	DISSOLVED OXYGEN	7.5	ppm
SD-100-07	11-Jun-1987	DISSOLVED OXYGEN	5.6	ppm
SD-100-07	18-Jun-1987	DISSOLVED OXYGEN	5.7	ppm
** SD-100-07D				
SD-100-07D	18-Jun-1987	DISSOLVED OXYGEN	5.7	ppm
** SD-100-09				
SD-100-09	12-May-1987	DISSOLVED OXYGEN	8.0	ppm
SD-100-09	18-May-1987	DISSOLVED OXYGEN	10.0	ppm
SD-100-09	26-May-1987	DISSOLVED OXYGEN	8.0	ppm
SD-100-09	3-Jun-1987	DISSOLVED OXYGEN	7.5	ppm
SD-100-09	11-Jun-1987	DISSOLVED OXYGEN	7.5	ppm
SD-100-09	18-Jun-1987	DISSOLVED OXYGEN	8.5	ppm
** SD-100-10				
SD-100-10	12-May-1987	DISSOLVED OXYGEN	10.5	ppm
SD-100-10	19-May-1987	DISSOLVED OXYGEN	8.4	ppm
SD-100-10	26-May-1987	DISSOLVED OXYGEN	9.0	ppm
SD-100-10	3-Jun-1987	DISSOLVED OXYGEN	8.5	ppm
SD-100-10	11-Jun-1987	DISSOLVED OXYGEN	9.5	ppm
SD-100-10	18-Jun-1987	DISSOLVED OXYGEN	9.4	ppm
** SD-100-11				
SD-100-11	12-May-1987	DISSOLVED OXYGEN	8.2	ppm
SD-100-11	19-May-1987	DISSOLVED OXYGEN	7.8	ppm
SD-100-11	26-May-1987	DISSOLVED OXYGEN	6.8	ppm
SD-100-11	3-Jun-1987	DISSOLVED OXYGEN	6.7	ppm
SD-100-11	11-Jun-1987	DISSOLVED OXYGEN	8.4	ppm
SD-100-11	18-Jun-1987	DISSOLVED OXYGEN	7.8	ppm
** SD-100-12				
SD-100-12	12-May-1987	DISSOLVED OXYGEN	6.0	ppm
SD-100-12	19-May-1987	DISSOLVED OXYGEN	6.4	ppm
SD-100-12	26-May-1987	DISSOLVED OXYGEN	5.5	ppm
SD-100-12	3-Jun-1987	DISSOLVED OXYGEN	15.0	ppm
SD-100-12	11-Jun-1987	DISSOLVED OXYGEN	7.0	ppm
SD-100-12	18-Jun-1987	DISSOLVED OXYGEN	6.6	ppm
** SD-100-13				
SD-100-13	12-May-1987	DISSOLVED OXYGEN	8.5	ppm
SD-100-13	19-May-1987	DISSOLVED OXYGEN	8.0	ppm
SD-100-13	26-May-1987	DISSOLVED OXYGEN	5.9	ppm
SD-100-13	3-Jun-1987	DISSOLVED OXYGEN	6.0	ppm

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-13	11-Jun-1987	DISSOLVED OXYGEN	8.8	ppm
SD-100-13	18-Jun-1987	DISSOLVED OXYGEN	8.4	ppm
** SD-100-14				
SD-100-14	12-May-1987	DISSOLVED OXYGEN	7.5	ppm
SD-100-14	19-May-1987	DISSOLVED OXYGEN	9.0	ppm
SD-100-14	26-May-1987	DISSOLVED OXYGEN	9.2	ppm
SD-100-14	3-Jun-1987	DISSOLVED OXYGEN	7.0	ppm
SD-100-14	11-Jun-1987	DISSOLVED OXYGEN	6.0	ppm
SD-100-14	18-Jun-1987	DISSOLVED OXYGEN	8.3	ppm
** SD-100-D				
SD-100-D	6-Apr-1987	DISSOLVED OXYGEN	8.3	ppm
SD-100-D	11-Jun-1987	DISSOLVED OXYGEN	8.5	ppm
** SD-100-09				
SD-100-09	12-May-1987	DODECANOIC ACID	4	ug/L
** SD-100				
SD-100	5-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-100	11-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-100	18-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-100	24-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-100	6-Apr-1987	ETHYLBENZENE	<5	ug/L
SD-100	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100	19-May-1987	ETHYLBENZENE	<5	ug/L
SD-100	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-100	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-01	18-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-01	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-01	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-01	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-01	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-02	18-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-02	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-02	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-02	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-02	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-03	18-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-03	26-May-1987	ETHYLBENZENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-03	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-03	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-03	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-03D	26-May-1987	ETHYLBENZENE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-04	18-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-04	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-04	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-04	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-04	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-06	18-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-06	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-06	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-06	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-06	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-07	19-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-07	26-May-1987	ETHYLBENZENE	5	ug/L
SD-100-07	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-07	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-07	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	ETHYLBENZENE	5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-09	18-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-09	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-09	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-09	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-09	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-10	19-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-10	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-10	3-Jun-1987	ETHYLBENZENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-10	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-10	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-11	19-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-11	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-11	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-11	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-11	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-12	19-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-12	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-12	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-12	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-12	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-13	19-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-13	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-13	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-13	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-13	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-14	19-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-14	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-14	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-14	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-14	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-100-C	9-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-100-C	17-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-100-C	24-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-100-C	8-Apr-1987	ETHYLBENZENE	<5	ug/L
SD-100-C	13-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-C	20-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-C	27-May-1987	ETHYLBENZENE	<5	ug/L
SD-100-C	12-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-100-C	19-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	ETHYLBENZENE	<5	ug/L
SD-100-D	11-Jun-1987	ETHYLBENZENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	FLUORANTHENE	<10	ug/L
SD-100	11-Mar-1987	FLUORANTHENE	<10	ug/L
SD-100	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-01	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-02	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-03	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-03D	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-04	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-06	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	FLUORANTHENE	0.7 J	ug/L
SD-100-07	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-09	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-10	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-11	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-12	26-May-1987	FLUORANTHENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-13	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	FLUORANTHENE	<10	ug/L
SD-100-14	26-May-1987	FLUORANTHENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	FLUORANTHENE	<10	ug/L
SD-100-C	9-Mar-1987	FLUORANTHENE	<10	ug/L
SD-100-C	17-Mar-1987	FLUORANTHENE	<10	ug/L
SD-100-C	24-Mar-1987	FLUORANTHENE	<10	ug/L
SD-100-C	8-Apr-1987	FLUORANTHENE	<10	ug/L
SD-100-C	13-May-1987	FLUORANTHENE	<5.0	ug/L
SD-100-C	20-May-1987	FLUORANTHENE	<5.0	ug/L
SD-100-C	27-May-1987	FLUORANTHENE	<5.0	ug/L
SD-100-C	12-Jun-1987	FLUORANTHENE	<5.0	ug/L
SD-100-C	19-Jun-1987	FLUORANTHENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	FLUORENE	<10	ug/L
SD-100	11-Mar-1987	FLUORENE	<10	ug/L
SD-100	12-May-1987	FLUORENE	<10	ug/L
SD-100	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	FLUORENE	<10	ug/L
SD-100-01	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	FLUORENE	<10	ug/L
SD-100-02	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	FLUORENE	<10	ug/L
SD-100-03	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	FLUORENE	<10	ug/L
SD-100-03D	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	FLUORENE	<10	ug/L
SD-100-04	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	FLUORENE	<10	ug/L
SD-100-06	26-May-1987	FLUORENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07				
SD-100-07	12-May-1987	FLUORENE	<10	ug/L
SD-100-07	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	FLUORENE	<10	ug/L
SD-100-09	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	FLUORENE	<10	ug/L
SD-100-10	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	FLUORENE	<10	ug/L
SD-100-11	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	FLUORENE	<10	ug/L
SD-100-12	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	FLUORENE	<10	ug/L
SD-100-13	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	FLUORENE	<10	ug/L
SD-100-14	26-May-1987	FLUORENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	FLUORENE	<10	ug/L
SD-100-C	9-Mar-1987	FLUORENE	<10	ug/L
SD-100-C	17-Mar-1987	FLUORENE	<10	ug/L
SD-100-C	24-Mar-1987	FLUORENE	<10	ug/L
SD-100-C	8-Apr-1987	FLUORENE	<10	ug/L
SD-100-C	13-May-1987	FLUORENE	<5.0	ug/L
SD-100-C	20-May-1987	FLUORENE	<5.0	ug/L
SD-100-C	27-May-1987	FLUORENE	<5.0	ug/L
SD-100-C	12-Jun-1987	FLUORENE	<5.0	ug/L
SD-100-C	19-Jun-1987	FLUORENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	FLUORIDE	0.1	ng/L
SD-100	11-Mar-1987	FLUORIDE	<0.1	ng/L
SD-100	18-Mar-1987	FLUORIDE	<1.0	ng/L
SD-100	24-Mar-1987	FLUORIDE	0.1	ng/L
SD-100	3-Apr-1987	FLUORIDE	0.4	ng/L
SD-100	6-Apr-1987	FLUORIDE	0.1	ng/L
SD-100	12-May-1987	FLUORIDE	<0.1	ng/L
SD-100	19-May-1987	FLUORIDE	<0.1	ng/L
SD-100	26-May-1987	FLUORIDE	<0.1	ng/L
SD-100	3-Jun-1987	FLUORIDE	<0.1	ng/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100	18-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-100-01				
SD-100-01	12-May-1987	FLUORIDE	0.2	mg/L
SD-100-01	18-May-1987	FLUORIDE	0.1	mg/L
SD-100-01	26-May-1987	FLUORIDE	0.2	mg/L
SD-100-01	3-Jun-1987	FLUORIDE	0.1	mg/L
SD-100-01	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-01	18-Jun-1987	FLUORIDE	0.1	mg/L
** SD-100-02				
SD-100-02	12-May-1987	FLUORIDE	0.1	mg/L
SD-100-02	18-May-1987	FLUORIDE	<0.1	mg/L
SD-100-02	26-May-1987	FLUORIDE	0.1	mg/L
SD-100-02	3-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-02	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-02	18-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-100-03				
SD-100-03	12-May-1987	FLUORIDE	0.1	mg/L
SD-100-03	18-May-1987	FLUORIDE	<0.1	mg/L
SD-100-03	26-May-1987	FLUORIDE	<0.1	mg/L
SD-100-03	3-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-03	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-03	18-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	FLUORIDE	0.1	mg/L
SD-100-03D	26-May-1987	FLUORIDE	0.1	mg/L
** SD-100-04				
SD-100-04	12-May-1987	FLUORIDE	0.1	mg/L
SD-100-04	18-May-1987	FLUORIDE	<0.1	mg/L
SD-100-04	26-May-1987	FLUORIDE	<0.1	mg/L
SD-100-04	3-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-04	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-04	18-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-100-06				
SD-100-06	12-May-1987	FLUORIDE	0.1	mg/L
SD-100-06	18-May-1987	FLUORIDE	<0.1	mg/L
SD-100-06	26-May-1987	FLUORIDE	<0.1	mg/L
SD-100-06	3-Jun-1987	FLUORIDE	X	
SD-100-06	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-06	18-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	FLUORIDE	<0.1	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07				
SD-100-07	12-May-1987	FLUORIDE	0.1	mg/L
SD-100-07	19-May-1987	FLUORIDE	0.1	mg/L
SD-100-07	26-May-1987	FLUORIDE	<0.1	mg/L
SD-100-07	3-Jun-1987	FLUORIDE	0.1	mg/L
SD-100-07	11-Jun-1987	FLUORIDE	0.3	mg/L
SD-100-07	18-Jun-1987	FLUORIDE	0.4	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	FLUORIDE	0.4	mg/L
** SD-100-09				
SD-100-09	12-May-1987	FLUORIDE	0.1	mg/L
SD-100-09	18-May-1987	FLUORIDE	0.1	mg/L
SD-100-09	26-May-1987	FLUORIDE	<0.1	mg/L
SD-100-09	3-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-09	11-Jun-1987	FLUORIDE	0.1	mg/L
SD-100-09	18-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-100-10				
SD-100-10	12-May-1987	FLUORIDE	<0.1	mg/L
SD-100-10	19-May-1987	FLUORIDE	<0.1	mg/L
SD-100-10	26-May-1987	FLUORIDE	<0.1	mg/L
SD-100-10	3-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-10	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-10	18-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-100-11				
SD-100-11	12-May-1987	FLUORIDE	<0.1	mg/L
SD-100-11	19-May-1987	FLUORIDE	<0.1	mg/L
SD-100-11	26-May-1987	FLUORIDE	<0.1	mg/L
SD-100-11	3-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-11	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-11	18-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-100-12				
SD-100-12	12-May-1987	FLUORIDE	<0.1	mg/L
SD-100-12	19-May-1987	FLUORIDE	<0.1	mg/L
SD-100-12	26-May-1987	FLUORIDE	<0.1	mg/L
SD-100-12	3-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-12	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-12	18-Jun-1987	FLUORIDE	0.1	mg/L
** SD-100-13				
SD-100-13	12-May-1987	FLUORIDE	<0.1	mg/L
SD-100-13	19-May-1987	FLUORIDE	<0.1	mg/L
SD-100-13	26-May-1987	FLUORIDE	<0.1	mg/L
SD-100-13	3-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-13	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-13	18-Jun-1987	FLUORIDE	0.2	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-14				
SD-100-14	12-May-1987	FLUORIDE	<0.1	mg/L
SD-100-14	19-May-1987	FLUORIDE	<0.1	mg/L
SD-100-14	26-May-1987	FLUORIDE	<0.1	mg/L
SD-100-14	3-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-14	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-14	18-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	FLUORIDE	0.1	mg/L
SD-100-C	9-Mar-1987	FLUORIDE	0.1	mg/L
SD-100-C	17-Mar-1987	FLUORIDE	0.1	mg/L
SD-100-C	24-Mar-1987	FLUORIDE	0.1	mg/L
SD-100-C	8-Apr-1987	FLUORIDE	0.2	mg/L
SD-100-C	13-May-1987	FLUORIDE	<0.1	mg/L
SD-100-C	20-May-1987	FLUORIDE	<0.1	mg/L
SD-100-C	27-May-1987	FLUORIDE	0.1	mg/L
SD-100-C	4-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-C	12-Jun-1987	FLUORIDE	<0.1	mg/L
SD-100-C	19-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	FLUORIDE	0.2	mg/L
SD-100-D	11-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-100				
SD-100	5-Mar-1987	HARDNESS	128	mg/L
SD-100	11-Mar-1987	HARDNESS	124	mg/L
SD-100	18-Mar-1987	HARDNESS	130	mg/L
SD-100	24-Mar-1987	HARDNESS	144	mg/L
SD-100	3-Apr-1987	HARDNESS	118	mg/L
SD-100	6-Apr-1987	HARDNESS	118	mg/L
SD-100	12-May-1987	HARDNESS	125	mg/L
SD-100	19-May-1987	HARDNESS	126	mg/L
SD-100	26-May-1987	HARDNESS	133	mg/L
SD-100	3-Jun-1987	HARDNESS	586	mg/L
SD-100	11-Jun-1987	HARDNESS	128	mg/L
SD-100	18-Jun-1987	HARDNESS	132	mg/L
** SD-100-01				
SD-100-01	12-May-1987	HARDNESS	70	mg/L
SD-100-01	18-May-1987	HARDNESS	90	mg/L
SD-100-01	26-May-1987	HARDNESS	85	mg/L
SD-100-01	3-Jun-1987	HARDNESS	112	mg/L
SD-100-01	11-Jun-1987	HARDNESS	150	mg/L
SD-100-01	18-Jun-1987	HARDNESS	106	mg/L
** SD-100-02				
SD-100-02	12-May-1987	HARDNESS	126	mg/L
SD-100-02	18-May-1987	HARDNESS	133	mg/L
SD-100-02	26-May-1987	HARDNESS	127	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-02	3-Jun-1987	HARDNESS	136	mg/L
SD-100-02	11-Jun-1987	HARDNESS	130	mg/L
SD-100-02	18-Jun-1987	HARDNESS	133	mg/L
** SD-100-03				
SD-100-03	12-May-1987	HARDNESS	127	mg/L
SD-100-03	18-May-1987	HARDNESS	127	mg/L
SD-100-03	26-May-1987	HARDNESS	130	mg/L
SD-100-03	3-Jun-1987	HARDNESS	146	mg/L
SD-100-03	11-Jun-1987	HARDNESS	125	mg/L
SD-100-03	18-Jun-1987	HARDNESS	130	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	HARDNESS	130	mg/L
SD-100-03D	26-May-1987	HARDNESS	118	mg/L
** SD-100-04				
SD-100-04	12-May-1987	HARDNESS	127	mg/L
SD-100-04	18-May-1987	HARDNESS	130	mg/L
SD-100-04	26-May-1987	HARDNESS	128	mg/L
SD-100-04	3-Jun-1987	HARDNESS	130	mg/L
SD-100-04	11-Jun-1987	HARDNESS	130	mg/L
SD-100-04	18-Jun-1987	HARDNESS	130	mg/L
** SD-100-06				
SD-100-06	12-May-1987	HARDNESS	127	mg/L
SD-100-06	18-May-1987	HARDNESS	131	mg/L
SD-100-06	26-May-1987	HARDNESS	126	mg/L
SD-100-06	3-Jun-1987	HARDNESS	134	mg/L
SD-100-06	11-Jun-1987	HARDNESS	130	mg/L
SD-100-06	18-Jun-1987	HARDNESS	128	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	HARDNESS	137	mg/L
** SD-100-07				
SD-100-07	12-May-1987	HARDNESS	137	mg/L
SD-100-07	19-May-1987	HARDNESS	100	mg/L
SD-100-07	26-May-1987	HARDNESS	114	mg/L
SD-100-07	3-Jun-1987	HARDNESS	102	mg/L
SD-100-07	11-Jun-1987	HARDNESS	71	mg/L
SD-100-07	18-Jun-1987	HARDNESS	48	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	HARDNESS	45	mg/L
** SD-100-09				
SD-100-09	12-May-1987	HARDNESS	126	mg/L
SD-100-09	18-May-1987	HARDNESS	127	mg/L
SD-100-09	26-May-1987	HARDNESS	130	mg/L
SD-100-09	3-Jun-1987	HARDNESS	144	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-09	11-Jun-1987	HARDNESS	123	mg/L
SD-100-09	18-Jun-1987	HARDNESS	124	mg/L
** SD-100-10				
SD-100-10	12-May-1987	HARDNESS	143	mg/L
SD-100-10	19-May-1987	HARDNESS	131	mg/L
SD-100-10	26-May-1987	HARDNESS	129	mg/L
SD-100-10	3-Jun-1987	HARDNESS	131	mg/L
SD-100-10	11-Jun-1987	HARDNESS	125	mg/L
SD-100-10	18-Jun-1987	HARDNESS	128	mg/L
** SD-100-11				
SD-100-11	12-May-1987	HARDNESS	171	mg/L
SD-100-11	19-May-1987	HARDNESS	133	mg/L
SD-100-11	26-May-1987	HARDNESS	139	mg/L
SD-100-11	3-Jun-1987	HARDNESS	149	mg/L
SD-100-11	11-Jun-1987	HARDNESS	135	mg/L
SD-100-11	18-Jun-1987	HARDNESS	138	mg/L
** SD-100-12				
SD-100-12	12-May-1987	HARDNESS	137	mg/L
SD-100-12	19-May-1987	HARDNESS	129	mg/L
SD-100-12	26-May-1987	HARDNESS	133	mg/L
SD-100-12	3-Jun-1987	HARDNESS	353	mg/L
SD-100-12	11-Jun-1987	HARDNESS	129	mg/L
SD-100-12	18-Jun-1987	HARDNESS	130	mg/L
** SD-100-13				
SD-100-13	12-May-1987	HARDNESS	132	mg/L
SD-100-13	19-May-1987	HARDNESS	127	mg/L
SD-100-13	26-May-1987	HARDNESS	131	mg/L
SD-100-13	3-Jun-1987	HARDNESS	136	mg/L
SD-100-13	11-Jun-1987	HARDNESS	123	mg/L
SD-100-13	18-Jun-1987	HARDNESS	125	mg/L
** SD-100-14				
SD-100-14	12-May-1987	HARDNESS	171	mg/L
SD-100-14	19-May-1987	HARDNESS	133	mg/L
SD-100-14	26-May-1987	HARDNESS	134	mg/L
SD-100-14	3-Jun-1987	HARDNESS	135	mg/L
SD-100-14	11-Jun-1987	HARDNESS	123	mg/L
SD-100-14	18-Jun-1987	HARDNESS	127	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	HARDNESS	134	mg/L
SD-100-C	9-Mar-1987	HARDNESS	108	mg/L
SD-100-C	17-Mar-1987	HARDNESS	130	mg/L
SD-100-C	24-Mar-1987	HARDNESS	170	mg/L
SD-100-C	8-Apr-1987	HARDNESS	119	mg/L
SD-100-C	13-May-1987	HARDNESS	129	mg/L
SD-100-C	20-May-1987	HARDNESS	125	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	27-May-1987	HARDNESS	135	mg/L
SD-100-C	4-Jun-1987	HARDNESS	130	mg/L
SD-100-C	12-Jun-1987	HARDNESS	175	mg/L
SD-100-C	19-Jun-1987	HARDNESS	133	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	HARDNESS	119	mg/L
SD-100-D	11-Jun-1987	HARDNESS	127	mg/L
** SD-100				
SD-100	5-Mar-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100	11-Mar-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-01	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-02	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-03	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-03D	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-04	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-06	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-07	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-09	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-10	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-11	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-12	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-13	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-14	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-C	9-Mar-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-C	17-Mar-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-C	24-Mar-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-C	8-Apr-1987	HEXACHLOROBENZENE	<10	ug/L
SD-100-C	13-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
SD-100-C	20-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
SD-100-C	27-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
SD-100-C	12-Jun-1987	HEXACHLOROBENZENE	<5.0	ug/L
SD-100-C	19-Jun-1987	HEXACHLOROBENZENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100	11-Mar-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-01	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-02	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-03	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-03D	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-04				
SD-100-04	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-04	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-06	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-07	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-09	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-10	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-11	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-12	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-13	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-14	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-C	9-Mar-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-C	17-Mar-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-C	24-Mar-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-C	8-Apr-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-100-C	13-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
SD-100-C	20-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
SD-100-C	27-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
SD-100-C	12-Jun-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
SD-100-C	19-Jun-1987	HEXACHLOROBUTADIENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100	11-Mar-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-01	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-02	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-03	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-03D	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-04	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-06	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-07	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-09	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-10	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-11	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-12	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-13	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-14				
SD-100-14	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-14	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-C	9-Mar-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-C	17-Mar-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-C	24-Mar-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-C	8-Apr-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-100-C	13-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
SD-100-C	20-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
SD-100-C	27-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
SD-100-C	12-Jun-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
SD-100-C	19-Jun-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	HEXACHLOROETHANE	<10	ug/L
SD-100	11-Mar-1987	HEXACHLOROETHANE	<10	ug/L
SD-100	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-01	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-02	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-03	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-03D	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-04	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-06	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-07	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-09	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-10	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-11	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-12	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-13	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-14	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-C	9-Mar-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-C	17-Mar-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-C	24-Mar-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-C	8-Apr-1987	HEXACHLOROETHANE	<10	ug/L
SD-100-C	13-May-1987	HEXACHLOROETHANE	<5.0	ug/L
SD-100-C	20-May-1987	HEXACHLOROETHANE	<5.0	ug/L
SD-100-C	27-May-1987	HEXACHLOROETHANE	<5.0	ug/L
SD-100-C	12-Jun-1987	HEXACHLOROETHANE	<5.0	ug/L
SD-100-C	19-Jun-1987	HEXACHLOROETHANE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100	11-Mar-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-01	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-02	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03				
SD-100-03	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-03	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-03D	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-04	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-06	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-07	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-09	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-10	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-11	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-12	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-13	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-14	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-C	9-Mar-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-C	17-Mar-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-C	24-Mar-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-C	8-Apr-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-100-C	13-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	20-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
SD-100-C	27-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
SD-100-C	12-Jun-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
SD-100-C	19-Jun-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	IRON	0.55	mg/L
SD-100	11-Mar-1987	IRON	0.32	mg/L
SD-100	18-Mar-1987	IRON	0.12	mg/L
SD-100	24-Mar-1987	IRON	0.16	mg/L
SD-100	3-Apr-1987	IRON	0.13	mg/L
SD-100	6-Apr-1987	IRON	0.16	mg/L
SD-100	12-May-1987	IRON	0.18	mg/L
SD-100	19-May-1987	IRON	0.13	mg/L
SD-100	26-May-1987	IRON	0.14	mg/L
SD-100	3-Jun-1987	IRON	0.19	mg/L
SD-100	11-Jun-1987	IRON	0.073	mg/L
SD-100	18-Jun-1987	IRON	0.086	mg/L
** SD-100-01				
SD-100-01	12-May-1987	IRON	0.97	mg/L
SD-100-01	18-May-1987	IRON	4.8	mg/L
SD-100-01	3-Jun-1987	IRON	1.8	mg/L
SD-100-01	11-Jun-1987	IRON	0.75	mg/L
SD-100-01	18-Jun-1987	IRON	3.1	mg/L
** SD-100-02				
SD-100-02	12-May-1987	IRON	0.066	mg/L
SD-100-02	18-May-1987	IRON	<0.050	mg/L
SD-100-02	3-Jun-1987	IRON	<0.050	mg/L
SD-100-02	11-Jun-1987	IRON	<0.050	mg/L
SD-100-02	18-Jun-1987	IRON	<0.050	mg/L
** SD-100-03				
SD-100-03	12-May-1987	IRON	0.082	mg/L
SD-100-03	18-May-1987	IRON	0.050	mg/L
SD-100-03	26-May-1987	IRON	<0.050	mg/L
SD-100-03	3-Jun-1987	IRON	<0.050	mg/L
SD-100-03	11-Jun-1987	IRON	<0.050	mg/L
SD-100-03	18-Jun-1987	IRON	<0.050	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	IRON	0.083	mg/L
SD-100-03D	26-May-1987	IRON	0.053	mg/L
** SD-100-04				
SD-100-04	12-May-1987	IRON	0.12	mg/L
SD-100-04	18-May-1987	IRON	<0.050	mg/L
SD-100-04	26-May-1987	IRON	<0.050	mg/L
SD-100-04	3-Jun-1987	IRON	0.19	mg/L
SD-100-04	11-Jun-1987	IRON	<0.050	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-04	18-Jun-1987	IRON	0.097	mg/L
** SD-100-06				
SD-100-06	12-May-1987	IRON	0.13	mg/L
SD-100-06	18-May-1987	IRON	<0.050	mg/L
SD-100-06	26-May-1987	IRON	<0.050	mg/L
SD-100-06	3-Jun-1987	IRON	0.085	mg/L
SD-100-06	11-Jun-1987	IRON	<0.050	mg/L
SD-100-06	18-Jun-1987	IRON	0.33	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	IRON	<0.050	mg/L
** SD-100-07				
SD-100-07	12-May-1987	IRON	11	mg/L
SD-100-07	19-May-1987	IRON	1.8	mg/L
SD-100-07	26-May-1987	IRON	0.44	mg/L
SD-100-07	3-Jun-1987	IRON	2.3	mg/L
SD-100-07	11-Jun-1987	IRON	0.61	mg/L
SD-100-07	18-Jun-1987	IRON	2.8	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	IRON	2.9	mg/L
** SD-100-09				
SD-100-09	12-May-1987	IRON	0.31	mg/L
SD-100-09	18-May-1987	IRON	0.11	mg/L
SD-100-09	26-May-1987	IRON	0.051	mg/L
SD-100-09	3-Jun-1987	IRON	0.25	mg/L
SD-100-09	11-Jun-1987	IRON	0.063	mg/L
** SD-100-10				
SD-100-10	12-May-1987	IRON	<0.050	mg/L
SD-100-10	19-May-1987	IRON	<0.050	mg/L
SD-100-10	26-May-1987	IRON	0.054	mg/L
SD-100-10	3-Jun-1987	IRON	0.35	mg/L
SD-100-10	11-Jun-1987	IRON	<0.050	mg/L
SD-100-10	18-Jun-1987	IRON	<0.050	mg/L
** SD-100-11				
SD-100-11	12-May-1987	IRON	<0.050	mg/L
SD-100-11	19-May-1987	IRON	0.32	mg/L
SD-100-11	26-May-1987	IRON	0.59	mg/L
SD-100-11	3-Jun-1987	IRON	0.063	mg/L
SD-100-11	11-Jun-1987	IRON	0.14	mg/L
SD-100-11	18-Jun-1987	IRON	<0.050	mg/L
** SD-100-12				
SD-100-12	12-May-1987	IRON	1.0	mg/L
SD-100-12	19-May-1987	IRON	0.074	mg/L
SD-100-12	26-May-1987	IRON	0.14	mg/L

Storm Drain Data for SD-100				
Location	Date	Test Compound	Results	Units
SD-100-12	3-Jun-1987	IRON	<0.050	mg/L
SD-100-12	11-Jun-1987	IRON	0.090	mg/L
SD-100-12	18-Jun-1987	IRON	0.16	mg/L
** SD-100-13				
SD-100-13	12-May-1987	IRON	0.063	mg/L
SD-100-13	19-May-1987	IRON	0.17	mg/L
SD-100-13	26-May-1987	IRON	0.030	mg/L
SD-100-13	11-Jun-1987	IRON	<0.050	mg/L
SD-100-13	18-Jun-1987	IRON	0.11	mg/L
** SD-100-14				
SD-100-14	12-May-1987	IRON	0.74	mg/L
SD-100-14	19-May-1987	IRON	3.1	mg/L
SD-100-14	26-May-1987	IRON	0.76	mg/L
SD-100-14	3-Jun-1987	IRON	<0.050	mg/L
SD-100-14	11-Jun-1987	IRON	<0.050	mg/L
SD-100-14	18-Jun-1987	IRON	<0.050	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	IRON	0.42	mg/L
SD-100-C	9-Mar-1987	IRON	0.28	mg/L
SD-100-C	17-Mar-1987	IRON	0.11	mg/L
SD-100-C	24-Mar-1987	IRON	0.37	mg/L
SD-100-C	8-Apr-1987	IRON	<0.050	mg/L
SD-100-C	13-May-1987	IRON	0.12	mg/L
SD-100-C	20-May-1987	IRON	0.079	mg/L
SD-100-C	27-May-1987	IRON	<0.050	mg/L
SD-100-C	4-Jun-1987	IRON	<0.050	mg/L
SD-100-C	12-Jun-1987	IRON	<0.050	mg/L
SD-100-C	19-Jun-1987	IRON	0.059	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	IRON	0.14	mg/L
SD-100-D	11-Jun-1987	IRON	0.068	mg/L
** SD-100				
SD-100	5-Mar-1987	ISOPHORONE	<10	ug/L
SD-100	11-Mar-1987	ISOPHORONE	<10	ug/L
SD-100	12-May-1987	ISOPHORONE	<10	ug/L
SD-100	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-01	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-02	26-May-1987	ISOPHORONE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03				
SD-100-03	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-03	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-03D	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-04	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-06	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-07	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-09	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-10	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-11	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-12	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-13	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	ISOPHORONE	<10	ug/L
SD-100-14	26-May-1987	ISOPHORONE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	ISOPHORONE	<10	ug/L
SD-100-C	9-Mar-1987	ISOPHORONE	<10	ug/L
SD-100-C	17-Mar-1987	ISOPHORONE	<10	ug/L
SD-100-C	24-Mar-1987	ISOPHORONE	<10	ug/L
SD-100-C	8-Apr-1987	ISOPHORONE	<10	ug/L
SD-100-C	13-May-1987	ISOPHORONE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	20-May-1987	ISOPHORONE	<5.0	ug/L
SD-100-C	27-May-1987	ISOPHORONE	<5.0	ug/L
SD-100-C	12-Jun-1987	ISOPHORONE	<5.0	ug/L
SD-100-C	19-Jun-1987	ISOPHORONE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	LEAD	<0.050	mg/L
SD-100	11-Mar-1987	LEAD	<0.050	mg/L
SD-100	18-Mar-1987	LEAD	<0.050	mg/L
SD-100	24-Mar-1987	LEAD	<0.050	mg/L
SD-100	3-Apr-1987	LEAD	<0.050	mg/L
SD-100	6-Apr-1987	LEAD	<0.050	mg/L
SD-100	12-May-1987	LEAD	<0.050	mg/L
SD-100	19-May-1987	LEAD	<0.050	mg/L
SD-100	26-May-1987	LEAD	<0.050	mg/L
SD-100	3-Jun-1987	LEAD	<0.050	mg/L
SD-100	11-Jun-1987	LEAD	<0.050	mg/L
SD-100	18-Jun-1987	LEAD	<0.050	mg/L
** SD-100-01				
SD-100-01	12-May-1987	LEAD	<0.050	mg/L
SD-100-01	18-May-1987	LEAD	<0.050	mg/L
SD-100-01	3-Jun-1987	LEAD	<0.050	mg/L
SD-100-01	11-Jun-1987	LEAD	<0.050	mg/L
SD-100-01	18-Jun-1987	LEAD	<0.050	mg/L
** SD-100-02				
SD-100-02	12-May-1987	LEAD	<0.050	mg/L
SD-100-02	18-May-1987	LEAD	<0.050	mg/L
SD-100-02	3-Jun-1987	LEAD	<0.050	mg/L
SD-100-02	11-Jun-1987	LEAD	<0.050	mg/L
SD-100-02	18-Jun-1987	LEAD	<0.050	mg/L
** SD-100-03				
SD-100-03	12-May-1987	LEAD	<0.050	mg/L
SD-100-03	18-May-1987	LEAD	<0.050	mg/L
SD-100-03	26-May-1987	LEAD	<0.050	mg/L
SD-100-03	3-Jun-1987	LEAD	<0.050	mg/L
SD-100-03	11-Jun-1987	LEAD	<0.050	mg/L
SD-100-03	18-Jun-1987	LEAD	<0.050	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	LEAD	<0.050	mg/L
SD-100-03D	26-May-1987	LEAD	<0.050	mg/L
** SD-100-04				
SD-100-04	12-May-1987	LEAD	<0.050	mg/L
SD-100-04	18-May-1987	LEAD	<0.050	mg/L
SD-100-04	26-May-1987	LEAD	<0.050	mg/L
SD-100-04	3-Jun-1987	LEAD	<0.050	mg/L
SD-100-04	11-Jun-1987	LEAD	<0.050	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-04	18-Jun-1987	LEAD	<0.050	mg/L
** SD-100-06				
SD-100-06	12-May-1987	LEAD	<0.050	mg/L
SD-100-06	18-May-1987	LEAD	<0.050	mg/L
SD-100-06	26-May-1987	LEAD	<0.050	mg/L
SD-100-06	3-Jun-1987	LEAD	<0.050	mg/L
SD-100-06	11-Jun-1987	LEAD	<0.050	mg/L
SD-100-06	18-Jun-1987	LEAD	<0.050	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	LEAD	<0.050	mg/L
** SD-100-07				
SD-100-07	12-May-1987	LEAD	<0.050	mg/L
SD-100-07	19-May-1987	LEAD	<0.050	mg/L
SD-100-07	26-May-1987	LEAD	<0.050	mg/L
SD-100-07	3-Jun-1987	LEAD	<0.050	mg/L
SD-100-07	11-Jun-1987	LEAD	<0.050	mg/L
SD-100-07	18-Jun-1987	LEAD	0.20	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	LEAD	0.18	mg/L
** SD-100-09				
SD-100-09	12-May-1987	LEAD	<0.050	mg/L
SD-100-09	18-May-1987	LEAD	<0.050	mg/L
SD-100-09	26-May-1987	LEAD	<0.050	mg/L
SD-100-09	3-Jun-1987	LEAD	<0.050	mg/L
SD-100-09	11-Jun-1987	LEAD	<0.050	mg/L
** SD-100-10				
SD-100-10	12-May-1987	LEAD	<0.050	mg/L
SD-100-10	19-May-1987	LEAD	<0.050	mg/L
SD-100-10	26-May-1987	LEAD	<0.050	mg/L
SD-100-10	3-Jun-1987	LEAD	<0.050	mg/L
SD-100-10	11-Jun-1987	LEAD	<0.050	mg/L
SD-100-10	18-Jun-1987	LEAD	<0.050	mg/L
** SD-100-11				
SD-100-11	12-May-1987	LEAD	<0.050	mg/L
SD-100-11	19-May-1987	LEAD	<0.050	mg/L
SD-100-11	26-May-1987	LEAD	<0.050	mg/L
SD-100-11	3-Jun-1987	LEAD	<0.050	mg/L
SD-100-11	11-Jun-1987	LEAD	<0.050	mg/L
SD-100-11	18-Jun-1987	LEAD	<0.050	mg/L
** SD-100-12				
SD-100-12	12-May-1987	LEAD	0.061	mg/L
SD-100-12	19-May-1987	LEAD	<0.050	mg/L
SD-100-12	26-May-1987	LEAD	<0.050	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-12	3-Jun-1987	LEAD	<0.050	mg/L
SD-100-12	11-Jun-1987	LEAD	<0.050	mg/L
SD-100-12	18-Jun-1987	LEAD	<0.050	mg/L
** SD-100-13				
SD-100-13	12-May-1987	LEAD	<0.050	mg/L
SD-100-13	19-May-1987	LEAD	<0.050	mg/L
SD-100-13	26-May-1987	LEAD	<0.050	mg/L
SD-100-13	11-Jun-1987	LEAD	<0.050	mg/L
SD-100-13	18-Jun-1987	LEAD	<0.050	mg/L
** SD-100-14				
SD-100-14	12-May-1987	LEAD	<0.050	mg/L
SD-100-14	19-May-1987	LEAD	<0.050	mg/L
SD-100-14	26-May-1987	LEAD	<0.050	mg/L
SD-100-14	3-Jun-1987	LEAD	<0.050	mg/L
SD-100-14	11-Jun-1987	LEAD	<0.050	mg/L
SD-100-14	18-Jun-1987	LEAD	<0.050	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	LEAD	<0.050	mg/L
SD-100-C	9-Mar-1987	LEAD	<0.050	mg/L
SD-100-C	17-Mar-1987	LEAD	<0.050	mg/L
SD-100-C	24-Mar-1987	LEAD	<0.050	mg/L
SD-100-C	8-Apr-1987	LEAD	<0.050	mg/L
SD-100-C	13-May-1987	LEAD	<0.050	mg/L
SD-100-C	20-May-1987	LEAD	<0.050	mg/L
SD-100-C	27-May-1987	LEAD	<0.050	mg/L
SD-100-C	4-Jun-1987	LEAD	<0.050	mg/L
SD-100-C	12-Jun-1987	LEAD	<0.050	mg/L
SD-100-C	19-Jun-1987	LEAD	<0.050	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	LEAD	<0.050	mg/L
SD-100-D	11-Jun-1987	LEAD	<0.050	mg/L
** SD-100				
SD-100	5-Mar-1987	LITHIUM	0.0051	mg/L
SD-100	11-Mar-1987	LITHIUM	0.0056	mg/L
SD-100	18-Mar-1987	LITHIUM	0.0053	mg/L
SD-100	24-Mar-1987	LITHIUM	0.0061	mg/L
SD-100	3-Apr-1987	LITHIUM	<0.0040	mg/L
SD-100	6-Apr-1987	LITHIUM	<0.0040	mg/L
SD-100	12-May-1987	LITHIUM	0.0049	mg/L
SD-100	19-May-1987	LITHIUM	0.0053	mg/L
SD-100	26-May-1987	LITHIUM	0.0050	mg/L
SD-100	3-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100	11-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100	18-Jun-1987	LITHIUM	0.0049	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-01				
SD-100-01	12-May-1987	LITHIUM	<0.0040	mg/L
SD-100-01	18-May-1987	LITHIUM	0.0051	mg/L
SD-100-01	3-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-01	11-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-01	18-Jun-1987	LITHIUM	0.0042	mg/L
** SD-100-02				
SD-100-02	12-May-1987	LITHIUM	0.0056	mg/L
SD-100-02	18-May-1987	LITHIUM	<0.0040	mg/L
SD-100-02	3-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-02	11-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-02	18-Jun-1987	LITHIUM	<0.0040	mg/L
** SD-100-03				
SD-100-03	12-May-1987	LITHIUM	0.0051	mg/L
SD-100-03	18-May-1987	LITHIUM	0.0055	mg/L
SD-100-03	26-May-1987	LITHIUM	0.0089	mg/L
SD-100-03	3-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-03	11-Jun-1987	LITHIUM	0.0044	mg/L
SD-100-03	18-Jun-1987	LITHIUM	0.0053	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	LITHIUM	0.0054	mg/L
SD-100-03D	26-May-1987	LITHIUM	0.0079	mg/L
** SD-100-04				
SD-100-04	12-May-1987	LITHIUM	0.0052	mg/L
SD-100-04	18-May-1987	LITHIUM	0.0061	mg/L
SD-100-04	26-May-1987	LITHIUM	0.0072	mg/L
SD-100-04	3-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-04	11-Jun-1987	LITHIUM	0.0044	mg/L
SD-100-04	18-Jun-1987	LITHIUM	0.0051	mg/L
** SD-100-06				
SD-100-06	12-May-1987	LITHIUM	0.0050	mg/L
SD-100-06	18-May-1987	LITHIUM	0.0055	mg/L
SD-100-06	26-May-1987	LITHIUM	0.0073	mg/L
SD-100-06	3-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-06	11-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-06	18-Jun-1987	LITHIUM	0.0048	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	LITHIUM	<0.0040	mg/L
** SD-100-07				
SD-100-07	12-May-1987	LITHIUM	0.010	mg/L
SD-100-07	19-May-1987	LITHIUM	0.0067	mg/L
SD-100-07	26-May-1987	LITHIUM	0.0041	mg/L
SD-100-07	3-Jun-1987	LITHIUM	0.0045	mg/L
SD-100-07	11-Jun-1987	LITHIUM	<0.0040	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-07	18-Jun-1987	LITHIUM	0.0060	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	LITHIUM	<0.0040	mg/L
** SD-100-09				
SD-100-09	12-May-1987	LITHIUM	0.0053	mg/L
SD-100-09	18-May-1987	LITHIUM	0.0060	mg/L
SD-100-09	26-May-1987	LITHIUM	0.0073	mg/L
SD-100-09	3-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-09	11-Jun-1987	LITHIUM	<0.0040	mg/L
** SD-100-10				
SD-100-10	12-May-1987	LITHIUM	0.0051	mg/L
SD-100-10	19-May-1987	LITHIUM	0.0061	mg/L
SD-100-10	26-May-1987	LITHIUM	0.0071	mg/L
SD-100-10	3-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-10	11-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-10	18-Jun-1987	LITHIUM	<0.0040	mg/L
** SD-100-11				
SD-100-11	12-May-1987	LITHIUM	0.0054	mg/L
SD-100-11	19-May-1987	LITHIUM	0.0071	mg/L
SD-100-11	26-May-1987	LITHIUM	0.0090	mg/L
SD-100-11	3-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-11	11-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-11	18-Jun-1987	LITHIUM	0.0064	mg/L
** SD-100-12				
SD-100-12	12-May-1987	LITHIUM	0.0057	mg/L
SD-100-12	19-May-1987	LITHIUM	0.0050	mg/L
SD-100-12	26-May-1987	LITHIUM	0.0046	mg/L
SD-100-12	3-Jun-1987	LITHIUM	0.0046	mg/L
SD-100-12	11-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-12	18-Jun-1987	LITHIUM	0.0054	mg/L
** SD-100-13				
SD-100-13	12-May-1987	LITHIUM	0.0048	mg/L
SD-100-13	19-May-1987	LITHIUM	0.0057	mg/L
SD-100-13	26-May-1987	LITHIUM	0.0052	mg/L
SD-100-13	11-Jun-1987	LITHIUM	0.0047	mg/L
SD-100-13	18-Jun-1987	LITHIUM	0.0044	mg/L
** SD-100-14				
SD-100-14	12-May-1987	LITHIUM	0.0060	mg/L
SD-100-14	19-May-1987	LITHIUM	0.010	mg/L
SD-100-14	26-May-1987	LITHIUM	0.0051	mg/L
SD-100-14	3-Jun-1987	LITHIUM	0.0047	mg/L
SD-100-14	11-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-14	18-Jun-1987	LITHIUM	<0.0040	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-C				
SD-100-C	5-Mar-1987	LITHIUM	0.0050	mg/L
SD-100-C	9-Mar-1987	LITHIUM	<0.0040	mg/L
SD-100-C	17-Mar-1987	LITHIUM	0.0041	mg/L
SD-100-C	24-Mar-1987	LITHIUM	0.0044	mg/L
SD-100-C	8-Apr-1987	LITHIUM	<0.0040	mg/L
SD-100-C	13-May-1987	LITHIUM	0.0052	mg/L
SD-100-C	20-May-1987	LITHIUM	0.0076	mg/L
SD-100-C	27-May-1987	LITHIUM	0.0054	mg/L
SD-100-C	4-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-C	12-Jun-1987	LITHIUM	<0.0040	mg/L
SD-100-C	19-Jun-1987	LITHIUM	<0.0040	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	LITHIUM	<0.0040	mg/L
SD-100-D	11-Jun-1987	LITHIUM	0.0041	mg/L
** SD-100				
SD-100	5-Mar-1987	MAGNESIUM	9.6	mg/L
SD-100	11-Mar-1987	MAGNESIUM	8.6	mg/L
SD-100	18-Mar-1987	MAGNESIUM	8.8	mg/L
SD-100	24-Mar-1987	MAGNESIUM	10	mg/L
SD-100	3-Apr-1987	MAGNESIUM	8.2	mg/L
SD-100	6-Apr-1987	MAGNESIUM	8.8	mg/L
SD-100	12-May-1987	MAGNESIUM	11	mg/L
SD-100	19-May-1987	MAGNESIUM	9.0	mg/L
SD-100	26-May-1987	MAGNESIUM	9.4	mg/L
SD-100	3-Jun-1987	MAGNESIUM	9.8	mg/L
SD-100	11-Jun-1987	MAGNESIUM	10	mg/L
SD-100	18-Jun-1987	MAGNESIUM	10	mg/L
** SD-100-01				
SD-100-01	12-May-1987	MAGNESIUM	5.1	mg/L
SD-100-01	18-May-1987	MAGNESIUM	6.7	mg/L
SD-100-01	3-Jun-1987	MAGNESIUM	6.8	mg/L
SD-100-01	11-Jun-1987	MAGNESIUM	7.6	mg/L
SD-100-01	18-Jun-1987	MAGNESIUM	8.0	mg/L
** SD-100-02				
SD-100-02	12-May-1987	MAGNESIUM	11	mg/L
SD-100-02	18-May-1987	MAGNESIUM	9.7	mg/L
SD-100-02	3-Jun-1987	MAGNESIUM	9.7	mg/L
SD-100-02	11-Jun-1987	MAGNESIUM	10	mg/L
SD-100-02	18-Jun-1987	MAGNESIUM	9.8	mg/L
** SD-100-03				
SD-100-03	12-May-1987	MAGNESIUM	11	mg/L
SD-100-03	18-May-1987	MAGNESIUM	8.9	mg/L
SD-100-03	26-May-1987	MAGNESIUM	9.6	mg/L
SD-100-03	3-Jun-1987	MAGNESIUM	9.6	mg/L
SD-100-03	11-Jun-1987	MAGNESIUM	10	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-03	18-Jun-1987	MAGNESIUM	10	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	MAGNESIUM	10	mg/L
SD-100-03D	26-May-1987	MAGNESIUM	9.4	mg/L
** SD-100-04				
SD-100-04	12-May-1987	MAGNESIUM	11	mg/L
SD-100-04	18-May-1987	MAGNESIUM	8.8	mg/L
SD-100-04	26-May-1987	MAGNESIUM	9.6	mg/L
SD-100-04	3-Jun-1987	MAGNESIUM	9.6	mg/L
SD-100-04	11-Jun-1987	MAGNESIUM	10	mg/L
SD-100-04	18-Jun-1987	MAGNESIUM	10	mg/L
** SD-100-06				
SD-100-06	12-May-1987	MAGNESIUM	11	mg/L
SD-100-06	18-May-1987	MAGNESIUM	8.9	mg/L
SD-100-06	26-May-1987	MAGNESIUM	9.6	mg/L
SD-100-06	3-Jun-1987	MAGNESIUM	9.6	mg/L
SD-100-06	11-Jun-1987	MAGNESIUM	10	mg/L
SD-100-06	18-Jun-1987	MAGNESIUM	10	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	MAGNESIUM	9.6	mg/L
** SD-100-07				
SD-100-07	12-May-1987	MAGNESIUM	10	mg/L
SD-100-07	19-May-1987	MAGNESIUM	7.5	mg/L
SD-100-07	26-May-1987	MAGNESIUM	7.6	mg/L
SD-100-07	3-Jun-1987	MAGNESIUM	6.3	mg/L
SD-100-07	11-Jun-1987	MAGNESIUM	5.7	mg/L
SD-100-07	18-Jun-1987	MAGNESIUM	8.3	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	MAGNESIUM	7.2	mg/L
** SD-100-09				
SD-100-09	12-May-1987	MAGNESIUM	11	mg/L
SD-100-09	18-May-1987	MAGNESIUM	9.1	mg/L
SD-100-09	26-May-1987	MAGNESIUM	9.6	mg/L
SD-100-09	3-Jun-1987	MAGNESIUM	9.3	mg/L
SD-100-09	11-Jun-1987	MAGNESIUM	10	mg/L
** SD-100-10				
SD-100-10	12-May-1987	MAGNESIUM	11	mg/L
SD-100-10	19-May-1987	MAGNESIUM	9.1	mg/L
SD-100-10	26-May-1987	MAGNESIUM	9.6	mg/L
SD-100-10	3-Jun-1987	MAGNESIUM	10	mg/L
SD-100-10	11-Jun-1987	MAGNESIUM	10	mg/L
SD-100-10	18-Jun-1987	MAGNESIUM	9.9	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	MAGNESIUM	11	mg/L
SD-100-11	19-May-1987	MAGNESIUM	9.4	mg/L
SD-100-11	26-May-1987	MAGNESIUM	11	mg/L
SD-100-11	3-Jun-1987	MAGNESIUM	10	mg/L
SD-100-11	11-Jun-1987	MAGNESIUM	11	mg/L
SD-100-11	18-Jun-1987	MAGNESIUM	11	mg/L
** SD-100-12				
SD-100-12	12-May-1987	MAGNESIUM	14	mg/L
SD-100-12	19-May-1987	MAGNESIUM	9.1	mg/L
SD-100-12	26-May-1987	MAGNESIUM	10	mg/L
SD-100-12	3-Jun-1987	MAGNESIUM	9.3	mg/L
SD-100-12	11-Jun-1987	MAGNESIUM	9.9	mg/L
SD-100-12	18-Jun-1987	MAGNESIUM	10	mg/L
** SD-100-13				
SD-100-13	12-May-1987	MAGNESIUM	11	mg/L
SD-100-13	19-May-1987	MAGNESIUM	9.0	mg/L
SD-100-13	26-May-1987	MAGNESIUM	9.4	mg/L
SD-100-13	11-Jun-1987	MAGNESIUM	10	mg/L
SD-100-13	18-Jun-1987	MAGNESIUM	9.7	mg/L
** SD-100-14				
SD-100-14	12-May-1987	MAGNESIUM	11	mg/L
SD-100-14	19-May-1987	MAGNESIUM	10	mg/L
SD-100-14	26-May-1987	MAGNESIUM	10	mg/L
SD-100-14	3-Jun-1987	MAGNESIUM	9.4	mg/L
SD-100-14	11-Jun-1987	MAGNESIUM	9.6	mg/L
SD-100-14	18-Jun-1987	MAGNESIUM	9.9	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	MAGNESIUM	8.6	mg/L
SD-100-C	9-Mar-1987	MAGNESIUM	6.5	mg/L
SD-100-C	17-Mar-1987	MAGNESIUM	8.5	mg/L
SD-100-C	24-Mar-1987	MAGNESIUM	12	mg/L
SD-100-C	8-Apr-1987	MAGNESIUM	9.4	mg/L
SD-100-C	13-May-1987	MAGNESIUM	11	mg/L
SD-100-C	20-May-1987	MAGNESIUM	8.9	mg/L
SD-100-C	27-May-1987	MAGNESIUM	11	mg/L
SD-100-C	4-Jun-1987	MAGNESIUM	9.5	mg/L
SD-100-C	12-Jun-1987	MAGNESIUM	9.8	mg/L
SD-100-C	19-Jun-1987	MAGNESIUM	9.8	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	MAGNESIUM	8.7	mg/L
SD-100-D	11-Jun-1987	MAGNESIUM	10	mg/L
** SD-100				
SD-100	5-Mar-1987	MANGANESE	0.080	mg/L
SD-100	11-Mar-1987	MANGANESE	0.057	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	18-Mar-1987	MANGANESE	0.034	mg/L
SD-100	24-Mar-1987	MANGANESE	0.034	mg/L
SD-100	3-Apr-1987	MANGANESE	0.039	mg/L
SD-100	6-Apr-1987	MANGANESE	0.059	mg/L
SD-100	12-May-1987	MANGANESE	0.025	mg/L
SD-100	19-May-1987	MANGANESE	0.021	mg/L
SD-100	26-May-1987	MANGANESE	0.019	mg/L
SD-100	3-Jun-1987	MANGANESE	0.018	mg/L
SD-100	11-Jun-1987	MANGANESE	0.010	mg/L
SD-100	18-Jun-1987	MANGANESE	0.022	mg/L
** SD-100-01				
SD-100-01	12-May-1987	MANGANESE	0.40	mg/L
SD-100-01	18-May-1987	MANGANESE	2.0	mg/L
SD-100-01	3-Jun-1987	MANGANESE	1.1	mg/L
SD-100-01	11-Jun-1987	MANGANESE	0.48	mg/L
SD-100-01	18-Jun-1987	MANGANESE	1.2	mg/L
** SD-100-02				
SD-100-02	12-May-1987	MANGANESE	<0.010	mg/L
SD-100-02	18-May-1987	MANGANESE	<0.010	mg/L
SD-100-02	3-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-02	11-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-02	18-Jun-1987	MANGANESE	<0.010	mg/L
** SD-100-03				
SD-100-03	12-May-1987	MANGANESE	0.019	mg/L
SD-100-03	18-May-1987	MANGANESE	0.012	mg/L
SD-100-03	26-May-1987	MANGANESE	0.015	mg/L
SD-100-03	3-Jun-1987	MANGANESE	0.015	mg/L
SD-100-03	11-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-03	18-Jun-1987	MANGANESE	<0.010	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	MANGANESE	0.018	mg/L
SD-100-03D	26-May-1987	MANGANESE	0.015	mg/L
** SD-100-04				
SD-100-04	12-May-1987	MANGANESE	<0.010	mg/L
SD-100-04	18-May-1987	MANGANESE	<0.010	mg/L
SD-100-04	26-May-1987	MANGANESE	<0.010	mg/L
SD-100-04	3-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-04	11-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-04	18-Jun-1987	MANGANESE	<0.010	mg/L
** SD-100-06				
SD-100-06	12-May-1987	MANGANESE	0.013	mg/L
SD-100-06	18-May-1987	MANGANESE	<0.010	mg/L
SD-100-06	26-May-1987	MANGANESE	<0.010	mg/L
SD-100-06	3-Jun-1987	MANGANESE	0.013	mg/L
SD-100-06	11-Jun-1987	MANGANESE	<0.010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-06	18-Jun-1987	MANGANESE	<0.010	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	MANGANESE	<0.010	mg/L
** SD-100-07				
SD-100-07	12-May-1987	MANGANESE	0.33	mg/L
SD-100-07	19-May-1987	MANGANESE	0.020	mg/L
SD-100-07	26-May-1987	MANGANESE	0.017	mg/L
SD-100-07	3-Jun-1987	MANGANESE	0.037	mg/L
SD-100-07	11-Jun-1987	MANGANESE	0.025	mg/L
SD-100-07	18-Jun-1987	MANGANESE	0.049	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	MANGANESE	0.050	mg/L
** SD-100-09				
SD-100-09	12-May-1987	MANGANESE	0.015	mg/L
SD-100-09	18-May-1987	MANGANESE	<0.010	mg/L
SD-100-09	26-May-1987	MANGANESE	<0.010	mg/L
SD-100-09	3-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-09	11-Jun-1987	MANGANESE	<0.010	mg/L
** SD-100-10				
SD-100-10	12-May-1987	MANGANESE	<0.010	mg/L
SD-100-10	19-May-1987	MANGANESE	<0.010	mg/L
SD-100-10	26-May-1987	MANGANESE	<0.010	mg/L
SD-100-10	3-Jun-1987	MANGANESE	0.034	mg/L
SD-100-10	11-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-10	18-Jun-1987	MANGANESE	<0.010	mg/L
** SD-100-11				
SD-100-11	12-May-1987	MANGANESE	<0.010	mg/L
SD-100-11	19-May-1987	MANGANESE	<0.010	mg/L
SD-100-11	26-May-1987	MANGANESE	0.046	mg/L
SD-100-11	3-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-11	11-Jun-1987	MANGANESE	0.013	mg/L
SD-100-11	18-Jun-1987	MANGANESE	<0.010	mg/L
** SD-100-12				
SD-100-12	12-May-1987	MANGANESE	0.16	mg/L
SD-100-12	19-May-1987	MANGANESE	0.0069	mg/L
SD-100-12	26-May-1987	MANGANESE	0.039	mg/L
SD-100-12	3-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-12	11-Jun-1987	MANGANESE	0.017	mg/L
SD-100-12	18-Jun-1987	MANGANESE	0.025	mg/L
** SD-100-13				
SD-100-13	12-May-1987	MANGANESE	<0.010	mg/L
SD-100-13	19-May-1987	MANGANESE	0.0059	mg/L
SD-100-13	26-May-1987	MANGANESE	0.0034	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-13	11-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-13	18-Jun-1987	MANGANESE	<0.010	mg/L
** SD-100-14				
SD-100-14	12-May-1987	MANGANESE	0.053	mg/L
SD-100-14	19-May-1987	MANGANESE	0.064	mg/L
SD-100-14	26-May-1987	MANGANESE	0.050	mg/L
SD-100-14	3-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-14	11-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-14	18-Jun-1987	MANGANESE	<0.010	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	MANGANESE	0.076	mg/L
SD-100-C	9-Mar-1987	MANGANESE	0.047	mg/L
SD-100-C	17-Mar-1987	MANGANESE	0.047	mg/L
SD-100-C	24-Mar-1987	MANGANESE	0.056	mg/L
SD-100-C	8-Apr-1987	MANGANESE	0.024	mg/L
SD-100-C	13-May-1987	MANGANESE	0.020	mg/L
SD-100-C	20-May-1987	MANGANESE	0.015	mg/L
SD-100-C	27-May-1987	MANGANESE	<0.010	mg/L
SD-100-C	4-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-C	12-Jun-1987	MANGANESE	<0.010	mg/L
SD-100-C	19-Jun-1987	MANGANESE	<0.010	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	MANGANESE	0.056	mg/L
SD-100-D	11-Jun-1987	MANGANESE	0.011	mg/L
** SD-100				
SD-100	5-Mar-1987	MERCURY	<0.0002	mg/L
SD-100	11-Mar-1987	MERCURY	<0.0002	mg/L
SD-100	18-Mar-1987	MERCURY	<0.0002	mg/L
SD-100	24-Mar-1987	MERCURY	<0.0002	mg/L
SD-100	3-Apr-1987	MERCURY	<0.0002	mg/L
SD-100	6-Apr-1987	MERCURY	<0.0002	mg/L
SD-100	12-May-1987	MERCURY	<0.0002	mg/L
SD-100	19-May-1987	MERCURY	<0.0002	mg/L
SD-100	26-May-1987	MERCURY	<0.0002	mg/L
SD-100	3-Jun-1987	MERCURY	<0.0002	mg/L
SD-100	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-100	18-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100-01				
SD-100-01	12-May-1987	MERCURY	<0.0002	mg/L
SD-100-01	18-May-1987	MERCURY	<0.0002	mg/L
SD-100-01	26-May-1987	MERCURY	<0.0002	mg/L
SD-100-01	3-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-01	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-01	18-Jun-1987	MERCURY	<0.0002	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	MERCURY	<0.0002	mg/L
SD-100-02	18-May-1987	MERCURY	<0.0002	mg/L
SD-100-02	26-May-1987	MERCURY	<0.0002	mg/L
SD-100-02	3-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-02	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-02	18-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100-03				
SD-100-03	12-May-1987	MERCURY	<0.0002	mg/L
SD-100-03	18-May-1987	MERCURY	<0.0002	mg/L
SD-100-03	26-May-1987	MERCURY	<0.0002	mg/L
SD-100-03	3-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-03	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-03	18-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	MERCURY	<0.0002	mg/L
SD-100-03D	26-May-1987	MERCURY	<0.0002	mg/L
** SD-100-04				
SD-100-04	12-May-1987	MERCURY	<0.0002	mg/L
SD-100-04	18-May-1987	MERCURY	<0.0002	mg/L
SD-100-04	26-May-1987	MERCURY	<0.0002	mg/L
SD-100-04	3-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-04	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-04	18-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100-06				
SD-100-06	12-May-1987	MERCURY	<0.0002	mg/L
SD-100-06	18-May-1987	MERCURY	<0.0002	mg/L
SD-100-06	26-May-1987	MERCURY	<0.0002	mg/L
SD-100-06	3-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-06	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-06	18-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100-07				
SD-100-07	12-May-1987	MERCURY	0.493	mg/L
SD-100-07	19-May-1987	MERCURY	0.036	mg/L
SD-100-07	26-May-1987	MERCURY	0.058	mg/L
SD-100-07	3-Jun-1987	MERCURY	0.33	mg/L
SD-100-07	11-Jun-1987	MERCURY	0.0031	mg/L
SD-100-07	18-Jun-1987	MERCURY	0.051	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	MERCURY	0.065	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	MERCURY	0.0007	mg/L
SD-100-09	18-May-1987	MERCURY	0.0009	mg/L
SD-100-09	26-May-1987	MERCURY	0.0008	mg/L
SD-100-09	3-Jun-1987	MERCURY	0.0021	mg/L
SD-100-09	11-Jun-1987	MERCURY	0.0005	mg/L
SD-100-09	18-Jun-1987	MERCURY	0.0009	mg/L
** SD-100-10				
SD-100-10	12-May-1987	MERCURY	<0.0002	mg/L
SD-100-10	19-May-1987	MERCURY	<0.0002	mg/L
SD-100-10	26-May-1987	MERCURY	<0.0002	mg/L
SD-100-10	3-Jun-1987	MERCURY	0.0004	mg/L
SD-100-10	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-10	18-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100-11				
SD-100-11	12-May-1987	MERCURY	<0.0002	mg/L
SD-100-11	19-May-1987	MERCURY	<0.0002	mg/L
SD-100-11	26-May-1987	MERCURY	<0.0002	mg/L
SD-100-11	3-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-11	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-11	18-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100-12				
SD-100-12	12-May-1987	MERCURY	<0.0002	mg/L
SD-100-12	19-May-1987	MERCURY	<0.0002	mg/L
SD-100-12	26-May-1987	MERCURY	<0.0002	mg/L
SD-100-12	3-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-12	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-12	18-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100-13				
SD-100-13	12-May-1987	MERCURY	<0.0002	mg/L
SD-100-13	19-May-1987	MERCURY	0.0003	mg/L
SD-100-13	26-May-1987	MERCURY	<0.0002	mg/L
SD-100-13	3-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-13	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-13	18-Jun-1987	MERCURY	0.0002	mg/L
** SD-100-14				
SD-100-14	12-May-1987	MERCURY	<0.0002	mg/L
SD-100-14	19-May-1987	MERCURY	<0.0002	mg/L
SD-100-14	26-May-1987	MERCURY	<0.0002	mg/L
SD-100-14	3-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-14	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-14	18-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	MERCURY	<0.0002	mg/L
SD-100-C	9-Mar-1987	MERCURY	<0.0002	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	17-Mar-1987	MERCURY	<0.0002	mg/L
SD-100-C	24-Mar-1987	MERCURY	<0.0002	mg/L
SD-100-C	8-Apr-1987	MERCURY	<0.0002	mg/L
SD-100-C	13-May-1987	MERCURY	<0.0002	mg/L
SD-100-C	20-May-1987	MERCURY	<0.0002	mg/L
SD-100-C	27-May-1987	MERCURY	<0.0002	mg/L
SD-100-C	4-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-C	12-Jun-1987	MERCURY	<0.0002	mg/L
SD-100-C	19-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	MERCURY	<0.0002	mg/L
SD-100-D	11-Jun-1987	MERCURY	<0.0002	mg/L
** SD-100				
SD-100	5-Mar-1987	METHYLENE CHLORIDE	5	ug/L
SD-100	11-Mar-1987	METHYLENE CHLORIDE	5	ug/L
SD-100	18-Mar-1987	METHYLENE CHLORIDE	12	ug/L
SD-100	24-Mar-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100	6-Apr-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100	12-May-1987	METHYLENE CHLORIDE	15	ug/L
SD-100	19-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100	26-May-1987	METHYLENE CHLORIDE	11	ug/L
SD-100	3-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100	11-Jun-1987	METHYLENE CHLORIDE	27	ug/L
SD-100	18-Jun-1987	METHYLENE CHLORIDE	38	ug/L
** SD-100-01				
SD-100-01	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-01	18-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-01	26-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-01	3-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-01	11-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-01	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-02	18-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-02	26-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-02	3-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-02	11-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-02	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-03	18-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-03	26-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-03	3-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-03	11-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-03	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03D				
SD-100-03D	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-03D	26-May-1987	METHYLENE CHLORIDE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-04	18-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-04	26-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-04	3-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-04	11-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-04	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-06	18-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-06	26-May-1987	METHYLENE CHLORIDE	5	ug/L
SD-100-06	3-Jun-1987	METHYLENE CHLORIDE	5	ug/L
SD-100-06	11-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-06	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	METHYLENE CHLORIDE	5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-07	19-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-07	26-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-07	3-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-07	11-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-07	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-09	18-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-09	26-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-09	3-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-09	11-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-09	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-10	19-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-10	26-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-10	3-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-10	11-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-10	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-11	19-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-11	26-May-1987	METHYLENE CHLORIDE	5	ug/L
SD-100-11	3-Jun-1987	METHYLENE CHLORIDE	11	ug/L
SD-100-11	11-Jun-1987	METHYLENE CHLORIDE	5	ug/L
SD-100-11	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-12	19-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-12	26-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-12	3-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-12	11-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-12	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-13	19-May-1987	METHYLENE CHLORIDE	5	ug/L
SD-100-13	26-May-1987	METHYLENE CHLORIDE	87	ug/L
SD-100-13	3-Jun-1987	METHYLENE CHLORIDE	100	ug/L
SD-100-13	11-Jun-1987	METHYLENE CHLORIDE	33	ug/L
SD-100-13	18-Jun-1987	METHYLENE CHLORIDE	7	ug/L
** SD-100-14				
SD-100-14	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-14	19-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-14	26-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-14	3-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-14	11-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-14	18-Jun-1987	METHYLENE CHLORIDE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	METHYLENE CHLORIDE	6	ug/L
SD-100-C	9-Mar-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-C	17-Mar-1987	METHYLENE CHLORIDE	5	ug/L
SD-100-C	24-Mar-1987	METHYLENE CHLORIDE	5 J	ug/L
SD-100-C	8-Apr-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-C	13-May-1987	METHYLENE CHLORIDE	12	ug/L
SD-100-C	20-May-1987	METHYLENE CHLORIDE	6	ug/L
SD-100-C	27-May-1987	METHYLENE CHLORIDE	11	ug/L
SD-100-C	12-Jun-1987	METHYLENE CHLORIDE	5	ug/L
SD-100-C	19-Jun-1987	METHYLENE CHLORIDE	73	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	METHYLENE CHLORIDE	<5	ug/L
SD-100-D	11-Jun-1987	METHYLENE CHLORIDE	27	ug/L
** SD-100				
SD-100	5-Mar-1987	MOLYBDENUM	0.012	mg/L
SD-100	11-Mar-1987	MOLYBDENUM	<0.010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	18-Mar-1987	MOLYBDENUM	<0.010	mg/L
SD-100	24-Mar-1987	MOLYBDENUM	<0.010	mg/L
SD-100	3-Apr-1987	MOLYBDENUM	<0.010	mg/L
SD-100	6-Apr-1987	MOLYBDENUM	0.015	mg/L
SD-100	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100	19-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100	26-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100	3-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-01				
SD-100-01	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-01	18-May-1987	MOLYBDENUM	0.017	mg/L
SD-100-01	3-Jun-1987	MOLYBDENUM	0.025	mg/L
SD-100-01	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-01	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-02				
SD-100-02	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-02	18-May-1987	MOLYBDENUM	0.010	mg/L
SD-100-02	3-Jun-1987	MOLYBDENUM	0.016	mg/L
SD-100-02	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-02	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-03				
SD-100-03	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-03	18-May-1987	MOLYBDENUM	0.012	mg/L
SD-100-03	26-May-1987	MOLYBDENUM	0.029	mg/L
SD-100-03	3-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-03	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-03	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-03D	26-May-1987	MOLYBDENUM	0.016	mg/L
** SD-100-04				
SD-100-04	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-04	18-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-04	26-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-04	3-Jun-1987	MOLYBDENUM	0.012	mg/L
SD-100-04	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-04	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-06				
SD-100-06	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-06	18-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-06	26-May-1987	MOLYBDENUM	0.012	mg/L
SD-100-06	3-Jun-1987	MOLYBDENUM	0.014	mg/L
SD-100-06	11-Jun-1987	MOLYBDENUM	<0.010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-06	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-07				
SD-100-07	12-May-1987	MOLYBDENUM	0.015	mg/L
SD-100-07	19-May-1987	MOLYBDENUM	0.014	mg/L
SD-100-07	26-May-1987	MOLYBDENUM	0.012	mg/L
SD-100-07	3-Jun-1987	MOLYBDENUM	0.010	mg/L
SD-100-07	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-07	18-Jun-1987	MOLYBDENUM	0.013	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-09				
SD-100-09	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-09	18-May-1987	MOLYBDENUM	0.013	mg/L
SD-100-09	26-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-09	3-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-09	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-10				
SD-100-10	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-10	19-May-1987	MOLYBDENUM	0.010	mg/L
SD-100-10	26-May-1987	MOLYBDENUM	0.010	mg/L
SD-100-10	3-Jun-1987	MOLYBDENUM	0.011	mg/L
SD-100-10	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-10	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-11				
SD-100-11	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-11	19-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-11	26-May-1987	MOLYBDENUM	0.020	mg/L
SD-100-11	3-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-11	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-11	18-Jun-1987	MOLYBDENUM	0.015	mg/L
** SD-100-12				
SD-100-12	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-12	19-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-12	26-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-12	3-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-12	11-Jun-1987	MOLYBDENUM	0.013	mg/L
SD-100-12	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-13				
SD-100-13	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-13	19-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-13	26-May-1987	MOLYBDENUM	<0.010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-13	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-13	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-14				
SD-100-14	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-14	19-May-1987	MOLYBDENUM	0.023	mg/L
SD-100-14	26-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-14	3-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-14	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-100-14	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	MOLYBDENUM	<0.010	mg/L
SD-100-C	9-Mar-1987	MOLYBDENUM	<0.010	mg/L
SD-100-C	17-Mar-1987	MOLYBDENUM	<0.010	mg/L
SD-100-C	24-Mar-1987	MOLYBDENUM	<0.010	mg/L
SD-100-C	8-Apr-1987	MOLYBDENUM	<0.010	mg/L
SD-100-C	13-May-1987	MOLYBDENUM	<0.010	mg/L
SD-100-C	20-May-1987	MOLYBDENUM	0.018	mg/L
SD-100-C	27-May-1987	MOLYBDENUM	0.021	mg/L
SD-100-C	4-Jun-1987	MOLYBDENUM	0.010	mg/L
SD-100-C	12-Jun-1987	MOLYBDENUM	0.022	mg/L
SD-100-C	19-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	MOLYBDENUM	<0.010	mg/L
SD-100-D	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-100-07				
SD-100-07	12-May-1987	MYRISTIC ACID	85	ug/L
** SD-100				
SD-100	5-Mar-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100	11-Mar-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-01	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-02	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-03	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-03D	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-04	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-06	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-07	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-09	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-10	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-11	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-12	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-13	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-14	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-C	9-Mar-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-C	17-Mar-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-C	24-Mar-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-C	8-Apr-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-100-C	13-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
SD-100-C	20-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
SD-100-C	27-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
SD-100-C	12-Jun-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
SD-100-C	19-Jun-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100	11-Mar-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-01	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-02	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-03	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-03D	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-04	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-06	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-07	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-09	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-10	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-11	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-12	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-13	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-14	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-C	9-Mar-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-C	17-Mar-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-C	24-Mar-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-C	8-Apr-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-100-C	13-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
SD-100-C	20-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
SD-100-C	27-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
SD-100-C	12-Jun-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
SD-100-C	19-Jun-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100	11-Mar-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100	26-May-1987	N-NITROSODIPHENYLAMINE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-01	26-May-1987	N-NITROSODIPHENYLAMINE	8 JB	ug/L
** SD-100-02				
SD-100-02	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-02	26-May-1987	N-NITROSODIPHENYLAMINE	4 JB	ug/L
** SD-100-03				
SD-100-03	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-03	26-May-1987	N-NITROSODIPHENYLAMINE	6 B	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-03D	26-May-1987	N-NITROSODIPHENYLAMINE	7 B	ug/L
** SD-100-04				
SD-100-04	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-04	26-May-1987	N-NITROSODIPHENYLAMINE	7 B	ug/L
** SD-100-06				
SD-100-06	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-06	26-May-1987	N-NITROSODIPHENYLAMINE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07				
SD-100-07	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-07	26-May-1987	N-NITROSODIPHENYLAMINE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-09	26-May-1987	N-NITROSODIPHENYLAMINE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-10	26-May-1987	N-NITROSODIPHENYLAMINE	6 B	ug/L
** SD-100-11				
SD-100-11	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-11	26-May-1987	N-NITROSODIPHENYLAMINE	5 B	ug/L
** SD-100-12				
SD-100-12	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-12	26-May-1987	N-NITROSODIPHENYLAMINE	4 JB	ug/L
** SD-100-13				
SD-100-13	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-13	26-May-1987	N-NITROSODIPHENYLAMINE	4 JB	ug/L
** SD-100-14				
SD-100-14	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-14	26-May-1987	N-NITROSODIPHENYLAMINE	6 B	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-C	9-Mar-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-C	17-Mar-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-C	24-Mar-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-C	8-Apr-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-100-C	13-May-1987	N-NITROSODIPHENYLAMINE	<5.0	ug/L
SD-100-C	20-May-1987	N-NITROSODIPHENYLAMINE	14 B	ug/L
SD-100-C	27-May-1987	N-NITROSODIPHENYLAMINE	6 B	ug/L
SD-100-C	12-Jun-1987	N-NITROSODIPHENYLAMINE	<5.0	ug/L
SD-100-C	19-Jun-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	NAPHTHALENE	<10	ug/L
SD-100	11-Mar-1987	NAPHTHALENE	<10	ug/L
SD-100	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-01	26-May-1987	NAPHTHALENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-02	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-03	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-03D	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-04	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-06	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-07	26-May-1987	NAPHTHALENE	1 J	ug/L
** SD-100-09				
SD-100-09	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-09	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-10	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-11	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-12	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-13	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	NAPHTHALENE	<10	ug/L
SD-100-14	26-May-1987	NAPHTHALENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	NAPHTHALENE	<10	ug/L
SD-100-C	9-Mar-1987	NAPHTHALENE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	17-Mar-1987	NAPHTHALENE	<10	ug/L
SD-100-C	24-Mar-1987	NAPHTHALENE	<10	ug/L
SD-100-C	8-Apr-1987	NAPHTHALENE	<10	ug/L
SD-100-C	13-May-1987	NAPHTHALENE	<5.0	ug/L
SD-100-C	20-May-1987	NAPHTHALENE	<5.0	ug/L
SD-100-C	27-May-1987	NAPHTHALENE	<5.0	ug/L
SD-100-C	12-Jun-1987	NAPHTHALENE	<5.0	ug/L
SD-100-C	19-Jun-1987	NAPHTHALENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	NICKEL	<0.050	mg/L
SD-100	11-Mar-1987	NICKEL	<0.050	mg/L
SD-100	18-Mar-1987	NICKEL	<0.050	mg/L
SD-100	24-Mar-1987	NICKEL	<0.050	mg/L
SD-100	3-Apr-1987	NICKEL	<0.050	mg/L
SD-100	6-Apr-1987	NICKEL	<0.050	mg/L
SD-100	12-May-1987	NICKEL	<0.050	mg/L
SD-100	19-May-1987	NICKEL	<0.050	mg/L
SD-100	26-May-1987	NICKEL	<0.010	mg/L
SD-100	3-Jun-1987	NICKEL	<0.050	mg/L
SD-100	11-Jun-1987	NICKEL	<0.050	mg/L
SD-100	18-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-01				
SD-100-01	12-May-1987	NICKEL	<0.050	mg/L
SD-100-01	18-May-1987	NICKEL	<0.050	mg/L
SD-100-01	3-Jun-1987	NICKEL	<0.050	mg/L
SD-100-01	11-Jun-1987	NICKEL	<0.050	mg/L
SD-100-01	18-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-02				
SD-100-02	12-May-1987	NICKEL	<0.050	mg/L
SD-100-02	18-May-1987	NICKEL	<0.050	mg/L
SD-100-02	3-Jun-1987	NICKEL	<0.050	mg/L
SD-100-02	11-Jun-1987	NICKEL	<0.050	mg/L
SD-100-02	18-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-03				
SD-100-03	12-May-1987	NICKEL	<0.050	mg/L
SD-100-03	18-May-1987	NICKEL	<0.050	mg/L
SD-100-03	26-May-1987	NICKEL	<0.050	mg/L
SD-100-03	3-Jun-1987	NICKEL	<0.050	mg/L
SD-100-03	11-Jun-1987	NICKEL	<0.050	mg/L
SD-100-03	18-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	NICKEL	<0.050	mg/L
SD-100-03D	26-May-1987	NICKEL	<0.050	mg/L
** SD-100-04				
SD-100-04	12-May-1987	NICKEL	<0.050	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-04	18-May-1987	NICKEL	<0.050	mg/L
SD-100-04	26-May-1987	NICKEL	<0.050	mg/L
SD-100-04	3-Jun-1987	NICKEL	<0.050	mg/L
SD-100-04	11-Jun-1987	NICKEL	<0.050	mg/L
SD-100-04	18-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-06				
SD-100-06	12-May-1987	NICKEL	<0.050	mg/L
SD-100-06	18-May-1987	NICKEL	<0.050	mg/L
SD-100-06	26-May-1987	NICKEL	<0.050	mg/L
SD-100-06	3-Jun-1987	NICKEL	<0.050	mg/L
SD-100-06	11-Jun-1987	NICKEL	<0.050	mg/L
SD-100-06	18-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-07				
SD-100-07	12-May-1987	NICKEL	0.13	mg/L
SD-100-07	19-May-1987	NICKEL	0.22	mg/L
SD-100-07	26-May-1987	NICKEL	0.063	mg/L
SD-100-07	3-Jun-1987	NICKEL	0.094	mg/L
SD-100-07	11-Jun-1987	NICKEL	0.10	mg/L
SD-100-07	18-Jun-1987	NICKEL	0.090	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	NICKEL	0.11	mg/L
** SD-100-09				
SD-100-09	12-May-1987	NICKEL	<0.050	mg/L
SD-100-09	18-May-1987	NICKEL	<0.050	mg/L
SD-100-09	26-May-1987	NICKEL	<0.050	mg/L
SD-100-09	3-Jun-1987	NICKEL	<0.050	mg/L
SD-100-09	11-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-10				
SD-100-10	12-May-1987	NICKEL	<0.050	mg/L
SD-100-10	19-May-1987	NICKEL	<0.050	mg/L
SD-100-10	26-May-1987	NICKEL	<0.050	mg/L
SD-100-10	3-Jun-1987	NICKEL	<0.050	mg/L
SD-100-10	11-Jun-1987	NICKEL	<0.050	mg/L
SD-100-10	18-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-11				
SD-100-11	12-May-1987	NICKEL	<0.050	mg/L
SD-100-11	19-May-1987	NICKEL	<0.050	mg/L
SD-100-11	26-May-1987	NICKEL	<0.050	mg/L
SD-100-11	3-Jun-1987	NICKEL	<0.050	mg/L
SD-100-11	11-Jun-1987	NICKEL	<0.050	mg/L
SD-100-11	18-Jun-1987	NICKEL	<0.050	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-12				
SD-100-12	12-May-1987	NICKEL	0.17	mg/L
SD-100-12	19-May-1987	NICKEL	<0.010	mg/L
SD-100-12	26-May-1987	NICKEL	<0.010	mg/L
SD-100-12	3-Jun-1987	NICKEL	<0.050	mg/L
SD-100-12	11-Jun-1987	NICKEL	<0.050	mg/L
SD-100-12	18-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-13				
SD-100-13	12-May-1987	NICKEL	<0.050	mg/L
SD-100-13	19-May-1987	NICKEL	<0.010	mg/L
SD-100-13	26-May-1987	NICKEL	<0.010	mg/L
SD-100-13	11-Jun-1987	NICKEL	<0.050	mg/L
SD-100-13	18-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-14				
SD-100-14	12-May-1987	NICKEL	<0.050	mg/L
SD-100-14	19-May-1987	NICKEL	<0.050	mg/L
SD-100-14	26-May-1987	NICKEL	<0.010	mg/L
SD-100-14	3-Jun-1987	NICKEL	<0.050	mg/L
SD-100-14	11-Jun-1987	NICKEL	<0.050	mg/L
SD-100-14	18-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	NICKEL	<0.050	mg/L
SD-100-C	9-Mar-1987	NICKEL	<0.050	mg/L
SD-100-C	17-Mar-1987	NICKEL	<0.050	mg/L
SD-100-C	24-Mar-1987	NICKEL	<0.050	mg/L
SD-100-C	8-Apr-1987	NICKEL	<0.050	mg/L
SD-100-C	13-May-1987	NICKEL	<0.050	mg/L
SD-100-C	20-May-1987	NICKEL	<0.050	mg/L
SD-100-C	27-May-1987	NICKEL	<0.050	mg/L
SD-100-C	4-Jun-1987	NICKEL	<0.050	mg/L
SD-100-C	12-Jun-1987	NICKEL	<0.050	mg/L
SD-100-C	19-Jun-1987	NICKEL	<0.050	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	NICKEL	<0.050	mg/L
SD-100-D	11-Jun-1987	NICKEL	<0.050	mg/L
** SD-100				
SD-100	5-Mar-1987	NIOBIUM	<0.0070	mg/L
SD-100	11-Mar-1987	NIOBIUM	<0.0070	mg/L
SD-100	18-Mar-1987	NIOBIUM	0.0081	mg/L
SD-100	24-Mar-1987	NIOBIUM	<0.0070	mg/L
SD-100	3-Apr-1987	NIOBIUM	<0.0070	mg/L
SD-100	6-Apr-1987	NIOBIUM	<0.0070	mg/L
SD-100	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100	19-May-1987	NIOBIUM	<0.0070	mg/L
SD-100	26-May-1987	NIOBIUM	<0.0070	mg/L
SD-100	3-Jun-1987	NIOBIUM	<0.0070	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-01				
SD-100-01	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-01	18-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-01	3-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-01	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-01	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-02				
SD-100-02	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-02	18-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-02	3-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-02	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-02	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-03				
SD-100-03	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-03	18-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-03	26-May-1987	NIOBIUM	0.0072	mg/L
SD-100-03	3-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-03	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-03	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-03D	26-May-1987	NIOBIUM	<0.0070	mg/L
** SD-100-04				
SD-100-04	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-04	18-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-04	26-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-04	3-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-04	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-04	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-06				
SD-100-06	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-06	18-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-06	26-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-06	3-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-06	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-06	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-07				
SD-100-07	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-07	19-May-1987	NIOBIUM	<0.0070	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-07	26-May-1987	NIOBIUM	0.013	mg/L
SD-100-07	3-Jun-1987	NIOBIUM	0.067	mg/L
SD-100-07	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-07	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-09				
SD-100-09	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-09	18-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-09	26-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-09	3-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-09	11-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-10				
SD-100-10	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-10	19-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-10	26-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-10	3-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-10	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-10	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-11				
SD-100-11	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-11	19-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-11	26-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-11	3-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-11	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-11	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-12				
SD-100-12	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-12	19-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-12	26-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-12	3-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-12	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-12	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-13				
SD-100-13	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-13	19-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-13	26-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-13	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-13	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-14				
SD-100-14	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-14	19-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-14	26-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-14	3-Jun-1987	NIOBIUM	<0.0070	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-14	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-14	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	NIOBIUM	0.0097	mg/L
SD-100-C	9-Mar-1987	NIOBIUM	<0.0070	mg/L
SD-100-C	17-Mar-1987	NIOBIUM	<0.0070	mg/L
SD-100-C	24-Mar-1987	NIOBIUM	<0.0070	mg/L
SD-100-C	8-Apr-1987	NIOBIUM	<0.0070	mg/L
SD-100-C	13-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-C	20-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-C	27-May-1987	NIOBIUM	<0.0070	mg/L
SD-100-C	4-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-C	12-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-100-C	19-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	NIOBIUM	<0.0070	mg/L
SD-100-D	11-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-100				
SD-100	5-Mar-1987	NITRATE	1.9	mg/L
SD-100	11-Mar-1987	NITRATE	3.3	mg/L
SD-100	18-Mar-1987	NITRATE	1.3	mg/L
SD-100	24-Mar-1987	NITRATE	1.8	mg/L
SD-100	3-Apr-1987	NITRATE	1.7	mg/L
SD-100	6-Apr-1987	NITRATE	1.4	mg/L
SD-100	12-May-1987	NITRATE	2.4	mg/L
SD-100	19-May-1987	NITRATE	2.0	mg/L
SD-100	26-May-1987	NITRATE	2.1	mg/L
SD-100	3-Jun-1987	NITRATE	2.4	mg/L
SD-100	11-Jun-1987	NITRATE	2.6	mg/L
SD-100	18-Jun-1987	NITRATE	2.2	mg/L
** SD-100-01				
SD-100-01	12-May-1987	NITRATE	<0.5	mg/L
SD-100-01	18-May-1987	NITRATE	<0.5	mg/L
SD-100-01	26-May-1987	NITRATE	<0.5	mg/L
SD-100-01	3-Jun-1987	NITRATE	4.3	mg/L
SD-100-01	11-Jun-1987	NITRATE	4.6	mg/L
SD-100-01	18-Jun-1987	NITRATE	<0.5	mg/L
** SD-100-02				
SD-100-02	12-May-1987	NITRATE	2.2	mg/L
SD-100-02	18-May-1987	NITRATE	2.1	mg/L
SD-100-02	26-May-1987	NITRATE	2.5	mg/L
SD-100-02	3-Jun-1987	NITRATE	2.6	mg/L
SD-100-02	11-Jun-1987	NITRATE	2.6	mg/L
SD-100-02	18-Jun-1987	NITRATE	2.5	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03				
SD-100-03	12-May-1987	NITRATE	1.9	mg/L
SD-100-03	18-May-1987	NITRATE	2.0	mg/L
SD-100-03	26-May-1987	NITRATE	2.3	mg/L
SD-100-03	3-Jun-1987	NITRATE	2.4	mg/L
SD-100-03	11-Jun-1987	NITRATE	2.6	mg/L
SD-100-03	18-Jun-1987	NITRATE	2.5	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	NITRATE	1.9	mg/L
SD-100-03D	26-May-1987	NITRATE	2.3	mg/L
** SD-100-04				
SD-100-04	12-May-1987	NITRATE	2.2	mg/L
SD-100-04	18-May-1987	NITRATE	2.0	mg/L
SD-100-04	26-May-1987	NITRATE	1.9	mg/L
SD-100-04	3-Jun-1987	NITRATE	2.4	mg/L
SD-100-04	11-Jun-1987	NITRATE	2.7	mg/L
SD-100-04	18-Jun-1987	NITRATE	2.6	mg/L
** SD-100-06				
SD-100-06	12-May-1987	NITRATE	2.7	mg/L
SD-100-06	18-May-1987	NITRATE	2.1	mg/L
SD-100-06	26-May-1987	NITRATE	1.8	mg/L
SD-100-06	3-Jun-1987	NITRATE	2.9	mg/L
SD-100-06	11-Jun-1987	NITRATE	2.6	mg/L
SD-100-06	18-Jun-1987	NITRATE	2.6	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	NITRATE	2.8	mg/L
** SD-100-07				
SD-100-07	12-May-1987	NITRATE	11	mg/L
SD-100-07	19-May-1987	NITRATE	32.4	mg/L
SD-100-07	26-May-1987	NITRATE	18.2	mg/L
SD-100-07	3-Jun-1987	NITRATE	240	mg/L
SD-100-07	11-Jun-1987	NITRATE	26	mg/L
SD-100-07	18-Jun-1987	NITRATE	94	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	NITRATE	74	mg/L
** SD-100-09				
SD-100-09	12-May-1987	NITRATE	2.6	mg/L
SD-100-09	18-May-1987	NITRATE	2.1	mg/L
SD-100-09	26-May-1987	NITRATE	1.8	mg/L
SD-100-09	3-Jun-1987	NITRATE	2.5	mg/L
SD-100-09	11-Jun-1987	NITRATE	2.9	mg/L
SD-100-09	18-Jun-1987	NITRATE	2.0	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-10				
SD-100-10	12-May-1987	NITRATE	2.6	mg/L
SD-100-10	19-May-1987	NITRATE	2.3	mg/L
SD-100-10	26-May-1987	NITRATE	2.5	mg/L
SD-100-10	3-Jun-1987	NITRATE	2.8	mg/L
SD-100-10	11-Jun-1987	NITRATE	2.7	mg/L
SD-100-10	18-Jun-1987	NITRATE	2.5	mg/L
** SD-100-11				
SD-100-11	12-May-1987	NITRATE	2.8	mg/L
SD-100-11	19-May-1987	NITRATE	2.6	mg/L
SD-100-11	26-May-1987	NITRATE	2.6	mg/L
SD-100-11	3-Jun-1987	NITRATE	2.9	mg/L
SD-100-11	11-Jun-1987	NITRATE	3.0	mg/L
SD-100-11	18-Jun-1987	NITRATE	2.9	mg/L
** SD-100-12				
SD-100-12	12-May-1987	NITRATE	2.5	mg/L
SD-100-12	19-May-1987	NITRATE	2.2	mg/L
SD-100-12	26-May-1987	NITRATE	2.5	mg/L
SD-100-12	3-Jun-1987	NITRATE	2.8	mg/L
SD-100-12	11-Jun-1987	NITRATE	2.6	mg/L
SD-100-12	18-Jun-1987	NITRATE	2.5	mg/L
** SD-100-13				
SD-100-13	12-May-1987	NITRATE	2.5	mg/L
SD-100-13	19-May-1987	NITRATE	4.0	mg/L
SD-100-13	26-May-1987	NITRATE	2.5	mg/L
SD-100-13	3-Jun-1987	NITRATE	2.9	mg/L
SD-100-13	11-Jun-1987	NITRATE	2.6	mg/L
SD-100-13	18-Jun-1987	NITRATE	6.7	mg/L
** SD-100-14				
SD-100-14	12-May-1987	NITRATE	2.8	mg/L
SD-100-14	19-May-1987	NITRATE	7.0	mg/L
SD-100-14	26-May-1987	NITRATE	2.4	mg/L
SD-100-14	3-Jun-1987	NITRATE	2.7	mg/L
SD-100-14	11-Jun-1987	NITRATE	2.6	mg/L
SD-100-14	18-Jun-1987	NITRATE	2.5	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	NITRATE	1.4	mg/L
SD-100-C	9-Mar-1987	NITRATE	2.1	mg/L
SD-100-C	17-Mar-1987	NITRATE	1.3	mg/L
SD-100-C	24-Mar-1987	NITRATE	2.0	mg/L
SD-100-C	8-Apr-1987	NITRATE	1.2	mg/L
SD-100-C	13-May-1987	NITRATE	2.1	mg/L
SD-100-C	20-May-1987	NITRATE	2.1	mg/L
SD-100-C	27-May-1987	NITRATE	1.9	mg/L
SD-100-C	4-Jun-1987	NITRATE	2.2	mg/L
SD-100-C	12-Jun-1987	NITRATE	2.3	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	19-Jun-1987	NITRATE	2.0	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	NITRATE	1.4	mg/L
SD-100-D	11-Jun-1987	NITRATE	2.5	mg/L
** SD-100				
SD-100	5-Mar-1987	NITROBENZENE	<10	ug/L
SD-100	11-Mar-1987	NITROBENZENE	<10	ug/L
SD-100	12-May-1987	NITROBENZENE	<10	ug/L
SD-100	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-01	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-02	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-03	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-03D	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-04	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-06	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-07	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-09	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-10	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-11	26-May-1987	NITROBENZENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-12				
SD-100-12	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-12	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-13	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	NITROBENZENE	<10	ug/L
SD-100-14	26-May-1987	NITROBENZENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	NITROBENZENE	<10	ug/L
SD-100-C	9-Mar-1987	NITROBENZENE	<10	ug/L
SD-100-C	17-Mar-1987	NITROBENZENE	<10	ug/L
SD-100-C	24-Mar-1987	NITROBENZENE	<10	ug/L
SD-100-C	8-Apr-1987	NITROBENZENE	<10	ug/L
SD-100-C	13-May-1987	NITROBENZENE	<5.0	ug/L
SD-100-C	20-May-1987	NITROBENZENE	<5.0	ug/L
SD-100-C	27-May-1987	NITROBENZENE	<5.0	ug/L
SD-100-C	12-Jun-1987	NITROBENZENE	<5.0	ug/L
SD-100-C	19-Jun-1987	NITROBENZENE	<10	ug/L
** SD-100-07				
SD-100-07	12-May-1987	OCTANOIC ACID	25	ug/L
** SD-100				
SD-100	5-Mar-1987	OIL & GREASE	<2	mg/L
SD-100	11-Mar-1987	OIL & GREASE	<2	mg/L
SD-100	18-Mar-1987	OIL & GREASE	<2	mg/L
SD-100	24-Mar-1987	OIL & GREASE	<2	mg/L
SD-100	3-Apr-1987	OIL & GREASE	<2	mg/L
SD-100	6-Apr-1987	OIL & GREASE	<2	mg/L
SD-100	12-May-1987	OIL & GREASE	<2	mg/L
SD-100	19-May-1987	OIL & GREASE	<2	mg/L
SD-100	26-May-1987	OIL & GREASE	<2	mg/L
SD-100	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-100	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-01				
SD-100-01	12-May-1987	OIL & GREASE	3	mg/L
SD-100-01	18-May-1987	OIL & GREASE	<2	mg/L
SD-100-01	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-01	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-01	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-01	18-Jun-1987	OIL & GREASE	<2	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	OIL & GREASE	3	mg/L
SD-100-02	18-May-1987	OIL & GREASE	<2	mg/L
SD-100-02	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-02	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-02	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-02	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-03				
SD-100-03	12-May-1987	OIL & GREASE	<2	mg/L
SD-100-03	18-May-1987	OIL & GREASE	<2	mg/L
SD-100-03	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-03	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-03	11-Jun-1987	OIL & GREASE	7	mg/L
SD-100-03	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	OIL & GREASE	<2	mg/L
SD-100-03D	26-May-1987	OIL & GREASE	<2	mg/L
** SD-100-04				
SD-100-04	12-May-1987	OIL & GREASE	5	mg/L
SD-100-04	18-May-1987	OIL & GREASE	<2	mg/L
SD-100-04	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-04	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-04	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-04	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-06				
SD-100-06	12-May-1987	OIL & GREASE	3	mg/L
SD-100-06	18-May-1987	OIL & GREASE	<2	mg/L
SD-100-06	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-06	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-06	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-06	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-07				
SD-100-07	12-May-1987	OIL & GREASE	6	mg/L
SD-100-07	19-May-1987	OIL & GREASE	4	mg/L
SD-100-07	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-07	3-Jun-1987	OIL & GREASE	13	mg/L
SD-100-07	11-Jun-1987	OIL & GREASE	3	mg/L
SD-100-07	18-Jun-1987	OIL & GREASE	77	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	OIL & GREASE	70	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	OIL & GREASE	6	mg/L
SD-100-09	18-May-1987	OIL & GREASE	<2	mg/L
SD-100-09	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-09	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-09	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-09	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-10				
SD-100-10	12-May-1987	OIL & GREASE	<2	mg/L
SD-100-10	19-May-1987	OIL & GREASE	<2	mg/L
SD-100-10	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-10	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-10	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-10	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-11				
SD-100-11	12-May-1987	OIL & GREASE	<2	mg/L
SD-100-11	19-May-1987	OIL & GREASE	<2	mg/L
SD-100-11	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-11	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-11	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-11	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-12				
SD-100-12	12-May-1987	OIL & GREASE	<2	mg/L
SD-100-12	19-May-1987	OIL & GREASE	3	mg/L
SD-100-12	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-12	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-12	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-12	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-13				
SD-100-13	12-May-1987	OIL & GREASE	<2	mg/L
SD-100-13	19-May-1987	OIL & GREASE	<2	mg/L
SD-100-13	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-13	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-13	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-13	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-14				
SD-100-14	12-May-1987	OIL & GREASE	<2	mg/L
SD-100-14	19-May-1987	OIL & GREASE	<2	mg/L
SD-100-14	26-May-1987	OIL & GREASE	<2	mg/L
SD-100-14	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-14	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-14	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	OIL & GREASE	<2	mg/L
SD-100-C	9-Mar-1987	OIL & GREASE	<2	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	17-Mar-1987	OIL & GREASE	<2	mg/L
SD-100-C	24-Mar-1987	OIL & GREASE	2	mg/L
SD-100-C	8-Apr-1987	OIL & GREASE	<2	mg/L
SD-100-C	13-May-1987	OIL & GREASE	<2	mg/L
SD-100-C	20-May-1987	OIL & GREASE	<2	mg/L
SD-100-C	27-May-1987	OIL & GREASE	<2	mg/L
SD-100-C	4-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-C	12-Jun-1987	OIL & GREASE	<2	mg/L
SD-100-C	19-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	OIL & GREASE	<2	mg/L
SD-100-D	11-Jun-1987	OIL & GREASE	<2	mg/L
** SD-100-04				
SD-100-04	12-May-1987	PALMITIC ACID	3	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PALMITIC ACID	140	ug/L
** SD-100-09				
SD-100-09	12-May-1987	PALMITIC ACID	29	ug/L
** SD-100				
SD-100	5-Mar-1987	PCB (AROCLOR-1016)	<1	ug/L
SD-100	11-Mar-1987	PCB (AROCLOR-1016)	<1	ug/L
SD-100	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-01	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-02	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-03	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-03D	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-04	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-06	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-07	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-09	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-10	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-11	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-12	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-13	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-14	26-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	PCB (AROCLOR-1016)	<1	ug/L
SD-100-C	9-Mar-1987	PCB (AROCLOR-1016)	<1	ug/L
SD-100-C	17-Mar-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-C	24-Mar-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-C	8-Apr-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-C	13-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-C	20-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-C	27-May-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-C	12-Jun-1987	PCB (AROCLOR-1016)	<0.5	ug/L
SD-100-C	19-Jun-1987	PCB (AROCLOR-1016)	<1	ug/L
** SD-100				
SD-100	5-Mar-1987	PCB (AROCLOR-1221)	<1	ug/L
SD-100	11-Mar-1987	PCB (AROCLOR-1221)	<1	ug/L
SD-100	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-01	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-02	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-03	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-03D	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-04	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-06	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-07	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-09	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-10	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-11	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-12	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-13	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-14	26-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	PCB (AROCLOR-1221)	<1	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	9-Mar-1987	PCB (AROCLOR-1221)	<1	ug/L
SD-100-C	17-Mar-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-C	24-Mar-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-C	8-Apr-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-C	13-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-C	20-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-C	27-May-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-C	12-Jun-1987	PCB (AROCLOR-1221)	<0.5	ug/L
SD-100-C	19-Jun-1987	PCB (AROCLOR-1221)	<1	ug/L
** SD-100				
SD-100	5-Mar-1987	PCB (AROCLOR-1232)	<1	ug/L
SD-100	11-Mar-1987	PCB (AROCLOR-1232)	<1	ug/L
SD-100	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-01	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-02	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-03	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-03D	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-04	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-06	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-07	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-09	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-10	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-11	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-12	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-13	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-14	26-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	PCB (AROCLOR-1232)	<1	ug/L
SD-100-C	9-Mar-1987	PCB (AROCLOR-1232)	<1	ug/L
SD-100-C	17-Mar-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-C	24-Mar-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-C	8-Apr-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-C	13-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-C	20-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-C	27-May-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-C	12-Jun-1987	PCB (AROCLOR-1232)	<0.5	ug/L
SD-100-C	19-Jun-1987	PCB (AROCLOR-1232)	<1	ug/L
** SD-100				
SD-100	5-Mar-1987	PCB (AROCLOR-1242)	<1	ug/L
SD-100	11-Mar-1987	PCB (AROCLOR-1242)	<1	ug/L
SD-100	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-01	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-02	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-03	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-03D	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-04				
SD-100-04	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-04	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-06	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-07	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-09	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-10	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-11	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-12	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-13	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-14	26-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	PCB (AROCLOR-1242)	<1	ug/L
SD-100-C	9-Mar-1987	PCB (AROCLOR-1242)	<1	ug/L
SD-100-C	17-Mar-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-C	24-Mar-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-C	8-Apr-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-C	13-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-C	20-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-C	27-May-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-C	12-Jun-1987	PCB (AROCLOR-1242)	<0.5	ug/L
SD-100-C	19-Jun-1987	PCB (AROCLOR-1242)	<1	ug/L
** SD-100				
SD-100	5-Mar-1987	PCB (AROCLOR-1248)	<1	ug/L
SD-100	11-Mar-1987	PCB (AROCLOR-1248)	<1	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-01	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-02	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-03	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-03D	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-04	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-06	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-07	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-09	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-10	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-11	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-12	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-13	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-14				
SD-100-14	12-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-14	26-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	PCB (AROCLOR-1248)	<1	ug/L
SD-100-C	9-Mar-1987	PCB (AROCLOR-1248)	<1	ug/L
SD-100-C	17-Mar-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-C	24-Mar-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-C	8-Apr-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-C	13-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-C	20-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-C	27-May-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-C	12-Jun-1987	PCB (AROCLOR-1248)	<0.5	ug/L
SD-100-C	19-Jun-1987	PCB (AROCLOR-1248)	<1	ug/L
** SD-100				
SD-100	5-Mar-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100	11-Mar-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-01				
SD-100-01	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-01	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-02				
SD-100-02	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-02	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-03				
SD-100-03	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-03	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-03D	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-04				
SD-100-04	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-04	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-06				
SD-100-06	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-06	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-07	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-09	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-10				
SD-100-10	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-10	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-11				
SD-100-11	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-11	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-12				
SD-100-12	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-12	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-13				
SD-100-13	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-13	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-14				
SD-100-14	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-14	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-C	9-Mar-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-C	17-Mar-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-C	24-Mar-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-C	8-Apr-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-C	13-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-C	20-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-C	27-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-C	12-Jun-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-100-C	19-Jun-1987	PCB (AROCLOR-1254)	<1	ug/L
** SD-100				
SD-100	5-Mar-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100	11-Mar-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-01				
SD-100-01	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-01	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-02				
SD-100-02	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-02	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03				
SD-100-03	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-03	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-03D	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-04				
SD-100-04	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-04	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-06				
SD-100-06	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-06	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-07	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-09				
SD-100-09	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-09	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-10				
SD-100-10	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-10	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-11				
SD-100-11	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-11	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-12				
SD-100-12	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-12	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-13				
SD-100-13	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-13	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-14				
SD-100-14	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-14	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-C	9-Mar-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-C	17-Mar-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-C	24-Mar-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-C	8-Apr-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-100-C	13-May-1987	PCB (AROCLOR-1260)	<1	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	20-May-1987	PCB (AROCOR-1260)	<1	ug/L
SD-100-C	27-May-1987	PCB (AROCOR-1260)	<1	ug/L
SD-100-C	12-Jun-1987	PCB (AROCOR-1260)	<1	ug/L
SD-100-C	19-Jun-1987	PCB (AROCOR-1260)	<1	ug/L
** SD-100				
SD-100	5-Mar-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100	11-Mar-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-01	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-02	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-03	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-03D	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-04	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-06	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-07	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-09	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-10	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-11	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-12				
SD-100-12	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-12	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-13	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-14	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-C	9-Mar-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-C	17-Mar-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-C	24-Mar-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-C	8-Apr-1987	PENTACHLOROPHENOL	<50	ug/L
SD-100-C	13-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
SD-100-C	20-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
SD-100-C	27-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
SD-100-C	12-Jun-1987	PENTACHLOROPHENOL	<25.0	ug/L
SD-100-C	19-Jun-1987	PENTACHLOROPHENOL	<50	ug/L
** SD-100				
SD-100	5-Mar-1987	PH	7.3	
SD-100	11-Mar-1987	PH	7.9	
SD-100	18-Mar-1987	PH	1.1	
SD-100	24-Mar-1987	PH	8.2	
SD-100	3-Apr-1987	PH	7.8	
SD-100	6-Apr-1987	PH	7.7	
SD-100	12-May-1987	PH	8.2	
SD-100	19-May-1987	PH	8.1	
SD-100	26-May-1987	PH	7.9	
SD-100	3-Jun-1987	PH	8.3	
SD-100	11-Jun-1987	PH	8.3	
SD-100	18-Jun-1987	PH	8.6	
** SD-100-01				
SD-100-01	12-May-1987	PH	7.8	
SD-100-01	18-May-1987	PH	7.7	
SD-100-01	26-May-1987	PH	7.5	
SD-100-01	3-Jun-1987	PH	7.8	
SD-100-01	11-Jun-1987	PH	8.0	
SD-100-01	18-Jun-1987	PH	8.6	
** SD-100-02				
SD-100-02	12-May-1987	PH	8.3	
SD-100-02	18-May-1987	PH	8.2	
SD-100-02	26-May-1987	PH	7.4	
SD-100-02	3-Jun-1987	PH	8.2	

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-02	11-Jun-1987	PH	8.3	
SD-100-02	18-Jun-1987	PH	8.6	
** SD-100-03				
SD-100-03	12-May-1987	PH	8.2	
SD-100-03	18-May-1987	PH	8.1	
SD-100-03	26-May-1987	PH	7.8	
SD-100-03	3-Jun-1987	PH	8.1	
SD-100-03	11-Jun-1987	PH	8.3	
SD-100-03	18-Jun-1987	PH	8.6	
** SD-100-03D				
SD-100-03D	12-May-1987	PH	8.2	
SD-100-03D	26-May-1987	PH	7.8	
** SD-100-04				
SD-100-04	12-May-1987	PH	6.9	
SD-100-04	18-May-1987	PH	7.0	
SD-100-04	26-May-1987	PH	7.6	
SD-100-04	3-Jun-1987	PH	7.8	
SD-100-04	11-Jun-1987	PH	8.1	
SD-100-04	18-Jun-1987	PH	8.4	
** SD-100-06				
SD-100-06	12-May-1987	PH	8.1	
SD-100-06	18-May-1987	PH	8.2	
SD-100-06	26-May-1987	PH	7.5	
SD-100-06	3-Jun-1987	PH	8.3	
SD-100-06	11-Jun-1987	PH	8.2	
SD-100-06	18-Jun-1987	PH	8.5	
** SD-100-06D				
SD-100-06D	3-Jun-1987	PH	2.0	
** SD-100-07				
SD-100-07	12-May-1987	PH	2.7	
SD-100-07	19-May-1987	PH	7.1	
SD-100-07	26-May-1987	PH	6.8	
SD-100-07	3-Jun-1987	PH	7.9	
SD-100-07	11-Jun-1987	PH	6.6	
SD-100-07	18-Jun-1987	PH	6.6	
** SD-100-07D				
SD-100-07D	18-Jun-1987	PH	6.4	
** SD-100-09				
SD-100-09	12-May-1987	PH	8.2	
SD-100-09	18-May-1987	PH	7.5	
SD-100-09	26-May-1987	PH	7.7	
SD-100-09	3-Jun-1987	PH	8.2	
SD-100-09	11-Jun-1987	PH	8.1	

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-09	18-Jun-1987	PH	8.2	
** SD-100-10				
SD-100-10	12-May-1987	PH	7.9	
SD-100-10	19-May-1987	PH	8.0	
SD-100-10	26-May-1987	PH	7.5	
SD-100-10	3-Jun-1987	PH	8.0	
SD-100-10	11-Jun-1987	PH	7.8	
SD-100-10	18-Jun-1987	PH	8.2	
** SD-100-11				
SD-100-11	12-May-1987	PH	8.3	
SD-100-11	19-May-1987	PH	8.2	
SD-100-11	26-May-1987	PH	8.0	
SD-100-11	3-Jun-1987	PH	8.3	
SD-100-11	11-Jun-1987	PH	8.3	
SD-100-11	18-Jun-1987	PH	8.5	
** SD-100-12				
SD-100-12	12-May-1987	PH	8.3	
SD-100-12	19-May-1987	PH	8.2	
SD-100-12	26-May-1987	PH	7.6	
SD-100-12	3-Jun-1987	PH	8.3	
SD-100-12	11-Jun-1987	PH	8.3	
SD-100-12	18-Jun-1987	PH	8.5	
** SD-100-13				
SD-100-13	12-May-1987	PH	8.0	
SD-100-13	19-May-1987	PH	8.1	
SD-100-13	26-May-1987	PH	7.9	
SD-100-13	3-Jun-1987	PH	8.3	
SD-100-13	11-Jun-1987	PH	8.3	
SD-100-13	18-Jun-1987	PH	8.4	
** SD-100-14				
SD-100-14	12-May-1987	PH	8.2	
SD-100-14	19-May-1987	PH	8.0	
SD-100-14	26-May-1987	PH	7.6	
SD-100-14	3-Jun-1987	PH	8.1	
SD-100-14	11-Jun-1987	PH	8.2	
SD-100-14	18-Jun-1987	PH	8.4	
** SD-100-C				
SD-100-C	5-Mar-1987	PH	7.2	
SD-100-C	9-Mar-1987	PH	8.4	
SD-100-C	17-Mar-1987	PH	8.2	
SD-100-C	24-Mar-1987	PH	7.9	
SD-100-C	8-Apr-1987	PH	8.1	
SD-100-C	13-May-1987	PH	7.9	
SD-100-C	20-May-1987	PH	7.9	
SD-100-C	27-May-1987	PH	7.9	

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	4-Jun-1987	PH	7.9	
SD-100-C	12-Jun-1987	PH	8.4	
SD-100-C	19-Jun-1987	PH	7.9	
** SD-100-D				
SD-100-D	6-Apr-1987	PH	8.0	
SD-100-D	11-Jun-1987	PH	8.4	
** SD-100				
SD-100	5-Mar-1987	PHENANTHRENE	<10	ug/L
SD-100	11-Mar-1987	PHENANTHRENE	<10	ug/L
SD-100	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-01	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-02	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-03	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-03D	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-04	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-06	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-07	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-09	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-10	26-May-1987	PHENANTHRENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-11	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-12	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-13	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	PHENANTHRENE	<10	ug/L
SD-100-14	26-May-1987	PHENANTHRENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	PHENANTHRENE	<10	ug/L
SD-100-C	9-Mar-1987	PHENANTHRENE	<10	ug/L
SD-100-C	17-Mar-1987	PHENANTHRENE	<10	ug/L
SD-100-C	24-Mar-1987	PHENANTHRENE	<10	ug/L
SD-100-C	8-Apr-1987	PHENANTHRENE	<10	ug/L
SD-100-C	13-May-1987	PHENANTHRENE	<5.0	ug/L
SD-100-C	20-May-1987	PHENANTHRENE	<5.0	ug/L
SD-100-C	27-May-1987	PHENANTHRENE	<5.0	ug/L
SD-100-C	12-Jun-1987	PHENANTHRENE	<5.0	ug/L
SD-100-C	19-Jun-1987	PHENANTHRENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	PHENOL	<10	ug/L
SD-100	11-Mar-1987	PHENOL	<10	ug/L
SD-100	12-May-1987	PHENOL	<10	ug/L
SD-100	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	PHENOL	<10	ug/L
SD-100-01	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	PHENOL	<10	ug/L
SD-100-02	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	PHENOL	<10	ug/L
SD-100-03	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	PHENOL	<10	ug/L
SD-100-03D	26-May-1987	PHENOL	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-04				
SD-100-04	12-May-1987	PHENOL	<10	ug/L
SD-100-04	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	PHENOL	<10	ug/L
SD-100-06	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PHENOL	<10	ug/L
SD-100-07	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	PHENOL	<10	ug/L
SD-100-09	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	PHENOL	<10	ug/L
SD-100-10	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-11				
SD-100-11	12-May-1987	PHENOL	<10	ug/L
SD-100-11	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	PHENOL	<10	ug/L
SD-100-12	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	PHENOL	<10	ug/L
SD-100-13	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	PHENOL	<10	ug/L
SD-100-14	26-May-1987	PHENOL	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	PHENOL	<10	ug/L
SD-100-C	9-Mar-1987	PHENOL	<10	ug/L
SD-100-C	17-Mar-1987	PHENOL	<10	ug/L
SD-100-C	24-Mar-1987	PHENOL	<10	ug/L
SD-100-C	8-Apr-1987	PHENOL	<10	ug/L
SD-100-C	13-May-1987	PHENOL	<5.0	ug/L
SD-100-C	20-May-1987	PHENOL	<5.0	ug/L
SD-100-C	27-May-1987	PHENOL	<5.0	ug/L
SD-100-C	12-Jun-1987	PHENOL	<5.0	ug/L
SD-100-C	19-Jun-1987	PHENOL	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	PHOSPHORUS	0.55	mg/L
SD-100	11-Mar-1987	PHOSPHORUS	0.64	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	18-Mar-1987	PHOSPHORUS	0.49	mg/L
SD-100	24-Mar-1987	PHOSPHORUS	0.47	mg/L
SD-100	3-Apr-1987	PHOSPHORUS	<0.20	mg/L
SD-100	6-Apr-1987	PHOSPHORUS	0.37	mg/L
SD-100	12-May-1987	PHOSPHORUS	0.24	mg/L
SD-100	19-May-1987	PHOSPHORUS	0.32	mg/L
SD-100	26-May-1987	PHOSPHORUS	0.34	mg/L
SD-100	3-Jun-1987	PHOSPHORUS	0.32	mg/L
SD-100	11-Jun-1987	PHOSPHORUS	0.63	mg/L
SD-100	18-Jun-1987	PHOSPHORUS	0.48	mg/L
** SD-100-01				
SD-100-01	12-May-1987	PHOSPHORUS	<0.20	mg/L
SD-100-01	18-May-1987	PHOSPHORUS	<0.2	mg/L
SD-100-01	3-Jun-1987	PHOSPHORUS	<0.20	mg/L
SD-100-01	11-Jun-1987	PHOSPHORUS	<0.20	mg/L
SD-100-01	18-Jun-1987	PHOSPHORUS	<0.20	mg/L
** SD-100-02				
SD-100-02	12-May-1987	PHOSPHORUS	<0.20	mg/L
SD-100-02	18-May-1987	PHOSPHORUS	0.40	mg/L
SD-100-02	3-Jun-1987	PHOSPHORUS	0.22	mg/L
SD-100-02	11-Jun-1987	PHOSPHORUS	0.56	mg/L
SD-100-02	18-Jun-1987	PHOSPHORUS	0.48	mg/L
** SD-100-03				
SD-100-03	12-May-1987	PHOSPHORUS	0.35	mg/L
SD-100-03	18-May-1987	PHOSPHORUS	0.35	mg/L
SD-100-03	26-May-1987	PHOSPHORUS	0.32	mg/L
SD-100-03	3-Jun-1987	PHOSPHORUS	0.47	mg/L
SD-100-03	11-Jun-1987	PHOSPHORUS	0.37	mg/L
SD-100-03	18-Jun-1987	PHOSPHORUS	0.38	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	PHOSPHORUS	0.30	mg/L
SD-100-03D	26-May-1987	PHOSPHORUS	0.49	mg/L
** SD-100-04				
SD-100-04	12-May-1987	PHOSPHORUS	0.25	mg/L
SD-100-04	18-May-1987	PHOSPHORUS	0.30	mg/L
SD-100-04	26-May-1987	PHOSPHORUS	0.36	mg/L
SD-100-04	3-Jun-1987	PHOSPHORUS	0.38	mg/L
SD-100-04	11-Jun-1987	PHOSPHORUS	0.56	mg/L
SD-100-04	18-Jun-1987	PHOSPHORUS	0.39	mg/L
** SD-100-06				
SD-100-06	12-May-1987	PHOSPHORUS	0.26	mg/L
SD-100-06	18-May-1987	PHOSPHORUS	0.31	mg/L
SD-100-06	26-May-1987	PHOSPHORUS	0.27	mg/L
SD-100-06	3-Jun-1987	PHOSPHORUS	0.39	mg/L
SD-100-06	11-Jun-1987	PHOSPHORUS	0.24	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-06	18-Jun-1987	PHOSPHORUS	0.27	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	PHOSPHORUS	0.43	mg/L
** SD-100-07				
SD-100-07	12-May-1987	PHOSPHORUS	1.8	mg/L
SD-100-07	19-May-1987	PHOSPHORUS	2.4	mg/L
SD-100-07	26-May-1987	PHOSPHORUS	0.27	mg/L
SD-100-07	3-Jun-1987	PHOSPHORUS	1.0	mg/L
SD-100-07	11-Jun-1987	PHOSPHORUS	16	mg/L
SD-100-07	18-Jun-1987	PHOSPHORUS	<0.20	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	PHOSPHORUS	<0.20	mg/L
** SD-100-09				
SD-100-09	12-May-1987	PHOSPHORUS	0.25	mg/L
SD-100-09	18-May-1987	PHOSPHORUS	0.28	mg/L
SD-100-09	26-May-1987	PHOSPHORUS	0.33	mg/L
SD-100-09	3-Jun-1987	PHOSPHORUS	0.33	mg/L
SD-100-09	11-Jun-1987	PHOSPHORUS	0.51	mg/L
** SD-100-10				
SD-100-10	12-May-1987	PHOSPHORUS	<0.20	mg/L
SD-100-10	19-May-1987	PHOSPHORUS	0.36	mg/L
SD-100-10	26-May-1987	PHOSPHORUS	<0.2	mg/L
SD-100-10	3-Jun-1987	PHOSPHORUS	0.50	mg/L
SD-100-10	11-Jun-1987	PHOSPHORUS	0.41	mg/L
SD-100-10	18-Jun-1987	PHOSPHORUS	0.51	mg/L
** SD-100-11				
SD-100-11	12-May-1987	PHOSPHORUS	0.36	mg/L
SD-100-11	19-May-1987	PHOSPHORUS	<0.2	mg/L
SD-100-11	26-May-1987	PHOSPHORUS	<0.2	mg/L
SD-100-11	3-Jun-1987	PHOSPHORUS	0.29	mg/L
SD-100-11	11-Jun-1987	PHOSPHORUS	0.42	mg/L
SD-100-11	18-Jun-1987	PHOSPHORUS	0.58	mg/L
** SD-100-12				
SD-100-12	12-May-1987	PHOSPHORUS	0.47	mg/L
SD-100-12	19-May-1987	PHOSPHORUS	0.36	mg/L
SD-100-12	26-May-1987	PHOSPHORUS	0.37	mg/L
SD-100-12	3-Jun-1987	PHOSPHORUS	0.37	mg/L
SD-100-12	11-Jun-1987	PHOSPHORUS	0.32	mg/L
SD-100-12	18-Jun-1987	PHOSPHORUS	0.33	mg/L
** SD-100-13				
SD-100-13	12-May-1987	PHOSPHORUS	0.32	mg/L
SD-100-13	19-May-1987	PHOSPHORUS	0.66	mg/L
SD-100-13	26-May-1987	PHOSPHORUS	0.41	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-13	11-Jun-1987	PHOSPHORUS	0.29	mg/L
SD-100-13	18-Jun-1987	PHOSPHORUS	0.22	mg/L
** SD-100-14				
SD-100-14	12-May-1987	PHOSPHORUS	0.47	mg/L
SD-100-14	19-May-1987	PHOSPHORUS	0.57	mg/L
SD-100-14	26-May-1987	PHOSPHORUS	0.48	mg/L
SD-100-14	3-Jun-1987	PHOSPHORUS	0.20	mg/L
SD-100-14	11-Jun-1987	PHOSPHORUS	0.55	mg/L
SD-100-14	18-Jun-1987	PHOSPHORUS	0.55	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	PHOSPHORUS	0.26	mg/L
SD-100-C	9-Mar-1987	PHOSPHORUS	0.36	mg/L
SD-100-C	17-Mar-1987	PHOSPHORUS	0.44	mg/L
SD-100-C	24-Mar-1987	PHOSPHORUS	0.29	mg/L
SD-100-C	8-Apr-1987	PHOSPHORUS	<0.20	mg/L
SD-100-C	13-May-1987	PHOSPHORUS	<0.20	mg/L
SD-100-C	20-May-1987	PHOSPHORUS	<0.20	mg/L
SD-100-C	27-May-1987	PHOSPHORUS	<0.20	mg/L
SD-100-C	4-Jun-1987	PHOSPHORUS	0.42	mg/L
SD-100-C	12-Jun-1987	PHOSPHORUS	0.47	mg/L
SD-100-C	19-Jun-1987	PHOSPHORUS	0.46	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	PHOSPHORUS	<0.20	mg/L
SD-100-D	11-Jun-1987	PHOSPHORUS	0.60	mg/L
** SD-100				
SD-100	5-Mar-1987	POTASSIUM	3.2	mg/L
SD-100	11-Mar-1987	POTASSIUM	1.6	mg/L
SD-100	18-Mar-1987	POTASSIUM	1.6	mg/L
SD-100	24-Mar-1987	POTASSIUM	0.73	mg/L
SD-100	3-Apr-1987	POTASSIUM	3.8	mg/L
SD-100	6-Apr-1987	POTASSIUM	2.9	mg/L
SD-100	12-May-1987	POTASSIUM	<0.60	mg/L
SD-100	19-May-1987	POTASSIUM	1.5	mg/L
SD-100	26-May-1987	POTASSIUM	0.78	mg/L
SD-100	3-Jun-1987	POTASSIUM	1.8	mg/L
SD-100	11-Jun-1987	POTASSIUM	1.5	mg/L
SD-100	18-Jun-1987	POTASSIUM	<0.60	mg/L
** SD-100-01				
SD-100-01	12-May-1987	POTASSIUM	1.3	mg/L
SD-100-01	18-May-1987	POTASSIUM	1.3	mg/L
SD-100-01	3-Jun-1987	POTASSIUM	<0.6	mg/L
SD-100-01	11-Jun-1987	POTASSIUM	1.2	mg/L
SD-100-01	18-Jun-1987	POTASSIUM	3.3	mg/L
** SD-100-02				
SD-100-02	12-May-1987	POTASSIUM	<0.60	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-02	18-May-1987	POTASSIUM	1.6	mg/L
SD-100-02	3-Jun-1987	POTASSIUM	2.0	mg/L
SD-100-02	11-Jun-1987	POTASSIUM	1.3	mg/L
SD-100-02	18-Jun-1987	POTASSIUM	1.8	mg/L
** SD-100-03				
SD-100-03	12-May-1987	POTASSIUM	<0.60	mg/L
SD-100-03	18-May-1987	POTASSIUM	0.72	mg/L
SD-100-03	26-May-1987	POTASSIUM	<0.60	mg/L
SD-100-03	3-Jun-1987	POTASSIUM	1.7	mg/L
SD-100-03	11-Jun-1987	POTASSIUM	1.4	mg/L
SD-100-03	18-Jun-1987	POTASSIUM	0.94	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	POTASSIUM	<0.60	mg/L
SD-100-03D	26-May-1987	POTASSIUM	<0.60	mg/L
** SD-100-04				
SD-100-04	12-May-1987	POTASSIUM	<0.60	mg/L
SD-100-04	18-May-1987	POTASSIUM	<0.60	mg/L
SD-100-04	26-May-1987	POTASSIUM	<0.60	mg/L
SD-100-04	3-Jun-1987	POTASSIUM	1.7	mg/L
SD-100-04	11-Jun-1987	POTASSIUM	0.94	mg/L
SD-100-04	18-Jun-1987	POTASSIUM	0.99	mg/L
** SD-100-06				
SD-100-06	12-May-1987	POTASSIUM	1.1	mg/L
SD-100-06	18-May-1987	POTASSIUM	0.66	mg/L
SD-100-06	26-May-1987	POTASSIUM	<0.60	mg/L
SD-100-06	3-Jun-1987	POTASSIUM	1.4	mg/L
SD-100-06	11-Jun-1987	POTASSIUM	0.89	mg/L
SD-100-06	18-Jun-1987	POTASSIUM	0.79	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	POTASSIUM	1.7	mg/L
** SD-100-07				
SD-100-07	12-May-1987	POTASSIUM	4.6	mg/L
SD-100-07	19-May-1987	POTASSIUM	<0.60	mg/L
SD-100-07	26-May-1987	POTASSIUM	<0.60	mg/L
SD-100-07	3-Jun-1987	POTASSIUM	0.65	mg/L
SD-100-07	11-Jun-1987	POTASSIUM	4.0	mg/L
SD-100-07	18-Jun-1987	POTASSIUM	<0.60	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	POTASSIUM	2.7	mg/L
** SD-100-09				
SD-100-09	12-May-1987	POTASSIUM	<0.60	mg/L
SD-100-09	18-May-1987	POTASSIUM	1.5	mg/L
SD-100-09	26-May-1987	POTASSIUM	<0.60	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-09	3-Jun-1987	POTASSIUM	1.8	mg/L
SD-100-09	11-Jun-1987	POTASSIUM	0.84	mg/L
** SD-100-10				
SD-100-10	12-May-1987	POTASSIUM	<0.60	mg/L
SD-100-10	19-May-1987	POTASSIUM	1.2	mg/L
SD-100-10	26-May-1987	POTASSIUM	0.93	mg/L
SD-100-10	3-Jun-1987	POTASSIUM	1.6	mg/L
SD-100-10	11-Jun-1987	POTASSIUM	1.3	mg/L
SD-100-10	18-Jun-1987	POTASSIUM	2.1	mg/L
** SD-100-11				
SD-100-11	12-May-1987	POTASSIUM	1.1	mg/L
SD-100-11	19-May-1987	POTASSIUM	1.9	mg/L
SD-100-11	26-May-1987	POTASSIUM	2.2	mg/L
SD-100-11	3-Jun-1987	POTASSIUM	1.6	mg/L
SD-100-11	11-Jun-1987	POTASSIUM	1.4	mg/L
SD-100-11	18-Jun-1987	POTASSIUM	1.2	mg/L
** SD-100-12				
SD-100-12	12-May-1987	POTASSIUM	0.87	mg/L
SD-100-12	19-May-1987	POTASSIUM	0.77	mg/L
SD-100-12	26-May-1987	POTASSIUM	<0.60	mg/L
SD-100-12	3-Jun-1987	POTASSIUM	3.9	mg/L
SD-100-12	11-Jun-1987	POTASSIUM	2.1	mg/L
SD-100-12	18-Jun-1987	POTASSIUM	0.89	mg/L
** SD-100-13				
SD-100-13	12-May-1987	POTASSIUM	1.1	mg/L
SD-100-13	19-May-1987	POTASSIUM	2.7	mg/L
SD-100-13	26-May-1987	POTASSIUM	<0.60	mg/L
SD-100-13	11-Jun-1987	POTASSIUM	1.1	mg/L
SD-100-13	18-Jun-1987	POTASSIUM	1.6	mg/L
** SD-100-14				
SD-100-14	12-May-1987	POTASSIUM	<0.60	mg/L
SD-100-14	19-May-1987	POTASSIUM	5.7	mg/L
SD-100-14	26-May-1987	POTASSIUM	0.94	mg/L
SD-100-14	3-Jun-1987	POTASSIUM	3.5	mg/L
SD-100-14	11-Jun-1987	POTASSIUM	2.2	mg/L
SD-100-14	18-Jun-1987	POTASSIUM	1.8	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	POTASSIUM	1.9	mg/L
SD-100-C	9-Mar-1987	POTASSIUM	0.88	mg/L
SD-100-C	17-Mar-1987	POTASSIUM	1.8	mg/L
SD-100-C	24-Mar-1987	POTASSIUM	4.5	mg/L
SD-100-C	8-Apr-1987	POTASSIUM	1.9	mg/L
SD-100-C	13-May-1987	POTASSIUM	0.91	mg/L
SD-100-C	20-May-1987	POTASSIUM	<0.60	mg/L
SD-100-C	27-May-1987	POTASSIUM	1.2	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	4-Jun-1987	POTASSIUM	1.9	mg/L
SD-100-C	12-Jun-1987	POTASSIUM	4.6	mg/L
SD-100-C	19-Jun-1987	POTASSIUM	3.2	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	POTASSIUM	4.3	mg/L
SD-100-D	11-Jun-1987	POTASSIUM	1.5	mg/L
** SD-100				
SD-100	5-Mar-1987	PYRENE	<10	ug/L
SD-100	11-Mar-1987	PYRENE	<10	ug/L
SD-100	12-May-1987	PYRENE	<10	ug/L
SD-100	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-01				
SD-100-01	12-May-1987	PYRENE	<10	ug/L
SD-100-01	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-02				
SD-100-02	12-May-1987	PYRENE	<10	ug/L
SD-100-02	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-03				
SD-100-03	12-May-1987	PYRENE	<10	ug/L
SD-100-03	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	PYRENE	<10	ug/L
SD-100-03D	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-04				
SD-100-04	12-May-1987	PYRENE	<10	ug/L
SD-100-04	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-06				
SD-100-06	12-May-1987	PYRENE	<10	ug/L
SD-100-06	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-07				
SD-100-07	12-May-1987	PYRENE	<10	ug/L
SD-100-07	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-09				
SD-100-09	12-May-1987	PYRENE	<10	ug/L
SD-100-09	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-10				
SD-100-10	12-May-1987	PYRENE	<10	ug/L
SD-100-10	26-May-1987	PYRENE	<5.0	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	PYRENE	<10	ug/L
SD-100-11	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-12				
SD-100-12	12-May-1987	PYRENE	<10	ug/L
SD-100-12	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-13				
SD-100-13	12-May-1987	PYRENE	<10	ug/L
SD-100-13	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-14				
SD-100-14	12-May-1987	PYRENE	<10	ug/L
SD-100-14	26-May-1987	PYRENE	<5.0	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	PYRENE	<10	ug/L
SD-100-C	9-Mar-1987	PYRENE	<10	ug/L
SD-100-C	17-Mar-1987	PYRENE	<10	ug/L
SD-100-C	24-Mar-1987	PYRENE	<10	ug/L
SD-100-C	8-Apr-1987	PYRENE	<10	ug/L
SD-100-C	13-May-1987	PYRENE	<5.0	ug/L
SD-100-C	20-May-1987	PYRENE	<5.0	ug/L
SD-100-C	27-May-1987	PYRENE	<5.0	ug/L
SD-100-C	12-Jun-1987	PYRENE	<5.0	ug/L
SD-100-C	19-Jun-1987	PYRENE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	SELENIUM	<0.005	mg/L
SD-100	11-Mar-1987	SELENIUM	<0.005	mg/L
SD-100	18-Mar-1987	SELENIUM	<0.005	mg/L
SD-100	24-Mar-1987	SELENIUM	<0.005	mg/L
SD-100	3-Apr-1987	SELENIUM	<0.005	mg/L
SD-100	6-Apr-1987	SELENIUM	<0.005	mg/L
SD-100	12-May-1987	SELENIUM	<0.005	mg/L
SD-100	19-May-1987	SELENIUM	<0.005	mg/L
SD-100	26-May-1987	SELENIUM	<0.005	mg/L
SD-100	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-01				
SD-100-01	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-01	18-May-1987	SELENIUM	<0.005	mg/L
SD-100-01	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-01	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-01	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-01	18-Jun-1987	SELENIUM	<0.005	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-02	18-May-1987	SELENIUM	<0.005	mg/L
SD-100-02	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-02	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-02	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-02	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-03				
SD-100-03	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-03	18-May-1987	SELENIUM	<0.005	mg/L
SD-100-03	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-03	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-03	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-03	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-03D	26-May-1987	SELENIUM	<0.005	mg/L
** SD-100-04				
SD-100-04	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-04	18-May-1987	SELENIUM	<0.005	mg/L
SD-100-04	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-04	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-04	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-04	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-06				
SD-100-06	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-06	18-May-1987	SELENIUM	<0.005	mg/L
SD-100-06	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-06	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-06	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-06	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-07				
SD-100-07	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-07	19-May-1987	SELENIUM	<0.005	mg/L
SD-100-07	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-07	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-07	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-07	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	SELENIUM	<0.005	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-09	18-May-1987	SELENIUM	<0.005	mg/L
SD-100-09	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-09	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-09	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-09	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-10				
SD-100-10	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-10	19-May-1987	SELENIUM	<0.005	mg/L
SD-100-10	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-10	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-10	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-10	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-11				
SD-100-11	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-11	19-May-1987	SELENIUM	<0.005	mg/L
SD-100-11	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-11	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-11	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-11	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-12				
SD-100-12	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-12	19-May-1987	SELENIUM	<0.005	mg/L
SD-100-12	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-12	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-12	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-12	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-13				
SD-100-13	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-13	19-May-1987	SELENIUM	<0.005	mg/L
SD-100-13	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-13	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-13	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-13	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-14				
SD-100-14	12-May-1987	SELENIUM	<0.005	mg/L
SD-100-14	19-May-1987	SELENIUM	<0.005	mg/L
SD-100-14	26-May-1987	SELENIUM	<0.005	mg/L
SD-100-14	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-14	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-14	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	SELENIUM	<0.005	mg/L
SD-100-C	9-Mar-1987	SELENIUM	<0.005	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	17-Mar-1987	SELENIUM	<0.005	mg/L
SD-100-C	24-Mar-1987	SELENIUM	<0.005	mg/L
SD-100-C	8-Apr-1987	SELENIUM	<0.005	mg/L
SD-100-C	13-May-1987	SELENIUM	<0.005	mg/L
SD-100-C	20-May-1987	SELENIUM	<0.005	mg/L
SD-100-C	27-May-1987	SELENIUM	<0.005	mg/L
SD-100-C	4-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-C	12-Jun-1987	SELENIUM	<0.005	mg/L
SD-100-C	19-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	SELENIUM	<0.005	mg/L
SD-100-D	11-Jun-1987	SELENIUM	<0.005	mg/L
** SD-100				
SD-100	5-Mar-1987	SILICON	2.2	mg/L
SD-100	11-Mar-1987	SILICON	1.8	mg/L
SD-100	18-Mar-1987	SILICON	1.8	mg/L
SD-100	24-Mar-1987	SILICON	1.8	mg/L
SD-100	3-Apr-1987	SILICON	1.7	mg/L
SD-100	6-Apr-1987	SILICON	2.2	mg/L
SD-100	12-May-1987	SILICON	1.7	mg/L
SD-100	19-May-1987	SILICON	1.5	mg/L
SD-100	26-May-1987	SILICON	1.4	mg/L
SD-100	3-Jun-1987	SILICON	1.5	mg/L
SD-100	11-Jun-1987	SILICON	1.4	mg/L
SD-100	18-Jun-1987	SILICON	1.6	mg/L
** SD-100-01				
SD-100-01	12-May-1987	SILICON	6.9	mg/L
SD-100-01	18-May-1987	SILICON	7.9	mg/L
SD-100-01	3-Jun-1987	SILICON	7.6	mg/L
SD-100-01	11-Jun-1987	SILICON	7.2	mg/L
SD-100-01	18-Jun-1987	SILICON	8.1	mg/L
** SD-100-02				
SD-100-02	12-May-1987	SILICON	1.5	mg/L
SD-100-02	18-May-1987	SILICON	1.3	mg/L
SD-100-02	3-Jun-1987	SILICON	1.3	mg/L
SD-100-02	11-Jun-1987	SILICON	1.4	mg/L
SD-100-02	18-Jun-1987	SILICON	1.5	mg/L
** SD-100-03				
SD-100-03	12-May-1987	SILICON	2.0	mg/L
SD-100-03	18-May-1987	SILICON	1.6	mg/L
SD-100-03	26-May-1987	SILICON	1.5	mg/L
SD-100-03	3-Jun-1987	SILICON	1.6	mg/L
SD-100-03	11-Jun-1987	SILICON	1.5	mg/L
SD-100-03	18-Jun-1987	SILICON	1.7	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03D				
SD-100-03D	12-May-1987	SILICON	2.0	mg/L
SD-100-03D	26-May-1987	SILICON	1.5	mg/L
** SD-100-04				
SD-100-04	12-May-1987	SILICON	1.7	mg/L
SD-100-04	18-May-1987	SILICON	1.4	mg/L
SD-100-04	26-May-1987	SILICON	1.3	mg/L
SD-100-04	3-Jun-1987	SILICON	1.4	mg/L
SD-100-04	11-Jun-1987	SILICON	1.4	mg/L
SD-100-04	18-Jun-1987	SILICON	1.6	mg/L
** SD-100-06				
SD-100-06	12-May-1987	SILICON	1.7	mg/L
SD-100-06	18-May-1987	SILICON	1.4	mg/L
SD-100-06	26-May-1987	SILICON	1.3	mg/L
SD-100-06	3-Jun-1987	SILICON	1.5	mg/L
SD-100-06	11-Jun-1987	SILICON	1.4	mg/L
SD-100-06	18-Jun-1987	SILICON	1.6	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	SILICON	1.5	mg/L
** SD-100-07				
SD-100-07	12-May-1987	SILICON	7.0	mg/L
SD-100-07	19-May-1987	SILICON	1.6	mg/L
SD-100-07	26-May-1987	SILICON	1.1	mg/L
SD-100-07	3-Jun-1987	SILICON	2.1	mg/L
SD-100-07	11-Jun-1987	SILICON	1.0	mg/L
SD-100-07	18-Jun-1987	SILICON	2.6	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	SILICON	2.6	mg/L
** SD-100-09				
SD-100-09	12-May-1987	SILICON	1.5	mg/L
SD-100-09	18-May-1987	SILICON	1.3	mg/L
SD-100-09	26-May-1987	SILICON	1.2	mg/L
SD-100-09	3-Jun-1987	SILICON	1.3	mg/L
SD-100-09	11-Jun-1987	SILICON	1.4	mg/L
** SD-100-10				
SD-100-10	12-May-1987	SILICON	1.5	mg/L
SD-100-10	19-May-1987	SILICON	1.3	mg/L
SD-100-10	26-May-1987	SILICON	1.2	mg/L
SD-100-10	3-Jun-1987	SILICON	2.3	mg/L
SD-100-10	11-Jun-1987	SILICON	1.5	mg/L
SD-100-10	18-Jun-1987	SILICON	1.5	mg/L
** SD-100-11				
SD-100-11	12-May-1987	SILICON	1.7	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-11	19-May-1987	SILICON	1.5	mg/L
SD-100-11	26-May-1987	SILICON	2.3	mg/L
SD-100-11	3-Jun-1987	SILICON	1.5	mg/L
SD-100-11	11-Jun-1987	SILICON	1.6	mg/L
SD-100-11	18-Jun-1987	SILICON	1.7	mg/L
** SD-100-12				
SD-100-12	12-May-1987	SILICON	2.9	mg/L
SD-100-12	19-May-1987	SILICON	1.4	mg/L
SD-100-12	26-May-1987	SILICON	1.4	mg/L
SD-100-12	3-Jun-1987	SILICON	1.4	mg/L
SD-100-12	11-Jun-1987	SILICON	1.5	mg/L
SD-100-12	18-Jun-1987	SILICON	1.7	mg/L
** SD-100-13				
SD-100-13	12-May-1987	SILICON	1.6	mg/L
SD-100-13	19-May-1987	SILICON	1.5	mg/L
SD-100-13	26-May-1987	SILICON	1.4	mg/L
SD-100-13	11-Jun-1987	SILICON	1.5	mg/L
SD-100-13	18-Jun-1987	SILICON	1.6	mg/L
** SD-100-14				
SD-100-14	12-May-1987	SILICON	1.8	mg/L
SD-100-14	19-May-1987	SILICON	1.6	mg/L
SD-100-14	26-May-1987	SILICON	1.7	mg/L
SD-100-14	3-Jun-1987	SILICON	1.3	mg/L
SD-100-14	11-Jun-1987	SILICON	1.4	mg/L
SD-100-14	18-Jun-1987	SILICON	1.5	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	SILICON	2.1	mg/L
SD-100-C	9-Mar-1987	SILICON	1.7	mg/L
SD-100-C	17-Mar-1987	SILICON	1.6	mg/L
SD-100-C	24-Mar-1987	SILICON	2.0	mg/L
SD-100-C	8-Apr-1987	SILICON	2.7	mg/L
SD-100-C	13-May-1987	SILICON	1.8	mg/L
SD-100-C	20-May-1987	SILICON	1.4	mg/L
SD-100-C	27-May-1987	SILICON	1.5	mg/L
SD-100-C	4-Jun-1987	SILICON	1.5	mg/L
SD-100-C	12-Jun-1987	SILICON	1.5	mg/L
SD-100-C	19-Jun-1987	SILICON	1.5	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	SILICON	2.3	mg/L
SD-100-D	11-Jun-1987	SILICON	1.5	mg/L
** SD-100				
SD-100	5-Mar-1987	SILVER	<0.010	mg/L
SD-100	11-Mar-1987	SILVER	<0.010	mg/L
SD-100	18-Mar-1987	SILVER	<0.010	mg/L
SD-100	24-Mar-1987	SILVER	<0.010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	3-Apr-1987	SILVER	<0.010	mg/L
SD-100	6-Apr-1987	SILVER	<0.010	mg/L
SD-100	12-May-1987	SILVER	<0.010	mg/L
SD-100	19-May-1987	SILVER	<0.010	mg/L
SD-100	26-May-1987	SILVER	0.018	mg/L
SD-100	3-Jun-1987	SILVER	<0.010	mg/L
SD-100	11-Jun-1987	SILVER	<0.010	mg/L
SD-100	18-Jun-1987	SILVER	<0.010	mg/L
** SD-100-01				
SD-100-01	12-May-1987	SILVER	<0.010	mg/L
SD-100-01	18-May-1987	SILVER	<0.010	mg/L
SD-100-01	3-Jun-1987	SILVER	<0.010	mg/L
SD-100-01	11-Jun-1987	SILVER	<0.010	mg/L
SD-100-01	18-Jun-1987	SILVER	<0.010	mg/L
** SD-100-02				
SD-100-02	12-May-1987	SILVER	<0.010	mg/L
SD-100-02	18-May-1987	SILVER	<0.010	mg/L
SD-100-02	3-Jun-1987	SILVER	<0.010	mg/L
SD-100-02	11-Jun-1987	SILVER	<0.010	mg/L
SD-100-02	18-Jun-1987	SILVER	<0.010	mg/L
** SD-100-03				
SD-100-03	12-May-1987	SILVER	<0.010	mg/L
SD-100-03	18-May-1987	SILVER	<0.010	mg/L
SD-100-03	26-May-1987	SILVER	<0.010	mg/L
SD-100-03	3-Jun-1987	SILVER	<0.010	mg/L
SD-100-03	11-Jun-1987	SILVER	<0.010	mg/L
SD-100-03	18-Jun-1987	SILVER	<0.010	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	SILVER	<0.010	mg/L
SD-100-03D	26-May-1987	SILVER	<0.010	mg/L
** SD-100-04				
SD-100-04	12-May-1987	SILVER	<0.010	mg/L
SD-100-04	18-May-1987	SILVER	<0.010	mg/L
SD-100-04	26-May-1987	SILVER	<0.010	mg/L
SD-100-04	3-Jun-1987	SILVER	<0.010	mg/L
SD-100-04	11-Jun-1987	SILVER	<0.010	mg/L
SD-100-04	18-Jun-1987	SILVER	<0.010	mg/L
** SD-100-06				
SD-100-06	12-May-1987	SILVER	0.12	mg/L
SD-100-06	18-May-1987	SILVER	<0.010	mg/L
SD-100-06	26-May-1987	SILVER	<0.010	mg/L
SD-100-06	3-Jun-1987	SILVER	<0.010	mg/L
SD-100-06	11-Jun-1987	SILVER	<0.010	mg/L
SD-100-06	18-Jun-1987	SILVER	<0.010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06D				
SD-100-06D	3-Jun-1987	SILVER	<0.010	mg/L
** SD-100-07				
SD-100-07	12-May-1987	SILVER	0.010	mg/L
SD-100-07	19-May-1987	SILVER	0.012	mg/L
SD-100-07	26-May-1987	SILVER	<0.010	mg/L
SD-100-07	3-Jun-1987	SILVER	<0.010	mg/L
SD-100-07	11-Jun-1987	SILVER	<0.010	mg/L
SD-100-07	18-Jun-1987	SILVER	<0.010	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	SILVER	<0.010	mg/L
** SD-100-09				
SD-100-09	12-May-1987	SILVER	<0.010	mg/L
SD-100-09	18-May-1987	SILVER	<0.010	mg/L
SD-100-09	26-May-1987	SILVER	<0.010	mg/L
SD-100-09	3-Jun-1987	SILVER	<0.010	mg/L
SD-100-09	11-Jun-1987	SILVER	<0.010	mg/L
** SD-100-10				
SD-100-10	12-May-1987	SILVER	<0.010	mg/L
SD-100-10	19-May-1987	SILVER	<0.010	mg/L
SD-100-10	26-May-1987	SILVER	<0.010	mg/L
SD-100-10	3-Jun-1987	SILVER	<0.010	mg/L
SD-100-10	11-Jun-1987	SILVER	<0.010	mg/L
SD-100-10	18-Jun-1987	SILVER	<0.010	mg/L
** SD-100-11				
SD-100-11	12-May-1987	SILVER	<0.010	mg/L
SD-100-11	19-May-1987	SILVER	0.019	mg/L
SD-100-11	26-May-1987	SILVER	<0.010	mg/L
SD-100-11	3-Jun-1987	SILVER	<0.010	mg/L
SD-100-11	11-Jun-1987	SILVER	<0.010	mg/L
SD-100-11	18-Jun-1987	SILVER	<0.010	mg/L
** SD-100-12				
SD-100-12	12-May-1987	SILVER	<0.010	mg/L
SD-100-12	19-May-1987	SILVER	<0.0060	mg/L
SD-100-12	26-May-1987	SILVER	<0.0060	mg/L
SD-100-12	3-Jun-1987	SILVER	<0.010	mg/L
SD-100-12	11-Jun-1987	SILVER	<0.010	mg/L
SD-100-12	18-Jun-1987	SILVER	<0.010	mg/L
** SD-100-13				
SD-100-13	12-May-1987	SILVER	<0.010	mg/L
SD-100-13	19-May-1987	SILVER	<0.0060	mg/L
SD-100-13	26-May-1987	SILVER	<0.0060	mg/L
SD-100-13	11-Jun-1987	SILVER	<0.010	mg/L
SD-100-13	18-Jun-1987	SILVER	<0.010	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-14				
SD-100-14	12-May-1987	SILVER	<0.010	mg/L
SD-100-14	19-May-1987	SILVER	<0.010	mg/L
SD-100-14	26-May-1987	SILVER	<0.0060	mg/L
SD-100-14	3-Jun-1987	SILVER	<0.010	mg/L
SD-100-14	11-Jun-1987	SILVER	<0.010	mg/L
SD-100-14	18-Jun-1987	SILVER	<0.010	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	SILVER	<0.010	mg/L
SD-100-C	9-Mar-1987	SILVER	<0.010	mg/L
SD-100-C	17-Mar-1987	SILVER	<0.010	mg/L
SD-100-C	24-Mar-1987	SILVER	<0.010	mg/L
SD-100-C	8-Apr-1987	SILVER	<0.010	mg/L
SD-100-C	13-May-1987	SILVER	<0.010	mg/L
SD-100-C	20-May-1987	SILVER	<0.010	mg/L
SD-100-C	27-May-1987	SILVER	<0.010	mg/L
SD-100-C	4-Jun-1987	SILVER	<0.010	mg/L
SD-100-C	12-Jun-1987	SILVER	<0.010	mg/L
SD-100-C	19-Jun-1987	SILVER	<0.010	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	SILVER	<0.010	mg/L
SD-100-D	11-Jun-1987	SILVER	<0.010	mg/L
** SD-100				
SD-100	5-Mar-1987	SODIUM	16	mg/L
SD-100	11-Mar-1987	SODIUM	7.5	mg/L
SD-100	18-Mar-1987	SODIUM	7.2	mg/L
SD-100	24-Mar-1987	SODIUM	7.2	mg/L
SD-100	3-Apr-1987	SODIUM	6.4	mg/L
SD-100	6-Apr-1987	SODIUM	5.5	mg/L
SD-100	12-May-1987	SODIUM	7.3	mg/L
SD-100	19-May-1987	SODIUM	7.3	mg/L
SD-100	26-May-1987	SODIUM	5.9	mg/L
SD-100	3-Jun-1987	SODIUM	5.9	mg/L
SD-100	11-Jun-1987	SODIUM	6.1	mg/L
SD-100	18-Jun-1987	SODIUM	6.9	mg/L
** SD-100-01				
SD-100-01	12-May-1987	SODIUM	2.6	mg/L
SD-100-01	18-May-1987	SODIUM	2.7	mg/L
SD-100-01	3-Jun-1987	SODIUM	2.9	mg/L
SD-100-01	11-Jun-1987	SODIUM	3.6	mg/L
SD-100-01	18-Jun-1987	SODIUM	3.1	mg/L
** SD-100-02				
SD-100-02	12-May-1987	SODIUM	5.8	mg/L
SD-100-02	18-May-1987	SODIUM	5.3	mg/L
SD-100-02	3-Jun-1987	SODIUM	5.2	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-02	11-Jun-1987	SODIUM	5.5	mg/L
SD-100-02	18-Jun-1987	SODIUM	5.0	mg/L
** SD-100-03				
SD-100-03	12-May-1987	SODIUM	5.6	mg/L
SD-100-03	18-May-1987	SODIUM	5.7	mg/L
SD-100-03	26-May-1987	SODIUM	5.9	mg/L
SD-100-03	3-Jun-1987	SODIUM	5.4	mg/L
SD-100-03	11-Jun-1987	SODIUM	5.5	mg/L
SD-100-03	18-Jun-1987	SODIUM	5.5	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	SODIUM	5.5	mg/L
SD-100-03D	26-May-1987	SODIUM	5.8	mg/L
** SD-100-04				
SD-100-04	12-May-1987	SODIUM	5.6	mg/L
SD-100-04	18-May-1987	SODIUM	5.3	mg/L
SD-100-04	26-May-1987	SODIUM	5.7	mg/L
SD-100-04	3-Jun-1987	SODIUM	5.2	mg/L
SD-100-04	11-Jun-1987	SODIUM	5.4	mg/L
SD-100-04	18-Jun-1987	SODIUM	5.4	mg/L
** SD-100-06				
SD-100-06	12-May-1987	SODIUM	5.6	mg/L
SD-100-06	18-May-1987	SODIUM	5.6	mg/L
SD-100-06	26-May-1987	SODIUM	5.7	mg/L
SD-100-06	3-Jun-1987	SODIUM	5.4	mg/L
SD-100-06	11-Jun-1987	SODIUM	5.4	mg/L
SD-100-06	18-Jun-1987	SODIUM	5.4	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	SODIUM	5.3	mg/L
** SD-100-07				
SD-100-07	12-May-1987	SODIUM	5.5	mg/L
SD-100-07	19-May-1987	SODIUM	7.7	mg/L
SD-100-07	26-May-1987	SODIUM	8.0	mg/L
SD-100-07	3-Jun-1987	SODIUM	230	mg/L
SD-100-07	11-Jun-1987	SODIUM	8.1	mg/L
SD-100-07	18-Jun-1987	SODIUM	150	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	SODIUM	130	mg/L
** SD-100-09				
SD-100-09	12-May-1987	SODIUM	6.4	mg/L
SD-100-09	18-May-1987	SODIUM	5.8	mg/L
SD-100-09	26-May-1987	SODIUM	5.7	mg/L
SD-100-09	3-Jun-1987	SODIUM	5.2	mg/L
SD-100-09	11-Jun-1987	SODIUM	5.4	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-10				
SD-100-10	12-May-1987	SODIUM	5.7	mg/L
SD-100-10	19-May-1987	SODIUM	5.6	mg/L
SD-100-10	26-May-1987	SODIUM	5.7	mg/L
SD-100-10	3-Jun-1987	SODIUM	5.4	mg/L
SD-100-10	11-Jun-1987	SODIUM	5.4	mg/L
SD-100-10	18-Jun-1987	SODIUM	5.1	mg/L
** SD-100-11				
SD-100-11	12-May-1987	SODIUM	8.1	mg/L
SD-100-11	19-May-1987	SODIUM	7.7	mg/L
SD-100-11	26-May-1987	SODIUM	6.9	mg/L
SD-100-11	3-Jun-1987	SODIUM	5.9	mg/L
SD-100-11	11-Jun-1987	SODIUM	5.9	mg/L
SD-100-11	18-Jun-1987	SODIUM	6.5	mg/L
** SD-100-12				
SD-100-12	12-May-1987	SODIUM	5.7	mg/L
SD-100-12	19-May-1987	SODIUM	4.9	mg/L
SD-100-12	26-May-1987	SODIUM	5.3	mg/L
SD-100-12	3-Jun-1987	SODIUM	5.1	mg/L
SD-100-12	11-Jun-1987	SODIUM	5.3	mg/L
SD-100-12	18-Jun-1987	SODIUM	5.2	mg/L
** SD-100-13				
SD-100-13	12-May-1987	SODIUM	6.8	mg/L
SD-100-13	19-May-1987	SODIUM	6.5	mg/L
SD-100-13	26-May-1987	SODIUM	5.9	mg/L
SD-100-13	11-Jun-1987	SODIUM	5.4	mg/L
SD-100-13	18-Jun-1987	SODIUM	6.2	mg/L
** SD-100-14				
SD-100-14	12-May-1987	SODIUM	6.2	mg/L
SD-100-14	19-May-1987	SODIUM	6.4	mg/L
SD-100-14	26-May-1987	SODIUM	5.6	mg/L
SD-100-14	3-Jun-1987	SODIUM	5.2	mg/L
SD-100-14	11-Jun-1987	SODIUM	5.2	mg/L
SD-100-14	18-Jun-1987	SODIUM	5.1	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	SODIUM	8.1	mg/L
SD-100-C	9-Mar-1987	SODIUM	4.1	mg/L
SD-100-C	17-Mar-1987	SODIUM	6.6	mg/L
SD-100-C	24-Mar-1987	SODIUM	6.8	mg/L
SD-100-C	8-Apr-1987	SODIUM	8.7	mg/L
SD-100-C	13-May-1987	SODIUM	7.5	mg/L
SD-100-C	20-May-1987	SODIUM	7.0	mg/L
SD-100-C	27-May-1987	SODIUM	6.5	mg/L
SD-100-C	4-Jun-1987	SODIUM	5.8	mg/L
SD-100-C	12-Jun-1987	SODIUM	5.8	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	19-Jun-1987	SODIUM	6.4	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	SODIUM	5.5	mg/L
SD-100-D	11-Jun-1987	SODIUM	6.0	mg/L
** SD-100				
SD-100	5-Mar-1987	STRONTIUM	0.076	mg/L
SD-100	11-Mar-1987	STRONTIUM	0.075	mg/L
SD-100	18-Mar-1987	STRONTIUM	0.078	mg/L
SD-100	24-Mar-1987	STRONTIUM	0.076	mg/L
SD-100	3-Apr-1987	STRONTIUM	0.064	mg/L
SD-100	6-Apr-1987	STRONTIUM	0.064	mg/L
SD-100	12-May-1987	STRONTIUM	0.070	mg/L
SD-100	19-May-1987	STRONTIUM	0.065	mg/L
SD-100	26-May-1987	STRONTIUM	0.077	mg/L
SD-100	3-Jun-1987	STRONTIUM	0.072	mg/L
SD-100	11-Jun-1987	STRONTIUM	0.076	mg/L
SD-100	18-Jun-1987	STRONTIUM	0.075	mg/L
** SD-100-01				
SD-100-01	12-May-1987	STRONTIUM	0.030	mg/L
SD-100-01	18-May-1987	STRONTIUM	0.039	mg/L
SD-100-01	3-Jun-1987	STRONTIUM	0.046	mg/L
SD-100-01	11-Jun-1987	STRONTIUM	0.056	mg/L
SD-100-01	18-Jun-1987	STRONTIUM	0.052	mg/L
** SD-100-02				
SD-100-02	12-May-1987	STRONTIUM	0.071	mg/L
SD-100-02	18-May-1987	STRONTIUM	0.068	mg/L
SD-100-02	3-Jun-1987	STRONTIUM	0.070	mg/L
SD-100-02	11-Jun-1987	STRONTIUM	0.075	mg/L
SD-100-02	18-Jun-1987	STRONTIUM	0.068	mg/L
** SD-100-03				
SD-100-03	12-May-1987	STRONTIUM	0.070	mg/L
SD-100-03	18-May-1987	STRONTIUM	0.066	mg/L
SD-100-03	26-May-1987	STRONTIUM	0.074	mg/L
SD-100-03	3-Jun-1987	STRONTIUM	0.072	mg/L
SD-100-03	11-Jun-1987	STRONTIUM	0.076	mg/L
SD-100-03	18-Jun-1987	STRONTIUM	0.076	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	STRONTIUM	0.069	mg/L
SD-100-03D	26-May-1987	STRONTIUM	0.072	mg/L
** SD-100-04				
SD-100-04	12-May-1987	STRONTIUM	0.070	mg/L
SD-100-04	18-May-1987	STRONTIUM	0.065	mg/L
SD-100-04	26-May-1987	STRONTIUM	0.073	mg/L
SD-100-04	3-Jun-1987	STRONTIUM	0.069	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-04	11-Jun-1987	STRONTIUM	0.076	mg/L
SD-100-04	18-Jun-1987	STRONTIUM	0.075	mg/L
** SD-100-06				
SD-100-06	12-May-1987	STRONTIUM	0.069	mg/L
SD-100-06	18-May-1987	STRONTIUM	0.066	mg/L
SD-100-06	26-May-1987	STRONTIUM	0.073	mg/L
SD-100-06	3-Jun-1987	STRONTIUM	0.070	mg/L
SD-100-06	11-Jun-1987	STRONTIUM	0.076	mg/L
SD-100-06	18-Jun-1987	STRONTIUM	0.075	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	STRONTIUM	0.070	mg/L
** SD-100-07				
SD-100-07	12-May-1987	STRONTIUM	0.066	mg/L
SD-100-07	19-May-1987	STRONTIUM	0.056	mg/L
SD-100-07	26-May-1987	STRONTIUM	0.058	mg/L
SD-100-07	3-Jun-1987	STRONTIUM	0.045	mg/L
SD-100-07	11-Jun-1987	STRONTIUM	0.039	mg/L
SD-100-07	18-Jun-1987	STRONTIUM	0.067	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	STRONTIUM	0.056	mg/L
** SD-100-09				
SD-100-09	12-May-1987	STRONTIUM	0.068	mg/L
SD-100-09	18-May-1987	STRONTIUM	0.066	mg/L
SD-100-09	26-May-1987	STRONTIUM	0.072	mg/L
SD-100-09	3-Jun-1987	STRONTIUM	0.067	mg/L
SD-100-09	11-Jun-1987	STRONTIUM	0.074	mg/L
** SD-100-10				
SD-100-10	12-May-1987	STRONTIUM	0.071	mg/L
SD-100-10	19-May-1987	STRONTIUM	0.067	mg/L
SD-100-10	26-May-1987	STRONTIUM	0.073	mg/L
SD-100-10	3-Jun-1987	STRONTIUM	0.074	mg/L
SD-100-10	11-Jun-1987	STRONTIUM	0.076	mg/L
SD-100-10	18-Jun-1987	STRONTIUM	0.068	mg/L
** SD-100-11				
SD-100-11	12-May-1987	STRONTIUM	0.073	mg/L
SD-100-11	19-May-1987	STRONTIUM	0.070	mg/L
SD-100-11	26-May-1987	STRONTIUM	0.081	mg/L
SD-100-11	3-Jun-1987	STRONTIUM	0.075	mg/L
SD-100-11	11-Jun-1987	STRONTIUM	0.078	mg/L
SD-100-11	18-Jun-1987	STRONTIUM	0.079	mg/L
** SD-100-12				
SD-100-12	12-May-1987	STRONTIUM	0.069	mg/L
SD-100-12	19-May-1987	STRONTIUM	0.071	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-12	26-May-1987	STRONTIUM	0.077	mg/L
SD-100-12	3-Jun-1987	STRONTIUM	0.076	mg/L
SD-100-12	11-Jun-1987	STRONTIUM	0.069	mg/L
SD-100-12	18-Jun-1987	STRONTIUM	0.074	mg/L
** SD-100-13				
SD-100-13	12-May-1987	STRONTIUM	0.069	mg/L
SD-100-13	19-May-1987	STRONTIUM	0.071	mg/L
SD-100-13	26-May-1987	STRONTIUM	0.077	mg/L
SD-100-13	11-Jun-1987	STRONTIUM	0.077	mg/L
SD-100-13	18-Jun-1987	STRONTIUM	0.071	mg/L
** SD-100-14				
SD-100-14	12-May-1987	STRONTIUM	0.076	mg/L
SD-100-14	19-May-1987	STRONTIUM	0.074	mg/L
SD-100-14	26-May-1987	STRONTIUM	0.085	mg/L
SD-100-14	3-Jun-1987	STRONTIUM	0.077	mg/L
SD-100-14	11-Jun-1987	STRONTIUM	0.068	mg/L
SD-100-14	18-Jun-1987	STRONTIUM	0.068	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	STRONTIUM	0.075	mg/L
SD-100-C	9-Mar-1987	STRONTIUM	0.059	mg/L
SD-100-C	17-Mar-1987	STRONTIUM	0.076	mg/L
SD-100-C	24-Mar-1987	STRONTIUM	0.080	mg/L
SD-100-C	8-Apr-1987	STRONTIUM	0.060	mg/L
SD-100-C	13-May-1987	STRONTIUM	0.070	mg/L
SD-100-C	20-May-1987	STRONTIUM	0.066	mg/L
SD-100-C	27-May-1987	STRONTIUM	0.071	mg/L
SD-100-C	4-Jun-1987	STRONTIUM	0.071	mg/L
SD-100-C	12-Jun-1987	STRONTIUM	0.070	mg/L
SD-100-C	19-Jun-1987	STRONTIUM	0.068	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	STRONTIUM	0.063	mg/L
SD-100-D	11-Jun-1987	STRONTIUM	0.076	mg/L
** SD-100-12				
SD-100-12	12-May-1987	SUBSTITUTED CHLOROCLOPENTANE	60	ug/L
** SD-100-14				
SD-100-14	12-May-1987	SUBSTITUTED CHLOROCYCLOPENTANE	70	ug/L
** SD-100-C				
SD-100-C	17-Mar-1987	SUBSTITUTED DIPHENYL PHOSPHATE	8	ug/L
** SD-100				
SD-100	5-Mar-1987	SULFATE	44	mg/L
SD-100	11-Mar-1987	SULFATE	30	mg/L
SD-100	18-Mar-1987	SULFATE	30	mg/L
SD-100	24-Mar-1987	SULFATE	37	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	3-Apr-1987	SULFATE	25	mg/L
SD-100	6-Apr-1987	SULFATE	24	mg/L
SD-100	12-May-1987	SULFATE	27	mg/L
SD-100	19-May-1987	SULFATE	28	mg/L
SD-100	26-May-1987	SULFATE	27.3	mg/L
SD-100	3-Jun-1987	SULFATE	26	mg/L
SD-100	11-Jun-1987	SULFATE	27	mg/L
SD-100	18-Jun-1987	SULFATE	29	mg/L
** SD-100-01				
SD-100-01	12-May-1987	SULFATE	6.0	mg/L
SD-100-01	18-May-1987	SULFATE	5.0	mg/L
SD-100-01	26-May-1987	SULFATE	4.7	mg/L
SD-100-01	3-Jun-1987	SULFATE	5.1	mg/L
SD-100-01	11-Jun-1987	SULFATE	16	mg/L
SD-100-01	18-Jun-1987	SULFATE	10	mg/L
** SD-100-02				
SD-100-02	12-May-1987	SULFATE	27	mg/L
SD-100-02	18-May-1987	SULFATE	26	mg/L
SD-100-02	26-May-1987	SULFATE	27.7	mg/L
SD-100-02	3-Jun-1987	SULFATE	26	mg/L
SD-100-02	11-Jun-1987	SULFATE	26	mg/L
SD-100-02	18-Jun-1987	SULFATE	27	mg/L
** SD-100-03				
SD-100-03	12-May-1987	SULFATE	25	mg/L
SD-100-03	18-May-1987	SULFATE	25	mg/L
SD-100-03	26-May-1987	SULFATE	26.7	mg/L
SD-100-03	3-Jun-1987	SULFATE	25	mg/L
SD-100-03	11-Jun-1987	SULFATE	26	mg/L
SD-100-03	18-Jun-1987	SULFATE	25	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	SULFATE	26	mg/L
SD-100-03D	26-May-1987	SULFATE	26.2	mg/L
** SD-100-04				
SD-100-04	12-May-1987	SULFATE	24	mg/L
SD-100-04	18-May-1987	SULFATE	26	mg/L
SD-100-04	26-May-1987	SULFATE	28.9	mg/L
SD-100-04	3-Jun-1987	SULFATE	26	mg/L
SD-100-04	11-Jun-1987	SULFATE	27	mg/L
SD-100-04	18-Jun-1987	SULFATE	26	mg/L
** SD-100-06				

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-06	18-Jun-1987	SULFATE	26	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	SULFATE	26	mg/L
** SD-100-07				
SD-100-07	12-May-1987	SULFATE	34	mg/L
SD-100-07	19-May-1987	SULFATE	21	mg/L
SD-100-07	26-May-1987	SULFATE	26.3	mg/L
SD-100-07	3-Jun-1987	SULFATE	51	mg/L
SD-100-07	11-Jun-1987	SULFATE	20	mg/L
SD-100-07	18-Jun-1987	SULFATE	60	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	SULFATE	45	mg/L
** SD-100-09				
SD-100-09	12-May-1987	SULFATE	25	mg/L
SD-100-09	18-May-1987	SULFATE	28	mg/L
SD-100-09	26-May-1987	SULFATE	28.3	mg/L
SD-100-09	3-Jun-1987	SULFATE	25	mg/L
SD-100-09	11-Jun-1987	SULFATE	25	mg/L
SD-100-09	18-Jun-1987	SULFATE	24	mg/L
** SD-100-10				
SD-100-10	12-May-1987	SULFATE	25	mg/L
SD-100-10	19-May-1987	SULFATE	26	mg/L
SD-100-10	26-May-1987	SULFATE	28.1	mg/L
SD-100-10	3-Jun-1987	SULFATE	26	mg/L
SD-100-10	11-Jun-1987	SULFATE	27	mg/L
SD-100-10	18-Jun-1987	SULFATE	27	mg/L
** SD-100-11				
SD-100-11	12-May-1987	SULFATE	29	mg/L
SD-100-11	19-May-1987	SULFATE	31	mg/L
SD-100-11	26-May-1987	SULFATE	32.1	mg/L
SD-100-11	3-Jun-1987	SULFATE	28	mg/L
SD-100-11	11-Jun-1987	SULFATE	30	mg/L
SD-100-11	18-Jun-1987	SULFATE	30	mg/L
** SD-100-12				
SD-100-12	12-May-1987	SULFATE	25	mg/L
SD-100-12	19-May-1987	SULFATE	26	mg/L
SD-100-12	26-May-1987	SULFATE	28.9	mg/L
SD-100-12	3-Jun-1987	SULFATE	26	mg/L
SD-100-12	11-Jun-1987	SULFATE	44	mg/L
SD-100-12	18-Jun-1987	SULFATE	26	mg/L
** SD-100-13				
SD-100-13	12-May-1987	SULFATE	26	mg/L
SD-100-13	19-May-1987	SULFATE	28	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-13	26-May-1987	SULFATE	29.8	mg/L
SD-100-13	3-Jun-1987	SULFATE	27	mg/L
SD-100-13	11-Jun-1987	SULFATE	26	mg/L
SD-100-13	18-Jun-1987	SULFATE	27	mg/L
** SD-100-14				
SD-100-14	12-May-1987	SULFATE	27	mg/L
SD-100-14	19-May-1987	SULFATE	30	mg/L
SD-100-14	26-May-1987	SULFATE	27.3	mg/L
SD-100-14	3-Jun-1987	SULFATE	26	mg/L
SD-100-14	11-Jun-1987	SULFATE	26	mg/L
SD-100-14	18-Jun-1987	SULFATE	27	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	SULFATE	29	mg/L
SD-100-C	9-Mar-1987	SULFATE	27	mg/L
SD-100-C	17-Mar-1987	SULFATE	29	mg/L
SD-100-C	24-Mar-1987	SULFATE	54	mg/L
SD-100-C	8-Apr-1987	SULFATE	25	mg/L
SD-100-C	13-May-1987	SULFATE	26	mg/L
SD-100-C	20-May-1987	SULFATE	28	mg/L
SD-100-C	27-May-1987	SULFATE	29.1	mg/L
SD-100-C	4-Jun-1987	SULFATE	27	mg/L
SD-100-C	12-Jun-1987	SULFATE	28	mg/L
SD-100-C	19-Jun-1987	SULFATE	26	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	SULFATE	24	mg/L
SD-100-D	11-Jun-1987	SULFATE	26	mg/L
** SD-100				
SD-100	5-Mar-1987	TEMPERATURE	13.0	Deg. C
SD-100	11-Mar-1987	TEMPERATURE	10.0	Deg. C
SD-100	18-Mar-1987	TEMPERATURE	11.0	Deg. C
SD-100	24-Mar-1987	TEMPERATURE	13.0	Deg. C
SD-100	3-Apr-1987	TEMPERATURE	11.0	Deg. C
SD-100	6-Apr-1987	TEMPERATURE	11.0	Deg. C
SD-100	12-May-1987	TEMPERATURE	20.0	Deg. C
SD-100	19-May-1987	TEMPERATURE	21.0	Deg. C
SD-100	26-May-1987	TEMPERATURE	23.0	Deg. C
SD-100	3-Jun-1987	TEMPERATURE	22	Deg. C
SD-100	11-Jun-1987	TEMPERATURE	22	Deg. C
SD-100	18-Jun-1987	TEMPERATURE	23.0	Deg. C
** SD-100-01				
SD-100-01	12-May-1987	TEMPERATURE	16.0	Deg. C
SD-100-01	18-May-1987	TEMPERATURE	21.0	Deg. C
SD-100-01	26-May-1987	TEMPERATURE	19.0	Deg. C
SD-100-01	3-Jun-1987	TEMPERATURE	20	Deg. C
SD-100-01	11-Jun-1987	TEMPERATURE	22	Deg. C
SD-100-01	18-Jun-1987	TEMPERATURE	20.0	Deg. C

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	TEMPERATURE	17.0	Deg. C
SD-100-02	18-May-1987	TEMPERATURE	22.0	Deg. C
SD-100-02	26-May-1987	TEMPERATURE	21.0	Deg. C
SD-100-02	3-Jun-1987	TEMPERATURE	21	Deg. C
SD-100-02	11-Jun-1987	TEMPERATURE	21	Deg. C
SD-100-02	18-Jun-1987	TEMPERATURE	21.0	Deg. C
** SD-100-03				
SD-100-03	12-May-1987	TEMPERATURE	17.0	Deg. C
SD-100-03	18-May-1987	TEMPERATURE	22.0	Deg. C
SD-100-03	26-May-1987	TEMPERATURE	22.0	Deg. C
SD-100-03	3-Jun-1987	TEMPERATURE	22	Deg. C
SD-100-03	11-Jun-1987	TEMPERATURE	22	Deg. C
SD-100-03	18-Jun-1987	TEMPERATURE	23.0	Deg. C
** SD-100-03D				
SD-100-03D	12-May-1987	TEMPERATURE	17.0	Deg. C
SD-100-03D	26-May-1987	TEMPERATURE	22.0	Deg. C
** SD-100-04				
SD-100-04	12-May-1987	TEMPERATURE	17.0	Deg. C
SD-100-04	18-May-1987	TEMPERATURE	24.0	Deg. C
SD-100-04	26-May-1987	TEMPERATURE	22.0	Deg. C
SD-100-04	3-Jun-1987	TEMPERATURE	23	Deg. C
SD-100-04	11-Jun-1987	TEMPERATURE	22	Deg. C
SD-100-04	18-Jun-1987	TEMPERATURE	22.0	Deg. C
** SD-100-06				
SD-100-06	12-May-1987	TEMPERATURE	18.0	Deg. C
SD-100-06	18-May-1987	TEMPERATURE	22.0	Deg. C
SD-100-06	26-May-1987	TEMPERATURE	22.0	Deg. C
SD-100-06	3-Jun-1987	TEMPERATURE	22	Deg. C
SD-100-06	11-Jun-1987	TEMPERATURE	21	Deg. C
SD-100-06	18-Jun-1987	TEMPERATURE	22.0	Deg. C
** SD-100-06D				
SD-100-06D	3-Jun-1987	TEMPERATURE	22	Deg. C
** SD-100-07				
SD-100-07	12-May-1987	TEMPERATURE	25.0	Deg. C
SD-100-07	19-May-1987	TEMPERATURE	25.0	Deg. C
SD-100-07	26-May-1987	TEMPERATURE	24.0	Deg. C
SD-100-07	3-Jun-1987	TEMPERATURE	24	Deg. C
SD-100-07	11-Jun-1987	TEMPERATURE	42	Deg. C
SD-100-07	18-Jun-1987	TEMPERATURE	37.0	Deg. C
** SD-100-07D				
SD-100-07D	18-Jun-1987	TEMPERATURE	37.0	Deg. C

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	TEMPERATURE	22.0	Deg. C
SD-100-09	18-May-1987	TEMPERATURE	24.0	Deg. C
SD-100-09	26-May-1987	TEMPERATURE	23.0	Deg. C
SD-100-09	3-Jun-1987	TEMPERATURE	23	Deg. C
SD-100-09	11-Jun-1987	TEMPERATURE	23	Deg. C
SD-100-09	18-Jun-1987	TEMPERATURE	23.0	Deg. C
** SD-100-10				
SD-100-10	12-May-1987	TEMPERATURE	18.0	Deg. C
SD-100-10	19-May-1987	TEMPERATURE	22.0	Deg. C
SD-100-10	26-May-1987	TEMPERATURE	20.0	Deg. C
SD-100-10	3-Jun-1987	TEMPERATURE	20	Deg. C
SD-100-10	11-Jun-1987	TEMPERATURE	21	Deg. C
SD-100-10	18-Jun-1987	TEMPERATURE	21.0	Deg. C
** SD-100-11				
SD-100-11	12-May-1987	TEMPERATURE	25.0	Deg. C
SD-100-11	19-May-1987	TEMPERATURE	25.0	Deg. C
SD-100-11	26-May-1987	TEMPERATURE	25.0	Deg. C
SD-100-11	3-Jun-1987	TEMPERATURE	27	Deg. C
SD-100-11	11-Jun-1987	TEMPERATURE	24	Deg. C
SD-100-11	18-Jun-1987	TEMPERATURE	26.0	Deg. C
** SD-100-12				
SD-100-12	12-May-1987	TEMPERATURE	32.0	Deg. C
SD-100-12	19-May-1987	TEMPERATURE	34.0	Deg. C
SD-100-12	26-May-1987	TEMPERATURE	34.0	Deg. C
SD-100-12	3-Jun-1987	TEMPERATURE	34	Deg. C
SD-100-12	11-Jun-1987	TEMPERATURE	34	Deg. C
SD-100-12	18-Jun-1987	TEMPERATURE	34.0	Deg. C
** SD-100-13				
SD-100-13	12-May-1987	TEMPERATURE	20.0	Deg. C
SD-100-13	19-May-1987	TEMPERATURE	22.0	Deg. C
SD-100-13	26-May-1987	TEMPERATURE	24.0	Deg. C
SD-100-13	3-Jun-1987	TEMPERATURE	24	Deg. C
SD-100-13	11-Jun-1987	TEMPERATURE	21	Deg. C
SD-100-13	18-Jun-1987	TEMPERATURE	23.0	Deg. C
** SD-100-14				
SD-100-14	12-May-1987	TEMPERATURE	24.0	Deg. C
SD-100-14	19-May-1987	TEMPERATURE	25.0	Deg. C
SD-100-14	26-May-1987	TEMPERATURE	26.0	Deg. C
SD-100-14	3-Jun-1987	TEMPERATURE	26	Deg. C
SD-100-14	11-Jun-1987	TEMPERATURE	26	Deg. C
SD-100-14	18-Jun-1987	TEMPERATURE	27.0	Deg. C
** SD-100-D				
SD-100-D	6-Apr-1987	TEMPERATURE	11.0	Deg. C
SD-100-D	11-Jun-1987	TEMPERATURE	22	Deg. C

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-100	11-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-100	18-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-100	24-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-100	6-Apr-1987	TETRACHLOROETHENE	<5	ug/L
SD-100	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100	19-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-01	18-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-01	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-01	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-01	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-01	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-02	18-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-02	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-02	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-02	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-02	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-03	18-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-03	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-03	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-03	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-03	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-03D	26-May-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-04	18-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-04	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-04	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-04	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-04	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06				
SD-100-06	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-06	18-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-06	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-06	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-06	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-06	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	TETRACHLOROETHENE	5	ug/L
SD-100-07	19-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-07	26-May-1987	TETRACHLOROETHENE	5	ug/L
SD-100-07	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-07	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-07	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	TETRACHLOROETHENE	5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-09	18-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-09	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-09	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-09	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-09	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-10	19-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-10	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-10	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-10	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-10	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-11	19-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-11	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-11	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-11	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-11	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-12	19-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-12	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-12	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-12	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-12	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-13	19-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-13	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-13	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-13	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-13	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-14	19-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-14	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-14	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-14	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-14	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-C	9-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-C	17-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-C	24-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-C	8-Apr-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-C	13-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-C	20-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-C	27-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-C	12-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-C	19-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	TETRACHLOROETHENE	<5	ug/L
SD-100-D	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	THORIUM	<0.20	mg/L
SD-100	11-Mar-1987	THORIUM	<0.20	mg/L
SD-100	18-Mar-1987	THORIUM	<0.20	mg/L
SD-100	24-Mar-1987	THORIUM	<0.20	mg/L
SD-100	3-Apr-1987	THORIUM	<0.20	mg/L
SD-100	6-Apr-1987	THORIUM	<0.20	mg/L
SD-100	12-May-1987	THORIUM	<0.20	mg/L
SD-100	19-May-1987	THORIUM	<0.20	mg/L
SD-100	26-May-1987	THORIUM	<0.20	mg/L
SD-100	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-01				
SD-100-01	12-May-1987	THORIUM	<0.20	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-01	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100-01	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100-01	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-02				
SD-100-02	12-May-1987	THORIUM	<0.20	mg/L
SD-100-02	18-May-1987	THORIUM	<0.20	mg/L
SD-100-02	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100-02	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100-02	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-03				
SD-100-03	12-May-1987	THORIUM	<0.20	mg/L
SD-100-03	18-May-1987	THORIUM	<0.20	mg/L
SD-100-03	26-May-1987	THORIUM	<0.20	mg/L
SD-100-03	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100-03	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100-03	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	THORIUM	<0.20	mg/L
SD-100-03D	26-May-1987	THORIUM	<0.20	mg/L
** SD-100-04				
SD-100-04	12-May-1987	THORIUM	<0.20	mg/L
SD-100-04	18-May-1987	THORIUM	<0.20	mg/L
SD-100-04	26-May-1987	THORIUM	<0.20	mg/L
SD-100-04	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100-04	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100-04	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-06				
SD-100-06	12-May-1987	THORIUM	<0.20	mg/L
SD-100-06	18-May-1987	THORIUM	<0.20	mg/L
SD-100-06	26-May-1987	THORIUM	<0.20	mg/L
SD-100-06	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100-06	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100-06	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-07				
SD-100-07	12-May-1987	THORIUM	<0.20	mg/L
SD-100-07	19-May-1987	THORIUM	<0.20	mg/L
SD-100-07	26-May-1987	THORIUM	<0.20	mg/L
SD-100-07	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100-07	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100-07	18-Jun-1987	THORIUM	<0.20	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07D				
SD-100-07D	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-09				
SD-100-09	12-May-1987	THORIUM	<0.20	mg/L
SD-100-09	18-May-1987	THORIUM	<0.20	mg/L
SD-100-09	26-May-1987	THORIUM	<0.20	mg/L
SD-100-09	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100-09	11-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-10				
SD-100-10	12-May-1987	THORIUM	<0.20	mg/L
SD-100-10	19-May-1987	THORIUM	<0.20	mg/L
SD-100-10	26-May-1987	THORIUM	<0.20	mg/L
SD-100-10	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100-10	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100-10	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-11				
SD-100-11	12-May-1987	THORIUM	<0.20	mg/L
SD-100-11	19-May-1987	THORIUM	<0.20	mg/L
SD-100-11	26-May-1987	THORIUM	<0.20	mg/L
SD-100-11	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100-11	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100-11	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-12				
SD-100-12	12-May-1987	THORIUM	<0.20	mg/L
SD-100-12	19-May-1987	THORIUM	<0.20	mg/L
SD-100-12	26-May-1987	THORIUM	<0.20	mg/L
SD-100-12	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100-12	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100-12	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-13				
SD-100-13	12-May-1987	THORIUM	<0.20	mg/L
SD-100-13	19-May-1987	THORIUM	<0.20	mg/L
SD-100-13	26-May-1987	THORIUM	<0.20	mg/L
SD-100-13	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100-13	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-14				
SD-100-14	12-May-1987	THORIUM	<0.20	mg/L
SD-100-14	19-May-1987	THORIUM	<0.20	mg/L
SD-100-14	26-May-1987	THORIUM	<0.20	mg/L
SD-100-14	3-Jun-1987	THORIUM	<0.20	mg/L
SD-100-14	11-Jun-1987	THORIUM	<0.20	mg/L
SD-100-14	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	THORIUM	<0.20	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	9-Mar-1987	THORIUM	<0.20	mg/L
SD-100-C	17-Mar-1987	THORIUM	<0.20	mg/L
SD-100-C	24-Mar-1987	THORIUM	<0.20	mg/L
SD-100-C	8-Apr-1987	THORIUM	<0.20	mg/L
SD-100-C	13-May-1987	THORIUM	<0.20	mg/L
SD-100-C	20-May-1987	THORIUM	<0.20	mg/L
SD-100-C	27-May-1987	THORIUM	<0.20	mg/L
SD-100-C	4-Jun-1987	THORIUM	<0.20	mg/L
SD-100-C	12-Jun-1987	THORIUM	<0.20	mg/L
SD-100-C	19-Jun-1987	THORIUM	<0.20	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	THORIUM	<0.20	mg/L
SD-100-D	11-Jun-1987	THORIUM	<0.20	mg/L
** SD-100				
SD-100	5-Mar-1987	TITANIUM	<0.0030	mg/L
SD-100	11-Mar-1987	TITANIUM	<0.0030	mg/L
SD-100	18-Mar-1987	TITANIUM	<0.0030	mg/L
SD-100	24-Mar-1987	TITANIUM	<0.0030	mg/L
SD-100	3-Apr-1987	TITANIUM	<0.0030	mg/L
SD-100	6-Apr-1987	TITANIUM	0.0043	mg/L
SD-100	12-May-1987	TITANIUM	<0.0030	mg/L
SD-100	19-May-1987	TITANIUM	<0.0030	mg/L
SD-100	26-May-1987	TITANIUM	0.0036	mg/L
SD-100	3-Jun-1987	TITANIUM	0.0051	mg/L
SD-100	11-Jun-1987	TITANIUM	0.0041	mg/L
SD-100	18-Jun-1987	TITANIUM	0.0061	mg/L
** SD-100-01				
SD-100-01	12-May-1987	TITANIUM	0.0068	mg/L
SD-100-01	18-May-1987	TITANIUM	0.034	mg/L
SD-100-01	3-Jun-1987	TITANIUM	0.022	mg/L
SD-100-01	11-Jun-1987	TITANIUM	0.0098	mg/L
SD-100-01	18-Jun-1987	TITANIUM	0.030	mg/L
** SD-100-02				
SD-100-02	12-May-1987	TITANIUM	<0.0030	mg/L
SD-100-02	18-May-1987	TITANIUM	0.0050	mg/L
SD-100-02	3-Jun-1987	TITANIUM	0.0097	mg/L
SD-100-02	11-Jun-1987	TITANIUM	0.0033	mg/L
SD-100-02	18-Jun-1987	TITANIUM	0.0035	mg/L
** SD-100-03				
SD-100-03	12-May-1987	TITANIUM	<0.0030	mg/L
SD-100-03	18-May-1987	TITANIUM	0.0050	mg/L
SD-100-03	26-May-1987	TITANIUM	0.0073	mg/L
SD-100-03	3-Jun-1987	TITANIUM	0.0087	mg/L
SD-100-03	11-Jun-1987	TITANIUM	0.0049	mg/L
SD-100-03	18-Jun-1987	TITANIUM	0.0040	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03D				
SD-100-03D	12-May-1987	TITANIUM	<0.0030	mg/L
SD-100-03D	26-May-1987	TITANIUM	0.0053	mg/L
** SD-100-04				
SD-100-04	12-May-1987	TITANIUM	0.0030	mg/L
SD-100-04	18-May-1987	TITANIUM	<0.0030	mg/L
SD-100-04	26-May-1987	TITANIUM	<0.0030	mg/L
SD-100-04	3-Jun-1987	TITANIUM	0.0061	mg/L
SD-100-04	11-Jun-1987	TITANIUM	0.0045	mg/L
SD-100-04	18-Jun-1987	TITANIUM	0.0042	mg/L
** SD-100-06				
SD-100-06	12-May-1987	TITANIUM	<0.0030	mg/L
SD-100-06	18-May-1987	TITANIUM	<0.0030	mg/L
SD-100-06	26-May-1987	TITANIUM	<0.0030	mg/L
SD-100-06	3-Jun-1987	TITANIUM	0.0064	mg/L
SD-100-06	11-Jun-1987	TITANIUM	0.0041	mg/L
SD-100-06	18-Jun-1987	TITANIUM	0.0037	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	TITANIUM	0.0057	mg/L
** SD-100-07				
SD-100-07	12-May-1987	TITANIUM	0.072	mg/L
SD-100-07	19-May-1987	TITANIUM	0.036	mg/L
SD-100-07	26-May-1987	TITANIUM	0.0082	mg/L
SD-100-07	3-Jun-1987	TITANIUM	0.037	mg/L
SD-100-07	11-Jun-1987	TITANIUM	0.0032	mg/L
SD-100-07	18-Jun-1987	TITANIUM	0.038	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	TITANIUM	0.052	mg/L
** SD-100-09				
SD-100-09	12-May-1987	TITANIUM	0.0050	mg/L
SD-100-09	18-May-1987	TITANIUM	0.0042	mg/L
SD-100-09	26-May-1987	TITANIUM	<0.0030	mg/L
SD-100-09	3-Jun-1987	TITANIUM	0.0079	mg/L
SD-100-09	11-Jun-1987	TITANIUM	0.0043	mg/L
** SD-100-10				
SD-100-10	12-May-1987	TITANIUM	<0.0030	mg/L
SD-100-10	19-May-1987	TITANIUM	0.0044	mg/L
SD-100-10	26-May-1987	TITANIUM	<0.0030	mg/L
SD-100-10	3-Jun-1987	TITANIUM	0.017	mg/L
SD-100-10	11-Jun-1987	TITANIUM	0.0056	mg/L
SD-100-10	18-Jun-1987	TITANIUM	0.0070	mg/L
** SD-100-11				
SD-100-11	12-May-1987	TITANIUM	<0.0030	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-11	19-May-1987	TITANIUM	0.0032	mg/L
SD-100-11	26-May-1987	TITANIUM	0.024	mg/L
SD-100-11	3-Jun-1987	TITANIUM	0.0099	mg/L
SD-100-11	11-Jun-1987	TITANIUM	0.0057	mg/L
SD-100-11	18-Jun-1987	TITANIUM	0.0081	mg/L
** SD-100-12				
SD-100-12	12-May-1987	TITANIUM	0.036	mg/L
SD-100-12	19-May-1987	TITANIUM	0.0048	mg/L
SD-100-12	26-May-1987	TITANIUM	0.0063	mg/L
SD-100-12	3-Jun-1987	TITANIUM	0.0057	mg/L
SD-100-12	11-Jun-1987	TITANIUM	0.0071	mg/L
SD-100-12	18-Jun-1987	TITANIUM	0.0088	mg/L
** SD-100-13				
SD-100-13	12-May-1987	TITANIUM	<0.0030	mg/L
SD-100-13	19-May-1987	TITANIUM	<0.0030	mg/L
SD-100-13	26-May-1987	TITANIUM	0.0055	mg/L
SD-100-13	11-Jun-1987	TITANIUM	0.0051	mg/L
SD-100-13	18-Jun-1987	TITANIUM	0.0048	mg/L
** SD-100-14				
SD-100-14	12-May-1987	TITANIUM	0.012	mg/L
SD-100-14	19-May-1987	TITANIUM	0.026	mg/L
SD-100-14	26-May-1987	TITANIUM	0.0082	mg/L
SD-100-14	3-Jun-1987	TITANIUM	0.0057	mg/L
SD-100-14	11-Jun-1987	TITANIUM	0.0052	mg/L
SD-100-14	18-Jun-1987	TITANIUM	0.0081	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	TITANIUM	<0.0030	mg/L
SD-100-C	9-Mar-1987	TITANIUM	<0.0030	mg/L
SD-100-C	17-Mar-1987	TITANIUM	<0.0030	mg/L
SD-100-C	24-Mar-1987	TITANIUM	0.0053	mg/L
SD-100-C	8-Apr-1987	TITANIUM	0.0044	mg/L
SD-100-C	13-May-1987	TITANIUM	<0.0030	mg/L
SD-100-C	20-May-1987	TITANIUM	<0.0030	mg/L
SD-100-C	27-May-1987	TITANIUM	<0.0030	mg/L
SD-100-C	4-Jun-1987	TITANIUM	0.0046	mg/L
SD-100-C	12-Jun-1987	TITANIUM	0.0051	mg/L
SD-100-C	19-Jun-1987	TITANIUM	<0.0030	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	TITANIUM	<0.0030	mg/L
SD-100-D	11-Jun-1987	TITANIUM	0.0099	mg/L
** SD-100				
SD-100	5-Mar-1987	TOLUENE	<5	ug/L
SD-100	11-Mar-1987	TOLUENE	<5	ug/L
SD-100	18-Mar-1987	TOLUENE	<5	ug/L
SD-100	24-Mar-1987	TOLUENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	6-Apr-1987	TOLUENE	<5	ug/L
SD-100	12-May-1987	TOLUENE	<5	ug/L
SD-100	19-May-1987	TOLUENE	<5	ug/L
SD-100	26-May-1987	TOLUENE	<5	ug/L
SD-100	3-Jun-1987	TOLUENE	<5	ug/L
SD-100	11-Jun-1987	TOLUENE	<5	ug/L
SD-100	18-Jun-1987	TOLUENE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	TOLUENE	<5	ug/L
SD-100-01	18-May-1987	TOLUENE	<5	ug/L
SD-100-01	26-May-1987	TOLUENE	<5	ug/L
SD-100-01	3-Jun-1987	TOLUENE	<5	ug/L
SD-100-01	11-Jun-1987	TOLUENE	<5	ug/L
SD-100-01	18-Jun-1987	TOLUENE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	TOLUENE	<5	ug/L
SD-100-02	18-May-1987	TOLUENE	<5	ug/L
SD-100-02	26-May-1987	TOLUENE	<5	ug/L
SD-100-02	3-Jun-1987	TOLUENE	<5	ug/L
SD-100-02	11-Jun-1987	TOLUENE	<5	ug/L
SD-100-02	18-Jun-1987	TOLUENE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	TOLUENE	<5	ug/L
SD-100-03	18-May-1987	TOLUENE	<5	ug/L
SD-100-03	26-May-1987	TOLUENE	<5	ug/L
SD-100-03	3-Jun-1987	TOLUENE	<5	ug/L
SD-100-03	11-Jun-1987	TOLUENE	<5	ug/L
SD-100-03	18-Jun-1987	TOLUENE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	TOLUENE	<5	ug/L
SD-100-03D	26-May-1987	TOLUENE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	TOLUENE	<5	ug/L
SD-100-04	18-May-1987	TOLUENE	<5	ug/L
SD-100-04	26-May-1987	TOLUENE	<5	ug/L
SD-100-04	3-Jun-1987	TOLUENE	<5	ug/L
SD-100-04	11-Jun-1987	TOLUENE	<5	ug/L
SD-100-04	18-Jun-1987	TOLUENE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	TOLUENE	<5	ug/L
SD-100-06	18-May-1987	TOLUENE	<5	ug/L
SD-100-06	26-May-1987	TOLUENE	<5	ug/L
SD-100-06	3-Jun-1987	TOLUENE	<5	ug/L
SD-100-06	11-Jun-1987	TOLUENE	<5	ug/L
SD-100-06	18-Jun-1987	TOLUENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06D				
SD-100-06D	3-Jun-1987	TOLUENE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	TOLUENE	8	ug/L
SD-100-07	19-May-1987	TOLUENE	<5	ug/L
SD-100-07	26-May-1987	TOLUENE	18	ug/L
SD-100-07	3-Jun-1987	TOLUENE	5	ug/L
SD-100-07	11-Jun-1987	TOLUENE	5	ug/L
SD-100-07	18-Jun-1987	TOLUENE	50	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	TOLUENE	9	ug/L
** SD-100-09				
SD-100-09	12-May-1987	TOLUENE	<5	ug/L
SD-100-09	18-May-1987	TOLUENE	<5	ug/L
SD-100-09	26-May-1987	TOLUENE	<5	ug/L
SD-100-09	3-Jun-1987	TOLUENE	<5	ug/L
SD-100-09	11-Jun-1987	TOLUENE	<5	ug/L
SD-100-09	18-Jun-1987	TOLUENE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	TOLUENE	<5	ug/L
SD-100-10	19-May-1987	TOLUENE	<5	ug/L
SD-100-10	26-May-1987	TOLUENE	<5	ug/L
SD-100-10	3-Jun-1987	TOLUENE	<5	ug/L
SD-100-10	11-Jun-1987	TOLUENE	<5	ug/L
SD-100-10	18-Jun-1987	TOLUENE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	TOLUENE	<5	ug/L
SD-100-11	19-May-1987	TOLUENE	<5	ug/L
SD-100-11	26-May-1987	TOLUENE	<5	ug/L
SD-100-11	3-Jun-1987	TOLUENE	<5	ug/L
SD-100-11	11-Jun-1987	TOLUENE	<5	ug/L
SD-100-11	18-Jun-1987	TOLUENE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	TOLUENE	<5	ug/L
SD-100-12	19-May-1987	TOLUENE	<5	ug/L
SD-100-12	26-May-1987	TOLUENE	<5	ug/L
SD-100-12	3-Jun-1987	TOLUENE	<5	ug/L
SD-100-12	11-Jun-1987	TOLUENE	<5	ug/L
SD-100-12	18-Jun-1987	TOLUENE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	TOLUENE	<5	ug/L
SD-100-13	19-May-1987	TOLUENE	<5	ug/L
SD-100-13	26-May-1987	TOLUENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-13	3-Jun-1987	TOLUENE	<5	ug/L
SD-100-13	11-Jun-1987	TOLUENE	16	ug/L
SD-100-13	18-Jun-1987	TOLUENE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	TOLUENE	<5	ug/L
SD-100-14	19-May-1987	TOLUENE	<5	ug/L
SD-100-14	26-May-1987	TOLUENE	<5	ug/L
SD-100-14	3-Jun-1987	TOLUENE	<5	ug/L
SD-100-14	11-Jun-1987	TOLUENE	12	ug/L
SD-100-14	18-Jun-1987	TOLUENE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	TOLUENE	<5	ug/L
SD-100-C	9-Mar-1987	TOLUENE	<5	ug/L
SD-100-C	17-Mar-1987	TOLUENE	<5	ug/L
SD-100-C	24-Mar-1987	TOLUENE	<5	ug/L
SD-100-C	8-Apr-1987	TOLUENE	<5	ug/L
SD-100-C	13-May-1987	TOLUENE	<5	ug/L
SD-100-C	20-May-1987	TOLUENE	<5	ug/L
SD-100-C	27-May-1987	TOLUENE	<5	ug/L
SD-100-C	12-Jun-1987	TOLUENE	<5	ug/L
SD-100-C	19-Jun-1987	TOLUENE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	TOLUENE	<5	ug/L
SD-100-D	11-Jun-1987	TOLUENE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	TOTAL DISSOLVED SOLIDS	206	mg/L
SD-100	11-Mar-1987	TOTAL DISSOLVED SOLIDS	170	mg/L
SD-100	18-Mar-1987	TOTAL DISSOLVED SOLIDS	54	mg/L
SD-100	24-Mar-1987	TOTAL DISSOLVED SOLIDS	154	mg/L
SD-100	3-Apr-1987	TOTAL DISSOLVED SOLIDS	158	mg/L
SD-100	6-Apr-1987	TOTAL DISSOLVED SOLIDS	154	mg/L
SD-100	12-May-1987	TOTAL DISSOLVED SOLIDS	150	mg/L
SD-100	19-May-1987	TOTAL DISSOLVED SOLIDS	158	mg/L
SD-100	26-May-1987	TOTAL DISSOLVED SOLIDS	144	mg/L
SD-100	3-Jun-1987	TOTAL DISSOLVED SOLIDS	112	mg/L
SD-100	11-Jun-1987	TOTAL DISSOLVED SOLIDS	158	mg/L
SD-100	18-Jun-1987	TOTAL DISSOLVED SOLIDS	182	mg/L
** SD-100-01				
SD-100-01	12-May-1987	TOTAL DISSOLVED SOLIDS	104	mg/L
SD-100-01	18-May-1987	TOTAL DISSOLVED SOLIDS	98	mg/L
SD-100-01	26-May-1987	TOTAL DISSOLVED SOLIDS	130	mg/L
SD-100-01	3-Jun-1987	TOTAL DISSOLVED SOLIDS	130	mg/L
SD-100-01	11-Jun-1987	TOTAL DISSOLVED SOLIDS	178	mg/L
SD-100-01	18-Jun-1987	TOTAL DISSOLVED SOLIDS	148	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-02				
SD-100-02	12-May-1987	TOTAL DISSOLVED SOLIDS	140	mg/L
SD-100-02	18-May-1987	TOTAL DISSOLVED SOLIDS	138	mg/L
SD-100-02	26-May-1987	TOTAL DISSOLVED SOLIDS	166	mg/L
SD-100-02	3-Jun-1987	TOTAL DISSOLVED SOLIDS	172	mg/L
SD-100-02	11-Jun-1987	TOTAL DISSOLVED SOLIDS	148	mg/L
SD-100-02	18-Jun-1987	TOTAL DISSOLVED SOLIDS	164	mg/L
** SD-100-03				
SD-100-03	12-May-1987	TOTAL DISSOLVED SOLIDS	140	mg/L
SD-100-03	18-May-1987	TOTAL DISSOLVED SOLIDS	160	mg/L
SD-100-03	26-May-1987	TOTAL DISSOLVED SOLIDS	164	mg/L
SD-100-03	3-Jun-1987	TOTAL DISSOLVED SOLIDS	190	mg/L
SD-100-03	11-Jun-1987	TOTAL DISSOLVED SOLIDS	150	mg/L
SD-100-03	18-Jun-1987	TOTAL DISSOLVED SOLIDS	188	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	TOTAL DISSOLVED SOLIDS	168	mg/L
SD-100-03D	26-May-1987	TOTAL DISSOLVED SOLIDS	168	mg/L
** SD-100-04				
SD-100-04	12-May-1987	TOTAL DISSOLVED SOLIDS	140	mg/L
SD-100-04	18-May-1987	TOTAL DISSOLVED SOLIDS	142	mg/L
SD-100-04	26-May-1987	TOTAL DISSOLVED SOLIDS	156	mg/L
SD-100-04	3-Jun-1987	TOTAL DISSOLVED SOLIDS	174	mg/L
SD-100-04	11-Jun-1987	TOTAL DISSOLVED SOLIDS	158	mg/L
SD-100-04	18-Jun-1987	TOTAL DISSOLVED SOLIDS	168	mg/L
** SD-100-06				
SD-100-06	12-May-1987	TOTAL DISSOLVED SOLIDS	140	mg/L
SD-100-06	18-May-1987	TOTAL DISSOLVED SOLIDS	138	mg/L
SD-100-06	26-May-1987	TOTAL DISSOLVED SOLIDS	178	mg/L
SD-100-06	3-Jun-1987	TOTAL DISSOLVED SOLIDS	178	mg/L
SD-100-06	11-Jun-1987	TOTAL DISSOLVED SOLIDS	156	mg/L
SD-100-06	18-Jun-1987	TOTAL DISSOLVED SOLIDS	194	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	TOTAL DISSOLVED SOLIDS	188	mg/L
** SD-100-07				
SD-100-07	12-May-1987	TOTAL DISSOLVED SOLIDS	302	mg/L
SD-100-07	19-May-1987	TOTAL DISSOLVED SOLIDS	104	mg/L
SD-100-07	26-May-1987	TOTAL DISSOLVED SOLIDS	148	mg/L
SD-100-07	3-Jun-1987	TOTAL DISSOLVED SOLIDS	896	mg/L
SD-100-07	11-Jun-1987	TOTAL DISSOLVED SOLIDS	146	mg/L
SD-100-07	18-Jun-1987	TOTAL DISSOLVED SOLIDS	1072	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	TOTAL DISSOLVED SOLIDS	886	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	TOTAL DISSOLVED SOLIDS	164	mg/L
SD-100-09	18-May-1987	TOTAL DISSOLVED SOLIDS	162	mg/L
SD-100-09	26-May-1987	TOTAL DISSOLVED SOLIDS	158	mg/L
SD-100-09	3-Jun-1987	TOTAL DISSOLVED SOLIDS	168	mg/L
SD-100-09	11-Jun-1987	TOTAL DISSOLVED SOLIDS	148	mg/L
SD-100-09	18-Jun-1987	TOTAL DISSOLVED SOLIDS	204	mg/L
** SD-100-10				
SD-100-10	12-May-1987	TOTAL DISSOLVED SOLIDS	130	mg/L
SD-100-10	19-May-1987	TOTAL DISSOLVED SOLIDS	130	mg/L
SD-100-10	26-May-1987	TOTAL DISSOLVED SOLIDS	146	mg/L
SD-100-10	3-Jun-1987	TOTAL DISSOLVED SOLIDS	190	mg/L
SD-100-10	11-Jun-1987	TOTAL DISSOLVED SOLIDS	158	mg/L
SD-100-10	18-Jun-1987	TOTAL DISSOLVED SOLIDS	218	mg/L
** SD-100-11				
SD-100-11	12-May-1987	TOTAL DISSOLVED SOLIDS	174	mg/L
SD-100-11	19-May-1987	TOTAL DISSOLVED SOLIDS	164	mg/L
SD-100-11	26-May-1987	TOTAL DISSOLVED SOLIDS	152	mg/L
SD-100-11	3-Jun-1987	TOTAL DISSOLVED SOLIDS	166	mg/L
SD-100-11	11-Jun-1987	TOTAL DISSOLVED SOLIDS	162	mg/L
SD-100-11	18-Jun-1987	TOTAL DISSOLVED SOLIDS	188	mg/L
** SD-100-12				
SD-100-12	12-May-1987	TOTAL DISSOLVED SOLIDS	162	mg/L
SD-100-12	19-May-1987	TOTAL DISSOLVED SOLIDS	172	mg/L
SD-100-12	26-May-1987	TOTAL DISSOLVED SOLIDS	162	mg/L
SD-100-12	3-Jun-1987	TOTAL DISSOLVED SOLIDS	174	mg/L
SD-100-12	11-Jun-1987	TOTAL DISSOLVED SOLIDS	160	mg/L
SD-100-12	18-Jun-1987	TOTAL DISSOLVED SOLIDS	196	mg/L
** SD-100-13				
SD-100-13	12-May-1987	TOTAL DISSOLVED SOLIDS	140	mg/L
SD-100-13	19-May-1987	TOTAL DISSOLVED SOLIDS	160	mg/L
SD-100-13	26-May-1987	TOTAL DISSOLVED SOLIDS	150	mg/L
SD-100-13	3-Jun-1987	TOTAL DISSOLVED SOLIDS	176	mg/L
SD-100-13	11-Jun-1987	TOTAL DISSOLVED SOLIDS	146	mg/L
SD-100-13	18-Jun-1987	TOTAL DISSOLVED SOLIDS	218	mg/L
** SD-100-14				
SD-100-14	12-May-1987	TOTAL DISSOLVED SOLIDS	172	mg/L
SD-100-14	19-May-1987	TOTAL DISSOLVED SOLIDS	192	mg/L
SD-100-14	26-May-1987	TOTAL DISSOLVED SOLIDS	170	mg/L
SD-100-14	3-Jun-1987	TOTAL DISSOLVED SOLIDS	204	mg/L
SD-100-14	11-Jun-1987	TOTAL DISSOLVED SOLIDS	164	mg/L
SD-100-14	18-Jun-1987	TOTAL DISSOLVED SOLIDS	204	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	TOTAL DISSOLVED SOLIDS	168	mg/L
SD-100-C	9-Mar-1987	TOTAL DISSOLVED SOLIDS	150	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-11				
SD-100-11	12-May-1987	TOTAL ORGANIC CARBON (TOC)	2.1	mg/L
SD-100-11	19-May-1987	TOTAL ORGANIC CARBON (TOC)	3.2	mg/L
SD-100-11	26-May-1987	TOTAL ORGANIC CARBON (TOC)	2.2	mg/L
SD-100-11	3-Jun-1987	TOTAL ORGANIC CARBON (TOC)	2.7	mg/L
SD-100-11	11-Jun-1987	TOTAL ORGANIC CARBON (TOC)	2.2	mg/L
SD-100-11	18-Jun-1987	TOTAL ORGANIC CARBON (TOC)	3.0	mg/L
** SD-100-12				
SD-100-12	12-May-1987	TOTAL ORGANIC CARBON (TOC)	2.0	mg/L
SD-100-12	19-May-1987	TOTAL ORGANIC CARBON (TOC)	2.0	mg/L
SD-100-12	26-May-1987	TOTAL ORGANIC CARBON (TOC)	2.9	mg/L
SD-100-12	3-Jun-1987	TOTAL ORGANIC CARBON (TOC)	2.6	mg/L
SD-100-12	11-Jun-1987	TOTAL ORGANIC CARBON (TOC)	1.5	mg/L
SD-100-12	18-Jun-1987	TOTAL ORGANIC CARBON (TOC)	2.8	mg/L
** SD-100-13				
SD-100-13	12-May-1987	TOTAL ORGANIC CARBON (TOC)	2.6	mg/L
SD-100-13	19-May-1987	TOTAL ORGANIC CARBON (TOC)	2.6	mg/L
SD-100-13	26-May-1987	TOTAL ORGANIC CARBON (TOC)	2.2	mg/L
SD-100-13	3-Jun-1987	TOTAL ORGANIC CARBON (TOC)	2.6	mg/L
SD-100-13	11-Jun-1987	TOTAL ORGANIC CARBON (TOC)	1.6	mg/L
SD-100-13	18-Jun-1987	TOTAL ORGANIC CARBON (TOC)	3.2	mg/L
** SD-100-14				
SD-100-14	12-May-1987	TOTAL ORGANIC CARBON (TOC)	2.1	mg/L
SD-100-14	19-May-1987	TOTAL ORGANIC CARBON (TOC)	2.3	mg/L
SD-100-14	26-May-1987	TOTAL ORGANIC CARBON (TOC)	2.1	mg/L
SD-100-14	3-Jun-1987	TOTAL ORGANIC CARBON (TOC)	1.9	mg/L
SD-100-14	11-Jun-1987	TOTAL ORGANIC CARBON (TOC)	1.4	mg/L
SD-100-14	18-Jun-1987	TOTAL ORGANIC CARBON (TOC)	2.0	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	TOTAL ORGANIC CARBON (TOC)	12	mg/L
SD-100-C	9-Mar-1987	TOTAL ORGANIC CARBON (TOC)	5	mg/L
SD-100-C	17-Mar-1987	TOTAL ORGANIC CARBON (TOC)	27	mg/L
SD-100-C	24-Mar-1987	TOTAL ORGANIC CARBON (TOC)	5	mg/L
SD-100-C	8-Apr-1987	TOTAL ORGANIC CARBON (TOC)	4	mg/L
SD-100-C	13-May-1987	TOTAL ORGANIC CARBON (TOC)	21	mg/L
SD-100-C	20-May-1987	TOTAL ORGANIC CARBON (TOC)	23	mg/L
SD-100-C	27-May-1987	TOTAL ORGANIC CARBON (TOC)	23	mg/L
SD-100-C	4-Jun-1987	TOTAL ORGANIC CARBON (TOC)	10.6	mg/L
SD-100-C	12-Jun-1987	TOTAL ORGANIC CARBON (TOC)	23.8	mg/L
SD-100-C	19-Jun-1987	TOTAL ORGANIC CARBON (TOC)	3.1	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	TOTAL ORGANIC CARBON (TOC)	6	mg/L
SD-100-D	11-Jun-1987	TOTAL ORGANIC CARBON (TOC)	1.8	mg/L
** SD-100				
SD-100	5-Mar-1987	TOTAL SUSPENDED SOLIDS	12	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	11-Mar-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100	18-Mar-1987	TOTAL SUSPENDED SOLIDS	1	mg/L
SD-100	24-Mar-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-100	3-Apr-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-100	6-Apr-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-100	12-May-1987	TOTAL SUSPENDED SOLIDS	1	mg/L
SD-100	19-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100	26-May-1987	TOTAL SUSPENDED SOLIDS	4	mg/L
SD-100	3-Jun-1987	TOTAL SUSPENDED SOLIDS	1	mg/L
SD-100	11-Jun-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-100	18-Jun-1987	TOTAL SUSPENDED SOLIDS	<4	mg/L
** SD-100-01				
SD-100-01	12-May-1987	TOTAL SUSPENDED SOLIDS	12	mg/L
SD-100-01	18-May-1987	TOTAL SUSPENDED SOLIDS	148	mg/L
SD-100-01	26-May-1987	TOTAL SUSPENDED SOLIDS	35	mg/L
SD-100-01	3-Jun-1987	TOTAL SUSPENDED SOLIDS	37	mg/L
SD-100-01	11-Jun-1987	TOTAL SUSPENDED SOLIDS	7	mg/L
SD-100-01	18-Jun-1987	TOTAL SUSPENDED SOLIDS	45	mg/L
** SD-100-02				
SD-100-02	12-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-02	18-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-02	26-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-02	3-Jun-1987	TOTAL SUSPENDED SOLIDS	1	mg/L
SD-100-02	11-Jun-1987	TOTAL SUSPENDED SOLIDS	4	mg/L
SD-100-02	18-Jun-1987	TOTAL SUSPENDED SOLIDS	<4	mg/L
** SD-100-03				
SD-100-03	12-May-1987	TOTAL SUSPENDED SOLIDS	3	mg/L
SD-100-03	18-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-03	26-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-03	3-Jun-1987	TOTAL SUSPENDED SOLIDS	6	mg/L
SD-100-03	11-Jun-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-03	18-Jun-1987	TOTAL SUSPENDED SOLIDS	<4	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	TOTAL SUSPENDED SOLIDS	1	mg/L
SD-100-03D	26-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
** SD-100-04				
SD-100-04	12-May-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-100-04	18-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-04	26-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-04	3-Jun-1987	TOTAL SUSPENDED SOLIDS	9	mg/L
SD-100-04	11-Jun-1987	TOTAL SUSPENDED SOLIDS	4	mg/L
SD-100-04	18-Jun-1987	TOTAL SUSPENDED SOLIDS	<4	mg/L
** SD-100-06				
SD-100-06	12-May-1987	TOTAL SUSPENDED SOLIDS	3	mg/L
SD-100-06	18-May-1987	TOTAL SUSPENDED SOLIDS	2	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-06	26-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-06	3-Jun-1987	TOTAL SUSPENDED SOLIDS	3	mg/L
SD-100-06	11-Jun-1987	TOTAL SUSPENDED SOLIDS	3	mg/L
SD-100-06	18-Jun-1987	TOTAL SUSPENDED SOLIDS	<4	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
** SD-100-07				
SD-100-07	12-May-1987	TOTAL SUSPENDED SOLIDS	909	mg/L
SD-100-07	19-May-1987	TOTAL SUSPENDED SOLIDS	169	mg/L
SD-100-07	26-May-1987	TOTAL SUSPENDED SOLIDS	38	mg/L
SD-100-07	3-Jun-1987	TOTAL SUSPENDED SOLIDS	262	mg/L
SD-100-07	11-Jun-1987	TOTAL SUSPENDED SOLIDS	21	mg/L
SD-100-07	18-Jun-1987	TOTAL SUSPENDED SOLIDS	50	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	TOTAL SUSPENDED SOLIDS	61	mg/L
** SD-100-09				
SD-100-09	12-May-1987	TOTAL SUSPENDED SOLIDS	8	mg/L
SD-100-09	18-May-1987	TOTAL SUSPENDED SOLIDS	6	mg/L
SD-100-09	26-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-09	3-Jun-1987	TOTAL SUSPENDED SOLIDS	5	mg/L
SD-100-09	11-Jun-1987	TOTAL SUSPENDED SOLIDS	7	mg/L
SD-100-09	18-Jun-1987	TOTAL SUSPENDED SOLIDS	8	mg/L
** SD-100-10				
SD-100-10	12-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-10	19-May-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-100-10	26-May-1987	TOTAL SUSPENDED SOLIDS	3	mg/L
SD-100-10	3-Jun-1987	TOTAL SUSPENDED SOLIDS	10	mg/L
SD-100-10	11-Jun-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-100-10	18-Jun-1987	TOTAL SUSPENDED SOLIDS	<4	mg/L
** SD-100-11				
SD-100-11	12-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-11	19-May-1987	TOTAL SUSPENDED SOLIDS	5	mg/L
SD-100-11	26-May-1987	TOTAL SUSPENDED SOLIDS	3	mg/L
SD-100-11	3-Jun-1987	TOTAL SUSPENDED SOLIDS	6	mg/L
SD-100-11	11-Jun-1987	TOTAL SUSPENDED SOLIDS	20	mg/L
SD-100-11	18-Jun-1987	TOTAL SUSPENDED SOLIDS	<4	mg/L
** SD-100-12				
SD-100-12	12-May-1987	TOTAL SUSPENDED SOLIDS	6	mg/L
SD-100-12	19-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-12	26-May-1987	TOTAL SUSPENDED SOLIDS	17	mg/L
SD-100-12	3-Jun-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-12	11-Jun-1987	TOTAL SUSPENDED SOLIDS	42	mg/L
SD-100-12	18-Jun-1987	TOTAL SUSPENDED SOLIDS	9	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-13	19-May-1987	TOTAL SUSPENDED SOLIDS	1	mg/L
SD-100-13	26-May-1987	TOTAL SUSPENDED SOLIDS	69	mg/L
SD-100-13	3-Jun-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-100-13	11-Jun-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-100-13	18-Jun-1987	TOTAL SUSPENDED SOLIDS	<4	mg/L
** SD-100-14				
SD-100-14	12-May-1987	TOTAL SUSPENDED SOLIDS	15	mg/L
SD-100-14	19-May-1987	TOTAL SUSPENDED SOLIDS	14	mg/L
SD-100-14	26-May-1987	TOTAL SUSPENDED SOLIDS	5	mg/L
SD-100-14	3-Jun-1987	TOTAL SUSPENDED SOLIDS	16	mg/L
SD-100-14	11-Jun-1987	TOTAL SUSPENDED SOLIDS	6	mg/L
SD-100-14	18-Jun-1987	TOTAL SUSPENDED SOLIDS	<4	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	TOTAL SUSPENDED SOLIDS	7	mg/L
SD-100-C	9-Mar-1987	TOTAL SUSPENDED SOLIDS	5	mg/L
SD-100-C	17-Mar-1987	TOTAL SUSPENDED SOLIDS	3	mg/L
SD-100-C	24-Mar-1987	TOTAL SUSPENDED SOLIDS	10	mg/L
SD-100-C	8-Apr-1987	TOTAL SUSPENDED SOLIDS	3	mg/L
SD-100-C	13-May-1987	TOTAL SUSPENDED SOLIDS	6	mg/L
SD-100-C	20-May-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-100-C	27-May-1987	TOTAL SUSPENDED SOLIDS	7	mg/L
SD-100-C	4-Jun-1987	TOTAL SUSPENDED SOLIDS	9	mg/L
SD-100-C	12-Jun-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-100-C	19-Jun-1987	TOTAL SUSPENDED SOLIDS	13	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	TOTAL SUSPENDED SOLIDS	6	mg/L
SD-100-D	11-Jun-1987	TOTAL SUSPENDED SOLIDS	4	mg/L
** SD-100				
SD-100	5-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100	11-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100	18-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100	24-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100	6-Apr-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100	19-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-01	18-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-01	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-01	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-01	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-01	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-02	18-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-02	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-02	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-02	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-02	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-03	18-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-03	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-03	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-03	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-03	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-03D	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-04	18-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-04	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-04	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-04	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-04	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-06	18-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-06	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-06	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-06	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-06	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-07	19-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-07	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-07	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-07	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-07	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-07D				
SD-100-07D	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	TRANS-1 2-DICHLOROETHENE	5	ug/L
SD-100-09	18-May-1987	TRANS-1 2-DICHLOROETHENE	5	ug/L
SD-100-09	26-May-1987	TRANS-1 2-DICHLOROETHENE	5	ug/L
SD-100-09	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-09	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	5	ug/L
SD-100-09	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-10	19-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-10	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-10	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-10	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-10	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-11	19-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-11	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-11	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-11	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-11	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-12	19-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-12	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-12	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-12	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-12	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-13	19-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-13	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-13	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-13	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-13	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-14	19-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-14	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-14	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-14	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-14	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-C				
SD-100-C	5-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-C	9-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-C	17-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-C	24-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-C	8-Apr-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-C	13-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-C	20-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-C	27-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-C	12-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-C	19-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-100-D	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	11-Mar-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	18-Mar-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	24-Mar-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	6-Apr-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	12-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	19-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	26-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	3-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	11-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100	18-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-01				
SD-100-01	12-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-01	18-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-01	26-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-01	3-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-01	11-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-01	18-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-02				
SD-100-02	12-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-02	18-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-02	26-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-02	3-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-02	11-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-02	18-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-03				
SD-100-03	12-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-03	18-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-03	26-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-03	3-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-03	11-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-03	18-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-03D	26-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-04				
SD-100-04	12-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-04	18-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-04	26-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-04	3-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-04	11-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-04	18-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-06				
SD-100-06	12-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-06	18-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-06	26-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-06	3-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-06	11-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-06	18-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-07	19-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-07	26-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-07	3-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-07	11-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-07	18-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-09				
SD-100-09	12-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-09	18-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-09	26-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-09	3-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-09	11-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-09	18-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-10	19-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-10	26-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-10	3-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-10	11-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-100-10	18-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06				
SD-100-06	12-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-06	18-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-06	26-May-1987	TRICHLOROETHENE	10	ug/L
SD-100-06	3-Jun-1987	TRICHLOROETHENE	5	ug/L
SD-100-06	11-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-100-06	18-Jun-1987	TRICHLOROETHENE	<5	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	TRICHLOROETHENE	5	ug/L
** SD-100-07				
SD-100-07	12-May-1987	TRICHLOROETHENE	180	ug/L
SD-100-07	19-May-1987	TRICHLOROETHENE	360	ug/L
SD-100-07	26-May-1987	TRICHLOROETHENE	390	ug/L
SD-100-07	3-Jun-1987	TRICHLOROETHENE	340	ug/L
SD-100-07	11-Jun-1987	TRICHLOROETHENE	93	ug/L
SD-100-07	18-Jun-1987	TRICHLOROETHENE	1100	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	TRICHLOROETHENE	910	ug/L
** SD-100-09				
SD-100-09	12-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-09	18-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-09	26-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-09	3-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-100-09	11-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-100-09	18-Jun-1987	TRICHLOROETHENE	<5	ug/L
** SD-100-10				
SD-100-10	12-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-10	19-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-10	26-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-10	3-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-100-10	11-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-100-10	18-Jun-1987	TRICHLOROETHENE	<5	ug/L
** SD-100-11				
SD-100-11	12-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-11	19-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-11	26-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-11	3-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-100-11	11-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-100-11	18-Jun-1987	TRICHLOROETHENE	<5	ug/L
** SD-100-12				
SD-100-12	12-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-12	19-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-12	26-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-12	3-Jun-1987	TRICHLOROETHENE	<5	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-12	11-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-100-12	18-Jun-1987	TRICHLOROETHENE	<5	ug/L
** SD-100-13				
SD-100-13	12-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-13	19-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-13	26-May-1987	TRICHLOROETHENE	9	ug/L
SD-100-13	3-Jun-1987	TRICHLOROETHENE	5	ug/L
SD-100-13	11-Jun-1987	TRICHLOROETHENE	5	ug/L
SD-100-13	18-Jun-1987	TRICHLOROETHENE	5	ug/L
** SD-100-14				
SD-100-14	12-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-14	19-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-14	26-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-14	3-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-100-14	11-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-100-14	18-Jun-1987	TRICHLOROETHENE	<5	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	TRICHLOROETHENE	<5	ug/L
SD-100-C	9-Mar-1987	TRICHLOROETHENE	<5	ug/L
SD-100-C	17-Mar-1987	TRICHLOROETHENE	<5	ug/L
SD-100-C	24-Mar-1987	TRICHLOROETHENE	<5	ug/L
SD-100-C	8-Apr-1987	TRICHLOROETHENE	<5	ug/L
SD-100-C	13-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-C	20-May-1987	TRICHLOROETHENE	<5	ug/L
SD-100-C	27-May-1987	TRICHLOROETHENE	5	ug/L
SD-100-C	12-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-100-C	19-Jun-1987	TRICHLOROETHENE	<5	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	TRICHLOROETHENE	<5	ug/L
SD-100-D	11-Jun-1987	TRICHLOROETHENE	<5	ug/L
** SD-100				
SD-100	5-Mar-1987	TURBIDITY	8	NTU
SD-100	11-Mar-1987	TURBIDITY	4	NTU
SD-100	18-Mar-1987	TURBIDITY	1	NTU
SD-100	24-Mar-1987	TURBIDITY	3	NTU
SD-100	3-Apr-1987	TURBIDITY	4	NTU
SD-100	6-Apr-1987	TURBIDITY	2	NTU
SD-100	12-May-1987	TURBIDITY	2.9	NTU
SD-100	19-May-1987	TURBIDITY	2.7	NTU
SD-100	26-May-1987	TURBIDITY	2.2	NTU
SD-100	3-Jun-1987	TURBIDITY	1.2	NTU
SD-100	11-Jun-1987	TURBIDITY	1.5	NTU
SD-100	18-Jun-1987	TURBIDITY	1.5	NTU
** SD-100-01				
SD-100-01	12-May-1987	TURBIDITY	25	NTU

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-01	18-May-1987	TURBIDITY	91	NTU
SD-100-01	26-May-1987	TURBIDITY	110	NTU
SD-100-01	3-Jun-1987	TURBIDITY	37	NTU
SD-100-01	11-Jun-1987	TURBIDITY	18	NTU
SD-100-01	18-Jun-1987	TURBIDITY	12	NTU
** SD-100-02				
SD-100-02	12-May-1987	TURBIDITY	0.55	NTU
SD-100-02	18-May-1987	TURBIDITY	0.60	NTU
SD-100-02	26-May-1987	TURBIDITY	0.20	NTU
SD-100-02	3-Jun-1987	TURBIDITY	0.10	NTU
SD-100-02	11-Jun-1987	TURBIDITY	0.15	NTU
SD-100-02	18-Jun-1987	TURBIDITY	0.10	NTU
** SD-100-03				
SD-100-03	12-May-1987	TURBIDITY	1.4	NTU
SD-100-03	18-May-1987	TURBIDITY	0.65	NTU
SD-100-03	26-May-1987	TURBIDITY	0.70	NTU
SD-100-03	3-Jun-1987	TURBIDITY	0.65	NTU
SD-100-03	11-Jun-1987	TURBIDITY	0.15	NTU
SD-100-03	18-Jun-1987	TURBIDITY	0.40	NTU
** SD-100-03D				
SD-100-03D	12-May-1987	TURBIDITY	1.6	NTU
SD-100-03D	26-May-1987	TURBIDITY	0.65	NTU
** SD-100-04				
SD-100-04	12-May-1987	TURBIDITY	2.0	NTU
SD-100-04	18-May-1987	TURBIDITY	0.30	NTU
SD-100-04	26-May-1987	TURBIDITY	0.35	NTU
SD-100-04	3-Jun-1987	TURBIDITY	0.65	NTU
SD-100-04	11-Jun-1987	TURBIDITY	1.2	NTU
SD-100-04	18-Jun-1987	TURBIDITY	0.20	NTU
** SD-100-06				
SD-100-06	12-May-1987	TURBIDITY	2.3	NTU
SD-100-06	18-May-1987	TURBIDITY	0.35	NTU
SD-100-06	26-May-1987	TURBIDITY	0.25	NTU
SD-100-06	3-Jun-1987	TURBIDITY	0.70	NTU
SD-100-06	11-Jun-1987	TURBIDITY	0.30	NTU
SD-100-06	18-Jun-1987	TURBIDITY	0.20	NTU
** SD-100-06D				
SD-100-06D	3-Jun-1987	TURBIDITY	0.45	NTU
** SD-100-07				
SD-100-07	12-May-1987	TURBIDITY	84	NTU
SD-100-07	19-May-1987	TURBIDITY	38	NTU
SD-100-07	26-May-1987	TURBIDITY	24	NTU
SD-100-07	3-Jun-1987	TURBIDITY	55	NTU
SD-100-07	11-Jun-1987	TURBIDITY	27	NTU

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-07	18-Jun-1987	TURBIDITY	33	NTU
** SD-100-07D				
SD-100-07D	18-Jun-1987	TURBIDITY	36	NTU
** SD-100-09				
SD-100-09	12-May-1987	TURBIDITY	9.0	NTU
SD-100-09	18-May-1987	TURBIDITY	0.20	NTU
SD-100-09	26-May-1987	TURBIDITY	0.90	NTU
SD-100-09	3-Jun-1987	TURBIDITY	10.2	NTU
SD-100-09	11-Jun-1987	TURBIDITY	0.70	NTU
SD-100-09	18-Jun-1987	TURBIDITY	2.4	NTU
** SD-100-10				
SD-100-10	12-May-1987	TURBIDITY	0.25	NTU
SD-100-10	19-May-1987	TURBIDITY	0.20	NTU
SD-100-10	26-May-1987	TURBIDITY	0.15	NTU
SD-100-10	3-Jun-1987	TURBIDITY	1.0	NTU
SD-100-10	11-Jun-1987	TURBIDITY	0.15	NTU
SD-100-10	18-Jun-1987	TURBIDITY	0.15	NTU
** SD-100-11				
SD-100-11	12-May-1987	TURBIDITY	0.85	NTU
SD-100-11	19-May-1987	TURBIDITY	0.70	NTU
SD-100-11	26-May-1987	TURBIDITY	6.7	NTU
SD-100-11	3-Jun-1987	TURBIDITY	1.0	NTU
SD-100-11	11-Jun-1987	TURBIDITY	5.0	NTU
SD-100-11	18-Jun-1987	TURBIDITY	0.70	NTU
** SD-100-12				
SD-100-12	12-May-1987	TURBIDITY	0.95	NTU
SD-100-12	19-May-1987	TURBIDITY	0.25	NTU
SD-100-12	26-May-1987	TURBIDITY	0.55	NTU
SD-100-12	3-Jun-1987	TURBIDITY	0.25	NTU
SD-100-12	11-Jun-1987	TURBIDITY	2.1	NTU
SD-100-12	18-Jun-1987	TURBIDITY	1.9	NTU
** SD-100-13				
SD-100-13	12-May-1987	TURBIDITY	0.60	NTU
SD-100-13	19-May-1987	TURBIDITY	0.70	NTU
SD-100-13	26-May-1987	TURBIDITY	0.90	NTU
SD-100-13	3-Jun-1987	TURBIDITY	0.50	NTU
SD-100-13	11-Jun-1987	TURBIDITY	0.40	NTU
SD-100-13	18-Jun-1987	TURBIDITY	1.7	NTU
** SD-100-14				
SD-100-14	12-May-1987	TURBIDITY	7.6	NTU
SD-100-14	19-May-1987	TURBIDITY	1.8	NTU
SD-100-14	26-May-1987	TURBIDITY	8.0	NTU
SD-100-14	3-Jun-1987	TURBIDITY	2.5	NTU
SD-100-14	11-Jun-1987	TURBIDITY	0.05	NTU

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-14	18-Jun-1987	TURBIDITY	0.20	NTU
** SD-100-C				
SD-100-C	5-Mar-1987	TURBIDITY	5	NTU
SD-100-C	9-Mar-1987	TURBIDITY	8	NTU
SD-100-C	17-Mar-1987	TURBIDITY	3	NTU
SD-100-C	24-Mar-1987	TURBIDITY	4	NTU
SD-100-C	8-Apr-1987	TURBIDITY	2	NTU
SD-100-C	13-May-1987	TURBIDITY	2.1	NTU
SD-100-C	20-May-1987	TURBIDITY	2.2	NTU
SD-100-C	27-May-1987	TURBIDITY	0.60	NTU
SD-100-C	4-Jun-1987	TURBIDITY	6.3	NTU
SD-100-C	12-Jun-1987	TURBIDITY	2.8	NTU
SD-100-C	19-Jun-1987	TURBIDITY	11.7	NTU
** SD-100-D				
SD-100-D	6-Apr-1987	TURBIDITY	3	NTU
SD-100-D	11-Jun-1987	TURBIDITY	2.1	NTU
** SD-100-C				
SD-100-C	17-Mar-1987	UNKNOWN	7	ug/L
** SD-100-07				
SD-100-07	12-May-1987	UNKNOWN ACIDS	860	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	UNKNOWN ALCOHOL	8	ug/L
SD-100-C	9-Mar-1987	UNKNOWN ALCOHOL	16	ug/L
SD-100-C	17-Mar-1987	UNKNOWN ALCOHOL	3	ug/L
SD-100-C	8-Apr-1987	UNKNOWN ALCOHOL	27	ug/L
SD-100-C	17-Mar-1987	UNKNOWN ALKYL/ALKOXY COMPOUND	7	ug/L
** SD-100-11				
SD-100-11	12-May-1987	UNKNOWN HEPTANE	200	ug/L
** SD-100-C				
SD-100-C	19-Jun-1987	UNKNOWN HYDROCARBON	240	ug/L
** SD-100-06				
SD-100-06	12-May-1987	UNKNOWN KETONE	27	ug/L
** SD-100				
SD-100	11-Mar-1987	UNKNOWNNS	30	ug/L
** SD-100-02				
SD-100-02	12-May-1987	UNKNOWNNS	620	ug/L
** SD-100-03				
SD-100-03	12-May-1987	UNKNOWNNS	450	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03D				
SD-100-03D	12-May-1987	UNKNOWNNS	730	ug/L
** SD-100-04				
SD-100-04	12-May-1987	UNKNOWNNS	470	ug/L
** SD-100-06				
SD-100-06	12-May-1987	UNKNOWNNS	64	ug/L
** SD-100-10				
SD-100-10	12-May-1987	UNKNOWNNS	570	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	UNKNOWNNS	13	ug/L
SD-100-C	8-Apr-1987	UNKNOWNNS	12	ug/L
** SD-100				
SD-100	5-Mar-1987	URANIUM	0.004	mg/L
SD-100	11-Mar-1987	URANIUM	0.004	mg/L
SD-100	18-Mar-1987	URANIUM	0.003	mg/L
SD-100	24-Mar-1987	URANIUM	0.004	mg/L
SD-100	3-Apr-1987	URANIUM	0.002	mg/L
SD-100	6-Apr-1987	URANIUM	0.002	mg/L
SD-100	12-May-1987	URANIUM	<0.001	mg/L
SD-100	19-May-1987	URANIUM	0.002	mg/L
SD-100	26-May-1987	URANIUM	<0.001	mg/L
SD-100	3-Jun-1987	URANIUM	0.001	mg/L
SD-100	11-Jun-1987	URANIUM	0.002	mg/L
SD-100	18-Jun-1987	URANIUM	0.026	mg/L
** SD-100-01				
SD-100-01	12-May-1987	URANIUM	<0.001	mg/L
SD-100-01	18-May-1987	URANIUM	<0.001	mg/L
SD-100-01	26-May-1987	URANIUM	<0.001	mg/L
SD-100-01	3-Jun-1987	URANIUM	<0.001	mg/L
SD-100-01	11-Jun-1987	URANIUM	0.004	mg/L
SD-100-01	18-Jun-1987	URANIUM	0.002	mg/L
** SD-100-02				
SD-100-02	12-May-1987	URANIUM	0.002	mg/L
SD-100-02	18-May-1987	URANIUM	0.001	mg/L
SD-100-02	26-May-1987	URANIUM	0.001	mg/L
SD-100-02	3-Jun-1987	URANIUM	<0.001	mg/L
SD-100-02	11-Jun-1987	URANIUM	0.002	mg/L
SD-100-02	18-Jun-1987	URANIUM	<0.001	mg/L
** SD-100-03				
SD-100-03	12-May-1987	URANIUM	<0.001	mg/L
SD-100-03	18-May-1987	URANIUM	0.001	mg/L
SD-100-03	26-May-1987	URANIUM	0.001	mg/L
SD-100-03	3-Jun-1987	URANIUM	0.001	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-03	11-Jun-1987	URANIUM	0.002	mg/L
SD-100-03	18-Jun-1987	URANIUM	0.001	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	URANIUM	0.003	mg/L
SD-100-03D	26-May-1987	URANIUM	<0.001	mg/L
** SD-100-04				
SD-100-04	12-May-1987	URANIUM	<0.001	mg/L
SD-100-04	18-May-1987	URANIUM	<0.001	mg/L
SD-100-04	26-May-1987	URANIUM	<0.001	mg/L
SD-100-04	3-Jun-1987	URANIUM	0.003	mg/L
SD-100-04	11-Jun-1987	URANIUM	0.004	mg/L
SD-100-04	18-Jun-1987	URANIUM	0.003	mg/L
** SD-100-06				
SD-100-06	12-May-1987	URANIUM	0.003	mg/L
SD-100-06	18-May-1987	URANIUM	<0.001	mg/L
SD-100-06	26-May-1987	URANIUM	<0.001	mg/L
SD-100-06	3-Jun-1987	URANIUM	<0.001	mg/L
SD-100-06	11-Jun-1987	URANIUM	0.002	mg/L
SD-100-06	18-Jun-1987	URANIUM	0.002	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	URANIUM	<0.001	mg/L
** SD-100-07				
SD-100-07	12-May-1987	URANIUM	0.245	mg/L
SD-100-07	19-May-1987	URANIUM	0.092	mg/L
SD-100-07	26-May-1987	URANIUM	0.041	mg/L
SD-100-07	3-Jun-1987	URANIUM	.340	mg/L
SD-100-07	11-Jun-1987	URANIUM	0.006	mg/L
SD-100-07	18-Jun-1987	URANIUM	0.050	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	URANIUM	0.053	mg/L
** SD-100-09				
SD-100-09	12-May-1987	URANIUM	0.003	mg/L
SD-100-09	18-May-1987	URANIUM	0.005	mg/L
SD-100-09	26-May-1987	URANIUM	0.005	mg/L
SD-100-09	3-Jun-1987	URANIUM	0.012	mg/L
SD-100-09	11-Jun-1987	URANIUM	0.003	mg/L
SD-100-09	18-Jun-1987	URANIUM	0.003	mg/L
** SD-100-10				
SD-100-10	12-May-1987	URANIUM	<0.001	mg/L
SD-100-10	19-May-1987	URANIUM	<0.001	mg/L
SD-100-10	26-May-1987	URANIUM	<0.001	mg/L
SD-100-10	3-Jun-1987	URANIUM	0.002	mg/L
SD-100-10	11-Jun-1987	URANIUM	0.002	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-10	18-Jun-1987	URANIUM	0.003	mg/L
** SD-100-11				
SD-100-11	12-May-1987	URANIUM	<0.001	mg/L
SD-100-11	19-May-1987	URANIUM	<0.001	mg/L
SD-100-11	26-May-1987	URANIUM	0.001	mg/L
SD-100-11	3-Jun-1987	URANIUM	<0.001	mg/L
SD-100-11	11-Jun-1987	URANIUM	0.002	mg/L
SD-100-11	18-Jun-1987	URANIUM	0.004	mg/L
** SD-100-12				
SD-100-12	12-May-1987	URANIUM	<0.001	mg/L
SD-100-12	19-May-1987	URANIUM	<0.001	mg/L
SD-100-12	26-May-1987	URANIUM	<0.001	mg/L
SD-100-12	3-Jun-1987	URANIUM	0.001	mg/L
SD-100-12	11-Jun-1987	URANIUM	0.002	mg/L
SD-100-12	18-Jun-1987	URANIUM	0.003	mg/L
** SD-100-13				
SD-100-13	12-May-1987	URANIUM	<0.001	mg/L
SD-100-13	19-May-1987	URANIUM	<0.001	mg/L
SD-100-13	26-May-1987	URANIUM	0.002	mg/L
SD-100-13	3-Jun-1987	URANIUM	<0.001	mg/L
SD-100-13	11-Jun-1987	URANIUM	0.003	mg/L
SD-100-13	18-Jun-1987	URANIUM	0.005	mg/L
** SD-100-14				
SD-100-14	12-May-1987	URANIUM	<0.001	mg/L
SD-100-14	19-May-1987	URANIUM	0.002	mg/L
SD-100-14	26-May-1987	URANIUM	0.001	mg/L
SD-100-14	3-Jun-1987	URANIUM	<0.001	mg/L
SD-100-14	11-Jun-1987	URANIUM	0.002	mg/L
SD-100-14	18-Jun-1987	URANIUM	<0.001	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	URANIUM	0.006	mg/L
SD-100-C	9-Mar-1987	URANIUM	0.007	mg/L
SD-100-C	17-Mar-1987	URANIUM	0.003	mg/L
SD-100-C	24-Mar-1987	URANIUM	0.004	mg/L
SD-100-C	8-Apr-1987	URANIUM	0.002	mg/L
SD-100-C	13-May-1987	URANIUM	<0.001	mg/L
SD-100-C	20-May-1987	URANIUM	<0.001	mg/L
SD-100-C	27-May-1987	URANIUM	<0.001	mg/L
SD-100-C	4-Jun-1987	URANIUM	<0.001	mg/L
SD-100-C	12-Jun-1987	URANIUM	0.002	mg/L
SD-100-C	19-Jun-1987	URANIUM	0.002	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	URANIUM	0.004	mg/L
SD-100-D	11-Jun-1987	URANIUM	<0.001	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100				
SD-100	5-Mar-1987	VANADIUM	<0.50	mg/L
SD-100	11-Mar-1987	VANADIUM	<0.50	mg/L
SD-100	18-Mar-1987	VANADIUM	<0.50	mg/L
SD-100	24-Mar-1987	VANADIUM	<0.50	mg/L
SD-100	3-Apr-1987	VANADIUM	<0.50	mg/L
SD-100	6-Apr-1987	VANADIUM	<0.50	mg/L
SD-100	12-May-1987	VANADIUM	<0.50	mg/L
SD-100	19-May-1987	VANADIUM	<0.50	mg/L
SD-100	26-May-1987	VANADIUM	<0.0050	mg/L
SD-100	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-01				
SD-100-01	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-01	18-May-1987	VANADIUM	<0.50	mg/L
SD-100-01	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-01	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-01	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-02				
SD-100-02	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-02	18-May-1987	VANADIUM	<0.50	mg/L
SD-100-02	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-02	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-02	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-03				
SD-100-03	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-03	18-May-1987	VANADIUM	<0.50	mg/L
SD-100-03	26-May-1987	VANADIUM	<0.50	mg/L
SD-100-03	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-03	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-03	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-03D	26-May-1987	VANADIUM	<0.50	mg/L
** SD-100-04				
SD-100-04	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-04	18-May-1987	VANADIUM	<0.50	mg/L
SD-100-04	26-May-1987	VANADIUM	<0.50	mg/L
SD-100-04	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-04	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-04	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-06				
SD-100-06	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-06	18-May-1987	VANADIUM	<0.50	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-06	26-May-1987	VANADIUM	<0.50	mg/L
SD-100-06	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-06	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-06	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-07				
SD-100-07	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-07	19-May-1987	VANADIUM	<0.50	mg/L
SD-100-07	26-May-1987	VANADIUM	<0.50	mg/L
SD-100-07	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-07	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-07	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-09				
SD-100-09	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-09	18-May-1987	VANADIUM	<0.50	mg/L
SD-100-09	26-May-1987	VANADIUM	<0.50	mg/L
SD-100-09	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-09	11-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-10				
SD-100-10	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-10	19-May-1987	VANADIUM	<0.50	mg/L
SD-100-10	26-May-1987	VANADIUM	<0.50	mg/L
SD-100-10	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-10	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-10	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-11				
SD-100-11	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-11	19-May-1987	VANADIUM	<0.50	mg/L
SD-100-11	26-May-1987	VANADIUM	<0.50	mg/L
SD-100-11	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-11	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-11	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-12				
SD-100-12	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-12	19-May-1987	VANADIUM	<0.0050	mg/L
SD-100-12	26-May-1987	VANADIUM	<0.0050	mg/L
SD-100-12	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-12	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-12	18-Jun-1987	VANADIUM	<0.50	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-13				
SD-100-13	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-13	19-May-1987	VANADIUM	<0.0050	mg/L
SD-100-13	26-May-1987	VANADIUM	<0.0050	mg/L
SD-100-13	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-13	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-14				
SD-100-14	12-May-1987	VANADIUM	<0.50	mg/L
SD-100-14	19-May-1987	VANADIUM	<0.50	mg/L
SD-100-14	26-May-1987	VANADIUM	<0.0050	mg/L
SD-100-14	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-14	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-14	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	VANADIUM	<0.50	mg/L
SD-100-C	9-Mar-1987	VANADIUM	<0.50	mg/L
SD-100-C	17-Mar-1987	VANADIUM	<0.50	mg/L
SD-100-C	24-Mar-1987	VANADIUM	<0.50	mg/L
SD-100-C	8-Apr-1987	VANADIUM	<0.50	mg/L
SD-100-C	13-May-1987	VANADIUM	<0.50	mg/L
SD-100-C	20-May-1987	VANADIUM	<0.50	mg/L
SD-100-C	27-May-1987	VANADIUM	<0.50	mg/L
SD-100-C	4-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-C	12-Jun-1987	VANADIUM	<0.50	mg/L
SD-100-C	19-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	VANADIUM	<0.50	mg/L
SD-100-D	11-Jun-1987	VANADIUM	<0.50	mg/L
** SD-100				
SD-100	5-Mar-1987	VINYL CHLORIDE	<10	ug/L
SD-100	11-Mar-1987	VINYL CHLORIDE	<10	ug/L
SD-100	18-Mar-1987	VINYL CHLORIDE	<10	ug/L
SD-100	24-Mar-1987	VINYL CHLORIDE	<10	ug/L
SD-100	6-Apr-1987	VINYL CHLORIDE	<10	ug/L
SD-100	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100	19-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-01				
SD-100-01	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-01	18-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-01	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-01	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-01	11-Jun-1987	VINYL CHLORIDE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-01	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-02				
SD-100-02	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-02	18-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-02	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-02	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-02	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-02	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-03				
SD-100-03	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-03	18-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-03	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-03	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-03	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-03	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-03D				
SD-100-03D	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-03D	26-May-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-04				
SD-100-04	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-04	18-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-04	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-04	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-04	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-04	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-06				
SD-100-06	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-06	18-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-06	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-06	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-06	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-06	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-07				
SD-100-07	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-07	19-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-07	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-07	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-07	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-07	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	VINYL CHLORIDE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-09				
SD-100-09	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-09	18-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-09	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-09	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-09	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-09	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-10				
SD-100-10	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-10	19-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-10	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-10	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-10	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-10	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-11				
SD-100-11	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-11	19-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-11	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-11	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-11	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-11	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-12				
SD-100-12	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-12	19-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-12	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-12	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-12	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-12	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-13				
SD-100-13	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-13	19-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-13	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-13	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-13	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-13	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-14				
SD-100-14	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-14	19-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-14	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-14	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-14	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-14	18-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-C				
SD-100-C	5-Mar-1987	VINYL CHLORIDE	<10	ug/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-C	9-Mar-1987	VINYL CHLORIDE	<10	ug/L
SD-100-C	17-Mar-1987	VINYL CHLORIDE	<10	ug/L
SD-100-C	24-Mar-1987	VINYL CHLORIDE	<10	ug/L
SD-100-C	8-Apr-1987	VINYL CHLORIDE	<10	ug/L
SD-100-C	13-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-C	20-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-C	27-May-1987	VINYL CHLORIDE	<10	ug/L
SD-100-C	12-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-100-C	19-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100-D				
SD-100-D	6-Apr-1987	VINYL CHLORIDE	<10	ug/L
SD-100-D	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
** SD-100				
SD-100	5-Mar-1987	ZINC	0.042	mg/L
SD-100	11-Mar-1987	ZINC	0.034	mg/L
SD-100	18-Mar-1987	ZINC	0.036	mg/L
SD-100	24-Mar-1987	ZINC	0.027	mg/L
SD-100	3-Apr-1987	ZINC	0.053	mg/L
SD-100	6-Apr-1987	ZINC	0.020	mg/L
SD-100	12-May-1987	ZINC	0.028	mg/L
SD-100	19-May-1987	ZINC	0.029	mg/L
SD-100	26-May-1987	ZINC	0.027	mg/L
SD-100	3-Jun-1987	ZINC	0.024	mg/L
SD-100	11-Jun-1987	ZINC	0.030	mg/L
SD-100	18-Jun-1987	ZINC	0.038	mg/L
** SD-100-01				
SD-100-01	12-May-1987	ZINC	<0.020	mg/L
SD-100-01	18-May-1987	ZINC	0.11	mg/L
SD-100-01	3-Jun-1987	ZINC	0.042	mg/L
SD-100-01	11-Jun-1987	ZINC	0.033	mg/L
SD-100-01	18-Jun-1987	ZINC	0.071	mg/L
** SD-100-02				
SD-100-02	12-May-1987	ZINC	0.070	mg/L
SD-100-02	18-May-1987	ZINC	0.061	mg/L
SD-100-02	3-Jun-1987	ZINC	0.064	mg/L
SD-100-02	11-Jun-1987	ZINC	0.076	mg/L
SD-100-02	18-Jun-1987	ZINC	0.085	mg/L
** SD-100-03				
SD-100-03	12-May-1987	ZINC	0.021	mg/L
SD-100-03	18-May-1987	ZINC	0.021	mg/L
SD-100-03	26-May-1987	ZINC	0.027	mg/L
SD-100-03	3-Jun-1987	ZINC	0.023	mg/L
SD-100-03	11-Jun-1987	ZINC	0.027	mg/L
SD-100-03	18-Jun-1987	ZINC	0.031	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-03D				
SD-100-03D	12-May-1987	ZINC	<0.020	mg/L
SD-100-03D	26-May-1987	ZINC	0.027	mg/L
** SD-100-04				
SD-100-04	12-May-1987	ZINC	0.041	mg/L
SD-100-04	18-May-1987	ZINC	0.037	mg/L
SD-100-04	26-May-1987	ZINC	0.032	mg/L
SD-100-04	3-Jun-1987	ZINC	0.079	mg/L
SD-100-04	11-Jun-1987	ZINC	0.033	mg/L
SD-100-04	18-Jun-1987	ZINC	0.048	mg/L
** SD-100-06				
SD-100-06	12-May-1987	ZINC	0.034	mg/L
SD-100-06	18-May-1987	ZINC	0.024	mg/L
SD-100-06	26-May-1987	ZINC	0.020	mg/L
SD-100-06	3-Jun-1987	ZINC	0.031	mg/L
SD-100-06	11-Jun-1987	ZINC	<0.020	mg/L
SD-100-06	18-Jun-1987	ZINC	0.041	mg/L
** SD-100-06D				
SD-100-06D	3-Jun-1987	ZINC	0.024	mg/L
** SD-100-07				
SD-100-07	12-May-1987	ZINC	0.21	mg/L
SD-100-07	19-May-1987	ZINC	0.11	mg/L
SD-100-07	26-May-1987	ZINC	0.14	mg/L
SD-100-07	3-Jun-1987	ZINC	0.50	mg/L
SD-100-07	11-Jun-1987	ZINC	0.15	mg/L
SD-100-07	18-Jun-1987	ZINC	0.69	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	ZINC	0.60	mg/L
** SD-100-09				
SD-100-09	12-May-1987	ZINC	0.080	mg/L
SD-100-09	18-May-1987	ZINC	0.053	mg/L
SD-100-09	26-May-1987	ZINC	0.042	mg/L
SD-100-09	3-Jun-1987	ZINC	0.055	mg/L
SD-100-09	11-Jun-1987	ZINC	0.042	mg/L
** SD-100-10				
SD-100-10	12-May-1987	ZINC	<0.020	mg/L
SD-100-10	19-May-1987	ZINC	<0.020	mg/L
SD-100-10	26-May-1987	ZINC	<0.020	mg/L
SD-100-10	3-Jun-1987	ZINC	0.048	mg/L
SD-100-10	11-Jun-1987	ZINC	<0.020	mg/L
SD-100-10	18-Jun-1987	ZINC	<0.020	mg/L
** SD-100-11				
SD-100-11	12-May-1987	ZINC	0.025	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100-11	19-May-1987	ZINC	0.033	mg/L
SD-100-11	26-May-1987	ZINC	0.069	mg/L
SD-100-11	3-Jun-1987	ZINC	0.028	mg/L
SD-100-11	11-Jun-1987	ZINC	0.042	mg/L
SD-100-11	18-Jun-1987	ZINC	0.036	mg/L
** SD-100-12				
SD-100-12	12-May-1987	ZINC	0.86	mg/L
SD-100-12	19-May-1987	ZINC	0.039	mg/L
SD-100-12	26-May-1987	ZINC	0.093	mg/L
SD-100-12	3-Jun-1987	ZINC	<0.020	mg/L
SD-100-12	11-Jun-1987	ZINC	0.043	mg/L
SD-100-12	18-Jun-1987	ZINC	0.076	mg/L
** SD-100-13				
SD-100-13	12-May-1987	ZINC	0.022	mg/L
SD-100-13	19-May-1987	ZINC	0.033	mg/L
SD-100-13	26-May-1987	ZINC	0.021	mg/L
SD-100-13	11-Jun-1987	ZINC	0.024	mg/L
SD-100-13	18-Jun-1987	ZINC	0.13	mg/L
** SD-100-14				
SD-100-14	12-May-1987	ZINC	0.10	mg/L
SD-100-14	19-May-1987	ZINC	0.092	mg/L
SD-100-14	26-May-1987	ZINC	0.11	mg/L
SD-100-14	3-Jun-1987	ZINC	0.040	mg/L
SD-100-14	11-Jun-1987	ZINC	0.036	mg/L
SD-100-14	18-Jun-1987	ZINC	0.049	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	ZINC	0.072	mg/L
SD-100-C	9-Mar-1987	ZINC	0.082	mg/L
SD-100-C	17-Mar-1987	ZINC	0.036	mg/L
SD-100-C	24-Mar-1987	ZINC	0.024	mg/L
SD-100-C	8-Apr-1987	ZINC	<0.020	mg/L
SD-100-C	13-May-1987	ZINC	0.022	mg/L
SD-100-C	20-May-1987	ZINC	0.020	mg/L
SD-100-C	27-May-1987	ZINC	<0.020	mg/L
SD-100-C	4-Jun-1987	ZINC	<0.020	mg/L
SD-100-C	12-Jun-1987	ZINC	<0.020	mg/L
SD-100-C	19-Jun-1987	ZINC	0.024	mg/L
** SD-100-D				
SD-100-D	6-Apr-1987	ZINC	0.020	mg/L
SD-100-D	11-Jun-1987	ZINC	0.033	mg/L
** SD-100				
SD-100	5-Mar-1987	ZIRCONIUM	<0.0050	mg/L
SD-100	11-Mar-1987	ZIRCONIUM	<0.0050	mg/L
SD-100	18-Mar-1987	ZIRCONIUM	<0.0050	mg/L
SD-100	24-Mar-1987	ZIRCONIUM	<0.0050	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
SD-100	3-Apr-1987	ZIRCONIUM	<0.0050	mg/L
SD-100	6-Apr-1987	ZIRCONIUM	<0.0050	mg/L
SD-100	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100	19-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-01				
SD-100-01	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-01	18-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-01	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-01	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-01	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-02				
SD-100-02	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-02	18-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-02	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-02	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-02	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-03				
SD-100-03	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-03	18-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-03	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-03	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-03	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-03	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-03D				
SD-100-03D	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-03D	26-May-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-04				
SD-100-04	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-04	18-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-04	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-04	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-04	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-04	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-06				
SD-100-06	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-06	18-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-06	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-06	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-06	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-06	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-06D				
SD-100-06D	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-07				
SD-100-07	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-07	19-May-1987	ZIRCONIUM	0.0068	mg/L
SD-100-07	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-07	3-Jun-1987	ZIRCONIUM	0.0060	mg/L
SD-100-07	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-07	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-07D				
SD-100-07D	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-09				
SD-100-09	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-09	18-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-09	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-09	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-09	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-10				
SD-100-10	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-10	19-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-10	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-10	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-10	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-10	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-11				
SD-100-11	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-11	19-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-11	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-11	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-11	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-11	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-12				
SD-100-12	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-12	19-May-1987	ZIRCONIUM	0.0060	mg/L
SD-100-12	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-12	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-12	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-12	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-13				
SD-100-13	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-13	19-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-13	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-13	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-13	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L

Storm Drain Data for SD-100

Location	Date	Test Compound	Results	Units
** SD-100-14				
SD-100-14	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-14	19-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-14	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-14	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-14	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-14	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-100-C				
SD-100-C	5-Mar-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-C	9-Mar-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-C	17-Mar-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-C	24-Mar-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-C	8-Apr-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-C	13-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-C	20-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-C	27-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-C	4-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-C	12-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-100-C	19-Jun-1987	ZIRCONIUM	<0.0050	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
** SD-104				
SD-104	5-Mar-1987	1 1 1-TRICHLOROETHANE	20	ug/L
SD-104	11-Mar-1987	1 1 1-TRICHLOROETHANE	7	ug/L
SD-104	18-Mar-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-104	24-Mar-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-104	3-Apr-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-104	6-Apr-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-104	12-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-104	19-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-104	26-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-104	3-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-104	11-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-104	18-Jun-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
SD-104-D	19-May-1987	1 1 1-TRICHLOROETHANE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104	11-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104	18-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104	24-Mar-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104	3-Apr-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104	6-Apr-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104	12-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104	19-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104	26-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104	3-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104	11-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104	18-Jun-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
SD-104-D	19-May-1987	1 1 2 2-TETRACHLOROETHANE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104	11-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104	18-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104	24-Mar-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104	3-Apr-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104	6-Apr-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104	12-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104	19-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104	26-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104	3-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104	11-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104	18-Jun-1987	1 1 2-TRICHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
** SD-104-D				
SD-104-D	6-Apr-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
SD-104-D	19-May-1987	1 1 2-TRICHLOROETHANE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104	11-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104	18-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104	24-Mar-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104	3-Apr-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104	6-Apr-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104	12-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104	19-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104	26-May-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104	3-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104	11-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104	18-Jun-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	1 1-DICHLOROETHANE	<5	ug/L
SD-104-D	19-May-1987	1 1-DICHLOROETHANE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104	11-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104	18-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104	24-Mar-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104	3-Apr-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104	6-Apr-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104	12-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104	19-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104	26-May-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104	3-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104	11-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104	18-Jun-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	1 1-DICHLOROETHENE	<5	ug/L
SD-104-D	19-May-1987	1 1-DICHLOROETHENE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-104	11-Mar-1987	1 2 4-TRICHLOROBENZENE	<12	ug/L
SD-104	12-May-1987	1 2 4-TRICHLOROBENZENE	<10	ug/L
SD-104	26-May-1987	1 2 4-TRICHLOROBENZENE	<5.0	ug/L
SD-104	5-Mar-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-104	11-Mar-1987	1 2-DICHLOROBENZENE	<12	ug/L
SD-104	12-May-1987	1 2-DICHLOROBENZENE	<10	ug/L
SD-104	26-May-1987	1 2-DICHLOROBENZENE	<5.0	ug/L
SD-104	5-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-104	11-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	18-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-104	24-Mar-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-104	3-Apr-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-104	6-Apr-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-104	12-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-104	19-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-104	26-May-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-104	3-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-104	11-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-104	18-Jun-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	1 2-DICHLOROETHANE	<5	ug/L
SD-104-D	19-May-1987	1 2-DICHLOROETHANE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104	11-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104	18-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104	24-Mar-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104	3-Apr-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104	6-Apr-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104	12-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104	19-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104	26-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104	3-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104	11-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104	18-Jun-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	1 2-DICHLOROPROPANE	<5	ug/L
SD-104-D	19-May-1987	1 2-DICHLOROPROPANE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-104	11-Mar-1987	1 3-DICHLOROBENZENE	<12	ug/L
SD-104	12-May-1987	1 3-DICHLOROBENZENE	<10	ug/L
SD-104	26-May-1987	1 3-DICHLOROBENZENE	<5.0	ug/L
SD-104	5-Mar-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-104	11-Mar-1987	1 4-DICHLOROBENZENE	<12	ug/L
SD-104	12-May-1987	1 4-DICHLOROBENZENE	<10	ug/L
SD-104	26-May-1987	1 4-DICHLOROBENZENE	<5.0	ug/L
SD-104	5-Mar-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-104	11-Mar-1987	2 4 6-TRICHLOROPHENOL	<12	ug/L
SD-104	12-May-1987	2 4 6-TRICHLOROPHENOL	<10	ug/L
SD-104	26-May-1987	2 4 6-TRICHLOROPHENOL	<5.0	ug/L
SD-104	5-Mar-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-104	11-Mar-1987	2 4-DICHLOROPHENOL	<12	ug/L
SD-104	12-May-1987	2 4-DICHLOROPHENOL	<10	ug/L
SD-104	26-May-1987	2 4-DICHLOROPHENOL	<5.0	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	5-Mar-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-104	11-Mar-1987	2 4-DIMETHYLPHENOL	<12	ug/L
SD-104	12-May-1987	2 4-DIMETHYLPHENOL	<10	ug/L
SD-104	26-May-1987	2 4-DIMETHYLPHENOL	<5.0	ug/L
SD-104	5-Mar-1987	2 4-DINITROPHENOL	<10	ug/L
SD-104	11-Mar-1987	2 4-DINITROPHENOL	<12	ug/L
SD-104	12-May-1987	2 4-DINITROPHENOL	<10	ug/L
SD-104	26-May-1987	2 4-DINITROPHENOL	<25.0	ug/L
SD-104	5-Mar-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-104	11-Mar-1987	2 4-DINITROTOLUENE	<12	ug/L
SD-104	12-May-1987	2 4-DINITROTOLUENE	<10	ug/L
SD-104	26-May-1987	2 4-DINITROTOLUENE	<5.0	ug/L
SD-104	5-Mar-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-104	11-Mar-1987	2 6-DINITROTOLUENE	<12	ug/L
SD-104	12-May-1987	2 6-DINITROTOLUENE	<10	ug/L
SD-104	26-May-1987	2 6-DINITROTOLUENE	<5.0	ug/L
SD-104	5-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104	11-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104	18-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104	24-Mar-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104	3-Apr-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104	6-Apr-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104	12-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104	19-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104	26-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104	3-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104	11-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104	18-Jun-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
SD-104-D	19-May-1987	2-CHLOROETHYLVINYL ETHER	<10	ug/L
** SD-104				
SD-104	5-Mar-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-104	11-Mar-1987	2-CHLORONAPHTHALENE	<12	ug/L
SD-104	12-May-1987	2-CHLORONAPHTHALENE	<10	ug/L
SD-104	26-May-1987	2-CHLORONAPHTHALENE	<5.0	ug/L
SD-104	5-Mar-1987	2-CHLOROPHENOL	<10	ug/L
SD-104	11-Mar-1987	2-CHLOROPHENOL	<12	ug/L
SD-104	12-May-1987	2-CHLOROPHENOL	<10	ug/L
SD-104	26-May-1987	2-CHLOROPHENOL	<5.0	ug/L
SD-104	5-Mar-1987	2-NITROPHENOL	<10	ug/L
SD-104	11-Mar-1987	2-NITROPHENOL	<12	ug/L
SD-104	12-May-1987	2-NITROPHENOL	<10	ug/L
SD-104	26-May-1987	2-NITROPHENOL	<5.0	ug/L
SD-104	5-Mar-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-104	11-Mar-1987	3 3'-DICHLOROBENZIDINE	<24	ug/L
SD-104	12-May-1987	3 3'-DICHLOROBENZIDINE	<20	ug/L
SD-104	26-May-1987	3 3'-DICHLOROBENZIDINE	<10.0	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	5-Mar-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-104	11-Mar-1987	4 6-DINITRO-2-METHYLPHENOL	<59	ug/L
SD-104	12-May-1987	4 6-DINITRO-2-METHYLPHENOL	<50	ug/L
SD-104	26-May-1987	4 6-DINITRO-2-METHYLPHENOL	<25.0	ug/L
SD-104	5-Mar-1987	4-BROMOPHENYL-PHENYLEETHER	<10	ug/L
SD-104	11-Mar-1987	4-BROMOPHENYL-PHENYLEETHER	<12	ug/L
SD-104	12-May-1987	4-BROMOPHENYL-PHENYLEETHER	<10	ug/L
SD-104	26-May-1987	4-BROMOPHENYL-PHENYLEETHER	<5.0	ug/L
SD-104	5-Mar-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-104	11-Mar-1987	4-CHLORO-3-METHYLPHENOL	<12	ug/L
SD-104	12-May-1987	4-CHLORO-3-METHYLPHENOL	<10	ug/L
SD-104	26-May-1987	4-CHLORO-3-METHYLPHENOL	<5.0	ug/L
SD-104	5-Mar-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-104	11-Mar-1987	4-CHLOROPHENYL-PHENYLEETHER	<12	ug/L
SD-104	12-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<10	ug/L
SD-104	26-May-1987	4-CHLOROPHENYL-PHENYLEETHER	<5.0	ug/L
SD-104	5-Mar-1987	4-NITROPHENOL	<50	ug/L
SD-104	11-Mar-1987	4-NITROPHENOL	<59	ug/L
SD-104	12-May-1987	4-NITROPHENOL	<50	ug/L
SD-104	26-May-1987	4-NITROPHENOL	<25.0	ug/L
SD-104	5-Mar-1987	ACENAPHTHENE	<10	ug/L
SD-104	11-Mar-1987	ACENAPHTHENE	<12	ug/L
SD-104	12-May-1987	ACENAPHTHENE	<10	ug/L
SD-104	26-May-1987	ACENAPHTHENE	<5.0	ug/L
SD-104	5-Mar-1987	ACENAPHTHYLENE	<10	ug/L
SD-104	11-Mar-1987	ACENAPHTHYLENE	<12	ug/L
SD-104	12-May-1987	ACENAPHTHYLENE	<10	ug/L
SD-104	26-May-1987	ACENAPHTHYLENE	<5.0	ug/L
SD-104	5-Mar-1987	ALKALINITY	88	mg/L
SD-104	11-Mar-1987	ALKALINITY	69	mg/L
SD-104	18-Mar-1987	ALKALINITY	98	mg/L
SD-104	24-Mar-1987	ALKALINITY	100	mg/L
SD-104	3-Apr-1987	ALKALINITY	76	mg/L
SD-104	6-Apr-1987	ALKALINITY	90	mg/L
SD-104	12-May-1987	ALKALINITY	98	mg/L
SD-104	19-May-1987	ALKALINITY	101	mg/L
SD-104	26-May-1987	ALKALINITY	100	mg/L
SD-104	3-Jun-1987	ALKALINITY	102	mg/L
SD-104	11-Jun-1987	ALKALINITY	99	mg/L
SD-104	18-Jun-1987	ALKALINITY	96	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	ALKALINITY	90	mg/L
SD-104-D	19-May-1987	ALKALINITY	101	mg/L
** SD-104				
SD-104	5-Mar-1987	ALPHA	<2	pCi/L
SD-104	11-Mar-1987	ALPHA	2.1	pCi/L
SD-104	18-Mar-1987	ALPHA	<2	pCi/L
SD-104	24-Mar-1987	ALPHA	3.3	pCi/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	3-Apr-1987	ALPHA	65.7	pCi/L
SD-104	6-Apr-1987	ALPHA	2.2	pCi/L
SD-104	12-May-1987	ALPHA	2	pCi/L
SD-104	19-May-1987	ALPHA	<2	pCi/L
SD-104	26-May-1987	ALPHA	<2	pCi/L
SD-104	3-Jun-1987	ALPHA	13.2	pCi/L
SD-104	11-Jun-1987	ALPHA	<2	pCi/L
SD-104	18-Jun-1987	ALPHA	1.9	pCi/L
** SD-104-D				
SD-104-D	6-Apr-1987	ALPHA	2.2	pCi/L
SD-104-D	19-May-1987	ALPHA	2.8	pCi/L
** SD-104				
SD-104	5-Mar-1987	ALUMINUM	<0.10	mg/L
SD-104	11-Mar-1987	ALUMINUM	<0.10	mg/L
SD-104	18-Mar-1987	ALUMINUM	0.11	mg/L
SD-104	24-Mar-1987	ALUMINUM	1.5	mg/L
SD-104	3-Apr-1987	ALUMINUM	0.36	mg/L
SD-104	6-Apr-1987	ALUMINUM	<0.10	mg/L
SD-104	12-May-1987	ALUMINUM	<0.10	mg/L
SD-104	19-May-1987	ALUMINUM	<0.10	mg/L
SD-104	26-May-1987	ALUMINUM	0.025	mg/L
SD-104	3-Jun-1987	ALUMINUM	<0.10	mg/L
SD-104	11-Jun-1987	ALUMINUM	<0.10	mg/L
SD-104	18-Jun-1987	ALUMINUM	<0.10	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	ALUMINUM	<0.10	mg/L
SD-104-D	19-May-1987	ALUMINUM	<0.10	mg/L
** SD-104				
SD-104	5-Mar-1987	AMMONIA	<0.2	mg/L
SD-104	11-Mar-1987	AMMONIA	2.8	mg/L
SD-104	18-Mar-1987	AMMONIA	<0.2	mg/L
SD-104	24-Mar-1987	AMMONIA	<0.2	mg/L
SD-104	3-Apr-1987	AMMONIA	<0.2	mg/L
SD-104	6-Apr-1987	AMMONIA	<0.2	mg/L
SD-104	12-May-1987	AMMONIA	<0.2	mg/L
SD-104	19-May-1987	AMMONIA	<0.2	mg/L
SD-104	26-May-1987	AMMONIA	<0.2	mg/L
SD-104	3-Jun-1987	AMMONIA	<0.2	mg/L
SD-104	11-Jun-1987	AMMONIA	<0.2	mg/L
SD-104	18-Jun-1987	AMMONIA	<0.2	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	AMMONIA	<0.2	mg/L
SD-104-D	19-May-1987	AMMONIA	<0.2	mg/L
** SD-104				

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	5-Mar-1987	ANTHRACENE	<10	ug/L
SD-104	11-Mar-1987	ANTHRACENE	<12	ug/L
SD-104	12-May-1987	ANTHRACENE	<10	ug/L
SD-104	26-May-1987	ANTHRACENE	<5.0	ug/L
SD-104	5-Mar-1987	ARSENIC	<0.005	mg/L
SD-104	11-Mar-1987	ARSENIC	<0.005	mg/L
SD-104	18-Mar-1987	ARSENIC	<0.005	mg/L
SD-104	24-Mar-1987	ARSENIC	<0.005	mg/L
SD-104	3-Apr-1987	ARSENIC	<0.005	mg/L
SD-104	6-Apr-1987	ARSENIC	<0.005	mg/L
SD-104	12-May-1987	ARSENIC	<0.005	mg/L
SD-104	19-May-1987	ARSENIC	<0.005	mg/L
SD-104	26-May-1987	ARSENIC	<0.005	mg/L
SD-104	3-Jun-1987	ARSENIC	<0.005	mg/L
SD-104	11-Jun-1987	ARSENIC	<0.005	mg/L
SD-104	18-Jun-1987	ARSENIC	<0.005	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	ARSENIC	<0.005	mg/L
SD-104-D	19-May-1987	ARSENIC	<0.005	mg/L
** SD-104				
SD-104	5-Mar-1987	BARIUM	<0.10	mg/L
SD-104	11-Mar-1987	BARIUM	<0.10	mg/L
SD-104	18-Mar-1987	BARIUM	<0.10	mg/L
SD-104	24-Mar-1987	BARIUM	<0.10	mg/L
SD-104	3-Apr-1987	BARIUM	<0.10	mg/L
SD-104	6-Apr-1987	BARIUM	<0.10	mg/L
SD-104	12-May-1987	BARIUM	<0.10	mg/L
SD-104	19-May-1987	BARIUM	<0.10	mg/L
SD-104	26-May-1987	BARIUM	0.026	mg/L
SD-104	3-Jun-1987	BARIUM	<0.10	mg/L
SD-104	11-Jun-1987	BARIUM	<0.10	mg/L
SD-104	18-Jun-1987	BARIUM	<0.10	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	BARIUM	<0.10	mg/L
SD-104-D	19-May-1987	BARIUM	<0.10	mg/L
** SD-104				
SD-104	5-Mar-1987	BENZENE	<5	ug/L
SD-104	11-Mar-1987	BENZENE	<5	ug/L
SD-104	18-Mar-1987	BENZENE	<5	ug/L
SD-104	24-Mar-1987	BENZENE	<5	ug/L
SD-104	3-Apr-1987	BENZENE	<5	ug/L
SD-104	6-Apr-1987	BENZENE	<5	ug/L
SD-104	12-May-1987	BENZENE	<5	ug/L
SD-104	19-May-1987	BENZENE	<5	ug/L
SD-104	26-May-1987	BENZENE	<5	ug/L
SD-104	3-Jun-1987	BENZENE	<5	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	11-Jun-1987	BENZENE	<5	ug/L
SD-104	18-Jun-1987	BENZENE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	BENZENE	<5	ug/L
SD-104-D	19-May-1987	BENZENE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	BENZIDINE	<10	ug/L
SD-104	11-Mar-1987	BENZIDINE	<12	ug/L
SD-104	12-May-1987	BENZIDINE	<10	ug/L
SD-104	26-May-1987	BENZIDINE	<5.0	ug/L
SD-104	5-Mar-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-104	11-Mar-1987	BENZO(A)ANTHRACENE	<12	ug/L
SD-104	12-May-1987	BENZO(A)ANTHRACENE	<10	ug/L
SD-104	26-May-1987	BENZO(A)ANTHRACENE	<5.0	ug/L
SD-104	5-Mar-1987	BENZO(A)PYRENE	<10	ug/L
SD-104	11-Mar-1987	BENZO(A)PYRENE	<12	ug/L
SD-104	12-May-1987	BENZO(A)PYRENE	<10	ug/L
SD-104	26-May-1987	BENZO(A)PYRENE	<5.0	ug/L
SD-104	5-Mar-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-104	11-Mar-1987	BENZO(B)FLUORANTHENE	<12	ug/L
SD-104	12-May-1987	BENZO(B)FLUORANTHENE	<10	ug/L
SD-104	26-May-1987	BENZO(B)FLUORANTHENE	<5.0	ug/L
SD-104	5-Mar-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-104	11-Mar-1987	BENZO(G H I)PERYLENE	<12	ug/L
SD-104	12-May-1987	BENZO(G H I)PERYLENE	<10	ug/L
SD-104	26-May-1987	BENZO(G H I)PERYLENE	<5.0	ug/L
SD-104	5-Mar-1987	BENZO(K)FLUORANTHENE	<10	ug/L
SD-104	11-Mar-1987	BENZO(K)FLUORANTHENE	<12	ug/L
SD-104	12-May-1987	BENZO(K)FLUORANTHENE	<10	ug/L
SD-104	26-May-1987	BENZO(K)FLUORANTHENE	<5.0	ug/L
SD-104	5-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-104	11-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-104	18-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-104	24-Mar-1987	BERYLLIUM	<0.0010	mg/L
SD-104	3-Apr-1987	BERYLLIUM	<0.0010	mg/L
SD-104	6-Apr-1987	BERYLLIUM	<0.0010	mg/L
SD-104	12-May-1987	BERYLLIUM	<0.0010	mg/L
SD-104	19-May-1987	BERYLLIUM	<0.0010	mg/L
SD-104	26-May-1987	BERYLLIUM	0.0003	mg/L
SD-104	3-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-104	11-Jun-1987	BERYLLIUM	<0.0010	mg/L
SD-104	18-Jun-1987	BERYLLIUM	<0.0010	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	BERYLLIUM	<0.0010	mg/L
SD-104-D	19-May-1987	BERYLLIUM	<0.0010	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	5-Mar-1987	BETA	<2	pCi/L
SD-104	11-Mar-1987	BETA	7.8	pCi/L
SD-104	18-Mar-1987	BETA	<2	pCi/L
SD-104	24-Mar-1987	BETA	8.4	pCi/L
SD-104	3-Apr-1987	BETA	59.7	pCi/L
SD-104	6-Apr-1987	BETA	5.8	pCi/L
SD-104	12-May-1987	BETA	2	pCi/L
SD-104	19-May-1987	BETA	4.2	pCi/L
SD-104	26-May-1987	BETA	<3	pCi/L
SD-104	3-Jun-1987	BETA	19.3	pCi/L
SD-104	11-Jun-1987	BETA	<2	pCi/L
SD-104	18-Jun-1987	BETA	2.5	pCi/L
** SD-104-D				
SD-104-D	6-Apr-1987	BETA	6.8	pCi/L
SD-104-D	19-May-1987	BETA	4.5	pCi/L
** SD-104				
SD-104	5-Mar-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-104	11-Mar-1987	BIS(2-CHLOROETHOXY)METHANE	<12	ug/L
SD-104	12-May-1987	BIS(2-CHLOROETHOXY)METHANE	<10	ug/L
SD-104	26-May-1987	BIS(2-CHLOROETHOXY)METHANE	<5.0	ug/L
SD-104	5-Mar-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-104	11-Mar-1987	BIS(2-CHLOROETHYL)ETHER	<12	ug/L
SD-104	12-May-1987	BIS(2-CHLOROETHYL)ETHER	<10	ug/L
SD-104	26-May-1987	BIS(2-CHLOROETHYL)ETHER	<5.0	ug/L
SD-104	5-Mar-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-104	11-Mar-1987	BIS(2-CHLOROISOPROPYL)ETHER	<12	ug/L
SD-104	12-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<10	ug/L
SD-104	26-May-1987	BIS(2-CHLOROISOPROPYL)ETHER	<5.0	ug/L
SD-104	5-Mar-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<10	ug/L
SD-104	11-Mar-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<12	ug/L
SD-104	12-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<10	ug/L
SD-104	26-May-1987	BIS(2-ETHYLHEXYL)PHTHALATE	<5.0	ug/L
SD-104	5-Mar-1987	BORON	0.023	mg/L
SD-104	11-Mar-1987	BORON	<0.0040	mg/L
SD-104	18-Mar-1987	BORON	<0.0040	mg/L
SD-104	24-Mar-1987	BORON	0.034	mg/L
SD-104	3-Apr-1987	BORON	0.022	mg/L
SD-104	6-Apr-1987	BORON	0.014	mg/L
SD-104	12-May-1987	BORON	0.0055	mg/L
SD-104	19-May-1987	BORON	0.015	mg/L
SD-104	26-May-1987	BORON	0.031	mg/L
SD-104	3-Jun-1987	BORON	0.018	mg/L
SD-104	11-Jun-1987	BORON	0.011	mg/L
SD-104	18-Jun-1987	BORON	0.0081	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	BORON	0.017	mg/L
SD-104-D	19-May-1987	BORON	0.015	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
** SD-104				
SD-104	5-Mar-1987	BROMODICHLOROMETHANE	6	ug/L
SD-104	11-Mar-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-104	18-Mar-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-104	24-Mar-1987	BROMODICHLOROMETHANE	7	ug/L
SD-104	3-Apr-1987	BROMODICHLOROMETHANE	<5	ug/L
SD-104	6-Apr-1987	BROMODICHLOROMETHANE	6	ug/L
SD-104	12-May-1987	BROMODICHLOROMETHANE	9	ug/L
SD-104	19-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-104	26-May-1987	BROMODICHLOROMETHANE	5	ug/L
SD-104	3-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-104	11-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
SD-104	18-Jun-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	BROMODICHLOROMETHANE	7	ug/L
SD-104-D	19-May-1987	BROMODICHLOROMETHANE	5	ug/L
** SD-104				
SD-104	5-Mar-1987	BROMOFORM	<5	ug/L
SD-104	11-Mar-1987	BROMOFORM	<5	ug/L
SD-104	18-Mar-1987	BROMOFORM	<5	ug/L
SD-104	24-Mar-1987	BROMOFORM	<5	ug/L
SD-104	3-Apr-1987	BROMOFORM	<5	ug/L
SD-104	6-Apr-1987	BROMOFORM	<5	ug/L
SD-104	12-May-1987	BROMOFORM	<5	ug/L
SD-104	19-May-1987	BROMOFORM	<5	ug/L
SD-104	26-May-1987	BROMOFORM	<5	ug/L
SD-104	3-Jun-1987	BROMOFORM	<5	ug/L
SD-104	11-Jun-1987	BROMOFORM	<5	ug/L
SD-104	18-Jun-1987	BROMOFORM	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	BROMOFORM	<5	ug/L
SD-104-D	19-May-1987	BROMOFORM	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	BROMOMETHANE	<10	ug/L
SD-104	11-Mar-1987	BROMOMETHANE	<10	ug/L
SD-104	18-Mar-1987	BROMOMETHANE	<10	ug/L
SD-104	24-Mar-1987	BROMOMETHANE	<10	ug/L
SD-104	3-Apr-1987	BROMOMETHANE	<10	ug/L
SD-104	6-Apr-1987	BROMOMETHANE	<10	ug/L
SD-104	12-May-1987	BROMOMETHANE	<10	ug/L
SD-104	19-May-1987	BROMOMETHANE	<10	ug/L
SD-104	26-May-1987	BROMOMETHANE	<10	ug/L
SD-104	3-Jun-1987	BROMOMETHANE	<10	ug/L
SD-104	11-Jun-1987	BROMOMETHANE	<10	ug/L
SD-104	18-Jun-1987	BROMOMETHANE	<10	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
** SD-104-D				
SD-104-D	6-Apr-1987	BROMOMETHANE	<10	ug/L
SD-104-D	19-May-1987	BROMOMETHANE	<10	ug/L
** SD-104				
SD-104	5-Mar-1987	BUTYL CELLOSOLVE	38	ug/L
SD-104	5-Mar-1987	BUTYLBENZYLPHthalATE	<10	ug/L
SD-104	11-Mar-1987	BUTYLBENZYLPHthalATE	<12	ug/L
SD-104	12-May-1987	BUTYLBENZYLPHthalATE	<10	ug/L
SD-104	26-May-1987	BUTYLBENZYLPHthalATE	<5.0	ug/L
SD-104	5-Mar-1987	CADMIUM	<0.0030	mg/L
SD-104	11-Mar-1987	CADMIUM	<0.0030	mg/L
SD-104	18-Mar-1987	CADMIUM	<0.0030	mg/L
SD-104	24-Mar-1987	CADMIUM	<0.0030	mg/L
SD-104	3-Apr-1987	CADMIUM	0.0032	mg/L
SD-104	6-Apr-1987	CADMIUM	<0.0030	mg/L
SD-104	12-May-1987	CADMIUM	<0.0030	mg/L
SD-104	19-May-1987	CADMIUM	<0.0030	mg/L
SD-104	26-May-1987	CADMIUM	<0.0030	mg/L
SD-104	3-Jun-1987	CADMIUM	<0.0030	mg/L
SD-104	11-Jun-1987	CADMIUM	<0.0030	mg/L
SD-104	18-Jun-1987	CADMIUM	<0.0030	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	CADMIUM	<0.0030	mg/L
SD-104-D	19-May-1987	CADMIUM	<0.0030	mg/L
** SD-104				
SD-104	5-Mar-1987	CALCIUM	30	mg/L
SD-104	11-Mar-1987	CALCIUM	30	mg/L
SD-104	18-Mar-1987	CALCIUM	32	mg/L
SD-104	24-Mar-1987	CALCIUM	40	mg/L
SD-104	3-Apr-1987	CALCIUM	33	mg/L
SD-104	6-Apr-1987	CALCIUM	28	mg/L
SD-104	12-May-1987	CALCIUM	32	mg/L
SD-104	19-May-1987	CALCIUM	34	mg/L
SD-104	26-May-1987	CALCIUM	35	mg/L
SD-104	3-Jun-1987	CALCIUM	34	mg/L
SD-104	11-Jun-1987	CALCIUM	35	mg/L
SD-104	18-Jun-1987	CALCIUM	33	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	CALCIUM	29	mg/L
SD-104-D	19-May-1987	CALCIUM	34	mg/L
** SD-104				
SD-104	5-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-104	11-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-104	18-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	24-Mar-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-104	3-Apr-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-104	6-Apr-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-104	12-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-104	19-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-104	26-May-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-104	3-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-104	11-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-104	18-Jun-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	CARBON TETRACHLORIDE	<5	ug/L
SD-104-D	19-May-1987	CARBON TETRACHLORIDE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	6	mg/L
SD-104	11-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-104	18-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	73	mg/L
SD-104	24-Mar-1987	CHEMICAL OXYGEN DEMAND (COD)	7	mg/L
SD-104	3-Apr-1987	CHEMICAL OXYGEN DEMAND (COD)	15	mg/L
SD-104	6-Apr-1987	CHEMICAL OXYGEN DEMAND (COD)	17	mg/L
SD-104	12-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-104	19-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-104	26-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
SD-104	3-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	11.0	mg/L
SD-104	11-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	4.5	mg/L
SD-104	18-Jun-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	CHEMICAL OXYGEN DEMAND (COD)	17	mg/L
SD-104-D	19-May-1987	CHEMICAL OXYGEN DEMAND (COD)	<5	mg/L
** SD-104				
SD-104	5-Mar-1987	CHLORIDE	9.2	mg/L
SD-104	11-Mar-1987	CHLORIDE	8.8	mg/L
SD-104	18-Mar-1987	CHLORIDE	8.4	mg/L
SD-104	24-Mar-1987	CHLORIDE	120	mg/L
SD-104	3-Apr-1987	CHLORIDE	620	mg/L
SD-104	6-Apr-1987	CHLORIDE	8.6	mg/L
SD-104	12-May-1987	CHLORIDE	9.5	mg/L
SD-104	19-May-1987	CHLORIDE	9.9	mg/L
SD-104	26-May-1987	CHLORIDE	10.4	mg/L
SD-104	3-Jun-1987	CHLORIDE	9.6	mg/L
SD-104	11-Jun-1987	CHLORIDE	11.5	mg/L
SD-104	18-Jun-1987	CHLORIDE	13	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	CHLORIDE	8.6	mg/L
SD-104-D	19-May-1987	CHLORIDE	9.9	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
** SD-104				
SD-104	5-Mar-1987	CHLORINE TOTAL RESIDUAL	WATER <0.1	mg/L
SD-104	11-Mar-1987	CHLORINE TOTAL RESIDUAL	WATER <0.1	mg/L
SD-104	18-Mar-1987	CHLORINE TOTAL RESIDUAL	WATER <1.0	mg/L
SD-104	24-Mar-1987	CHLORINE TOTAL RESIDUAL	WATER 3.1	mg/L
SD-104	3-Apr-1987	CHLORINE TOTAL RESIDUAL	WATER 0.2	mg/L
SD-104	6-Apr-1987	CHLORINE TOTAL RESIDUAL	WATER 0.2	mg/L
SD-104	12-May-1987	CHLORINE TOTAL RESIDUAL	WATER 0.5	mg/L
SD-104	19-May-1987	CHLORINE TOTAL RESIDUAL	WATER 0.4	mg/L
SD-104	26-May-1987	CHLORINE TOTAL RESIDUAL	WATER <0.1	mg/L
SD-104	3-Jun-1987	CHLORINE TOTAL RESIDUAL	WATER 0.7	mg/L
SD-104	11-Jun-1987	CHLORINE TOTAL RESIDUAL	WATER 0.6	mg/L
SD-104	18-Jun-1987	CHLORINE TOTAL RESIDUAL	WATER 0.8	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	CHLORINE TOTAL RESIDUAL	WATER 0.2	mg/L
SD-104-D	19-May-1987	CHLORINE TOTAL RESIDUAL	WATER 0.5	mg/L
** SD-104				
SD-104	12-May-1987	CHLORO CYCLOHEXANOL	700	ug/L
SD-104	12-May-1987	CHLORO CYCLOHEXANONE	40	ug/L
SD-104	12-May-1987	CHLORO CYCLOHEXENE	60	ug/L
SD-104	5-Mar-1987	CHLORO BENZENE	<5	ug/L
SD-104	11-Mar-1987	CHLORO BENZENE	<5	ug/L
SD-104	18-Mar-1987	CHLORO BENZENE	<5	ug/L
SD-104	24-Mar-1987	CHLORO BENZENE	<5	ug/L
SD-104	3-Apr-1987	CHLORO BENZENE	<5	ug/L
SD-104	6-Apr-1987	CHLORO BENZENE	<5	ug/L
SD-104	12-May-1987	CHLORO BENZENE	<5	ug/L
SD-104	19-May-1987	CHLORO BENZENE	<5	ug/L
SD-104	26-May-1987	CHLORO BENZENE	<5	ug/L
SD-104	3-Jun-1987	CHLORO BENZENE	<5	ug/L
SD-104	11-Jun-1987	CHLORO BENZENE	<5	ug/L
SD-104	18-Jun-1987	CHLORO BENZENE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	CHLORO BENZENE	<5	ug/L
SD-104-D	19-May-1987	CHLORO BENZENE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	CHLOROETHANE	<10	ug/L
SD-104	11-Mar-1987	CHLOROETHANE	<10	ug/L
SD-104	18-Mar-1987	CHLOROETHANE	<10	ug/L
SD-104	24-Mar-1987	CHLOROETHANE	<10	ug/L
SD-104	3-Apr-1987	CHLOROETHANE	<10	ug/L
SD-104	6-Apr-1987	CHLOROETHANE	<10	ug/L
SD-104	12-May-1987	CHLOROETHANE	<10	ug/L
SD-104	19-May-1987	CHLOROETHANE	<10	ug/L
SD-104	26-May-1987	CHLOROETHANE	<10	ug/L
SD-104	3-Jun-1987	CHLOROETHANE	<10	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	11-Jun-1987	CHLOROETHANE	<10	ug/L
SD-104	18-Jun-1987	CHLOROETHANE	<10	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	CHLOROETHANE	<10	ug/L
SD-104-D	19-May-1987	CHLOROETHANE	<10	ug/L
** SD-104				
SD-104	5-Mar-1987	CHLOROFORM	70	ug/L
SD-104	11-Mar-1987	CHLOROFORM	14	ug/L
SD-104	18-Mar-1987	CHLOROFORM	13	ug/L
SD-104	24-Mar-1987	CHLOROFORM	30	ug/L
SD-104	3-Apr-1987	CHLOROFORM	12	ug/L
SD-104	6-Apr-1987	CHLOROFORM	40	ug/L
SD-104	12-May-1987	CHLOROFORM	44	ug/L
SD-104	19-May-1987	CHLOROFORM	41	ug/L
SD-104	26-May-1987	CHLOROFORM	30	ug/L
SD-104	3-Jun-1987	CHLOROFORM	35	ug/L
SD-104	11-Jun-1987	CHLOROFORM	37	ug/L
SD-104	18-Jun-1987	CHLOROFORM	39	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	CHLOROFORM	54	ug/L
SD-104-D	19-May-1987	CHLOROFORM	38	ug/L
** SD-104				
SD-104	5-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-104	11-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-104	18-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-104	24-Mar-1987	CHLOROMETHANE	<10	ug/L
SD-104	3-Apr-1987	CHLOROMETHANE	<10	ug/L
SD-104	6-Apr-1987	CHLOROMETHANE	<10	ug/L
SD-104	12-May-1987	CHLOROMETHANE	<10	ug/L
SD-104	19-May-1987	CHLOROMETHANE	<10	ug/L
SD-104	26-May-1987	CHLOROMETHANE	<10	ug/L
SD-104	3-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-104	11-Jun-1987	CHLOROMETHANE	<10	ug/L
SD-104	18-Jun-1987	CHLOROMETHANE	<10	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	CHLOROMETHANE	<10	ug/L
SD-104-D	19-May-1987	CHLOROMETHANE	<10	ug/L
** SD-104				
SD-104	5-Mar-1987	CHROMIUM	<0.010	mg/L
SD-104	11-Mar-1987	CHROMIUM	<0.010	mg/L
SD-104	18-Mar-1987	CHROMIUM	<0.010	mg/L
SD-104	24-Mar-1987	CHROMIUM	<0.010	mg/L
SD-104	3-Apr-1987	CHROMIUM	<0.010	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	6-Apr-1987	CHROMIUM	<0.010	mg/L
SD-104	12-May-1987	CHROMIUM	<0.010	mg/L
SD-104	19-May-1987	CHROMIUM	<0.010	mg/L
SD-104	26-May-1987	CHROMIUM	<0.010	mg/L
SD-104	3-Jun-1987	CHROMIUM	<0.010	mg/L
SD-104	11-Jun-1987	CHROMIUM	<0.010	mg/L
SD-104	18-Jun-1987	CHROMIUM	<0.010	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	CHROMIUM	<0.010	mg/L
SD-104-D	19-May-1987	CHROMIUM	<0.010	mg/L
** SD-104				
SD-104	5-Mar-1987	CHRYSENE	<10	ug/L
SD-104	11-Mar-1987	CHRYSENE	<12	ug/L
SD-104	12-May-1987	CHRYSENE	<10	ug/L
SD-104	26-May-1987	CHRYSENE	<5.0	ug/L
SD-104	5-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	11-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	18-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	24-Mar-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	3-Apr-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	6-Apr-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	12-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	19-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	26-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	3-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	11-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	18-Jun-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104-D	19-May-1987	CIS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	COBALT	<0.10	mg/L
SD-104	11-Mar-1987	COBALT	<0.10	mg/L
SD-104	18-Mar-1987	COBALT	<0.10	mg/L
SD-104	24-Mar-1987	COBALT	<0.10	mg/L
SD-104	3-Apr-1987	COBALT	<0.10	mg/L
SD-104	6-Apr-1987	COBALT	<0.10	mg/L
SD-104	12-May-1987	COBALT	<0.10	mg/L
SD-104	19-May-1987	COBALT	<0.10	mg/L
SD-104	26-May-1987	COBALT	<0.0050	mg/L
SD-104	3-Jun-1987	COBALT	<0.10	mg/L
SD-104	11-Jun-1987	COBALT	<0.10	mg/L
SD-104	18-Jun-1987	COBALT	<0.10	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	COBALT	<0.10	mg/L
SD-104-D	19-May-1987	COBALT	<0.10	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
** SD-104				
SD-104	5-Mar-1987	CONDUCTIVITY	248	umho/cm
SD-104	11-Mar-1987	CONDUCTIVITY	278	umho/cm
SD-104	18-Mar-1987	CONDUCTIVITY	274	umho/cm
SD-104	24-Mar-1987	CONDUCTIVITY	683	umho/cm
SD-104	3-Apr-1987	CONDUCTIVITY	2150	umho/cm
SD-104	6-Apr-1987	CONDUCTIVITY	254	umho/cm
SD-104	12-May-1987	CONDUCTIVITY	297	umho/cm
SD-104	19-May-1987	CONDUCTIVITY	291	umho/cm
SD-104	26-May-1987	CONDUCTIVITY	301	umho/cm
SD-104	3-Jun-1987	CONDUCTIVITY	303	umho/cm
SD-104	11-Jun-1987	CONDUCTIVITY	313	umho/cm
SD-104	18-Jun-1987	CONDUCTIVITY	281	umho/cm
** SD-104-D				
SD-104-D	6-Apr-1987	CONDUCTIVITY	254	umho/cm
SD-104-D	19-May-1987	CONDUCTIVITY	290	umho/cm
** SD-104				
SD-104	5-Mar-1987	COPPER	0.013	mg/L
SD-104	11-Mar-1987	COPPER	0.0050	mg/L
SD-104	18-Mar-1987	COPPER	<0.0040	mg/L
SD-104	24-Mar-1987	COPPER	0.0087	mg/L
SD-104	3-Apr-1987	COPPER	0.0075	mg/L
SD-104	6-Apr-1987	COPPER	0.013	mg/L
SD-104	12-May-1987	COPPER	<0.0040	mg/L
SD-104	19-May-1987	COPPER	<0.0040	mg/L
SD-104	26-May-1987	COPPER	0.0042	mg/L
SD-104	3-Jun-1987	COPPER	<0.0040	mg/L
SD-104	11-Jun-1987	COPPER	<0.0040	mg/L
SD-104	18-Jun-1987	COPPER	<0.0040	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	COPPER	0.013	mg/L
SD-104-D	19-May-1987	COPPER	<0.0040	mg/L
** SD-104				
SD-104	5-Mar-1987	CYANIDE	0.005	mg/L
SD-104	11-Mar-1987	CYANIDE	<0.002	mg/L
SD-104	18-Mar-1987	CYANIDE	0.003	mg/L
SD-104	24-Mar-1987	CYANIDE	0.002	mg/L
SD-104	3-Apr-1987	CYANIDE	<0.002	mg/L
SD-104	6-Apr-1987	CYANIDE	0.02	mg/L
SD-104	12-May-1987	CYANIDE	0.002	mg/L
SD-104	19-May-1987	CYANIDE	0.014	mg/L
SD-104	26-May-1987	CYANIDE	<0.002	mg/L
SD-104	3-Jun-1987	CYANIDE	<0.002	mg/L
SD-104	11-Jun-1987	CYANIDE	<0.002	mg/L
SD-104	18-Jun-1987	CYANIDE	<0.002	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
** SD-104-D				
SD-104-D	6-Apr-1987	CYANIDE	0.02	mg/L
SD-104-D	19-May-1987	CYANIDE	0.015	mg/L
** SD-104				
SD-104	5-Mar-1987	DI-N-BUTYLPHthalate	<10	ug/L
SD-104	11-Mar-1987	DI-N-BUTYLPHthalate	<12	ug/L
SD-104	12-May-1987	DI-N-BUTYLPHthalate	<10	ug/L
SD-104	26-May-1987	DI-N-BUTYLPHthalate	<5.0	ug/L
SD-104	5-Mar-1987	DI-N-OCTYLPHthalate	1 J	ug/L
SD-104	11-Mar-1987	DI-N-OCTYLPHthalate	1 J	ug/L
SD-104	12-May-1987	DI-N-OCTYLPHthalate	<10	ug/L
SD-104	26-May-1987	DI-N-OCTYLPHthalate	<5.0	ug/L
SD-104	11-Mar-1987	DIACETONE ALCOHOL	67	ug/L
SD-104	12-May-1987	DIACETONE ALCOHOL	6	ug/L
SD-104	5-Mar-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-104	11-Mar-1987	DIBENZ(A H)ANTHRACENE	<12	ug/L
SD-104	12-May-1987	DIBENZ(A H)ANTHRACENE	<10	ug/L
SD-104	26-May-1987	DIBENZ(A H)ANTHRACENE	<5.0	ug/L
SD-104	5-Mar-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-104	11-Mar-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-104	18-Mar-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-104	24-Mar-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-104	3-Apr-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-104	6-Apr-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-104	12-May-1987	DIBROMOCHLOROMETHANE	5	ug/L
SD-104	19-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-104	26-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-104	3-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-104	11-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-104	18-Jun-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	DIBROMOCHLOROMETHANE	<5	ug/L
SD-104-D	19-May-1987	DIBROMOCHLOROMETHANE	<5	ug/L
** SD-104				
SD-104	12-May-1987	DICHLORO CYCLOHEXANE	260	ug/L
SD-104	5-Mar-1987	DIETHYLPHthalate	<10	ug/L
SD-104	11-Mar-1987	DIETHYLPHthalate	<12	ug/L
SD-104	12-May-1987	DIETHYLPHthalate	<10	ug/L
SD-104	26-May-1987	DIETHYLPHthalate	<5.0	ug/L
SD-104	5-Mar-1987	DIMETHYLPHthalate	<10	ug/L
SD-104	11-Mar-1987	DIMETHYLPHthalate	<12	ug/L
SD-104	12-May-1987	DIMETHYLPHthalate	<10	ug/L
SD-104	26-May-1987	DIMETHYLPHthalate	<5.0	ug/L
SD-104	5-Mar-1987	DISSOLVED OXYGEN	9.0	ppm
SD-104	11-Mar-1987	DISSOLVED OXYGEN	11.3	ppm
SD-104	18-Mar-1987	DISSOLVED OXYGEN	7.2	ppm

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	24-Mar-1987	DISSOLVED OXYGEN	7.8	ppm
SD-104	3-Apr-1987	DISSOLVED OXYGEN	7.5	ppm
SD-104	6-Apr-1987	DISSOLVED OXYGEN	8.0	ppm
SD-104	12-May-1987	DISSOLVED OXYGEN	7.5	ppm
SD-104	19-May-1987	DISSOLVED OXYGEN	10.0	ppm
SD-104	26-May-1987	DISSOLVED OXYGEN	8.9	ppm
SD-104	3-Jun-1987	DISSOLVED OXYGEN	8.3	ppm
SD-104	11-Jun-1987	DISSOLVED OXYGEN	8.5	ppm
SD-104	18-Jun-1987	DISSOLVED OXYGEN	8.5	ppm
** SD-104-D				
SD-104-D	6-Apr-1987	DISSOLVED OXYGEN	8.0	ppm
SD-104-D	19-May-1987	DISSOLVED OXYGEN	10.0	ppm
** SD-104				
SD-104	5-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-104	11-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-104	18-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-104	24-Mar-1987	ETHYLBENZENE	<5	ug/L
SD-104	3-Apr-1987	ETHYLBENZENE	<5	ug/L
SD-104	6-Apr-1987	ETHYLBENZENE	<5	ug/L
SD-104	12-May-1987	ETHYLBENZENE	<5	ug/L
SD-104	19-May-1987	ETHYLBENZENE	<5	ug/L
SD-104	26-May-1987	ETHYLBENZENE	<5	ug/L
SD-104	3-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-104	11-Jun-1987	ETHYLBENZENE	<5	ug/L
SD-104	18-Jun-1987	ETHYLBENZENE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	ETHYLBENZENE	<5	ug/L
SD-104-D	19-May-1987	ETHYLBENZENE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	FLUORANTHENE	<10	ug/L
SD-104	11-Mar-1987	FLUORANTHENE	<12	ug/L
SD-104	12-May-1987	FLUORANTHENE	<10	ug/L
SD-104	26-May-1987	FLUORANTHENE	<5.0	ug/L
SD-104	5-Mar-1987	FLUORENE	<10	ug/L
SD-104	11-Mar-1987	FLUORENE	<12	ug/L
SD-104	12-May-1987	FLUORENE	<10	ug/L
SD-104	26-May-1987	FLUORENE	<5.0	ug/L
SD-104	5-Mar-1987	FLUORIDE	0.1	mg/L
SD-104	11-Mar-1987	FLUORIDE	,0.1	mg/L
SD-104	18-Mar-1987	FLUORIDE	0.1	mg/L
SD-104	24-Mar-1987	FLUORIDE	0.1	mg/L
SD-104	3-Apr-1987	FLUORIDE	0.6	mg/L
SD-104	6-Apr-1987	FLUORIDE	0.1	mg/L
SD-104	12-May-1987	FLUORIDE	<0.1	mg/L
SD-104	19-May-1987	FLUORIDE	<0.1	mg/L
SD-104	26-May-1987	FLUORIDE	0.1	mg/L
SD-104	3-Jun-1987	FLUORIDE	<0.1	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	11-Jun-1987	FLUORIDE	<0.1	mg/L
SD-104	18-Jun-1987	FLUORIDE	<0.1	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	FLUORIDE	0.1	mg/L
SD-104-D	19-May-1987	FLUORIDE	<0.1	mg/L
** SD-104				
SD-104	5-Mar-1987	HARDNESS	132	mg/L
SD-104	11-Mar-1987	HARDNESS	123	mg/L
SD-104	18-Mar-1987	HARDNESS	130	mg/L
SD-104	24-Mar-1987	HARDNESS	186	mg/L
SD-104	3-Apr-1987	HARDNESS	114	mg/L
SD-104	6-Apr-1987	HARDNESS	114	mg/L
SD-104	12-May-1987	HARDNESS	164	mg/L
SD-104	19-May-1987	HARDNESS	125	mg/L
SD-104	26-May-1987	HARDNESS	132	mg/L
SD-104	3-Jun-1987	HARDNESS	142	mg/L
SD-104	11-Jun-1987	HARDNESS	127	mg/L
SD-104	18-Jun-1987	HARDNESS	127	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	HARDNESS	114	mg/L
SD-104-D	19-May-1987	HARDNESS	125	mg/L
** SD-104				
SD-104	5-Mar-1987	HEXACHLOROBENZENE	<10	ug/L
SD-104	11-Mar-1987	HEXACHLOROBENZENE	<12	ug/L
SD-104	12-May-1987	HEXACHLOROBENZENE	<10	ug/L
SD-104	26-May-1987	HEXACHLOROBENZENE	<5.0	ug/L
SD-104	5-Mar-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-104	11-Mar-1987	HEXACHLOROBUTADIENE	<12	ug/L
SD-104	12-May-1987	HEXACHLOROBUTADIENE	<10	ug/L
SD-104	26-May-1987	HEXACHLOROBUTADIENE	<5.0	ug/L
SD-104	5-Mar-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-104	11-Mar-1987	HEXACHLOROCYCLOPENTADIENE	<12	ug/L
SD-104	12-May-1987	HEXACHLOROCYCLOPENTADIENE	<10	ug/L
SD-104	26-May-1987	HEXACHLOROCYCLOPENTADIENE	<5.0	ug/L
SD-104	5-Mar-1987	HEXACHLOROETHANE	<10	ug/L
SD-104	11-Mar-1987	HEXACHLOROETHANE	<12	ug/L
SD-104	12-May-1987	HEXACHLOROETHANE	<10	ug/L
SD-104	26-May-1987	HEXACHLOROETHANE	<5.0	ug/L
SD-104	5-Mar-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-104	11-Mar-1987	INDENO(1 2 3-CD)PYRENE	<12	ug/L
SD-104	12-May-1987	INDENO(1 2 3-CD)PYRENE	<10	ug/L
SD-104	26-May-1987	INDENO(1 2 3-CD)PYRENE	<5.0	ug/L
SD-104	5-Mar-1987	IRON	0.11	mg/L
SD-104	11-Mar-1987	IRON	0.15	mg/L
SD-104	18-Mar-1987	IRON	0.080	mg/L
SD-104	24-Mar-1987	IRON	1.8	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	3-Apr-1987	IRON	0.69	mg/L
SD-104	6-Apr-1987	IRON	0.13	mg/L
SD-104	12-May-1987	IRON	0.055	mg/L
SD-104	19-May-1987	IRON	<0.050	mg/L
SD-104	26-May-1987	IRON	0.025	mg/L
SD-104	3-Jun-1987	IRON	<0.050	mg/L
SD-104	11-Jun-1987	IRON	<0.050	mg/L
SD-104	18-Jun-1987	IRON	<0.050	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	IRON	0.13	mg/L
SD-104-D	19-May-1987	IRON	<0.050	mg/L
** SD-104				
SD-104	5-Mar-1987	ISOPHORONE	<10	ug/L
SD-104	11-Mar-1987	ISOPHORONE	<12	ug/L
SD-104	12-May-1987	ISOPHORONE	<10	ug/L
SD-104	26-May-1987	ISOPHORONE	<5.0	ug/L
SD-104	5-Mar-1987	LEAD	<0.050	mg/L
SD-104	11-Mar-1987	LEAD	<0.050	mg/L
SD-104	18-Mar-1987	LEAD	<0.050	mg/L
SD-104	24-Mar-1987	LEAD	<0.050	mg/L
SD-104	3-Apr-1987	LEAD	<0.050	mg/L
SD-104	6-Apr-1987	LEAD	<0.050	mg/L
SD-104	12-May-1987	LEAD	<0.050	mg/L
SD-104	19-May-1987	LEAD	<0.050	mg/L
SD-104	26-May-1987	LEAD	<0.050	mg/L
SD-104	3-Jun-1987	LEAD	<0.050	mg/L
SD-104	11-Jun-1987	LEAD	<0.050	mg/L
SD-104	18-Jun-1987	LEAD	<0.050	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	LEAD	<0.050	mg/L
SD-104-D	19-May-1987	LEAD	<0.050	mg/L
** SD-104				
SD-104	5-Mar-1987	LITHIUM	0.0054	mg/L
SD-104	11-Mar-1987	LITHIUM	0.0056	mg/L
SD-104	18-Mar-1987	LITHIUM	0.0054	mg/L
SD-104	24-Mar-1987	LITHIUM	0.0061	mg/L
SD-104	3-Apr-1987	LITHIUM	0.0072	mg/L
SD-104	6-Apr-1987	LITHIUM	<0.0040	mg/L
SD-104	12-May-1987	LITHIUM	0.0051	mg/L
SD-104	19-May-1987	LITHIUM	<0.0040	mg/L
SD-104	26-May-1987	LITHIUM	<0.0040	mg/L
SD-104	3-Jun-1987	LITHIUM	<0.0040	mg/L
SD-104	11-Jun-1987	LITHIUM	<0.0040	mg/L
SD-104	18-Jun-1987	LITHIUM	<0.0040	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
** SD-104-D				
SD-104-D	6-Apr-1987	LITHIUM	<0.0040	mg/L
SD-104-D	19-May-1987	LITHIUM	<0.0040	mg/L
** SD-104				
SD-104	5-Mar-1987	MAGNESIUM	8.6	mg/L
SD-104	11-Mar-1987	MAGNESIUM	8.7	mg/L
SD-104	18-Mar-1987	MAGNESIUM	8.9	mg/L
SD-104	24-Mar-1987	MAGNESIUM	13	mg/L
SD-104	3-Apr-1987	MAGNESIUM	7.3	mg/L
SD-104	6-Apr-1987	MAGNESIUM	8.5	mg/L
SD-104	12-May-1987	MAGNESIUM	11	mg/L
SD-104	19-May-1987	MAGNESIUM	9.5	mg/L
SD-104	26-May-1987	MAGNESIUM	9.4	mg/L
SD-104	3-Jun-1987	MAGNESIUM	9.8	mg/L
SD-104	11-Jun-1987	MAGNESIUM	10	mg/L
SD-104	18-Jun-1987	MAGNESIUM	9.6	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	MAGNESIUM	8.6	mg/L
SD-104-D	19-May-1987	MAGNESIUM	9.6	mg/L
** SD-104				
SD-104	5-Mar-1987	MANGANESE	0.024	mg/L
SD-104	11-Mar-1987	MANGANESE	0.028	mg/L
SD-104	18-Mar-1987	MANGANESE	0.015	mg/L
SD-104	24-Mar-1987	MANGANESE	0.042	mg/L
SD-104	3-Apr-1987	MANGANESE	0.032	mg/L
SD-104	6-Apr-1987	MANGANESE	0.025	mg/L
SD-104	12-May-1987	MANGANESE	<0.010	mg/L
SD-104	19-May-1987	MANGANESE	<0.010	mg/L
SD-104	26-May-1987	MANGANESE	0.0029	mg/L
SD-104	3-Jun-1987	MANGANESE	<0.010	mg/L
SD-104	11-Jun-1987	MANGANESE	<0.010	mg/L
SD-104	18-Jun-1987	MANGANESE	<0.010	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	MANGANESE	0.026	mg/L
SD-104-D	19-May-1987	MANGANESE	<0.010	mg/L
** SD-104				
SD-104	5-Mar-1987	MERCURY	0.0002	mg/L
SD-104	11-Mar-1987	MERCURY	0.0008	mg/L
SD-104	18-Mar-1987	MERCURY	0.0002	mg/L
SD-104	24-Mar-1987	MERCURY	<0.0002	mg/L
SD-104	3-Apr-1987	MERCURY	<0.0002	mg/L
SD-104	6-Apr-1987	MERCURY	<0.0002	mg/L
SD-104	12-May-1987	MERCURY	<0.0002	mg/L
SD-104	19-May-1987	MERCURY	<0.0002	mg/L
SD-104	26-May-1987	MERCURY	0.0002	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	3-Jun-1987	MERCURY	<0.0002	mg/L
SD-104	11-Jun-1987	MERCURY	<0.0002	mg/L
SD-104	18-Jun-1987	MERCURY	<0.0002	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	MERCURY	<0.0002	mg/L
SD-104-D	19-May-1987	MERCURY	<0.0002	mg/L
** SD-104				
SD-104	5-Mar-1987	METHYLENE CHLORIDE	5	ug/L
SD-104	11-Mar-1987	METHYLENE CHLORIDE	<5	ug/L
SD-104	18-Mar-1987	METHYLENE CHLORIDE	36	ug/L
SD-104	24-Mar-1987	METHYLENE CHLORIDE	<5	ug/L
SD-104	3-Apr-1987	METHYLENE CHLORIDE	10	ug/L
SD-104	6-Apr-1987	METHYLENE CHLORIDE	5 J	ug/L
SD-104	12-May-1987	METHYLENE CHLORIDE	<5	ug/L
SD-104	19-May-1987	METHYLENE CHLORIDE	14	ug/L
SD-104	26-May-1987	METHYLENE CHLORIDE	16	ug/L
SD-104	3-Jun-1987	METHYLENE CHLORIDE	46	ug/L
SD-104	11-Jun-1987	METHYLENE CHLORIDE	20	ug/L
SD-104	18-Jun-1987	METHYLENE CHLORIDE	34	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	METHYLENE CHLORIDE	<5	ug/L
SD-104-D	19-May-1987	METHYLENE CHLORIDE	13	ug/L
** SD-104				
SD-104	5-Mar-1987	MOLYBDENUM	<0.010	mg/L
SD-104	11-Mar-1987	MOLYBDENUM	<0.010	mg/L
SD-104	18-Mar-1987	MOLYBDENUM	<0.010	mg/L
SD-104	24-Mar-1987	MOLYBDENUM	<0.010	mg/L
SD-104	3-Apr-1987	MOLYBDENUM	<0.010	mg/L
SD-104	6-Apr-1987	MOLYBDENUM	<0.010	mg/L
SD-104	12-May-1987	MOLYBDENUM	<0.010	mg/L
SD-104	19-May-1987	MOLYBDENUM	0.016	mg/L
SD-104	26-May-1987	MOLYBDENUM	<0.010	mg/L
SD-104	3-Jun-1987	MOLYBDENUM	0.023	mg/L
SD-104	11-Jun-1987	MOLYBDENUM	<0.010	mg/L
SD-104	18-Jun-1987	MOLYBDENUM	<0.010	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	MOLYBDENUM	<0.010	mg/L
SD-104-D	19-May-1987	MOLYBDENUM	<0.010	mg/L
** SD-104				
SD-104	5-Mar-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-104	11-Mar-1987	N-NITROSO-DI-N-PROPYLAMINE	<12	ug/L
SD-104	12-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<10	ug/L
SD-104	26-May-1987	N-NITROSO-DI-N-PROPYLAMINE	<5.0	ug/L
SD-104	5-Mar-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-104	11-Mar-1987	N-NITROSODIMETHYLAMINE	<12	ug/L
SD-104	12-May-1987	N-NITROSODIMETHYLAMINE	<10	ug/L
SD-104	26-May-1987	N-NITROSODIMETHYLAMINE	<5.0	ug/L
SD-104	5-Mar-1987	N-NITROSODIPHENYLAMINE	<10	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	11-Mar-1987	N-NITROSODIPHENYLAMINE	<12	ug/L
SD-104	12-May-1987	N-NITROSODIPHENYLAMINE	<10	ug/L
SD-104	26-May-1987	N-NITROSODIPHENYLAMINE	<5.0	ug/L
SD-104	5-Mar-1987	NAPHTHALENE	<10	ug/L
SD-104	11-Mar-1987	NAPHTHALENE	<12	ug/L
SD-104	12-May-1987	NAPHTHALENE	<10	ug/L
SD-104	26-May-1987	NAPHTHALENE	<5.0	ug/L
SD-104	5-Mar-1987	NICKEL	<0.050	mg/L
SD-104	11-Mar-1987	NICKEL	<0.050	mg/L
SD-104	18-Mar-1987	NICKEL	<0.050	mg/L
SD-104	24-Mar-1987	NICKEL	<0.050	mg/L
SD-104	3-Apr-1987	NICKEL	<0.050	mg/L
SD-104	6-Apr-1987	NICKEL	<0.050	mg/L
SD-104	12-May-1987	NICKEL	<0.050	mg/L
SD-104	19-May-1987	NICKEL	<0.050	mg/L
SD-104	26-May-1987	NICKEL	<0.010	mg/L
SD-104	3-Jun-1987	NICKEL	<0.050	mg/L
SD-104	11-Jun-1987	NICKEL	<0.050	mg/L
SD-104	18-Jun-1987	NICKEL	<0.050	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	NICKEL	<0.050	mg/L
SD-104-D	19-May-1987	NICKEL	<0.050	mg/L
** SD-104				
SD-104	5-Mar-1987	NIOBIUM	0.0072	mg/L
SD-104	11-Mar-1987	NIOBIUM	<0.0070	mg/L
SD-104	18-Mar-1987	NIOBIUM	<0.0070	mg/L
SD-104	24-Mar-1987	NIOBIUM	<0.0070	mg/L
SD-104	3-Apr-1987	NIOBIUM	<0.0070	mg/L
SD-104	6-Apr-1987	NIOBIUM	<0.0070	mg/L
SD-104	12-May-1987	NIOBIUM	<0.0070	mg/L
SD-104	19-May-1987	NIOBIUM	<0.0070	mg/L
SD-104	26-May-1987	NIOBIUM	<0.0070	mg/L
SD-104	3-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-104	11-Jun-1987	NIOBIUM	<0.0070	mg/L
SD-104	18-Jun-1987	NIOBIUM	<0.0070	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	NIOBIUM	<0.0070	mg/L
SD-104-D	19-May-1987	NIOBIUM	<0.0070	mg/L
** SD-104				
SD-104	5-Mar-1987	NITRATE	2.57	mg/L
SD-104	11-Mar-1987	NITRATE	2.8	mg/L
SD-104	18-Mar-1987	NITRATE	1.1	mg/L
SD-104	24-Mar-1987	NITRATE	2.2	mg/L
SD-104	3-Apr-1987	NITRATE	2.1	mg/L
SD-104	6-Apr-1987	NITRATE	1.6	mg/L
SD-104	12-May-1987	NITRATE	2.7	mg/L
SD-104	19-May-1987	NITRATE	2.2	mg/L
SD-104	26-May-1987	NITRATE	3.4	mg/L
SD-104	3-Jun-1987	NITRATE	2.7	mg/L
SD-104	11-Jun-1987	NITRATE	2.7	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	18-Jun-1987	NITRATE	3.2	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	NITRATE	1.6	mg/L
SD-104-D	19-May-1987	NITRATE	2.5	mg/L
** SD-104				
SD-104	5-Mar-1987	NITROBENZENE	<10	ug/L
SD-104	11-Mar-1987	NITROBENZENE	<12	ug/L
SD-104	12-May-1987	NITROBENZENE	<10	ug/L
SD-104	26-May-1987	NITROBENZENE	<5.0	ug/L
SD-104	5-Mar-1987	OIL & GREASE	<2	mg/L
SD-104	11-Mar-1987	OIL & GREASE	<2	mg/L
SD-104	18-Mar-1987	OIL & GREASE	<2	mg/L
SD-104	24-Mar-1987	OIL & GREASE	<2	mg/L
SD-104	3-Apr-1987	OIL & GREASE	<2	mg/L
SD-104	6-Apr-1987	OIL & GREASE	<2	mg/L
SD-104	12-May-1987	OIL & GREASE	<2	mg/L
SD-104	19-May-1987	OIL & GREASE	<2	mg/L
SD-104	26-May-1987	OIL & GREASE	<2	mg/L
SD-104	3-Jun-1987	OIL & GREASE	<2	mg/L
SD-104	11-Jun-1987	OIL & GREASE	<2	mg/L
SD-104	18-Jun-1987	OIL & GREASE	<2	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	OIL & GREASE	<2	mg/L
SD-104-D	19-May-1987	OIL & GREASE	<2	mg/L
** SD-104				
SD-104	5-Mar-1987	PCB (AROCOLOR-1016)	<1	ug/L
SD-104	11-Mar-1987	PCB (AROCOLOR-1016)	NA	ug/L
SD-104	12-May-1987	PCB (AROCOLOR-1016)	<0.5	ug/L
SD-104	26-May-1987	PCB (AROCOLOR-1016)	<0.5	ug/L
SD-104	5-Mar-1987	PCB (AROCOLOR-1221)	<1	ug/L
SD-104	11-Mar-1987	PCB (AROCOLOR-1221)	NA	ug/L
SD-104	12-May-1987	PCB (AROCOLOR-1221)	<0.5	ug/L
SD-104	26-May-1987	PCB (AROCOLOR-1221)	<0.5	ug/L
SD-104	5-Mar-1987	PCB (AROCOLOR-1232)	<1	ug/L
SD-104	11-Mar-1987	PCB (AROCOLOR-1232)	NA	ug/L
SD-104	12-May-1987	PCB (AROCOLOR-1232)	<0.5	ug/L
SD-104	26-May-1987	PCB (AROCOLOR-1232)	<0.5	ug/L
SD-104	5-Mar-1987	PCB (AROCOLOR-1242)	<1	ug/L
SD-104	11-Mar-1987	PCB (AROCOLOR-1242)	NA	ug/L
SD-104	12-May-1987	PCB (AROCOLOR-1242)	<0.5	ug/L
SD-104	26-May-1987	PCB (AROCOLOR-1242)	<0.5	ug/L
SD-104	5-Mar-1987	PCB (AROCOLOR-1248)	<1	ug/L
SD-104	11-Mar-1987	PCB (AROCOLOR-1248)	NA	ug/L
SD-104	12-May-1987	PCB (AROCOLOR-1248)	<0.5	ug/L
SD-104	26-May-1987	PCB (AROCOLOR-1248)	<0.5	ug/L
SD-104	5-Mar-1987	PCB (AROCOLOR-1254)	<1	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	11-Mar-1987	PCB (AROCLOR-1254)	NA	ug/L
SD-104	12-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-104	26-May-1987	PCB (AROCLOR-1254)	<1	ug/L
SD-104	5-Mar-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-104	11-Mar-1987	PCB (AROCLOR-1260)	NA	ug/L
SD-104	12-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-104	26-May-1987	PCB (AROCLOR-1260)	<1	ug/L
SD-104	5-Mar-1987	PENTACHLOROPHENOL	<50	ug/L
SD-104	11-Mar-1987	PENTACHLOROPHENOL	<59	ug/L
SD-104	12-May-1987	PENTACHLOROPHENOL	<50	ug/L
SD-104	26-May-1987	PENTACHLOROPHENOL	<25.0	ug/L
SD-104	5-Mar-1987	PH	7.5	
SD-104	11-Mar-1987	PH	8.0	
SD-104	18-Mar-1987	PH	<1.0	
SD-104	24-Mar-1987	PH	8.0	
SD-104	3-Apr-1987	PH	7.8	
SD-104	6-Apr-1987	PH	8.1	
SD-104	12-May-1987	PH	8.3	
SD-104	19-May-1987	PH	8.2	
SD-104	26-May-1987	PH	8.1	
SD-104	3-Jun-1987	PH	8.3	
SD-104	11-Jun-1987	PH	8.4	
SD-104	18-Jun-1987	PH	8.6	
** SD-104-D				
SD-104-D	6-Apr-1987	PH	8.1	
SD-104-D	19-May-1987	PH	7.8	
** SD-104				
SD-104	5-Mar-1987	PHENANTHRENE	<10	ug/L
SD-104	11-Mar-1987	PHENANTHRENE	<12	ug/L
SD-104	12-May-1987	PHENANTHRENE	<10	ug/L
SD-104	26-May-1987	PHENANTHRENE	<5.0	ug/L
SD-104	5-Mar-1987	PHENOL	<10	ug/L
SD-104	11-Mar-1987	PHENOL	<12	ug/L
SD-104	12-May-1987	PHENOL	<10	ug/L
SD-104	26-May-1987	PHENOL	<5.0	ug/L
SD-104	5-Mar-1987	PHOSPHORUS	0.37	mg/L
SD-104	11-Mar-1987	PHOSPHORUS	0.42	mg/L
SD-104	18-Mar-1987	PHOSPHORUS	0.88	mg/L
SD-104	24-Mar-1987	PHOSPHORUS	0.30	mg/L
SD-104	3-Apr-1987	PHOSPHORUS	<0.20	mg/L
SD-104	6-Apr-1987	PHOSPHORUS	0.26	mg/L
SD-104	12-May-1987	PHOSPHORUS	0.36	mg/L
SD-104	19-May-1987	PHOSPHORUS	0.28	mg/L
SD-104	26-May-1987	PHOSPHORUS	0.46	mg/L
SD-104	3-Jun-1987	PHOSPHORUS	0.37	mg/L
SD-104	11-Jun-1987	PHOSPHORUS	0.35	mg/L
SD-104	18-Jun-1987	PHOSPHORUS	0.33	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
** SD-104-D				
SD-104-D	6-Apr-1987	PHOSPHORUS	0.22	mg/L
SD-104-D	19-May-1987	PHOSPHORUS	0.48	mg/L
** SD-104				
SD-104	5-Mar-1987	POTASSIUM	1.5	mg/L
SD-104	11-Mar-1987	POTASSIUM	4.6	mg/L
SD-104	18-Mar-1987	POTASSIUM	2.0	mg/L
SD-104	24-Mar-1987	POTASSIUM	5.1	mg/L
SD-104	3-Apr-1987	POTASSIUM	1.7	mg/L
SD-104	6-Apr-1987	POTASSIUM	4.2	mg/L
SD-104	12-May-1987	POTASSIUM	<0.60	mg/L
SD-104	19-May-1987	POTASSIUM	2.0	mg/L
SD-104	26-May-1987	POTASSIUM	1.1	mg/L
SD-104	3-Jun-1987	POTASSIUM	1.7	mg/L
SD-104	11-Jun-1987	POTASSIUM	0.94	mg/L
SD-104	18-Jun-1987	POTASSIUM	2.7	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	POTASSIUM	4.1	mg/L
SD-104-D	19-May-1987	POTASSIUM	1.9	mg/L
** SD-104				
SD-104	5-Mar-1987	PYRENE	<10	ug/L
SD-104	11-Mar-1987	PYRENE	<12	ug/L
SD-104	12-May-1987	PYRENE	<10	ug/L
SD-104	26-May-1987	PYRENE	<5.0	ug/L
SD-104	5-Mar-1987	SELENIUM	<0.005	mg/L
SD-104	11-Mar-1987	SELENIUM	<0.005	mg/L
SD-104	18-Mar-1987	SELENIUM	<0.005	mg/L
SD-104	24-Mar-1987	SELENIUM	<0.005	mg/L
SD-104	3-Apr-1987	SELENIUM	<0.005	mg/L
SD-104	6-Apr-1987	SELENIUM	<0.005	mg/L
SD-104	12-May-1987	SELENIUM	<0.005	mg/L
SD-104	19-May-1987	SELENIUM	<0.005	mg/L
SD-104	26-May-1987	SELENIUM	<0.005	mg/L
SD-104	3-Jun-1987	SELENIUM	<0.005	mg/L
SD-104	11-Jun-1987	SELENIUM	<0.005	mg/L
SD-104	18-Jun-1987	SELENIUM	<0.005	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	SELENIUM	<0.005	mg/L
SD-104-D	19-May-1987	SELENIUM	<0.005	mg/L
** SD-104				
SD-104	5-Mar-1987	SILICON	1.9	mg/L
SD-104	11-Mar-1987	SILICON	1.8	mg/L
SD-104	18-Mar-1987	SILICON	1.8	mg/L
SD-104	24-Mar-1987	SILICON	3.4	mg/L
SD-104	3-Apr-1987	SILICON	1.8	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	6-Apr-1987	SILICON	2.3	mg/L
SD-104	12-May-1987	SILICON	1.6	mg/L
SD-104	19-May-1987	SILICON	1.5	mg/L
SD-104	26-May-1987	SILICON	1.4	mg/L
SD-104	3-Jun-1987	SILICON	1.5	mg/L
SD-104	11-Jun-1987	SILICON	1.4	mg/L
SD-104	18-Jun-1987	SILICON	1.6	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	SILICON	2.3	mg/L
SD-104-D	19-May-1987	SILICON	1.5	mg/L
** SD-104				
SD-104	5-Mar-1987	SILVER	<0.010	mg/L
SD-104	11-Mar-1987	SILVER	0.043	mg/L
SD-104	18-Mar-1987	SILVER	<0.010	mg/L
SD-104	24-Mar-1987	SILVER	<0.010	mg/L
SD-104	3-Apr-1987	SILVER	<0.010	mg/L
SD-104	6-Apr-1987	SILVER	<0.010	mg/L
SD-104	12-May-1987	SILVER	<0.010	mg/L
SD-104	19-May-1987	SILVER	<0.010	mg/L
SD-104	26-May-1987	SILVER	<0.0060	mg/L
SD-104	3-Jun-1987	SILVER	<0.010	mg/L
SD-104	11-Jun-1987	SILVER	<0.010	mg/L
SD-104	18-Jun-1987	SILVER	<0.010	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	SILVER	<0.010	mg/L
SD-104-D	19-May-1987	SILVER	<0.010	mg/L
** SD-104				
SD-104	5-Mar-1987	SODIUM	6.9	mg/L
SD-104	11-Mar-1987	SODIUM	8.7	mg/L
SD-104	18-Mar-1987	SODIUM	7.2	mg/L
SD-104	24-Mar-1987	SODIUM	75	mg/L
SD-104	3-Apr-1987	SODIUM	380	mg/L
SD-104	6-Apr-1987	SODIUM	6.0	mg/L
SD-104	12-May-1987	SODIUM	6.6	mg/L
SD-104	19-May-1987	SODIUM	6.4	mg/L
SD-104	26-May-1987	SODIUM	5.8	mg/L
SD-104	3-Jun-1987	SODIUM	5.7	mg/L
SD-104	11-Jun-1987	SODIUM	5.7	mg/L
SD-104	18-Jun-1987	SODIUM	5.8	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	SODIUM	6.0	mg/L
SD-104-D	19-May-1987	SODIUM	6.5	mg/L
** SD-104				
SD-104	5-Mar-1987	STRONTIUM	0.073	ng/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	11-Mar-1987	STRONTIUM	0.072	mg/L
SD-104	18-Mar-1987	STRONTIUM	0.083	mg/L
SD-104	24-Mar-1987	STRONTIUM	0.085	mg/L
SD-104	3-Apr-1987	STRONTIUM	0.092	mg/L
SD-104	6-Apr-1987	STRONTIUM	0.061	mg/L
SD-104	12-May-1987	STRONTIUM	0.069	mg/L
SD-104	19-May-1987	STRONTIUM	0.067	mg/L
SD-104	26-May-1987	STRONTIUM	0.076	mg/L
SD-104	3-Jun-1987	STRONTIUM	0.071	mg/L
SD-104	11-Jun-1987	STRONTIUM	0.075	mg/L
SD-104	18-Jun-1987	STRONTIUM	0.068	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	STRONTIUM	0.061	mg/L
SD-104-D	19-May-1987	STRONTIUM	0.068	mg/L
** SD-104				
SD-104	5-Mar-1987	SULFATE	28	mg/L
SD-104	11-Mar-1987	SULFATE	49	mg/L
SD-104	18-Mar-1987	SULFATE	30.3	mg/L
SD-104	24-Mar-1987	SULFATE	66	mg/L
SD-104	3-Apr-1987	SULFATE	18	mg/L
SD-104	6-Apr-1987	SULFATE	23	mg/L
SD-104	12-May-1987	SULFATE	26	mg/L
SD-104	19-May-1987	SULFATE	27	mg/L
SD-104	26-May-1987	SULFATE	28.1	mg/L
SD-104	3-Jun-1987	SULFATE	25	mg/L
SD-104	11-Jun-1987	SULFATE	28	mg/L
SD-104	18-Jun-1987	SULFATE	27	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	SULFATE	23	mg/L
SD-104-D	19-May-1987	SULFATE	27	mg/L
** SD-104				
SD-104	5-Mar-1987	TEMPERATURE	13.0	Deg. C
SD-104	11-Mar-1987	TEMPERATURE	11.0	Deg. C
SD-104	18-Mar-1987	TEMPERATURE	12.0	Deg. C
SD-104	24-Mar-1987	TEMPERATURE	13.0	Deg. C
SD-104	3-Apr-1987	TEMPERATURE	11.0	Deg. C
SD-104	6-Apr-1987	TEMPERATURE	11.0	Deg. C
SD-104	12-May-1987	TEMPERATURE	20.0	Deg. C
SD-104	19-May-1987	TEMPERATURE	21.0	Deg. C
SD-104	26-May-1987	TEMPERATURE	22.0	Deg. C
SD-104	3-Jun-1987	TEMPERATURE	22	Deg. C
SD-104	11-Jun-1987	TEMPERATURE	22	Deg. C
SD-104	18-Jun-1987	TEMPERATURE	23.0	Deg. C
** SD-104-D				
SD-104-D	6-Apr-1987	TEMPERATURE	11.0	Deg. C
SD-104-D	19-May-1987	TEMPERATURE	21.0	Deg. C

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
** SD-104				
SD-104	5-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-104	11-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-104	18-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-104	24-Mar-1987	TETRACHLOROETHENE	<5	ug/L
SD-104	3-Apr-1987	TETRACHLOROETHENE	<5	ug/L
SD-104	6-Apr-1987	TETRACHLOROETHENE	<5	ug/L
SD-104	12-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-104	19-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-104	26-May-1987	TETRACHLOROETHENE	<5	ug/L
SD-104	3-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-104	11-Jun-1987	TETRACHLOROETHENE	<5	ug/L
SD-104	18-Jun-1987	TETRACHLOROETHENE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	TETRACHLOROETHENE	<5	ug/L
SD-104-D	19-May-1987	TETRACHLOROETHENE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	THORIUM	<0.20	mg/L
SD-104	11-Mar-1987	THORIUM	<0.20	mg/L
SD-104	18-Mar-1987	THORIUM	<0.20	mg/L
SD-104	24-Mar-1987	THORIUM	<0.20	mg/L
SD-104	3-Apr-1987	THORIUM	<0.20	mg/L
SD-104	6-Apr-1987	THORIUM	<0.20	mg/L
SD-104	12-May-1987	THORIUM	<0.20	mg/L
SD-104	19-May-1987	THORIUM	<0.20	mg/L
SD-104	26-May-1987	THORIUM	<0.20	mg/L
SD-104	3-Jun-1987	THORIUM	<0.20	mg/L
SD-104	11-Jun-1987	THORIUM	<0.20	mg/L
SD-104	18-Jun-1987	THORIUM	<0.20	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	THORIUM	<0.20	mg/L
SD-104-D	19-May-1987	THORIUM	<0.20	mg/L
** SD-104				
SD-104	5-Mar-1987	TITANIUM	<0.0030	mg/L
SD-104	11-Mar-1987	TITANIUM	<0.0030	mg/L
SD-104	18-Mar-1987	TITANIUM	<0.0030	mg/L
SD-104	24-Mar-1987	TITANIUM	0.022	mg/L
SD-104	3-Apr-1987	TITANIUM	0.016	mg/L
SD-104	6-Apr-1987	TITANIUM	<0.0030	mg/L
SD-104	12-May-1987	TITANIUM	<0.0030	mg/L
SD-104	19-May-1987	TITANIUM	0.0056	mg/L
SD-104	26-May-1987	TITANIUM	0.0078	mg/L
SD-104	3-Jun-1987	TITANIUM	0.010	mg/L
SD-104	11-Jun-1987	TITANIUM	0.0052	mg/L
SD-104	18-Jun-1987	TITANIUM	0.0077	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
** SD-104-D				
SD-104-D	6-Apr-1987	TITANIUM	<0.0030	mg/L
SD-104-D	19-May-1987	TITANIUM	0.0050	mg/L
** SD-104				
SD-104	5-Mar-1987	TOLUENE	<5	ug/L
SD-104	11-Mar-1987	TOLUENE	<5	ug/L
SD-104	18-Mar-1987	TOLUENE	<5	ug/L
SD-104	24-Mar-1987	TOLUENE	<5	ug/L
SD-104	3-Apr-1987	TOLUENE	<5	ug/L
SD-104	6-Apr-1987	TOLUENE	<5	ug/L
SD-104	12-May-1987	TOLUENE	<5	ug/L
SD-104	19-May-1987	TOLUENE	<5	ug/L
SD-104	26-May-1987	TOLUENE	<5	ug/L
SD-104	3-Jun-1987	TOLUENE	<5	ug/L
SD-104	11-Jun-1987	TOLUENE	<5	ug/L
SD-104	18-Jun-1987	TOLUENE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	TOLUENE	<5	ug/L
SD-104-D	19-May-1987	TOLUENE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	TOTAL DISSOLVED SOLIDS	188	mg/L
SD-104	11-Mar-1987	TOTAL DISSOLVED SOLIDS	414	mg/L
SD-104	18-Mar-1987	TOTAL DISSOLVED SOLIDS	126	mg/L
SD-104	24-Mar-1987	TOTAL DISSOLVED SOLIDS	426	mg/L
SD-104	3-Apr-1987	TOTAL DISSOLVED SOLIDS	1096	mg/L
SD-104	6-Apr-1987	TOTAL DISSOLVED SOLIDS	148	mg/L
SD-104	12-May-1987	TOTAL DISSOLVED SOLIDS	158	mg/L
SD-104	19-May-1987	TOTAL DISSOLVED SOLIDS	150	mg/L
SD-104	26-May-1987	TOTAL DISSOLVED SOLIDS	148	mg/L
SD-104	3-Jun-1987	TOTAL DISSOLVED SOLIDS	172	mg/L
SD-104	11-Jun-1987	TOTAL DISSOLVED SOLIDS	154	mg/L
SD-104	18-Jun-1987	TOTAL DISSOLVED SOLIDS	180	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	TOTAL DISSOLVED SOLIDS	152	mg/L
SD-104-D	19-May-1987	TOTAL DISSOLVED SOLIDS	156	mg/L
** SD-104				
SD-104	5-Mar-1987	TOTAL ORGANIC CARBON (TOC)	6	mg/L
SD-104	11-Mar-1987	TOTAL ORGANIC CARBON (TOC)	9	mg/L
SD-104	18-Mar-1987	TOTAL ORGANIC CARBON (TOC)	24	mg/L
SD-104	24-Mar-1987	TOTAL ORGANIC CARBON (TOC)	9	mg/L
SD-104	3-Apr-1987	TOTAL ORGANIC CARBON (TOC)	10	mg/L
SD-104	6-Apr-1987	TOTAL ORGANIC CARBON (TOC)	9	mg/L
SD-104	12-May-1987	TOTAL ORGANIC CARBON (TOC)	2.5	mg/L
SD-104	19-May-1987	TOTAL ORGANIC CARBON (TOC)	2.2	mg/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	26-May-1987	TOTAL ORGANIC CARBON (TOC)	2.4	mg/L
SD-104	3-Jun-1987	TOTAL ORGANIC CARBON (TOC)	2.4	mg/L
SD-104	11-Jun-1987	TOTAL ORGANIC CARBON (TOC)	1.9	mg/L
SD-104	18-Jun-1987	TOTAL ORGANIC CARBON (TOC)	2.3	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	TOTAL ORGANIC CARBON (TOC)	11	mg/L
SD-104-D	19-May-1987	TOTAL ORGANIC CARBON (TOC)	2.2	mg/L
** SD-104				
SD-104	5-Mar-1987	TOTAL SUSPENDED SOLIDS	3	mg/L
SD-104	11-Mar-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-104	18-Mar-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-104	24-Mar-1987	TOTAL SUSPENDED SOLIDS	43	mg/L
SD-104	3-Apr-1987	TOTAL SUSPENDED SOLIDS	13	mg/L
SD-104	6-Apr-1987	TOTAL SUSPENDED SOLIDS	2	mg/L
SD-104	12-May-1987	TOTAL SUSPENDED SOLIDS	1	mg/L
SD-104	19-May-1987	TOTAL SUSPENDED SOLIDS	1	mg/L
SD-104	26-May-1987	TOTAL SUSPENDED SOLIDS	1	mg/L
SD-104	3-Jun-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
SD-104	11-Jun-1987	TOTAL SUSPENDED SOLIDS	3	mg/L
SD-104	18-Jun-1987	TOTAL SUSPENDED SOLIDS	<4	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	TOTAL SUSPENDED SOLIDS	3	mg/L
SD-104-D	19-May-1987	TOTAL SUSPENDED SOLIDS	<1	mg/L
** SD-104				
SD-104	5-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104	11-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104	18-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104	24-Mar-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104	3-Apr-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104	6-Apr-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104	12-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104	19-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104	26-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104	3-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104	11-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104	18-Jun-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
SD-104-D	19-May-1987	TRANS-1 2-DICHLOROETHENE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	11-Mar-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	18-Mar-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	24-Mar-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	3-Apr-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	6-Apr-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	12-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	19-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	26-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	3-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	11-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104	18-Jun-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
SD-104-D	19-May-1987	TRANS-1 3-DICHLOROPROPENE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	TRICHLOROETHENE	<5	ug/L
SD-104	11-Mar-1987	TRICHLOROETHENE	<5	ug/L
SD-104	18-Mar-1987	TRICHLOROETHENE	<5	ug/L
SD-104	24-Mar-1987	TRICHLOROETHENE	<5	ug/L
SD-104	3-Apr-1987	TRICHLOROETHENE	<5	ug/L
SD-104	6-Apr-1987	TRICHLOROETHENE	<5	ug/L
SD-104	12-May-1987	TRICHLOROETHENE	<5	ug/L
SD-104	19-May-1987	TRICHLOROETHENE	<5	ug/L
SD-104	26-May-1987	TRICHLOROETHENE	8	ug/L
SD-104	3-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-104	11-Jun-1987	TRICHLOROETHENE	<5	ug/L
SD-104	18-Jun-1987	TRICHLOROETHENE	<5	ug/L
** SD-104-D				
SD-104-D	6-Apr-1987	TRICHLOROETHENE	<5	ug/L
SD-104-D	19-May-1987	TRICHLOROETHENE	<5	ug/L
** SD-104				
SD-104	5-Mar-1987	TURBIDITY	1	NTU
SD-104	11-Mar-1987	TURBIDITY	2	NTU
SD-104	18-Mar-1987	TURBIDITY	<1	NTU
SD-104	24-Mar-1987	TURBIDITY	36	NTU
SD-104	3-Apr-1987	TURBIDITY	31	NTU
SD-104	6-Apr-1987	TURBIDITY	2	NTU
SD-104	12-May-1987	TURBIDITY	0.70	NTU
SD-104	19-May-1987	TURBIDITY	0.45	NTU
SD-104	26-May-1987	TURBIDITY	0.75	NTU
SD-104	3-Jun-1987	TURBIDITY	0.35	NTU
SD-104	11-Jun-1987	TURBIDITY	0.50	NTU
SD-104	18-Jun-1987	TURBIDITY	0.55	NTU
** SD-104-D				
SD-104-D	6-Apr-1987	TURBIDITY	3	NTU
SD-104-D	19-May-1987	TURBIDITY	0.40	NTU
** SD-104				

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104	5-Mar-1987	UNKNOWN	26	ug/L
SD-104	5-Mar-1987	URANIUM	0.005	mg/L
SD-104	11-Mar-1987	URANIUM	0.005	mg/L
SD-104	18-Mar-1987	URANIUM	0.004	mg/L
SD-104	24-Mar-1987	URANIUM	0.008	mg/L
SD-104	3-Apr-1987	URANIUM	0.003	mg/L
SD-104	6-Apr-1987	URANIUM	0.012	mg/L
SD-104	12-May-1987	URANIUM	<0.001	mg/L
SD-104	19-May-1987	URANIUM	0.002	mg/L
SD-104	26-May-1987	URANIUM	<0.001	mg/L
SD-104	3-Jun-1987	URANIUM	0.002	mg/L
SD-104	11-Jun-1987	URANIUM	0.002	mg/L
SD-104	18-Jun-1987	URANIUM	0.001	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	URANIUM	0.002	mg/L
SD-104-D	19-May-1987	URANIUM	0.004	mg/L
** SD-104				
SD-104	5-Mar-1987	VANADIUM	<0.50	mg/L
SD-104	11-Mar-1987	VANADIUM	<0.50	mg/L
SD-104	18-Mar-1987	VANADIUM	<0.50	mg/L
SD-104	24-Mar-1987	VANADIUM	<0.50	mg/L
SD-104	3-Apr-1987	VANADIUM	<0.50	mg/L
SD-104	6-Apr-1987	VANADIUM	<0.50	mg/L
SD-104	12-May-1987	VANADIUM	<0.50	mg/L
SD-104	19-May-1987	VANADIUM	<0.50	mg/L
SD-104	26-May-1987	VANADIUM	<0.0050	mg/L
SD-104	3-Jun-1987	VANADIUM	<0.50	mg/L
SD-104	11-Jun-1987	VANADIUM	<0.50	mg/L
SD-104	18-Jun-1987	VANADIUM	<0.50	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	VANADIUM	<0.50	mg/L
SD-104-D	19-May-1987	VANADIUM	<0.50	mg/L
** SD-104				
SD-104	5-Mar-1987	VINYL CHLORIDE	<10	ug/L
SD-104	11-Mar-1987	VINYL CHLORIDE	<10	ug/L
SD-104	18-Mar-1987	VINYL CHLORIDE	<10	ug/L
SD-104	24-Mar-1987	VINYL CHLORIDE	<10	ug/L
SD-104	3-Apr-1987	VINYL CHLORIDE	<10	ug/L
SD-104	6-Apr-1987	VINYL CHLORIDE	<10	ug/L
SD-104	12-May-1987	VINYL CHLORIDE	<10	ug/L
SD-104	19-May-1987	VINYL CHLORIDE	<10	ug/L
SD-104	26-May-1987	VINYL CHLORIDE	<10	ug/L
SD-104	3-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-104	11-Jun-1987	VINYL CHLORIDE	<10	ug/L
SD-104	18-Jun-1987	VINYL CHLORIDE	<10	ug/L

Storm Drain Data for SD-100-04

Location	Date	Compound	Results	Units
SD-104-D	6-Apr-1987	VINYL CHLORIDE	<10	ug/L
SD-104-D	19-May-1987	VINYL CHLORIDE	<10	ug/L
** SD-104				
SD-104	5-Mar-1987	ZINC	0.042	mg/L
SD-104	11-Mar-1987	ZINC	0.032	mg/L
SD-104	18-Mar-1987	ZINC	0.049	mg/L
SD-104	24-Mar-1987	ZINC	0.031	mg/L
SD-104	3-Apr-1987	ZINC	0.094	mg/L
SD-104	6-Apr-1987	ZINC	0.025	mg/L
SD-104	12-May-1987	ZINC	0.021	mg/L
SD-104	19-May-1987	ZINC	0.022	mg/L
SD-104	26-May-1987	ZINC	0.029	mg/L
SD-104	3-Jun-1987	ZINC	0.022	mg/L
SD-104	11-Jun-1987	ZINC	0.032	mg/L
SD-104	18-Jun-1987	ZINC	0.040	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	ZINC	0.028	mg/L
SD-104-D	19-May-1987	ZINC	0.023	mg/L
** SD-104				
SD-104	5-Mar-1987	ZIRCONIUM	<0.0050	mg/L
SD-104	11-Mar-1987	ZIRCONIUM	<0.0050	mg/L
SD-104	18-Mar-1987	ZIRCONIUM	<0.0050	mg/L
SD-104	24-Mar-1987	ZIRCONIUM	<0.0050	mg/L
SD-104	3-Apr-1987	ZIRCONIUM	<0.0050	mg/L
SD-104	6-Apr-1987	ZIRCONIUM	<0.0050	mg/L
SD-104	12-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-104	19-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-104	26-May-1987	ZIRCONIUM	<0.0050	mg/L
SD-104	3-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-104	11-Jun-1987	ZIRCONIUM	<0.0050	mg/L
SD-104	18-Jun-1987	ZIRCONIUM	<0.0050	mg/L
** SD-104-D				
SD-104-D	6-Apr-1987	ZIRCONIUM	<0.0050	mg/L
SD-104-D	19-May-1987	ZIRCONIUM	<0.0050	mg/L

1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025

