



Coordination to Support Fisheries Management in the
Western and Central Mediterranean. CopeMed Phase II



TRAINING COURSE ON ICHTHYOPLANKTON

**Bibliographic references useful for the identification of fish
larvae**

by

J.M. Rodríguez



The logo of the Spanish Institute of Oceanography (IEO) is located in the bottom left corner of the box. It features a circular design with a blue and white pattern, resembling a stylized sun or ocean waves, with the text 'INSTITUTO ESPAÑOL DE OCEANOLOGÍA' around the perimeter.

Fuengirola (Málaga), Spain
22-26 February 2016
Spanish Institute of Oceanography (IEO)

Aboussouan, A. (1964) Contribution à l'étude des oeufs et larves pelagiques des poissons téléostéens dans le Golfe de Marseille. *Rev. Trav. St. Mar. End.*, **32**, 87-171.

Alemany, F. (1997) Ictioplancton del Mar Balear. Ph.D. Thesis, Univ. Illes Balears.

Brownell, C.L. (1979) Stages in the early development of 40 marine fish species with pelagic eggs from the Cape Good Hope. *Ichthyological Bulletin of the J.L.B. Smith Institute of Ichthyology*, **40**, 1-84.

D'Ancona, U., F., B., Montalenti, G., Padoa, E., Ranzi, S., Sanzo, L., Sparta, A., Tortonese, E. and Viali, M. (1931-1956) Uova, larve e stadi giovanili di Teleostei. *Fauna Flora Golfo Napoli*, **38(1-4)**, 1064 pp.

Demir, M. (1961) On the eggs and larvae of the *Trachurus trachurus* (L.) and *Trachurus mediterraneus* (Stdhn.) from the Sea of Marmara and the Black Sea. *Rapp. P.-v. Réun. Commn int. explor. scient. Mer Méditerr.*, **16**, 317-320.

Demir, M. (1982) On postlarvae and pelagic juveniles of rocklings *Gaidropsaurus mediterraneus* and *G. Biscayensis*. *Journal of Marine Biological Association of the United Kingdom*, **62**, 647-665.

Fahay, M.P. (1983) Guide to the Early Stages of Marine Fishes Occurring in the Western North Atlantic Ocean, Cape Hatteras to the Southern Scotian Shelf. *Journal of Northwest Atlantic Fishery Science*, **4**.

Fahay MP (2007) Early Stages of Fishes in the Western North Atlantic Ocean (Davis Strait, Southern Greenland and Flemish Cap to Cape Hatteras). Northwest Atlantic Fisheries Organization, 1686 pp

Jespersen, P. and Taning, A.V. (1926) Mediterranean Sternoptychidae. *Report on the Danish oceanographical expeditions 1908-10 to the Mediterranean and adjacent seas*, **2**.

Marinaro, J.Y. (1971) Contribution à l'étude des oeufs et larves pélagiques de poissons Méditerranéens. V. Oeufs pélagiques de la Baie d'Alger. *Bull. Inst. Océanogr.*, **3**, 1-118.

Olivar, M.P. (1986) Development and distribution of parablennius pilicornis (cuvier) larvae (teleostei: blenniidae) off namibia. *South African Journal of Aquatic Science*, **4**, 193-201.

Olivar, M.P. and Palomera, I. (1994) Ontogeny and distribution of Hygophum benoiti (Pisces, Myctophidae) of the north western Mediterranean. *J. Plankton Res.*, **16**, 977-991.

Olivar MP, Fortuño JM (1991) Guide to Ichthyoplankton of the Southeast Atlantic (Benguela Current Region). Sci Mar 55:1-363

Palomera, I. (1983) Desarrollo larvario de *Notoscopelus elongatus elongatus* (Costa, 1844) y *Notoscopelus bolini* Nafpaktitis, 1975. Inv. Pesq., 47, 263-276.

Richards, W.J. (2006) *Early stages of Atlantic fishes: An identification guide for the Western Central North Atlantic* New York: Taylor & Francis. Vol. I-II

Russell, F.S. (1976) *The eggs and planktonic stages of British marine fishes*. Academic Press, London, 524pp.

Taning, A.V. (1918) Mediterranean Scopelidae (*Saurus*, *Aulopus*, *Chlorophthalmus* and *Myctophum*). Report on the danish oceanographical expeditions 1908-10 to the Mediterranean and adjacent seas, 2.

Whitehead, P.J.P., Bauchot, M.L., Hureau, J.C., Nielsen, J. and Tortonesse, E.E. (eds) (1984-1986) *Fishes of the North-eastern Atlantic and the Mediterranean*, Paris: UNESCO, Vol 1-IIIⁱ.

ⁱThis is not useful for identification but to know which species inhabit your study area