University of New Hampshire University of New Hampshire Scholars' Repository

Center for Coastal and Ocean Mapping

Center for Coastal and Ocean Mapping

4-2003

The International Bathymetric Chart of the Arctic Ocean (IBCAO): An Improved Morphological Framework for Oceanographic Investigations

Ron Macnab Geological Survey of Canada

Martin Jakobsson University of New Hampshire, Durham

Follow this and additional works at: https://scholars.unh.edu/ccom Part of the Oceanography and Atmospheric Sciences and Meteorology Commons

Recommended Citation

Macnab, Ron and Jakobsson, Martin, "The International Bathymetric Chart of the Arctic Ocean (IBCAO): An Improved Morphological Framework for Oceanographic Investigations" (2003). *Geophysical Research Abstracts*. 276. https://scholars.unh.edu/ccom/276

This Conference Proceeding is brought to you for free and open access by the Center for Coastal and Ocean Mapping at University of New Hampshire Scholars' Repository. It has been accepted for inclusion in Center for Coastal and Ocean Mapping by an authorized administrator of University of New Hampshire Scholars' Repository. For more information, please contact nicole.hentz@unh.edu.

Geophysical Research Abstracts, Vol. 5, 10909, 2003 © European Geophysical Society 2003



THE INTERNATIONAL BATHYMETRIC CHART OF THE ARCTIC OCEAN (IBCAO): AN IMPROVED MORPHOLOGICAL FRAMEWORK FOR OCEANOGRAPHIC INVESTIGATIONS

R. Macnab (1) and M. Jakobsson (2)

(1) Geological Survey of Canada (Retired), (2) Center for Coastal and Ocean Mapping, University of New Hampshire (ron.macnab@ns.sympatico.ca)

The IBCAO initiative set out in late 1997 to assemble and merge all available bathymetric observations from northern regions, with the intent of constructing a reliable and up-to-date portrayal of the Arctic seabed in digital and printed form. In early 2000, a provisional grid and map were placed in circulation for public review and comment. Available for free downloading from a website hosted by the U.S. National Geophysical Data Center, these products won immediate acceptance from a broad spectrum of Arctic investigators who recognized the potential worth of the new information in a variety of applications ranging from straightforward map production to analysing the influence of underwater topography on ocean circulation. At the same time, error reports and new data sets were being forwarded to the creators of IBCAO, so that by the middle of 2002 a new and more definitive grid was ready to be placed into circulation. This was soon followed by the construction of a prototype shaded relief map that has been proposed as a successor to Sheet 5.17 of the General Bathymetric Chart of the Oceans (GEBCO).

This presentation will introduce the new IBCAO grid and map, and will review the features that make these products particularly useful for oceanographic and climatological investigations.