

University of New Hampshire
University of New Hampshire Scholars' Repository

Physics Scholarship

Physics

3-2010

Further Analysis of a Cooper Pair Insulator

Shawna M. Hollen

University of New Hampshire - Main Campus

H Q. Nguyen

Brown University

M D. Stewart Jr

Brown University

J Shainline

Brown University

Aijun Jin

Brown University

See next page for additional authors

Follow this and additional works at: https://scholars.unh.edu/physics_facpub

 Part of the [Physics Commons](#)

Recommended Citation

<http://meetings.aps.org/link/BAPS.2010.MAR.V41.5>

This Conference Proceeding is brought to you for free and open access by the Physics at University of New Hampshire Scholars' Repository. It has been accepted for inclusion in Physics Scholarship by an authorized administrator of University of New Hampshire Scholars' Repository. For more information, please contact nicole.hentz@unh.edu.

Authors

Shawna M. Hollen, H Q. Nguyen, M D. Stewart Jr, J Shainline, Aijun Jin, and J M. Valles Jr.

Abstract Submitted
for the MAR10 Meeting of
The American Physical Society

Further Analysis of a Cooper Pair Insulator¹ S.M. HOLLEN, H.Q. NGUYEN, M.D. STEWART, JR, J. SHAINLINE, Brown University Physics Department, AIJUN JIN, J.M. XU, Brown University Division of Engineering, J.M. VALLES, JR, Brown University Physics Department — Amorphous thin films of Bi deposited on a substrate with a Nano-Honeycomb (NHC) array of holes can exhibit a Cooper Pair Insulator (CPI) phase [1]. The transport in this state is dominated by the incoherent tunneling of Cooper Pairs between localized states. The resistivity is activated in temperature, and the magnetoresistance (MR) near the thickness-tuned Superconductor-Insulator Transition (SIT) exhibits a giant peak, as is found in thin films of InO_x and TiN. In an effort to learn how the localization of pairs develops, we have investigated films deposited on substrates with different hole radii, order in the hole arrays, and surface roughness. We will present our latest findings on the common features describing the CPI phase, and how the above variations influence its properties and those of the thickness-tuned SIT in these amorphous films. [1] M. D. Stewart Jr., A. Yin, J. M. Xu, and J. M. Valles Jr., *Science* **318**, 1273 (2007).

¹This work was supported by the NSF through No. DMR-0203608 and No. DMR-0605797, by the AFRL, and by the ONR.

Shawna Hollen
Brown University

Date submitted: 18 Nov 2009

Electronic form version 1.4