Stephen F. Austin State University SFA ScholarWorks

Informal Project Reports

East Texas Pine Plantation Research Project

9-1994

Research Report No. 31, Observed Growth Rates of Loblolly and Slash Pine Plantations in East Texas

H. Alexis Ross

J. David Lenhart

Arthur Temple College of Forestry and Agriculture, Stephen F. Austin State University

Follow this and additional works at: http://scholarworks.sfasu.edu/etpprp project reports



Part of the Forest Management Commons

Tell us how this article helped you.

Recommended Citation

Ross, H. Alexis and Lenhart, J. David, "Research Report No. 31, Observed Growth Rates of Loblolly and Slash Pine Plantations in East Texas" (1994). Informal Project Reports. Paper 40.

 $http://scholarworks.sfasu.edu/etpprp_project_reports/40$

This Report is brought to you for free and open access by the East Texas Pine Plantation Research Project at SFA ScholarWorks. It has been accepted for inclusion in Informal Project Reports by an authorized administrator of SFA ScholarWorks. For more information, please contact cdsscholarworks@sfasu.edu.

OBSERVED GROWTH RATES OF LOBLOLLY AND SLASH PINE PLANTATIONS IN EAST TEXAS

BY
H. ALEXIS ROSS
AND
J. DAVID LENHART

REPORT 31

FROM

EAST TEXAS PINE PLANTATION RESEARCH PROJECT
COLLEGE OF FORESTRY
STEPHEN F. AUSTIN STATE UNIVERSITY
NACOGDOCHES, TX 75962

SEPTEMBER ... 1994

INTRODUCTION

Of the approximately 11.2 million acres of forest in East Texas, about 2.5 million acres have been planted with loblolly pine trees (*Pinus taeda* L.) and 500,000 acres with slash pine trees (*Pinus elliottii* Engelm.). These plantations are owned by public, industrial and non-industrial private entities with industrial ownership dominating. Even though most pine plantations in East Texas are relatively young (20 years or less), plantation information is needed for management decision-making.

Plantation growth information may assist foresters in deciding the timing and magnitude of plantation management operations. In particular, two possible timber growth questions that foresters may ask about unthinned East Texas pine plantations are:

- What are the average current growth rates?
- · What are the average future growth rates?

However, a complete management decision-making process usually includes information on the many resources, uses and values that occur in East Texas plantations.

The purpose of this paper is to tabulate four observed average annual growth rates:

- · Quadratic mean diameter,
- · Average stand height,
- · Basal area per acre and
- Cubic feet per acre

of unthinned East Texas loblolly and slash pine plantations by various age, site index and trees per acre classes.

PLANTATION MEASUREMENTS

Observed values were obtained from the East Texas Pine Plantation Research Project (ETPPRP). The ETPPRP is a long-term comprehensive study of the performance of loblolly and slash pine plantations in East Texas'.

ETPPRP permanent plots were installed in pine plantations throughout East Texas during 1982-84. At this time, approximately 161 and 66 loblolly and stash pine plots, respectively, are still active. Numerous plots have been destroyed due to acts of nature and man. Each plot is in a separate plantation and is measured on a 3-year cycle. Since some plots have been destroyed since establishment due to acts of nature or man, data from two, three or four completed measurement cycles were available for this growth rate study.

Observations for each available measurement cycle for each active plot were summarized:

- · Plantation age at time of measurement years.
- · Average total height of the ten tallest trees in a plot feet.
- · A site index value base age 25 years was calculated feet.
- · Number of trees per acre.
- · Quadratic mean diameter inches.
- . Basal area per acre sq. ft.
- Cubic foot volume per acre total cubic feet wood and bark.

From the data, observations with zero values for total height, quadratic mean diameter, basal area or cubic foot volume were deleted. As a result, 597 observations from the loblolly pine ETPPRP plots and 276 observations from the slash pine ETPPRP plots were included in the data sets. The geographic distribution of the observations by county is depicted in Figures 1 and 2 for loblolly and slash pine, respectively. The loblolly observations are more widespread than slash pine. However, about 38% of the loblolly values are located in four counties - Polk, Tyler, Jasper and Newton.

¹ The support of the participating forest industries -- Champion International Corp., International Paper Company, Louisiana-Pacific Corp. and Temple-Inland Forest Products Corp. -- is appreciated.

Figure 1. Distribution of the 597 loblolly pine observations by county.




Figure 2. Distribution of 276 slash pine observations by county.

DETERMINATION OF AVERAGE ANNUAL GROWTH RATES

The first step was to calculate four annual growth rates for each observation for each species:

Diameter growth = (Observed quadratic mean diameter - inches) /

 (No. 1) (N

(Number of years to attain that diameter value).

Height growth = (Observed total height of the ten tallest trees in a plot - feet) /

(Number of years to attain that height value).

Basal area growth = (Observed basal area per acre - sq. ft) /

(Number of years to attain that basal area value).

• Cubic foot growth = (Observed cubic foot volume per acre of the entire tree stem) /

(Number of years to attain that cubic foot volume value).

The results were 2,388 (597x4) observed annual growth rates for loblolly and 1,104 (276x4) observed annual growth rates for slash.

After appropriate groupings of the observed annual growth rates, four average annual growth rates for each species were computed for each of the following classifications of plantation characteristics:

- · Overall:
 - Table 1 Lobfolly.
 - . Table 11 Slash.
- · By site index classes:
 - Table 2 Loblolly.
 - · Table 12 Slash.
- · By trees per acre classes:
 - Table 2 Lobiolly.
 - · Table 12 Slash.
- · By age classes:
 - Table 2 Loblolly.
 - · Table 12 Slash.

	Table 3	- Loblolly.
	Table 13	- Slash.

- By age and trees per acre classes:
 - · Table 4 Loblolly.
 - · Table 14 Slash.
- . By site index and trees per acre classes:
 - Table 5 Lobiolly.
 - · Table 15 Slash.
- · For site index class 55 feet or less ... by age and trees per acre classes:
 - · Table 6 Loblolly.
 - · Table 16 Slash.
- · For site index class 56 65 feet ... by age and trees per acre classes:
 - · Table 7 · Loblolly.
 - · Table 17 Slash.
- For site index class 66 75 feet ... by age and trees per acre classes:
 - · Table 8 Loblolly.
 - · Table 18 Slash.
- For site index class 76 85 feet ... by age and trees per acre classes:
 - · Table 9 Loblolly.
 - · Table 19 Slash.
- . For site index class 86 feet or more ... by age and trees per acre classes:
 - Table 10 Loblolly.
 - · Table 20 Slash.

The 20 tables are presented in the last part of this report.

APPLICATIONS

Several examples of using the growth rate tables are:

Perhaps in San Jacinto county, there is a 389 acre loblolly pine plantation. A forester has
determined that age = 14 years, site index = 67 feet, and there are 504 trees per acre.

An estimate of average growth rates can be obtained from Table 8:

Diameter = 0.5 inches per year.

Height = 3.4 feet per year.

Basal area = 8.0 square feet per acre per year.

Cubic feet = 147.2 per acre per year.

 A banker in Houston asks a colleague what is the average cubic feet growth rate for slash pine plantations in East Texas?

The colleague finds an answer in Table 11:

- On the average across all categories of age, site index and trees per acre:
 72.6 cubic feet per acre per year.
- Let us say that in the southern part of Newton county, a local landowner has approached a
 forest industry to see if they are interested in buying her slash pine plantation. During the
 conversation, all she can tell the company forester is that it is 505 acres in size and 12 years old.

After she leaves, the forester determines initial estimates of average growth rates for all 12 year old slash pine plantations in East Texas by referring to Table 12:

Diameter = 0.5 inches per year.

Height = 3.4 feet per year.

• Basai area = 5.4 square feet per acre per year.

Cubic feet = 97.2 per acre per year.

Perhaps the broad estimates of growth rates are encouraging, so during the next day, the forester does a reconnanisance of the 505 acre slash pine plantation and determines that site index = 72 feet and trees per acre = 382. With that information, more precise estimates of planted slash pine growth rates can be obtained from Table 18:

Diameter = 0.5 inches per year.

Height = 3.3 feet per year.

Basal area = 5.6 square feet per acre per year.

Cubic feet = 94.9 per acre per year.

The growth information may be helpful in deciding whether or not to buy the plantation from the landowner.

 In Shelby county, maybe a landowner is considering establishing a loblolly pine plantation on 294 acres. He has been told that the site index for the area is 70 feet, and he anticipates that trees per acre will be about 500 during the first 20 years after plantation establishment.

One of his management questions could be: Will the volume growth rate peak during the 20 year period?

From Table 8, it appears that volume growth may be expected to begin to decrease at about 18 years. In some cases, this may infer an optimum biological rotation age of 18 years. A possible scenario could have the landowner selling the 18 year old loblolly pines for small sawtimber.

However, that may not be correct, if a site index error has been made and instead of 70 feet, the true site index = 60 feet. From Table 7, optimum volume growth appears to occur at some point past 18 years.

Or if the true site index = 80 feet, instead of 70 feet, the peak in volume growth also appears to occur at some point beyond 18 years.

In this manner, the tables provide an opportunity to ask "what if" questions concerning possible plantation management decision-making procedures.

Table 1. Overall average annual diameter, height, basal area and cubic foot growth of loblofly pine plantations in East Texas.

	Average		
100000	annual		
Measure	growth		
Diameter¹ (in.)	0,5		
Height ² (ft)	3.4		
Basal area ³ (sq. ft)	5.5		
Cubic feet ⁴	91.4		

^{&#}x27;Diameter = quadratic mean diameter.

Table 2. Average annual diameter, height, basal area and cubic foot growth by site index, trees per acre and age classes of lobiolly pine plantations in East Texas.

		Average a	nnual growth		
	Diameter ¹ (in.)	Height ² (ft)	Basal area ³ (sq. ft)	Cubic feet ⁴	Observations
Site Index (ft)					
≤ 55	0.3	2.4	2.2	23.6	66
56 - 65	0.4	3.0	4.5	65.2	132
66 - 75	0.5	3.4	6.0	101.6	211
76 - 85	0.5	3.9	6.6	113.9	112
≥ 86	0.5	4.4	7.0	134,1	76
Trees per acre					
≤ 350	0.5	3.3	4.3	75.4	124
351 - 450	0.5	3.4	+ 5.5	97.5	147
451 - 550	0.4	3.4	5.7	94.5	149
≥ 551	0.4	3.5	6.3	94.8	177
Age (yrs)					
\$4	0.2	3.0	0.7	3.4	48
5 - 6	0.4	3.4	3.1	25.7	75
7 - 8	0.5	3.4	5.0	54.9	98
9 - 10	0.5	3.6	6.5	91.0	111
11 - 12	0.5	3.6	7.2	124.1	87
13 - 14	0.5	3.4	6.9	132.9	72
15 - 16	0.4	3.3	6.7	143.6	40
17 - 18	0.4	3.2	6.9	158.9	38
≥ 19	0.4	3.1	6.5	173.2	28

Diameter = quadratic mean diameter.

²Height = average height of 10 tallest trees in area.

Basal area = square feet per acre.

*Cubic feet = lotal stem cubic feet wood and bark per acre.

⁵Values based on 597 observations.

²Height = average height of 10 tallest trees in area.

^{*}Basal area = square feet per acre.

^{*}Cubic feet = total stem cubic feet wood and bark per acre.

Table 3. Average annual diameter, height, basal area and cubic foot growth by site index and age classes of lobfolly pine plantations in East Texas.

					A	ge classes - (yrs)					
Measure	Site index classes (ft)	54	5-6	7-8	9-10	11 - 12	13 - 14	15 - 16	17-18	210	
		Control				Averages					
Drameter!	≤ 55	0.1	0.2	0.3	0.3	0.3	0.4	0.3	0.3		
(in.)	56 - 65	0.2	0.3	0.4	0.5	0.4	0.5	0.4	0.4	0.3	
	56 - 75	0.2	0.4	0.5	0.5	0.5	0.5	0.5	0.4	0.4	
	76 - 85	0.3	0.5	0.6	0.6	0.6	0.5	0.5	0.4	0.4	
	≥ 85	0,3	0.6	0.6	0.6	0.6	0.6	0.5	0.5		
Height ²	s 55	2.2	2.2	2.4	2.4	2.4	2.5	2.3	2.3		
(ft.)	56 - 65	2.6	2.7	3.0	3.1	3.1	3.1	2.9	2.9	2.8	
	68 - 75	2.9	3.3	3.5	3.6	3.6	3.4	3.3	3.2	3.0	
	76 - 85	3.3	3.8	4.0	4.0	4.1	4.0	3.9	3.8	3.7	
	≥ 56	3.7	4.3	4.4	4.5	4.6	4.7	4,4	4.1	4	
Basal area ³	≤ 55	0.3	0.5	1,7	2.4	33	3.3	3.5	3.9		
(sq. It.)	56 - 55	0.5	1.6	3.3	4.9	5.8	6.2	6.3	6.1	5.9	
	68 - 75	0.6	2.5	4.9	6.7	7.6	7.3	7.2	7.1	6.4	
	76 - B5	0.6	3.7	7.1	B.2	8.3	8.6	7.7	8.5	8.3	
	≥ 86	1.1	5 9	8.6	9.6	10.3	8.7	B.1	6.9	-	
Cubic feet ⁴	≤ 55	0.8	2.4	12.5	23.6	37.3	43.9	50.0	57.7		
	56 - 65	1.9	10.2	28.7	58 3	62.9	104.6	112.5	122.5	127.1	
	66 - 75	2.6	18.3	61.4	89.9	123.6	134.7	154.3	159.9	165.1	
	76 - 85	4.2	30.5	83.6	123.7	154.7	184.5	191.7	228.0	248.6	
	≥ 86	6.4	55.7	117.3	161,6	220.0	226.7	232,6	205.9		
						Number					
Observations		4	11	15	12	8	В	\$	2	*	
	56 - 65	15	6	24	23	25	17	8	9	5	
	66 - 75	8	25	26	43	25	28	20	19	16	
	76 - 85	11	1.8	21	19	16	13	3	6	5	
	≥ 86	10	15	12	14	13	5	4	2		

¹Diameter = quadratic mean diameter.

Table 4. Average annual diameter, height, basal area and cubic foot growth by trees per acre and age classes of lobfolly pine

					A	ge classes - ()	/rs)			
	Trees per	_						45.70		
Measure	acre	54	5-6	7-8	9-10	11-12	13 - 14	15-16	17-18	≥19
				~ 3 1 1		Averages				
Diameter ³	s 350	0.3	0.4	0.5	0.5	0.5	, 0,5	0.5	0.4	0.4
(in.)	351 - 450	0.3	0.4	0.5	0.5	0.5	0.5	0.5	0.4	0.4
	451 - 550	0.2	0.4	0.5	0.5	0.5	0.4	0.4	0.4	0.3
	≥ 551	0.2	0.4	0.5	0,5	0,5	0.4	0.4	0.4	0.3
Height ²	≤ 350	3.0	3.2	3.2	3.3	3.4	3.4	3.3	3.2	3.2
(ft)	351 - 450	3.0	3.3	3.3	3.6	3.5	3.5	3.3	3.3	3.2
1,11	451 - 550	2.6	3.5	3.2	3.5	3.7	3.3	3.6	3.3	3.0
	≥ 551	3.1	3.6	3.8	3.8	3.6	3.5	3.0	3.1	3.1
Basel area ³	≤ 350	0.4	1.7	3.0	4.4	5.2	5.6	5.3	5.5	4.0
(so. ft)	351 - 450	0.7	2.6	3.8	6.4	6.7	7.2	7.3	6.8	6.7
(arr ir)	451 - 550	0.5	3.4	4.9	6.5	8.0	7.2	7.7	7.4	6.6
	≥ 551	0.9	3.7	7.0	7.9	8.5	6.0	6.9	7.5	7.7
Cubic leer	≤ 350	2.1	13.2	31.9	62.6	87.6	111.5	116.3	133.5	132.1
CODIC (SOL	351 - 450	3.5	22.6	39.0	91.9	114.8	140.1	155.6	161.5	181.2
	451 - 550	2.5	29.7	52.0	85.8	137.3	131.6	180.8	170.0	176.6
	≥ 551	4.2	29.6	82.3	113.9	145.4	171.6	134.9	163.4	196.2
						Number				
Observations		6	11	17	26	18	22	12	7	5
	351 - 450	10	18	22	23	21	21	12	12	10
	451 - 550	12	17	29	25	21	20	7	9	
	≥ 551	50	21	30	37	27		9	10	4

^{*}Diameter = quadratic mean diameter.

²Height = average height of 10 tallest trees in area.

PBasal area = aquare feet per acre.

*Cubic feet = total stem cubic feet wood and bark per acre.

²Height = average height of 10 tallest trees in area.

3Basal area = square feet per acre.

4Cubic feet = total stem cubic feet wood and bark per acre.

Table 5. Average annual diameter, height, basal area and cubic foot growth by trees per acre and site index classes of lobiolly pine plantations in East Texas.

		Site index classes- (II)								
Measure	Trees per acre	s55	56 - 65	68 - 75	76 - 85	≥86				
				Averages						
Diameter ¹	≤ 350	0.3	0.5	0.5	0.6	0.6				
(in.)	351 - 460	0.3	0.4	0.5	0.5	0.6				
	451 - 550	0.3	0.4	0.5	0.5	0.6				
	≥ 551	0.3	0.4	0.4	0.5	0.5				
Height ²	s 350	2.3	3.0	3.4	3.9	4.4				
(f1)	351 - 450	2.4	3.0	3.4	3.8	4.5				
	451 - 550	2.4	3.0	3.4	3.9	4.3				
	≥ 551	2.3	3.0	3.4	3.9	4.3				
Basa area	s 350	2.0	3.2	4.9	5.7	5.6				
(sq. ft)	351 - 450	1,6	4.7	6.0	6.1	8.1				
	451 - 550	2.8	4.4	6.2	7.6	7.7				
	≥ 551	2.4	5.2	6.5	6.9	7.4				
Cubic feet ⁴	. ≤350	23.5	45.6	86.0	103.0	165.1				
	351 - 450	15.5	69.0	110.1	120.1	158.1				
	451 - 550	29.3	64.2	102.7	137.4	138.9				
	≥ 551	26.4	74.6	103.5	105.4	109.7				
				Number						
Observation		27	22	41	20	11				
	351 - 450	14	37	57	23	16				
	451 - 550	16	35	61	21	18				
	≥ 551		30	51	45	33				

¹Diameter = quadratic mean diameter.

Site Index class... ≤ 55

Table 6. Average annual diameter, height, basal area and cubic foot growth by trees per acre and age classes of loblolly pine plantations in East Texas with site index less than or equal to 55 feet.

					A	ge classes - (y	ms)			
Measure	Trees per acre	54	5-6	7-8	9-10	11 - 12	13-14	15 - 16	17-18	219
						Averages				
Diameter ¹	≤ 350	*	0.3	0.4	0.3	0.3	0.4	0,4		
(in.)	351 - 450	-	0.2	0.3	-	0.3			•	
	451 - 550	0.1	0.2	0.3	0.3	-	0.3	-	-	
	≥ 551	-	0.2	+	0.3	-			-	-
Height ²	≤ 350	-	2.4	2.5	2.3	2.1	2.3	2.3	-	-
(10)	351 - 450	-	2.2	2.3		2.5			-	-
	451 - 550	2.3	2.1	2.4	2.4	-	2.5	-	-	-
	≥ 551	-	2.2	*	2.7	-			~	
Basal area ³	≤ 350	-	0.6	1.3	1.8	2.0	2.3	3.3	_	
(sq. ft)	351 - 450	-	0.4	1.2	-	2.9				-
1-4-11	451 - 550	2.5	0.4	2.6	3.2	-	4.3		-	
	≥ 551		0.7		3.4	-			-	-
Cubic leat ⁴	≤350	-	2.9	9.7	18.0	20.6	30,1	51.6		_
	351 - 450	1.5	2.1	7.6		28.3		-	-	
	451 - 550	8.0	1.5	20.3	29.7	-	57.3	-	-	
	≥ 551	•	3.0		32.3	-		-	•	-
						Number				
Observations		±	3	6	7	3	4	3	delproglatings overlate away	
	351 - 450		4	4	-	a			-	-
	451 - 550	皇	2	5	2		3	-	-	7
	2 551	-	2	-	2	-	-	-	-	-

^{*}Diameter = quadratic mean diameter.

²Height = average height of 10 tallest trees in area.

³Basal area = square feet per acre.

^{*}Cubic feet = total stem cubic feet wood and bark per acre.

²Height = average height of 10 tallest trees in area.
4Basal area = square feet per acre.
4Cubic feet = total stem cubic feet wood and bark per acre.

Table 11. Overall average annual diameter, height, basal area and cubic foot growth of slash pine plantations in East Texas.

Measure	Average annual growth		
Diameter¹ (in.)	0,5		
Height ² (ft)	3.4		
Basal area3 (sq. ft)	4.4		
Cubic feet ⁴	72.6		

Diameter = quadratic mean diameter.

Table 12. Average annual diameter, height, basal area and cubic foot growth by site index, trees per acre and one classes of slash nine plantations in Fast Texas.

		Average at	nnual growth		
	Diameter¹ (in.)	Height ² (ft)	Basal area ³ (sq. ft)	Cubic feet ⁴	Observations
Site Index (ft)					
≤ 55	0.3	1.9	0.9	8.3	12
56 - 65	0.4	2.8	2.8	40.8	37
66 - 75	0.4	3.2	4.0	65.1	87
76 - 85	0.5	3.7	5.3	95.2	85
≥ 85	0.5	4.1	5.3	85.2	55
Frees per acre					
≤ 350	0.5	3.2	3.4	65.3	128
351 - 450	0.5	3.6	5.2	87.3	52
451 - 550	0.4	3.5	4.8	74.3	41
≥ 551	0.4	3.5	5.5	74.6	55
Age (yrs)					
≤4	0.3	3.5	1.4	7.1	24
5 - 6	0.5	3.4	3.4	31.5	40
7 - 8	0.5	3.4	4.1	51.0	47
9 - 10	0.5	3.5	5.1	75.9	43
11 - 12	0.5	3.4	5.4	97.2	53
13 - 14	0.5	3.4	4.8	103.8	30
15 - 16	0.5	3.3	4.6	104.3	18
17 - 18	0.4	3.2	5.0	134.0	21

Diameter = quadratic mean diameter.

^{*}Height = average height of 10 tallest trees in area.

*Basal area = square feet per acre.

*Cubic feet = total stem cubic feet wood and bark per acre.

⁵Values based of 276 observations

 ²Height = average height of 10 tallest trees in area.
 3Basal area = square feet per acre.
 4Cubic feet = total stem cubic feet wood and bark per acre.

Table 13. Average annual diameter, height, basal area and cubic foot growth by site index and age classes of slash pine plantations in East Texas.

					Age clas	ses - (yrs)			
Measure	Site index classes (f1)	54	5-6	7-8	9 - 10	11 - 12	13 - 14	15 - 16	≥19
					Ave	rages			
Diameter ¹	≤ 55		=	0.2	0.2	0.2	0.3		
(in.)	56 - 65	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4
	88 - 75	0.2	0.4	0.4	0.5	0.5	0.5	0.5	0.4
	76 - 85	-	0.5	0.5	0.5	0.5	0.5	0.5	0.4
	≥86	0.4	0.6	0.6	0.6	0.5	0.5		
Heighi ²	≤ 55			0.3	0.4	0.9	1.3	-	
(ft)	56 - 65	0.5	1.4	24	5.0	4.6	3.4	4.3	4.1
	66 - 75	0.6	2.9	28	4.6	5.0	3.5	4.9	6.1
	76 - B5		3.7	5.7	5.3	5.9	5.7	4.6	5.2
	≥ 86	1.9	5.2	6.0	6.8	7.4	7.8	*	
Besal area?	S 55			0.3	0.4	0.0	1.3		
(sq ft)	56 - 65	0.5	1.4	2.4	5.0	4.6	3.4	4.3	4.1
	66 - 75	0.6	2.9	2.8	4.8	5.0	3.5	4.9	5.1
	76 - B5		3.7	5.7	5.3	5.9	5.7	4.0	5.2
	≥86	1.9	5.2	6.0	6.8	7.4	7.B		-
Curbic feers	\$ 55			2.2	3.1	7.4	17.2		
	56 - 65	2.6	10.7	23.1	61.1	69.6	57.9	84.8	99.8
	86 - 75	2.6	23.3	30.2	63.0	82.9	85.7	104.7	128.0
	76 - 85		34.6	72.1	81.0	109.8	127.7	110.4	154.5
	2 86	10.0	52.1	85.3	116.7	151.2	195.5	•	
					Nu	mber			
Observations				2	2	4	2 2		
	56 - 65	6	7	9	3	5		2	4
	66 - 75	4	11	12	16	19	9	8	8
	76 - 85	-	10	17	14	14	14	6	9
	≥86	14	11	7	8	11	3		

^{*}Olameter = quadratic mean diameter.

Table 14. Average ennual diameter, height, basal area and cubic foot growth by trees per acre and age classes of slash pine plantations in East Texas.

					Age das	ses - (yrs)			
Measure	Trees per acre	54	5-6	7-8	9-10	11 - 12	13 - 14	15 - 16	17-18
					Ave	rages			
Diameter ¹	≤ 350	0.3	0.4	0.5	0.5	0.5	0.5	0.5	0.4
(in.)	351 - 460	0.4	0.5	0.5	0.5	0.5	0.5	0.4	
	451 - 550	0.3	0.5	0.5	0.5	0.4	0.4		0.3
	2 551	0.3	0.5	0.5	0.5	0.4	-		
Height ²	≤ 350	2.8	. 3.1	3.2	3.4	3.2	3.3	3.3	3.2
(11)	351 - 450	3.9	3.5	3.5	3.6	3.8	3.7	3.5	3.4
	451 - 560	3.4	3.6	3.5	3.7	3.8	3.2	-	3.0
	≥ 551	3.7	3.4	3.6	3.4	3.5	-		
Bessi erea ³	£ 350	0.5	1.8	2,5	3.4	3.6	3.9	4.1	4.5
(sq ft)	351 - 450	2.9	2.9	4.5	5.2	6.6	6.8	6.0	
	451 - 550	1.0	3.5	4.5	6.3	6.5	5.7		5.8
	≥ 551	1.3	4.4	6.6	7.7	8.5		-	-
Cubic leet ⁴	≤ 350	3.2	16.1	28.3	51.5	61.9	62.4	94.4	122.4
	351 - 450	11.2	25.3	60.1	75.4	126.7	154.2	137.6	
	451 - 650	5.4	33.1	54.3	96.7	122.2	112.1		148.2
	≥ 551	6.1	39.8	81.3	108.3	147.8	-		
					Nu	mber			
Observations	≤ 350	The section of the se	7	10	19	26	21	16	16
	351 - 450	4	7	12	6	14			-
	451 - 550	4	10	6	10	6	5 2		
	≥ 551	11	10	10		7		-	

Diameter - quadratic mean diameter.

²Height = average height of 10 tallest frees in area.

Basal area = square feet per acre.

*Cubic feet = total stem cubic feet wood and bark per acre.

²Height = average height of 10 tallest trees in area.

³Basal area = square feet per acre.

⁴Cubic feet = total stem cubic feet wood and bark per acre.

Table 15. Average annual diameter, height, basal area and cubic loot growth by trees per acre and site index classes of stash pine plantations in East Texas

		Site index classes- (ft)								
Measure	Trees per acre	≤ 55	56 - 65	56 - 75	76 - 85	≥ 86				
				Averages						
Diamater ¹	≤ 350	0.3	0.4	0.5	0.5	0.6				
(in.)	351 - 450	-	0.4	0.4	0.5	0.5				
	451 - 550	-	0.4	0.3	0.5	0.5				
	≥ 551	-	0.4	0.4	0.5	0.5				
Height ²	≤ 350	1.9	2.7	3.2	36	4.2				
(11)	351 - 450	-	2.8	3.3	3.7	4.1				
	451 - 550	-	2.7	3.1	37	4.1				
	≥ 551		2.9	3,2	3.7	4.1				
Basal area3	s 350	0.9	2.0	3.5	4.3	5,3				
(sq. (t)	351 - 450	-	2.3	4.1	5.8	58				
	451 - 550	-	3.2	3.0	62	5.4				
	≥ 551	-	5.5	5.7	6.6	4.7				
Cubic leet ⁴	≤ 350	9.2	33.1	63.1	90.6	113.8				
	351 - 450		23.4	60.0	105.6	96,6				
	451 - 550	-	47.3	40.4	104.1	63.2				
	2 551	-	67.6	63.3	84 6	64.2				
				Number						
Observation		10	22	48	41	7				
	351 - 450	-	2	12	21	10				
	451 - 550	-	7	8	91	16				
	≥ 551	-	6	19	12	17				

^{*}Diameter = quadratic mean diameter.

Site Index class... ≤ 55

Table 16. Average annual diameter, height, basat area and cubic foot growth by trees per acre and age classes of slash pine plantations in East Texas with site index less than or equal to 55 feet.

		Age classes - (yrs)								
Measure	Trees per acre	54	5-6	7-8	9-10	11 - 12	13-14	15-16	17 - 18	
					Ave	rages				
Diameter 1	≤350			-	0.2	0.2	0.2			
(in.)	351 - 450		-	-	-	-			-	
	451 - 550	-	-	-	-	-			-	
	≥ 551	*	-	-	-	-			-	
Height ²	≤ 350		_	_	1.6	1.9	2 3			
(ft)	351-450		-	-	-			4	-	
1	451 - 550	-		-	-		-	-	-	
	≥ 551	-	-	-	-	-	-		-	
Basal erea ³	≤ 350				0.4	0.9	1.3			
(sq. h)	351 - 450		-	-			-			
1,000	451 - 550		-	-	-	-		-	-	
	≥ 551		•	-	-			-	-	
Cubic leet ⁴	≤ 350			_	3.1	1.3	17.2	-	-	
	351 - 450	-	-	-	-			-	-	
	451 - 550	-	-	-	-		-	-	-	
	≥ 651	-	+	-	-	-		-	-	
		Number								
Observations		*	-4	PAY SPAKES STATES	2	4	2	=	-	
	351 - 450	-		-	-	-	*	-	-	
	451 - 650	-	-	-			b-	•	-	
	≥ 551		-	-	-	-	-	4	4	

¹Diameter = quadratic mean diameter.

²Height = average height of 10 tallest trees in area.

³Basal area = square feet per acre. ⁴Cubic feet = total stem cubic feet wood and bark per acre.

Height = average height of 10 tallest trees in area.

Basal area = square feet per acre.

Cubic feet = total stem cubic feet wood and bark per acre.

Table 17. Average annual diameter, height, basal area and cubic toot growth by trees per acre and age classes of slash pine plantations in East Texas with site index from 56 to 65 feet.

		Age classes - (yrs)								
Measure	Trees per acre	54	5-6	7-8	9-10	11 - 12	13-14	15-16	17 - 18	
					Aver	ages				
Diameter ¹	≤ 350	0.3	0.3	0.4	-	0.5		0.4	0.4	
(in.)	351 - 450			0.3				-		
	451 - 550	-	-		0.4		-	-		
	≥ 551	-	0.3		-	0.4	-	-	•	
Height ²	≤ 350	2.6	2.8	28		3.0	~	2.8	27	
(0)	351 - 450	-	-	2.2	100 1		-	-	-	
4	451 - 550	-		-	3.0		-	-	4	
	≥ 551	-	2.6	-	-	3.0		2.8	-	
Basal area ³	s 350	0.4	1.0	1.7	-	2.4		4,3	3.9	
(sq. II)	351 - 450	-		1.5	-	-	*	-		
	451 - 550	-		-	4.2	-	-	-		
	≥ 551	-	12.0	4	-	8.1	-	2.8		
Cubic feet ⁴	≤ 350	2.0	7.5	16.4	_	36.1	-	64.8	94.3	
	351 - 450	-	-	15.8	-	-	-			
	451 - 550	-	-		53.8		-		-	
	2 551	-	14,0	-	-	119,5	-	-	•	
					Nu	rriogr				
Observations		4	4	B	-	3	Amalah juji Maramaran	2	1	
	351 - 450	-	4	3	-	-	•	-		
	451 - 550	•			2		-	•	-	
	≥ 551		3	-		2	-	-	-	

Diameter = quadratic mean diameter.

Site Index... 65 - 75

Table 18. Average annual diameter, height, besal area and cubic foot growth by trees per acre and age classes of

					Age des	ses - (yrs)				
Measure	Trees per acre	54	5-6	7-8	9-10	11-12	13-14	15-16	17-18	
					Avai	rages				
Degregation ¹	≤ 350	- 4		0.5	0.5	0.5	0.5	0.5	0.4	
(in.)	351 - 450	-	0.4		0.5	0.5		-	-	
	451 - 550	-	0.4		-	0.4	+		-	
	≥ 551	0.2	0.4	0.4	0.5	0.5	-	-	-	
Height ²	≤ 350	-		3.2	3.3	3.2	3.2	3.2	3.1	
(ft)	351 - 450	-	3.2		3.3	3.3		-	-	
. ,	451 - 550		3.0	*		3.2	-	-	-	
•	≥ 551	3.0	3.2	3.3	3.3	3.4	-	-	-	
Basal area ³	≤ 350	1		2.3	3.3	4.0	3.3	4.0	4.3	
(sq. ft)	351 - 450	-	2.1		4.7	5.6	-	-	-	
	451 - 550	-	2.9		-	3.8	-	-	-	
	≥ 551	0.6	3.8	4.5	4.5	8.5		•	-	
Cubic feet ⁴	≤ 350	_		24.3	44.9	66.7	63.4	88.1	113.7	
	351 - 450	-	16.2		62.1	94.9		-	-	
	451 - 550	-	22.1		-	59.9	-	•	-	
	2.551	2.6	31.5	47.1	98.2	145.8		-	-	
		Number								
Observations		-	Thispide of the case of the case	8.	5	11	8	8	6	
	351 - 450	-	4		2	3	-	-		
	451 - 550	-	2		-	2		+	-	
	≥ 551	3	4	2	6	3		•	1	

¹Diameter = quadratic mean diameter.

SHeight waverage height of 10 tallest frees in area.

Sasal area = square feet per acre.

*Cubic feet = total stem cubic feet wood and bark per acre.

²Height = average height of 10 tallest trees in area.

³Basal area = square leef per acre. ⁴Cubic feet = total stem cubic feet wood and bark per acre.

Table 19. Average annual diameter, height, basal area and cubic foot growth by trees per acre and age classes of slash pine plantations in East Texas with site index from 76 to 85 feet.

					Age classes - (yrs)								
Measure	Trees per acre	≤4	5 - 6	7-8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18				
					Ave	ages							
Diameter1	≤ 350		0.5	0.5	0.5	0.5	0.6	0.5	0.4				
(In.)	351 - 450	_	0.5	0.6	0.5	0.5	0.5	4					
	451 - 550	-	0.5	0.5	0.5	-		15-16 0.5 3,6 - - - 102,1					
	≥ 551	-	0.5	0.5	-	-			-				
Height ²	≤350	-	3.7	3.8	3.7	3.7	37	3.6	3.5				
(11)	351 - 450		3.6	3.8	3.7	3.7	3.7						
	451 - 550		3.6	3.5	3.7	-							
	≥ 551		3.5	3.8	-	-		0.5					
Basel area ³	≤ 350		3.0	3.6	3.9	4.9	4.9	12	4.9				
(sq. ft)	351 - 450	-	3.6	5.3	5.4	6.3	7.0		7-0				
4-4-19	451 - 550		3.1	5.6	7.3	-		0.5					
	≥ 551	-	4.5	7.4	100	-		-	-				
Cubic feet ⁴	≤ 350	-	30.5	43.3	56.2	91.7	109.9	102 1	142.0				
	351 - 450		32.9	68.0	82,1	117.2	160.8	-					
	451 - 550	-	30.9	65.3	114.5	-		_	_				
	≥ 551	-	39,4	97.6	-	-	-	-	_				
					Nur	mber							
Observations	≤ 350	-	2	4	6	T	9	5	7				
	351 - 450		2	4	4	5	4	_					
	451 - 550		2	3	3	-	-	_	-				
	≥ 551	-	4	8	-	*	-	_	+				

¹Diameter = quadratic mean diameter.

Site Index... ≥ 86

Table 20. Average annual diameter, height, basal area and cubic foot growth by trees per acre and age classes of

		Age classes - (yrs)								
Measure	Trees per acre	\$4	5-6	7-8	9-10	11 - 12	13-14	15-16	17 - 18	
					Aver	rages				
Diameter ¹	≤ 350	•	~	*	0.6	-	-	-	-	
(ln.)	351 - 450	0.4		0.6	-	0.6	-	-	_	
	451 - 550	0.4	0.5	-	0.6	0.5	-	-	-	
	≥ 551	0.3	0.6	-	-	-	-	-	-	
Height ²	s 350			-	4.4					
(ft)	351 - 450	3.9		4.3		4.1		_		
1.47	451 - 550	4.0	4.0		4.2	4.1			Ī	
	≥ 551	4.0	4.1	-	-	-	-	15-16	-	
Basal erea ³	≤ 350	_			5.0			1	_	
(sq. ft)	351 - 450	2.9		5.0	-	7.4		_		
	451 - 550	1.2	4 3		7.4	7.4	-	-	_	
	≥ 551	1.6	6.3	*		-	-	-	-	
Cubic feet ⁴	≤ 350				91.8			_	-	
	351 - 450	11.2	-	87.7	-	150.5	-	-	-	
	451 - 550	7.3	43.0		120.8	150.3	-		-	
	≥ 551	10.1	64.9	-	-		-	-	8	
					Nu	mber				
Observations	s 350	Mile, die medigelengenen	-	all	8	-	-	м	-	
	351 - 450	4	-	4	-	5	b=1		-	
	451 - 550	2	5	-	3	3	-		-	
	≥ 551	8	6	-	-	_	_	15-16	-	

¹Diameter = quadratic mean diameter.

Phelipht = average height of 10 tallest trees in area.

Phasal area = square feet per acre.

Cubic feet = local stem cubic feet wood and bark per acre.

²Height = average height of 10 tallest trees.

³Basal area = square feet per acre.

⁴Cubic feet = total stem cubic feet wood and bark per acre.