



The University of Manchester Research

Sustainability of feedstocks for biomass cofiring

Link to publication record in Manchester Research Explorer

Citation for published version (APA):Thornley, P. (2011). Sustainability of feedstocks for biomass cofiring. International Workshop on Cofiring Biomass with Coal, Drax, U.K..

Citing this paper
Please note that where the full-text provided on Manchester Research Explorer is the Author Accepted Manuscript or Proof version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version.

General rightsCopyright and moral rights for the publications made accessible in the Research Explorer are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Takedown policyIf you believe that this document breaches copyright please refer to the University of Manchester's Takedown Procedures [http://man.ac.uk/04Y6Bo] or contact uml.scholarlycommunications@manchester.ac.uk providing relevant details, so we can investigate your claim.







Sustainability of feedstocks for biomass cofiring

Dr Patricia Thornley
Tyndall Centre and School of Mechanical, Aerospace and
Civil Engineering

p.thornley@manchester.ac.uk





Introduction

of Manchester Wanchester Wanchest

- Revenue/profit
- Legislation & compliance
- Environmental impact
 - Greenhouse gas reductions
 - Emission reductions
 - Renewable fuel supply
 - Sustainable fuel supply







Co-firing in the UK

- Co-firing of biomass with coal represented 20% of UK renewable electricity in 2008-9 – second largest technology category¹
- Co-firing of biomass with coal was 11% of total renewables capacity in 2009¹
- OFGEM collecting sustainability information since April 2009

1 OFGEM, Renewables Obligation annual report, 2008-9, Feb 2010)



Feedstocks in the UK SUPERGEN



- Incomplete picture, but what is being cofired?
 - Wood (pellets)
 - Some energy crop (miscanthus)
 - Imported agricultural residues (Palm Kernel Expellant & olive cake)
- To what extent are these
 - Reducing greenhouse gases?
 - Renewable and Sustainable?



The University of Manchestel

Greenhouse gas reductions

- Different methodologies which can give very different results
- Baseline comparator is very important
- European renewable electricity directive sets out a calculation methodology which could become standard



Renewable feedstocks SUPERGEN



Resource or stock (energy) reserve is renewed at a greater rate than that at which it is depleted



Sustainability

- OED avoiding depletion of natural resources
- Environmental sustainability rates of consumption/depletion compared to stock reserves or rates of pollution/deposition compared to acceptable environmental limits





Sustainbility 2

Sustainbility 2

World Commission on Environment and Development (Bruntland, 1987):

- Sustainable development meets the needs of the present generation without compromising the ability of future generations to meet their needs
- 3 pillars/dimensions of sustainability with tension between these:
 - Environmental (conservation)
 - Economic (growth)
 - Social (equity)











Supergen bioenergy consortium

- Industrial-academic collaboration
- Whole systems perspective
- Theme 6 (systems analysis) aims to facilitate an informed answer to the question

"What is the best use of our limited biomass resource?"

by consistently and comprehensively assessing the relative economic, environmental and social impacts of bioenergy conversion to electricity, transport fuels and heat

Wood pellets







Greenhouse gas issues for wood (pellets)

- Utilizing waste material has GHG benefits but is it really a waste?
 And does large scale utilization result in a market shift?
- Forestry generally less GHG intensive than energy crop which is less than agricultural products, but allocation can be critical
- Pellet production is energy intensive and carries a GHG penalty; utilizing biomass (e.g. for drying) can help offset
- Importing material from overseas carries a GHG penalty, but shipping is one of the most carbon efficient methods of transport
- Fuel nitrogen may be converted to N₂O especially chipboard/MDF
- Soil carbon changes may reduce GHG savings if residues are overharvested, but limited data
- Road haulage in non-specialized vehicles or multiple short transits can have substantial GHG penalties







Sustainability issues for wood (pellets)

- Long term soil fertility e.g. residue removal
- Mixed impacts of residue removal on biodiversity
- Soil nutrient balances
- Land-use change risks e.g. plantation forests
- Impacts of monocultures on biodiversity
- Groundwater depletion for high yield forests

Thornley et al, "Assessing the sustainability of bioelectricity supply chains", BIOTEN conference, September 2010







Managing wood (pellet) impacts

- Forestry certification schemes (widespread in northern hemisphere) vary but most tend to cover
 - Forest regeneration and succession
 - Conserving biological diversity
 - Protecting endangered species and high conservation value forests
 - Community relations & workers' rights
 - Tenure and land-rights







Outstanding issues from forest certification schemes

- Lack of consideration of carbon pools in forest management
- Lack of understanding of impact of residue removal on soil carbon and fertility
- Wider biodiversity impacts
- Groundwater depletion and hydrology




Miscanthus





Greenhouse gas issues fo miscanthus



Gilbert, Thornley & Riche, "The influence of organic and inorganic fertiliser application rates on UK biomass crop sustainability", Biomass and Bioenergy, 2011





Greenhouse gas issues for miscanthus

- Inorganic fertilisers increase GWP by 2% compared to no fertiliser
- Sewage sludge application increases GWP by less than this
- Yield improvement of 0.2 t/ha sufficient to offset fertiliser application
- N₂O releases from soil are significant and variable

Gilbert, Thornley & Riche, "The influence of organic and inorganic fertiliser application rates on UK biomass crop sustainability", Biomass and Bioenergy, 2011







Sustainability issues for miscanthus

- Requires more inputs than SRC but higher yielding
- Eutrophication & acidification potential is substantial (as with most agricultural operations)
- Land use and land use change may be significant – food/fuel, carbon balance
- Co-firing direct employment benefits limited and miscanthus results in less job creation than other energy crops (and arable farming)¹

1 Thornley, Rogers & Huang, "Quantification of employment from biomass power plants", Renewable Energy 2008







Managing energy crop impacts

- Certification and monitoring a practical option, but need to focus on what will actually make a difference
- Greenhouse gas balance should focus on location, overview of agronomy and land-use change
- Visual impacts are important
- Impacts on biodiversity importance depends on location
- Hydrology consideration at outset?
- Socio-economic impacts difficult to quantify



Palm kernel expellant (PKE)



PKE





Source: Malaysian Palm Oil Council



PKE





Source: Malaysian Palm Oil Council



The University of Manchestel

Palm production



- Tropical cultivation (83% of production in Malaysia & Indonesia)
- Crude palm oil & palm kernel oil <10% of total biomass; PKE ~10% of palm oil production
- 30% of global vegetable oil consumption in 2007
- Global production has increased from 3 Mtpa in 1974 to 40 Mtpa in 2005
- Global land use has increased from 3.77 Mha in 1990 to 9.42 Mha in 2005







Land-use change is key

Pay back periods for biodiesel production from Indonesian palm oil¹

Land converted from cropland	Land converted from forestland	Land converted from grassland
0	98	55

 Is PKE a waste? A byproduct? Better used as animal feed? Or is the market for PKE influencing palm production

1 Upham et al., "Substitutable biodiesel feedstocks for the UK: a review of sustainability issues with reference to the UK RTFO, Journal of Cleaner Production, 2009





Sustainability issues for PKE

- Issues are the same as those for palm plantations, so the status of PKE as waste, byproduct or market driver is critical
- Deforestation greenhouse gas emissions, impacts on biodiversity
- Conversion of habitats e.g. drainage of peatlands
- Conflict and land tenure in Indonesia



Managing palm production impacts



- GHG methodology depends on waste/product status
- Energy sector is very small component of palm market, but growing
- Indirect displacement of production is a key issue Institutional capacity may limit verification
- Site specific verification of the previous carbon store and future sequestration potential is needed
- Loss of habitat and biodiversity impacts certification?
- Land tenure and conflict more difficult





More information

- Supergen biomass and bioenergy consortium, "Theme 6 resource assessment feedstock properties", available at <u>www.supergen-bioenergy.net</u>
- 2. Thornley et al., "Sustainability constraints on UK bioenergy development", Energy Policy, 2009
- 3. Upham et al., "Substitutable biodiesel feedstocks for the UK: a review of sustainability issues with reference to the UK RTFO, Journal of Cleaner Production, 2009
- 4. Thornley et al., "Integrated assessment of bioelectricity technology options", Energy Policy, 2009
- 5. Thornley et al., "Assessing the sustainability of bioelectricity supply chains", BIOTEN conference 2010
- 6. Thornley et al., "Cost effective carbon reductions in the bioenergy sector", BIOTEN conference 2010
- 7. Gilbert et al., "The influence of organic and inorganic fertiliser application rates on UK biomass crop sustainability"
- 8. Thornley, Rogers & Huang, "Quantification of employment from biomass power plants", Renewable Energy 2008





More information

p.thornley@manchester.ac.uk

www.supergen-bioenergy.net