



## Simon and the Tradition of the Latin Alexander of Tralles

[Link to publication record in Manchester Research Explorer](#)

### Citation for published version (APA):

Knight, V. (2013). Simon and the Tradition of the Latin Alexander of Tralles. In B. Z. (Ed.), *Simon of Genoa's Medical Lexicon* (pp. 99-128). Versita and De Gruyter Open.

### Published in:

Simon of Genoa's Medical Lexicon

### Citing this paper

Please note that where the full-text provided on Manchester Research Explorer is the Author Accepted Manuscript or Proof version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version.

### General rights

Copyright and moral rights for the publications made accessible in the Research Explorer are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

### Takedown policy

If you believe that this document breaches copyright please refer to the University of Manchester's Takedown Procedures [<http://man.ac.uk/04Y6Bo>] or contact [uml.scholarlycommunications@manchester.ac.uk](mailto:uml.scholarlycommunications@manchester.ac.uk) providing relevant details, so we can investigate your claim.



Valerie Knight<sup>1</sup>

## Simon and the Tradition of the Latin Alexander of Tralles

Certainly from the late eighth/early ninth century, the Greek *Therapeutica* of the sixth-century Byzantine physician Alexander of Tralles was transmitted in a Latin translation, but with significant additions to, and omissions from, the Greek text. This paper will present evidence from the *Clavis sanationis* that confirms Simon's use of the Latin version and will examine the Latin manuscript tradition of specific entries. It will also briefly consider the glosses attributed to Simon in the 1504 (Lyons) printing, *Practica Alexandri yatros greci cum expositione glose interlinearis Iacobi de Partibus et Ianuensis in margine posite*, edited by Fr. Fradin.

\*

In the preface (Section 4) of the *Clavis sanationis*, Simon tells us that 'after Dioscorides' (*post Diascoridem*) he 'carefully examined' (*diligenter inspexi*) the work of one 'Alexander' (*Alexandri*).

Simon's 'Alexander' is the sixth-century Byzantine physician Alexander of Tralles who, having settled at an unknown date in Rome and following a long career,<sup>2</sup> wrote - in Greek - the *Therapeutica* and *On fevers* (*Περὶ πυρετῶν*).<sup>3</sup> At some stage, both these works were translated into Latin - certainly by the late eighth/early ninth century, the date of the oldest extant manuscript. David Langslow has called the combination of these two translations the 'Latin Alexander'.<sup>4</sup>

---

<sup>1</sup> The author is a (part-time) PhD student at the University of Manchester, funded by the Arts and Humanities Research Council (AHRC).

<sup>2</sup> For Alexander's dates and life, see David Langslow, *The Latin Alexander Trallianus: The text and transmission of a Late Latin medical book*. (London: Society for the Promotion of Roman Studies, 2006), 1-4 and notes. I would like to thank David Langslow for allowing me to quote extensively from his book, *The Latin Alexander Trallianus* (2006), and for kindly giving me free access to his electronic transcript of Angers, *Bibl. mun. 457*, as well as for his helpful observations on reading the first draft of this paper. My thanks also to the anonymous reviewers for their invaluable comments. Last, but certainly not least, I thank Barbara Zipser for all her help and encouragement. All errors, oversights and misunderstandings are entirely mine.

<sup>3</sup> Alexander also wrote a third work, in the form of a letter, *On intestinal worms* (*Περὶ ἔλμινθων*). For a discussion of Alexander's writings, including details of two works ascribed to Alexander that are regarded as spurious (*On eyes* - *Περὶ ὄφθαλμῶν* - and *On the pulse and urine*), see Langslow *The Latin Alexander Trallianus...*, 4-6 and references therein.

<sup>4</sup> *Ibidem*, 5 and n. 33.

Alexander's *Therapeutica* therefore exists in two distinct traditions, one Greek and one Latin.

There are eighteen known manuscripts containing all or part of the Greek *Therapeutica*, ranging in date from the tenth to the seventeenth century,<sup>5</sup> with the first edition printed in 1548. The most recent edition is that of Theodor Puschmann, a doctor himself, published in two volumes in 1878-1879.<sup>6</sup>

There are twenty-one known complete manuscript copies of the Latin Alexander, nineteen of which are extant, ranging in date from the late eighth/early ninth to the sixteenth century.<sup>7</sup> (See Appendix 1 for a full list of these manuscripts, including the *sigla* used by Langslow in his 2006 book *The Latin Alexander Trallianus*).<sup>8</sup> The Latin Alexander was first printed in 1504 at Lyons as the *Practica Alexandri yatros greci*.<sup>9</sup> It is divided into three books: Book 1 contains chapters dealing with hair-loss to pleuritis; Book 2, chapters dealing with coughing to gout; and Book 3, chapters dealing with fevers. (See Appendix 2 for Langslow's stemma, showing the relationship between the manuscripts containing the Latin Alexander and the 1504 Lyons edition).<sup>10</sup>

Given that Alexander's *Therapeutica* exists in both Greek and Latin, the question arises as to which version did Simon use – or, indeed, did he utilise both? Two statements made by Simon are certainly evidence that he has used the Latin Alexander. The first of these is found in Section 4 of Simon's preface:<sup>11</sup>

---

**5** *Ibidem*, 13 and nn. 1-4. For details of these manuscripts and a stemma showing the relationship between them, see Barbara Zipser, "Die *Therapeutica* des Alexander Trallianus: Ein medizinisches Handbuch und seine Überlieferung" in Rosa Maria Piccione and Matthias Perkams (Eds.), *Selecta Colligere, II. Beiträge zur Methodik des Sammelns von Texten in der Spätantike und in Byzanz* (*Collana Hellenika*). (Alessandria: Edizioni dell'Orso, 2005), 211-234.

**6** All references to the Greek *Therapeutica* in this paper are to Theodor Puschmann, *Alexander von Tralles. Original-Text und Übersetzung nebst einer einleitenden Abhandlung. Ein Beitrag zur Geschichte der Medicin*, 2 vols (repr. 1963, Amsterdam: A. M. Hakkert), (Vienna: W. Braumüller, 1878-1879), giving volume (I or II), page and (where appropriate) line number.

**7** Langslow, *The Latin Alexander Trallianus...*, 37, notes that '... the manuscript tradition of the Latin Alexander... is one of the richest, if not the richest, known for such an early medieval Latin medical text as the Latin Alexander must be, in particular for such a long text'.

**8** *Ibidem*, 37-8; for full details of the individual manuscripts, see also: 40-53.

**9** *Practica Alexandri yatros greci cum expositione glose interlinearis Iacobi de partibus et Iauensis in margine posite*, edited by Fr. Fradin.

**10** Reproduced from Langslow, *The Latin Alexander Trallianus...*, Plate XII, with the kind permission of David Langslow.

**11** Generally, throughout this paper, where no apparatus existed (at the time of writing) on the *Simon Online* website, I present both the transcription of A (the 1510 printing) taken from the website, alongside my transcription of B (the 1473 printing). Here, I have underlined differences between the two versions.

Preface, § 4 (Transcript A, 1510, last accessed 12.03.12)

*Post Dyascoridem Alexandri librum de practica [sic] diligenter inspexi qui qui quamvis tribus distinguatur libellis: tertius qui de febribus est: nec veritatem in nominibus neque tanti philosophi seriem videtur plenius continere.*

Preface, § 4 (Print B, 1473)

*post Diascoridem Alexandri librum de practica [sic] diligenter inspexi qui quamvis tribus distinguatur libellis tertius tamen qui de febribus est nec ueritatem in omnibus nec tanti philosophi seriem uidetur plenarie continere.*

After Dioscorides I carefully examined the book of Alexander on *pra[c]tica* which although it is divided up in three books, nevertheless the third [book] which is on fevers seems to fully contain neither accuracy in everything nor the context of such a great *philosophus*.

Simon's description of the work being divided into three books, with the third book being on fevers, is a description of the Latin Alexander. As well as the Lyons 1504 edition, all the extant Latin manuscripts, except one, transmit the Latin Alexander in three books, the exception being P3: Paris, BNF lat. 6882.<sup>12</sup> This is in stark contrast to the Greek tradition, where the division is either into eleven or twelve books.<sup>13</sup>

In the second, found in the latter part of his moderately lengthy entry for *sauich*, Simon explicitly refers to the use of an Alexander 'translated from the Greek':

*Sauich* (Print B, 1473)<sup>14</sup>

*... notandum tamen quod ubicumque habetur in liberis [sic] de arabico translatis sauich apud Dia. et Alex. et Paul(.) et alios **de greco translatos** habetur polenta quare secundum [sic] idem uidetur apud grecos uero uocatur alfitia ut patet per Gal(.).*

---

<sup>12</sup> Langslow, *The Latin Alexander Trallianus...*, 18-19.

<sup>13</sup> See Zipser, "Die Therapeutica des Alexander Trallianus...", especially p.222. It is worth noting that there is an early thirteenth-century, Spanish or Catalanian, manuscript that transmits the Latin *On fevers* (*De febribus*) independently, a transmission that has no parallel in the Greek tradition (Langslow, *The Latin Alexander Trallianus...*, 5 n. 33, referring to the manuscript Barcelona, *Archivo de la Corona de Aragón*, Ripoll 181; see *ibid.* 90 and 92 for further details and bibliography for this manuscript).

<sup>14</sup> Cf. Print A (last accessed 26.10.12): *notandum tamen quod ubicumque habetur in libris de greco* [with apparatus: 'de greco ACDQR | de arabico B efgz'] *translatis sauich apud Dya. et Alexan. Paulum et alios de greco translatos habetur polenta quare secundum hoc idem uidetur apud grecos vero vocatur alfitis in li. de alimentis. Item Ste. in synonymis dicit quod alfiton est sauich.*

*ca. de alfitis in libro de alimentis item Ste. in sinonimis dicit quod alfiton est sauich.*

... Note, however, that everywhere it is written in books translated from Arabic [it is] *sauich*; in the writings of Dioscorides and **Alexander** and Paul and others **translated from the Greek**, it is written *polenta*, for which reason we may assume they are synonyms. Among the Greeks, indeed, it is called *alphita*, as is revealed through Galen in the chapter on *alphita* in his book *On foods*. Likewise Stephanus in his *Synonyms* says that *alphita* is *sauich*.

On Dioscorides, see Marie Cronier in this volume. With regard to Paul, Peter Pormann notes that Paul's 'Book III on diseases from tip to toe was translated into Latin in 11th c. south Italy.'<sup>15</sup>

What further evidence is to be found that Simon used the Latin Alexander and is there any evidence at all to suggest that Simon may have used the Greek *Therapeutica*? To explore this question, it is first necessary to consider the differences between the Greek *Therapeutica* and the Latin Alexander.<sup>16</sup> These differences range from what might be thought of as relatively minor discrepancies - from a single word to several sentences<sup>17</sup> - to what can only be considered as major variations in content.

The Latin Alexander contains a considerable number of glosses,<sup>18</sup> which are described by Langslow as:

...[the] more elaborate explication, of technical terms and concepts which are employed, usually without explanation,<sup>19</sup> in the Greek original ... Usually, these involve either simply highlighting that the word is Greek ... or providing a Latin gloss or terminological equivalent ... [28] ... usually with an explicit reference to Greek terminology ...<sup>20</sup>

Significant sections found in the Greek *Therapeutica* are missing from the Latin Alexander. In Book 1 of the Latin Alexander some remedies for epilepsy present in the Greek text are missing. In Book 2, a larger number of remedies

---

**15** Peter Pormann, "Paulos of Aigina (ca 630 – 670 CE?)," in Paul T. Keyser and Georgia L. Irby-Massie (Eds.), *The encyclopedia of ancient natural scientists*. (London and New York, NY: Routledge, 2008), 625.

**16** For a comparison of the Greek *Therapeutica* and the Latin version, see Langslow, *The Latin Alexander Trallianus...*, 17–35.

**17** Langslow, *The Latin Alexander Trallianus...*, 20–4.

**18** See *ibidem* 27–8 and notes.

**19** 'Note, however, e.g. 2.258: "ad eos (scil. neruos) quos Graeci ankillas uocant" (beside II, 539, 32: τὰς καλουμένας ἀγκυλώσεις); 2.266: "cerota de opio confecta quae et ciliogrisa Graeci uocant" (beside II, 561, 18: ἀς οἱ παλαιοὶ καὶ χλιοχρύσους καλεῖν ἀξιοῦσιν).' *Ibidem*, 27 n. 29.

**20** *Ibidem*, 27–8.

on coughing, as well as the chapters on hiccoughing, suppurations in the lung, dysentery and paralysis are missing. Also missing from Book 2 is a considerable amount of material from the end of the section on gout. Book 3 has nothing on tertian, quotidian or quartan fevers, stopping abruptly at the end of the chapters on hectic fevers.<sup>21</sup>

The Latin Alexander: significant omissions from the content of the Greek *Therapeutica*<sup>22</sup>

Book 1: I.567-73, 'further remedies' (for epilepsy)

Book 2: II.169-83, 'further remedies for coughing'  
 II.313-19, Περὶ λυγμοῦ ('On hiccoughing')  
 II.211-27, Περὶ ἐμπυηματικῶν ('On suppurations')  
 II.415-39, Περὶ δυσεντερίας ('On dysentery')  
 I.575-91, Περὶ παρέσεως ('On paralysis')  
 II.577.1-85.24, 'additional material on gout'

Book 3: I.371-85, Περὶ τριταίου ('On tertian fever')  
 I.385-407, Περὶ ἀμφημερινοῦ ('On quotidian fever')  
 I.407-39, Περὶ τεταρταίου ('On quartan fever')

The Latin Alexander contains significant sections of text that are not found in the Greek *Therapeutica*. In Book 1 of the Latin Alexander, five chapters on diseases of the nose, face, and teeth have been added. In Book 2, extensive extracts of two lost Greek works, translated into Latin, have been added. The first of these is from what was originally a work of Philumenus, a second-century physician and contemporary of Galen,<sup>23</sup> on dysentery and diseases of the intestine. The second is from what was originally a work of the fourth-century Greek physician Philagrius,<sup>24</sup> on diseases of the spleen.

<sup>21</sup> See *ibidem*, 17.

<sup>22</sup> Adapted from Langslow, *The Latin Alexander Trallianus...*, 15-16, Table 2.1 (**ed.**, **P1**, **A** and **M**), where the references in the right-hand column are to volume (I or II) and page number in Puschmann, *Alexander von Tralles...*

<sup>23</sup> David Langslow, *Medical Latin in the Roman Empire*. (Oxford and New York, NY: Oxford University Press, 2000), 72. For Philumenus, see Jean-Marie Jacques, "Philoumenos of Alexandria (150–190 CE)," in Paul T. Keyser and Georgia L. Irby-Massie (Eds.), *The encyclopedia of ancient natural scientists*. (London and New York, NY: Routledge, 2008), 661-662.

<sup>24</sup> '[A] much-cited fourth-century Greek doctor from Epirus' (Langslow, *Medical Latin...*, 72). For Philagrius, see also John Scarborough, "Philagrios of Epeiros (300 – 340 CE)," in Paul T. Keyser and Georgia L. Irby-Massie (Eds.), *The encyclopedia of ancient natural scientists*. (London and New York, NY: Routledge, 2008), 643-644.

The Latin Alexander: significant additions to the content of the Greek *Therapeutica*

Book 1: 1.131-5, 'Nose, face and teeth' (Lyons 1504, 26r-28r)

Book 2: 2.79-103, 'Philumenus, on the stomach and intestines'

2.79: *De reumate ventris Filominis*<sup>25</sup> [sic] (Lyons 1504, 47r)

2.104-50, 'Philagrius, on the spleen'

2.104: *Ad splenem Philagrius* (Lyons 1504, 53r)

One good indicator that Simon was utilising the Greek *Therapeutica* would be if there were any entries in the *Clavis sanationis* that could be identified as being taken only from those sections in the Greek text that are completely absent from the Latin Alexander. Evidence that Simon has used only the Latin Alexander would be if entries in the *Clavis sanationis* were to be found exclusively in those sections of the Latin Alexander that are not present in the Greek *Therapeutica*: for example in the Philumenus and Philagrius sections, and the glosses. A third possibility is that Simon has primarily used the Latin Alexander and then supplemented an entry with additional information acquired from the Greek *Therapeutica*.

I have identified many entries in the *Clavis sanationis* that are taken from the extensive extracts from Philumenus and Philagrius which have been incorporated into Book 2 of the Latin Alexander (please see Appendices 3 and 4 for details of these). One of these entries, *acantis egyptia* (where *akanthos* (ἄκανθος) is 'Bear's-foot'),<sup>26</sup> contains another explicit reference to the '*Practica* of Alexander' (i.e., the Latin Alexander):

*Acantis egyptia* (Transcript A, 1510, last accessed 12.03.12)

*Acantis egyptia invenitur in practica Alexandri* in confectione collirii ad tingenda leucemata puto quod sit idem quod achantis arabica.

*Acantis egyptia* (Print B, 1473)

*Achantis egipciaca* [sic] inuenitur **in practica** [sic] **Ale.** in confectione colirii [sic] ad tingenda leucomata puto quod sit idem quod achantis ara.

Egyptian *acantis* is found **in the Practica of Alexander** in a preparation of an eye salve for bathing white spots [white corneal opacities]. I think that it is the same as Arabic *acantis*.

---

<sup>25</sup> In my transcriptions, where the witnesses print 'u' or 'v', I have printed 'u' or 'v' respectively throughout.

<sup>26</sup> See Lily Y. Beck, *Pedanius Dioscorides of Anazarbus: De materia medica* (2nd edn). (Hildesheim, Zürich and New York, NY: Olms-Weidmann, 2011), 186 (Dioscorides III.17).

Furthermore, this particular entry represents an example of Simon's use of only the Latin Alexander. I would like to detail the method used to verify this, partly in order to illustrate the complexity in locating the exact source of Simon's information, but mainly to serve as an example of an investigation which did briefly raise the prospect that Simon had used the Greek *Therapeutica*.

To identify where in the Latin Alexander 'Egyptian *acantis*' is to be found, I used Opsomer's invaluable *Index de la pharmacopée du Ier au Xe siècle*<sup>27</sup>, which lists three entries for '*Acanthus Aegyptia*' in the Lyons 1504 edition - in Book 2, Chapters 79, 80 and 98 - all of which are in the Philumenus section of the Latin Alexander; and one entry for '*Acanthi Aegyptiae Semen*', in Book 2, Chapter 123 - the Philagrius section:

Latin Alexander [Philumenus] 2.79: *De reumate ventris Filominis [sic]* (Lyons 1504, 47r-48v)  
48r: *acantis<sup>28</sup> egyptiace [sic]<sup>29</sup>*

Latin Alexander [Philumenus] 2.80: *De dissinteria reumatica* (Lyons 1504, 48v-49r)  
48v: *achantem<sup>30</sup> egyptiam<sup>31</sup>*

Latin Alexander [Philumenus] 2.98: *Enema ad dissintericos et dolores nimios vel inflammationes* (Lyons 1504, 51v-52r)  
52r: *achanthos<sup>32</sup> egyptie<sup>33</sup>*

Latin Alexander [Philagrius] 2.123: *De fomentationibus* (Lyons 1504, 55r-55v)  
55v: *egyptie<sup>34</sup> acautis [sic]<sup>35</sup> semen*

**27** Carmelia Opsomer, *Index de la pharmacopée du Ier au Xe siècle*, 2 vols. (Hildesheim, Zürich and New York, NY: Olms-Weidmann, 1989).

**28** + gloss 'l': 'id est spine albe.' (48r).

**29** Cf. Peter Mihăileanu, *Fragmentele latine ale lui Philumenus și Philagrius*. (Bucharest: Institutul de Arte Grafice 'Carol Göbl', 1910), 110.7: *acantis aegyptias* [+ variants]; cf. Theodor Puschmann, *Nachträge zu Alexander Trallianus: Fragmente aus Philumenus und Philagrius* (repr. 1963, Amsterdam: A. M. Hakkert), (Berlin: S. Calvary and Co., 1886), 24: *acanthi Aegyptiacae* [no variants].

**30** + gloss 'c': 'id est spinam al(...).s.' (48v).

**31** Cf. Mihăileanu, *Fragmentele latine...*, 116.10: *acantem egyptiam* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 32: *acanthum Aegyptiacam* [no variants].

**32** + gloss 'z': 'id est spine albe.' (52r).

**33** Cf. Mihăileanu, *Fragmentele latine...*, 139.11: *acantis egyptias* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 62: *acanthi Aegyptiae* [no variants].

**34** + gloss 'm': 'id est spine albe.' (55v).

**35** Cf. Mihăileanu, *Fragmentele latine...*, 165.2: *aegyptiae acantis* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 96: *Aegyptiae acanthi* [no variants].

The entry in Simon for 'Egyptian *acantis*', however, refers to 'an eye salve for bathing white spots' – '*leucomata*'. Therefore none of these four entries, found in the Philumenus and Philagrius sections of the Latin Alexander - on dysentery and diseases of the intestine, and diseases of the spleen respectively - are Simon's source. Perhaps this example could have been taken from the Greek *Therapeutica*. A TLG<sup>36</sup> lemma search of the Greek *Therapeutica* for 'λευκωμα' yields three results,<sup>37</sup> one of which is a recipe for 'white spots/*leucomata*' (Πρὸς τὸ βάψαι λευκώματα λίαν καλόν; 'For 'dyeing' white spots, a very good [treatment]', II.51.1), which does indeed contain ἀκάνθης Αἴγυπτίας (II.51.3). Furthermore, this particular recipe is *not* found in the Latin Alexander. Has Simon used the Greek *Therapeutica* for this entry? Further investigation indicates not. Closer examination of the section in the Lyons 1504 edition of the Latin Alexander that is equivalent to this section of the Greek *Therapeutica* – within the chapters dealing with eye salves ('*colliria*') - reveals an entry in the Latin Alexander that does correspond to Simon's entry: Book 1, Chapter 101 '*Ad tingendas albugines et leucomata tingenda*' (Lyons 1504, 21r), and a recipe which contains '*anchotis*<sup>38</sup> *egyptie* [sic]'.<sup>39</sup> This particular chapter heading and recipe are not found in the Greek *Therapeutica* (II.49). Indeed, to date, I have been unable to identify any entries in the *Clavis sanationis* that are to be found only in Alexander's Greek *Therapeutica* and not in the Latin Alexander.

One thing that is noticeable from the study of 'Egyptian *acantis*' is the variation/error in spelling. Indeed, spelling variations/errors abound both between traditions and within traditions. I would like to use Simon's entry for *orodes humores* - an entry which refers to glosses found in the Latin Alexander - to illustrate the difference between Print A and Print B of the *Clavis sanationis*:

*Orodes humores* (Transcript A, 1510, last accessed 13.02.12)

*Orodes humores .i. serosi aquosi ut Alex. ca. de nausea. Item ca. de scabie vesice. Item ca. de catarticis podagriconum, evocant inquit tenues humores quos greci orodes vocant, interdum oroides invenitur ab oros quod est serum lactis.*

*Orodes humores* (Print B, 1473)

*Orodes humores .i. serosi aquosi ut Alex ca. de nausea item ca. de catarticis podagriorum [sic] euacuant inquit tenues humores quos gr(...). or(o)des uocant interdum oriodes [sic] inuenitur ab oros quod est serum lactis.*

<sup>36</sup> *Thesaurus Linguae Graecae*: <http://www.tlg.uci.edu/>

<sup>37</sup> 2 x λευκώματα, II.37.7 and II.51.1; 1 x λευκωμάτων, II.31.15.

<sup>38</sup> + gloss 'a': 'id est spine nigre.' [sic] (21r)

<sup>39</sup> 'Giptias' in Angers, *Bibl. mun.* 457 (34ra), using Langslow's transcript.

*Orodes humores*, that is serous, aqueous, as in the chapter of Alexander 'On nausea'; likewise in his chapter 'On cathartics for gout'. They evacuate, he says, thin humours, which the Greeks call *orodes*. Occasionally the spelling *oriodes* [sic] is found. [The word originates] from *oros*, which is the whey of milk. (Translating Print B, 1473)

As is noted by Langslow<sup>40</sup>, Greek ὄρ[ρ]ώδης (Latin *orodes*) is given a 'rudimentary' etymology in the Latin Alexander at 2.42 – this is Simon's chapter 'On nausea' (*ca. de nausea*), and occurs twice more at 2.249<sup>41</sup> – this is Simon's chapter 'On cathartics for gout' (*ca. de catarticis podagriforum*).

Note that Print A of the *Clavis sanationis* also includes the reference 'likewise in the chapter 'On itchiness of the bladder'' (*Item ca. de scabie vesice*), which is also found in Print C (1486). Print B, however, and Manuscript e (Laur. plut. 73, cod. 31) both omit mention of this particular chapter. This is quite possibly a case of *saut du même au même* – the eye leaping from *item* to *item* – however, I suspect the reason might be more complex.

The additional chapter reference found in Print A and Print C is to Book 2, Chapter 198 of the Latin Alexander, which is in a section that is also found in the Greek (II.491.11 ff.). As with the 'Egyptian *acantis*' example above, there was a brief glimmer that perhaps Simon did have access to and was using a Greek text after all. However, consider the following:

Latin Alexander 2.198: *Curatio eiusdem*<sup>42</sup>

*Est autem confectio medicaminis quod facit ad orodes* [ms. A = *ad sorodis*, for Greek ψωρώδεις<sup>43</sup>] *passiones et dissurias inflammations renum et vesice sanat / sed et ulceræ vesice cum flegmone f(a)cta(m) sanat.* (Lyons 1504, 68v)

There is moreover a preparation of a medicament which is effective against *orodes* diseases and it cures painful urination [and] inflammations of the kidneys and bladder, but also it cures ulcers of the bladder with inflammation.

**40** Langslow, *The Latin Alexander Trallianus...*, 28 and n. 31

**41** At 2.249, first it is glossed with Latin *aquosus*, then in the very next sentence it recurs in a *quod Graeci uocant* formula, where Puschmann's text has not ὄρρώδης but λεπτός: 2.249: "dandum est catarticum quod possit educere pingue et spissum flegma et non orode id est aquosum et tenue urinae simile, quemadmodum multi faciunt dantes lacterides et opos titimali et cnidium coccum admiscentes et sic euacuant tenuiores humores quos Graeci orodes uocant" (II, 521, 5-7; τὸ δυνάμενον ἐλκύσαι παχὺ φλέγμα καὶ ὄρρώδες, ὥσπερ ποιοῦσι πολλοὶ λαθυρίδας τε καὶ ὅπὸν τιθυμάλλου καὶ Κνίδιον κόκκον παρέχοντες αὐτοῖς, οἵ τὰ λεπτὰ κενοῦντες ρένματα). Langslow, *The Latin Alexander Trallianus...*, 28 and n. 31.

**42** Where 2.197 is *Si vesica scabiosa sit*; the same chapter title is found in G2 and L1; P1 and [ms.] A have *Signa si uersica scabra sit*, *Ibidem*, 251.

**43** Puschmann, *Alexander von Tralles...*, II.493.4

As can be seen, Lyons 1504 (68v) has '**ad orodes**' which even includes the gloss 'i': *id est serosas seu aquosas* (68v). However, the eleventh-century manuscript Angers, *Bibl. mun.* 457, Langslow's **A**, has *sorodis*, a transliteration of Greek ψωρώδεις.<sup>44</sup> Possibly, Simon had a corrupt exemplar with the reading *orodes*, which is transmitted in Print A and Print C - hence the extra reference – and then, possibly, someone has spotted the error with the result that Print B and Manuscript **e** represent a corrected version.

As another example of spelling errors, consider Simon's entry for *embalmata* (that is, *embammata*, 'sauces').<sup>45</sup>

*Embalmata* (Transcript A, 1510, last accessed 12.03.12, entry edited by Barbara Zipser)  
*Embalmata Alexan. ca. de medicinis ad frigidum stomachum, item de reumatismo ventris sunt intinctiones seu salsa menta in quibus morselli intinguntur.*

*Embasma AC | Embalmata B e | iunctiones A | intinctiones B e | inunctiones C*

According to Alexander, [in the] chapter on medicines for a cold stomach, also [in the chapter] on flux from the belly, *embalmata* are dips or sauces in which bits of food are dipped.

The second chapter referred to in this entry, 'On flux from the belly' ('*de reumatismo ventris*'), is to be found in Book 2 of the Latin Alexander, Chapter 79<sup>46</sup> - the 'Philumenus' section:

Latin Alexander 2.79: *De reumate ventris Filominis [sic]* (Lyons 1504, 47r-48v)  
 48r: *Item embalmata<sup>47</sup> <sup>48</sup> [ms. **A** = bamata] hoc modo ad hoc conficiuntur. Cimino cum salis modico et aceto oleo confecto intingitur quod edendum est.*

**44** LSJ: 'of the nature of the itch, scabby'. '[I]n Cassius Felix ... *scabiosus* is synonymous with Greek *psoricus*, it means "for treating scabies" ...', Langslow, *Medical Latin in the Roman Empire*, 344.

**45** OLD: *embamma, atis*(n.) [Gk. ἔμβαμμα] = '[a] sauce or dressing for food, esp. one made with vinegar'.

**46** Cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 26: *Item embammata hoc modo ad hoc conficiuntur. Cimino cum sale et modico aceto et oleo confecto intingitur quod edendum est. ... Potest autem iuvare et scorpio piscis assatus et cum cymini praedicti embammate datus et ostreae in suis [+ n. 61, re. variant *sibi*] testis assatae et sumptae. Cf. also Mihăileanu, *Fragmentele latine...*, 112, 8-16: *Item embammata hoc modo ad haec conficiuntur: cimino cum salis modico et aceto et oleo confecto intingitur, quod edendum est. ... Potest enim iuvare et scorpius piscis assus [+ variants: *assa* and *assatus*] et cum cimini praedicti embammate datus et ostreae in suis testis assatae et assumptae [+ variants: *adsumta*, *sumpta* and *sumptae*].**

**47** + gloss 'c': 'sunt intinctiones seu salsa [sic] in quibus morselli intinguntur. ian(...)' (48r).

**48** Cf. Mihăileanu, *Fragmentele latine...*, 112.8: *embammata* [no variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 26: *embammata* [no variants].

48v: *Potest autem iuuare et scorpio piscis assatus et cum ciminis praedicti embalmata<sup>4950</sup>  
datus et ostree in suis testis assate et sumpte.*

48r: Likewise *embalmata* are prepared in the following way. What is to be eaten is dipped in cumin prepared in oil with a modicum of salt and vinegar.

48v: Moreover scorpion fish, roasted and given with an *embalma* of the aforementioned cumin is also able to help, and oysters roasted in their own shells and eaten.

The first chapter, however, 'On medicines for a cold stomach' ('*de medicinis ad frigidum stomachum*'), is to be found in Book 2, Chapter 46, of the Latin Alexander – not a 'Philumenus' section:

Latin Alexander 2.46: *Ad frigidum stomachum embalmata<sup>51</sup>* (Lyons 1504, 40v) [ms.

**A** = *inbamata*]

40v: [E]mbalmata ... [for Greek ἔμβαμμα [sic]]<sup>52</sup>

Moreover, it is also found in Book II of the Greek *Therapeutica*. It is important to note, however, that whereas in the Latin we have *embalmata*, in the Greek we have ἔμβαμμα.<sup>53</sup>

The following is taken from the entry for *embalmata* in *Simon Online*:

... The apparatus of Puschmann's edition does not list any variant readings in this heading. ... Most likely, the error was caused by a Greek manuscript: in Greek minuscule, the letters μ and λ ('m' and 'l') look very similar and can easily be confused; in majuscule, M looks like a double Λ. An unknown scribe or translator mistook a 'm' for an 'l', erroneously assuming the word was in fact derived from ἔμβάλλειν /emballein/ 'to put inside'.<sup>54</sup>

**49** + gloss 'a': 'id est salsa mente.' (48v).

**50** Cf. Mihăileanu, *Fragmente latine...*, 112.15: *embammate* [no variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 26: *embammate* [no variants].

**51** + gloss 'f': 'sunt intinctiones seu salsa menta in quibus morselli intinguntur. Ian(...).' (40v).

**52** Πρὸς κατεψυγμένον στόμαχον ἔμβαμμα - Puschmann, *Alexander von Tralles...*, II.305.27.

**53** Πρὸς κατεψυγμένον στόμαχον ἔμβαμμα. | Ἀρκευθίδων ούγγ. β' | πεπέρεως ούγγ. β' | ζιγγιβέρεως ούγγ. δ' | πετροσελίνου ούγ. α' | μέλιτος τὸ ἀρκοῦν. | χρῶ ώς καλλίστω. *Ibidem*, II.305.27-33.

**54** *embalmata*: *Simon Online*, last accessed 12.03.12, entry edited by Barbara Zipser

As can be seen in the three entries from the *Clavis sanationis* discussed in detail above - *acantis egyptia*, *embalmata* (that is, *embammata*) and *orodes humores* – spelling errors/variants can be very misleading. They can also be very useful. Indeed, a close study of these errors/variants, as well as additions and omissions, found when comparing Simon's *Clavis sanationis* with the Latin Alexander might make it possible to narrow down Simon's manuscript source or sources, and potentially assign them to a particular branch of Langslow's stemma (given in Appendix 2, and reproduced with the kind permission of David Langslow). For example, the fact that Simon often quotes from those sections of the Latin Alexander that we know are in fact interpolations from the translated works of Philumenus and Philagrius (Appendices 3 and 4), without referring to Philagrius or Philumenus by name, is potentially useful.

In the Lyons 1504 edition of the Latin Alexander, Chapter 2.79, 'On flux from the belly', is clearly headed 'On flux from the belly, of Philumenus' (*De reumate ventris Filominis* [sic], 47r), as indeed it is in the manuscripts **G2**, **L1**, **P1** (*De reuma ...*) and **A**.<sup>55</sup> Furthermore, a later chapter, Chapter 2.81, 'Signs of dysentery', is also identified as by Philumenus (*Signa dissinterice passionis Philomini*) in Lyons 1504 (49r), and in the manuscripts **G2**, **L1** and **A**, and although Philumenus is not mentioned in the title here in **P1**, the chapter begins with 'Of Philumenus' (*Filomini*).<sup>56</sup> The same is seen in the heading for Chapter 2.99, 'On bowel diseases, of Philumenus' (*De ciliacis* [i.e., *coeliacis*] *Philomini*), with the title in Lyons 1504 (52r) and the manuscripts **G2**, **L1** and **A** all mentioning Philumenus, but with the chapter in **P1** beginning, this time with an error, '*Flaminum*' [sic].<sup>57</sup>

Likewise in Lyons 1504, Chapter 2.104 is clearly headed 'Philagrius on the spleen' (*Ad splenem Philagrius*, 53r), as indeed it is in the manuscripts **G2**, **L1** and **A**; here **P1** has no title.<sup>58</sup> Furthermore, the chapter heading of 2.151 on dropsy, immediately following the end of the Philagrius section, (*Causa que est ydropicie Alexandri*, Lyons 1504, 59r), is explicitly assigned to Alexander, clearly signalling the return to his work. This explicit reference to Alexander is also seen in the equivalent chapter headings in **G2**, **L1**, **P1** and **A**.<sup>59</sup>

Given that Simon's entries contain no reference to Philumenus or Philagrius, one does have to wonder whether Simon's exemplar(s) contained the overt references to Philumenus and Philagrius.

---

<sup>55</sup> Langslow, *The Latin Alexander Trallianus...*, 246.

<sup>56</sup> *Ibidem*, 246.

<sup>57</sup> *Ibidem*.

<sup>58</sup> *Ibidem*.

<sup>59</sup> **P1**: 'Causa aedropiciae alexandriæ'; [ms.] **A**: 'Causa ydropicie Alexandri' - *Ibidem*, 249.

Consider again the excerpt taken from the moderately lengthy entry for *sauich* and the reference to the fact that in books translated from the Greek, '*sauich*' is written '*polenta*':

*Sauich* (Print B, 1473)

... notandum tamen quod ubicumque habetur in liberis [sic] de arabico translati  
*sauich apud Dia. et Alex. et Paul(…)* et alios de greco translatos habetur **polenta** quare  
 secundum [sic] idem uidetur apud grecos uero uocatur *alfita* ut patet per Gal(…). ca. de  
*alfitis in libro de alimentis item Ste. in sinonimis dicit quod alfiton est sauich.*

... Note, however, that everywhere it is written in books translated from Arabic [it is] *sauich*; in the writings of Dioscorides and Alexander and Paul and others translated from the Greek, it is written **polenta**, for which reason we may assume they are synonyms. Among the Greeks, indeed, it is called *alphita*, as is revealed through Galen in the chapter on *alphita* in his book *On foods*. Likewise Stephanus in his *Synonyms* says that *alphita* is *sauich*.

Opsomer<sup>60</sup> records just one occurrence of *polenta* in the Latin Alexander, in Book 3, Chapter 66, *Lixoperita epithimata et embroce et emplastra febrentibus Martyrii medicis*<sup>61</sup> (Lyons 1504, 92v-93r):

93r: *Item embroca ex alica<sup>62</sup> aut oxilapatos<sup>63</sup> autem bene facit et succus si de polenta i. alfita<sup>64</sup> tenui modicum ei misces infuso duplicato panno molli.*

If Simon's reference to 'Alexander' and 'polenta' does in fact refer to Book 3, Chapter 66, it is referring to a section in the Latin Alexander that is not found in many of the Latin manuscripts,<sup>65</sup> and has no equivalent in Puschmann's Greek text.<sup>66</sup><sup>67</sup><sup>68</sup> Moreover, even where this chapter is found in the Latin manuscripts, it is not always present in its entirety.

**60** Carmelia Opsomer, *Index de la pharmacopée...*

**61** See Langslow, *The Latin Alexander Trallianus...*, 262 n. 110 for variants.

**62** + gloss 'e': 'alica est genus frumenti quidam speltam putant.' (93r).

**63** + gloss 'f': 'id est acetosa herba.' (93r).

**64** + gloss 'g': 'id est farina ordei.' (93r).

**65** Langslow, *The Latin Alexander Trallianus...*, 59.

**66** Puschmann, *Alexander von Tralles...*

**67** ... 3.66 ... is not in the Greek Alexander as we have it, and ... could be an addition to the original version of the *Latin Alexander* ... – Langslow, *The Latin Alexander Trallianus...*, 58.

**68** However, compare the Latin found at Lyons 1504, 93r (*Item embroca ex alica aut oxilapatos autem bene facit et succus si de polenta i. alfita tenui modicum ei misces infuso*

The whole chapter is missing from **P1, A, O, D, Ox, Ge, Ma, P2, L2** and **B**.<sup>69</sup> It is present in **M, G1, Mu, C, P3, G2, L1** and, of course, Lyons 1504 (Langslow's *ed.*).<sup>70</sup> Of itself, this is not proof that Simon used this manuscript or that manuscript, not least because I am not absolutely sure that this chapter is the source of Simon's comment on *polenta*.

Consider now three entries in the *Clavis sanationis* – *amitrocera, centron* and *acros* - all of which occur in the chapters on coughing at the beginning of Book 2 of the Latin Alexander; chapters, moreover, which are to be found in Langslow's published edition with a full apparatus.<sup>71</sup>

---

*duplicato panno molli) with the following three extracts of Greek texts taken from Galen, Oribasius and Aëtius: [1.] Galen (*De methodo medendi* 10.9, C. G. Kühn, *Claudii Galeni opera omnia*, vol. 10 (repr. 1965, Hildesheim: Olms, Leipzig: Knobloch, 1825)): Ἀλλο φάρμακον. ὁξαλίδος ἢ ὁξυλαπάθου χυλὸς, ἀλφίτων λεπτῶν ὀλίγων μιχθέντων ἀναλαμβανέσθω διπτύχῳ ράκει τριβακῷ, ψυχρὸν δ' ἰκανώς ἐπιτιθέσθω καὶ τοῦτο. μή παρόντος δὲ τοιούτου ράκους, ὁθόνιον διπτυχον ἀναδεύσας, ἐπιτίθει τῷ ψύχεσθαι δεομένῳ μορίῳ; [2.] Oribasius (*Collectiones medicae* 44.24.17): Ὁξαλίδος ἢ ὁξυλαπάθου χυλὸς ἀλφίτων ὀλίγων μιχθέντων ἀναλαμβανέσθω διπτύχῳ ράκει ἢ ὁθονίῳ. ψυχρὸν δ' ἰκανώς ἐπιτιθέσθω; [3.] Aëtius: (*Iatricorum liber* 5.92.97-9): ἄλλο ἐπιτίθεμα κάλλιστον. ὁξυλαπάθου χυλῷ ἀλφίτων λεπτῶν μιχθέντων ἀναλαμβανέσθω διπτύχῳ ράκει τριβακῷ καὶ ψυχρὸν ἐπιτιθέσθω. Note especially that, whereas both Galen and Oribasius have ὁξαλίδος ἢ ὁξυλαπάθου [χυλὸς], Aëtius has only ὁξυλαπάθου [χυλῷ]. There are further textual resonances between the Latin text of chapter 3.66 and the Greek texts of Galen, Oribasius and Aëtius. Indeed, elsewhere in chapter 3.66 we find overt references to both Galen ('*Emplastrum Galieni ...*', 92v) and Oribasius ('*Item lixoperitum Oribasii ...*', 93r). Furthermore, the 'lixoperitum Oribasii' found in 3.66 of the Latin Alexander is strikingly similar to the 'lyxypyreton [sic] ... mirabilem' of the Latin Oribasius at *Synopsis* 3.60 (see Ulco Cats Bussemaker, Charles Daremburg and Auguste Molinier, *Oeuvres d'Oribase*, 6 vols. (Paris: Imprimerie Nationale, 1851-76), 5.863), which itself is to be found in the Greek Oribasius (Johann Raeder, *Oribasii synopsis ad Eustathium et libri ad Eunapium* [*Corpus medicorum Graecorum* 6.3] (repr. 1964, Amsterdam: A. M. Hakkert, Leipzig: Teubner, 1926), 3.60.*

**69** See Langslow, *The Latin Alexander Trallianus...*, 40 (for **A**: 'text breaking off abruptly in 3.34'); 41 (for **B**: 'just less than half a page of the start of Book 3'); 42 (for **D**: 'text of Book 3, to end of 3.65'); 43 (for **Ge**: 'text of 3.1-65'); 45 (for **L2**: 'unnumbered chapters ending with the end of 3.65' and **Ma**: 'text of 3.1-65'); 48 (for **O**: 'text, breaking off abruptly after (3.13 *ad fin.*) ...'); 49 (for **Ox**: 'expl. 119r (end of 3.65) ...'); 50 (for **P1**: 'text of Book 3, breaking off at 3.63 ...' and **P2**: 'text of Book 3, ending with 3.65').

**70** See Langslow, *The Latin Alexander Trallianus...*, 42 (for **C**: 'text of Book 3, including all but the very last recipe of 3.66'); 44 (for **G1**: 'text of Book 3, including all but the very last recipe of 3.66', **G2**: 'Book 3 ... 66 chapters' and **L1**: 'Book 3 ... 66 ... chapters'); 46 (for **M**: 'Book 3 ending with the penultimate recipe of 3.66 (minus the last three words)') and 47 (for **Mu**: 'text of Book 3 to the very end of 3.66'); 51 (for **P3**: 'text of Book 3, breaking off without an Explicit after only 8 lines of 3.66 ...').

**71** Langslow, *The Latin Alexander Trallianus...*, 175-229.

First, *amitrocera*, which has the following entry in Simon:

*Amitrocera* (Transcript A, 1510, last accessed 10.03.12)

*Amitrocera .g. facilis ad cognoscendum. Alexan. ca. de tussi materialis autem et cetera.*

*Amitrocera* (Print B, 1473)

*Amicrotera [sic] gr(...). facilis ad cognoscendum Alex. capitulo de tussi materialis et cetera.*

The following text, relevant apparatus and translation of the Latin Alexander is taken from Langslow:<sup>72</sup><sup>73</sup>

**2.4.2** Differunt igitur quod magis operatiuae habent manifestas significationes, materiales autem [si accesserit tussis] amitroteras {for Greek ἀμυδρότερα<sup>74</sup>},<sup>75</sup> et non oportet <t>alia<sup>76</sup> iterum dicere.

amitroteras *scripsimus* (fort. cf. a materia est M) -a **plerique** (amet- **P1** amy-  
**P2** amicr- **G2 L1**) amitro terea **O** amicio tera **ed.**<sup>77</sup> amitrota **Ge** a materia **M** om.  
**Mu** (post a. *habent* est **M D P3 add. m3**) **G2**

<sup>72</sup> See Langslow, *The Latin Alexander Trallianus...*, 200-3. Where {...} indicates additional material.

<sup>73</sup> Cf. Lyons 1504, 32v: *Differunt igitur quod operative* [+ gloss 'g': *id est actine qualitates*] *magis manifestas habent significationes. Cap( ). 5: De tussi si ex humoribus fiat. [M]aterialis autem si accesserit tussis amicio* [+ gloss 'h': *id est facilis ad cognoscendum. Ian(...).*] *tera* [+ gloss 'i': *est [sic]*] *et non oportet iterum taliter dici* [+ gloss 'k': *.s. signa quibus cognoscatur si materialis est*]. Langslow notes that, in an 'apparent corruption common to all the Latin manuscripts', 'si accesserit tussis' has been added 'in an effort to make sense of a Latin text rendered unintelligible by the transposition of the section-heading 2.5.t. *De tusse si ex humoribus fiat* (itself not in the Greek text either)', Langslow, *The Latin Alexander Trallianus...*, 104.

<sup>74</sup> Puschmann, *Alexander von Tralles...*, II.149.13

<sup>75</sup> Langslow, *The Latin Alexander Trallianus...*, 117: 'The Latin tradition offers various explanatory notes to Greek ἀμυδρότερα, among which P2 and B alone have *leuior ad curandum*, and G1 alone the very similar *leuis ad curandum*. [+ n. 18: 'cf. *leuior facilior ad curandum Ma .i. leuis P3 m3(?) .i. facilis ad cognoscendum Ox Φ*'. Langslow, *The Latin Alexander Trallianus...*, 129: 'Ox and Φ also transpose *efficitur* and *tussis*'.

<sup>76</sup> Where the reading '<t>alia' is to be credited to Cloudy Fischer.

<sup>77</sup> Where Langslow's **ed.** = Lyons 1504.

They differ in that the active tend rather to have clear signs, while the material ones have more indistinct signs. And it is not necessary to say this again.

The following is Langslow's note on *amitroteras*:<sup>78</sup>

**amitroteras** ... ἀμυδρός 'faint' is transliterated also at 1.59 'Pulsus etiam raros et breues et amidros habent' (= I, 529, 11 καὶ τοὺς σφυγμοὺς ἀραιοὺς καὶ μικροὺς καὶ ἀμυδροὺς ὕσχουσιν) and 3.41 (I, 345, 25); cf. 3.45 (I, 347, 21) where ἀμυδρός is confused with ἄμετρος and translated *absque mensura*. That the word was less than familiar is seen clearly at 3.48 'pulsus . . . paruu autem et amidros in ethica febre', where the Latin version adds the note: 'Amidros autem pulsus dicitur defectus, qui solutam habet uirtutem et percussionem facit imbecillem'. (The marginal gloss at this point ... reads '*i. imbecillis seu debilis. Gal. in lib. de differentiis febrium.*'<sup>79</sup>

Of interest here are those manuscripts that *do not* include *amitrocera* – regardless of spelling - that is: **M**, **Mu** and **Ge**.

Secondly *centron*, which has the following entry in Simon:

*Centron* (Transcript A, 1510, last accessed 10.03.12)

*Centron Alex. ca. tussi exponunt quidam punctiones.*

*Centron* (Print B, 1473)

*Ceneron [sic] Alexan. ca. de tussi exponit quedam [sic] punctiones.*

Again, the following text, relevant apparatus and translation is taken from Langslow:<sup>80</sup>

**2.9.2** Et spuunt nihil, neque soni aliquid aut cencron {for Greek κέρχνον<sup>81</sup>} patiuntur.  
Neque enim contingere poterit [nisi] ex indigesto et neendum permixto *fymate*.

<sup>78</sup> Langslow, *The Latin Alexander Trallianus...*, 201 n.85.

<sup>79</sup> Cf. Simon (Transcript A, 1510, last accessed 12.03.12) 'Amidros: Amidros pulsus Alex. capitulo de liturgia exponitur a .G. liber de doctrina pulsuum quod est imbecillis seu debilis. Sed liber de doctrina greca amidron obscurum minus apprens.'

<sup>80</sup> Langslow, *The Latin Alexander Trallianus...*, 216-17. Cf. Lyons 1504, 33r: *Et spuunt nihil: neque soni aliquid aut centron [sic + gloss 'h': centron exponunt quidam punctiones] patiuntur. Neque enim contingere [+ gloss 'i': tussis .s. vel centron] potest nisi ex indigestione et nedum [sic] permixto fymate [+ gloss 'k': id est inflato(.)e turge(.)te vel pusculosa vel tuberculo. Ian(.)].*

<sup>81</sup> Puschmann, *Alexander von Tralles...*, II.153.2

cencron **P3**] concron **Ma** centron **cett**. cetro **Mu** cendron **O** centro **A** centrum **P1**  
tenorum **M** ad hoc uerbum habent .i. punccionem **Ma** .i. punctionem **D** centron  
exponunt quidam punctiones **Φ**

And they spit nothing up, nor do they suffer any noise (in the ears) or hoarseness,  
for it cannot possibly occur while the tumour is immature and not yet thoroughly  
mixed.

Langslow's note on *cencron* is as follows:

**cencron** The Latin variants suggest Greek κέγχρος, which means 'millet', rather than κέρχνος 'roughness, hoarseness', which is very suitably rendered with *raucor* in the very next section (2.10.1). LS], s. vv., suggests some confusion between the two Greek words, attesting κέρχνος 'millet' but not κέγχρος 'hoarseness'.<sup>82</sup>

What is important in this example are the glosses added to **Ma**, **D** and **Φ**, given that Simon Print A has 'exponunt quidam punctiones' and Simon Print B has 'exponit quedam [sic] punctiones', where *punctiones* are 'stabbing pains'. Thirdly, Simon's entry for *acros*:

*Acros* (Transcript A, 1510, last accessed 15.03.12)

*Acros .i. acredo Alex. capitulo de tussi, quando aut de subito et cetera.*

*Acros* (Print B, 1473)

*Acros .i. acredo Alex. capitulo de tussi quando autem subito et cetera.*

Once again, the following text and relevant apparatus is taken from Langslow:<sup>83</sup>

**2.10.1** Quando autem desubito qui laborant sentiunt coangustata praecordia se habere et absque febribus molestari et siti multa, sed habent etiam quandam raucorem {for Greek κέρχνος<sup>84</sup>} cum tusse ...

---

<sup>82</sup> Langslow, *The Latin Alexander Trallianus...*, 216 n. 157.

<sup>83</sup> Langslow, *The Latin Alexander Trallianus...*, 218-19. Cf. Lyons 1504, 33r: [A]liquando autem de subito qui laborant sentiunt p(rae)angustata [sic] p(rae)cordia se habere et absque febribus molestari: et sitis multa sit / et habent etiam quandam [sic] rancorem [sic] et acrorem cum tusse ...

<sup>84</sup> Puschmann, *Alexander von Tralles...*, II.153.9.

raucorem **O L2 P3** (ruccorem **P1** rugura **M**)] ranc(h)orem **cett.** | ante cum *habent*  
et acrorem **P3 D Ox Ge G2 ed.** acrorem **Ma**

When the patients suddenly feel that the chest is constricted and troubled (although) without fever and without great thirst, but they have also a certain hoarseness with the cough ...

Here, it is the addition of *et acrorem* before *raucorem*, seen in the manuscripts **P3, D, Ox, Ge, G2** and Lyons 1504 (Langslow's **ed.**), and *acrorem* before *raucorem* in the manuscript **Ma** which is interesting. *acror* is 'a bitter taste in the mouth', hence Simon's *id est acredo*, where *acredo* is 'a sharp or pungent taste'. There is no equivalent to this in Puschmann's Greek text.<sup>85</sup>

By collecting further examples, more evidence could be found that perhaps might indeed help locate Simon's source or sources on Langslow's stemma. So far, based on the evidence of *amitrocera*, *centron* and *acros*,  $\Phi$  has 'three ticks', but the tradition above is very complex and therefore care must be taken before positing any firm conclusions. However, the shared innovations between both Simon and  $\Phi$  are striking.<sup>86</sup>

In this paper, I hope to have showed that Simon, when compiling his *Clavis sanationis*, used the Latin Alexander. I have also made a tentative first attempt to locate Simon's exemplar(s) on David Langslow's stemma. I would like to end with a brief comment on the Lyons 1504 edition of the Latin Alexander, the *Practica Alexandri yatros greci cum expositione glose interlinearis Iacobi de partibus et Ianuensis in margine posite* – to give it its full title - edited by Fr. Fradin. The '*Iacobus de partibus*' of the title is Jacques Despars (c. 1380-1458)<sup>87</sup> and the '*Ianuensis*' is '[*Simonis*] *Ianuensis*' - Simon of Genoa. The Lyons 1504 edition includes a vast number of glosses that represent the scholarly endeavours of both Jacques Despars and Simon of Genoa (throughout this paper, whenever I have quoted from the Lyons 1504 edition of the Latin Alexander, I have included a reference to any glosses in the footnotes). In conclusion, therefore, not only is the Latin Alexander a 'source text' for Simon's *Clavis sanationis*, but also the entries in the *Clavis sanationis* that are taken from the Latin Alexander are of great importance for any consideration of the Lyons 1504 printed edition, as well as the extremely complex later manuscript tradition of the Latin Alexander.

<sup>85</sup> Puschmann, *Alexander von Tralles...*

<sup>86</sup> For the ' $\Phi$ -recension' and 'sources of  $\Phi$ ', see Langslow, *The Latin Alexander Trallianus...*, 126-30.

<sup>87</sup> For Jacques Despars, see Thomas Glick, Steven Livesey, and Wallis (Eds.), *Medieval science, technology and medicine: An encyclopedia*. (New York, NY: Routledge, 2005), 151-2; Langslow, *The Latin Alexander Trallianus...*, 10 and n. 77.

# Bibliography

Primary sources, early printed books and manuscripts:

Alexander Trallianus: *Practica Alexandri yatros greci cum expositione glose interlinearis Iacobi de partibus et Ianuensis in margine posite*, edited by Fr. Fradin. Lyons 1504.

Simon Print A = *Simonis Januensis opusculum cui nomen Clavis sanationis simplicia medicinalia latina greca at arabica ordine alphabetico mirifice elucidans recognitum ac mendis purgatum et quotationibus Plinii maxime: ac aliorum in marginibus ornatum*. Venice: For heirs of O. Scotus by B. Locatellus, 1510.

Simon Print B = *Synonyma Simonis Genuensis, opus impressum per Antonium Zarotum parnensem*. Milano 1473.

Simon Print C = *Simon Ianuensis Clavis sanationis*, Venetiis per Gulielmum de Tridino ex Monteserato, 1486.

Simon Manuscript e = Biblioteca Medicea Laurenziana Plut. 73, cod. 31, f. 6r-110r ff.

Primary sources, other:

Bussemaker, Ulco Cats, Charles Daremburg and Auguste Molinier. *Oeuvres d'Oribase*, 6 vols. Paris: Imprimerie Nationale, 1851-1876.

Heiberg, Johan Ludvig. *Pauli Aeginetae libri tertii interpretatio latina antiqua*. Leipzig: Teubner, 1912.

Kühn, C. G. *Claudii Galeni opera omnia*, vol. 10, repr. 1965, Hildesheim: Olms.  
Leipzig: Knobloch, 1825.

Langslow, David R. "Chapter 5: An edition of the Latin Alexander on coughing." In *idem, The Latin Alexander Trallianus: The text and transmission of a Late Latin medical book*. 175-229. London: Society for the Promotion of Roman Studies, 2006.

Masullo, Rita. *Filagrio: Frammenti*. Naples: Bibliopolis, 1999.

Mihăileanu, Peter. *Fragmentele latine ale lui Philumenus și Philagrius*. Bucharest: Institutul de Arte Grafice 'Carol Göbl', 1910.

Olivieri, Alessandro. *Aëtii Amideni libri medicinales v-viii [Corpus medicorum Graecorum 8.2]*. Berlin: Akademie-Verlag, 1950.

Puschmann, Theodor. *Alexander von Tralles. Original-Text und Übersetzung nebst einer einleitenden Abhandlung. Ein Beitrag zur Geschichte der Medicin*, 2 vols, repr. 1963, Amsterdam: A. M. Hakkert. Vienna: W. Braumüller, 1878-1879.

— *Nachträge zu Alexander Trallianus: Fragmente aus Philumenus und Philagrius*, repr. 1963, Amsterdam: A. M. Hakkert. Berlin: S. Calvary and Co., 1886.

Raeder, Johann. *Oribasii synopsis ad Eustathium et libri ad Eunapium [Corpus medicorum Graecorum 6.3]*. repr. 1964, Amsterdam: A. M. Hakkert. Leipzig: Teubner, 1926.

— *Oribasii collectionum medicarum reliquiae*, vols 1-4 [Corpus medicorum Graecorum 6.1.1-6.2.2]. Leipzig: Teubner, 1928-1933.

### Secondary sources:

Beck, Lily Y. *Pedanius Dioscorides of Anazarbus: De materia medica* (2nd edn). Hildesheim, Zürich and New York, NY: Olms-Weidmann, 2011.

Glick, Thomas F., Steven John Livesey and Faith Wallis (Eds.). *Medieval science, technology and medicine: An encyclopedia*. New York, NY: Routledge, 2005.

Jacques, Jean-Marie. "Philoumenos of Alexandria (150 – 190 CE)." In Paul T. Keyser and Georgia L. Irby-Massie (Eds.), *The encyclopedia of ancient natural*

*scientists.* 661–662. London and New York, NY: Routledge, 2008.

Langslow, David R. *Medical Latin in the Roman Empire.* Oxford and New York, NY: Oxford University Press, 2000.

—. *The Latin Alexander Trallianus: The text and transmission of a Late Latin medical book.* London: Society for the Promotion of Roman Studies, 2006.

Opsomer, Carmelia. *Index de la pharmacopée du Ier au Xe siècle,* 2 vols. Hildesheim, Zürich, and New York, NY: Olms-Weidmann, 1989.

Pormann, Peter E. "Paulos of Aigina (ca 630 – 670 CE?)." In Paul T. Keyser and Georgia L. Irby-Massie (Eds.), *The encyclopedia of ancient natural scientists.* 625. London and New York, NY: Routledge, 2008.

Scarborough, John. "Philagrios of Æpeiros (300 – 340 CE)." In Paul T. Keyser and Georgia L. Irby-Massie (Eds.), *The encyclopedia of ancient natural scientists.* 643–644. London and New York, NY: Routledge, 2008.

Zipser, Barbara. "Die *Therapeutica* des Alexander Trallianus: Ein medizinisches Handbuch und seine Überlieferung." In Rosa Marie Piccione and Matthias Perkams (Eds.), *Selecta Colligere, II. Beiträge zur Methodik des Sammelns von Texten in der Spätantike und in Byzanz (Collana Hellenika).* 211–234. Alessandria: Edizioni dell'Orso, 2005.

## Appendix 1

### **Manuscripts containing the Latin Alexander<sup>88</sup>**

Complete copies

- P1** Paris, *BN lat. 9332* (early 9<sup>th</sup> cent.)  
**M** Montecassino, *Archivio della Badia 97* (early 10<sup>th</sup> cent.)  
**A** Angers, *Bibl. mun. 457* (11<sup>th</sup> cent.)  
**O** Orléans, *Bibl. mun. 283* (end 11<sup>th</sup> cent.)  
**D** Durham, *Cathedral C. 4. 11* (end 12<sup>th</sup> cent.)  
**G1** Glasgow, *University Library Hunter 435* (12<sup>th</sup>-13<sup>th</sup> cent.)  
**Mu** Munich, *BSB Clm 344* (12<sup>th</sup>-13<sup>th</sup> cent.)  
**Ox** Oxford, *Pembroke College 8* (12<sup>th</sup>-13<sup>th</sup> cent.)  
**C** Cambridge, *Gonville & Caius College 400* (early 13<sup>th</sup> cent.)  
**Ge** Geneva, *Bibl. publ. et univ. 78* (13<sup>th</sup> cent.)  
**Ma** Madrid, *BN 1049* (13<sup>th</sup> cent.)  
**P2** Paris, *BNF lat. 6881* (13<sup>th</sup> cent.)  
**P3** Paris, *BNF lat. 6882* (13<sup>th</sup> cent.)  
**L2** London, *BL Royal 12. B. XVI* (late 13<sup>th</sup> cent.)  
**B** Brussels, *KBR 10869* (14<sup>th</sup> cent.)  
**G2** Glasgow, *University Library General 1228* (second half 15<sup>th</sup> cent.)  
**L1** London, *BL Harley 4914* (16<sup>th</sup> cent.)

Complete copies not seen by Langslow (before 2006)

- Oxford, *Bodl. 524* (12<sup>th</sup> cent)  
Vatican City, *BAV Pal. lat. 1209* (13<sup>th</sup> cent.)

Lost copies


- Ch** Chartres, *Bibl. mun. 342* (12<sup>th</sup> cent.) – 'surviving only in a few photographs'  
[**Metz** Metz, *Bibl. de la Ville ms. 278* (early 13<sup>th</sup> cent.) – 'no reproductions of, or studies bearing on it are known'<sup>89</sup>

---

<sup>88</sup> Langslow, *The Latin Alexander Trallianus...*, 38

<sup>89</sup> Langslow, *The Latin Alexander Trallianus...*, 52-3 and n. 48

## Appendix 2



**Figure 1.** Stemma showing the relations between the mainstream manuscripts of the Latin Alexander (and  $v1$  and  $u$  of the secondary tradition). (Probable or certain use of an accessory model is indicated in [blue], possible but uncertain use in [red]. The dating of lost copies is approximate only.). Langslow, *The Latin Alexander Trallianus...*, Plate XII. Stemma reproduced with the kind permission of David Langslow.

## Appendix 3

**Philumenus**<sup>90</sup> (Transcript A, 1510, accessed from *Simon Online* 10.03.12, unless stated otherwise)

**Acantis egyptia** (Transcript A, 1510, last accessed 12.03.12)

A     **Acantis egyptia** invenitur in practica Alexandri in confectione collirii ad tingenda leucemata  
      puto quod sit idem quod achantis arabica.

B     **Achantis egypciaca** [sic] inuenitur in practica [sic] Ale. in confectione colirii [sic] ad tingenda  
      leucomata puto quod sit idem quod achantis ara.

2.79 De reumate ventris Filominis [sic] (Lyons 1504, 47r-48v)

48v: **acantis**<sup>91</sup> **egyptiacae** [sic]<sup>92</sup>

2.80 De dissinteria reumatica (Lyons 1504, 48v-49r)

48v: **achantem**<sup>93</sup> **egyptiam**<sup>94</sup>

2.98 Enema ad dissintericos et dolores nimios vel inflammationes (Lyons 1504, 51v-52r)

52r: **achanthos**<sup>95</sup> **egyptie**<sup>96</sup>

[Philagrius] 2.123 De fomentationibus (Lyons 1504, 55r-55v)

55v: **egyptie**<sup>97</sup> **acautis** [sic]<sup>98</sup>

**Epythyma elidion**

A     **Epythyma elidion** Alex. ca. de reumate ventris.

B     **Epithima clidion** [sic] Alex. capitulo de reumate uentris.

2.79 De reumate ventris Filominis [sic] (Lyons 1504, 47r-48v)

47v: ... **Epithima dydyon**<sup>99</sup> [sic] hoc modo conficitur. ...

---

**90** 2.79-103: Lyons 1504, 47r-53r.

**91** + gloss 'l': 'id est spine albe.' (48r).

**92** Cf. Mihăileanu, *Fragmentele latine...*, 110.7: *acantis aegyptias* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 24: *acanthei Aegyptiacae* [no variants].

**93** + gloss 'c': 'id est spinam al(...).s.' (48v).

**94** Cf. Mihăileanu, *Fragmentele latine...*, 116.10: *acantem egyptiam* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 32: *acanthum Aegyptiacam* [no variants].

**95** + gloss 'z': 'id est spine albe.' (52r).

**96** Cf. Mihăileanu, *Fragmentele latine...*, 139.11: *acantis egyptias* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 62: *acanthei Aegyptiae* [no variants].

**97** + gloss 'm': 'id est spine albe.' (55v).

**98** Cf. Mihăileanu, *Fragmentele latine...*, 165.2: *aegyptiae acantis* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 96: *Aegyptiae acanthi* [no variants].

**99** Cf. Mihăileanu, *Fragmentele latine...*, 108.4: *Epitima clidion* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 22: *Epithema clidion* [no variants].

**Ciliaca**

- A   **Ciliaca** passio est fluxus ventris vitio stomachi nam .g. kiliam ventrem vocant ut in passionario suo ca. et est kilia fundus stomachi proprie. Item Alex. fit aut ex indigestione ventris defecti, liber de doctrina greca kilia aliud uterus venter.
- B   **Ciliaca** passio est fluxus uentris uitio sto(\_).a. nam gre. kiliam uentrem uocant ut in passionario [sic] suo ca. et est kilia fundus sto(\_).a. proprie. Item Alexan. fit autem ex indigestione uentris defecti: liber de doctrina gr(\_). kilia koria aliud uter [sic] uenter.

2.99 De ciliacis Philomini (Lyons 1504, 52r-52v)

[**Ciliaca**<sup>100</sup> passiones et indigestiones ex indigestione [sic] ipsius ventris fiunt eo quod non p(otes)t ex ipsa defectione ministrare corpori nutrimentum. ...<sup>101</sup>

**Embalmata** (Transcript A, 1510, last accessed 12.03.12)

- A   **Embalmata** Alexan. ca. de medicinis ad frigidum stomachum, item de reumatismo ventris sunt intinctiones seu salsamenta in quibus morselli intinguntur.  
Embasmata AC | Embalmata B e | iunctiones A | intinctiones B e | inunctiones C

[Not 'Philumenu section'] 2.46 Ad frigidum stomachum embalmata<sup>102</sup> (Lyons 1504, 40v) [ms. A = inbamata]

40v: [**E**mbalmata ... [for Greek ἔμβαμμα [sic]]<sup>103</sup>

2.79 De reumate ventris Filominis [sic] (Lyons 1504, 47r-48v)

48r: Item **embalmata**<sup>104</sup> <sup>105</sup> [ms. A = bamata] hoc modo ad hoc conficiuntur. Cimino cum salis modico et aceto oleo confecto intingitur quod edendum est.

48v: Potest autem iuuare et scorpio piscis assatus et cum cimini praedicti **embalmate**<sup>106</sup> <sup>107</sup> datus et ostree in suis testis assate et sumpte.

**100** + gloss 'l': 'est fluxus ventris vitio stamachi [sic]' (52r).

**101** Cf. Mihăileanu, Fragmentele latine..., 140.20-141.1: 'Ciliaceae passiones ex indigestione ipsius ventris fiunt eo, quod ipse defectum patitur et non potest ex ipsa [141] defectione ministrare corpori nutrimenta.' [+ variants]. Cf. Puschmann, Nachträge zu Alexander Trallianus..., 64: 'Coeliaceae passiones ex indigestione ipsius ventris fiunt eo quod non potest ex ipsa defectione ministrare corpori nutrimentum.' [+ variants].

**102** + gloss 'f': 'sunt intinctiones seu salsamenta in quibus morselli intinguntur. Ian(\_).' (40v).

**103** Πρὸς κατεψυγμένον στόμαχον ἔμβαμμα - Puschmann, Alexander von Tralles..., II.305.27.

**104** + gloss 'c': 'sunt intinctiones seu salse [sic] in quibus morselli intinguntur. ian(\_).' (48r).

**105** Cf. Mihăileanu, Fragmentele latine..., 112.8: *embammata* [no variants]; cf. Puschmann, Nachträge zu Alexander Trallianus..., 26: *embammata* [no variants].

**106** + gloss 'a': 'id est salsamente.' (48v).

**107** Cf. Mihăileanu, Fragmentele latine..., 112.15: *embammate* [no variants]; cf. Puschmann, Nachträge zu Alexander Trallianus..., 26: *embammate* [no variants]

## Appendix 4

**Philagrius**<sup>108</sup> (All Transcript A, 1510, last accessed from *Simon Online* 10.03.12)

**Acantis egyptia:** please see Appendix 3, Philumenus

### **Arthomeli**

A      **Arthomeli** .g. panis cum melle factus Alex. ca. de cathaplasmatibus ad splenem cum ergo cognoveris et cetera.

B      **Artomeli** gr(...). panis cum melle factus Ale. capitulo de cataplasmatibus ad splenem cum ergo cognoveris et cetera.

2.129 *De cathaplasmate faciendo* (Lyons 1504, 56r-56v)

... Sepius autem sicut nouisti **artomelli**<sup>109 110</sup> usi sumus cum aqua. ...

### **Cinarum**

A      **Cinarum** .g. Alex. ca. de cura calide et humide distemperantie splenis.

B      **Cinaron** [sic] g(...). Alexan. ca. de cura ca. de. [sic] et hu[!] de distemperatione splenis.

2.109 *Curatio calide et humide distperantie* [sic] (Lyons 1504, 53v-[5]4r)

... Carnes autem recentes edulina **cunaram**<sup>111 112</sup> spondilis<sup>113</sup> asp(er)agus<sup>114</sup> brionia et salsa menta omnia. ...

### **Clindonas**

A      **Clindonas** greci Alexander ca. de ventositate splenis, clidonas enim greci vocant quando agitatur aqua sicut in utre ita in ventre.

B      **Clidonas** [sic] g(...). Alexan. ca. de uentositate splenis clidonas [sic] enim gre. uocant quando agitatur aqua sicut in utre ita in uentre.

2.115 *De ventositate splenis* (Lyons 1504, [5]4r)

... **Chimodas** [sic] [ms. A = **Clidonas**]<sup>115</sup> namque Greci dicunt quando agitatur sicut in utre aqua ita et in ventre. ...

---

108 2.104-50: Lyons 1504, 53r-59r.

109 + gloss "g": 'Artomelli grece panis cum melle factus. Ian(...).' (56r).

110 Cf. Masullo Rita, *Filagrio: Fragmenti* (Naples: Bibliopolis, 1999), 332.437: *artomeli* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 170.24: *artomele* [+ variants, 170-1]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 102: *artomelle* [+ n. 128: ἀρτόμελη].

111 + gloss 'o': 'id est anser.' (53v).

112 Cf. Masullo, *Filagrio...*, 316.93: *cinnara* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 152.10: *cinnara* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 78: *cinara* [+ variants].

113 + gloss 'p': 'id est caro spondilium.' (53v).

114 + gloss 'q': 'id est sp(er)agus.' (53v).

115 Cf. Masullo, *Filagrio...*, 319.161: *Clidonas* [no variants]; cf. Mihăileanu *Fragmentele latine...*, 155.16: *Clidonas* [no variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 84: *Clydonas* [no variants].

***Epilata***

A      ***Epilata*** .g. medicine laxative per os sumpte ut Alex. ca. de splene, nunc ergo dicendum et cetera, sunt maxime leves ut idem infra de epilatibus illa ergo danda et cetera.

B      ***Epilata*** gr(...). medi(...)e laxati(...)e per os sumpte ut Alex. capitulo de splene nunc ergo dandum [sic] est et cetera. sunt maxime lenes [sic] ut idem infra de opilato(n)ibus [sic] illa igitur danda et cetera.

**2.121 Curatio flegmonis in splene generati (Lyons 1504, 55r)**

[N]unc igitur dicendum est de inflammatione in splene generata. ... Alie quidem euacuationes sunt que per ventrem deponunt<sup>116</sup> quas Greci **epilatas**<sup>117</sup> vocant que sunt in primis utende. ...

**2.122 De epilatibus<sup>118 119</sup> (Lyons 1504, 55r)**

[E]pilata<sup>120</sup> igitur danda sunt que euacuare solent per ventrem qui continentur humores post flobothomum: habebis enim in hiis exemplum sicut in quarto libro de podagrīis scriptum est. Sunt enim **epilata** levia medicamenta qualia sunt herba mercurialis et polipodium et gincus<sup>121</sup> et acalafis<sup>122</sup> semen et hiis similia.

**2.127 De catartico aut apoziimate vel inunctionibus (Lyons 1504, 56r)**

[C]um ergo meliorata fuerit passio mutanda sunt adiutoria et purgandus est venter de **epilatis**<sup>123 124</sup> mitibus per os datis coccis in ptisanis / aut cum aqua danda sunt ad bibendum. ...

**2.134 Curatio scyron splenis (Lyons 1504, 57r)**

... Tunc a nobis duobus aut tribus diebus **epilatis**<sup>125 126</sup> catarticis purgatus est. ...

**2.137 De sanguine tollendo (Lyons 1504, 57r-57v)**

... Postea autem cum bene resolutum esset splen de **epilatis**<sup>127</sup> dedi catarticis et euacuui vacantes humores per ventrem fortioribus medicamentis [57v] id est antidotis dyacolloquintidos yere ...

**116** + gloss 'e': 'id est euacuant.' (55r).

**117** Cf. Masullo, *Filagrio...*, 325.272: *epilata* [+ variant]; cf. Mihăileanu, *Fragmentele latine...*, 161.7: *epilata* [no variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 92: *hypelata* [+ n. 73: ὑπέλατα].

**118** + gloss 'h': 'id est medicine laxatiue per os sumpte [sic]. *Ian*(...)'. (55r).

**119** Cf. Masullo, *Filagrio...*, 325.293: *epilatis* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 162.13: *epilatis* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 92: *hypelatis* [no variants].

**120** Cf. Masullo, *Filagrio...*, 325.293: *Epilata* [no variants]; cf. Mihăileanu, *Fragmentele latine...*, 162.13: *Epilata* [no variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 92: *Hypelata* [no variants].

**121** + gloss 'i': 'gincus est crocus hortulanus. *Ian*(...)'. (55r).

**122** + gloss 'k': 'id est urtice.' (55r).

**123** + gloss 'b': 'id est medicinis laxatiuis per os assumpis. [sic]' (56r).

**124** Cf. Masullo, *Filagrio...*, 330.386: *epilatis* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 168.5: *epilatis* [no variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 98: *hypelatis* [no variants].

**125** + gloss 'd': 'id est medicinis laxatiuis per os sumptis. [sic]' (57r).

**126** Cf. Masullo, *Filagrio...*, 336.522: *epilatis* [no variants]; cf. Mihăileanu, *Fragmentele latine...*, 175.11: *epilatis* [no variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 108: *hypelatis* [no variants].

**127** Cf. Masullo, *Filagrio...*, 338.567: *epilatis* [no variants]; cf. Mihăileanu, *Fragmentele latine...*, 177.11: *epilatis* [no variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 110-112: *hypelatis* [no variants].

**Epythyma ypotirion**

- A      **Epythyma ypotirion** idem Alex. de splene.  
B      **Epithima ypotirion** idem Alex. capitulo de splene.

2.145 **Epithima ypotirion**<sup>128</sup> (Lyons 1504, 58v)

[S]unt autem et alia epithimata<sup>129</sup> ad spleneticos et ydropicos que nominantur ypotirion<sup>130</sup> ...

**Eukrion**

- A      **Eukrion** Alex. de cura ventositatis splenis prassii **eucrion** et cetera.  
B      **Eukrion** Alex. de cura uentositatis splenis prassii **eukrion** et cetera.

2.116 *Curatio ventositatis* (Lyons 1504, [5]4r-[5]4v)

[[5]4v] ... Sed et alia sunt qualis est herpillus et thimus et lauri cortex et origanum. Et calamentum siccum et viride et piper et ruthe semen / et maxime si siluestris sit et pcedanum<sup>131</sup> [sic] et maxime opos<sup>132</sup> ipsius et costum et cardamomum et prassium. et **eucrion**<sup>133 134</sup> [ms. A = **ucrion**] et centaurea subtilis...

**Omotribum oleum**

- Omotribum oleum** Alex. ca. de cephaea, **omotribus oleum** inquit octobriscum et cetera.  
Idem in ca. de fomentis ad splenis inflationem. Item in ca. de linimentis ad podagram calidam, **oleo** inquit **omotribio** quod primo tempore fit et recipit folia olive ut sit amarum et cetera, Ga. vero xi. de ingenio, oleum onfacinum, ab aliis vero **omotrius**. i. ex acerbis olivis constructum et cetera.
- Omotribum oleum** Alex. ca. de cephaea **omotribum ol(eu)m** inquit .i. octobriscum et cetera idem in ca. de linimentis idem in c. de fomentatione ad splenis in fla(.)ationem idem in capitulo de linimentis ad podagram calidam **oll(e)o** [sic] inquit **omotribio** quod primo tempore fit et recipit folia olive ut sit amarum et cetera. Gal(.) uero in io [sic] de ingenio sanitatis ol(eu)m onfac(n)um [sic] ab aliis uero **omotrinos** [sic]. i. ex acerbis oliuis constructum et cetera.

---

128 Cf. Masullo, *Filagrio...*, 348.765: *Epitima ypotirion* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 186.1: *Epitima ypotirion* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 120: *Epithema hypotherion* [no variants].

129 Cf. Masullo, *Filagrio...*, 348.766: *epitimata* [no variants]; cf. Mihăileanu, *Fragmentele latine...*, 186.1: *epitimata* [no variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 120: *epithemata* [no variants].

130 Cf. Masullo, *Filagrio...*, 348.766: *ypotirion* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 186.2: *ipoterion* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 120: *hypotheria* [no variants].

131 + gloss 'm': 'id est feniculus porcinus.' ([5]4v).

132 + gloss 'n': 'id est succus.' ([5]4v).

133 + gloss 'o': 'eukrion per k scribit ianuensis allegans hunc passum. sed non exponit extimo quod sit eupatorium.' ([5]4v).

134 Cf. Masullo, *Filagrio...*, 321.197: *teucrion* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 157.11: *teucrion* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 86: *teucrium* [no variants].

**2.123** *De fomentationibus* (Lyons 1504, 55r-55v)  
 [55v] ... *Quod si calor sit mittendum est oleum **omotribe**<sup>135</sup><sup>136</sup> et rosa.* ...

[Not 'Philagrius section'] **2.155** *De ydrope asclite et tympanite* (Lyons 1504, 68v)  
 ... *Nihilominus autem faciende sunt fricationes cum sale et oleo **omotribro**<sup>137</sup> [sic] [for Greek ὡμοτριβός<sup>138</sup>] et sicionio<sup>139</sup> et ciprino.* ...

[Not 'Philagrius section', section on gout] **2.245** *De amplastris* (76r-76v)  
 [76v] ... *Quod si oleum roseum non adest cum oleo **omotribe** [sic] [for Greek ὡμοτριβές<sup>140</sup>] id est amaro quod primo tempore fit et recipit folia oliue ut sit amarum utilissimum est.* ...

[Not 'Philagrius section'] **1.40** *Curatio cephalargicorum* (Lyons 1504, 6r-6v)  
 ... *oportet adhibere et fomentationes cum altea vel oleo aut herbis in aqua coctis non satis calidis sed et robur habentibus ut confortare valeant caput quale est **omotribem** [6v] id est **octobrinum** [ms. A = **octobrisicum**] [for Greek ὡμοτριβής<sup>141</sup>] oleum .s. amarum quod primo tempore fit et accipit [sic] folia oliue ut sit amarum. utilissimum enim est.* ...

### Pegmata

A **Pegmata** .g. Alex. ca. de dieta inflationis splenis li. de doctrina .g. pegmata vel pigmata vel pigmenta.

B **Peginata** [sic] gr(...). Alex. ca. de dieta inflationis splenis liber de doctrina gr(...) peginata [sic]  
 pigmata pigmenta: [sic]

**2.105** *Signa frigide distemperantie splenis* (Lyons 1504, 53r)  
 ... *Qualia sunt aqua frigida ostrea sterilis<sup>142</sup> caro porcina pomorum copia accepta et diuersa **poma** [ms. A = **pimmata**<sup>143</sup> et maxime in estate accepta.* ...

<sup>135</sup> + gloss 'b': 'id est oleum oliuarum quod primo tempore fit et recipit folia oliue ut sit amarum. lanuensis.' (55v).

<sup>136</sup> Cf. Masullo, *Filagrio...*, 326.313: *omotribe* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 164.1: *omotribe* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 94: *omotribes* [+ n. 83: ὡμοτριβές].

<sup>137</sup> + gloss 'e': 'id est oleum oliuarum quod primo tempore fit et recipit folia oliue ut magis sit amarum.' (68v).

<sup>138</sup> Puschmann, *Alexander von Tralles...*, II.449.33.

<sup>139</sup> + gloss 'f': 'id est de radice cucumeris agrestis.' (68v).

<sup>140</sup> Puschmann, *Alexander von Tralles...*, II.517.20.

<sup>141</sup> Puschmann, *Alexander von Tralles...*, I.491.1

<sup>142</sup> + gloss 'r': 'id est omasa.' (53r).

<sup>143</sup> Cf. Masullo, *Filagrio...*, 312.15: *pemmata* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 148.16: *pemmata* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 74: *pemmata* [+ variants].

**Sisti**

A      **Sisti** etiam aliquando pro eodem alumine reperitur et etiam pro arsenico nam utrumque  
**scisile** est ut Alex. confectione ethionica ad splenem.

B      **Sisti** etiam aliquando pro eodem alu(m)i(n)e reperitur et etiam pro arsenico nam utrumque  
**scisille** [sic] est ut Alex. in conf(e)c(ti)one epithonica [sic] ad splenem.

2.141 *Confectio epithimatis atonotici<sup>144</sup> ad splen [sic] confortandum (Lyons 1504, 58r)*  
[M]edicamen quod supra diximus de arsenico et stiparea et confortatio ad splenem seu splenis  
athoram<sup>145</sup> quam superposui homini illi quem sepius memorauimus. quod recipit ... arsenici  
**sciscis**<sup>146 147</sup> ... auripigmenti **scissilis**<sup>148</sup> ... stipteree [ms. A = stipteria **scistis**]<sup>149</sup> ...

---

**144** + gloss 'b': 'id est confortatiui seu roboratiui.' (58r).

**145** + gloss 'c': 'debilitatem. lan(.)'. (58r).

**146** + gloss 'e': 'a loco.' (58r).

**147** Cf. Cf. Masullo, *Filagrio...*, 344.692: *scisto* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 181.18: *scisto* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 116: *scissi* [no variants].

**148** Cf. Masullo, *Filagrio...*, 344.693: *scissili* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 181.19: *scissili* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 116: omitted, and no variants.

**149** Cf. Masullo, *Filagrio...*, 344.693: *scistis* [+ variants]; cf. Mihăileanu, *Fragmentele latine...*, 181.19-182.1: *stipteria scistis* [+ variants]; cf. Puschmann, *Nachträge zu Alexander Trallianus...*, 116: *stypterae scissilis* [no variants].