

University of Huddersfield Repository

Barrett, Peter, Davies, Fay, Zhang, Yufan and Barrett, Lucinda

The impact of classroom design on pupils' learning: Final results of a holistic, multi-level analysis

Original Citation

Barrett, Peter, Davies, Fay, Zhang, Yufan and Barrett, Lucinda (2015) The impact of classroom design on pupils' learning: Final results of a holistic, multi-level analysis. Building and Environment, 89. pp. 118-133. ISSN 03601323

This version is available at http://eprints.hud.ac.uk/29830/

The University Repository is a digital collection of the research output of the University, available on Open Access. Copyright and Moral Rights for the items on this site are retained by the individual author and/or other copyright owners. Users may access full items free of charge; copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational or not-for-profit purposes without prior permission or charge, provided:

- The authors, title and full bibliographic details is credited in any copy;
- A hyperlink and/or URL is included for the original metadata page; and
- The content is not changed in any way.

For more information, including our policy and submission procedure, please contact the Repository Team at: E.mailbox@hud.ac.uk.

http://eprints.hud.ac.uk/

FISEVIER

Contents lists available at ScienceDirect

Building and Environment

journal homepage: www.elsevier.com/locate/buildenv



The impact of classroom design on pupils' learning: Final results of a holistic, multi-level analysis



Peter Barrett*, Fay Davies 1, Yufan Zhang 2, Lucinda Barrett 3

School of the Built Environment, Maxwell Building, University of Salford, Salford, M5 4WT, United Kingdom

ARTICLE INFO

Article history: Received 29 November 2014 Received in revised form 6 February 2015 Accepted 11 February 2015 Available online 20 February 2015

Keywords: School design Learning impacts Multi-level modelling Holistic Multi-sensory Evidence

ABSTRACT

Assessments have been made of 153 classrooms in 27 schools in order to identify the impact of the physical classroom features on the academic progress of the 3766 pupils who occupied each of those specific spaces.

This study confirms the utility of the naturalness, individuality and stimulation (or more memorably, SIN) conceptual model as a vehicle to organise and study the full range of sensory impacts experienced by an individual occupying a given space. In this particular case the naturalness design principle accounts for around 50% of the impact on learning, with the other two accounting for roughly a quarter each.

Within this structure, seven key design parameters have been identified that together explain 16% of the variation in pupils' academic progress achieved. These are Light, Temperature, Air Quality, Ownership, Flexibility, Complexity and Colour. The muted impact of the whole-building level of analysis provides some support for the importance of "inside-out design".

The identification of the impact of the built environment factors on learning progress is a major new finding for schools' research, but also suggests that the scale of the impact of building design on human performance and wellbeing in general, can be isolated and that it is non-trivial. It is argued that it makes sense to capitalise on this promising progress and to further develop these concepts and techniques.

© 2015 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY license (http://creativecommons.org/licenses/by/4.0/).

1. Introduction

1.1. Overview

This paper reports the final results of the HEAD (Holistic Evidence and Design) study of the impact of the design of primary school. The Aim of the project was to:

"To explore if there is any evidence for demonstrable impacts of school building design on the learning rates of pupils in primary schools". This is a focused study of a general issue, namely the impact, in

Phase 1 of the project was reported in 2013 [1] and included 751 pupils from seven schools in the Blackpool area of the UK. In Phase 2 data was collected in two further geographical locations in the UK and the data combined, increasing the sample size by around a factor of five, and incorporating many more schools, classrooms and pupils. See Fig. 1.

1.2. The research challenge/hypothesis

Internal environment quality (IEQ) research has understandably focused on the readily measurable aspects of: heat, light, sound and air quality, and although impressive individual sense impacts have been identified, Kim and de Dear [2] argue strongly that there is currently no consensus as to the relative importance of IEQ factors

practice, of physical spaces on human health and wellbeing. Primary schools are a good focus to address this knotty problem as: the pupils spend most of their time in one space (the classroom); there are available measures of their (in this case academic) performance; and maximising pupils' achievement is an important societal issue.

^{*} Corresponding author. School of the Built Environment, Room 400, Maxwell Building, University of Salford, Salford, M5 4WT, United Kingdom. Tel.: +44 (0) 7872 17 66 55, +44 (0) 161 2955588 (office); fax: +44 (0) 7872 17 66 55.

E-mail addresses: p.s.barrett@salford.ac.uk (P. Barrett), f.davies1@salford.ac.uk (F. Davies), y.zhang2@salford.ac.uk (Y. Zhang), l.c.barrett@salford.ac.uk (L. Barrett).

¹ Tel.: +44 (0) 161 2956571 (office).

² Tel.: +44 (0) 161 2957993 (office).

³ Tel.: +44 (0) 161 2955588 (office).




Fig. 1. Sample increased five-fold from Phase 1 to Phase 2.

for overall satisfaction. In parallel, a literature and area of practice has developed around "building performance" with a wide variety of typologies on offer [3,4]. The intelligence gained should feed forward into new designs, however, post-occupancy evaluations (POEs) are not commonplace and the lessons learnt are not generally available for use in practice [5]. In a recent benchmark for whole-life Building Performance Evaluation (BPE) [6] it is made clear that BPE aspires to objectivity using "actual performance of buildings [assessed through] established performance criteria ... objective, quantifiable and measurable 'hard' data, as opposed to soft criteria ... qualitative ... subjective" (pp27-28). However, in practice this is difficult and hardly anywhere amongst the collected chapters is such evidence actually delivered, with the most common approach being occupant surveys/interviews (p169).

Some specific aspects linked to "real" impacts have gained traction, for example Ulrich's [7] classic evidence of the positive healing effects of views of nature. But progress from this promising start still falls a long way short of comprehensively addressing the complexity of the design challenge. The difficulty of studying multiple dimensions is illustrated by the problems encountered when the impressive Heschong Mahone [8,9] daylighting studies extended to include other issues. The initial Heschong Mahone study [8] found children in classrooms with most daylighting and biggest windows progressed approximately 20% faster in maths and reading. The follow-up study [9] included thermal comfort, air quality, acoustic measures along with daylighting, but concluded the issue was more complex with daylighting having both positive and negative effects on learning. It is also evident in Tanner's struggle to analyse the multiple aspects impacting on learning rates in schools. His 2009 paper [10] is a second, more successful attempt, to more cleanly structure the possibly important design factors first mooted in his analysis in 2000 [11].

So there exists an important research challenge around the issue of better understanding, and evidencing, the holistic impacts of spaces on users. The work described here represents a radical exploration of a new direction. Rather than build up from the measurable dimensions of heat, light, sound and air quality, we have taken as a starting point the simple notion that the effect of the built environment on users is experienced via multiple sensory inputs in particular spaces, which are resolved in the users' brains. These mental mechanisms can provide a basis for understanding the combined effects of sensory inputs on users of buildings at a level of resolution where "emergent properties" [12] may be evident. Until recently the only exemplar study using this sort of thinking was focused on Alzheimer's care facilities [13]. The implication is that the broad structuring of the brain's functioning can be used to drive the selection and organisation of the environmental factors to be considered, not just their inherent measurability. Drawing from Roll's [14] detailed description of the brain's implicit systems, a novel organising model has been developed and proposed [15] that reflects: the human "hardwired" response to the availability of healthy, natural elements of our environments; our desire to be able to interact with spaces to address our individual preferences; and the various levels of stimulation appropriate to users engaged in different activities. Thus three dimensions, or design principles, have been used to suggest and structure the factors to be considered, namely:

- *Naturalness*: light, sound, temperature, air quality and links to nature;
- Individualisation: ownership, flexibility and connection;
- *Stimulation* (appropriate level of): complexity and colour.

Within this structure the full range of relevant factors (e.g. light, layout, etc.) that might be elements of "good" design for a particular scenario (school) can be grouped, so providing a clear and balanced set of factors to be tested. These go well beyond the usual "big four". The utility of this approach depends, of course, on whether it allows clearer insights to be derived through practical research.

The underpinning hypothesis is that pupils' academic progress will be dependent on a full range of factors drawn from across all three of the design principles.

1.3. Existing research on aspects of learning environments

Using the above three-part structure a brief summary is provided below of relevant research findings, focused on the impacts of various elements of school environments. Empirical studies of the individual factors that appear to influence pupils' performance and well-being are summarized here and will be compared with the findings of this study in the 'Discussion' (Section 5).

1.3.1. Naturalness

The Naturalness principle relates to the environmental parameters that are required for physical comfort. These are light, sound, temperature, air quality and 'links to nature'. In particular there are specific requirements needed for children's learning environments. Each of the parameters has been individually researched. Natural light is known to regulate sleep/wake cycles [16] and what level of daylighting is optimum is still an area of active research [8-10]. With regard to classroom acoustics Crandell and Smaldino [17] define the important metrics and Picard and Bradley [18] note that noise levels in classrooms are usually far in excess of optimal conditions for understanding speech. It has been shown that for 10-12 years olds numerical and language test speeds increased when temperature was reduced slightly and ventilation rates were increased [19]. In their study Daisey et al. [20] conclude that ventilation rates are inadequate in many schools and there is a risk to health. Research also suggests evidence of profound benefits of the experience of nature for children, owing to their greater mental plasticity and vulnerability [21,22].

1.3.2. Individualisation

The Individualisation principle relates to how well the classroom meets the needs of a particular group of children. It is made up of Ownership, Flexibility and Connection parameters. Ownership is the first element and is a measure of both how identifiable and personalized the room is. Flexibility is a measure of how the room addresses the need of a particular age group and any changing pedagogy. Connection is a measure of how readily the pupils can connect to the rest of the school. In this area there is a focus on how to make a personally optimized built environment that can benefit a pupil's learning process and behaviour. For example, it is argued that intimate and personalised spaces are better for absorbing, memorizing and recalling information [23]. When children feel ownership of the classroom, it appears the stage is set for cultivating feelings of responsibility [24]. Classrooms and hallways that feature the products of students' intellectual engagements—representations of academic concepts, projects, displays, and construction are also found to promote greater participation and involvement in the learning process [25]. Building Bulletin 99 (2006) [26] specified that the flexibility must be a key design requirement within the brief. Flexibility is needed to allow for different activities within the classroom and/or the needs of different users. The inclusion of Connection within Individualization is demonstrated by Tanner [10] and Zeisel et al. [13] who emphasize that clearly marked pathways to activity areas improve utilization of space and performance metrics.

1.3.3. Stimulation

The Stimulation principle relates to how exciting and vibrant the classroom is. It has two parameters of Complexity and Colour. Colour is straightforward, but does encompass all the colour elements in the room. Complexity is a measure of how the different elements in the room combine to create a visually coherent and structured, or random and chaotic environment. It has been suggested that focused attention is crucially important for learning. Therefore, maintaining focused attention in classroom environments may be particularly challenging for young children because the visual features in the classroom may tax their still-developing and fragile ability to actively maintain task goals and ignore distractions [27]. Colour research shows room colour has an effect on both emotions and physiology causing mood swings that can have an impact on performance [28].

Clearly from the literature it can be anticipated that the built environment of the classrooms will have a great impact on pupils' academic performance, health and wellbeing. However, how these aspects impact in combination has, up to now, been unclear. In other words how the sort of factors discussed above behave in the context of all of the others adds a level of complication that has confounded a clear view of the contribution of the physical space — despite all of the atomised evidence. Thus, the Education Endowment Foundation in its well respected reviews of factors influencing pupil learning concluded in 2014 that: "changes to the physical environment of schools are unlikely to have a direct effect on learning beyond the extremes." [29].

The HEAD Project seeks to bridge the gulf between what is a high level of confidence in the literature about some of the different elements, and a lack of convincing evidence concerning their combined effects in practice.

1.4. Structure of the paper

The next section (2) picks up this challenge by setting out the distinctive conceptual approach taken within the HEAD Project. Section 3 turns to methods and sets out the sample used and provides an explanation of the multi-level modelling approach employed. Section 4 gives the results and these are discussed in the context of the existing literature in Section 5. Finally, conclusions are drawn in Section 6.

2. Theoretical approach

2.1. Overview of planned methodology

Drawing on the discussion above, Fig. 2 places the individual pupil at the centre of the analysis, with a vertical flow from their starting position academically and individual characteristics; to

their year spent in the classroom; to the output in terms of their academic improvement, but possibly other aspects too, such as behavioural outcomes. This individual journey is sandwiched between non-built environment factors, such as the effect of teachers, and the built/physical features of the school environment. These latter draw on the full wealth of possible aspects, but structured into the typology of naturalness, individualisation and stimulation.

To operationalize these physical factors it was necessary to create a coherent range of factors to be measured that it could be hypothesised have impacts on learning progress. This process is described in the next subsection. The research approach adopted calls for diversity in the sample across all of the elements of the above model so that there is the opportunity to reveal the impacts of variations in the factors. This aspect of the study is covered in Section 3, together with the use made of multi-level modelling (MLM) to isolate the individual pupil effects from the impacts connected to the school built environment (BE).

2.2. Environment-behaviour (E-B) model

Following the approach taken by Zeisel [13] an "Environment-Behaviour factors model" was built drawing on the available literature, but also informed by preparatory surveys of pupils [30], teachers [31] and post-occupancy evaluations of schools [32]. The E-B model was first structured by the main three "design principles", namely naturalness, individualisation and stimulation. Each of these was then broken down into "design parameters", of which there are ten in total, and these in turn were expanded into eighteen more detailed "indicators". These were then underpinned by thirty more detailed, measurable, "factors". Table 1 summarises these different levels down to the design factors thought to impact on a pupil's learning progress, and including the criteria for a high rating in each case.

The initial model was developed during Phase 1 of the project [1]. The fine-grained changes made to the final E-B Model, compared with that used in Phase 1, are detailed in Tables A1 and A2 in the Appendix.

3. Data collection and statistical methodology

This section describes: the sample selection, driven by the desire for variety in our studied variables; the way measures were constructed; and the approach taken to the analysis.

3.1. Geographical/national context

All investigated schools are in England, UK. England has a temperate maritime climate due to its proximity to the warm Atlantic Ocean shores and lies in the path of a prevailing westerly wind. It has a mild temperature with warm summers, cool winters and plentiful precipitation throughout the year, rather than seasonal extremes of hot and cold. This study focused on the learning progress in a given year, between 2011 and 2012 (Blackpool) and 2012-2013 (Hampshire and Ealing in London). From UK Met Office data, the average annual temperature for those two years was 10.1 °C, varying from 4.5 °C in January to 16.0 °C in August. The average monthly rainfall was 76.6 mm. December was the wettest month in both years with 103.9 mm (2011) and 148.9 mm (2012) of total rainfall. By contrast, April 2011 and March 2012 were the driest (11.6 mm and 26.5 mm respectively). Total sunshine hours in both years are quite similar, 1553.3 h in 2011, 98.2 h more than in 2012. Although difficult to be precise owing to within-area variations, these three local authority areas represent a broad spread of socio-economic conditions.




Fig. 2. Overview of HEAD research design (with examples of BE factors).

Education in England is overseen by the Department for Education. For primary schools, Local Authorities (LAs) take the great majority of the responsibility for implementing policy for public education and state schools at a local level. Children start primary school either in the year, or the term, in which they reach five years old. All LA schools are obliged to follow a centralized National Curriculum (NC), with an emphasis on reading, writing and arithmetic.

In the earlier years at primary school, made up of a "reception" year, year 1 and year 2 and known in the UK as Key Stage 1, (hereafter KS1), pupils are introduced to learning with an emphasis on play. During the last four years at primary school, that is years 3–6 and known as Key Stage 2 (hereafter KS2), the approach progressively becomes more formal. In many schools this transition is gradual, through the year groups. Throughout, in mainstream schools, there is apparent a "mixed teaching methods" approach, utilising different learning zones to varying degrees, to support combinations of didactic, independent and group learning.

3.2. Schools

In UK schools, primary pupils, spend the majority of their time in one classroom making this age group the ideal focus for this study. Building on an initial pilot phase [1], this study overall collected data from 30 schools, in three local authority areas, in the UK. The pilot study looked at 10 schools within the Blackpool local authority. Blackpool is a coastal town in the North-West of England with relatively high rates (approximately 30%) of child poverty. To increase the size and variety of the sample, ten, diverse schools were additionally selected from the Hampshire local authority area. Hampshire is primarily a rural area in southern England, which includes the coastal city of Portsmouth. It has, on average, low levels (approximately 11%) of children on Free School Meals (FSM), which is a measure of child poverty used regularly in the UK. The third, very different area, chosen was the Outer (West) London area of Ealing. Ten more schools were selected in this urban area, with high density housing and high levels of children with English as an Additional Language (EAL). These are pupils that often speak a different language when at home and can start formal education with little or no knowledge of English.

The 30 schools within the study were chosen to have a wide spectrum of different architectures, built at different times and of different sizes. Two schools in Blackpool were "special" schools and were not used in the final analysis (Schools 2 and 10) and one dropped out part way through for local reasons (School 1). The remaining 27 schools ranged from small, mixed year group, village schools, with 103 pupils, to multi-year intake schools, with 819 pupils. The ages of the buildings ranged from Victorian (circa 1880's), to post 2000 builds. Among other metrics, school site area was also measured; the smallest being 858 m² and the largest being greater than 40,000 m² (Table 2). There is clearly a good diversity of physical characteristics amongst this sample.

3.3. Classrooms

The aim at the outset was to gain the widest possible range of classrooms. However, it was found that in many reception classes it was not possible to obtain pupil performance measures that were comparable to those in the later years. Consequently of 203 classes studied only 153 classes from Years 1–6 were used in the final analysis.

The architectural data collection consisted of two complementary surveys in each school, carried out on the same day: a very detailed survey for each selected classroom and a whole school survey, taking measures of shared spaces, eg. libraries, assembly halls, gyms, outdoor areas. In the classroom survey:

 Hard measures were taken, such as: room dimensions, size of windows, placement of doors and Interactive whiteboard (IWB), desk arrangement and learning zone layouts. A range of further factors was assessed in each classroom to create a database of measurements covering all of the hypothesised "indicators" in play. These included aspects, such as: how much control there was of the classroom environment, for example the presence of a radiator thermostat or air conditioning; how the children used the space, whether they had their own coat pegs and the quality of the desks and chairs; and the colour of decorations and

Table 1 Environment-behaviour factors model.

Design principles	Design parameters	Ind	licators	Fac	tors	Measurement criteria making up high rating
Naturalness	Light	A	The quality and quantity of natural light the classroom can receive.	1	Glazing orientation	Larger windows from orientations with no direct sun (glare).
		В	The degree to which the lighting level can be controlled	2	Glazing area/floor area Quality of the electrical lighting	Both more and better quality
	Sound	С	The frequency of the noise disturbance	4 5	Shading covering control Noise from the school outside	Blinds with good functionality/quality Large distance from traffic noise or presence of buffer zone.
				6	Noise from the school inside	Large distance from playground or busy areas.
		D	The degree to which the pupils can hear clearly what the teachers say	7	Length/width	Higher L/W ratio.
			,	8	Carpet area of the room	More coverage is better.
	Temperature	E	The quality and quantity of sun heat the classroom receives.	9	Orientation and shading control	Rooms with little sun heat, whether by orientation or shading.
		F	The degree to which the central heating system can be controlled	10	Central heating control	Thermostat and radiators in classrooms give better control.
	Air quality	G	The degree of respiration that affects the CO ₂ level in a fully occupied classroom	11	Room volume	Greater volume is better.
		Н	The degree to which air changes can be adjusted manually	12	Opening window size and position	More opening choices and bigger opening area.
			can be adjusted mandany	13	Mechanical ventilation (MV)	MV present
	Links to nature	I	The degree to which the pupils can get access to natural elements	14	Access to nature	Door directly to outside. Plants, and wooden chairs/desks in the room
		J	The degree to which views of nature are available through the window	15	View out	Window sills below child's eye level and interesting or green near and far views.
Individualisation	Ownership	K	The degree to which distinct characteristics of the classroom allow a sense of ownership	16	Distinct design features	Originality or novelty character to room. Personalised lockers or coat hooks.
			m I I I I I I I I I I I I	17	Nature of the display	Child made display.
		L	The degree to which the FF&E are comfortable, supporting the learning and teaching	18	Quality of the furniture, fixture and equipment (FF&E)	Ergonomic and good quality furniture appropriate for age group.
				19	Quality of the chairs and desks	Ergonomic and good quality desks and chairs appropriate for age group.
	Flexibility	M	The degree to which the pupils have an appropriate provision of space	20	Classroom floor area and shape: Key Stage appropriate.	Larger rooms with simpler shapes for older pupils, but more varied plan shapes for younger pupils.
				21	Breakout and storage space attached to the classroom	An attached & dedicated room for breakout and widened corridor
		N	The degree to which the classroom and wall area allows varied learning methods and activities	22	Learning zones: number of zones key stage appropriate.	for storage. A greater number of well-defined zones for play based learning, fewer zones and more formal zones for older pupils.
	Connection	0	The presence of a wide pathway and orienting objects with identifiable	23 24	Wall area for display opportunities Corridor width	Larger is better. Wider is better.
			destinations	25	Orienting corridor	Displays, landmarks, and daylight with views towards the outside
Stimulation, Appropriate	Complexity	P	The degree to which the classroom provides appropriate visual diversity	26	Visual diversity of layout and ceiling	along the pathway. Curvilinear effect: Overall visual complexity including room layout
level of		Q	The degree to which the display provide appropriate visual diversity	27	Visual diversity of display	and displays should be balanced; not too high nor too sterile.
	Colour	R	The degree to which the 'colour mood' is appropriate for the learning	28	Wall colour and area	Light/white walls with bright highlights or feature wall.
			and teaching	29 30	Colours of blinds, carpet, chairs& desks Display colour	Bright colour works better. Bright colour works better.

complexity of displays within the classroom. The measures are shown summarized as the factors in Table 1 and the creation of the metrics for each is discussed below.

- In addition five spot meter readings were taken in each of the rooms to assess the environmental conditions at the time of the visit. Lighting levels, CO₂ levels, Temperature, noise levels and
- relative humidity were recorded. These measurements were used to provide an enhanced opportunity for the researchers to identify potential problem areas. However, the measurements were not used directly in the metrics created.
- Lastly, a questionnaire-based interview was also completed, investigating each teacher's experience of *their* classroom. These

Table 2Basic metrics of the school sample

School	Site	Location	Year built	Site area (m ²)	Ground floor area (m ²)	Total floor area (m²)	Total pupils	Admissions total classes	Age range
1	Open	Between	2002	15,621	2905	3059	451	14	3-11
2	Compact	Urban	1970s	7244	1880	1880	79	10	2-19
3	Open	Between	1970s	30,316	3346	3466	430	14	3-11
4	Compact	Between	2000	7229	3467	4407	442	14	3-11
5	Compact	Between	1920	7938	3039	4300	619	21	4-11
6	Compact	Urban	1902	7212	3412	5666	464	14	3-11
7	Compact	Urban	2006	9950	2237	5389	480	14	3-11
8	Compact	Urban	1900	1754	935	1130	211	7	4-11
9	Open	Between	1990	17,751	1667	1667	143	6	3-11
10	Compact	Between	1950s	858	183	366	12	2	4-15
11	Open	Urban	1960s	25,574	1383	1383	163	7	4-11
12	Open	Urban	2000s	40,018	1965	1965	202	7	4-11
13	Open	Urban	1990s	32,110	3033	3033	622	21	4-11
14	Open	Rural	1963	7548	980	980	203	7	4-11
15	Open	Urban	1970s	21614	2106	2506	352	14	4-11
16	Open	Urban	1970s	27,126	1329	1329	175	7	4-11
17	Open	Rural	1950s	11508	1265	1265	185	7	5-11
18	Open	Between	1950s	27,687	2650	2721	407	14	5-11
19	Open	Urban	1990s	27,810	2284	2284	427	14	4-11
20	Open	Rural	1880s	7732	853	936	103	4	5-11
21	Compact	Urban	1968	10,312	1718	2870	468	14	4-11
22	Compact	Urban	1911	9838	2778	3900	600	19	4-11
23	Compact	Urban	1921	5539	1156	1971	239	8	4-11
24	Open	Between	1967	12,311	1946	1992	235	8	4-11
25	Open	Between	1952	20,489	2877	2873	493	16	4-11
26	Compact	Urban	1999	21,220	3170	4252	819	24	4-11
27	Compact	Urban	1906	6006	1471	3816	510	18	5-11
28	Compact	Urban	2004	14,787	2229	3759	517	17	5-11
29	Compact	Urban	1920	6014	1300	2318	272	9	4-11
30	Compact	Urban	1980	10,624	2297	2808	402	14	4-11

questions sought the teachers' opinions of the teaching spaces as they performed through the whole year (as opposed to the above spot measurements). They covered issues like, for example, whether glare was a problem, and if so when. Again the responses to the teachers' questionnaires were not used in the metrics that produced the final results in this study, however they did help the researchers in highlighting potentially important factors to consider.

For each of the factors in Table 1 a 5-point rating scale was used to make an assessment, drawing from the above data, of the characteristics of the factor over the study year. As far as possible this employed simple physical measurements, such as the size and orientation of the windows in relation to daylighting. However, for some factors it was necessary to employ "expert judgement" to give a comprehensive treatment of all of the hypothesised factors. An example of an area where such judgement had to be used concerns the visual complexity of displays. Experimenter bias/internal validity was addressed by separate researchers making assessments and then comparing and establishing a consistent approach, in this case based on assessing both coverage and coherence. As an indication of how the ratings were scored Table 1 shows the criteria which make up the highest ratings in each of the factor categories. The factor scores were averaged to build the ten HEAD design parameters; Light, Sound, Temperature, Air Quality, Links to Nature, Ownership, Flexibility, Connection, Complexity, Colour. Descriptive statistics for the HEAD design parameters are shown in Table 3. Here it can be seen that the sample again displays a good level of variation in the all of the factors.

3.4. Pupils

The HEAD project surveyed 203 classrooms from 30 schools and collected performance statistics from 4924 pupils. Data used in the

final results came from 153 classes in 27 schools and 3766 pupils. For each pupil it was essential that the specific classroom they had occupied was identified, so that in the analysis the "pupil effects" could be identified as distinct from "classroom effects". The pupils were in Years 1—6. The data needed for the study was the pupil grade at the start of the academic year and pupil grade at the end of the year. Grades were collected for three subjects: Reading, Writing and Maths.

Children in KS1 are assessed using a variety of performance systems. National Curriculum, hereafter NC, levels start at Level 1c with an equivalent NC point score of 7, (Table 4) so children working at or above these NC levels were used in this study. Some schools also used P scales at KS1, and again this data was used. However some children were assessed on a 9-point Foundation Stage Profile which had been introduced, but then rapidly replaced by a much simpler 3-point version. For KS1 pupils in this study it was found that the later 3-point scale did not include enough detail to place the pupils on the NC equivalent points system, so these

Table 3Basic metrics of the classroom sample.

	N	Minimum	Maximum	Mean	Std. deviation
Naturalness					
Light	153	1.72	3.82	2.572	0.422
Sound	153	1.44	4.25	3.011	0.634
Temperature	153	1.00	5.00	1.876	1.126
Air Quality	153	1.38	4.75	2.729	0.654
Links to Nature	153	1.17	3.33	2.168	0.505
Individualisation					
Ownership	153	1.99	4.70	3.464	0.598
Flexibility	153	1.86	4.00	2.974	0.485
Connection	153	1.00	5.00	3.131	1.306
Stimulation					
Complexity	153	1.00	5.00	3.540	1.007
Colour	153	1.60	4.60	2.988	0.574

Table 4
Conversion of National Curriculum (NC) levels to NC points.

	Level	NC point score
P-levels	P1i	0.5
	P1ii	0.7
	P2i	0.9
	P2ii	1.1
	P3i	1.3
	P3ii	1.5
	P4	2
	P5	3
	P6	4
	P7	5
	P8	6
NC levels	1c	7
	1b	9
	1a	11
	2c	13
	2b	15
	2a	17
	3c	19
	3b	21
	3a	23
	4c	25

pupils were not used. It was also common to find schools giving progress as 'working towards' which again could not be used.

UK pupils throughout KS2 are normally assessed using the NC levels shown in Table 4. Each NC level has 3 sublevels (denoted by a, b and c) and on average pupils are expected to achieve progress of 2 sublevels per year in each subject. National tests are taken at the end of Year 2 (KS1 test) and at the end of Year 6 (KS2 test). An average pupil is expected to be at level 2b at the end of KS1 and progress to level 4b by the end of KS2. For pupils studying at KS2, who have been assessed as having special educational needs a P scale, which leads into NC levels is used (see Table 4). For pupils in KS2 who have English as an Additional Language (EAL) a separate 5-point EAL scale is used by teachers (not shown).

For analyses of performance statistics, the NC levels were converted to a NC points score as given in Table 4. With the EAL pupils below the 4th point in the EAL scale there is no equivalent NC points score so these pupils, who have no verbal or written skill in English, were not used. Pupils at the 4th and 5th EAL points are considered to be working at the low end and high end of the NC level 1, so were converted to level 1c and level 1a respectively.

The final tally of pupil data was 447 pupils in Year 1, 606 in Year 2, 744 in Year 3, 656 in Year 4, 708 in Year 5 and 605 in Year 6. For each pupil the NC points at the start of the year and at the end of the year were used to create a measure of pupil progress in NC points. The progress points were added together for each of three subjects (Reading, Writing and Maths) to create an Overall Progress score. Overall Progress is the dependent variable in our regression analysis. It has been grand mean centred over all 3766 pupils. The summary statistics for the learning measures used are given in Table 5. It can be seen that the mean progress for the pupils in the survey population is 11.90 NC points, where 12 NC points would equate to two sublevels in each of the three subjects, which is the "expected" progress mentioned previously.

To enhance the analysis of factors associated with the individual pupils, schools were also asked to provide extra contextual data in the form of date of birth, gender, date of first class of the year, date of last class of the year, attendance rate and whether the pupil was in any of the government classifications of Free School Meals (FSM — a measure of deprivation), EAL or Special Educational Needs (SEN). Date of first and last class and attendance rate were collected to ensure pupils could be excluded from the study where they had

Table 5Descriptive statistics for pupil NC points score.

	Minimum	Maximum	Mean	Standard deviation
Total NC start points	4	101	50.57	20.07
Total NC end points	9	111	62.47	19.30
Overall progress in NC points	-10^{a}	40	11.90	4.78

^a It is the case that some pupils went backwards in the course of the year.

poor attendance or had not been in the class for the whole year of study. In total there were 669 pupils (18%) rated as SEN, 874 children (23%) with EAL, and 775 pupils (21%) with FSM status.

As a starting point in the study several pupil factors had to be controlled for. Because pupils learn at different rates from year to year over their school life, the start grade of a child, compared to the average start grade in that year group is a key indicator of their potential progress. Start grade was therefore group mean centred on age (a proxy for year group) and is termed 'Weighted start-onage' in this study. Pupils in the UK are almost always taught in classes of the same age. The start grade was also grand mean centred on the whole dataset to form a second explanatory variable which relates to how far a pupil is along their learning journey through the KS1 and KS2 syllabuses. This is termed the 'Weighted start'. Other explanatory variables are straightforward such as gender, FSM, EAL and SEN. Two further variables were also created for the study; Actual Age, which is the grand mean centred age in months for the child, and the Months Age, which is the number of months the child is past their birthday at the start of the academic year. This gave the relative age in months of the pupil compared to their year group, that is, if they were "old" or "young" in their year.

As a final step in creating the pupil variables for the study, the Overall Progress, the Weighted Start-on-age, the Weighted Start, the Actual Age and the Months Age variables were 'normalized'. This process involved calculating the variance from the mean of the data set for each datum and then dividing by the standard deviation of the data set.

Again it can be seen that the pupil population displays a lot of variety across the measures used and in terms of features such as FSM, EAL and SEN.

3.5. Modelling strategy

The analysis followed two broad steps. First the influence on learning of each of the factors being studied was addressed separately through bivariate analysis. Then, once the measures likely to be in play had been identified, and any inadvertent intercorrelations had been minimised, a multi-level analysis of their combined effects was carried out. This latter part is the more unusual and so is described in greater detail below.

In this study we aimed to model pupil Overall Progress, which is a continuous variable, using a linear regression model. Because pupils learn together in classrooms we expected the pupil progress between pupils sharing the same classroom environment to be more correlated than pupil progress between pupils in different classrooms. For this reason we needed to use a type of linear regression model that allowed data to be clustered in groups, called a multi-level model (MLM). MLM analysis allows modelling of the variance-covariance matrix from the data directly so that the normal requirement of homogeneity of variance across the whole dataset can be dropped [33].

The structure of the MLM needed for this study was a two level model where pupils at Level 1 are nested within classrooms at Level 2. A three level model, with pupils (Level 1) nested within classrooms (Level 2), and classrooms nested within schools (Level 3),

was also tested but not used in the final analysis. This will be discussed more fully in the results. The term 'nested' is used as each child only learns in one classroom, and each classroom is only within one school.

MLM analysis also allows unexplained variance to be identified at each of the model levels. For example in the case of the influence of teachers, our efforts to create measures were unsuccessful owing to understandable confidentiality concerns. Thus, it is assumed that this important element is left in the unexplained variance at the classroom level. Nye et al.'s meta-analysis scales the magnitude of the teacher effect at somewhere between 7 and 21% of the variance in pupils' achievement gains [34].

A specialist modelling software package MLwiN [35] was used for the study. The modelling procedure follows that outlined by West et al. (2007) for a two level model with clustered data. The initial Level 1 (pupil) model was written as:

Overall Progress_{ij} =
$$\beta_{0j} + e_{ij}$$

Where $Overall\ Progress_{ij}$ is the individual Overall Progress for child i in classroom j which depends on β_{0j} , the intercept (mean value) for classroom j plus a residual, e_{ij} , associated with each child. The initial Level 2 (classroom) model was:

$$\beta_{0j} = \gamma_{00} + u_{0j}$$

Where the intercept specific to classroom j (mean value in classroom j) depends on an overall fixed intercept γ_{00} plus a random effect u_{0j} associated with classroom j. The overall mixed level model was given by:

Overall Progress_{ij} =
$$\gamma_{00} + u_{0i} + e_{ij}$$
.

After building the basic structure of the regression model, the explanatory variables could then be added. As a test of the efficacy of an additional explanatory variable to improve the model, a likelihood ratio test was carried out. The '-2*log-likelihood' function was calculated for each of the competing models, that is the simpler model and that with the additional factor. Then, to test if the latter model was a significant improvement, a comparison was made of the difference in '-2*log-likelihood' between the two models taking a chi-squared distribution on 1 degree of freedom. This was repeated for each added explanatory variable (Chapter 2.5 [36]).

The next step in building the model involved adding the explanatory variables both at Level 1 and at Level 2. Following the procedure outlined in West et al. [37] explanatory variables at Level 1 were added first using a 'Step-up' procedure. The two primary predictors of pupil progress that we were using in this study were the start grades for each child; Weighted Start and Weighted Start-on-age. These two variables were added sequentially and the significance of the model improvement noted using the -2*loglikelihood statistic at each step. The model was then improved by adding the random effects on one of the Level 1 variables. The best improvement was found when a random effects variable is added to the Weighted Start-on-age. As we allowed the intercept value to vary according to which classroom a pupil was in using coefficient β _0j, we then allowed the slope of the line to vary according to classroom with the coefficient β_1 . This coefficient describes the relationship between the average Overall Progress and the average start level compared to children in the same year. This type of MLM is sometimes called a random slope model [36].

Each of the other Level 1 explanatory variables were added to the Level 1 model and the '-2*log-likelihood' tested to make sure the variables made a significant improvement to the model.

There is deemed to be a significant change where the p < 0.05 (2 tailed). The step-up procedure is used when each of the explanatory variables to be added are independent of each other. In this case gender, age and the key pupil metrics of FSM, EAL and SEN were all independent of each other.

The second part of the process involved adding the classroom explanatory variables at Level 2. Each environmental factor was tested individually by creating a model with just this environmental factor, and there was deemed to be a significant change where the p < 0.05 (2 tailed). With the remaining variables there were still inadvertent correlations between some of the factors (see 4.1 below). Because of this a top-down approach was used when adding these variables so that the fitted model showed the combined effect of all these factors, before each factor was removed to test for its individual significance in the overall model [37]. As each remaining classroom parameter was sequentially removed the '-2*log-likelihood' was compared to the full model to see if there was a significant change (p < 0.10, 2 tailed). Where the presence of the parameter significantly improved the model, it was retained; if not, then it was left out. Once all of the parameters that were not significant had been removed, a further procedure was carried out by adding back in each of the rejected parameters. This last step is important as the classroom parameters, because of their intercorrelation, had an impact on each other. A higher p-value limit was allowed in the final test as both the bivariate analysis and the individual modelling results had already shown the significance of each individual classroom parameter at the higher level.

4. Results

4.1. Initial analysis

In the initial bivariate analysis (Table 6), focussing on the pupil factors first: the start scores were significantly negatively correlated with the Overall Progress. This means that the higher the start score the less progress was made. This is also true for the Actual Age measure. The children in older classes made less progress. The correlation for gender is not significant, so males and females did not make significantly different Overall Progress. Children on FSM have poorer progress, as do SEN children. EAL pupils on average have significantly better Overall Progress. These

Table 6Pearson correlation between each variable and each pupil's overall progress.

Variable type	Factor		Overall progress
Pupil	Weight start		277 ^b
-	Weighted start-on-age	9	084^{b}
	Actual age		242^{b}
	Months age		002
	Gender		007
	FSM		039^{a}
	EAL		.120 ^b
	SEN		139 ^b
Environmental	Naturalness	Light	.159 ^b
		Sound	.042 ^b
		Temperature	.105 ^b
		Air Quality	.122 ^b
		Links to Nature	.153 ^b
	Individualization	Ownership	.145 ^b
		Flexibility	.153 ^b
		Connection	.131 ^b
	Level of Stimulation	Complexity	.181 ^b
		Colour	.177 ^b

^a Indicates correlation significant at the 5% level.

^b Indicates correlation significant at the 1% level.

are significant influences that clearly had to be taken into account in the MLM if the impact of the environmental factors was to be isolated.

In the development of the environmental factors, scatterplots were initially produced to examine the relationship between pupil progress and each of the measures in isolation. Elements were retained in the study where a broad relationship was confirmed between the pupil progress and the measure. Particular note was taken when non-linear relationships were observed (see below) and for these factors curvilinear scales were created.

Correlations of Overall Progress for each pupil against environmental measures showed all ten parameters were positively correlated with progress. Of the five *Naturalness* parameters Light has the highest correlation with Overall progress. In the formulation of the Light parameter the highest quantity of natural and electrical light, but without direct sunlight, was found to be optimum. Too much direct sunlight into the classroom was found to cause a glare problem. In the *Individualization* theme all three parameters were found to be significantly positively correlated. For the *Level of Stimulation* parameters the two factors of Complexity and Colour were both found to be curvilinear and an intermediate level of the parameter was found to be optimum. For example both high Complexity and low Complexity classrooms scored poorly, while intermediate values of Complexity scored highly.

In the creation of the measures for the factors we endeavoured as far as possible to remove cases of high inter-correlation between the measures, given the attendant concern of double-counting. However, the driving focus had to remain on representing the hypothesised influences on learning being tested. Consequently there were some instances of parameters with significant correlations, for example, for the parameters Light and Air Quality the correlation stands at 0.312. This was owing to Light including a measure of 'window size', while Air Quality included a measure of 'open-able window size'. Against this context, Table 7 shows the inter correlations between the parameters.

4.2. Multi-level model

Multilevel modelling allows nesting of children within class-rooms. Within a two level model variance was then partitioned between the two levels: pupil level and classroom level. Using the explanatory variables to fit a statistical model allowed some of the variance at each of the levels to be reduced. The empty, or null, two level model, as it is initially set up, without any explanatory variables describes the partition between variance at the pupil level and at the class level. In our data set for the Overall Progress the empty model partitions approximately 55% of the variance into the

Table 8Parameter estimates and standard errors for factors significant in the MLM

Factors		Paramete estimate	r Standard error
		- Communic	
Intercept		0.070	0.046
Weighted Start		-0.348	0.046
Weighted Start-on-age		0.090	0.037
EAL		0.086	0.038
FSM		-0.094	0.031
SEN		-0.363	0.037
Naturalness	Light	0.141	0.044
	Temperature	0.083	0.046
	Air quality	0.112	0.046
Individualization	Ownership	0.076	0.044
	Flexibility	0.115	0.046
Level of stimulation	Complexity	0.085	0.040
	Colour	0.074	0.043
Intercept variance		0.274	0.034
Weighted start-on-age varia	nce	0.094	0.014
Covariance between interce	pt and weighted start-on-a	ge -0.067	0.016
Random error	-	0.454	0.011

pupil level and approximately 45% of the variance into the classroom level.

In the three level model only 3% of the variance was at the school level. Showing that, even though the schools were chosen to be as different as possible in both architecture and pupil intake, variance in yearly Overall Progress was dominated by pupil effects and classroom-level effects. The small level of variance at the school level may be influenced to a degree by all the schools being state funded, mixed gender and local authority controlled. This does not reflect the full spectrum of UK primary schools, but it does represent the great majority. It should also be noted that there is considerable variation in the physical characteristics of the schools, the impact of which is the focus of this study. Factors at the school level were investigated, but only minor impacts revealed as would be expected given the distribution of the variance set out above. For this reason the three level model was not investigated further. However, the low level of impact on learning of the school level factors, compared to classroom and pupil level factors, is in itself an important finding. We return to this issue in the conclusions.

The results for the two level Overall Progress model are shown in Table 8. Values are shown for the fixed effect coefficients for each of the added explanatory variables and for each of the random effects variables. The sizes of the coefficients reflect the relative importance of the explanatory variables in the model.

The proportion reduction in variance (PRV) by adding explanatory variables to the model at Level 1 and Level 2 is given in Table 9.

Table 7Pearson correlation between all environmental parameters.

		Naturalne	ess				Individualisa	tion	Connection	Stimulation	
		Light	Sound	Temp	Air quality	Links to nature	Ownership	Flexibility		Complexity	Colour
Naturalness	Light	1									
	Sound	041	1								
	Temperature	052	.149	1							
	Air quality	.312 ^{a,c}	110	169^{b}	1						
	Links to nature	.282 ^{a,c}	.104	.108	.112	1					
Individualisation	Ownership	126	.154	.141	021	.032	1				
	Flexibility	056	061	.257ª	.103	.005	.132	1			
	Connection	.079	.210 ^a	.149	082	.142	.170 ^b	.086	1		
Stimulation	Complexity	.104	.169b	.071	168 ^b	.095	.167 ^b	029	.109	1	
	Colour	077	044	.206 ^b	.017	.040	0.121	.166 ^b	.157	.042	1

^a Correlation is significant at the 0.01 level (2-tailed).

b Correlation is significant at the 0.05 level (2-tailed).

^c Correlation is higher than .200.

Table 9Proportion reduction in variance (PRV) by adding Level 1 and Level 2 factors to the model.

Model	Random error	Intercept variance
Empty model (no factors)	0.551	0.474
Pupil factor (level 1) model	0.453	0.371
Pupil and Classroom factors (full level 2) model	0.454	0.274
PRV		
Level 1	18%	
Level 2		26%

The pupil explanatory variables reduce the Level 1 variance by 18% and the classroom explanatory variables reduce the Level 2 variance by 26%. The overall R-squared fit for the two-level model is 58%.

The following two sections discuss the explanatory variables significant at the classroom and pupil levels.

4.3. 'Pupil level' influences

Results from the two-level model show the Level 1 factors that were significant in the model were Weighted Start, Weighted Starton-age, FSM, EAL and SEN. Gender was not significant in the model. Children on FSM, and who have SEN did significantly worse than other pupils. EAL pupils did significantly better. The sizes of the coefficients is indicative of their relative effect, with EAL pupils and FSM having similar sized effect and the SEN pupil Overall Progress deficit being more than three times as great. With Weighted Start the model coefficient is negative indicating pupils who are in higher year groups made less progress. It should be noted that although the NC points scale is linear and there is an expectation that each pupil, whatever their age, makes the expected two sublevels improvement per year, there is an acknowledgement by teachers that learning rates in children are not linear. For Weighted start-on-age the model coefficient is positive indicating pupils who are advanced for their age group did on an average make more progress.

These results are similar to the earlier bivariate correlation analysis, but now of course provide an interactive backdrop within the same model as the environmental factors, to which we now turn. In addition to these operationalised pupil factors, other aspects linked to the pupils, but not measured, are also included in the modelling, within the unexplained variation compartmented at the pupil level.

4.4. 'Class level' E-B influences

Out of the ten environmental parameters investigated in this study seven of them significantly improve our two-level MLM for Overall Progress in primary aged school children. These are shown with their model coefficients in Table 9. The environmental classroom parameters that are significant come from each of the three different design principles: Naturalness, Individualization and Level of Stimulation. Table 10 gives the breakdown of the relative importance of the parameters. The Naturalness parameters of Light, Temperature and Air quality together explain 49% of the effect on the Overall Progress model. The Individualization parameters of Ownership and Flexibility together explain 28% of the effect. The Level of Stimulation parameters of Complexity and Colour together explain 23% of the effect. The relative sizes of these classroom effects across the three principles reflects a reasonable expectation that the most influential principle is the Naturalness of the environment. The second most influential is how well the classroom is individualized for its pupil and the last component, which still

Table 10Proportion of increase in pupils Overall Progress accounted for by each of the environmental factors.

Design principle	Environmental Parameter	Proportion (%)
Naturalness		49%
	Light	21%
	Temperature	12%
	Air quality	16%
Individualization		28%
	Ownership	11%
	Flexibility	17%
Level of stimulation		23%
	Complexity	12%
	Colour	11%

accounts for almost one quarter of the effect, is the Appropriate Level of Stimulation in the classroom.

Within the MLM environment of the MLwiN software it is possible to isolate a subgroup of the model factors to calculate their impact. Thus, with all the other variables fixed to their average values the model can predict the Overall Progress just due to the subgroup of environmental classroom factors. This in effect takes an average pupil with an average teacher and places them in each of the classrooms studied. The total range of the classroom impacts is then the most effective classroom, with an Overall Progress of 16.05 NC points, minus the least effective classroom, with an Overall Progress of 8.12 NC points. This gives a range of 7.93 in NC points for the variation in Overall Progress, solely driven by the physical features of the classroom environment. The overall progress due to classroom effects can then be scaled by the total range in pupils' Overall Progress, from Table 5, of 50 NC points. The impact of the classroom environmental factors therefore models at 7.93/50, that is 16% of all influences on the variation in pupils' academic performance. Looking at it another way, 8 points over three subjects equates to 2.67 points per subject, that is 1.34 sub-levels progress, driven, other things being equal, by the impact of the most effective classroom design, compared with the least.

5. Discussion

Table 11 takes the findings on the individual parameters and compares them with existing evidence from the literature. Many of the sources used for the latter have been focused on single factors, quite often in controlled conditions, whereas our findings derive from a "natural inquiry" where even when we focus on one factor, it is still acting in the context of all the others.

Although informed by previous studies, this study goes on to further concentrate on the complex interaction of a range of built environmental factors on pupils in primary schools. That said, findings concerning comfort issues, rooted in the design principle of 'naturalness', are found to be generally consistent with the literature. Light, temperature and air quality have a significant impact on the pupils' learning outcomes. However, this study also finds that large window size is not universally valuable in terms of maximizing learning benefits. Orientation, shading control (inside and outside), the size and position of openings, all have to be carefully taken into consideration so that the risks of glare, overheating and poor air quality can be avoided at the design stage. Furthermore, the importance of occupants' control of the 'naturalness' is evident. High quality and quantity of electrical lighting, central heating with thermostatic control and mechanical ventilation can all give opportunities for teachers/pupils to adjust the environment to a more comfortable level. It should be noted that although acoustics and links to nature displayed correlations to learning progress in the bivariate analysis, they were competed out

Table 11 Insights from main study results, by design parameter.

Design parameters (factors)	Propositions from the literature	Findings from this study	
Naturalness *Light (Daylight)	Natural light significantly influences the reading vocabulary and science scores. Large windows were found to be associated with better learning results over a one year period [10,38].	Different	Light has the highest impact on Overall Progress among other design parameters. However, window size alone was not significantly correlated with the learning progress. Only when the orientation and risk of glare was taken into consideration, could the pupils benefit
*Light (E light)	Poor quality of electrical lighting causes headaches and impairs visual performance [39]. Full-spectrum fluorescent lamps with ultraviolet supplements had better	Consistent and goes further	from the optimum glazing size. Not only the quality but also the quantity of electrical lighting has a significant positive correlation with the
Sound (Good acoustics)	attendance, achievement, and growth than did students under other lights [40]. Significant effects of reverberation time (RT) on speech perception and short-term memory of spoken items were found [41].	Weak support	pupils' learning progress RT was not measured in this study. However, there is some evidence to support the relationship between the RT and some design strategies, e.g. room shape and carpet area. In the bivariate correlation analysis these factors were found to be significantly correlated with the learning rate, however, these aspects did not feature in the MLM results.
Sound (Noise)	External and internal noise were found to have a significant negative impact upon performance [42–44]	Weak support	Noise level was not tested in this study. However, the factors that affect the noise level, e.g. distance from the main traffic and busy areas adjacent to the room being studied, displayed a bivariate correlation with the learning rate. However, these aspects did not feature in the MLM results.
*Temperature (sun heat)	The performance of two numerical and two language-based tests was significantly improved when the temperature was reduced from 25 $^{\circ}$ C to 20 $^{\circ}$ C [19].	Consistent	Factors affecting the temperature were correlated with the learning progress. Un-wanted sun heat was a problem where external shading was absent.
*Temperature (control)	Occupants with more opportunities to adapt themselves to the thermal environment will be less likely to suffer discomfort [45].	Consistent	Pupils perform better in the room that where the temperature was easy to control.
*Air quality (CO ₂ level)	The mental attention of pupils are significantly slower when the level of CO ₂ in classrooms is high [46] and when the air exchange rate is low [19,47]	Consistent	Factors affect the CO ₂ are correlated with the learning progress. E.g. pupils perform better in the room that has mechanical ventilation, large volume or large window openings.
Links to nature (Window view)	Patients assigned to rooms with windows looking out on a natural scene had shorter postoperative hospital stays than those similar rooms with windows facing a brick building wall [7].	Weak support	The quality of view out of the window shows a bivariate correlation with learning progress where window sills are below children's' eye-level. That said this aspect did <u>not</u> feature in the MLM results.
Links to nature (Access to nature)	Mental Attention increases when children are surrounded by more natural, greener environments [48]	Weak support	Classrooms with wooden furniture displays a bivariate correlation with the pupils' learning progress as are those with dedicated outdoor play areas. That said this aspect did <u>not</u> feature in the MLM results.
Individualisation *Ownership (Distinct design feature)	An attractive physical environment in school is associated with fewer behaviour problems, whereas a negative physical environment is not [49].	Consistent	Architectural design elements that make the room unique and child-centred are significantly correlated with the learning progress
*Ownership (Nature of the display)	Permanent student artwork enhanced the student's sense of ownership over the learning process [50]. There was a significant positive effect on children's self-esteem [51].	Consistent	Personal displays by the children create a 'sense of ownership' and this was significantly correlated with learning progress
*Ownership (Furniture)	Specialized facilities are essential to student wellbeing and achievement [52–54].	Different	Furniture and features in the class that were ergonomic and comfortable for the children were significantly correlated with learning progress significantly
*Flexibility (Room layout)	Significantly more exploratory behaviour, social interaction and cooperation occurred in spatially well-defined behaviour settings [55,56].	Consistent	Flexibility measures investigated in this study were breakout spaces and rooms, storage solutions, number of different learning zones and potential display area. More learning zones for younger children and fewer for older children correlated with learning progress. Breakout zones within the room were correlated with learning progress.

Flexibility (Size)	Girls' academic achievement was negatively affected by less space per student; boys' classroom behaviour was negatively affected by spatial density conditions [57].	Different	Larger rooms with simpler shapes (squarer) enabled older children to better function in whole class learning. However, complex room shapes for younger children facilitated learning and analysed flavshility.	
onnection (Pathway)	Movement and circulation have a significant effect on reading comprehension [10].	Weak support	rearming control and criedly a review of the bufder and more orienting corridors showed a bivariate with better learning progress. However, these aspects did <u>not</u> feature in the MLM results.	
evel of stimulation Complexity (Room diversity and display diversity)	Learning scores were higher in the sparse-classrooms than in decorated-classrooms [27]. However; Read et al. [58] found that the space with differentiated ceiling height and wall colour may be too stimulating for children. In low Vicual Distraction conditions snear less time off-task and obtained	Different/Consistent	This research found that it is the overall room and display diversity measure that correlates with learning progress. The overall room and display diversity from under-stimulation to overstimulation was curvilinear which indicated that only when the room has an intermediate leavel of etimulation does	
Colour (Wall and Classroom colour)	higher learning scores that children in the High Visual Distraction condition [59]. Off-task behaviours clearly dropped when the colours of the classroom walls were changed from off-white to saturated colours [58,60] Children prefer the colour red in the interior environment. Cool colours were favoured over warm colours for children from 3 to 5 years old [61]	Consistent	urs	P.
			learning progress.	В

in the MLM and so the evidence for their importance within this (quite extensive and varied sample) can only be said to be weak.

Pupils in primary schools usually have a relatively fixed learning space for most of their time there. They will build up considerable familiarity with their classrooms, and the extent to which they are able to have a room that responds to their individual needs comes under 'individualization', the second design principle. Permanent individual display (artworks, photos, crafts) has been addressed by many previous studies as an efficient way to promote a sense of ownership. This study confirms it and goes a step further. A classroom that has distinct architectural characteristics, e.g. unique location (bungalow, or separate buildings); shape (L shape; T shape); embedded shelf for display; intimate corner; facilities specifically-designed for pupils, distinctive ceiling pattern etc. also seems to strengthen the pupils' sense ownership. No clear consensus is reached from previous studies whether classroom size is a factor that affects the learning outcomes. It appears that classroom shapes and the optimum elements within a room depend on pupils' ages. Where play-based learning is the primary activity (KS1), the room needs to reflect this with varied learning zones. Where more formal instruction is given through the interactive white board all pupils must be in a position to easily see the front and so a simpler plan seems appropriate (KS2). It should be stressed that this distinction appears to be a function of the predominant pedagogical approaches used in the UK. Lastly, the connection factor, concerning corridors and navigation about the school, have not appeared in the MLM and so only receive weak support from this study through a link to learning progress within the bivariate correlation analysis alone.

A classroom in a primary school is for children, and arguably should be designed to make attending school an interesting and pleasurable experience. On the other hand, it is also a place where learning can take place uninterrupted by distractions. Lying behind this dynamic is the third design principle concerning the 'appropriate level of stimulation' for a given activity. The influence of the parameters identified to affect the visual perception of diversity in this study is found to be curvilinear, such that intermediate levels of the factors are optimal for learning. For example, the overall appearance, including the room layout and display on the wall has to be stimulating, but in balance with a degree of order, ideally without clutter. Similarly, colours with high intensity and brightness are better as accents or highlights instead of being the main colour theme of the classroom. This simple notion of a moderate level of stimulation being appropriate for the learning situation provides a principle that can throw light on a number of more focused studies.

6. Conclusion

6.1. Summary

Significant in MLM.

The research in this study focused on a holistic environment-human-performance model examining school and classroom spaces and relating these to individual pupil progress statistics. Researchers assessed 153 classrooms in 27 schools to measure school and classroom features. Data on the 3766 pupils who occupied those spaces were also collected, including the focal dependent variable of progress in learning. The design principles of Naturalness, Individualization and Level of Stimulation were used to develop ten design parameters. The underpinning hypothesis is that pupils' academic progress will be dependent on a full range of factors drawn from across all three of the design principles. Measures were then created for the ten design parameters for each classroom. All ten parameters individually

correlated significantly with pupil progress. Multi-level regression modelling was then used (including pupil factors) and resulted in seven key design parameters being identified that best predict the pupils' progress. These were Light, Temperature, Air Quality, Ownership, Flexibility, Complexity and Colour. The impact of the modelled classroom parameters was 16% of the total range of the variability in pupils' learning progress. Inclusion of three very different local authority areas with distinctly differing pupil intake characteristics and differing school building environments was intended to support the analysis at the school level. It did not do so. It became evident that the variability in learning progress to be explained at the school level in the multilevel model was only 3%. Including this level of analysis did not enhance the overall analysis and so was dropped.

In Phase 1 of the study, classroom parameters were found to explain 25% of the variance in learning progress [1]. In Phase 2 the sample is five times bigger and the classroom effect has levelled out at 16%, but with much greater certainty. The second phase of the study has also included additional pupil impacts relating to: Free School Meal (FSM) status, English as an Additional Language (EAL) status and Special Educational Needs (SEN) status. The R-squared value for the goodness-of-fit of the regression model has improved from 51% in Phase 1–58% in Phase 2.

6.2. Main contributions

This study has thrown light on a variety of issues ranging from broad conceptual challenges, to quite specific, practical questions.

One of the major, more general, contributions of this study is to confirm the hypothesised utility of the naturalness, individuality, stimulation (or more memorably, SIN) conceptual model (Fig. 3) as a vehicle to organise and study the full range of sensory impacts experienced by an individual occupying a given space. That this might be a productive way forward was argued speculatively in 2010 [15], but the results obtained provide clear evidence that each of these dimensions appears to have a role in understanding the holistic human experience of built spaces. It is interesting that (in this particular case of primary schools) the naturalness factors account for around 50% of the impact on learning, with individuality and appropriate level of stimulation factors accounting for roughly a quarter each. It could not be predicted if each of the dimensions would remain in play and if so with what relative weight. We now at least have an initial indication, in one situation.

The finding that the combined impact of the built environment factors on learning scales at explaining 16% of the variation in learning progress made is a major finding in an area where, as Baker and Berstein phrase it [62]: "the relationship between school buildings and student health and learning ... is more viscerally




Fig. 3. Holistic conceptual (SIN) model.

understood than logically proven" (p2). This is of course relevant in relation to schools, but as stated at the start of this paper, primary schools provide a relatively simple situation to study a complex general problem. By extension the results suggest that the scale of the impact of building design on human performance and well-being can be identified and that it is non-trivial.

It has also been informative how some factors that display quite strong and significant correlations, as single factors, with (in this case) learning progress, drop out of the analysis when combined with all other factors, for example "links to nature". This demonstrates the value of single factor analyses in creating hypotheses, but highlights the danger of assuming they will translate simply to naturally experienced, multi-dimensional environments. This reinforces the utility of multilevel modelling in studying complex situations as "natural" experiments.

One aspect that surprised the researchers was the muted impact of the whole-building level of analysis. To an extent this will be a result of the characteristics of this study's focus on primary state school education, where the pupils spend most of their time in one space and following the national curriculum. That said, it does provide support for the rise in recent years of polemical works arguing for "inside-out design" [63] that builds from a focus on user needs and challenges the visual dominance of much design effort [64]. This is twinned by those arguing specifically for aspects of sensory-sensitive design [65,66]. It would seem that these aspects are more important than is often realised. Fig. 4 provides a powerful illustration of this issue. Each column of plots represents the classes in a school and it can be seen that the variation in modelled performance of the classrooms within a given school varies very widely. There is no such thing here as a "good" or "bad" school, but there are very clearly more and less effective

Focussing down on school design itself, the study has been able to identify and typify the elements of design that together appear to lead to optimal learning spaces for primary school pupils. This is summarised in Table 12. Several of the factors are not only issues for designers, but present opportunities for *users* to adapt their spaces to better support learning. However, there does remain a considerable design challenge to elegantly address all of these factors optimally in combination.

6.3. Limitations and future research

This study has strengths and weaknesses. The chosen focus and the conceptual and methodological approach employed have enabled progress to be made, but also carry limitations and consequent opportunities for alternative approaches. In addition




Fig. 4. Illustration of modelled impact of classrooms on learning in schools from one LA.

Table 12The main classroom characteristics that support the improvement of pupils' learning.

Design principle	Design parameter	Good classroom features
Naturalness	Light	Classroom towards the east and west can receive abundant daylight and have a low risk of glare. Oversize glazing has to be avoided especially when the room is towards the sun's path for most of year. Also, more electrical lighting with higher quality
	Temperature	can provide a better visual environment. The classroom receives little sun heat or has adequate external shading devices. Also, radiator with a thermostat in each room gives pupils more opportunities to adapt themselves to the thermal environment.
	Air quality	Large room volume with big window opening size at different heights can provide ventilation options for varying conditions.
Individualisation	Ownership ^a	Classroom that has distinct design characteristics; personalized display and high quality chairs and desks are more likely to provide a sense of ownership.
	Flexibility	Larger, simpler areas for older children, but more varied plan shapes for younger pupils. Easy access to attached breakout space and widened corridor for pupils' storage. Well-defined learning zones that facilitate age-appropriate learning options, plus a big wall area for display.
Stimulation	Complexity ^a	The room layout, ceiling and display can catch the pupils' attention but in balance with a degree of order without cluttered and noisy feelings.
	Colour ^a	White walls with a feature wall (highlighting with vivid and or light colour) produces a good level of stimulation. Bright colour on furniture and display are introduced as accents to the overall environment.

^a Strongly usage-related classroom features.

the findings to date also provide a foundation upon which future studies could be built with greater confidence than before.

The sample is focused on one type of building (primary schools) in one country (UK/England) and has endeavoured to explain one measure of human performance (formal academic progress). Primary schools and the pedagogy practiced within them in the UK are quite distinctive and it could be anticipated that in other scenarios the impact of the whole-building level could be more prominent. It could also be that other factors, or weighting of factors, are relevant to other dimensions of education, such as behavioural development in pupils. It would certainly be anticipated that different requirements could pertain for different activities where, for example, the appropriate level of stimulation varies. Further, the UK displays quite specific climatic conditions and for other geographical areas the specifics of how the optimum conditions are realised would be expected to vary. That said, the basic human comfort needs would probably be more stable. So, for example, the orientation and power of the sun could be quite different in different regions so that window design would need to take this into account, but the human need for sufficient light, but not too much glare should translate. More complex would be cultural differences, which could drive variations in the approach to pedagogy, or more basically effect preferences/reactions to factors such as colour.

The flip side to the above limitations is that, building on the experience of this study, further studies could fruitfully be carried out of different types of learning institutions, such as secondary schools and universities. This could extend beyond education to, say, offices, accommodation for the elderly, and retail [67]. For these, preliminary soft data studies would be advisable in order to provide a sound foundation for the hypotheses and the identification of a powerful dependent variable will not always be very simple. It would also be beneficial to go beyond the methodology used to date and move, say, to an action research approach, where changes are made based on the results so far and the impacts (anticipated and unanticipated) are tracked through multiple triangulated methods.

Within the dataset already compiled, there are sub-analyses possible, for example of the impacts of spaces on SEN pupils in particular. It will also be interesting to see to what extent currently judgemental measures can be moved to objective measures, for example the issue of visual complexity.

6.4. A significant direction

Given the large sample size and the scale of the effects identified in this study, it seems reasonable to suggest that strong *proof of concept* has been provided for the efficacy of the approach used in this research. Using the broader SIN conceptual model, linked to MLM, clearly has the potential to reveal more about the holistic impacts of spaces on people. That said, it is vital to capitalise on this promising initial step and to further develop these concepts and techniques.

Acknowledgements

This project has been supported from several directions. The work started within the Salford Centre for Research and Innovation in the Built Environment (SCRI), which was funded by EPSRC as an IMRC (grant ref EP/E001882/1). This included collaboration with Manchester City Council, which informed the development of the underpinning ideas.

Subsequent to that initial work Nightingale Associates (now IBI Group) funded more focused work and facilitated the link to Blackpool Council. IBI have been very helpful beyond this in terms of giving independent advice on the developing plans for the project and by providing a practical view on the emerging results. This advisory role has been augmented by an energetic and committed Sounding Panel of international experts. Blackpool's support has since been matched by Hampshire County Council and Ealing Council. These three local authorities have been vital in terms of carrying out very practical activities to facilitate working with the schools and accessing the pupil data.

EPSRC funded the HEAD project (grant ref EP/J015709/1) and this is the vehicle through which this body of work has been brought to fruition. Without this, and all of the other support mentioned, this project would not have been possible and, as the project team, we would like to take this opportunity to express our appreciation to all concerned.

Owing to the sensitivity of the data collected and the consequence existence of strict informed consent agreements, we are not at liberty to make the underlying data available.

Appendix A

Table A1Differences in design parameters from Phase 1 to Phase 2.

Design principles	Phase 1 design parameters	Phase 2 design parameters
Naturalness	Light	Light
	Sound	Sound
	Temperature	Temperature
	Air Quality	Air Quality
		Links to Nature
Individualization	Choice ^a	Ownership
	Flexibility	Flexibility
	Connection ^c	Connection
Level of Stimulation	Complexity	Complexity
	Colour	Colour
	Texture ^b	_

^a Choice was renamed to Ownership to better describe its relationship to the pupils.

Table A2Summary of differences from Phase 1 E-H-P model to Phase 2 E-B model.

Design parameters	Factors in phase 1	Factors in phase 2
Naturalness		
Light	Orientation of the room facing	Eight main orientations were considered
Ü	Glazing area/floor area	Same
	The most distant point from the glazing	Removed
	Quality of the electrical lighting	Same
	Shading covering control	External shading was taken into consideration.
Sound	Noise from the school outside	Same
	Noise from the school inside	Same
	Size and shape (length/width)	Same
	Carpet area of the room	Same
Temperature	Amount of the sun heat	Same
remperature	Heating control	Same
Air quality	Contaminated air inside the classroom	Same
	Contaminated air from other spaces	Removed
	Opening size	Same
Individualisation	Opening size	Same
	Opening options	Same
Choice/ownership	Opening options	Mechanical ventilation was taken into consideration
	This is our slessmannel	Distinct design feature
	This is our classroom!	•
	- Pro Pro III	Nature of the display was taken into consideration
	FF&E quality	Same
	Quality of the chairs and desks	Same
Flexibility	Size for the pupil's activity area	Shape also took into consideration
	Configuration changed to fit the size of class	Removed
	Zones for varied learning activities	Same, pupils' age was taken into consideration
	Attractive (or useful) space attached to the classroom	Same
	_	Wall area for display purpose was taken into consideration
Connection	Corridor usage	Removed
	Corridor width	Same
	Clear and orienting corridor	Only orienting feature was assessed
	Safe and quick access to the school facility	Removed
Stimulation		
Complexity	Site area/total pupils in school	Moved to school level
	Building area/total pupils in school	Moved to school level
	Diversity (novelty)	More specifically refer to the visual diversity of layout and ceiling
	Quality of the display	More specifically refer to the visual diversity of display
Colour	Colour of the classroom	More specifically refer to the wall colour and covered area
	Colour of the furniture	Same
	Colour of the display	Same
Texture/Links to Nature ^a	Distant view	Combined with close view
	Close view	Removed
	=	Access to nature was taken into consideration
	Outdoor play quality	Moved to school level
	Outdoor learning alternative	Moved to school level

^a This parameter was moved from 'Stimulation' to 'Naturalness' design principle.

b Texture parameter was reconfigured from a measure of outdoor spaces to a new parameter called Links to Nature which reflected classroom elements relating to natural elements. It was moved into the Naturalness principle.

^c Within Connections one element of the measure was removed (clear corridor) as research into wayfinding indicates temporary elements can be used as orienting features.

References

- Barrett P, Zhang Y, Moffat J, Kobbacy K. An holistic, multi-level analysis identifying the impact of classroom design on pupils' learning. Build Environ 2013;59:678–89.
- [2] Kim J, de Dear R. Nonlinear relationships between individual IEQ factors and overall workspace satisfaction. Build Environ 2012;49:33—44.
- [3] Preiser W, Vischer JC. In: Preiser W, Vischer JC, editors. Assessing building performance. Oxford: Elsevier-Butterworth-Heinemann; 2005.
- [4] Zeisel J. Enquiry by design. New York: W.W. Norton and Co; 2006.
- [5] Bordass B, Leaman A. Making feedback and post-occupancy evaluation routine. Build Res Information 2005;33(4):361–75.
- [6] Mallory-Hill S, Preiser W, Watson C, editors. Enhancing building perfomance. Chichester: Wiley-Blackwell; 2012.
- [7] Ulrich R. View through a window may influence recovery from surgery. Science 1984;224:420–1.
- [8] Heschong Mahone Group. Daylighting in schools. Fair Oaks CA: Pacific Gas and Electric Company; 1999.
- [9] Heschong Mahone Group. Windows and classrooms: a study of student performance and the indoor environment. Fair Oaks CA: Californian Energy Commission; 2003.
- [10] Tanner CK. Effects of school design on student outcomes. J Educ Adm 2009;47(3):381–99.
- [11] Tanner CK. The influence of school architecture on academic achievement. J Educ Adm 2000;38(4):309–30.
- [12] Checkland P. Systems thinking, systems practice. Chichester: John Wiley and Sons; 1993.
- [13] Zeisel J, Silverstein NM, Hyde J, Levkoff S, Lawton MP, Holmes W. Environmental correlates to behavioral health outcomes in Alzheimer's special care units. Gerontologist 2003;43(5):697–711.
- [14] Rolls ET. Emotion explained. Oxford: Oxford University Press; 2007.
- [15] Barrett P, Barrett L. The potential of positive places: senses, brain and spaces. Intell Build Int 2010;2:218–28.
- [16] Rea MS, Bullough JD, Figueiro MG. Human melatonin suppression by light: a case for scotopic efficiency. Neurosci Lett 2001;299:45–8.
- [17] Crandell C, Smaldino J. Classroom acoustics for children with Normal hearing and with hearing impairment. Lang Speech, Hear Serv Sch October 2000;31: 362-70.
- [18] Picard M, Bradley J. Revisiting speech interference in classrooms. Audiology 2001;40:221–44.
- [19] Wargocki P, Wyon DP. The effects of moderately raised classroom temperature and classroom ventilation rate on the performance of schoolwork by children (1257-RP). HVAC&R Res 2007;13(2):193–220.
- [20] Daisey J, Angell W, Apte M. Indoor air quality, ventilation and health symptoms in schools: an analysis of existing information. Indoor Air 2003;13:53–64.
- [21] Wells N, Evans G. Nearby nature: a buffer of life stress among rural children. Environ Behav May 2003;35(3):311–30.
- [22] White R. Young children's relationship with nature: its importance to children's development & the earth's future. Taproot Fall/Winter 2006;16(2). The Coalition for education in the outdoors, Cortland, NY.
- [23] McMillan D. Classroom spaces & learning places: how to arrange your room for maximum learning. Charthage, II: Teaching & Learning Company, Lorenz Corporation.
- [24] DeVries R, Zan B. Moral classrooms, moral children: creating a constructivist atmosphere in early education (early childhood education). Teachers' College Press; 31 May 1994. p. 320.
- [25] Ulrich C. A place of their own: children and the physical environment. Hum Ecol October 2004;32(2):11–4.
- [26] DfES. UK department for education and skills, briefing framework for primary school projects. Build Bull 2005;99(2006):67.
- [27] Fisher A, Godwin K, Seltman H. Visual environment, attention allocation, and learning in young children: when too much of a good thing may Be bad. Psychol Sci 2014;25(7):1362–70. http://dx.doi.org/10.1177/0956797614533801.
- [28] Kuller R, Mikellides B, Janssens J. Color, arousal, and Performance—A comparison of three experiments. Colour Res Appl 2009;34(2):141–52.
- [29] Foundation EE. Toolkit. 2014 [cited 2014 18/11/14]; Available from: http://educationendowmentfoundation.org.uk/toolkit/.
- [30] Barrett PS, Zhang Y, Barrett LC. A Child's eye view of primary school built environments. Intell Build Int 2011;3:107–23.
- [31] Barrett PS, Zhang Y. Teachers' views on the designs of their primary schools. Intell Build Int 2012;4(2):89–110.
- [32] Zhang Y, Barrett PS. Findings from a post-occupancy evaluation in the UK primary schools sector. Facilities 2010;28(13/14):641–56.
- [33] Snijders TAB, Bosker RJ. Multilevel analysis. An introduction to basic and advanced multilevel modeling, 2nd ed, London: SAGE Publications Ltd; 2012.
- [34] Nye B, Konstantopoulos S, Hedges L. How large are teacher effects? Educ Eval Policy Analysis 2004;26(3):237–57.
- [35] Rasbash J, Charlton C, Browne WJ, Healy M, Cameron B. MLwiN Version 2.1. Centre for Multilevel Modelling, University of Bristol; 2009.

- [36] Rasbash J, Steele F, Browne WJ, Goldstein H. A user's guide to MLwiN, v2.26. Centre for Multilevel Modelling, University of Bristol; 2012.
- [37] West BT, Welch KB, Gałecki AT. Linear mixed models a practical guide using statistical software, Boca Raton, FL, USA: Chapman and Hall/CRC; 2007.
- [38] Heschong L, Wright R, Okura S. Daylighting impacts on human performance in school. J Illum Eng Soc Summer 2002:101–14.
- [39] Winterbottom M, Wilkins A. Lighting and discomfort in the classroom. | Environ Psychol 2009;29:63–75.
- [40] Hathaway W. Effects of school lighting on physical development and school performance. | Educ Res 1995;88(4):228–42.
- [41] Klatte M, Hellbrück J, Seidel J, Leistner P. Effects of classroom acoustics on performance and well-being in elementary school children: a field study. Environ Behav 2010;42(5):659–92.
- [42] Shield B, Dockrell J. The effects of environmental and classroom noise on the academic attainments of primary school children. J Acoust Soc Am January 2008;123(1):133–44.
- [43] Morrow P. A site-based ergonomic assessment of acoustics in school settings and the proposal of a fuzzy-logic metric, Proceedings of the human factors and ergonomics society annual meeting September 2011;55(1): 1596–600.
- [44] Ramma L. Rethinking our classrooms: assessment of background noise levels and reverberation in schools. Educ as Change 2007;11(2):115–30.
- [45] Nicol J, Humphreys M. Adaptive thermal comfort and sustainable thermal standards for building. Energy Environ 2002;34:563–72.
- [46] Coley D, Greeves R, Saxby B. The effect of low ventilation rates on the cognitive function of a primary school class. Int J Vent 1 September 2007;6(2): 107–12
- [47] Bakó-Biró Zs, Clements-Croome D, Kochhar N, Awbi H, Williams M. Ventilation rates in schools and pupils' performance. Build Environ 2012;48:215–23.
- [48] Martensson F, Boldemann C, Soderstrom M, Blennowe M, Englund J, Grahn P. Outdoor environmental assessment of attention promoting settings for preschool children. Health & Place 2009;15:1149–57.
- [49] Kumar R, O'Malley P, Johnston L. Association between physical environment of secondary schools and student problem behavior a national study, 2000-2003. Environ Behav July 2008;40(4):455–86.
- [50] Killeen J, Evans G, Danko S. The role of permanent student artwork in students' sense of ownership in an elementary school. Environ Behav March 2003;35(2):250–63.
- [51] Maxwell L, Chmielewski E. Environmental personalization and elementary school children's self-esteem. J Environ Psychol 2008;28:143–53.
- [52] Schneider M. Linking school facility conditions to teacher satisfaction and success. ERIC Clearinghouse on Educational Management; 2003 (ERIC Digest, No. ED 380 552).
- [53] Leung M, Fung İ. Enhancement of classroom facilities of primary schools and its impact on learning behaviors of students. Facilities 2005;23(13/14): 585–94.
- [54] Knight G, Noyes J. Children's behaviour and the design of school furniture. Ergonomics 1999;42(5):747–60.
- [55] Moore G. Effects of the spatial definition of behavior settings on children's behavior: a quasi-experimental field study. J Environ Psychol 1986;6:205–31.
- [56] Abbas M, Othman M. Social behavior of preschool children in relation to physical spatial definition. Procedia Soc Behav Sci 2010;5:935–41.
- [57] Maxwell L. Home and school density effects on elementary school children: the role of spatial density. Environ Behav 2003;35(4):566–78.
- [58] Read M, Sugawara A, Brandt J. Impact of space and color in the physical environment on preschool children's cooperative behavior. Environ Behav May 1999;31(3):413–28.
- [59] Godwin K, Fisher A. Allocation of attention in classroom environments: consequences for learning. In: Carlson L, Hölscher C, Shipley T, editors. Proceedings of the 33rd annual conference of the cognitive science society (2806-2811). Austin, TX: Cognitive Science Society; 2011.
- [60] Grangaard E. Color and light effects on learning, ERIC document reproduction service no. ED382381, association for childhood education international study conference and exhibition, Washington, DC. 1995; April 12–15.
- [61] Read M, Upington D. Young Children's color preferences in the Interior environment. Early Child Educ J 2009;36:491–6.
- [62] Baker L, Bernstein H. The impact of school buildings on student health and performance: a call for research. New York: McGraw-Hill Research Foundation; 2012.
- [63] Frank KA, Lepori RB. Architecture from the inside out. 2nd ed. Hoboken, NJ: John Wiley; 2007.
- [64] Pallasmaa J. The thinking hand. Chichester: John Wiley; 2009.
- [65] Derval D. The right sensory mix. Heidelberg: Springer; 2010.
- [66] Lehman ML. How sensory design brings value to buildings and their occupants. Intell Build Int 2011;3(1):46–54.
- [67] Barrett P, Barrett L, Davies F. Achieving a step change in the optimal sensory design of buildings for users at all life-stages. Build Environ 2013;67(0): 97–104.