



# University of HUDDERSFIELD

## University of Huddersfield Repository

Ghori, Muhammad U., Šupuk, Enes and Conway, Barbara R.

Tribo-electrification and Adhesion Properties of Cellulose Ethers

### Original Citation

Ghori, Muhammad U., Šupuk, Enes and Conway, Barbara R. (2014) Tribo-electrification and Adhesion Properties of Cellulose Ethers. In: The AAPS annual meeting and exposition, 2-6th November 2014, San Diego, CA, USA. (Unpublished)

This version is available at <http://eprints.hud.ac.uk/30870/>

The University Repository is a digital collection of the research output of the University, available on Open Access. Copyright and Moral Rights for the items on this site are retained by the individual author and/or other copyright owners. Users may access full items free of charge; copies of full text items generally can be reproduced, displayed or performed and given to third parties in any format or medium for personal research or study, educational or not-for-profit purposes without prior permission or charge, provided:

- The authors, title and full bibliographic details is credited in any copy;
- A hyperlink and/or URL is included for the original metadata page; and
- The content is not changed in any way.

For more information, including our policy and submission procedure, please contact the Repository Team at: [E.mailbox@hud.ac.uk](mailto:E.mailbox@hud.ac.uk).

<http://eprints.hud.ac.uk/>

# Tribo-electrification and Adhesion Properties of Cellulose Ethers

M. U. Ghori, Enes Supuk and B. R. Conway

Department of Pharmacy, University of Huddersfield, Queensgate, Huddersfield, UK, HD1 3DH

## Purpose:

The generation of tribo-electric charge during pharmaceutical processing can lead to the exacerbation of a range of problems including segregation, content heterogeneity and particle surface adhesion. The excipients, methylcellulose (MC) and hypromellose (HPMC) are often used in drug delivery to develop control release tablet formulations. The aim of this study was to understand the impact of material attributes (particle size, hydroxypropoxyl (Hpo) to methoxyl (Meo) ratio and molecular size) on the charging and adhesion characteristics of cellulose ethers.

## Methods:

Charge was induced on powder particles and measured using a custom built device based on a shaking concept consisting of a Faraday cup connected to electrometer. The surface adhesion of powder particles was calculated from mass difference by deducting the final amount recovered (post shaking and tapping) from the initial amount of sample loaded into the shaking vessel.

## Results:

All the MC and HPMC grades were charged positively against stainless steel surface and presumably have a lower effective work function than the steel surface. Therefore, it is assumed that the electrons from the polymer particle surfaces moved to the interface of the contacting surface inducing a positive surface charge on the donor, with a negative charge on the steel surface (acceptor), Figure 1. The diversity in physicochemical properties has shown a significant impact on the tribo-electric charging and adhesion behaviour of MC and HPMC. The increase in particle size, molecular size and hydroxypropoxy substitution levels the net tribo-electric charging (nC/g) and particle adherence to stainless steel vessels was declined.

## Conclusion:

The study revealed that particle size, chemical heterogeneity and molecular size of cellulose ethers have an inverse relationship with the charging and adhesion tendency of powders. A significant impact ( $P < 0.05$ ) on their charging and adhesion properties was confirmed.




Figure 1, Mechanism of MC/HPMC charge generation.