

Astbury, N (2016) Improving cataract outcomes through good postoperative care. Community eye health / International Centre for Eye Health, 29 (94). pp. 21-22. ISSN 0953-6833

Downloaded from: http://researchonline.lshtm.ac.uk/3093689/

DOI:

Usage Guidelines				
Please refer to usage guidelines at http://researchonline.lshtm.ac.uk/policies.html or alternatively contact researchonline@lshtm.ac.uk.				
Available under license: http://creativecommons.org/license	Creative s/by-nc/3.0/	Commons	Attribution	Non-commercial

## **Community Eye Health**



VOLUME 29 | ISSUE 94 | 2016

# **Postoperative care**

TK

#### EDITORIAL

# Improving cataract outcomes through good postoperative care



#### Nick Astbury

Clinical Senior Lecturer: International Centre for Eye Health, London School of Hygiene and Tropical Medicine, London, UK.

Cataract surgery is one of the most successful and frequently performed operations worldwide, and vet cataract remains the commonest cause of global blindness.<sup>1</sup> This is in part due to the shortage and uneven distribution of trained personnel in some countries. More worryingly, a high rate of cataract blindness also reflects poor visual outcomes after surgery, as has been documented in many RAAB (rapid assessment of avoidable blindness) studies.<sup>2</sup> In turn, poor visual acuity outcomes can be the result of inadequate pre-operative assessment (such as inaccurate biometry and/or a failure to detect signs which indicate that surgery may be complicated), complications during the surgical procedure itself, and poor postoperative management (including a lack of refraction).

Postoperative care does not always receive the attention it deserves. For example, when looking for information

#### ABOUT THIS ISSUE



**Elmien Wolvaardt Ellison** Editor: *Community Eye Health Journal*, International Centre for Eye Health, London, UK.

Responsibility for our patients does not end when they leave the operating theatre – ensuring good eye health and visual outcomes in the long term also requires good postoperative care, counselling and follow-up. This issue offers practical advice and emphasises the importance of involving patients and family members in postoperative care.



A nurse explains how to apply postoperative medication. INDIA

online, there are six times as many search results available about cataract surgery as there are about postoperative care – despite the latter being a vital component in achieving a good visual outcome.

In this issue of the *Community Eye Health Journal*, Dr George Ohito from St Mary's Mission Hospital, Langata, Kenya, describes postoperative care as "an integral part of cataract management, with the objectives of minimising patient discomfort and pain, preventing injury and complications, and improving surgical and vision outcomes" (page 26). This definition covers all aspects: counselling, advice following surgery, and – importantly – postoperative refraction. The latter is important as there is often residual refractive error after cataract surgery, whether from astigmatism or inaccurate biometry.

The VISION 2020 initiative<sup>3</sup> requires three components – trained personnel,

equipment and facilities, and community participation. Good postoperative care starts even before surgery and involves patients and the community by means of counselling to allay fears and manage expectations (see the article on page 23). Patients may not access eye care services because they fear surgery or worry that they won't be able to work after an operation. Patients and their carers need reassurance and advice and must know what to do when they return home. If this is done well, and the outcomes are good, others in the community will have confidence in the eye team and be more likely to present themselves for surgery when their time comes.

Although the surgical team's responsibility doesn't stop when the patient leaves the operating theatre, patients also have a role to play.

Continues overleaf >

### n this issue

- 21 Improving cataract outcomes through good postoperative care
- 23 Working with patients to optimise cataract outcomes
- 24 Routine postoperative nursing management
- 25 Postoperative cataract care the Aravind perspective
- 27 Detecting and managing complications in cataract patients
- 29 The basics of good postoperative care after glaucoma surgery
- 32 Postoperative care for paediatric cataract patients
- 34 Paediatric cataract: challenges and complications
- **36 CLINICAL SKILLS** Cleaning and dressing the eye after surgery
- **37 EQUIPMENT AND MAINTENANCE** Understanding and caring for a lensmeter

Editor

Allen Foster

Clare Gilbert

Nick Astbury

Daksha Patel

**Richard Wormald** 

Matthew Burton

Hannah Kuper

Priya Morjaria

G V Murthv

Fatima Kyari

Sally Crook

David Yorston

Serge Resnikoff

Babar Oureshi

Janet Marsden

**Regional consultants** 

Hugh Taylor (WPR)

Leshan Tan (WPR)

R Thulsiraj (SEAR)

GVS Murthy (SEAR)

Babar Qureshi (EMR)

Mansur Rabiu (EMR)

Hannah Faal (AFR)

Kovin Naidoo (AFR)

Ian Murdoch (EUR)

Janos Nemeth (EUR)

Van Lansingh (AMR)

Andrea Zin (AMR)

Winjiku Mathenge (AFR)

Noela Prasad

Elmien Wolvaardt

editor@cehjournal.org

**Editorial committee** 

- **38 TRACHOMA UPDATE**
- 39 CPD QUIZ
- 40 NEWS AND NOTICES





"Improving eye health through the delivery of practical high-quality information for the eve care team"

#### Volume 29 | ISSUE 94

Supporting VISION 2020: The Right to Sight





On page 25, authors Aravind, Baam and Ravindran suggest that there should be a 50:50 partnership between the patient and the eye care team so that both parties contribute to a successful visual outcome. Patients must know how to look after their operated eye and

be empowered to take immediate action if they notice any symptoms or signs that might indicate a complication. This is why good counselling - before patients leave the hospital - is so important.

**EDITORIAL** Continued

In this edition, we cover many aspects of postoperative care, tailored for

different settings. Patients may be treated as day cases or may be in-patients who live far from the hospital. The timing of postoperative refraction will vary, but the important point is that it is done. Patients also have different home circumstances, and the postoperative advice given to them must be adjusted accordingly.

To achieve a good outcome from cataract surgery, a team effort is needed - community eye care workers, nurses, counsellors, eye surgeons and optometrists, as well as the patients and their carers - all have to have an understanding of the cataract journey (from first diagnosis to discharge), the complications that may arise, and

> Editorial assistant Anita Shah **Design** Lance Bellers Printing Newman Thomson

#### **CEHJ** online

Visit the Community Eye Health Journal online. All back issues are available as HTML and PDF. Visit: www.cehiournal.org

**Online edition and newsletter** Sally Parsley: web@cehjournal.org

**Consulting editor for Issue 94** Nick Astbury

#### Please support us

We rely on donations/subscriptions from charities and generous individuals to carry out our work. We need your help.

Subscriptions in high-income countries cost UK £100 per annum.

Contact Anita Shah admin@cehjournal.org or visit our website: www.cehjournal.org/donate

#### Subscriptions

Readers in low- and middle-income countries receive the journal free of charge. Send your name, occupation, and postal address to the address opposite. French, Spanish, and Chinese editions are available. To subscribe online, visit www.cehjournal.org/subscribe

#### **Address for subscriptions**

Anita Shah, International Centre for Eve Health, London School of Hygiene and Tropical Medicine, Keppel Street, London WC1E 7HT, UK. Tel +44 (0)207 958 8336 Email admin@cehjournal.org

how they can be prevented or their impact minimised.

For postoperative care to be consistently successful, systems need to be in place to support the eye team in this important work. This can include having a checklist to ensure that every

'To achieve a surgery, a team effort is needed' patient has been given the care and information they need before leaving the hospital, having written information ready to hand out to patients, and undertaking regular monitoring. A culture of honesty and learning from mistakes rather than denial and blame - should also be

encouraged. A beautifully completed cataract operation should only be counted a success when the patient is back home, enjoying seeing again, with appropriate correction of any refractive error.

To use a sporting analogy, the end of the operation signals half-time, but the game can still be lost if attention is not paid to the postoperative period and refraction (the second half). The game is won by a joint team approach and not just by one star player - and remember that the patient is a member of that team!

References

- http://www.who.int/blindness/causes/en/ 2 http://iceh.lshtm.ac.uk/rapid-assessment-ofavoidable-blindness/
- 3 http://www.iapb.org/vision-2020

#### **Correspondence articles**

We accept submissions of 800 words about readers' experiences. Contact: Anita Shah: correspondence@cehjournal.org

Published by the International Centre for Eye Health, London School of Hygiene & Tropical Medicine

Unless otherwise stated, authors share copyright for articles with the Community Eve Health Journal. Illustrators and photographers retain copyright for images published in the journal.

Unless otherwise stated, journal content is licensed under a Creative Commons Attribution-NonCommercial (CC BY-NC) license which permits unrestricted use, distribution, and reproduction in any medium for non-commercial purposes, provided that the copyright holders are acknowledged.

Woodcut-style graphics by Victoria Francis and Teresa Dodgson.

#### ISSN 0953-6833

#### Disclaime

Signed articles are the responsibility of the named authors alone and do not necessarily reflect the views of the London School of Hygiene & Tropical Medicine (the School). Although every effort is made to ensure accuracy, the School does not warrant that the information contained in this publication is complete and correct and shall not be liable for any damages incurred as a result of its use.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the School in preference to others of a similar nature that are not mentioned. The School does not endorse or recommend products or services for which you may view advertisements in this Journal.

© The author/s and Community Eye Health Journal 2016. This is an Open Access article distributed under the Creative Commons Attribution Non-Commercial License.

## good outcome from cataract