

Environmentally sustainable practices at UK airports.

Thomas Budd BSc, Ph. D*, Lucy Budd**BA, MSc, Ph. D , Stephen Ison BA, MA, Cert Ed, Ph. D, MCILT**

*Centre for Transport Research

Department of Geography and the Environment

University of Aberdeen

Aberdeen

AB24 3UF

UK

**Transport Studies Group

School of Civil and Building Engineering

Loughborough University

Leicestershire

LE11 3TU

Word count (excluding title page): 5,194

Number of Figures: 2

Number of Tables: 2

Date first submitted: 15th October 2013

Date revised version submitted: 13th May 2014

Abstract

In response to growing concern about rising energy bills, long-term energy security and the environmental impacts of greenhouse gas emissions, airport operators worldwide are increasingly implementing new sustainable practices to help reduce costs, increase efficiency and reduce their environmental impacts. These initiatives include the installation of on-site wind turbines, biomass plants, and 'smart' heating and lighting systems as well as other 'green' initiatives including rainwater harvesting initiatives, improved recycling facilities, and financial incentives to encourage staff to travel to work by modes other than the private car. Drawing on specific examples, the paper examines the ways in which UK airports have responded to the challenge of reducing the environmental impacts of operations for which they are directly responsible by implementing green and sustainable energy and working practices. The paper concludes by discussing the importance of sustainable airport practices in light of future growth in key emerging aviation markets.

Keywords: Airports, Management, Environment, Sustainability, Energy,

1. Introduction- airport sustainability in the UK

The environmental impacts and implications of the aviation industry have been well documented in recent years and, as a consequence, the industry has found itself at the forefront of developments to reduce emissions and improve its environmental performance (Upham et al. 2003; Bows and Anderson, 2007). In 2012, the UK Department for Transport published a *'Draft Aviation Policy Framework'* (DfT, 2012), which sought to establish a new sustainable policy framework for UK aviation. An overarching theme of this was the need for UK airports to develop effective and innovative practices in order to facilitate growth that is simultaneously financially, socially and environmentally sustainable.

Sustainable airport practices are measures that seek to reduce environmental impacts while also creating financial and operational benefits (Lynes and Dredge, 2010). Strategies that reduce the use of raw or material resources (such as fossil fuels), lower atmospheric emissions, minimise waste production and water pollution, mitigate flooding from storm water runoff, or protect against loss of biodiversity have the potential to yield very real, quantifiable environmental and economic benefits for airports (Landrum and Brown, 2012). In Section 3, a number of sustainable airport strategies are discussed in relation to named examples currently in operation at UK airports.

Managing costs and capacity, reducing environmental impacts and emissions, whilst simultaneously satisfying the various and often competing demands of users and airport communities represents a major challenge for airports, and has long been recognised as a significant impediment to the future growth of the industry (de Neufville and Odoni, 2003). Notwithstanding the highly competitive and volatile

nature of the industry, tackling the environmental impacts of aviation is made even more complex by the current global economic recession and on-going constraints imposed by factors such as terrorism and the threat of the spread of infectious diseases (Warren et al. 2012). A clearer policy direction is also required in terms of airport sustainability. In particular, there is a need for policy makers to successfully reconcile issues of future shortfalls in airport capacity with often very ambitious environmental targets.

2. Research approach

Against this backdrop, a study of sustainable airport practices has been undertaken. Data collection focuses on identifying examples of sustainable practice in operation at UK airports in order to assess the ways in which airport operators have responded to the challenge of reducing the environmentally intensive nature of their operations. An important secondary objective is to place the UK experience in a wider context in comparison with airports in Europe, North America and Asia. Information has been obtained from a detailed desk-based review of industry and government reports, academic literature, airport Master Plans and individual airport sustainability reports. Master Plans are strategic policy documents published by airports outlining their future growth and development. In addition, some airports also publish separate reports specifically addressing environmental and sustainability issues. Table 1 details the airports included in the study and the individual reports included in the desk-based review.

Table 1: UK airports included in the study

Airport	Annual pax. 2012 (millions)	Key documents consulted	Date of publication
Heathrow Airport	70.0	<ul style="list-style-type: none"> Towards a Sustainable Heathrow: Sustainability Action Plan Review 2011 	2011
Gatwick Airport	34.2	<ul style="list-style-type: none"> Gatwick Master Plan Our Decade of Change: 2011 performance 	2012 2012
Manchester Airport	19.7	<ul style="list-style-type: none"> Manchester Airport Master Plan to 2030 Sustainability Report 2010/11 	2008 2011
Stansted Airport	17.5	<ul style="list-style-type: none"> Building a Sustainable Future: Stansted Airport Sustainability Report 2012 	2006 2012
London Luton Airport	9.6	<ul style="list-style-type: none"> Revised Master Plan Document 	2012
Edinburgh Airport	9.2	<ul style="list-style-type: none"> Edinburgh Airport Master Plan 	2011
Birmingham Airport	8.9	<ul style="list-style-type: none"> Towards 2030: Planning a Sustainable Future for Air Transport in the Midlands 	2007
Glasgow Airport	7.2	<ul style="list-style-type: none"> Glasgow Airport Draft Master Plan 2011 	2011
Newcastle Airport	4.4	<ul style="list-style-type: none"> Master Plan 2013-2030 	2013
East Midlands Airport	4.1	<ul style="list-style-type: none"> Master Plan 2006-2030 Sustainability Report 2012 	2006 2012
Aberdeen Airport	3.3	<ul style="list-style-type: none"> A New Approach: Aberdeen International Airport Master Plan 2013 	2013
Bournemouth Airport	0.7	<ul style="list-style-type: none"> The Master Plan Sustainability Report 2012 	2007 2012

The UK was selected as the spatial unit of analysis for the following reasons:

- **Size:** the UK is one of the most interconnected nations world-wide. UK airports handle around 220 million passengers annually (CAA, 2013). London Heathrow Airport handles the highest number of international passengers in the world and it also one of the most capacity constrained (www.aci.aero.com). Debates about possible future expansion are being increasingly articulated on environmental grounds.
- **Political context:** the overarching theme of the UK's 2012 '*Draft Aviation Policy Framework*' (DfT, 2012) was the need for UK airports to develop effective and innovative practices in order to facilitate sustainable growth. Planning permission to expand aviation capacity in the UK is thus increasingly

predicated on the provision of environmentally sustainable management practices that seek to minimise and mitigate the impact of airport operations.

- **Data availability and reporting:** UK airport Master Plans, Airport Surface Access Strategies and other documents are in the public domain. Airports must provide reports on their performance against set environmental targets.

The following section describes how UK airports have responded to the environmental challenges that five principal areas of operations pose before the importance of sustainable airport practices in light of future growth in key emerging aviation markets is discussed.

3. 'Green' and sustainable practices at UK airports

Table 2 details the range of sustainable practices currently implemented at UK airports. In many cases initiatives are common to several airports, but where a certain scheme is unique to a particular site, the name of the airport is provided in brackets.

Energy

The scale of airport buildings combined with the overall size of airport sites means that airports are large consumers of electrical energy. Maintenance of ambient air temperature (either heating or cooling) and air quality inside terminal buildings is typically the largest source of energy consumption at airports, given the size of the buildings in question and the 24 hour nature of operations (Ashford et al. 2013). Lighting is also a major expender of energy, both inside terminal buildings and on the airfield. The increasing commercial importance of retail facilities can also pose significant challenges in terms of energy consumption. Airport retailing is an

increasingly important source of non-aeronautical revenue generation for airport operators but it also poses a number of environmental challenges. Retailers generally demand that their products are brightly lit throughout the day to attract

Selected practices	
Energy	<ul style="list-style-type: none"> • Installation of automatic real time metering systems • Retrofitting of smart control systems to lighting, heating, walkways and escalators • Replacement of terminal and airfield lighting with low energy LED lights • Investment in biomass Combined Heat and Power (CHP) plants to heat terminal buildings (Heathrow) • Installation of solar panels • Replacement of existing boilers with more efficient energy centres • Construction of commercial-scale wind turbines (East Midlands)
Air quality	<ul style="list-style-type: none"> • Monitory of particulates and nitrous oxides around the airport site • Website developed to allow people to view real time pollution levels at monitoring sites (Heathrow) • Staff travel plans and incentives for car sharing and using public transport • Charges for passengers being dropped-off at the airport • Investment in low emission on site vehicles
Water	<ul style="list-style-type: none"> • Investment in improved water drainage systems, flow meters, low-flow taps, and pipe leak repair • Rainwater harvesting system for non-potable water use in terminal buildings (Heathrow) • Investment in additional polluted water storage • Construction of treatment plants, targeted de-icer application and de-icer recovery • Facilities for the collection and storage of polluted surface water run-off
Waste	<ul style="list-style-type: none"> • Segregation of waste at source using recycling facilities • On-site composting of food and green waste • Donation of textiles to charity • Recovery of energy from incineration of waste (Heathrow)
Biodiversity	<ul style="list-style-type: none"> • Development of partnerships with local authorities, conservation and community groups • Construction of walking and cycling paths • Monitoring of bird strikes

Table 2: Selected sustainable practices at UK airports

customers. High levels of luminance not only increase energy demands for lighting but also increase the electrical load as air conditioning is needed to remove the heat these light sources generate.

In order to reduce electrical energy consumption and long-term operating costs, airports are placing greater emphasis on energy conservation and efficiency measures. While there has been growing emphasis on incorporating energy efficiency regimes into the design and construction of new terminal buildings in recent years, airports with existing infrastructure face challenges in terms of adapting and improving what they already have. For example, at East Midlands Airport, the airport operator, Manchester Airports Group, installed an automatic electricity metering system for airport tenant companies, which provides half-hourly updates of energy consumption across the airport site (MAG, 2011). This allows airport companies to closely monitor their real-time energy use and helps the airport operator to assess patterns of energy use across the site.

Retro-fitting various systems to reduce energy consumption are also in operation at London Gatwick and Stansted, where 'smart' control systems are being fitted to heating and lighting systems, escalators and walkways so that they operate 'on-demand' as opposed to continually . Other airports are replacing older lighting systems with more energy efficient LEDs (Light Emitting Diodes). At Manchester Airport, existing lights in car parks and terminal buildings were replaced with LEDs. The airport estimate that the savings accrued from replacing the car park lights alone amount to 288 tonnes of carbon dioxide per year (MAG, 2011).

In an effort to reduce energy costs still further and also secure their energy supply, airports including Heathrow Airport have invested in their own renewable energy

generating systems. At Heathrow Airport, a 10MW wood chip fuelled Combined Heating and Power System (CHP) was recently installed. The biomass energy plant currently provides heating and power to Terminal 5, and will be extended to the new Terminal 2 building when it opens in 2014 (Heathrow Airport, 2012). It is estimated that the system will save 13,000 tonnes of CO₂, compared with producing the same output from natural gas (www.wwf.org.uk).

Installation of solar (or photovoltaic panels) has also become relatively common at UK airports. In 2011, Bournemouth Airport installed 323 photovoltaic panels on the roof of its terminal building as part of their redevelopment programme (www.bournemouthairport.com). A similar system is also in place at Birmingham Airport, where 200 panels have been installed on the roof of the terminal building. It is estimated that this system will generate 40,000 kWh a year (enough to power 12 houses) which will save 22 tonnes of carbon dioxide per year (www.birminghamairport.co.uk). Harnessing solar energy is also common at airports in Europe and North America. For example, at Brussels Airport, Belgium, 7,220 solar panels provide 1.7MWp per year, which is comparable to the annual energy consumption of 450 families, and will provide 1% of the airport's total energy consumption (www.brusselsairport.be).

Although less common, there are examples of airports installing wind turbines to harness wind energy. In 2011, two 45-metre tall wind turbines were constructed at East Midlands Airport (Figure 1). These were designed to provide 5% of the airport's electricity supply (MAG, 2011). Boston's Logan Airport, in the United States, is also one of only a small number of airports currently using wind turbines as a source of renewable energy production (www.massport.com). Reluctance to adopt this

technology more widely stems from safety concerns about the height of turbines relative to aircraft movements as well as their possible effects on radar systems (Tennant and Chambers, 2005).



Figure 1. Wind turbines at East Midlands airport (photograph: author)

Air quality

Gaseous emissions including CO₂, nitrous oxides (NO_x) and particulate matter from airport operations can have a significant detrimental impact on local air quality. While emissions from aircraft (either in the landing and take-off phase or taxiing) are often the largest source of emissions at an airport, surface access travel by passengers and staff, on site vehicles and power generation also have significant impacts in

terms of local air quality (Ashford et al. 2013). Consequently, UK airports typically undertake extensive monitoring regimes for measuring emissions on and around the airport site. Heathrow Airport for example operate the Heathrow 'Air Watch' website (www.heathrowairwatch.org.uk), which enables people to monitor levels of local air quality in real time across 19 monitoring sites on and around the airport site.

The detrimental impacts of surface access travel on air quality are easy to comprehend considering the continued reliance on private vehicles for journeys to and from airports by passengers and employees. In 2011, passenger private vehicle mode shares at the four largest airports in the UK were 58.9% (Heathrow), 57.6% (Gatwick), 85.6% (Manchester), and 50.9% (Stansted), respectively (CAA, 2012). This figure is usually higher at smaller airports that cannot sustain regular public transport services (Humphreys and Ison, 2005). Private vehicle use by employees is often even higher than passengers, as public transport networks are often ill suited to the nature of shift patterns and are generally designed to exploit airport-downtown routes, as opposed to serving residential areas (Ricard, 2012).

This can have a profound impact on air quality. At Heathrow Airport, for example, it has been estimated that 80% of local air pollution results from surface access traffic and airside vehicles, with only 20% of emissions coming from aircraft (Humphreys et al. 2005). Passengers who are dropped-off at the airport pose a particular challenge given that two additional vehicle journeys to/from the airport are generated for each return flight, and the number of slow and stationary vehicles on the airport site this creates. Consequently, a growing number of airports including Luton, Birmingham, Edinburgh, and East Midlands have introduced charges for passengers to be dropped-off/picked-up at the terminal curb side. Unsurprisingly, these measures

have proved controversial and unpopular with airport users and motoring groups (see Millward, 2013). Less controversially, the majority of airports also offer schemes such as staff travel plans, car sharing clubs and travel cards to encourage reductions in car use among employees.

Replacement of existing ground service equipment with more fuel efficient or low/zero emission vehicles has also taken place at a number of UK airports. In 2012, Stansted Airport replaced their fleet of 'Ranger' vehicles, which are used for airside operations, with newer more fuel efficient vehicles. The airport estimate that this has led to a 44% reduction in emissions compared with the older vehicles. UK airports may also increasingly follow the lead set by airports such as Amsterdam's Schiphol Airport, who will start using electric buses for transporting passengers to and from aircraft in 2014 (www.schiphol.nl).

Water

Like other large scale industrial facilities, airports are large consumers of water. Water is needed to maintain essential services including water for drinking, catering, retail, cleaning, flushing toilets, system maintenance, and ground maintenance (Ashford et al. 2013). Consequently, water resource management and the need to reduce overall water consumption form an important part of airport management and a number of initiatives are being pursued to reduce both water consumption and contamination. Stansted Airport, for example, reduced their annual water consumption from 753 million litres in 2007 to 412 million litres in 2012. This was achieved by investing £500,000 to upgrade surface water drainage pipes, pumping stations, drinking and fire water services, as well as installing flow meters and low

flow taps, pipe leak repair programmes and conducting water efficiency surveys to identify areas that could be improved still further (Stansted Airport, 2013).

At Heathrow Airport's Terminal 5, a rainwater harvesting system and groundwater boreholes are used to supply the terminal's non-potable water (i.e. non drinking water). The airport estimate that 85% of all rainwater that falls on the terminal is re-used and, in combination with the boreholes, this reduces the demand on the public water supply by 70% (Airports Council International, 2007). As well as reducing demand on conventional sources, rainwater harvesting systems can also be used as a reservoir store in case of drought or water shortage (Ashford et al. 2013). At Singapore Changi Airport the rainwater harvesting system provides around a third of the airport's water needs and is estimated to save the airport operator US\$390,000 (around £240,000) per year (www.changiairport.com).

As well as water consumption, it is also important that airports manage water discharges from routine airport operations to prevent flooding and potential contamination of local watercourses. These include water discharges associated with aircraft maintenance and ground handling, washing aircraft on stand, airfield maintenance, winter operations and de-icing, and fire service training (Ashford et al. 2013). Without proper management, contamination of surface and groundwater sources can occur which can be lengthy and expensive to resolve, and can be potentially hazardous to plant, animal and human health.

The removal of snow and ice from aircraft and aircraft manoeuvring areas is a critical function of aircraft safety in colder climates. One effective method for de-icing aircraft is to spray the airframe with heated glycol-based fluids but this poses an environmental problem if they reach surface or groundwater sources. Inevitably, this

is more of an issue in colder climates or during sustained cold periods. At Gatwick Airport, the storage and treatment capacity of de-icer contaminated surface water run-off was exceeded following two particularly cold winters in 2009/10 and 2010/11. Consequently, measures were implemented to increase polluted water storage capacity. A new treatment plant was constructed and improved systems for targeted de-icer application and recovery were implemented (Gatwick Airport, 2012). It is common for airports to operate water storage systems for collecting contaminated water, such as those in operation at Aberdeen (Aberdeen Airport, 2013) and Stansted Airport (Stansted Airport, 2013).

An alternative (albeit relatively expensive) option to glycol based de-icers is infrared de-icing systems like the one currently in operation at New York's John F. Kennedy International Airport. The US\$9.5 million system has reduced glycol use at the airport by 90% since it was introduced in 2006-7, and the de-icing process is considered to be much quicker than more traditional methods (www.wingsmagazine.com). However, the airport still needs to ensure that the result water run-off is captured and quality assessed before discharge.

Waste

Airport operations also generate large quantities of solid waste. For example, Heathrow Airport produces around 110,000 tonnes of waste annually, equivalent to the volume of waste generated by all the households in a typical London borough over the same period (Heathrow Airport, 2011). Sources of waste can be divided into four main areas of airport operations; airside, terminal, landside and infrastructure development. Sustainable management of this waste inevitably involves engagement with the wide range of stakeholders and companies who

produce this waste, including airlines; ground handling agents, maintenance companies and retail outlets (Ashford et al. 2013). It is common for airports to subcontract the collection and removal of waste to dedicated companies, especially in the case of hazardous material such as asbestos, radio isotopes, oils and hydraulic fluids.

In the first instance, airports will typically seek to reduce the amount of waste generated at source. This can be achieved in a variety of different ways, including bulk purchasing of materials to minimise packaging or by arranging for the return of packaging to suppliers (Ashford et al. 2013). Where waste generation is unavoidable, the reuse, recycling or recovery of energy from waste is sought in preference to waste disposal, which is generally considered to be both environmentally and economically detrimental for the airport operator. This is referred to as the 'waste hierarchy' (shown in Figure 2) and represents the guiding principal of sustainable waste management at airports (Ashford et al. 2013).




Figure 2. Waste management hierarchy (adapted from Ashford et al. 2013).

As well as classifying waste according to its type and source, it is also useful to differentiate between waste that the airport operator is directly responsible for (and thus has direct control over), as opposed to waste produced by external stakeholders. Generally speaking, airport operators have the most control over waste from office administration, engineering and security operations, as well as green waste derived from airfield maintenance, whereas the airport may have less influence over waste derived from aircraft catering and cleaning, construction, or retail activities (Heathrow Airport, 2011).

Regardless, sustainable waste management practices will typically include provision of mixed recycling collection facilities to ensure as much as possible that waste is segregated before it is collected. This has become increasingly important given airport security in recent years, for example, as directives limiting the quantity of liquid passengers are permitted to carry has led to increased quantities of plastic bottles, aerosols and toiletries being left at airport security checkpoints. In addition to traditional recycling points at these locations, at Manchester and Luton Airport, clothing banks have been installed so that clothes and textiles discarded by passengers wishing to reduce the weight of their luggage are donated to charity rather than sent to landfill (London Luton Airport, 2012; Manchester Airports Group, 2011).

For food and green waste, a number of airports operate composting facilities on the airport site. At Stansted Airport, for example, 190 tonnes of food waste was composted in 2012. In terms of overall recycling levels, there appears to be significant progress being made. At Newcastle Airport 79% of all waste generated

was diverted from landfill and recycled in 2012. The airport has set a target to reduce 100% of their waste by 2030 (Newcastle Airport, 2013).

Once the preferred options of waste reduction, re-use, or recycling have been exhausted, in some cases energy can be recovered from waste via incineration. At Heathrow Airport, general waste is transferred to the nearby 'Energy from Waste' facility, where it is used to generate electricity. In 2010, 12,696 tonnes of waste (equivalent to 51% of waste handled via waste contracts at the airport) were sent to the facility (Heathrow Airport, 2011). Waste represents one area in which environmental and commercial objectives are increasingly aligned. Indeed, as the costs of sending waste to landfill increase, there is a commercial imperative for airports to improve their waste reduction, reuse and recycle initiatives.

Biodiversity

The need for easy access (both by land and air) and the need to maintain the safety of aircraft means that airports are designed to be unattractive to mammalian and avian pests. However, many sites are located amongst habitats of particular ecological value or adjacent to wildlife reserves, and as such airports are increasingly recognising the need to minimise the adverse ecological impacts of their operation or expansion while maintaining airfield safety. This involves engaging with a wide range of stakeholders including government bodies and agencies, local communities and wildlife groups to implement a range of monitoring and assessment programmes to monitor and manage airport habitats and the plant and animal species within them. For example, the construction of Manchester Airport's second runway involved capturing and relocating protected mammalian and amphibian species away from the development.

The area around Stansted Airport is also noted for its wide range of flora and fauna, including deer, brown hares and bee orchids and the ancient woodland of Hatfield Forest. The airport works with a range of landscape management experts and consultant ecologists to develop and refine a Nature Conservation strategy which includes the management of grassland around the runway and taxiways as well as a 70 hectares of land close to the airport site that has specific ecological value (Stansted Airport, 2012).

In collaboration with Renfrewshire Council, Glasgow Airport is involved in the conservation of Paisley Moss, a Local Nature Reserve which is located adjacent to the main runway. The airport has recently developed a Management Plan for the reserve, which involves commitments to upgrading walking and cycling paths, amongst other things (Glasgow Airport, 2011). A similar scheme is also in operation at East Midlands Airport, where with the help of volunteers the airport established 'The Airport Trail', a walking and cycling path around the perimeter of the site (Manchester Airports Group, 2011).

While being mindful of their ecological impacts, it is also important that airports are able to balance these considerations with the efficient, and, most importantly, safe, operation of aircraft. This challenge is exemplified by the issue of birds and the threat of bird strikes, which can pose a significant hazard to aircraft (de Neufville and Odoni, 2003). It is important that measures designed to improve biodiversity do not inadvertently attract birds (or any other potentially hazardous wildlife) onto the airport site. Like other airports, at Manchester Airport detailed records of bird strikes are kept in order to monitor bird behaviour, identify problem species and devise species-appropriate management plans (Manchester Airports Group, 2011).

4. Discussion and conclusion

Focusing on five key areas of airport operations, this paper has examined various ways in which UK airports have responded to the challenge of reducing the environmental impacts of operations for which they are directly responsible by implementing green and sustainable practices. To a significant degree these were borne out of the collective need to address the growing environmental externalities of the aviation industry, and a realisation that unconstrained growth was likely to be socially and environmentally unsustainable. This situation remains highly relevant, and in all likelihood will intensify in the short to medium term in response to the changing climate, scientific breakthroughs, new regulations and legislation, increasing costs, changing public attitudes, and increased demand for air travel.

It is evident that a wide range of practices are currently in operation at UK airports, and there is cause for cautious optimism in that in many cases these are yielding immediate, significant benefits both environmentally *and* economically. Although admittedly not exhaustive, examples of similar practices provided in the paper show that similar measures and schemes are in operation at airports worldwide. As the number of airports adopting such measures increases over time, the scope for improvements through sharing of skills and best practice will increase likewise.

However, a word of caution should be offered as there are clearly a number of important challenges facing airports in this regard. Not least the challenging financial conditions under which airports must continue to operate following the recent economic downturn and additional financial burdens imposed by more stringent security protocols, for example. Where possible, it is therefore important that short

term savings/benefits are not solely prioritised at the expense of strategies where the benefits may seemingly take longer to come to fruition.

This situation would be aided significantly by a much clearer, more transparent policy direction from decision makers in terms of reconciling the undoubted economic benefits of aviation and forecasted shortfalls in airport capacity, with often very ambitious environmental targets linked to Greenhouse Gas emissions and climate change. While there remains considerable uncertainty in this regard, what is more certain is the ongoing need for aviation to address its environmental externalities and the continuing prominence of the sustainability agenda in political and policy-making rhetoric for the foreseeable future. It is also apparent that 'green' and sustainable airport practices are, perhaps unsurprisingly, most developed and advanced in the mature aviation markets of Western Europe, North America, and selected territories in Asia (including, most notably, Hong Kong, South Korea and Singapore) where environmental consciousness and regulation regarding aviation and the environment are already well established. While it is important that this continues, it is widely considered that future growth in the industry will occur most rapidly in the emerging markets of in Asia Pacific and parts of the Middle East, Indian subcontinent and South America (Boeing, 2013; Airbus, 2013). For example, the aircraft manufacturer Boeing forecast that from 2013 to 2032 the Asia Pacific Region will take order of nearly 13,000 new aircraft. In comparison, Europe and North America are expected to receive 7,460 and 7,250 new aircraft, respectively (Boeing, 2013). It is therefore especially important, indeed vital, that airport operators in these emerging markets are aware of the concept of sustainable aviation growth, the challenges it poses, and the strategies and measures currently employed by airports to aid in achieving it.

References

Aberdeen Airport (2013) Aberdeen International Airport Master Plan [online], available at: <http://www.aberdeenairport.com/static/Aberdeen/Downloads/PDF/AIAL-Final-Master-Plan-2013.pdf>, accessed: 02/10/13

Airbus (2013) *Global Market Forecast 2013-2032* [online], available at: <http://www.airbus.com/company/market/gmf2013/>, accessed 09/10/13

Airports Council International (ACI) (2007) *Environmental Initiatives around the World*, [online] available at: http://www.enviro.aero/Content/Upload/File/case%20study%20LHR_T5.pdf, accessed: 14/08/13

Ashford NJ, Stanton HPM, Moore CA, Coutu P, Beasley JR (2013) *Airport Operations*, 3rd Ed. McGraw Hill, London-New York

Boeing (2013) Current Market Outlook, [online], available at: <http://www.boeing.com/boeing/commercial/cmo/>, accessed 09/10/13

Bows A, and Anderson, KL (2007) Policy Clash: Can projected aviation growth be reconciled with the UK Government's 60% carbon-reduction target? *Transport Policy*, 14(2), 103-110

Civil Aviation Authority (CAA) (2012) *CAA Passenger Survey Report 2011* [online], available at: <http://www.caa.co.uk/docs/81/2011CAAPaxSurveyReport.pdf>, accessed 20/08/13

de Neufville R, and Odoni A (2003) *Airport Systems: Planning, Design and Management*, McGraw Hill, New York

Department for Transport (DfT) (2012) *Draft Aviation Policy Framework* [online], available at:

https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/2739/draft-aviation-policy-framework.pdf, accessed 11/06/13

Gatwick Airport (2012) *Gatwick Master Plan*, [online] available at:

http://www.gatwickairport.com/PublicationFiles/business_and_community/all_public_publications/2012/2012-07-18-gal_masterplan.pdf, accessed: 20/08/13

Heathrow Airport (2012) *Towards a Sustainable Heathrow: a focus on climate change* [Online] available at:

http://www.heathrowairport.com/static/Heathrow/Downloads/PDF/LHR_Climate_brochure.pdf, accessed: 14/08/13

Humphreys I, and Ison, S, (2005) Changing airport employee travel behaviour: the role of airport surface access strategies, *Transport Policy*, 12(1), 1-9.

Humphreys, I., Ison, S., Francis, G., and Aldridge, K, (2005) UK airport surface access targets, *Journal of Air Transport Management*, 11(2), 117-124.

Landrum & Brown Inc., Environmental Consulting Group, Inc., Primera Engineers, Ltd., and Muller & Muller Ltd. (2012) *Guidebook for Incorporating Sustainability into Traditional Airport Projects, ACRP Airport Corporate Research Programme Report 80*, Transportation Research Board of the National Academies, Washington D.C.

London Luton Airport (2012) Revised Master Plan Document, [online] available:
<http://www.london-luton.co.uk/en/content/8/1171/Masterplan.html>, accessed:
20/08/13

Lynes JK, and Dredge D (2010) Going Green: Motivations for Environmental Commitment in the Airline Industry. A Case Study of Scandinavian Airlines, *Journal of Sustainable Tourism*, 14(2), 116-138

Millward, D (2013) "More airports charging for 'kiss and drop,'" The Daily Telegraph, June 10th 2013.

Newcastle Airport (2013) *Master Plan 2030* [online] available at:
<http://www.newcastleairport.com/masterplan>, accessed: 03/10/13

Ricard DM, (2012) Exploring Airport Employee Commute and Parking Strategies, *ACRP (Airport Cooperative Research Programme) Synthesis Report 36*, Transportation Research Board of the National Academies, Washington, D.C.

Stansted Airport (2013) Building a sustainable future, Stansted Airport Sustainability Report 2012, [online] available at:
http://www.stanstedairport.com/media/4300/sustainability_report_2013__web_final.pdf, accessed: 03/09/13

The Manchester Airports Group (2011) *Sustainability Report 2010/11*, The Manchester Airports Group PLC.

Tennant, A and Chambers, B (2005) Radar signature control of wind turbine generators, Antennas and Propagation Society International Symposium, 2005, IEEE (Volume 4A).

Upham P, Maughan M, Raper D, and Thomas C (2003) *Towards Sustainable Aviation*, Earthscan, London

Warren A, Bell M, and Budd L.C.S (2012) Model of Health? Distributed preparedness and multi-agency interventions surrounding UK regional airports, *Social Science and Medicine*, 74(2), 220-227