

Exploring educational immersive videogames: an empirical study with a 3D multimodal interaction prototype

Luís Miguel Alves Fernandes, lfernandes@utad.pt^{1,2},

Gonçalo Cruz Matos, goncaloc@utad.pt^{1,2},

Diogo Azevedo, diogoa@utad.pt^{1,2},

Ricardo Rodrigues Nunes, rrnunes@utad.pt^{1,2},

Hugo Paredes, hparedes@utad.pt^{1,2},

Leonel Morgado, leonel.morgado@uab.pt^{2,3},

Luís Filipe Barbosa, lfb@utad.pt^{1,2},

Paulo Martins, pmartins@utad.pt^{1,2},

Benjamim Fonseca, benjaf@utad.pt^{1,2},

Paulo Cristóvão, cristovaum@gmail.com⁴,

Fausto de Carvalho, cfausto@alticelabs.pt⁵,

Bernardo Cardoso, bernardo@alticelabs.pt⁵

¹ – *Engineering Department, Universidade de Trás-os-Montes, Vila Real, Portugal*

² – *INESC TEC, Porto, Portugal*

³ – *Universidade Aberta, Lisboa, Portugal*

⁴ – *Universidade do Algarve, Faro, Portugal*

⁵ – *Altice Labs, Aveiro, Portugal*

Abstract

Gestural interaction devices emerged and originated various studies on multimodal human-computer interaction to improve user experience. However, there is a knowledge gap regarding the use of these devices to enhance learning. We present an exploratory study which analysed the user experience with a multimodal immersive videogame prototype, based on a Portuguese historical/cultural episode. Evaluation tests took place in high school environments and public videogaming events. Two users would be present simultaneously in the same virtual reality environment: one as the helmsman aboard Vasco da Gama's XV-century Portuguese ship, another as the mythical Adamastor stone giant at the Cape of Good Hope. The helmsman player wore a virtual reality headset to explore the environment, whereas the giant player used body motion to control the giant, and observed results on a screen, with no headset. This allowed a preliminary characterization of user experience, identifying challenges and potential use of these devices in multi-user virtual learning contexts. We also discuss the combined use of such devices, towards future development of similar systems, and its implications on learning improvement through multimodal human-computer interaction.

Keywords: multimodal interaction, user experience, digital game-based learning, virtual reality, gesture interaction, augmented reality.

1. Introduction

We are witnessing an outburst of new low-cost gestural interaction devices for the so-called "natural" user interfaces (NUI). However, there is a knowledge gap about the experience of using these devices. The assumption that their interaction is natural has been challenged, exposing the high levels of artificiality it entails (Malizia and Bellucci 2012). Consequently, there is scarce empirical basis for recommending ways to design, plan, specify and implement systems that embrace somatic interaction, be it through gestures, large body movements or combination of both. Hence, there is also a lack of empirical studies within the scientific field of learning, gathering and analysing data from the user's perspective: acceptability, interest and motivation to learn using

multimodal environments.

We undertook exploratory case studies using the ‘Primeira Armada da Índia’ videogame prototype, whose research objective was to increase understanding of how different forms of interaction relate to learning and how they influence students' engagement and interest with a virtual reality environment. Among secondary and high school students, teachers and video game experts, 437 users took part and six testing sessions were conducted, which aimed to characterize the user experience of two players: Helmsman and Giant. The user experience data collection procedure known as co-discovery (Kemp and Gelderen 1996) was adopted: two users discussed and explored the prototype simultaneously, mediated by the researcher (Holzinger 2005b; Yogasara et al. 2011b). This method was applied in unstructured form. Despite mediation and small tips on use of devices, users could explore freely in an open space, following their instincts and free will, unable to predict interaction outcome between them.

The remainder of this paper is organized as follows: section 2 presents an overview of user experience, multimodal human-computer interaction and digital game-based learning; section 3 addresses related empirical case studies, namely motion based devices, virtual reality and augmented reality; section 4 describes the early stages of the developed prototype and adopted devices; section 5 details the methodology used to conduct the case study; the results of the study are presented in section 6; section 7 discusses the outcomes between this study and related published studies; finally, some thoughts, limitations and future work are presented.

2. Background

2.1 User Experience

User Experience (UX) comprises all aspects regarding end-user interaction with a product or interactive system (Law et al. 2009; Nielsen & Norman 2015). It is dynamic and related to users' emotions, beliefs, preferences, behaviours, and more that occurs before, during, and after the use of a product (Hassenzahl 2008; Law et al. 2009; DIS 2010), and is further related with project features and the context in which the interaction takes place (Hassenzahl and Tractinsky 2006). Therefore, it is important to assess user experience systematically during all development stages.

Although the literature provides plenty of UX evaluation methods, few can be adopted to evaluate projects in their early stages, and there is a lack of effective multimethod approaches (Vermeeren et al. 2010). The palette thins further when focusing on multimodal interfaces (Bargas-Avila & Hornbæk 2011; Wechsung 2014). Co-discovery (Zimmerman, Forlizzi, & Evenson 2007; Yogasara et al. 2011b), also known as constructive interaction (O'Malley, Draper, & Riley 1984), is one of the few methods available. It consists on the involvement of two participants (preferably friends), in exploration and simultaneous discussion of a prototype, while the researcher observes and gives necessary inputs (Jordan 2002). Co-experience contributes to a holistic perspective of UX in its social context, through the construction of meaning and emotions between users using a system/product (Forlizzi & Battarbee 2004).

Within an educational perspective, the learning experience is the UX with an e-learning system or platform (Shi 2014). It goes beyond traditional usability evaluation, concerned with effectiveness, efficiency, and satisfaction of the learner performing a task, and is also related to hedonic aspects of using the technology, such as: students'

engagement, serendipity, and enjoyability. Despite recent interest towards UX by instructional designers, some questions remain unanswered (Pribeanu 2013): which technological features do students wish? which attributes better support their engagement? These questions are explored throughout this study, as an attempt to contribute to the field.

2.2 Multimodal Human-Computer Interaction

There is a growing research effort to leverage human communication skills through speech, gestures, facial expressions, and other communication modalities of interactive systems (Turk 2014), since human interaction with the world is inherently multimodal (Quek et al. 2002). Research goals in this field are the development of technologies, interaction methods, and interfaces that employ and combine senses towards more natural interaction by users.

Today, saying “natural” (in contexts such as NUI) is about highlighting the contrast with classical computer interfaces that employ control devices whose operational gestures do not map directly to intended operations (Malizia & Bellucci 2012). Norman claims that NUI are not natural at all: they do not follow basic principles of interaction design (Norman 2010). Gesticulating is natural and innate, but gestural interfaces are based upon a set of predefined gestural commands that must be learned just as classical ones. Morgado (2014) proposed that somatic commands leverage users’ individual/social cultural backgrounds due to this conflict.

Multimodal Human-Computer interaction addresses these obstacles by selecting gestures or gestural emblems that a somewhat widespread meaning across cultures, attempting to minimize critical failures. This has acquired special relevance with the

appearance of low-cost somatic interaction devices such as Wii Remote¹, Leap Motion², Parallax³, Myo Gesture⁴, EyeToy⁵, and Microsoft Kinect⁶. Likewise, virtual and augmented reality experience a resurgence via low-cost immersive headsets (e.g., Google Cardboard⁷, Vuzix iWear⁸, Oculus Rift⁹) or augmented reality glasses (e.g., Google Glass¹⁰, Meta Glasses¹¹, Microsoft HoloLens¹²). The creation and exploration of new multimodal techniques and applications towards more natural interaction is thus an opportunity. Combination in particular, since most systems only integrate two modalities, such as speech alongside touch or visual gestures (Turk 2014).

These concepts have also been applied to education and e-learning, in support of a wider variety of student preferences and interests (Sankey, Birch, & Gardiner 2011). Specifically, through development of interactive multimodal learning environments, such as 3D virtual worlds and social media, using verbal and nonverbal modes to represent content knowledge (Moreno & Mayer 2007). The use of these environments has been shown to enhance learning, rendered more flexible, self-oriented and enjoyable (Birch 2008; Picciano 2009).

¹ <http://www.nintendo.com/wiiu/accessories>

² <https://leapmotion.com/>

³ <https://parallax.com/product/28046>

⁴ <https://thalmic.com/myo/>

⁵ <http://us.playstation.com/ps2/accessories/eyetoy-usb-camera-ps2.html>

⁶ <https://microsoft.com/en-us/kinectforwindows/>

⁷ <https://google.com/cardboard/>

⁸ http://vuzix.com/UKSITE/consumer/products_vr920.html

⁹ <https://www.oculus.com/en-us/>

¹⁰ <https://developers.google.com/glass/>

¹¹ <https://www.metavision.com/>

¹² <https://www.microsoft.com/microsoft-hololens/en-us>

2.3 Digital Game-Based Learning

Digital Game-Based Learning (DGBL) is defined by Prensky (2001) as the development and use of computer games for educational purposes. Despite convictions about the potential of games and their progress, disappointingly DGBL mostly focus on knowledge acquisition (Boyle et al. 2015), rather than identified potential for higher-order relationships with knowledge (e.g., Gee, 2003). Nevertheless, research has demonstrated their positive learning outcomes (Connolly et al. 2012). E.g., students' engagement (Wang & Chang 2010), motivation (Dickey 2011), achievement (Jui-Mei et al. 2011; Hamari et al. 2016), behaviour change (Greitemeyer 2013), among others.

DGBL involves complex learning environments, where players can easily become weary or disoriented with the amount and multimodality of information. The role of teachers/tutors becomes crucial and demanding. To diminish the cognitive effort, players require appropriate guidance and support through meticulous selection of information (Wouters & van Oostendorp 2013). Players' actions usually result in game environment changes, which can lead into intuitive learning: results achieved without knowing how to explain or integrate them with prior knowledge (Ausubel et al. 1968).

Despite the growing understanding of game characteristics related to greater engagement and learning outcomes, there is much to discover (Boyle et al. 2015). It is important to remember that game development for learning is a convoluted process which can imply large costs, requiring more field studies that systematically explore and map characteristics to foster students' engagement and learning.

3. Related Work

3.1 Motion Based Devices

Research suggests that gestural interaction enhances learning: a 2011 report pointed out gesture-based computing as an emergent technology likely to influence education in the near future, supporting new forms of interaction, expression, and activity (Johnson et al. 2011). We provide some of the various studies in this field as examples.

Li et al. (2012) conducted a study with 3 autistic students for sensory integration training that explored the effects of applying game-based learning to webcam motion sensor games, concluding that the need for abstract thinking was reduced and the level of participation increased. A similar study was carried out with 39 college students by Lee et al. (2012) to explore effects of using Kinect to improve learning performance, showing that embodied interactions make learners feel more motivated and engaged, and observation of colleagues' performances contribute to adjust everyone else's.

Cassola et al. (2014) presented the Online-Gym system, which captures gymnastics movements of several users concurrently using a Kinect per user, and relays them remotely, allowing users to see everyone within the same virtual world environment, dropping skeletal frames of slower connections for stabilizing quality of service.

Ibáñez and Wang (2015) studied 57 elementary school students using a Kinect motion-based educational game for learning about recycling, concluding that the multiplayer game mode positively affected students' learning motivation and engagement.

Perdana (2014) used Leap Motion to develop an alternative method for teaching

children music and performance, concluding that there isn't an ideal motion recognition music based application, and criticising Leap Motion's low range and lack of accuracy (Potter, Araullo, & Carter 2013).

3.2 Virtual Reality

Virtual Reality in learning/training has a long history (Freina & Ott 2015), especially when physical-world experience is hard or impossible due to limitations such as time, inaccessibility (Detlefsen 2014), danger (Williams-Bell et al. 2015) or ethics (Liu & Curet 2015).

According to Bastiaens, Wood, & Reiners (2014), modern game development engines (e.g., Unity3D, Unreal Engine 4) together with headsets (e.g., Oculus Rift, HTC Vive) can improve authentic learning and high-fidelity virtual environments and therefore support education. Reiners (2014) also agrees on Oculus' role of authenticity and emotion as a way to aid learning inside immersive virtual environments: applied in operations and supply chain industry, it can improve safety, security, and sensibility of classroom visitors in more realistic virtually mediated scenarios. After conducting a study with 9 intellectually impaired adults and comparing desktop-based VR, where objects are purely seen as images, with immersive environments, Freina & Canessa (2015) concluded that the latter can better train spatial skills since objects are rather perceived as real objects.

Hupont et al. (2015) compared how Oculus impacts gaming quality of experience vs. conventional 2D computer screens. With a sample of 22 users, they report that Oculus increases amazement, astonishment, and excitement, as well as their sense of presence, realism, and naturalness in the exploration and navigation within the

3D environment. Several researcher (Polcar & Horejsi 2013; Llorach, Evans, & Blat 2014; Treleaven et al. 2015) demonstrated the severity of cybersickness symptoms (e.g., nausea, disorientation) when using Oculus for locomotion tasks within virtual reality. Similarly, Davis, Nesbitt, & Nalivaiko (2014) conclude that such symptoms require more targeted and effective measures to address cybersickness's impact in people's physical condition.

3.3 Augmented Reality

Augmented Reality (AR) has been widely adopted for learning and training, especially with mobile applications enabling ubiquitous, collaborative, and situated learning (Wu et al. 2012; Yilmaz 2016). Bringing computation to our personal space may improve the educational activity (Mann & Hrelja 2013). Its benefits are also identified in multiple studies, such as learning content in 3D perspectives (Chen et al. 2011), learning motivation (Di Serio, Ibáñez, & Kloos 2013), spatial ability and engagement (Bujak et al. 2013), creativity (Yuen, Yaoyuneyong, & Johnson 2011), among others.

Figueiredo (2015) describes several educational activities for teaching mathematics using AR tools that do not require any programming while shaping learning into a more interactive process. He suggests that using AR interactive materials can be motivating and contribute to broaden the class into a VR environment where students can spend more time practicing problem solving. Restivo et al. (2014) also used an AR system to teach Direct Current (DC) circuit fundamentals to students, increasing their motivation by fostering their interest in the use of technologies. Still within Physics education, Barma et al. (2015) developed a serious game based on an interactive mobile AR solution to teach electromagnetism to college students, finding that AR significantly helps visualize the physical phenomenon in 3D, providing a

concrete representation of an abstract situation that is not otherwise easily accessible.

Morgado (2015) analyses Google's Ingress alternative reality game and extracts suggestions for educational application of its dynamics using multi-user participation, location-aware mechanics and reinterpretation of the physical reality around the users, should an Ingress game development API become available. (Leue, Jung, & Dieck 2015) assessed how Google Glass enhanced visitors' learning outcomes within an art gallery environment. With a sample of 22 participants, they revealed that this device helped visitors see connections and enhanced their knowledge and understanding of paintings. Google Glass has been used experimentally, with some high-profile cases in medical education and surgery intervention (Aungst and Lewis 2015). However, its high power consumption, low battery capacity and heating are disadvantages, especially if deploying in health care, where issues such as hygiene, data protection and privacy need to be addressed and are currently limiting chances for professional use (Albrecht et al. 2013).

4. The 'Primeira Armada da Índia' prototype

"Primeira Armada da Índia" (or "First Fleet of India") is a videogame prototype, described in a previous paper (Morgado, Cristóvão, et al. 2015). It was inspired by the recent celebration of the 800 years of the Portuguese language and thus named after the fleet of Vasco da Gama, a renowned Portuguese navigator from XV century. The presented prototype depicts an episode later described in the XVI century by Luís Vaz de Camões in his epic poem "Os Lusíadas" ("The Lusiads"), where a Portuguese ship from the Age of Discovery is approaching the Cape of Good Hope and faces the mythical stone giant Adamastor, who tries to prevent the ship from crossing from the Atlantic Ocean to the Indian (Camões 1997). The prototype, developed using Unity3D,

consists of the Helmsman (Player 1) of Vasco da Gama's ship and the Adamastor giant (Player 2), facing each other in a virtual reality (VR) world (cf., Figure 1). In its early stages, the version used in the first two case studies, Player 1 used Oculus Rift DK2 to immerse in the ship rear deck and freely observe the richness of the scenery in 360°: the ship, the sea, and the Adamastor giant. The latter was able to move his torso and arms according to Player 2 body movements captured by a Microsoft Kinect 2, using a Unity package developed by Filkov (2014).



Figure 1. 3D conceptual model and in-game environment.

In an attempt to improve the overall experience, the current prototype has a more realistic ocean (Bruneton, Neyret, and Holzschuch 2010) and integrates more devices, increasing interaction possibilities. Player 1 can now listen to 3D sound of seagulls and waves, and uses Oculus with a Leap Motion attached, to immerse in the VR deck. The addition of Leap Motion enabled users to see a representation of their hands (cf., Figure 2), increasing their sense of presence in the virtual world.



Figure 2. Public demonstration of the prototype.

Player 2, on the other hand, doesn't use a headset in spite of Adamastor being stranded on the Cape of Good Hope within the VR world. Player 2, while controlling Adamastor's torso and arms through body movements detected by Kinect, uses Google Glass to access contextual information such as the current position of the ship in the virtual world and to consequently be able to throw rocks in the desired direction by doing a throw gesture in front of the Kinect (cf., Figure 3).



Figure 3. Player's 2 Point of View.

5. Methodology

Six exploratory case studies were conducted to evaluate UX in the 'Primeira Armada da Índia' prototype and its potential in education. Altogether, 437 users participated in

these studies, ages ranging between 14 and 60 years old. During each of the sessions, 2 or 3 researchers mediated users' interaction. The studies (cf., Table 1) took place in educational events in schools and in videogames/virtual reality meetings in Portugal.

Study ID	Local/Event	Users	Profile	Total duration	Duration per user	Ages interval	Prototype version	Data Collection
S1	Sicó vocational training school - Science and Entrepreneurship week	72	Students	6 hours	10 minutes	14-17	Alpha	Participatory Observation
S2	S. Pedro High School - information session on college-level Science & Technology programmes	36	Students and Teachers	3 hours	7 minutes	14-55	Alpha	Observation Grid
S3	Manga & Comic Event 2015	137	Teenagers and Adults	16 hours	7 minutes	13-52	Beta	Participatory Observation and Questionnaire
S4	Microsoft Game Dev Camp 2015	113	Students, Videogame Experts and Academics	12 hours	6 minutes	18-60	Beta	Participatory Observation and Questionnaire
S5	Portugal Virtual Reality Meetup 2015	18	Virtual Reality Experts	3 hours	10 minutes	20-40	Beta	Participatory Observation and Questionnaire
S6	UTAD - Science and Technology Week	61	Students and Teachers	6 hours	6 minutes	14-50	Beta	Participatory Observation and Questionnaire

Table 1 - Exploratory case studies summary.

We adopted the co-discovery UX assessment method as mentioned earlier (Kemp and Gelderen 1996) where 2 students play together and their interaction is mediated by researchers (Holzinger 2005a; Yogasara et al. 2011a). Data was collected through participant observation (Nardi 1997; Delamont 2004; Arnould, Price, & Moisio 2006) and questionnaires. Researchers' mediation was in the interest of guiding, observing, describing, and analysing the interactions between the users while playing 'Primeira Armada da Índia'. The questionnaire was based on the analysis of the first study (Fernandes et al. 2015) and adopted from the second study onwards to quantify the participants' personal opinions and beliefs as well as the incidence of some identified physical sensations. Answers to the questionnaires were also confronted with

the descriptions made by the researchers from their observations. Throughout the case studies, a 3-phase cycle research model was followed: planning; implementation; analysis and observation. The alpha prototype, used in studies S1 and S2, served as support for the Beta and subsequent studies (cf., Figure 4).

Figure 4 – Research Model adopted throughout the studies.




Figure 4. Research Model adopted throughout the studies.

All UX assessments were carried out in a mobile laboratory due to the fact that the studies took place in different contexts. Laboratory studies are widely used to assess the UX in the early stages of the development of a product or in exploratory studies (Roto, Obrist, & Väänänen-Vainio-Mattila 2009). Our laboratory was set up with the following devices: a laptop, an Oculus DK2, a Leap Motion, a Kinect 2, a Google Glass and a WiFi Access Point. The videogame ran on the laptop where the Oculus Rift and its attached Leap Motion were connected for player 1. Kinect 2 was also connected to the laptop, but physically distant from it. Its location was chosen considering it had to face one of the main cardinal points (to match Glass' cues) and capture player's 2 movements. Player 2 also wore Google Glass, connected to the laptop wirelessly via the WiFi Access Point.

6. Findings

All case studies followed similar design principles and method, so we combined their

data into a single data set. We then classified the results into two main categories of analysis based on each player role: Helmsman and Adamastor. In each category we present the data related to the users' preferences, and physical and psychological responses.

6.1 Helmsman Player (Oculus Rift + Leap Motion)

In general, the majority of the users involved in the case studies gave very positive feedback and stated their interest in the prototype, particularly in the Beta version, where new elements were introduced, such as 3D sound, a more realistic ocean and Leap Motion for hands' detection.

Although in the first two case studies (**S1** and **S2**), with the early version of the prototype, some students reported symptoms related to cybersickness, their proportion tends to decrease substantially as the sample size increases.

These symptoms were felt occasionally - only 3.9% users reported them (17 out of 437) - and had minimal impact in the subsequent experience of the players, which proceeded with the exploration of the virtual environment regardless. In an attempt to overcome such symptoms, some players would squeeze the headset, adjusting it to their head.

A minority complained about the low environment resolution in Oculus Rift (15.1% - 66 out of 437), but from **S3** onwards many users reported lack of precision of the Leap Motion (31.3% - 103 out of 329). Nevertheless, a considerable amount of users delved into the environment, looking at every detail of the ship, ocean, sky, rocks and Adamastor giant. So extensively was this that most would attempt to touch the ship and other virtual objects (70.5% - 232 out of 329), even trying to touch the floor of the

physical space. Some other inquisitive situations include stretching the arms to reach Adamastor, even though he was visually far from the ship within the virtual environment; some colleagues of the helmsman's players would wiggle their hands to produce air flow, making the player assume that wind was coming from the virtual environment; some users sensed the crashing waves and revealed their craving to row after the 3D sound inclusion (also from **S3** onwards); and a user reported some bad smell within the ship.

The sense of presence and immersion in the environment was felt gradually, eventually growing after enabling hands visualization through Leap Motion and consequently arousing greater curiosity and expectations towards new interaction possibilities and control of the character. Prospects were now higher and, as a side effect, some users mentioned disappointment with not being able to stretch their necks to appreciate the outside of the ship, move freely or even fire a cannon. As a negative aspect, some users - mainly female - complained about the big, hairy hands morphology, pointing out their lack of adaptability while mentioning its masculinity, as well as their inadequate size. Others would get distracted with the hands instead of searching for Adamastor, which hints at the need for guidance.

Emotions also played a meaningful role in the experiments. The majority of users were enthusiastic during the sessions (81.2% - 355 out of 437), laughing, shouting, and threatening Adamastor when he gesticulated, mainly because they were aware that a colleague was controlling its avatar from the physical space - some still asked to make sure.

Lastly, regarding the interaction with Adamastor, some students asked the giant to throw rocks at the ship, and a few became bewildered, losing their reference and not

managing to locate him alone - some colleagues guided them, based on a monitor streaming Oculus' Point of View (POV). Adamastor also revealed some issues, such as his arms behaving unnaturally and the low amplitude of his head movements.

6.2 Adamastor Player (Kinect 2 + Google Glass)

Contrary to the Helmsman's player experience, a high number of users expressed less enthusiasm and acceptance towards the role of Adamastor, struggling over doing it. Notwithstanding, resistance decreased with the Beta version, where new components were combined, namely a real-time compass application in Google Glass and being able to grab and throw rocks. Despite some interaction constraints and issues such as arms behaving unnaturally and the low amplitude of head movements, most users enjoyed their play experience, praising its potential and suggesting improvements and other scenarios.

Positioning the player's body accurately is imperative for this character, due to Kinect's image acquisition and subsequent interactions. Several users didn't grasp how to do it (33.2% - 145 out of 437), and some (17% - 62 out of 365) started to gesticulate before the capture was active (not quantified in **S1**). Hesitancy of when or how to interact with the Helmsman player also occurred, thus the need to inquire if the behaviour was being displayed in the virtual world. Some would often turn to the other player rather than face Kinect, ceasing to control Adamastor. Such cases appear to leverage user experience negatively, leading to disinterest and confusion during the experiments - especially in **S1** where an extremely large dropout rate (94.4% - 68 out of 72) was verified. In this sense, factors such as users and devices physical placement, and mediator's role proved to be vital. This was validated through some modifications and interventions by our team of researchers in the subsequent studies (starting at **S2**).

When **S1** took place, the Helmsman players had their back turned on Adamastor players, and mediators purely provided minor technical instructions regarding devices' use. From that study onwards (until **S6**), mediators arranged the space in a way that players would face each other slightly diagonally, portrayed the scenario and heartened players interaction. The aforementioned adjustments also led to a greater acceptance - no more dropouts - by Adamastor participants.

Bringing Augmented Reality into the scene, with Google Glass (since **S3**), empowered more interaction: from locating the ship and rocks, as in a map, (further visual feedback) to actually grabbing and throwing them through Kinect detected gestures. However, new issues arose. On the one hand, the small font size of the compass (cf., Figure 3), its constant need of calibration, along with its dearth of feedback due to the background noise, were a reason of complaint. On the other hand, a considerable number of users was incapable of using Google Glass due to hardware limitations (only 45.9% tried Google Glass - 151 out of 329), particularly its low battery life, rapid overheating and timeouts. Moreover, the current game prototype forces users to execute movements and gestures in front of Kinect while turning their head to locate the ship, resulting in a lack of coordination (38.4% - 58 out of 151).

In general, users tried to embody Adamastor and interpret the depicted episode by moving their arms and making peculiar sounds as an attempt to frighten their colleagues. These behaviours and forms of interaction provided amusing moments in the physical space, such as laughing from bystanders, which stimulated their cooperative participation through the suggestion of unique movements and gestures.

7. Discussion

Throughout this section, we discuss and confront the outcomes gathered in our study

with other published studies in the field, as an attempt to further enhance the current knowledge regarding user experience when employing multimodal educational videogames.

According to other research efforts using Oculus Rift (POLCAR & HOREJSI 2013; Treleaven et al. 2015), symptoms related to cybersickness episodes, such as nausea and headaches, were witnessed. This is a concern worth some consideration when developing further studies with the prototype. Possible explanations might include the duration of the exposure, the field of view (FOV) size and the interpupillary distance (IPD) (Llorach, Evans, & Blat 2014). Even though our average IPD is about 63mm, its range may vary between 52mm and 78mm. While Oculus Rift's IPD is 63,5mm, allowing adjustments exclusively within the virtual environment, users with an IPD far from the average won't see as much improvement as they would, should physical adjustments be made in the headset.

The prototype's level of immersion seems to relate to the interaction between the users and their surroundings, becoming a key issue to fully understand their experience (Blascovich & Bailenson 2006). Across studies, immersion was strengthened by multimodal characteristics, such as rolling of the ship (impression of sailing), 3D sound (impression of crashing waves and craving to row) and hand detection (impression of control and sense of presence). Together, they increase environment authenticity and users' enthusiasm and motivation, leading to immersion in the virtual world. However, such features can likewise negatively influence the learning process, resulting in users getting distracted and losing focus (Lim, Nonis, & Hedberg 2006). By the same token, and in accordance with our results, if users are accompanied by colleagues, immersion is lessened due to perception of what is happening in the physical world surroundings. Despite some technical constraints, we concur with other researchers (Bastiaens, Wood,

& Reiners 2014) that even though this kind of VR environments can strongly leverage authentic learning experiences, their development requires a multidisciplinary team with specific skillsets.

Being based on social interaction between players, this multiplayer videogame triggers emotions that further contribute to their interest and motivation: joy, satisfaction, delight and enthusiasm. They echo the challenging (e.g., roleplaying characters, performing predetermined tasks) and the puzzling (e.g., unknown cause-effect) within the videogame and its mechanics. Also, as in other studies (Ibáñez & Wang 2015), we witnessed potential cases of situated learning: students collaboratively guided and helped participants to a solution when they were facing an obstacle (e.g., helping Adamastor position properly within the VR environment).

The mediator's role is indispensable to successfully use this kind of prototypes, especially in an educational context (Wouters & van Oostendorp 2013). The role is preponderant not only when designing a prototype, delineating and arranging the environment's information and learning tasks proposals but also in its implementation. In the latter phase, and going towards our study, using a computer screen to stream the users' POV proves to be convenient for managing the learning process, allowing the mediator to constantly be aware of players' sight and actions. In accordance to Freina & Canessa (2015), this allows the player's activity to be controlled (e.g., help focus on the learning tasks, guide them when stuck or even stop the experience when revealing exhaustion or stress) and the motivation to be incited (e.g., encourage interaction when interest fades).

Finally, we consider that the choice and subsequent integration of a technology in this type of prototypes is something to bear in mind. It is critical to pre-assess its

performance, as well as the aftermath of the user experience. The experience should be flexible and self-oriented (Birch 2008; Picciano 2009), taking into account the preferences, characteristics and specific needs of each user. In this sense, an architecture such as the one developed in the present prototype (Morgado, Cardoso, et al. 2015), seeks to adopt this principle, granting the user the choice of devices and interactions. Such prospects could also solve or lessen existing obstacles, particularly the dearth of coordination of the Adamastor player when using Google Glass and Kinect simultaneously, by replacing the current Kinect grab and throw gestures detection with Myo Gesture bracelets.

8. Final Thoughts, Limitations and Further Work

In this work, we presented an empirical exploratory research with a high number of participants, employing a multimodal educational videogame prototype, where two users experienced and shared synchronously the same 3D virtual environment using distinct devices, something we find original in the field. Our goal was to assess the user experience when using these technologies, while taking into account its feasible application and implications in education.

As final considerations, we can assert our conviction that the prototype exposes learning potential, facilitating entertaining, authentic, situated and self-oriented experiences. We believe that it is mainly due to immersiveness, high-fidelity, interaction, and flexibility offered by the prototype, ingredients for motivation and engagement from the users. Nevertheless, the relatively high cost associated with the aforementioned technologies and their limitations, particularly the need for multidisciplinary development team, suggests that the massive adoption of such prototypes is not yet feasible or sustainable. Therefore, we consider that making

technology available is not enough to enable these disruptive technologies to challenge the teaching and learning methods currently practiced in our classrooms. It is imperative that the teams developing these scenarios yield the necessary support to both teachers and students so that they make the most out of their potential.

Due to its embryonic and exploratory phase, the presented study and observations make evidence of limitations of technological and methodological nature. Thus, it would be possible to gather richer data analysis if these observations were made with a more explicit focus and instruments.

As future work, the development of the prototype will continue with the implementation of the remaining game mechanics (e.g., ship and a cannon control) and integration of technologies (e.g., Myo Gesture) that improve users' interaction. Moreover, new studies will be carried out to assess users' experience with every educational actor, to better understand the relationships between their profile and the interest shown in adopting these scenarios as facilitators of the learning process. Additionally, we would like to indicate what we consider to be a research agenda in the field: studies to identify quality standards for the widespread adoption of these VR environments by educational institutions; to assess the potential of these VR environments for collaborative learning; to evaluate the impact of these VR environments in students' motivation and engagement for learning; to develop new tools and guidelines for teachers in the design and delivery of VR learning scenarios; and to integrate these devices in a facilitated and transparent manner. Finally, and based on our findings and their implications, we list some recommendations for further research development and application of these VR environments in education:

- Creation of a multidisciplinary team to develop learning scenarios (e.g., 3D

modeller, developer, instructional designer, teaching staff);

- Adequacy of the interaction devices to the instructional design process, taking into account different learning objectives, activities and desired outcomes;
- Selection of a flexible and adaptable development method to different application scenarios taking into account the integration of new devices, UX improvements and interoperability (e.g., Learning Management Systems - LMS);
- Adequacy of the research method to different application scenarios (e.g., layout of the physical environment, mediator's role, device configuration, data collection tools).

9. Acknowledgments

This work was developed in the scope of the InMERSE project, developed at INESC TEC in cooperation and with funding from Portugal Telecom Inovação (now Altice Labs). The goal of InMERSE was to study the potential of combining gestural interaction, immersive visualization and augmented visualization, using readily-available low-cost devices, in entertainment or business use contexts. This work is partly financed by the ERDF – European Regional Development Fund through the Operational Programme for Competitiveness and Internationalisation - COMPETE 2020 Programme, and by National Funds through the FCT – Fundação para a Ciência e a Tecnologia (Portuguese Foundation for Science and Technology) within project «POCI-01-0145-FEDER-006961».

10. References

Albrecht, Urs-Vito, Ute von Jan, Joachim Kuebler, Christoph Zoeller, Martin Lacher, Oliver J Muensterer, Max Ettinger, Michael Klintschar, and Lars Hagemeyer. 2013. “Google Glass for Documentation of Medical Findings: Evaluation in Forensic Medicine.” *Journal of Medical Internet Research* 16 (2). JMIR Publications Inc.: e53–e53.

- Arnould, Eric J, Linda Price, and Risto Moisio. 2006. "Making Contexts Matter: Selecting Research Contexts for Theoretical Insights." *Handbook of Qualitative Research Methods in Marketing*. Edward Elgar Cheltenham, England, 106–25.
- Aungst, T D, and T L Lewis. 2015. "Potential Uses of Wearable Technology in Medicine: Lessons Learnt from Google Glass." *International Journal of Clinical Practice* 69 (10): 1179–83. doi:10.1111/ijcp.12688.
- Ausubel, David Paul, Joseph Donald Novak, Helen Hanesian, and others. 1968. "Educational Psychology: A Cognitive View." Holt, Rinehart and Winston New York.
- Bargas-Avila, Javier A., and Kasper Hornbæk. 2011. "Old Wine in New Bottles or Novel Challenges." In *Proceedings of the 2011 Annual Conference on Human Factors in Computing Systems - CHI '11*, 2689. New York, New York, USA: ACM Press. doi:10.1145/1978942.1979336.
- Barma, Sylvie, Sylvie Daniel, Nathalie Bacon, Marie-Andrée Gingras, and Mathieu Fortin. 2015. "Observation and Analysis of a Classroom Teaching and Learning Practice Based on Augmented Reality and Serious Games on Mobile Platforms." *International Journal of Serious Games* 2 (2). doi:10.17083/ijsg.v2i2.66.
- Bastiaens, T, Lincoln C Wood, and Torsten Reiners. 2014. "New Landscapes and New Eyes: The Role of Virtual World Design for Supply Chain Education." *Ubiquitous Learning: An International Journal* 2.
- Birch, Dawn P. 2008. "Factors Influencing Academics' Development of Interactive Multimodal Technology-Mediated Distance Higher Education Courses." Queensland University of Technology.
- Blascovich, Jim, and Jeremy Bailenson. 2006. "Immersive Virtual Environments and Education Simulations." Citeseer.
- Boyle, Elizabeth A., Thomas Hainey, Thomas M. Connolly, Grant Gray, Jeffrey Earp, Michela Ott, Theodore Lim, Manuel Ninaus, João Pereira, and Claudia Riberio. 2015. "An Update to the Systematic Literature Review of Empirical Evidence of the Impacts and Outcomes of Computer Games and Serious Games." *Computers & Education* 94 (November): 178–92. doi:10.1016/j.compedu.2015.11.003.
- Bruneton, Eric, Fabrice Neyret, and Nicolas Holzschuch. 2010. "Real-Time Realistic

- Ocean Lighting Using Seamless Transitions from Geometry to BRDF.” *Computer Graphics Forum* 29 (2): 487–96. doi:10.1111/j.1467-8659.2009.01618.x.
- Bujak, Keith R, Iulian Radu, Richard Catrambone, Blair Macintyre, Ruby Zheng, and Gary Golubski. 2013. “A Psychological Perspective on Augmented Reality in the Mathematics Classroom.” *Computers & Education* 68. Elsevier: 536–44.
- Camões, Luis Vaz de. 1997. “The Lusiads, Tr. Landeg White.” Oxford, Oxford University Press.
- Cassola, Fernando, Hugo Paredes, Benjamim Fonseca, Paulo Martins, Silvia Ala, Francisco Cardoso, Fausto de Carvalho, and Leonel Morgado. 2014. “Online-Gym: Multiuser Virtual Gymnasium Using RINIONS and Multiple Kinect Devices.” In *2014 6th International Conference on Games and Virtual Worlds for Serious Applications (VS-GAMES)*, 1–4. IEEE. doi:10.1109/VS-Games.2014.7012164.
- Chen, Yi-Chen, Hung-Lin Chi, Wei-Han Hung, and Shih-Chung Kang. 2011. “Use of Tangible and Augmented Reality Models in Engineering Graphics Courses.” *Journal of Professional Issues in Engineering Education & Practice* 137 (4). American Society of Civil Engineers: 267–76.
- Connolly, Thomas M., Elizabeth A. Boyle, Ewan MacArthur, Thomas Hainey, and James M. Boyle. 2012. “A Systematic Literature Review of Empirical Evidence on Computer Games and Serious Games.” *Computers & Education* 59 (2): 661–86. doi:10.1016/j.compedu.2012.03.004.
- Davis, Simon, Keith Nesbitt, and Eugene Nalivaiko. 2014. “A Systematic Review of Cybersickness.” In *Proceedings of the 2014 Conference on Interactive Entertainment - IE2014*, 1–9. New York, New York, USA: ACM Press. doi:10.1145/2677758.2677780.
- Delamont, Sara. 2004. “Ethnography and Participant Observation.” *Qualitative Research Practice*, 217–29.
- Detlefsen, Jan. 2014. “The Cosmic Perspective: Teaching Middle-School Children Astronomy Using Ego-Centric Virtual Reality.”
- Di Serio, Ángela, María Blanca Ibáñez, and Carlos Delgado Kloos. 2013. “Impact of an Augmented Reality System on Students’ Motivation for a Visual Art Course.” *Computers & Education* 68. Elsevier: 586–96.

- Dickey, Michele D. 2011. "Murder on Grimm Isle: The Impact of Game Narrative Design in an Educational Game-Based Learning Environment." *British Journal of Educational Technology* 42 (3). Wiley Online Library: 456–69.
- DIS, I S O. 2010. "9241-210 2010. Ergonomics of Human System Interaction-Part 210: Human-Centred Design for Interactive Systems. Standard." *International Organization for Standardization, Tech. Rep. International*.
- Fernandes, Luís, Ricardo Rodrigues Nunes, Gonçalo Matos, Diogo Azevedo, Daniela Pedrosa, Leonel Morgado, Hugo Paredes, et al. 2015. "Bringing User Experience Empirical Data to Gesture-Control and Somatic Interaction in Virtual Reality Videogames: An Exploratory Study with a Multimodal Interaction Prototype." In *SciTecIn15-Conferência Ciências E Tecnologias Da Interação 2015*.
- Figueiredo, Mauro. 2015. "TEACHING MATHEMATICS WITH AUGMENTED REALITY." In *12th International Conference on Technology in Mathematics Teaching*, 183.
- Filkov, Rumen. 2014. "Kinect Wrapper for Unity3D by RF Solutions." <http://rfilkov.com/2014/08/01/kinect-v2-with-ms-sdk/>.
- Forlizzi, Jodi, and Katja Battarbee. 2004. "Understanding Experience in Interactive Systems." In *Proceedings of the 2004 Conference on Designing Interactive Systems Processes, Practices, Methods, and Techniques - DIS '04*, 261. New York, New York, USA: ACM Press. doi:10.1145/1013115.1013152.
- Freina, Laura, and Andrea Canessa. 2015. "Immersive vs Desktop Virtual Reality in Game Based Learning." In *ECGBL2015-9th European Conference on Games Based Learning: ECGBL2015*, 195.
- Freina, Laura, and Michela Ott. 2015. "A Literature Review on Immersive Virtual Reality in Education: State of the Art and Perspectives." In *The International Scientific Conference eLearning and Software for Education*, 1:133.
- Gee, James Paul (2003). *What Video Games Have to Teach Us About Learning and Literacy*. New York, USA: Palgrave/Macmillan
- Greitemeyer, Tobias. 2013. "Exposure to Media with Prosocial Content Reduces the Propensity for Reckless and Risky Driving." *Journal of Risk Research* 16 (5). Taylor & Francis: 583–94.

- Hamari, Juho, David J. Shernoff, Elizabeth Rowe, Brianno Coller, Jodi Asbell-Clarke, and Teon Edwards. 2016. "Challenging Games Help Students Learn: An Empirical Study on Engagement, Flow and Immersion in Game-Based Learning." *Computers in Human Behavior* 54 (January): 170–79. doi:10.1016/j.chb.2015.07.045.
- Hassenzahl, Marc. 2008. "User Experience (UX)." In *Proceedings of the 20th International Conference of the Association Francophone d'Interaction Homme-Machine on - IHM '08*, 11. New York, New York, USA: ACM Press. doi:10.1145/1512714.1512717.
- Hassenzahl, Marc, and Noam Tractinsky. 2006. "User Experience - a Research Agenda." *Behaviour & Information Technology* 25 (2). Taylor & Francis Group: 91–97. doi:10.1080/01449290500330331.
- Holzinger, Andreas. 2005a. "Usability Engineering Methods for Software Developers." *Communications of the ACM* 48 (1). ACM: 71–74.
- . 2005b. "Usability Engineering Methods for Software Developers." *Communications of the ACM* 48 (1). ACM: 71–74. doi:10.1145/1039539.1039541.
- Hupont, Isabelle, Joaquin Gracia, Luis Sanagustin, and Miguel Angel Gracia. 2015. "How Do New Visual Immersive Systems Influence Gaming QoE? A Use Case of Serious Gaming with Oculus Rift." In *2015 Seventh International Workshop on Quality of Multimedia Experience (QoMEX)*, 1–6. IEEE. doi:10.1109/QoMEX.2015.7148110.
- Ibáñez, José de Jesús Luis González, and Alf Inge Wang. 2015. "Learning Recycling from Playing a Kinect Game." *International Journal of Game-Based Learning (IJGBL)* 5 (3). IGI Global: 25–44.
- Johnson, L, R Smith, H Willis, A Levine, and K Haywood. 2011. "The Horizon Report 2011." *The New Media Consortium, Austin*.
- Jordan, Patrick W. 2002. *Designing Pleasurable Products: An Introduction to the New Human Factors*. CRC Press. <https://books.google.com/books?hl=en&lr=&id=0s3el8sDjHsC&pgis=1>.
- Jui-Mei, YIEN, HUNG Chun-Ming, Gwo-Jen Hwang, and L I N Yueh-Chiao. 2011. "A Game-Based Learning Approach to Improving Students' Learning Achievements in a Nutrition Course." *TOJET: The Turkish Online Journal of Educational*

Technology 10 (2). Sakarya University.

Kemp, J.A.M, and T. Van Gelderen. 1996. "Co-Discovery Exploration: An Informal Method for the Interactive Design of Consumer Products." In *Usability Evaluation in Industry*, 252. CRC Press.

<https://books.google.com/books?hl=en&lr=&id=IfUsRmzAqvEC&pgis=1>.

Law, Effie Lai-Chong, Virpi Roto, Marc Hassenzahl, Arnold P.O.S. Vermeeren, and Joke Kort. 2009. "Understanding, Scoping and Defining User Experience." In *Proceedings of the 27th International Conference on Human Factors in Computing Systems - CHI 09*, 719. New York, New York, USA: ACM Press. doi:10.1145/1518701.1518813.

Lee, Wan-Ju, Chi-Wen Huang, Chia-Jung Wu, Shing-Tsaan Huang, and Gwo-Dong Chen. 2012. "The Effects of Using Embodied Interactions to Improve Learning Performance." In *2012 IEEE 12th International Conference on Advanced Learning Technologies*, 557–59. IEEE. doi:10.1109/ICALT.2012.104.

Leue, M Claudia, Timothy Jung, and Dario tom Dieck. 2015. "Google Glass Augmented Reality: Generic Learning Outcomes for Art Galleries." In *Information and Communication Technologies in Tourism 2015*, 463–76. Springer.

Li, Kun-Hsien, Shi-Jer Lou, Huei-Yin Tsai, and Ru-Chu Shih. 2012. "The Effects of Applying Game-Based Learning to Webcam Motion Sensor Games for Autistic Students' Sensory Integration Training." *Turkish Online Journal of Educational Technology-TOJET* 11 (4). ERIC: 451–59.

Lim, Cher P., Darren Nonis, and John Hedberg. 2006. "Gaming in a 3D Multiuser Virtual Environment: Engaging Students in Science Lessons." *British Journal of Educational Technology* 37 (2): 211–31. doi:10.1111/j.1467-8535.2006.00531.x.

Liu, May, and Myriam Curet. 2015. "A Review of Training Research and Virtual Reality Simulators for the Da Vinci Surgical System." *Teaching and Learning in Medicine* 27 (1). Taylor & Francis: 12–26.

Llorach, Gerard, Alun Evans, and Josep Blat. 2014. "Simulator Sickness and Presence Using HMDs: Comparing Use of a Game Controller and a Position Estimation System." In *Proceedings of the 20th ACM Symposium on Virtual Reality Software and Technology*, 137–40. ACM.

- Malizia, Alessio, and Andrea Bellucci. 2012. "The Artificiality of Natural User Interfaces." *Communications of the ACM* 55 (3). ACM: 36.
doi:10.1145/2093548.2093563.
- Mann, Steve, and Marko Hrelja. 2013. "Praxistemology: Early Childhood Education, Engineering Education in a University, and Universal Concepts for People of All Ages and Abilities." In *2013 IEEE International Symposium on Technology and Society (ISTAS): Social Implications of Wearable Computing and Augmented Reality in Everyday Life*, 86–97. IEEE. doi:10.1109/ISTAS.2013.6613106.
- Moreno, Roxana, and Richard Mayer. 2007. "Interactive Multimodal Learning Environments." *Educational Psychology Review* 19 (3). Springer: 309–26.
- Morgado, Leonel. 2014. "Cultural Awareness and Personal Customization of Gestural Commands Using a Shamanic Interface", *Procedia Computer Science* 27, 2014: 449-459.
- Morgado, Leonel. 2015. "Ingress: Potencialidades Pedagógicas de Um Jogo Georreferenciado de Realidade Alternativa Em Rede." *Inovação E Formação Na Sociedade Digital: Ambientes Virtuais, Tecnologias E Serious Games*. Whitebooks, 151–64.
- Morgado, Leonel, Bernardo Cardoso, Fausto de Carvalho, Luís Fernandes, Hugo Paredes, Luís Barbosa, Benjamim Fonseca, Paulo Martins, and Ricardo Rodrigues Nunes. 2015. "Separating Gesture Detection and Application Control Concerns with a Multimodal Architecture." In *Computer and Information Technology; Ubiquitous Computing and Communications; Dependable, Autonomic and Secure Computing; Pervasive Intelligence and Computing (CIT/IUCC/DASC/PICOM), 2015 IEEE International Conference on*, 1548–53.
- Morgado, Leonel, Paulo Cristóvão, Luís Fernandes, Ricardo Rodrigues Nunes, Paulo Martins, Hugo Paredes, Luís Barbosa, Bernardo Cardoso, and Fausto de Carvalho. 2015. "Primeira Armada Da Índia: Novo Conceito de Jogo Misturando Realidades Aumentada E Virtual, Gestos Finos E Amplos." In *SciTecIn15-Conferência Ciências E Tecnologias Da Interação 2015*.
- Nardi, Bonnie A. 1997. "The Use of Ethnographic Methods in Design and." *Handbook of Human-Computer Interaction*. Elsevier, 361.

- Nielsen, J., and D. Norman. 2015. "The Definition of User Experience."
<http://www.nngroup.com/articles/definitionuser-experience>.
- Norman, Donald A. 2010. "Natural User Interfaces Are Not Natural." *Interactions* 17 (3): 6–10.
- O'Malley, C, S Draper, and M Riley. 1984. "Constructive Interaction: A Method for Studying User-Computer-User Interaction." In *IFIP INTERACT'84 First International Conference on Human-Computer Interaction*.
- Perdana, Ikhsan. 2014. "Teaching Elementary School Students New Method of Music Performance with Leap Motion." In *2014 International Conference on Virtual Systems & Multimedia (VSMM)*, 273–77. IEEE.
doi:10.1109/VSM.2014.7136655.
- Picciano, Anthony. 2009. "Blending with Purpose: The Multimodal Model." *Journal of the Research Center for Educational Technology*.
<http://www.rcetj.org/index.php/rcetj/article/view/11>.
- POLCAR, JIRI, and PETR HOREJSI. 2013. "Knowledge Acquisition And Cyber Sickness: A Comparison Of VR Devices In Virtual Tours." *Science*.
- Potter, Leigh Ellen, Jake Araullo, and Lewis Carter. 2013. "The Leap Motion Controller." In *Proceedings of the 25th Australian Computer-Human Interaction Conference on Augmentation, Application, Innovation, Collaboration - OzCHI '13*, 175–78. New York, New York, USA: ACM Press. doi:10.1145/2541016.2541072.
- Prensky, M. 2001. "Chapter 1: The Digital Game-Based Learning Revolution. Digital Game-Based Learning." New York: McGraw-Hill.
- Pribeanu, Costin. 2013. "CHALLENGES IN EVALUATING THE LEARNING EXPERIENCE WITH NOVEL TECHNOLOGIES." *LEARNING* 51: 5.
- Quek, Francis, David McNeill, Robert Bryll, Susan Duncan, Xin-Feng Ma, Cemil Kirbas, Karl E. McCullough, and Rashid Ansari. 2002. "Multimodal Human Discourse: Gesture and Speech." *ACM Transactions on Computer-Human Interaction* 9 (3). ACM: 171–93. doi:10.1145/568513.568514.
- Reiners, T., Teras, H., Chang, V., Wood, L. C., Gregory, S., Gibson, D., Petter, N. & Teras, M. 2014. "Authentic, Immersive, and Emotional Experience in Virtual Learning Environments: The Fear of Dying as an Important Learning Experience

in a Simulation,” January.

<https://ctl.curtin.edu.au/events/conferences/tlf/tlf2014/refereed/reiners.html>.

- Restivo, Teresa, Fatima Chouzal, Jose Rodrigues, Paulo Menezes, and J. Bernardino Lopes. 2014. “Augmented Reality to Improve STEM Motivation.” In *2014 IEEE Global Engineering Education Conference (EDUCON)*, 803–6. IEEE.
doi:10.1109/EDUCON.2014.6826187.
- Roto, Virpi, Marianna Obrist, and Kaisa Väänänen-Vainio-Mattila. 2009. “User Experience Evaluation Methods in Academic and Industrial Contexts.” In *Interact 2009 Conference, User Experience Evaluation Methods in Product Development (UXEM'09)*, Uppsala, Sweden.
- Sankey, Michael D, Dawn Birch, and M W Gardiner. 2011. “The Impact of Multiple Representations of Content Using Multimedia on Learning Outcomes across Learning Styles and Modal Preferences.” *International Journal of Education and Development Using Information and Communication Technology* 7 (3). University of the West Indies: 18.
- Shi, Lei. 2014. “Defining and Evaluating Learner Experience for Social Adaptive E-Learning.” In *OASICS-OpenAccess Series in Informatics*. Vol. 43.
- Treleaven, Julia, Jenna Battershill, Deborah Cole, Carissa Fadelli, Simon Freestone, Katie Lang, and Hilla Sarig-Bahat. 2015. “Simulator Sickness Incidence and Susceptibility during Neck Motion-Controlled Virtual Reality Tasks.” *Virtual Reality* 19 (3-4): 267–75. doi:10.1007/s10055-015-0266-4.
- Turk, Matthew. 2014. “Multimodal Interaction: A Review.” *Pattern Recognition Letters* 36 (January): 189–95. doi:10.1016/j.patrec.2013.07.003.
- Vermeeren, Arnold P. O. S., Effie Lai-Chong Law, Virpi Roto, Marianna Obrist, Jettie Hoonhout, and Kaisa Väänänen-Vainio-Mattila. 2010. “User Experience Evaluation Methods.” In *Proceedings of the 6th Nordic Conference on Human-Computer Interaction Extending Boundaries - NordiCHI '10*, 521. New York, New York, USA: ACM Press. doi:10.1145/1868914.1868973.
- Wang, Chih-Chien, and Ya-Ting Chang. 2010. “Cyber Relationship Motives: Scale Development and Validation.” *Social Behavior and Personality: An International Journal* 38 (3). Scientific Journal Publishers: 289–300.

- Wechsung, Ina. 2014. *An Evaluation Framework for Multimodal Interaction*. T-Labs Series in Telecommunication Services. Cham: Springer International Publishing. doi:10.1007/978-3-319-03810-0.
- Williams-Bell, F M, B Kapralos, A Hogue, B M Murphy, and E J Weckman. 2015. "Using Serious Games and Virtual Simulation for Training in the Fire Service: A Review." *Fire Technology* 51 (3). Springer: 553–84.
- Wouters, Pieter, and Herre van Oostendorp. 2013. "A Meta-Analytic Review of the Role of Instructional Support in Game-Based Learning." *Computers & Education* 60 (1): 412–25. doi:10.1016/j.compedu.2012.07.018.
- Wu, Hsin-Kai, Silvia Wen-Yu Lee, Hsin-Yi Chang, and Jyh-Chong Liang. 2013. "Current Status, Opportunities and Challenges of Augmented Reality in Education." *Computers & Education* 62 (March): 41–49. doi:10.1016/j.compedu.2012.10.024.
- Wu, Wen-Hsiung, Yen-Chun Jim Wu, Chun-Yu Chen, Hao-Yun Kao, Che-Hung Lin, and Sih-Han Huang. 2012. "Review of Trends from Mobile Learning Studies: A Meta-Analysis." *Computers & Education* 59 (2). Elsevier: 817–27.
- Yilmaz, Ahmet. 2016. "The Portevin--Le Chatelier Effect: A Review of Experimental Findings." *Science and Technology of Advanced Materials*. Taylor & Francis.
- Yogasara, Thedy, Vesna Popovic, Ben J Kraal, and Marianella Chamorro-Koc. 2011a. "General Characteristics of Anticipated User Experience (AUX) with Interactive Products." In *Proceedings of IASDR2011: The 4th World Conference on Design Research: Diversity and Unity*, 1–11. IASDR.
- Yogasara, Thedy, Vesna Popovic, Ben J. Kraal, and Marianella Chamorro-Koc. 2011b. "General Characteristics of Anticipated User Experience (AUX) with Interactive Products." *Proceedings of IASDR2011 : The 4th World Conference on Design Research : Diversity and Unity*. IASDR. http://eprints.qut.edu.au/47035/1/IASDR2011_paper_32-camera_ready.pdf.
- Yuen, S, Gallayanee Yaoyuneyong, and Erik Johnson. 2011. "Augmented Reality: An Overview and Five Directions for AR in Education." *Journal of Educational Technology Development and Exchange* 4 (1): 119–40.
- Zimmerman, John, Jodi Forlizzi, and Shelley Evenson. 2007. "Research through Design

as a Method for Interaction Design Research in HCI.” In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems - CHI '07*, 493. New York, New York, USA: ACM Press. doi:10.1145/1240624.1240704.