

## DAFTAR PUSTAKA

1. World Health Organization (WHO). Maternal Mortality in 2005. Geneva : Departement of Reproductive Health and Research WHO; 2007.
2. World Health Organization (WHO). Dibalik angka – Pengkajian kematian maternal dan komplikasi untuk mendapatkan kehamilan yang lebih aman. Jakarta : WHO; 2007.
3. Badan Perencanaan dan Pembangunan Nasional. Report on the achievement of millenium development goals Indonesia. Jakarta : Bappenas; 2010:67.
4. Dinkes Kota Semarang. Profil kesehatan Kota Semarang 2011. Semarang : Dinas Kesehatan Semarang ;2011.
5. Cunningham FG, Leveno KJ, Gant NF, Alexander GM, Bloom SL, Cassey BM, et al. Williams manual of obstetrics. New York : McGRAW-HILL; 2003.
6. Manuaba IBG, Manuaba IAC, Manuaba IBGF. Hipertensi dalam kehamilan. In : Astuti NZ, Purba DI, Handayani S, Damayanti R, editors. Pengantar kuliah obstetri. Jakarta : Penerbit Buku Kedokteran ECG; 2003.
7. Sinaga Y, Wibowo B. Hubungan faktor risiko ibu hamil dan cara persalinan pada penderita preeklampsia eklampsia dengan hasil keluaran bayi. Semarang : Bagian Obstetri dan Gienkologi FK UNDIP Semarang; 2003.

8. Cunningham FG, Lenevo KJ, Gant NF, Gilstrap LC, Hauth JC, Wenstrom KD. Hypertensive disorder in pregnancy. In : Rouse D, Rainey B, Song C, George D, Wendel J, editors. Williams obstetrics 22<sup>nd</sup>ed. New York : McGRAW-HILL; 2005.
9. Winkjosastro H, Ssaifuddin AB, Rachimhadhi T, editors. Preeklampsia dan eklampsia. In : Ilmu kebidanan. Jakarta : Yayasan Bina Pustaka Sarwono Prawirohardjo; 2007.
10. Benson RC, Pernoll ML. Hypertensive disorder during pregnancy. In : Handbook of obstetrics and gynecology 9<sup>th</sup> ed. New York : McGRAW-HILL Inc; 1994.
11. Bambang Wibowo. Kematian perinatal pada preeklampsia – eklampsia [thesis]. Semarang : Bagian Obstetri dan Ginekologi FK UNDIP; 1997.
12. Anggorowati D, Hadisaputro H. Kejadian preeklampsia/eklampsia di RSUP Dr. Kariadi Semarang tahun 1997-1999. Kumpulan makalah/kuliah utama. KOGI X Denpasar: POGI cabang Semarang; 2000.
13. Junaedi A, Soejoenoes A. Kematian maternal di RSUP Dr. Kariadi Semarang tahun 1991-1995. Naskah lengkap POGI cabang Semarang. PIT POGI Padang ;1996.
14. Wahdi, Suhartono A, Praptohardjo U. Kematian maternal di RSUP Dr. Kariadi Semarang tahun 1996 – 1998. Majalah Obstetri dan Ginekologi Indonesia. Jakarta : POGI; 2000.
15. Sibai BM, Fairlie FM. Hypertensive disorder in pregnancy. In : High Risk Pregnancy. London : W.B Saunders Company. 1996

16. Dhananjay BS. A study factor affecting perinatal mortality in eclampsia. *PBS*. 2009; 22(5):2-5.
17. Yaliwal RG, Jaju PB, Vanishree M. Eklampsia and perinatal outcome – a retrospective study in a teaching hospital. *Journal of clinical and diagnostic research*. 2011; 5(5): 1056-1059.
18. DeCherney AH, Nathan L. Hypertensive states of pregnancy. In : *Current obstetric and gynecologic diagnosis and treatment* 9<sup>th</sup> ed. New York : McGRAW-HILL Inc; 2003.
19. National Hearth Lung and Blood Institute. National high blood pressure education program : working group report on high pressure in pregnancy. Bethesda : National Hearth Lung and Blood Institute (NHLBI); 2000.
20. Gallinelli, Gennazeni AD, Matteo ML, Caruso A, Woodruff. Episodic secretion of activin A in pregnant women. *Euro J Endocrinol* 1996; 135: 340-4.
21. Brinkman C. Kelainan kehamilan hipertensif. *Esensial Obstetri dan Ginekologi Edisi 2*. Jakarta : Hipokrates; 2001:179-91
22. Silver HM, et al. Mechanism of increased maternal serum total aktivin A. and inhibin A in preeklampsia. *J Soc Gynecol Investig*. 2002; 9: 308-12.
23. World Health Organization (WHO). WHO recommendation for prevention and treatment of preeclampsia and eclampsia. Geneva : Reproductive health publication; 2011.
24. Pampus MG, Aarnoudse JG. Long term outcomes after preeclampsia. *Clin Obs Gyn*. 2005; 48:489-494.

25. George IO, Jeremiah I. Perinatal outcome of babies delivered to eclamptic mothers : a prospective study from a Nigerian tertiary hospital. *International Journal of Biomedical Science*. 2009; 5(4): 390-394.
26. Direktorat Bina Kesehatan Ibu. Factsheet : Upaya Percepatan Penurunan Angka Kematian Ibu. Jakarta : Kementerian Kesehatan RI; 2012.
27. Edgar MN, Albert K, Richard R, Beatrice IM, Anthony NM. Maternal and Perinatal Outcomes among Eclamptic Patients Admitted to Bungado Medical Centre, Mwanza, Tanzania. *African Journal of Reproductive Health*, 2012; 16(1): 35.
28. Anna EC, Susane H, Alysia JL. Risk Factor for Eclampsia : a Population-based Study in Washington State, 1987 – 2007. *American Journal of Obstetrics and Gynecology*. 2011; 205 : 553.
29. Sopiudin D. Ukuran Kekuatan Hubungan Rasio Odd (RO) dan Risiko Relatif (RR) In : *Statistik Untuk Kedokteran dan Kesehatan*. Jakarta : Salemba Medika; 2011.
30. Nojomi M, Haghhighill, Bijari B, Rezvani L, Tabatabae SK. Delayed Childbearing : pregnancy and maternal outcome. *Iranian Journal of Reproduction Med*. 2010; 8(2) : 80-85.
31. Choudhary P. Eclampsia : a hospital based retrospective study. *Kathmandu University Medical Journal*. 2003; 1(4)(4): 237-241.
32. Fox NS, Bavshar V, Saltzman DH, Rebarber A, Chasen ST. influence of Maternal Body Mass Index on the Clinical Estimation of Fetal Weight in Term Pregnancies. *Obstet Gynecol*. 2009; 113(3) : 641-645.

**LAMPIRAN 1**

***ETHICAL CLEARANCE***



**KOMISI ETIK PENELITIAN KESEHATAN (KEPK)  
FAKULTAS KEDOKTERAN UNIVERSITAS DIPONEGORO  
DAN RS dr KARIADI SEMARANG**

Sekretariat : Kantor Dekanat FK Undip Lt.3  
Jl. Dr. Soetomo 18. Semarang  
Telp.024-8311523/Fax. 024-8446905



**ETHICAL CLEARANCE  
No.239/EC/FK/RSDK/2013**

Komisi Etik Penelitian Kesehatan Fakultas Kedokteran Universitas Diponegoro/  
RSUP. Dr. Kariadi Semarang, setelah membaca dan menelaah USULAN  
Penelitian dengan judul :

**ANALISIS FAKTOR RISIKO TERHADAP LUARAN MATERNAL  
DAN PERINATAL PADA KASUS EKLAMPSIA DI RSUP DR. KARIADI  
TAHUN 2008 – 2012**

Peneliti Utama : Winda Anggraeni  
Pembimbing : dr. M. Besari Adi Pramono, M.Si.Med,Sp.OG(K)  
Penelitian : Dilaksanakan di RSUP Dr. Kariadi Semarang

Setuju untuk dilaksanakan, dengan memperhatikan prinsip-prinsip yang  
dinyatakan dalam Deklarasi Helsinki 1975,yang diamended di Seoul 2008 dan  
Pedoman Nasional Etik Penelitian Kesehatan (PNEPK) Departemen Kesehatan  
RI 2011

Penelitian ini tidak menggunakan Informed consent karena pengambilan data  
dari Rekam Medis dan harus menjamin kerahasiaan identitas pasien.

Semarang, 29 Mei 2013

Komisi Etik Penelitian Kesehatan  
Fakultas Kedokteran Undip/RSUP Dr. Kariadi  
Ketua



Prof.Dr.dr.Suprihati, M.Sc, Sp.THT-KL(K)  
NIP. 19500621197703 2 001

**LAMPIRAN 2**  
**ANALISIS DATA**

## Usia Ibu \* Kematian Anak

Crosstab

			Kematian Anak		Total
			ya	tidak	
Usia Ibu	usia tua	Count	4	9	13
		Expected Count	1.2	11.8	13.0
		% within Usia Ibu	30.8%	69.2%	100.0%
		% within Kematian Anak	66.7%	15.5%	20.3%
		% of Total	6.2%	14.1%	20.3%
usia muda dan normal		Count	2	49	51
		Expected Count	4.8	46.2	51.0
		% within Usia Ibu	3.9%	96.1%	100.0%
		% within Kematian Anak	33.3%	84.5%	79.7%
		% of Total	3.1%	76.6%	79.7%
Total		Count	6	58	64
		Expected Count	6.0	58.0	64.0
		% within Usia Ibu	9.4%	90.6%	100.0%
		% within Kematian Anak	100.0%	100.0%	100.0%
		% of Total	9.4%	90.6%	100.0%



### Chi-Square Tests

	Value	Df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.789 <sup>a</sup>	1	.003		
Continuity Correction <sup>b</sup>	5.913	1	.015		
Likelihood Ratio	6.901	1	.009		
Fisher's Exact Test				.013	.013
Linear-by-Linear Association	8.651	1	.003		
N of Valid Cases <sup>b</sup>	64				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,22.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia Ibu (usia tua / usia muda dan normal)	10.889	1.729	68.576
For cohort Kematian Anak = ya	7.846	1.609	38.260
For cohort Kematian Anak = tidak	.721	.499	1.040
N of Valid Cases	64		

## Jumlah Paritas \* BBL

### Crosstab

			BBL		Total
			BBLR	Normal dan makrosomia	
Jumlah Paritas	primipara	Count	18	22	40
		Expected Count	22.5	17.5	40.0
		% within Jumlah Paritas	45.0%	55.0%	100.0%
		% within BBL	50.0%	78.6%	62.5%
		% of Total	28.1%	34.4%	62.5%
	multipara dan grandemultipara	Count	18	6	24
		Expected Count	13.5	10.5	24.0
		% within Jumlah Paritas	75.0%	25.0%	100.0%
		% within BBL	50.0%	21.4%	37.5%
		% of Total	28.1%	9.4%	37.5%
Total		Count	36	28	64
		Expected Count	36.0	28.0	64.0
		% within Jumlah Paritas	56.2%	43.8%	100.0%
		% within BBL	100.0%	100.0%	100.0%
		% of Total	56.2%	43.8%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.486 <sup>a</sup>	1	.019		
Continuity Correction <sup>b</sup>	4.334	1	.037		
Likelihood Ratio	5.677	1	.017		
Fisher's Exact Test				.022	.018
Linear-by-Linear Association	5.400	1	.020		
N of Valid Cases <sup>b</sup>	64				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10,50.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jumlah Paritas (primipara / multipara dan grandemultipara)	.273	.089	.831
For cohort BBL = BBLR	.600	.397	.907
For cohort BBL = Normal dan makrosomia	2.200	1.042	4.646
N of Valid Cases	64		

## Jumlah Paritas \* Kematian Anak

Crosstab

			Kematian Anak		Total
			ya	tidak	
Jumlah Paritas	primipara	Count	1	39	40
		Expected Count	3.8	36.2	40.0
		% within Jumlah Paritas	2.5%	97.5%	100.0%
		% within Kematian Anak	16.7%	67.2%	62.5%
		% of Total	1.6%	60.9%	62.5%
	multipara dan grandemultipara	Count	5	19	24
		Expected Count	2.2	21.8	24.0
		% within Jumlah Paritas	20.8%	79.2%	100.0%
		% within Kematian Anak	83.3%	32.8%	37.5%
		% of Total	7.8%	29.7%	37.5%
Total		Count	6	58	64
		Expected Count	6.0	58.0	64.0
		% within Jumlah Paritas	9.4%	90.6%	100.0%
		% within Kematian Anak	100.0%	100.0%	100.0%
		% of Total	9.4%	90.6%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1- sided)
Pearson Chi-Square	5.934 <sup>a</sup>	1	.015		
Continuity Correction <sup>b</sup>	3.972	1	.046		
Likelihood Ratio	5.908	1	.015		
Fisher's Exact Test				.024	.024
Linear-by-Linear Association	5.841	1	.016		
N of Valid Cases <sup>b</sup>	64				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 2,25.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jumlah Paritas (primipara / multipara dan grandemultipara)	.097	.011	.893
For cohort Kematian Anak = ya	.120	.015	.967
For cohort Kematian Anak = tidak	1.232	.997	1.521

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jumlah Paritas (primipara / multipara dan grandemultipara)	.097	.011	.893
For cohort Kematian Anak = ya	.120	.015	.967
For cohort Kematian Anak = tidak	1.232	.997	1.521
N of Valid Cases	64		

## Pendidikan Ibu \* BBL

### Crosstab

			BBL		Total
			BBLR	Normal dan makrosomia	
Pendidikan Ibu	pendidikan rendah	Count	24	10	34
		Expected Count	19.1	14.9	34.0
		% within Pendidikan Ibu	70.6%	29.4%	100.0%
		% within BBL	66.7%	35.7%	53.1%
		% of Total	37.5%	15.6%	53.1%
	pendidikan tinggi	Count	12	18	30
		Expected Count	16.9	13.1	30.0
		% within Pendidikan Ibu	40.0%	60.0%	100.0%
		% within BBL	33.3%	64.3%	46.9%
		% of Total	18.8%	28.1%	46.9%
Total		Count	36	28	64
		Expected Count	36.0	28.0	64.0
		% within Pendidikan Ibu	56.2%	43.8%	100.0%
		% within BBL	100.0%	100.0%	100.0%
		% of Total	56.2%	43.8%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.059 <sup>a</sup>	1	.014		
Continuity Correction <sup>b</sup>	4.880	1	.027		
Likelihood Ratio	6.145	1	.013		
Fisher's Exact Test				.023	.013
Linear-by-Linear Association	5.965	1	.015		
N of Valid Cases <sup>b</sup>	64				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13,13.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendidikan Ibu (pendidikan rendah / pendidikan tinggi)	3.600	1.275	10.166
For cohort BBL = BBLR	1.765	1.082	2.878
For cohort BBL = Normal dan makrosomia	.490	.270	.891
N of Valid Cases	64		



## Pendidikan Ibu \* IUGR

Crosstab

			IUGR		Total
			ya	tidak	
Pendidikan Ibu	pendidikan rendah	Count	19	15	34
		Expected Count	14.3	19.7	34.0
		% within Pendidikan Ibu	55.9%	44.1%	100.0%
		% within IUGR	70.4%	40.5%	53.1%
		% of Total	29.7%	23.4%	53.1%
	pendidikan tinggi	Count	8	22	30
		Expected Count	12.7	17.3	30.0
		% within Pendidikan Ibu	26.7%	73.3%	100.0%
		% within IUGR	29.6%	59.5%	46.9%
		% of Total	12.5%	34.4%	46.9%
Total		Count	27	37	64
		Expected Count	27.0	37.0	64.0
		% within Pendidikan Ibu	42.2%	57.8%	100.0%
		% within IUGR	100.0%	100.0%	100.0%
		% of Total	42.2%	57.8%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.578 <sup>a</sup>	1	.018		
Continuity Correction <sup>b</sup>	4.444	1	.035		
Likelihood Ratio	5.697	1	.017		
Fisher's Exact Test				.024	.017
Linear-by-Linear Association	5.490	1	.019		
N of Valid Cases <sup>b</sup>	64				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 12,66.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pendidikan Ibu (pendidikan rendah / pendidikan tinggi)	3.483	1.213	10.004
For cohort IUGR = ya	2.096	1.078	4.072
For cohort IUGR = tidak	.602	.389	.930
N of Valid Cases	64		

## BMI Ibu \* IUGR

Crosstab

			IUGR		Total
			ya	tidak	
BMI Ibu	Obesse	Count	12	27	39
		Expected Count	16.5	22.5	39.0
		% within BMI Ibu	30.8%	69.2%	100.0%
		% within IUGR	44.4%	73.0%	60.9%
		% of Total	18.8%	42.2%	60.9%
	non obesse	Count	15	10	25
		Expected Count	10.5	14.5	25.0
		% within BMI Ibu	60.0%	40.0%	100.0%
		% within IUGR	55.6%	27.0%	39.1%
		% of Total	23.4%	15.6%	39.1%
Total	Count	27	37	64	
	Expected Count	27.0	37.0	64.0	
	% within BMI Ibu	42.2%	57.8%	100.0%	
	% within IUGR	100.0%	100.0%	100.0%	
	% of Total	42.2%	57.8%	100.0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.337 <sup>a</sup>	1	.021		
Continuity Correction <sup>b</sup>	4.206	1	.040		
Likelihood Ratio	5.358	1	.021		
Fisher's Exact Test				.037	.020
Linear-by-Linear Association	5.254	1	.022		
N of Valid Cases <sup>b</sup>	64				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 10,55.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for BMI Ibu (Obesse / non obese)	.296	.104	.847
For cohort IUGR = ya	.513	.290	.906
For cohort IUGR = tidak	1.731	1.025	2.922
N of Valid Cases	64		

## Kehamilan Gemelli \* Prematuritas

Crosstab

			Prematuritas		Total
			ya	tidak	
Kehamilan Gemelli	ya	Count	2	10	12
		Expected Count	6.0	6.0	12.0
		% within Kehamilan Gemelli	16.7%	83.3%	100.0%
		% within Prematuritas	6.2%	31.2%	18.8%
		% of Total	3.1%	15.6%	18.8%
Kehamilan Gemelli	tidak	Count	30	22	52
		Expected Count	26.0	26.0	52.0
		% within Kehamilan Gemelli	57.7%	42.3%	100.0%
		% within Prematuritas	93.8%	68.8%	81.2%
		% of Total	46.9%	34.4%	81.2%
Total		Count	32	32	64
		Expected Count	32.0	32.0	64.0
		% within Kehamilan Gemelli	50.0%	50.0%	100.0%
		% within Prematuritas	100.0%	100.0%	100.0%
		% of Total	50.0%	50.0%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.564 <sup>a</sup>	1	.010		
Continuity Correction <sup>b</sup>	5.026	1	.025		
Likelihood Ratio	7.058	1	.008		
Fisher's Exact Test				.022	.011
Linear-by-Linear Association	6.462	1	.011		
N of Valid Cases <sup>b</sup>	64				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6,00.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kehamilan Gemelli (ya / tidak)	.147	.029	.737
For cohort Prematuritas = ya	.289	.080	1.046
For cohort Prematuritas = tidak	1.970	1.313	2.956
N of Valid Cases	64		

## Kehamilan Gemelli \* Kematian Anak

Crosstab

			Kematian Anak		Total
			ya	tidak	
Kehamilan Gemelli	ya	Count	4	8	12
		Expected Count	1.1	10.9	12.0
		% within Kehamilan Gemelli	33.3%	66.7%	100.0%
		% within Kematian Anak	66.7%	13.8%	18.8%
		% of Total	6.2%	12.5%	18.8%
Kehamilan Gemelli	tidak	Count	2	50	52
		Expected Count	4.9	47.1	52.0
		% within Kehamilan Gemelli	3.8%	96.2%	100.0%
		% within Kematian Anak	33.3%	86.2%	81.2%
		% of Total	3.1%	78.1%	81.2%
Total		Count	6	58	64
		Expected Count	6.0	58.0	64.0
		% within Kehamilan Gemelli	9.4%	90.6%	100.0%
		% within Kematian Anak	100.0%	100.0%	100.0%
		% of Total	9.4%	90.6%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.978 <sup>a</sup>	1	.002		
Continuity Correction <sup>b</sup>	6.809	1	.009		
Likelihood Ratio	7.594	1	.006		
Fisher's Exact Test				.009	.009
Linear-by-Linear Association	9.822	1	.002		
N of Valid Cases <sup>b</sup>	64				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,13.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kehamilan Gemelli (ya / tidak)	12.500	1.957	79.833
For cohort Kematian Anak = ya	8.667	1.790	41.952
For cohort Kematian Anak = tidak	.693	.463	1.038
N of Valid Cases	64		



**LAMPIRAN 3**  
**BIODATA PENULIS**

## **Identitas**

Nama : Winda Anggraeni

NIM : G2A009162

Tempat/tanggal lahir : Tegal, 22 November 1991

Jenis kelamin : Perempuan

Alamat : Jl. Ir. H. Juanda No. 29 B Rt. 02 Rw. 04 Pakembaran

Slawi

Nomor telpon : (0283)492094

No. HP : 085640780757

Email : anggraeni22.ndha@yahoo.com

## **Riwayat Pendidikan Formal**

- |                            |                    |
|----------------------------|--------------------|
| 1. SD Negeri Pakembaran 03 | Lulus tahun : 2003 |
| 2. SMP Negeri 1 Slawi      | Lulus tahun : 2006 |
| 3. SMA Negeri 1 Slawi      | Lulus tahun : 2009 |
| 4. FK UNDIP                | Masuk tahun : 2009 |

## **Riwayat Organisasi :**

1. BEM KU UNDIP periode tahun 2010
2. ROHIS FK UNDIP periode tahun 2009-2010