

Li, Sisi and Bamidis, Panagiotis and Konstantinidis, Stathis and Traver, Vicente and Car, Josip and Zary, Nabil (2017) Setting priorities for EU healthcare workforce IT skills competence improvement. Health Informatics Journal . ISSN 1741-2811

Access from the University of Nottingham repository:

http://eprints.nottingham.ac.uk/40523/1/PrioritySettingStudy HealthcareWorkforce.pdf

Copyright and reuse:

The Nottingham ePrints service makes this work by researchers of the University of Nottingham available open access under the following conditions.

This article is made available under the University of Nottingham End User licence and may be reused according to the conditions of the licence. For more details see: http://eprints.nottingham.ac.uk/end user agreement.pdf

A note on versions:

The version presented here may differ from the published version or from the version of record. If you wish to cite this item you are advised to consult the publisher's version. Please see the repository url above for details on accessing the published version and note that access may require a subscription.

For more information, please contact eprints@nottingham.ac.uk

Setting priorities for EU healthcare workforce IT skills competence improvement

Sisi Li¹, Panagiotis D Bamidis^{2*}, Stathis Th. Konstantinidis³, Vicente Traver⁴, Josip Car⁵, Nabil Zary¹

"This paper is a preprint of a paper accepted by Health Informatics Journal (ISSN: 14604582). When the final version is published, the copy of record will be available at Sage Publishing: http://journals.sagepub.com/home/jhi"

¹Karolinska Institutet, Stockholm, Sweden;

²Aristotle University of Thessaloniki, Thessaloniki, Greece;

³The University of Nottingham, Nottingham, United Kingdom;

⁴ Universitat Politècnica de València, Valencia, Spain

⁵Imperial College, London, United Kingdom

Setting priorities for EU healthcare workforce IT skills competence improvement

Sisi Li¹, Panagiotis D Bamidis^{2*}, Stathis Th. Konstantinidis³, Vicente Traver⁴, Josip Car⁵, Nabil Zary¹

* Corresponding author:

Panagiotis Bamidis,

Medical School, Aristotle University of Thessaloniki, 54124 Thessaloniki, Greece

Email: <u>bamidis@med.auth.gr</u>

Phone: +302310999310

¹Karolinska Institutet, Stockholm, Sweden;

²Aristotle University of Thessaloniki, Thessaloniki, Greece;

³The University of Nottingham, Nottingham, United Kingdom;

⁴ Universitat Politècnica de València, Valencia, Spain

⁵Imperial College, London, United Kingdom

ABSTRACT

A major challenge for healthcare quality improvement is the lack of IT skills and knowledge of healthcare workforce as well as their ambivalent attitudes towards IT. This paper identifies and prioritises actions needed to improve the IT skills of healthcare workforce across the EU. 46 experts, representing different fields of expertise in healthcare and geolocations systematically list and scored actions that would improve IT skills among healthcare workforce. The Child Health and Nutrition Research Initiative methodology was used for research priority-setting. The participants evaluated the actions using the following criteria: feasibility, effectiveness, deliverability, and maximum impact on IT skills improvement. The leading priority actions were related to appropriate training, integrating eHealth in curricula, involving healthcare workforce in the eHealth solution development, improving awareness of eHealth and learning arrangement. As the different professionals' needs are prioritised, healthcare workforce should be actively and continuously included in the development of eHealth solutions.

Keywords: healthcare workforce, priority setting, IT skills competence, CHNRI

1 Introduction

Healthcare systems throughout the world are endeavoring to rise to the challenges that result from ageing population, prevalence of chronic conditions, rising life expectations and multi-morbidity [1]–[3]. The traditional healthcare delivery is unsustainable and is increasingly recognized that integrated care can significantly improve the quality and continuity of services [4]. With the focus on creating more efficient and cost-effective care, eHealth is seen as one of the key solutions. An EU report indicated that eHealth has the potential to be the third pillar in the health market, along with pharmaceuticals and medical devices [5]. The 2010 EU Citizenship Report underlined the role of eHealth in facilitating cross border healthcare [6]. The focus of is to advance and create new models for delivering better quality, more efficient healthcare services and not to replace traditional ways of care delivery, such as face-to-face consultations.

According to the EU project "Chain of Trust", which analyzed the experience of 6704 patients' and health professionals' who used eHealth two most prominent topics were the confidence in health IT and health professionals' skills [7]. Traditional curricula commonly do not equip healthcare workforce even with the basic health IT skills. Identifying approaches for achieving a highly proficient in eHealth healthcare workforce including those working in public health, and allied professionals is a key to healthcare transformation.

The need to improve the eHealth/IT competences of healthcare workforce has been frequently emphasized by policymakers at an international level. One of the projects aiming to identify healthcare workforce IT skills needs is the CAMEI project [8]–[10]. It is a collaboration between the US and Europe, which was initiated by the Memorandum of Understanding on Cooperation Surrounding Health-Related Communications and Technologies [11]. Other studies focus on some specific areas or workforce groups [12]–[15]. In this study, we use the WHO definition of healthcare workforce as "all people engaged in action whose primary intent is to enhance

health"[16]. The eHealth/health IT skills are defined as "any competence and knowledge deficiencies among all staff in healthcare delivery, management, administration and support to ensure universal application of ICT solutions in health services."[17]

To our knowledge, this is the first study that used a systematic approach to setting priorities for the IT skills competence development among healthcare workforce. A bottom-up approach, with collaboration between experts from diverse backgrounds in healthcare is the way to ensure the health IT skill issues faced by healthcare workforce be addressed appropriately. The objective of this study was to identify and prioritise the actions needed to develop the IT skills competence among healthcare workforce

2 Methods

The study was approved by the Bioethics Committee of the Medical School of the Aristotle University of Thessaloniki, Greece (Approval No.94/26-06-2014). Relevant information about the study was presented to the participants when asking for their consent of participation. The information covered the standard domains of identifying the researchers, the study purpose and procedures, confidentiality, and how to contact the researchers with any questions or to obtain study results. The way to use the participants' response was also informed as well as their impact on the results. Their response to the questionnaire indicated their understanding and willingness to participate in the study. Due to the various geographical locations of participants, the information was sent via emails.

Our research is about collecting basic and non-sensitive information. No harm is made to the participants. The collected data can only be used for research purposes and is stored accordingly to social science research guidelines. All the participants were not given any information about the data obtained from one another. All the data were analyzed anonymously. No comparison was made from one participant's opinion to

another. Taking into account the collected data, it was presented as it was without altering it to satisfy certain predictions. The participants in this study didn't receive and weren't promised any forms of compensation in return.

The Child Health and Nutrition Research Initiative (CHNRI) methodology for priorities setting was used to assist prioritizing actions in this study [18]. The process uses a systematic and transparent approach to assemble and analyze a wide spectrum of collective actions from an array of healthcare experts. Prioritization criteria relevant to the topic were used to score and rank the actions. The CHNRI methodology has been used previously to identify research gaps and resource priorities in areas such as birth asphyxia and mental health and it is increasingly being used by policy makers, large donors, and international organizations [18]–[20]. Fig 1 illustrates the four stages of CHNRI methodology:

Fig 1. CHNRI methodology process

Stage 1: Define the context and criteria

Defining the context is a critical part of the CHNRI process as priority scores for many actions may strongly depend on the context in which the process takes place. The context for this study was specified as follows:

- Scale of the study: EU
- Problem: deficiency of IT skills competence
- Target population: healthcare workforce

Based on CHNRI's conceptual framework [18], four scoring criteria were identified: (i) feasibility; (ii)effectiveness; (iii)deliverability, affordability, and sustainability; (iv) maximum potential impact on competence improvement.

Stage 2: Experts input – listing and scoring actions

46 leading experts, representing different expertise and geographical locations, were

invited to participate on the basis of their record in eHealth or their membership in an international health organization, mainly include:

- American Health Information Management Association (AHIMA)
- Computer-Based Medical Systems Committee (CBMS)
- Standing Committee of European Doctors (CPME)
- European Association of Hospital Pharmacists (EAHP)
- European Federation for Medical Informatics (EFMI)
- European Federation of Nurses Association (EFN)
- Healthcare Information and Management Systems Society (HIMSS)
- International Medical Informatics Association (IMIA)
- Joint Information Systems Committee (JISC)
- Medical Informatics Europe Committee (MIE)
- Health Level Seven International (HL7)
- openEHR initiative stakeholders

29 experts from 14 countries participated in the study listing actions via web survey in March 2015, while 34 experts from 19 countries scored actions via web survey from April to May 2015. There was an overlap of 17 experts who were involved in both processes, showed in Fig 2. In the listing process, experts proposed actions that they thought were important to improve IT skills competence among healthcare workforce. The experts were from 14 countries, including US, UK, Finland, Norway, Iceland, Switzerland, Denmark, German, Spain, Czech Republic, Ireland, Austria, Belgium and Netherlands. Among 29 experts, 10% were academics or researchers only, about 69% were academics or researchers and belonged to a non-governmental organization (NGO), and 21% were from NGO only. The process was open-ended and all the proposed ideas from each of the experts were collected independently. The list of actions was compressed to highlight important gaps, yet still represent the range of possibilities to improve IT skills. Then the final list of actions was reviewed by the authors to ensure that they were framed correctly and comprehensively to allow scoring.

Fig 2. Experts' recruitment process

In the scoring process, experts evaluated the final list of actions independently according to the criteria as described in Stage 1. Every expert scored all four criteria, which limiting potential impact of any single expert on overall scores. In this way, the listed actions received four "intermediate scores", ranging from 0% to 100%. These values represented a direct measure of the collective optimism of the experts. In addition to the 14 countries in the listing process, more experts from Sweden, Greece, Kosovo, Slovenia, and Bulgaria participated in the scoring process. Among 34 experts, 17% of them were academics or researchers only, about 59% were academics or researchers and belonged to a non-governmental organization (NGO), and 24% were from NGOs only.

Apart from EU countries, experts from the US were also invited to participate in the study due to the collaboration between the European Commission and the United States in actively addressing the needs for skilled workforce [11]. This was also necessary to make sure that identifying approaches to develop IT skills competence involved a diverse group of experts (rather than isolate EU experts only).

Fig 3 illustrates the expertise of participants in both listing and scoring processes, mainly included:

- eHealth: EHR, telehealth, clinical decision support, healthcare information system, health knowledge management
- Health informatics: medical informatics, nursing informatics and biomedical informatics
- eLearning and education
- Standardization: SNOMED CT, interoperability
- Clinical expertise: medical doctor, nursing and pharmacy

Fig 3. Experts' expertise information

A full list of experts with their expertise and affiliations are presented in S1 and S2 Tables.

Stage 3: Address external stakeholder's value

The CHNRI methodology ensures the involvement of stakeholders in the process regardless of their expertise. The term "stakeholders" refers to all individuals and/or groups who have an interest in the prioritization of health research, therefore will comprise a large and very heterogeneous group (e.g. expected recipients of the research, taxpayers, medical students, health workers, journalists and media, political experts, etc.) [18]. They lack expertise to directly decide research priorities, but they can still weigh the chosen priority-setting criteria based on values assigned by them [21]. In this study, it was decided that the external stakeholder's value will not be addressed and final rankings were based on the priority scores from the perspectives of experts.

Stage 4: Compute priority scores and assign ranks

Each expert scored each action by answering one question per criterion. According to CHNRI framework [18], the answers to each question are simply: "Yes" (1 point) or "No" (0 points). When the experts were sufficiently informed to answer the question, but can neither agree nor disagree, they were allowed to choose "Undecided" (0.5 points). Furthermore, when the experts didn't feel they have enough knowledge to answer some questions, they chose "Unqualified to answer". Thus, the listed actions got a score for each of the four criteria. The overall scores were calculated as the mean of the scores for the four criteria according to the formula:

[(Criterion 1 score) + (Criterion 2 score) + (Criterion 3 score) + (Criterion 4 score)] /4

3 Results

The full list of 23 actions and scores from each individual expert are presented in S3 Table. The results exposed how actions can be prioritised depending on the criterion of

feasibility, effectiveness, deliverability and maximum potential impact on competence improvement.

Table 1 shows the ten actions with greatest overall priority score. The action that achieved highest score was about integration of health information technology in curricula for healthcare workforce at different levels (85.1). In addition to that, other actions that focus on continuing training among healthcare workforce also obtained high scores. The action about ensuring the trainer competence was ranked second (84.5); training on patient-centered eHealth services was fifth (83.6); training on role-specific IT skills was sixth (80.3) and training on the development of processes and activities supported by IT solutions was tied ninth (75.6).

Table 1. Ten actions with greatest overall priority scoreF:Feasible, E:Effective, D: Deliverable, M:Maximum impact, PS: Overall priority score

Rank	Action	F	E	D	M	PS
1	Integrate health IT in curricula at both undergraduate and postgraduate level	92.6	95.5	75.8	76.7	85.1
2	Ensure the competence for educators, train the trainer in eHealth IT skills	88.2	92.4	79.0	78.3	84.5
3	Raise awareness of the importance of eHealth	88.2	86.3	85.5	77.6	84.4
4	Inclusion of healthcare professionals in the development process of the ICT-solutions (e.g. usability testing of software)	92.6	89.4	83.9	70.0	84.0
5	Training on patient-centered eHealth/Health IT services for different professional groups	91.2	89.4	82.2	71.7	83.6
6	Training on role specific and organization-specific IT skills for different professional groups	83.8	84.8	79.0	73.3	80.3
7	Exposure to relevant ICT solutions	88.2	81.8	77.4	73.3	80.2

and medical technologies, increase users' confidence in eHealth

8	Improve learning arrangements - facilities, methods, equipment	81.2	87.5	65.0	76.7	77.6
9	Training on the development of processes and activities supported by IT solutions for different professional groups	77.9	80.3	74.2	70.0	75.6
10	Increase research in user acceptance of IT for healthcare workforce	85.2	81.8	69.3	63.8	75.1

Two high-scoring actions were related to improve the workforce involvement: inclusion of healthcare workforce in the development process of eHealth (ranked 4th) and research in user acceptance (10th). High scores were also given to two related actions that identified education on eHealth, specifically for and improving awareness (3rd) and increasing confidence (7th).

Table 2 shows the ten lowest-scoring actions. Concerns about feasibility were expressed for actions related to identification of IT skills competence needed at international level (ranked 16th, feasibility score 74.2), evaluate of skills of existing and new staff, offer qualification procedure (19th, feasibility score 73.5), and Joint funding for training programs (20th, feasibility score 66.7). For the effectiveness criteria, experts identified actions that introduce online training tools and in housing training for different healthcare workforce as less effective (14th, effectiveness score 74.2). Other effective action was related to helping workforce recognize eHealth/health IT as a specialty (17th, effectiveness score 68.1).

Table 2. Ten actions with lowest overall priority scoreF:Feasible, E:Effective, D: Deliverable, M:Maximum impact, PS: Overall priority score

Rank	Action	F	E	D	M	PS
14	Introduce online training tools,	83.3	73.4	66.7	66.7	72.5

	e.g. MOOC, as well as in housing training					
15	Analysis the skills needed for jobs	81.2	77.2	67.7	55.0	70.4
16	Identification of IT skills competence needed at international level, allow recognition of competences beyond frontiers, create of competence framework	74.2	75.0	72.4	58.3	70.0
17	Help to recognize eHealth/health IT as a specialty	77.9	68.1	71.7	61.7	69.7
18	Guarantee the governance for education and training	82.3	72.7	53.2	56.7	66.2
19	Carry out regular audit / evaluate of skills of existing and new staff, offer qualification procedure	73.5	74.2	53.2	56.7	64.4
20	Joint Funding for generic training programs	66.7	68.2	55.0	61.7	62.9
21	Set up coordinating body to support availability of ICT in broad community of healthcare workers	58.8	59.1	53.3	55.0	56.6
22	Create and use registries	57.6	58.0	53.4	50.0	54.7
23	Improving training on potential healthcare workforce at high school level, undergraduate level	50.0	51.6	41.4	48.3	47.8

Several actions reached the bottom line because they had low scores in the likelihood that these actions could be deliverable, affordable, and sustainable taking into account the current resources. These actions included guaranteeing the governance for education and training (18th, deliverability score 53.2), setting up coordinating organizations to support availability of ICT in broad community of healthcare workforce (21st, deliverability score 53.3) and improving training on potential

healthcare workforce (23rd, deliverability score 41.4). Two actions that proposed to analyze the IT skills needed for jobs and create registries (15th and 22nd, maximum impact score 55.0 and 50.0) received low priority scores because they were perceived have less impact on the improvement of IT skills competence.

To summarize, the action that proposed to integrate health IT in curricula was acknowledged as most feasible (92.6) and effective (95.5). Raising awareness of the importance of eHealth was considered to be most deliverable (85.5) while ensuring the competence for educators could impact on the IT skill improvement most (78.3).

4 Discussion

Main findings

Prioritization mechanisms are necessary to facilitate the current demand for skilled healthcare workforce, particularly competence to support national eHealth work agendas [14], [15]. The overall message of this prioritization study suggests that actions to improve IT skills competence among healthcare workforce in the EU should concentrate on improving workforce training, the inclusion of healthcare workforce in the development of eHealth solutions, raising awareness of eHealth as well as improving learning arrangements. The results are generally in line with the recommendations from a recent eHealth Stakeholder Group report [22] that focused on eSkills and health workforce.

Of the top ten actions, five were related to training among healthcare workforce, which reflects the significance of continuous training in IT skills development since the gap between current curriculum and eHealth [23], [24]. The importance of training for healthcare workforce in the use of new technologies was also acknowledged in several studies as well as a Green Paper on the EU health workforce [25]–[27]. Moreover, the results showed the great need of involving healthcare workforce in decisions on introducing eHealth, as well as in designing, testing and deploying eHealth. Similar

results were also demonstrated in another study, user involvement is perceived as crucial to ensuring acceptance in the long term [7]. Furthermore, improving learning arrangements was considered as an essential approach to improve the workforce IT skills. It has been identified by Rachel [28] that being limited or with not enough access to technology was one of the top ten challenges faced by healthcare workforce.

The 2012 Action Plan for the EU Health Workforce from the European Commission [29] outlined three priority areas of actions to promote a sustainable healthcare workforce: forecasting workforce needs and improving workforce planning methodologies, anticipating future skills needs in the health professions, and share good practice on effective recruitment and retention of health professionals. However, the two actions related to identify the IT skills needed did not feature as highly despite being crucial for future workforce plan. These lower prioritizations were due to the concerns on the maximum impact on IT skill improvement.

Two exception actions addressed training issues, "introduce online training tools" and "training on potential workforce", respectively, were ranked low priorities. Although a recent systematic review of the effectiveness of online eLearning suggested that eLearning possibly superior to traditional learning [30], experts probably feel the actions were not deliverable, affordable, and sustainable.

Scores for feasibility and effectiveness of the 23 actions were relatively higher than deliverability and maximum impact. For instance, while the action "Guarantee the governance for education and training" scored 82.3% on feasibility, it scored poorly on deliverability (53.2%). This illustrates the fundamental characteristics of health system delivery across the EU. Similar to the EU, the health care delivery system in the US is facing critical challenges as each unit in health industry operates independently and focuses on its own performance[31].

Strengths and limitations

The main strength of the CHNRI methodology can be summarized as follows: (i) clearly defined context and key criteria that qualify some actions as a funding priority over the others; (ii) transparent process for individual input and decision making in priority setting; (iii) systematic way in scoring actions, thus limiting the influence of individual biases on the outcome; (iii) prevent individuals from dominating the process; and (iv) an intuitive quantitative outcome that is easy to justify and understand.

Still, the methodology is not free of some possible biases. Although the methodology attempts to involve a wide range of opinions from the participants, many good ideas may not have been included in the initial list of actions. The listing process ended up with open-end questions that may result in multilevel answers from experts. Although efforts were made to phrase the initial actions in a better way, the process was done only by the main authors and some phrased actions may be still confusing for experts. In addition, experts understanding in "IT skills competence" and "healthcare workforce" would be a bias on the outcomes.

Another concern over the CHNRI process is that the possible bias regarding the opinions of a very limited group of experts and the results from the choice of the experts. As the study was based on EU-level, the participating experts in the study are only from 18 EU countries. The concept of "healthcare workforce" relates to a broad range of individuals with both clinical background and non-clinical background [16], however, not every expertise was involved and balanced among experts. The number of individuals who possess enough experience, expertise and knowledge on IT skills competence among healthcare workforce to evaluate the actions presented is rather limited.

Another bias could be the results from the scoring process. In order to improve the responsiveness of experts and decrease the burden of scores, a minor change was made

to score the actions by answering one question per criteria rather than three questions according to the CHNRI guideline. It could affect the accuracy of results to some extent. As for the calculation of priority scores, the answers "yes" got 1 positive point, "no" got 0 - no extra point, if it is "undecided", a positive grade (0.5) still add to the achieved sum. Nevertheless, comparing to other priority setting methodologies mentioned above, the CHNRI approach is prominently featured in the special algorithm and limiting the individuals' bias on the outcomes.

Validity

The fundamental principle of CHNRI methodology is "wisdom of crowds", which refers to the process of taking into account the collective opinion of a group of individuals rather than a single expert to answer a question [32]. It has been shown that the average of collective guesses is often better than any expert judgment. By giving each individual the equal right and opportunity to express their own judgment, the personal biases that each one brings to the process tend to negate and diminish, regardless of the participant selection. Following the CHNRI guideline, the same action was scored by a larger group multiple times that improves the degree of accuracy.

Future work

The results from this study present a first step towards identifying the priorities of actions needed to improve the IT skills competence among healthcare workforce. Further research that includes experts with more expertise in healthcare is essential to better characterize all actions that needed for adoption of health informatics technology among workforce. One of the interesting approaches is to incorporate opinions from wider public who are interested in priority setting in health area but lack of expertise to list actions. In this way, the final priority score for each action will contain the input from both experts and the stakeholders.

The CHNRI methodology ensures transparency in scoring process, therefore, it offers

the potential to expose the points of the greatest agreement and the greatest controversy among the experts [20]. In this case, in addition to the information on how each action fulfills with the chosen priority setting criteria, information about the amount of agreement between the experts on each action could also be obtained. Since the study context and other components of the contexts may change over time, actions can be taken so research portfolio will continuously be adjusted to the context and aim, including: (i) adding further actions to the list; (ii) adding additional criteria; (ii) rescoring all actions in the redefined context.

5 Conclusion

The growth of new technology, new medical appliances and diagnostic techniques is leading to new ways of healthcare delivery, which requires a new mix of skills including technical and e-skills. Improving the eHealth IT competences demands concrete actions at an international level. This exercise has led to a concerted EU effort led by a group of experts, all of whom have eHealth-related experience, identifying the priorities of actions needed to be taken for IT skills improvement. The findings are a clear call for attention to integration of eHealth in current curricula, training for both educators and healthcare workforce, raising awareness of the importance of eHealth and inclusion of workforce in the development of eHealth solutions.

This study firstly explored the actions needed to develop IT skills competence among healthcare workforce using CHNRI methodology and systematically ranked priority list for generates specific suggestions. It is definitely clear that more researches in this field are required in order to provide comprehensive understanding of actions needed to foster IT skills competence for healthcare workforce at different levels.

Acknowledgements: This work is supported by "CAMEI: Coordination Actions in the scientific era of Medical Education Informatics for fostering IT skills for healthcare workforce in the EU and USA" (http://www.camei-project.eu), a project funded under

the Seventh Framework Programme, as a coordination and support action (ICT-2013.5.1. G.A. no 611967)

Conflict of Interest Statement: The authors have no conflict of interest to declare related to the content of manuscript

References

- [1] R. Suzman, J. R. Beard, T. Boerma, and S. Chatterji, "Health in an ageing world-what do we know?," *Lancet*, vol. 385, no. 9967, pp. 484–486, Nov. 2014.
- [2] D. Yach, C. Hawkes, C. L. Gould, and K. J. Hofman, "The global burden of chronic diseases: overcoming impediments to prevention and control.," *JAMA*, vol. 291, no. 21, pp. 2616–22, Jun. 2004.
- [3] Willy Palmand and Irene A. Glinos, "Enabling patient mobility in the EU: between free movement and coordination," in *Health systems governance in Europe: the role of EU law and policy*, H. T. Mossialos E, Permanand G, Baeten R, Ed. Cambridge: Cambridge University Press, 2010, pp. 509–560.
- [4] D. L. Kodner and C. Spreeuwenberg, "Integrated care: meaning, logic, applications, and implications--a discussion paper.," *Int. J. Integr. Care*, vol. 2, p. e12, Jan. 2002.
- [5] European Comission, "eHealth: a solution for European healthcare systems?," 2009.
- [6] European Commission, "EU citizen report 2010: Dismantling the obstacles to EU citizens' rights. COM (2010) 603 final, 27 October 2010," Brussels, Nov. 2010.
- [7] The Chain of Trust Consortium, "Chain of Trust," 2014.
- [8] S. T. Konstantinidis and P. D. Bamidis, "A Framework for a Social Semantic Registry of IT Skills for Healthcare Workforce," in 2014 IEEE 27th International Symposium on Computer-Based Medical Systems, 2014, pp. 100–104.

- [9] V. Traver, S. T. Konstantinidis, P. D. Bamidis, and N. Zary, "Analysis of EU-USA cooperation opportunities on IT skills for healthcare workforce.," *Stud. Health Technol. Inform.*, vol. 210, pp. 561–3, Jan. 2015.
- [10] N. Z. Teresa Meneu, Vicente Traver, Stathis Konstantinidis, Panagiotis Bamidis, "White Paper on IT skills for healthcare workforce in the EU and USA and cooperation opportunities | CAMEI," 2014. [Online]. Available: http://www.camei-project.eu/content/live-doc-white-paper-it-skills-healthcare-workforce-eu-and-usa-and-cooperation-opportunities. [Accessed: 05-Apr-2015].
- [11] European Commission, "Transatlantic Cooperation Surrounding Health Related Information and Communication Technology," 2011. [Online]. Available: http://ec.europa.eu/digital-agenda/en/news/transatlantic-cooperation-surrounding-health-related-information-and-communication-technology. [Accessed: 07-May-2015].
- [12] J. Mantas, E. Ammenwerth, G. Demiris, A. Hasman, R. Haux, W. Hersh, E. Hovenga, K. C. Lun, H. Marin, F. Martin-Sanchez, and G. Wright, "Recommendations of the International Medical Informatics Association (IMIA) on Education in Biomedical and Health Informatics. First Revision.," *Methods Inf. Med.*, vol. 49, no. 2, pp. 105–120, Jan. 2010.
- [13] M. S. Fetter, "Improving information technology competencies: implications for psychiatric mental health nursing.," *Issues Ment. Health Nurs.*, vol. 30, no. 1, pp. 3–13, Jan. 2009.
- [14] S. E. Smith, L. E. Drake, J.-G. B. Harris, K. Watson, and P. G. Pohlner, "Clinical informatics: a workforce priority for 21st century healthcare.," *Aust. Health Rev.*, vol. 35, no. 2, pp. 130–5, May 2011.
- [15] N. J. Kaufman, B. C. Castrucci, J. Pearsol, J. P. Leider, K. Sellers, I. R. Kaufman, L. M. Fehrenbach, R. Liss-Levinson, M. Lewis, P. E. Jarris, and J. B. Sprague, "Thinking beyond the silos: emerging priorities in workforce development for state and local government public health agencies," *J. Public Heal. Manag. Pract.*, vol. 20, no. 6, pp. 557–565, Jan. 2014.
- [16] WHO, "The world health report 2006: working together for health. Geneva: World Health Organization," *Press*, 2006.
- [17] European Commission, "Transatlantic eHealth/health IT Cooperation Roadmap," 2013.
- [18] I. Rudan, J. L. Gibson, S. Ameratunga, S. El Arifeen, Z. A. Bhutta, M. Black, R. E. Black, K. H. Brown, H. Campbell, I. Carneiro, K. Y. Chan, D.

- Chandramohan, M. Chopra, S. Cousens, G. L. Darmstadt, J. Meeks Gardner, S. Y. Hess, A. A. Hyder, L. Kapiriri, M. Kosek, C. F. Lanata, M. A. Lansang, J. Lawn, M. Tomlinson, A. C. Tsai, and J. Webster, "Setting priorities in global child health research investments: guidelines for implementation of CHNRI method.," *Croat. Med. J.*, vol. 49, no. 6, pp. 720–33, Dec. 2008.
- [19] J. E. Lawn, R. Bahl, S. Bergstrom, Z. A. Bhutta, G. L. Darmstadt, M. Ellis, M. English, J. J. Kurinczuk, A. C. C. Lee, M. Merialdi, M. Mohamed, D. Osrin, R. Pattinson, V. Paul, S. Ramji, O. D. Saugstad, L. Sibley, N. Singhal, S. N. Wall, D. Woods, J. Wyatt, K. Y. Chan, and I. Rudan, "Setting research priorities to reduce almost one million deaths from birth asphyxia by 2015.," *PLoS Med.*, vol. 8, no. 1, p. e1000389, Jan. 2011.
- [20] M. Tomlinson, I. Rudan, S. Saxena, L. Swartz, A. C. Tsai, and V. Patel, "Setting priorities for global mental health research.," *Bull. World Health Organ.*, vol. 87, no. 6, pp. 438–46, Jun. 2009.
- [21] L. Kapiriri, M. Tomlinson, M. Chopra, S. El Arifeen, R. E. Black, and I. Rudan, "Setting priorities in global child health research investments: addressing values of stakeholders.," *Croat. Med. J.*, vol. 48, no. 5, pp. 618–27, Oct. 2007.
- [22] EFN, "eHealth Stakeholder Group Report eSkills and Health Workforce," 2014.
- [23] V. Sieber, "Diagnostic online assessment of basic IT skills in 1st-year undergraduates in the Medical Sciences Division, University of Oxford," *Br. J. Educ. Technol.*, vol. 40, no. 2, pp. 215–226, Mar. 2009.
- [24] L. L. Ornes and C. Gassert, "Computer competencies in a BSN program.," *J. Nurs. Educ.*, vol. 46, no. 2, pp. 75–8, Feb. 2007.
- [25] S. E. Smith, L. E. Drake, J.-G. B. Harris, K. Watson, and P. G. Pohlner, "Clinical informatics: a workforce priority for 21st century healthcare.," *Aust. Health Rev.*, vol. 35, no. 2, pp. 130–5, May 2011.
- [26] M. Ehnfors and S. J. Grobe, "Nursing curriculum and continuing education: future directions.," *Int. J. Med. Inform.*, vol. 73, no. 7–8, pp. 591–8, Aug. 2004.
- [27] European Social Network, "Green Paper European Workforce for Health social work and care services," no. March, 2009.
- [28] R. Fields, "The Top 10 Challenges Facing Healthcare Workers," *April 05*, 2011. [Online]. Available: http://www.beckershospitalreview.com/hospital-

- management-administration/the-top-10-challenges-facing-healthcareworkers.html. [Accessed: 06-Apr-2015].
- [29] EUROPEAN COMMISSION, "COMMISSION STAFF WORKING DOCUMENT on an Action Plan for the EU Health Workforce," Strasbourg, 2012.
- [30] P. P. George, N. Papachristou, J. M. Belisario, W. Wang, P. A. Wark, Z. Cotic, K. Rasmussen, R. Sluiter, E. Riboli-Sasco, L. Tudor Car, E. M. Musulanov, J. A. Molina, B. H. Heng, Y. Zhang, E. L. Wheeler, N. Al Shorbaji, A. Majeed, and J. Car, "Online eLearning for undergraduates in health professions: A systematic review of the impact on knowledge, skills, attitudes and satisfaction.," *J. Glob. Health*, vol. 4, no. 1, p. 010406, Jun. 2014.
- [31] N. A. of E. (US) and I. of M. (US) C. on E. and the H. C. System, P. P. Reid, W. D. Compton, J. H. Grossman, and G. Fanjiang, "A Framework for a Systems Approach to Health Care Delivery." National Academies Press (US), 2005.
- [32] J. Brand, *The Crowdsourcing Handbook Everything you need to know about Crowdsourcing*. Emereo Publishing, 2012.

Support Information

- S1 Table. Composition of the group of experts for listing process
- S2 Table. Composition of the group of experts for scoring process
- S3 Table. The final ranked list of all 23 actions with scores

1. Define the context and criteria

Define the context in terms of scale (EU), target population (healthcare workforce), and target problem (deficiency of IT skills competence)

Identify the criteria:

- Likelihood of feasibility
- Likelihood of effectiveness
- Likelihood of deliverability, affordability and sustainability
- Maximum impact on competence improvement.

2. Experts input - list and score actions

Through the experts, list the actions and score the listed actions against the pre-determined criteria

3. Address external stakeholders' value

Through the lager reference group, define weights for the four criteria.

4. Compute overall priority score

Compute the overall priority score by the mean of scores for the four criteria.

Figure 1: CHNRI methodology process




Figure 2: Experts' recruitment process




Figure 3: Experts' expertise information

S1 Table Composition of the group of experts for listing process

Expert	Expertise	Country	Affiliations
ID			
1	General practitioner, Clinical information modelling, Health informatics	UK	openEHR Foundation
2	e-Learning, Education	UK	JISC
3	EHR, Hospital information	US	HL7, AMIA,
	systems, International standards		Academic
4	Registered nurse (RN), Data management, eLearning, Nurse informatics	Finland,	IMIA, Academic
5	Medical doctor (MD), eHealth, Telemedicine, Medical informatics	Switzerland	AMIA, Academic
6	MD, Medical informatics, Medicine	Switzerland	HIMSS, EFMI, Academic
7	Biomedical and health informatics, Information retrieval	US	AMIA, Academic
8	Education, eLearning	UK	Academic
9	Telemedicine, eHealth	Denmark	HIMSS, Academic
10	Health care management, Medical informatics, eHealth, Health information systems, Telehealth	UK	IMIA, Academic
11	Medical software, Health informatics	Germany	IMIA, Academic
12	Health Informatics	Denmark	IMIA
13	eHealth, Telehealth	Spain	Academic
14	eHealth	Norway	Academic
15	Medical informatics, Clinical decision support systems, EHR	Czech Republic	IMIA, EFMI, Academic
16	Clinical information systems	Norway	IMIA, Academic
17	Health information management	US	AHIMA
18	Medical informatics, Health	Ireland	CBMS, Academic

	services research		
19	Health information systems,	Finland	HL7, IMIA, Academic
	Interoperability		
20	Clinical information systems,	US	AMIA, Academic
	Biomedical informatics		
21	Nursing Informatics, Online	US	IMIA
	learning, Informatics education		
22	Health informatics,	Austria	AMIA, EFMI,
	Information management		Academic
23	Health informatics, Health data	Spain	IMIA
	protection		
24	Medical Informatics	Norway	IMIA, Academic
25	Health informatics, Clinical	Iceland	EFMI, Academic
	data management		
26	Medical and hospital IT	Belgium	HIMSS
	management		
27	Biomedical informatics, EHR,	Netherlands	IMIA, EFMI, AMIA,
	Clinical decision support		Academic
28	Standard (SNOMED CT),	Netherlands	EFMI, MIE
	Medical Informatics, Ontology		
29	MD, Medical Informatics	Norway	IMIA, Academic
	(Radiology)		

S2 Table Composition of the group of experts for scoring process

Expert	Expertise	Country	Affiliations
ID	•	·	
1	Medical Education, biomedical	Greece	IMIA, Academic
	informatics		
2	Medical Informatics, Health	Sweden	Academic
	Informatics		
3	MD, User Experience, eHealth	Finland	CPME, Academic
4	RN, Data management,	Finland	IMIA, Academic
	eLearning, Nurse informatics		
5	eHealth	Kosovo	CPME, Academic
6	MD, Medical informatics,	Switzerland	HIMSS, EFMI,
	Medicine		Academic
7	RN, Medical science nursing,	Poland	EFN, Academic
	Nursing education, Nursing		
	assessment		
8	MD, Intensive Care	Sweden	CPME
9	Pharmacist	Germany	EAHP, Academic
10	MD, Medication education.	Denmark	Denmark, Academic
11	Medical software, Health	Germany	IMIA, Academic
	informatics		
12	Telemedicine, e-health,	Spain	ITACA,
13	RN	Finland	EFN
14	Pharmacist	Slovenia	EAHP, Academic
15	Clinical Information Systems	Norway	IMIA, Academic
16	RN	Bulgaria	EFN
17	Medical informatics, Health	Ireland	CBMS, Academic
	services research		
18	Health information systems,	Finland	HL7, IMIA, Academic
	Interoperability		
19	Clinical information systems,	US	AMIA, Academic
	Biomedical informatics		
20	Nursing Informatics, Online	US	IMIA
	learning, Informatics education		
21	Health informatics, Information	Austria	AMIA, EFMI,
	management		Academic
22	eLearning and Health	Norway	Academic
	Informatics, computer science		

23	Medical Informatics	Norway	IMIA, Academic
24	Health informatics, Clinical	Iceland	EFMI, Academic
	data management		
25	Medical and hospital IT	Belgium	HIMSS Europe
	management		
26	Biomedical informatics, EHR,	Netherlands	IMIA, EFMI, AMIA,
	Clinical decision support		Academic
27	RN	Czech	EFN, Academic
		Republic	
28	MD Medical Informatics	Norway	IMIA, Academic
	(Radiology)		
29	RN	Slovenia	EFN
30	RN	Slovenia	EFN
31	Standard (SNOMED CT),	Netherlands	EFMI, MIE
	Medical Informatics, Ontology		
32	Primary Care and Community	UK	Academic
	nursing, Health Services		
	Research		
33	Nursing, intensive care	Germany	EFN
34	Education, eLearning	UK	Academic

1 S3 Table The final ranked list of all 23 actions with scores

Rank	Actions	Feasible	Effective	Deliverable	Maximum impact	Score
1.	Integrate health IT in curricula at both undergraduate and postgraduate level	92.6	95.5	75.8	76.7	85.1
2.	Inclusion of healthcare professionals in the development process of the ICT-solutions	88.2	92.4	79.0	78.3	84.5
3.	Ensure the competence for educators, train the trainer in eHealth IT skills	88.2	86.3	85.5	77.6	84.4
4.	Raise awareness of the importance of eHealth	92.6	89.4	83.9	70.0	84.0
5.	Training on patient-centered eHealth/Health IT services for different professional groups	91.2	89.4	82.2	71.7	83.6
6.	Exposure to relevant ICT solutions and medical technologies, increase users' confidence in eHealth	83.8	84.8	79.0	73.3	80.3
7.	Training on role specific and organization-specific IT skills for different professional groups	88.2	81.8	77.4	73.3	80.2
8.	Improve learning arrangements - facilities, methods, equipment	81.2	87.5	65.0	76.7	77.6
9.	Training on the development of processes and activities supported by IT solutions for different professional groups	77.9	80.3	74.2	70.0	75.6
10.	Increase research in user acceptance of IT for	85.2	81.8	69.3	63.8	75.1

	healthcare workers					
11.	Define IT skill training programs by regional/national	79.4	81.8	65.5	70.0	74.5
	authorities					
12.	Evaluate training program, identify barriers	85.3	81.8	67.7	63.3	74.2
13.	Investment in new technology	77.9	78.8	75.0	65.0	74.2
14.	Introduce online training tools, e.g. MOOC, as well as	83.3	73.4	66.7	66.7	72.57
	in housing training					
15.	Help to recognize eHealth/health IT as a specialty	81.2	77.2	67.7	55.0	70.5
16.	Identification of IT competences needed at	74.2	75.0	72.4	58.3	70.0
	international level, allow recognition of competences					
	beyond frontiers, create of competency framework					
17.	Analysis the skills needed for jobs	77.9	68.1	71.7	61.7	69.9
18.	Carry out regular audit / evaluate of skills of existing	82.3	72.7	53.2	56.7	66.2
	and new staff, offer qualification procedure					
19.	Guarantee the governance for education and training	73.5	74.2	53.2	56.7	64.4
20.	Joint Funding for generic training programs	66.7	68.2	55.0	61.7	62.9
21.	Set up coordinating body to support availability of	58.8	59.1	53.3	55.0	56.6
	ICT in broad community of healthcare workers					
22.	Create and use registries	57.6	58.0	53.4	50.0	54.8
23.	Improving training on potential healthcare workforce	50.0	51.6	41.4	48.3	47.8
	at high school level, undergraduate level					