



SCORE: Exploiting Global Broadcasts to Create Offline Personal Channels for On-Demand Access

Nencioni, G; Sastry, N; Tyson, G; Badrinarayanan, V; Karamshuk, D; Chandaria, J; Crowcroft, J

- © 20xx IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works.

For additional information about this publication click this link.

<http://qmro.qmul.ac.uk/xmlui/handle/123456789/10073>

Information about this research object was correct at the time of download; we occasionally make corrections to records, please therefore check the published record when citing. For more information contact scholarlycommunications@qmul.ac.uk

SCORE: Exploiting Global Broadcasts to Create Offline Personal Channels for On-demand Access

Gianfranco Nencioni¹, Nishanth Sastry², Gareth Tyson³, Vijay Badrinarayanan⁴, Dmytro Karamshuk², Jigna Chandaria⁵, Jon Crowcroft⁴

¹University of Pisa ²King’s College London ³Queen Mary University of London ⁴University of Cambridge ⁵BBC R&D

Abstract—The last five years have seen a dramatic shift in media distribution. For decades, TV and radio were solely provisioned using push-based broadcast technologies, forcing people to adhere to fixed schedules. The introduction of catch-up services, however, has now augmented such delivery with online pull-based alternatives. Typically, these allow users to fetch content for a limited period after initial broadcast, allowing users flexibility in accessing content. Whereas previous work has investigated both of these technologies, this paper explores and contrasts them, focussing on the network consequences of moving towards this multi-faceted delivery model. Using traces from nearly six million users of BBC iPlayer, one of the largest catch-up TV services, we study this shift from push- to pull-based access. We propose a novel technique for unifying both push- and pull-based delivery: the Speculative Content Offloading and Recording Engine (SCORE). SCORE operates as a set-top box, which interacts with both broadcast push and online pull services. Whenever users wish to access media, it automatically switches between these distribution mechanisms in an attempt to optimise energy efficiency and network resource utilisation. SCORE also can predict user viewing patterns, automatically recording certain shows from the broadcast interface. Evaluations using our BBC iPlayer traces show that, based on parameter settings, an oracle with complete knowledge of user consumption can save nearly 77% of the energy, and over 90% of the peak bandwidth, of pure IP streaming. Optimising for energy consumption, SCORE can recover nearly half of both traffic and energy savings.

I. INTRODUCTION

The last five years have seen a dramatic shift in the way people interact with media services. Traditionally, those wishing to enjoy TV and radio shows were forced to adhere to schedules dictated by producers. Recently, however, broadcasters have begun to also make their content available online using on-demand services. This type of service is termed a ‘catch-up’ system, allowing viewers to watch recently broadcast media for a specific period after its initial broadcast. This highlights a key shift in the way users consume TV content, moving from the traditional push model to a far more user-centric pull model. Perhaps the most prominent example of this is the BBC iPlayer, which allows users in the United Kingdom (UK) to pull nearly all of BBC’s TV and radio shows from the Internet for (typically) 7 days after their initial broadcast. Launched at the end of 2007, the service has since exploded

in popularity with an estimated 40% of UK households using it [29]. Although broadcast figures remain orders of magnitude more than corresponding iPlayer audiences, it is undeniable that catch-up has radically altered the way in which users access the BBC’s content.

As more and more users start to rely on the flexibility of catch-up TV and move away from traditional TV broadcasts, it raises important questions about how to provision infrastructure for future TV audiences. For instance, by 2011, BBC iPlayer had become one of the largest applications by traffic volume on the UK Internet, second only to YouTube [30]. This has implications for network capacity provisioning: traditional TV has managed to scale up to large audiences because of its reliance on broadcast infrastructure, but the costs of catch-up viewing increases with each stream. Additionally, this move towards individual, personalised online streaming is significantly increasing the collective energy consumption of TV content distribution: The BBC estimates that for all of its channels except one¹, Digital Terrestrial Television (i.e., broadcast TV) has a smaller per-viewer carbon footprint than catch-up streaming. This is because broadcast has fixed carbon costs that can be amortised over large audience sizes, whereas the carbon costs of streaming grows with each additional user [12]. Motivated by these observations, we ask whether the flexibility of on-demand viewing can be supported whilst still relying as much as possible on low energy broadcast.

With this in mind, we first explore how “catch-up” has changed TV viewing, using BBC iPlayer, the UK’s largest TV and radio catch-up service, as a case-study. Using historical data of approximately 6 million users accessing radio and TV content on iPlayer, we seek to explore the key consequences of supplementing push-based broadcast delivery with a pull-based online equivalent. We find that many users choose to exploit the flexibility of online-pull, forming their own personalised bundles of preferred content and watching it in patterns specific to pull-based architectures (e.g. viewing multiple episodes of a TV series in a short timespan). That said, we also continue to observe push-like behaviour such as viewing as soon as content is available and a general preference for newly released content. We also see evidence of high engagement, with high video completion ratios, and users consistently watching many episodes of favourite TV serials.

The authors wish to acknowledge H2020-ICT-2014-2 project 5G NORMA and UK EPSRC Grants No. EP/K024914/1. This paper is an extended version of a paper presented at the 22nd World Wide Web conference, Rio De Janeiro, Brazil, 2013.

¹The BBC Parliament channel, which has fewer viewers compared to other channels, is the sole exception.

Through the above exploration, we highlight the unique benefits and potential of both traditional broadcast and online pull models. Using the access patterns we find, we design the Speculative Content Offloading and Recording Engine (SCORE), to combine the benefits of broadcast-based and pull-based access and reduce the cost of content delivery (both in terms of energy and network costs). Since our trace-driven study shows that users on catch-up are constructing highly personalised schedules of content to watch at their convenience, SCORE attempts to emulate this by predicting which shows a user is likely to watch, and then constructing personalised lists of favourite shows for each user. Episodes of favourite shows are then speculatively recorded on user-local storage such as Digital Video Recorders (DVRs, also known as Personal Video Recorders or PVRs), enabling later offline on-demand access. This process can remove significant amounts of energy-intensive IP traffic. Entire shows are recorded since the traces show relatively low rates of abandonment.

Thus, SCORE effectively embeds a personalised local catch-up service within Digital Video Recorders (DVRs) and thereby offloads content from the Internet and from the Over-the-top (OTT) catch-up TV service. When a show which has not been recorded is requested, it falls back to the current online pull-based model and streams the content item on-demand. Through this predictive offloading of iPlayer load, SCORE can mitigate the *network* footprint of catch-up services. Interestingly, recording on DVRs complying with EU regulations on power consumption of set-top boxes [1] can also decrease the nationwide *energy* footprint, compared to streaming.

The basic SCORE concept is pluggable, and can be configured for optimising either energy or traffic savings, given the amount of locally available storage as a constraint. We focus on energy savings for two reasons. First, sustainability is a major concern for public service broadcasters like the BBC [8]. Second, whereas it is clear that speculative recording of DTT broadcasts results in a non-negative decrease in network traffic (with savings strictly positive when the user accesses the recorded item from local storage rather than via OTT catch-up), it is not a priori clear that energy can be saved, because speculative recording incurs an upfront energy expense which only pays off if the recorded item is accessed by the user. To demonstrate this potential, we explicitly develop the optimisation problem for saving energy by adding a penalty for the energy expense of recording, and evaluate the benefits. Note that the two benefits are not mutually exclusive – saving energy saves traffic, and the reverse could hold as well.

Our evaluations show that given access to just 32GB of storage, an oracle with complete knowledge of users’ future accesses and optimising for net energy savings could, depending on parameter values of the energy model we use, the bit rate used for streaming, etc., save up to 97% of peak traffic, and up to 74% of the energy. For similar parameter values, the energy-optimising version of SCORE is able to recover more than 60% of the energy and traffic savings obtained by the oracle. Dependency on parameter values is resolved using sensitivity analysis. Optimising for traffic reductions rather than energy consumption, an additional 5–15% traffic savings can be achieved (at the cost of energy).

SCORE can be incorporated as a software update into modern DVR architectures such as YouView. Considering that DVRs have over 50% penetration in major markets such as the US and UK [28], [15], and that common DVR standards including YouView allow over-the-air software updates [35], [2], we believe that deployment is highly feasible.

II. WHAT IS A CATCH-UP SERVICE?

Catch-up services offer temporary on-demand access to media that has been previously broadcast via traditional means (TV or radio). Its purpose, as the name suggests, is to allow users to ‘catch-up’ with shows that they have missed on broadcast. Within this paper, we focus on one prominent catch-up service as a case-study, BBC iPlayer², which we now detail.

A. BBC iPlayer

The BBC has a number of local and national TV and radio channels, which broadcast content over the air in the UK. The BBC makes this broadcast content freely available to UK viewers on the iPlayer website for a fixed period of days after the broadcast, depending on content licensing terms and other policies. Thus, the iPlayer provides an alternate “over-the-top” access mechanism for content which is typically broadcast over the air. BBC iPlayer is widely used within the UK, by an estimated 40% of households [29]. This creates a significant infrastructural footprint, both in terms of energy and bandwidth consumption. BBC iPlayer streams are entirely free of advertisements since the content programming is supported by TV licensing fees. It is worth highlighting that, in contrast to traditional on-demand services, the content items on BBC iPlayer change constantly; new items are added (typically immediately after broadcast), and removed after a short timespan.

B. BBC iPlayer Data-Set

This paper studies a dataset derived from eight weeks of access logs to the BBC iPlayer catch-up service, from 04-Sep-2010, to 31-Oct-2010. One in every four accesses to iPlayer during this period is recorded in the access log, giving a 25% sample of all accesses. Each log entry contains a timestamp for the start and end of the stream for one content item to one user. Altogether, the trace consists of 32,691,343 streams from 5,985,458 users, accessing 37,728 unique content items (episodes) from 3,518 programs broadcast over 73 channels.

In addition, the BBC maintains web pages about each programme and episode which has been broadcast. We have harvested this data to augment the historical access logs with additional information such as the genres of the content item, the time and channel of broadcast, and the theoretical duration of the content item³. We also identify each content item as belonging to one (or more) of eleven genre categories: kids, drama, learning, factual, music, news, religion and ethics (r&e), sport, weather, comedy and entertainment (entert.). Each category has finer-grained subdivisions into genres.

²Sometimes shortened to iPlayer in the text.

³Access log duration may differ from theoretical duration if users stop viewing before completion, e.g. due to network issues or of their own volition.




Fig. 1: Content length distributions: *Corpus* shows the distribution of durations for all items in the content corpus. *Theoretical* is the distribution of content lengths weighted by number of views. *Actual* shows the observed distribution of stream lengths. The content corpus has the most uniform distribution of content lengths. The theoretical distribution has nearly 90% of its mass under 60 minutes, showing that users prefer content shorter than an hour. Theoretical and actual distributions are close reconfirming low abandonment rates.

III. CHARACTERISTICS OF ON-DEMAND ACCESS

The introduction of catch-up services such as iPlayer has introduced a whole new *pull-based* mechanism for on-demand consumption of TV and Radio content traditionally pushed to users via broadcast. This section explores the benefits from the pull mechanism, and the extent to which users still follow push-like access patterns. We divide this study into two parts, first characterising the content access preferences, and then the temporal access patterns.

A. Content access patterns

This section asks *what* items users watch when allowed flexibility to pull items on-demand. We consider three axes of choice: duration of content, the type or genre of content, and whether the item is serialised, i.e. whether it belongs to a TV series comprising several episodes in sequence.

In each case, we use the same method to determine user preferences. We first consider the distribution of the parameter (e.g. content duration, genre or serial/non-serial) in the content corpus. Next, we consider a weighted distribution of the same parameter, weighted by the number of accesses. Their relative proportions indicate user preferences: If a particular value of a parameter is overweighted in the weighted distribution compared to the content corpus, then users prefer that value. If underweighted, users dislike that value.

1) *Users prefer serialised content:* We first inspect the preference users have for serialised content. We find that serial content constitutes roughly 53.3% of the content corpus. Yet, in the list of items watched, serial content constitutes nearly 79.5%. Thus, it is evident that serialised content is disproportionately popular. This is a curious attribute of catch-up TV, which, in contrast to other platforms that consist more prominently of ‘one off’ shows such as movies on Netflix, or the shorter clips often seen in user generated repositories such as YouTube, is often driven more prominently by well-known serials (e.g. soap operas, comedy serials). That said,




Fig. 2: Distribution of genre categories showing that drama, comedy and kids’ programmes are overweighted wrt. corpus.

it is interesting to note that nearly half of all corpus is non-serial, suggesting that the BBC does invest significant amounts of airtime to broadcasting such content. On closer inspection, we find that traditional non-serial content (e.g. documentaries) does constitute a large fraction of the corpus, but simply does not gain the popularity of other serial-oriented genres (e.g. comedy, drama). This is likely a combination of many factors, not least the long history the BBC has in producing widely appreciated serial shows. Communication theorists also believe that strict, predictable schedules of serialised shows establishes viewing habits that become automatic [17, p. 19].

2) *Users prefer short duration content:* Fig. 1 considers three distributions of content durations, *corpus*, *theoretical* and *actual*. *Corpus* is the distribution of content durations for each item in the catch-up content corpus. *Theoretical* is the distribution of durations obtained by weighting each item by the number of times it is accessed. *Corpus* is much more uniformly distributed than *theoretical*, which has most of its mass under one hour. Further, the relative mass of *theoretical* increases dramatically at two points: 30 and 60 minutes, which corresponds to standard durations of serialised TV shows. This indicates the relative popularity of these two kinds of content. The third distribution, *actual*, gives the actual durations of streams observed. The difference between *theoretical* and *actual* is an indication of how much of the content is actually watched. We note that only $\approx 25\%$ of the requests are abandoned in the first five minutes, indicating that three quarters of users are engaged and watch a large proportion of the show. This is best highlighted by the close alignment between the *theoretical* and *actual* curves in Fig. 1.

3) *Users prefer specific genre categories:* Next, in Fig. 2, we consider the relative proportions of different genre categories in the content corpus compared to their proportions when weighted by the number of accesses. Categories where the watched bar is taller than the corpus are overweighted, and hence preferred by users. This clearly indicates a strong preference for certain categories such as drama, comedy and kids’ shows. In contrast, genre categories such as factual programs, music and news constitute a large proportion of the content corpus but are not watched as much. Thus, although a public service broadcaster might provide a balanced content catalogue, users tend to prefer common kinds of entertainment.

Given such strong preferences, we ask whether genres are a better way to create pull-based ‘channels’ for users than the




Fig. 3: Self-information of various content bundling strategies.

current broadcast channels. To answer this, we quantify how well a given partition of content items — into channels or genres — captures the content consumption history of individual users. Specifically, we compare the *self-information* [14] of describing users by the channels of their content items with that of describing users by genres of the items they consume. The higher the self-information is, the more information it captures of a user. Recall that the entropy of a random variable is obtained by taking the expectation of its self-information. The higher the entropy of a partitioning method, the better its representation of users is, on average, for the entire population.

Formally, let C be a set of content items available in the system and B be a *bundling* of content defined as a partition of C into N subsets (i.e. N bundles). Examples of bundling include partitioning the set of programs based on the channels they are broadcast on, or partitioning based on genres, with each channel or genre forming a bundle respectively. For a given bundling B , we denote the watching history of a user with tuple $t_B = (n_1, n_2, \dots, n_N)$, where n_j is the number of times a content item from a bundle $j \in B$ was watched by the user. Given a bundling method, we are interested in the self-information of the random variable T_B , $I(T_B) = -\log P(T_B = t_B)$. Note that $P(T_B = t_B)$ is given by the multinomial distribution:

$$I(T_B) = -\log\left(\frac{l!}{n_1!n_2!\dots n_N!} \times p_1^{n_1}p_2^{n_2}\dots p_N^{n_N}\right) \quad (1)$$

where p_j is the probability of randomly choosing an item from bundle j , and l is the number of user's sessions, i.e. $l = \sum n_j$.

Fig. 3 plots this value for several bundling strategies: Bundling programs into the current set of channels; bundling into one of the 11 coarse-grained genre categories, bundling into fine-grained genres, and, finally, bundling into individual programs, as an example of extremely fine-grained bundling. As expected, program-based bundling has the highest self-information. Interestingly, despite the population as a whole favouring certain genres over others, *channels defined for push-based broadcast capture users' consumption patterns better than genre categories*. However, when genre categories are split into finer-grained genres, user interests are captured with similar amount of self-information as broadcast channels.

B. Temporal characteristics

A key feature of the pull model is that it creates temporal flexibility—users can choose when they consume content, rather

than adhering to a push schedule. This leads to two benefits: At the infrastructure level, we see a flatter demand pattern as users are not restricted to the evening prime-time hours if they watch popular content. At the same time, users are able to consume content in a bursty fashion, for instance, watching multiple episodes in short time periods. Despite these trends, we also see access patterns that resemble push-like consumption, with a preference for fresh content, and spikes in access as soon as content is made available on the platform.

1) *Pull flattens demand*: To explore how viewers make use of the temporal flexibility of pull, Fig. 4 depicts the average number of requests received per hour across the whole trace. We plot two curves: the first (marked *broadcasting time*) plots access frequency by the original broadcast time of the content being requested, the second (marked *request time*) plots access frequency by the request timestamps in our traces. For example, suppose a primetime TV show was broadcast at 9PM in the night but was requested at 10AM the following morning. This request would be placed in the 10AM bucket for the *request time* and 9PM for the *broadcasting time*.

It can be seen that the access patterns of users in the pull model change significantly compared to broadcast. By allowing users to select when they consume content, requests are flattened far more over the day: When inspecting the broadcasting time, huge demand peaks occur for content broadcast between 18:00–20:00 for radio, and 19:00–23:00 for TV (corresponding to traditional “prime time”). In contrast, these peaks are flattened greatly in the request times of on-demand access. That said, it is evident that content that is broadcast during the peak time also dominates in catch-up service with greater volumes of access, indicating that TV producers do an effective job of scheduling popular shows. The same (popular) items are watched in both pull and push models; albeit at different times.

Further, the demand patterns are different between TV and radio content. Whereas TV has pronounced diurnal patterns with large numbers of requests during evening peak or prime time hours, radio has a flatter demand pattern, with its peak hours actually occurring during the afternoon. From an infrastructure perspective, these differences in peak times could be exploited by hosting both TV and radio content on the same delivery infrastructure, which can be used more efficiently throughout the day.

2) *Pull allows bursty access*: Anecdotal evidence suggests that it is increasingly popular for people to spend evenings watching several episodes of particular shows. More generally, users can “catch up” on multiple episodes over time spans shorter than a week, the typical duration between consecutive episodes for serialised broadcast content. This is a key flexibility of the pull-based model in contrast with push-based delivery, where shows must be broadcast following predetermined schedules.

To quantify such bursty behaviour, Fig. 5 presents a CDF of the number of episodes from the same TV show requested over various time periods by individual users. It can be seen that a small, but noticeable, number of users do exhibit burstiness when consuming media for both radio and TV, with slightly more multiple accesses in radio. For example, we find that




Fig. 4: Normalised distributions of Catch-up request times by hour of day, and the broadcast times of requested items. The normalisation is with respect to the daily number of requests (i.e., each data point is presented as a fraction of total daily viewing figures). Items broadcast during 7-11pm “prime time” are very popular on catch-up, but request distribution is flatter.




Fig. 5: Burstiness of Accesses for Serial Content: CDF of the number of accesses from the same user for different episodes of the same serialised programme within a time window (windows size: 6 hours, 24 hours, and one week) by considering users that have at least 10 logs in the whole dataset and programmes that have at least 4 different episodes. Note that the full range of the Y-axes for both figures is 0–1, but the figures are cut off at $y=0.45$ to show the variation clearly.

$\approx 10\%$ of the time, users watch multiple (> 1) TV episodes from the same programme within a 6 hour period, and nearly $\approx 30\%$ do so within a week.

Two sets of factors of the current system might actually limit the extent of such bursty accesses. The first is the nature of the content. Some kinds of shows (e.g. news, weather) are outdated soon after release, or when a new episode is uploaded. Many programmes in the UK tend to have fewer episodes than elsewhere (e.g. 6 episodes is common for a TV series in contrast to 13 or 26 episodes typical in other nations). This limits the maximum size of bursts. Additionally, iPlayer carries so called “long-form” content (e.g. TV episodes tend to be 60, or 30 minutes long), which limits the number of episodes that can be consumed over very short time periods.

The second set of limiting factors arise as a product of the way content is managed on iPlayer. Content is only available for catch-up if it has been broadcast previously. Similarly, content is periodically removed according to predetermined rules (driven by licensing and other policies), typically after the last episode of a show. Thus, during the early weeks of a serialised show, the size of bursts is limited by the number of episodes broadcast, whereas later on, typically after the final episode is broadcast, some early episodes may have expired.

Regardless of these system limitations, some unique to the platform, some to the content corpus, there appears to be a non-trivial appetite for bursty consumption of multiple episodes

of content over short periods of time, which is catered to by the pull model. Future system designs for on-demand access can better support such needs, for example, by creating content bundles comprising all episodes of a particular show.

3) *Push-like access patterns – preference for fresh content:* Although iPlayer allows for on-demand access, the limited availability of content on the platform, as well as the outdated of certain kinds of content such as news and weather, place limits on delayed viewing, as discussed in the previous section.

To quantify this, Fig. 6a plots a cumulative distribution function (CDF) of the freshness of content, according to two metrics: *Lifetime* shows the length of time between the first and last view for each content item, and captures the rate at which content gets outdated. *Episode Age* shows the age of content items at each distinct view. It can be seen that there is a skew towards watching content soon after release. Almost 50% of views occur on the first day, even though much of the content does not get outdated until later on (average lifetime is ≈ 7 days). Over 90% of views happen within a week.

Notable differences also seem to appear between on-demand access for radio and TV. Fig. 6a shows that more radio content gets outdated early on: Whereas similar proportions of TV and radio content tend to get watched in the early stages of their release (e.g. under 4 days), TV viewers more slowly tail off as the content ages (after fourth day), as compared to radio, where over 95% of users listen to radio within the first 7 days




Fig. 6: **Push-like access patterns:** (a) Age of episodes at time of access vs. lifetime of episode (time between last and first access), showing that most accesses happen early on, when content is still fresh. The inset graph zooms into the first week of accesses. (b) Normalised number of first views in each time interval of 1 minute between 7pm-12am of every day, showing an adherence to broadcast schedule for eagerly awaited content (c) CDF of the number of contents simultaneously broadcast and watched by a user. Both the maximum (per user), and average values are shown. Over 96% have a maximum value of 1, and over 99.99% have an average of 1.1. Note that the y-axis range has been set to 0.95–1.

of its release. This may be a product of radio’s greater temporal dependency, where shows tend to relate to real-world events (e.g. topical discussions or talk shows).

Thus, it appears that users are broadly using catch-up for recent broadcasts, creating a *strong preference for fresh content, akin to push-based consumption*. We note that this preference for fresh content has been observed in other systems with progressive content releases [3]. However, our dataset also shows an interestingly strict adherence to broadcast schedule on the part of several users. Fig. 6b plots the number of first views that occur to each content on a minutely basis. For clarity, we focus on the evening peak hours, when the majority of requests are made (see Fig. 4), and also the maximum number of channels are broadcasting. It can be seen that especially with TV content, the first views spike strongly on the hour and half-hour marks, immediately after the content is put up on the platform, suggesting a strong push-like demand for accessing eagerly awaited content as soon as it is made available. Similar access patterns are seen outside the evening peak hours; although the spikes are strongest in the evening.

4) *Push-friendly serialisable access pattern:* In the pull paradigm, if a user is interested in content being broadcast over two channels simultaneously, they can simply fetch it on-demand one after another, in a serialised fashion. Fig. 6c shows that despite this flexibility, users tend not to be interested in simultaneously broadcast content: Over 96% of users never need to watch content items that are broadcast simultaneously. On average, for over 99% of users, the average number of simultaneously broadcast shows that they are interested in is 1.1 or fewer. We conjecture that this is the result of careful planning of TV channel schedules to ensure that audiences interested in the same content items can watch them at broadcast time. Such planning is known to take into account not only the different channels of a single broadcaster such as BBC but also the popular shows of competing broadcasters, to ensure maximum audience sizes. One implication of this is that if each user had personal “virtual channels” constructed by merging the different public broadcast channels, then one (or at most two) channels would suffice for nearly all users.

IV. SCORE: OFFLOADING ON-DEMAND ACCESS

The previous section has explored the characteristics of on-demand catch-up, showing that whilst it benefits from the pull model of on-demand access, it still needs to support push-like access patterns. With this in mind, we now propose a new system capable of exploiting these observations: the Speculative Content Offloading and Recording Engine (SCORE). SCORE connects to both broadcast services and the Internet, unifying access to these mediums from the viewer’s perspective via a set-top box. Whenever a user wishes to consume content, SCORE transparently decides how best to access it: via broadcast (if at the appropriate time), or via online pull (if it is later on). Importantly, SCORE also *integrates the principles of these two models* by intelligently recording popular content from the broadcast interface, creating local personalised bundles for individual users, by predicting their viewing patterns. This has clear benefits for users by providing an extremely high performance local catch-up service that is not limited by network capacity and performance. However, the benefits extend beyond this. Specifically, we identify the potential to significantly decrease the energy footprint of content delivery by offloading traffic from the costly IP network onto the broadcast network instead (via automated recording)⁴.

A. Designing SCORE

We start by considering the implications of the trace-driven measurements of §III for the design of SCORE, and derive the following design choices and simplifications:

1) *Speculative Recording for on-demand access:* The support for time-shifted viewing is used extensively: Fig. 4 shows that although content broadcast during TV prime time is also popular on catch-up and has the largest audiences, audience accesses for catch-up TV are more distributed in time. On the one hand, this decreases the overall load of simultaneous unicast streams to the server, leading to better network utilisation.

⁴. The rest of this section discusses the use of SCORE with energy efficiency as the objective. However, this choice is pluggable; an alternative that optimises for network traffic is explored in §VI-B. We also focus on the use of SCORE for TV but the principle is equally applicable to radio.

On the other hand, on-demand access also renders it difficult to share resources using multi-user reception mechanisms such as multicast, which would be ideal for amortising costs across large audiences. In designing SCORE, these considerations lead us to derive amortised cost savings by exploiting an alternate broadcast channel available to BBC programmes: Digital Terrestrial Transmission (DTT). We offer on-demand access by *speculatively recording broadcasts of content items predicted to be watched later*.

2) *Whole item recording*: Users show a high engagement: In contrast with the previously reported high-levels of short-interval viewing due to channel surfing⁵ in traditional (live) TV [36], [11], the proportion of short-interval catch-up streams (i.e., streams abandoned or stopped after a short period of viewing) is relatively small (Fig. 1). This stronger commitment suggests a simplified speculative recording scheme that stores entire items rather than hedging bets by storing a “sampler” such as the first few minutes of a content item. Our decision to store entire content items is also influenced by the relative energy costs of recording broadcasts and on-demand network streaming: as described later, DVR recording is generally greener than streaming; thus recording entire shows can deliver more savings than recording samples.

3) *Programme history-based prediction*: Users exhibit strong personalised preferences (§III-A1, §III-A2 and §III-A3); thus speculative recording needs to be based on personalised predictions. In particular, users’ affinity to watch many episodes of the same programme has the highest self-information (Fig. 3) leading us to design simple personalised predictors based on programme history. As expected, this leads to the best performance, but we also report the performance of alternative prediction mechanisms in §VI.

4) *Expiration-based content replacement and weekly cache refills*: Fig. 6a shows a strong push-like preference for fresh content with nearly 90% of accesses being for content broadcast less than a week before. It also shows that over 80% of items expire within 7 days of broadcast, and cannot be watched later even if the user wishes to. In addition, it is common for TV shows to follow a weekly cycle, with new episodes broadcast around the same time each week.

Driven by these observations, we adopt an extremely simple cache management policy for SCORE: SCORE is run on a weekly basis, and a schedule of new recordings for the rest of the week is decided based on previous watching history. We assume that amount of storage available for each week is constrained by a fixed amount S . This limit can be set by the user, or reasonable defaults can be set automatically depending on a variety of factors, such as the total storage available on the DVR, or the bitrate encoding used. Given a specific storage constraint S and an objective such as minimising energy or traffic footprint, SCORE speculatively decides the best schedule of items to store based on the predicted probability of access. However, once an item has been recorded, we do not actively evict it from the cache but allow it to be removed naturally when the content expires or once it has been watched by the user. Thus, content items can remain for longer than

a week, but we expect the number of such items to be small given the nature of the content corpus.

B. Overview of operation




Fig. 7: Schematic of a DVR/STB with SCORE

Fig. 7 shows a schematic of the SCORE Digital Video Recorder (DVR). Content can be acquired either from the Digital Terrestrial Television (DTT) interface during broadcast time, or pulled from the IP network interface. For each content item requested by a user, a coordinator decides whether to show the content from (i) the DTT interface if the content is being broadcast live when the user requests to view; (ii) the DVR if the content is locally stored; or (iii) IP streaming from the catch-up servers, if not stored locally. This unified approach hides complexity from the user, automatically obtaining the content from the preferred means without intervention.

SCORE’s key novelty comes in its ability to create personalised bundles by learning and predicting viewing preferences. Exploiting this, SCORE automatically records and stores items speculatively from the broadcast channel. The SCORE element consists of a *predictor* and an *optimiser*. The predictor calculates weighting factors for each content item based on the program series to which it belongs. The decision on which items will be recorded (from the broadcast channel) speculatively is made by an optimiser, which calculates the expected utility of speculatively recording an item, subject to the storage limitations, and the other items that are due to be broadcast. The SCORE optimiser is run at the beginning of every week, using the upcoming broadcast schedule and the user’s previous catch-up viewing history as inputs. The output is a schedule of content items to record speculatively from the DTT interface. SCORE wakes up the DVR from sleep/stand by at the scheduled broadcast time, records the item, and goes back to sleep. This therefore allows the user to stream the content locally, rather than use pull-based delivery via the Internet.

C. Optimiser

First, we describe SCORE’s optimiser component. Speculative recording will never increase network traffic, but recording content not watched later on wastes energy. Although savings from watched items can compensate for unwatched items over a set of recordings, there can still be net energy loss. This is particularly undesirable, as these losses will be incurred by the viewer (in terms of their energy bills). As such, it is critical

⁵Also called channel “zapping” or “scanning”.

to ensure that energy reductions occur in a wider context, creating benefits across all stakeholders (both in the home *and* networking infrastructure). Consequently, we conservatively offload only content which is expected to minimise the overall energy spent in providing catch-up functionality.

Deciding which items to record can be formulated as a *binary integer linear programming problem*. Formally, given a set of content items C that are known to be broadcast in a given week, and a space constraint that a maximum of S bits can be stored, the task of the optimiser is to compute a binary valued variable $x_i \in \{0, 1\}$ for each item $i \in C$. $x_i = 1$ if i is stored in the DVR, 0 otherwise. The decision is based on P^{IP} , the power consumption characteristics of the IP streaming option, P^{DVR} , the power consumed by the DVR for speculative recording, and the characteristics of the content item: the duration τ_i and the bitrate encoding r , which determine the space occupied, and a weighting factor $\pi_{p_i} \in [0, 1]$ that encodes the probability that the user will watch item $i \in C$ based on the TV series p_i that i is part of.

We model energy consumed in the Internet by on-demand streaming in terms of an energy *per bit* figure E^b , following Baliga *et al.* [7]. This is a well known and widely used model for capturing the energy consumption of a network infrastructure. Although it cannot provide exact measurements of energy consumption, it is built upon a realistic design of a countrywide network, assuming data from commercially deployed networking equipment. It also uses a nationwide video-on-demand service as a driving case study, therefore closely matching our needs. As such, we find it an effective choice to use for SCORE, as even loosely accurate energy predictions allow SCORE to make effective decisions (as we later show). As with any such model, however, we are required to perform several approximations. §V-A provides numerical details and discusses how we resolve the dependency on the E^b value by sensitivity analysis. In practice, for the storage levels we assume, the savings realised are relatively insensitive to E^b , especially for higher bit rates, which are indicative of future trends. Speculative recording on the DVR can therefore save energy only if:

$$P^{IP} = E^b * r > P^{DVR} \quad (2)$$

It is important to note that speculative recording cannot be used bluntly. It can waste energy in either of two ways. First, the optimiser might decide to store an item which is subsequently never watched; thus, wasting the energy involved in speculatively storing the item in the DVR. Second, the optimiser might decide not to store a content item which is subsequently streamed by the user, incurring a larger energy footprint than recording.

The function of the optimiser is therefore to minimise wasted energy expenditure while speculatively recording content. This is encoded in the following decision problem:

$$\text{minimize } \sum_{i \in C} \pi_{p_i} \cdot P^{IP} \cdot (1 - x_i) + \sum_{i \in C} (1 - \pi_{p_i}) \cdot P^{DVR} \cdot x_i \quad (3)$$

$$\text{subject to } \sum_{i \in C} r \cdot \tau_i \cdot x_i \leq S \quad (4)$$

The objective function (3) is composed of two addends. The first computes the expected power spent for streaming items which the optimiser decides not to store, based on a probability of watching π_{p_i} . The second addend computes the expected power spent speculatively recording content which is not subsequently watched, based on the probability of not watching $1 - \pi_{p_i}$. Equation (4) imposes the constraint that the amount of stored contents must to be smaller or equal to the size of the memory S available on the DVR.

Simplifications for practical application In theory, solving the above decision problem accurately is a *0-1 Knapsack problem*, which is well-known to be NP-hard. However, we can adopt a greedy approach and select content items one by one in descending order of the objective function value (3) until we run out of space S . This works well in practice because most high probability content items are 30 or 60 minute programs; thus, this heuristic fills available storage except for a small slot usually < 60 minutes long.

Similarly, in theory, it is possible that the result schedules generated by SCORE may contain more than two items that are broadcast simultaneously. Given that typical DVRs have two tuners, it is not feasible to record all simultaneous broadcasts. However, as described in §III-B4, users are in general interested in only one amongst items that share the same airtime. For the rare cases when the recording schedule generated by SCORE may require simultaneously broadcast shows (this happens on average for 0.01% of users), it may be possible to exploit the fact that many shows have repeat broadcasts and record at a later time (assuming the user has not streamed from iPlayer before the repeat). Unfortunately, our dataset does not contain times of all subsequent repeats of a programme, so we are unable to quantify (in §V) the benefits of utilizing repeats for speculative recordings. In extremely rare cases, it may mean that some shows are not able to be recorded and need to be streamed. Equally, it is possible that the user has a more advanced DVR or simply has additional TV tuners installed to handle the case. Given that the vast majority of users do not watch simultaneously broadcast shows on catch-up, we consider this a corner case, and rather than complicate the optimization problem for all users, we handle the recordings as a “best effort”: In case of conflict, SCORE could simply choose to record the content with the higher π_{p_i} .

D. Weighting factors

To be usable in the optimiser, the end requirement from a weighting model M is a weighting factor $0 \leq \pi_p^M(u) \leq 1$ for each user u and program p , with larger π_p^M indicating greater confidence that episodes of p will be watched via IP streaming.

The episodic nature of TV programmes and the strong preference of users for serialised content, as discovered in Section III-A1, gives a simple but powerful *history-based* weighting model: watching previous episodes of a series is a good indication that the future episodes will also be watched. Formally, a weighting factor π_p^H can be derived for a user u who has previously watched n_p^u episodes of a program p with n_p episodes, as the probability of watching that program:

$$\pi_p^H(u) = \frac{n_p^u}{n_p} \quad (5)$$

Plugging in $\pi_{p_i} = \pi_p^H(u)$ in the optimization problem (3)-(4) obtains the best performance amongst the alternatives we have tried. Therefore, our main evaluation of SCORE uses this weighting factor. This holds for the content make-up of the BBC, however, this is not generalisable to all content repositories. As such, alternative models would be required for different repository types (e.g. movies); other weighting factors are explored in Section VI.

V. PERFORMANCE ANALYSIS

This section analyses the performance of SCORE using the trace discussed before (§II-B). We compute the aggregate energy and traffic savings achieved when SCORE is run by users in our trace, and present the results as percentage savings. We first discuss the simulation parameters used (§V-A). Then we assess the energy (§V-B) and traffic (§V-C) savings achieved by SCORE. In each case, we first use an oracle-based approach to compute the theoretical limits of the savings achievable by speculative recording. Next, the savings achieved by SCORE is measured relative to the oracle. The dependence on parameter values is resolved by sensitivity analysis across the range of possible values for all parameter combinations.

In computing the list of content items to speculatively record, we focus on weeks 4, 5 and 6 of our eight-week trace. This allows SCORE to work with the previous three weeks of history for the predictor, and at least two weeks after the broadcast for the user to watch the show, allowing a better estimation of achievable savings.

A. Parameters for trace-driven simulation

SCORE balances two factors which contribute to energy consumption other than on the content provider servers. The first factor is the energy consumed on DVRs to record the content. We conservatively consider HD double-tuner DVRs, which are the most energy-intensive of the simple Set-Top Boxes under EU regulations. EU regulations [1] mandate a maximum power consumption of 13W when turned on or on active standby, and 1W when on passive stand-by. DVRs must also automatically be switched into standby mode when not in use. The SCORE DVR must therefore adhere to these requirements. Hence, the power consumption *added* by speculatively storing a content in the DVR, P^{DVR} , is conservatively taken as the maximum power difference possible between on and stand by states, i.e. 12W. For the experiments, we assume that users do not use their DVRs, as this represents the worst-case scenario for SCORE (i.e. it is necessary to take the DVR out of standby for *all* speculative recordings).

The second factor, the energy spent in the IP network to transport the content to the user, is much harder to quantify. However, this is vital to measure the combined energy impact of both the network infrastructure and the home environment. Our use case of distributing content from a national broadcaster to audiences within the country over the public Internet closely fits the assumed model of Baliga *et al.* [7], which is based on a paper design of a national-level network in a broadband-enabled country, and includes a video distribution network for applications such as Video on Demand. The model

makes detailed calculations using realistic numbers from various networking equipment currently deployed commercially. It therefore provides an effective and convenient method to calculate energy consumption parameterised in terms of E^b , the average energy per bit transported. However, as with other current energy models for the Internet, this introduces assumptions about the models and technology of networking equipment used, network hops from server to user, network over-provisioning and multiplexing levels, etc. To account for these uncertainties, Baliga *et al.* derive a range of values possible for this figure, from $E^b = 75\mu J$ for current networks down to $E^b = 2\mu J$, for a future energy-efficient all-optical network. Power consumed can be calculated as $P^{IP} = E^b r$ where r is the bit rate encoding of the content provider. Given the inherent uncertainty and approximations involved in coming up with these values, we perform a sensitivity analysis over a wide range of values. This allows us to model the energy use for a large set of potential networked environments.

When calculating energy consumption, we first vary the bit rate as $r \in \{480, 800, 1500, 5000\} Kbps$ to calculate the number of bits transmitted within each stream. $r_0 = 800 Kbps$ represents the current default rate⁶; higher rates show currently available, and potential future encoding rates. We use constant bit rate encoding, which means that the number of bits transmitted within a stream is proportional to the encoding rate⁷. To calculate the actual cost per bit transmitted, we use a variety of values to capture the many possible network setups. Specifically, we experiment with $E^b \in \{\frac{75}{8}, \frac{75}{4}, \frac{75}{2}, 75\} \mu J$, to see the effects over four (binary) orders of magnitude. We do not consider $E^b = 2\mu J$, the lowest value in the Baliga *et al.* [7], because when $E^b = 2\mu J$, $P^{IP} < P^{DVR}$ for the bit rates we consider, making streaming greener than recording.

The amount of content that can be offloaded depends on the storage available on individual users' DVRs. Many current DVRs may have a 500GB or 1TB hard disk. Standardised technical specifications such as YouView DVR specify a minimum of 320 GB [35]. However, users also need this space for manually set recordings. Therefore, we assume that SCORE has access to a small fixed size partition in this space. As a baseline, we assume that a storage of $S_0 = 32GB$ is available, similar to the size of "reserved" partitions in architectures such as YouView [35]. We refer to this as the *constant S* case. As the content encoding bitrate increases, fewer content items can be stored in a fixed size partition, leading to decreased gains. Therefore, we also experiment with a *rate-proportional S* case, where the partition size is taken as proportional to the bit rate encoding r as $S = S_0 \frac{r}{r_0}$.

B. Understanding energy savings

The energy benefits are quantified by computing the metric $Energy\ Savings = \frac{E^{IP} - E^{SCORE}}{E^{IP}} \cdot 100$, where E^{IP} is

⁶http://www.bbc.co.uk/blogs/bbcinternet/2009/04/bbc_oplayer_goes_hd_adds_high.html. However, when operating in full-screen mode on modern laptops, BBC iPlayer is seen to switch to 1500 Kbps.

⁷The impact of changing to Variable Bit Rate (VBR) encoding would also be negligible because, on average, the file size (and therefore stream size) will be a product of the video length and encoding rate (although the rate will vary over time).




Fig. 8: Average energy savings (%) with oracle for different E^b , r and S parameter combinations.

the energy consumption of streaming all the contents and E^{SCORE} is the energy consumption using SCORE.

We wish to understand energy savings at two levels. First, we quantify the theoretical potential of content offloading. Second, we measure the savings achieved by SCORE.

1) *Oracle-based savings*: To understand the full potential of content offloading, we consider the best-case scenario for a personalised solution: an oracle that has full knowledge of future content consumption decides offloads. Every item stored is guaranteed to be watched by the user. In this scenario, the achievable savings are limited only by the storage available.

Fig. 8 shows the results, for different combinations of parameter settings⁸. Note that the use of constant bit rate encoding means that the different encoding rates have a linear relationship. The energy savings metric depends on E^b and r , which determine the power consumed by the IP streaming option, and S , which determines the amount of content that can be offloaded. Only those combinations where inequality (2) holds are considered; combinations of low r and E^b , known to result in negative energy savings, are not shown. In general, as E^b and r increase, IP streaming consumes more energy, and the energy savings are higher. However Fig. 8a shows that for very high bitrates, storage can become a limiting factor: The oracle is not able to store as many items as possible at lower bit rates, resulting in smaller energy savings (e.g. at $E^b = 75\mu J$, the savings from $r = 5000Kbps$ is smaller than savings from lower bit rates). Fig. 8b shows that this limitation is overcome when the storage is proportional to bit rate encoding. Fig. 8c shows the maximum savings achievable, by removing all storage constraints (i.e. $S = \infty$). If every item can be stored locally when broadcast, up to 97% savings can be achieved at high r and E^b . The maximum savings are $\approx 75\%$ considering a constant storage $S = S_0 = 32GB$, and $\approx 90\%$ considering a rate-proportional S .

2) *Energy savings in SCORE*: Next, we study the savings achieved by SCORE, given access to $S_0 = 32GB$ ⁹. Fig. 9 performs a sensitivity analysis and shows the average energy savings by using SCORE for different combinations of parameter choices. For low values of r and E^b , the achievable energy savings are small, and errors in speculatively recording items not watched later can lead to negative energy savings. However, at higher bit rates, savings appear to be relatively




Fig. 9: Energy savings of SCORE relative to Oracle. Parameter combinations where Internet streaming is more energy efficient than DVR recording (i.e., $E^b * r \leq P^{DVR}$) are omitted, since SCORE (similarly Oracle) would not record content in settings guaranteed to waste energy. insensitive to the assumed values of E^b and SCORE can recover 40-60% of the optimal savings achieved by the oracle.

C. Understanding traffic savings

Next we study traffic savings by computing the metric: $Peak\ bandwidth\ savings = \frac{Q_{95}^{IP} - Q_{95}^{SCORE}}{Q_{95}^{IP}}$, where Q_{95}^{SCORE} and Q_{95}^{IP} are the 95th percentile bandwidth taken across 5 minutes intervals by using SCORE and by streaming all the contents, respectively. This metric is intended to approximate the reductions in operating costs for ISPs, which often rely on 95th percentile bandwidth pricing. We compute the savings across the entire trace, and therefore the figure may be seen as representative of the savings for the content provider or its CDN affiliate. Similar results are obtained by replacing the 95th percentile with average traffic savings, and also at the level of individual autonomous system or AS (these results omitted due to space constraints).

1) *Oracle-based savings*: Fig. 10 shows the traffic savings obtained using an oracle with complete knowledge of future requests. Unlike the energy savings computation, the oracle-based traffic savings do not depend on E^b , but only on r , the bit rate encoding, which determines the size of the IP flow, and S , the storage available on the DVR, which determines the amount of content which can be offloaded; an oracle with infinite storage can offload *all* the traffic. Thus, we only study the variation in savings for different values of r and finite

⁸Error bars in all figures show 95% confidence intervals.

⁹Due to space constraints, only the more challenging constant S case is presented for SCORE energy & traffic savings.




Fig. 10: Peak bandwidth savings of oracle.




Fig. 11: SCORE peak bandwidth savings relative to oracle

values of S . The figure highlights that peak bandwidth is insensitive to the bit rate for rate-proportional S , because the memory size per content item remains constant across bit rates. Fig. 10 shows that the peak bandwidth savings can be up to 96% (i.e. peak bandwidth with the oracle can be as low as 4% of the peak without oracle-based offloading), but the peak bandwidth savings rapidly decreases when storage becomes a constraint (constant S scenario, for higher bandwidths).

2) *Traffic benefits from SCORE*: Fig. 11 shows a sensitivity analysis of the peak bandwidth savings obtained by SCORE for different parameter settings. Note that unlike the oracle case, the savings with SCORE depend on E^b as well as r and S . This is because the items to download are decided as a *side effect* of saving energy (Eq. (3), also see discussion in §VI-B). As with energy, SCORE typically recovers $\approx 40\text{--}60\%$ of the traffic savings achieved by the oracle, using 32GB storage⁶. These savings are relatively insensitive to E^b .

VI. “NATURAL” DESIGN ALTERNATIVES

The generic SCORE approach presented in §IV consists of an optimiser which decides to speculatively record items based on weighting factors assigned by a predictor. However, the specific version evaluated in §V uses a personalised optimiser for each user, which attempts to minimise the energy consumed by the user’s content access needs, using knowledge of previously watched programmes. Alternatives to the design presented above can be generated by using different optimisation functions or predictors which yield different weighting factors. We illustrate this by considering three “natural” design

variants: First, we study a non-personalised version, where the same weighting factor is generated for each user, based on program popularity. Next, we consider a different optimiser that aims to reduce traffic in the network, arguably a more “natural” goal. Finally, we consider how to assign weighting factors for programs not watched previously by the user. In each case, we highlight why the design we presented earlier departs from these expected “natural” choices.

A. Understanding the need for personalisation

n :	1	10	20	50	100
% savings:	3.3%	4.6%	-5.7%	-38.1%	-99.0%

TABLE I: Indiscriminately recording most popular n items for every user leads to negative energy savings relative to streaming from the Internet ($E^b = 75\mu J$, $r = 800Kbps$, $S = 32GB$, week 6)

As a baseline, we first study a simple and straightforward approach to content offloading: offloading the most popular content to all users. Table I shows that doing so can lead to large numbers of unwatched items; recording items not watched wastes energy, resulting in decreased energy savings as n is increased. We see a net energy loss for $n = 20$ and beyond, motivating the need for a personalised, user-specific solution as developed by SCORE. §V-B2 and §V-C2 show that our personalised solution can perform better the best performing baseline: saving the most popular 10 items for every user (*top10* in Table I).

B. Traffic Optimisation

As previously discussed, SCORE is optimised for energy efficiency. This can result in suboptimal traffic savings because storage capacity might not be used if the energy cost is too high. Our second design alternative therefore considers the implications of optimising for traffic costs alone.

To achieve this, SCORE should speculatively record items regardless of energy costs. We evaluate this “price of green”, by changing the optimiser to the following “non green” version, which purely minimises the probability that a recorded content is not watched:

$$\text{minimize } \sum_{i \in C} \pi_{p_i} \cdot (1 - x_i) \quad (6)$$

subject to the memory constraint, Eq. (4).

Fig. 12a shows the impact of greening on the energy and traffic savings in terms of the ratio of the savings achieved in the energy aware or “green” case considered previously (Eq. (3)) to the savings achieved using the “non-green” case (Eq. (6)). The black bars show that the green solution saves up to 40% more energy compared to the non-green solution. The white bars highlight that using energy-unaware SCORE, we could only achieve a traffic savings that is about 1.05 times greater, for the parameter settings indicated. This gap would be bigger if we consider lower values of E^b . It is worth highlighting that different users can freely choose different options, optimising for traffic or energy, since SCORE operates solely on the user’s device.




Fig. 12: Performance of “natural” alternatives in optimisation and prediction. Parameters used: ($E^b = 75\mu J$, $r = 1500Kbps$, $S = 32GB$) (a) Optimising Energy (Green) vs optimising Traffic (non-green) savings. The green variant incurs 1.05-1.15 times more traffic than the non-green version. However, Green also saves 40% more energy than Non-Green. (b) Collaborative Filtering (CF) does not offer any significant energy savings benefit over just history (H). (c) Privacy-preserving recommender using only genre affinity ($G + H$) performs similarly to Collaborative Filtering ($CF + H$).

C. Speculatively recording new programme recommendations

Up until now, we have employed a relatively simple history-based algorithm to inform SCORE. Although our evaluations show its effectiveness, the predictor of Eq. (5) cannot assign non-zero weights to new programmes previously unwatched by the user. Similarly, this cannot be used for one-off programmes such as movies. Next, we explore new weighting models which allow such predictions to be made.

1) *A collaborative filtering weighting model (CF)*: Our first approach is based on the same intuition as recommender systems: that new programmes explored by users will be similar to programmes watched in the past. Therefore, to recommend new programmes to speculatively record, historical data about pairwise similarities between programmes are captured as a global parameter matrix Γ . The prediction task is to use this global prior information to perform a Bayesian inference of future probabilities of watching a programmes for each user. We develop a latent variable probabilistic model parameterised by Γ to perform this inference. Because it is parameterised by the program-program similarity matrix Γ , this amounts to an item-item collaborative filtering approach similar to [27], [4].

Formally, let, U_H, U_F denote latent multinomial (categorical) random variables for a user’s history and future programs respectively. These random variables can take on 1-of- K states, each state corresponding to a different program. Let Y_H denote the recorded historical data (programmes watched by the user). The probabilistic model is then given by:

$$p(U_H, U_F, Y_H|\Gamma) \propto p(Y_H|U_H, U_F) \Psi(U_H, U_F|\Gamma), \quad (7)$$

or, making the assumption that the recorded history Y_H is dependent only on U_H :

$$p(U_H, U_F, Y_H|\Gamma) \propto p(Y_H|U_H) \Psi(U_H, U_F|\Gamma). \quad (8)$$

In the above, $p(Y_H|U_H)$ is the programme likelihood, which we compute as

$$p(Y_H|U_H) \triangleq \begin{cases} 1 & \text{if } U_H \subset Y_H, \\ 0 & \text{otherwise.} \end{cases} \quad (9)$$

Similarly, $\Psi(U_H = i, U_F = j|\Gamma)$ is the prior belief between the history and future programmes which we define as:

$$\Psi(U_H = i, U_F = j|\Gamma) \triangleq \gamma_{i,j}, \quad i, j \in 1 : K, \quad (10)$$

where, $\gamma_{i,j}$ is the i, j entry in the Γ parameter matrix. In this work, Γ is computed using historical data as $\gamma_{i,j} = |P_i \cap P_j|$ where, P_i, P_j are the sets of the users watching programmes i and j respectively. Thus, Γ attempts to capture global prior information of correlations (similarities) between programmes.

The final task is to infer user-specific posterior probabilities of watching different programmes in the future F , given the history of recorded observations Y_H . Using Bayes’s rule:

$$p(U_F|Y_H, \Gamma) \propto \sum_H p(U_F, U_H|Y_H, \Gamma). \quad (11)$$

By performing the summation on the R.H.S, the posterior predictive probability for a program k and user u is:

$$\pi_k^{CF}(u) = p(U_F = k|Y_H, \Gamma) = \frac{\sum_{j \in Y_H} \gamma_{k,j}}{Z}, \quad (12)$$

where $Z = \sum_{k \in 1:K} \sum_{j \in Y_H} \gamma_{k,j}$ is a normalisation factor.

It is natural to combine the benefits of our initial model, Eq. (5), which accurately assigns high weights for episodes of programs regularly watched by a user, with the second model (12), which can assign non-zero weights to new programs. Thus we get a new weighting factor $CF + H$:

$$\pi_p^{CF+H}(u) = \max(\pi_p^H(u), \pi_p^{CF}(u)) \quad (13)$$

2) *Privacy Preserving Recommendations (G+H)*: CF and CF+H require a central server to collect and retain information about all users’ viewing patterns, to create the global matrix Γ . Although this is done inherently in iPlayer’s current streaming model, it will not be the case with SCORE, which records autonomously from the broadcast interface. Consequently, we must sacrifice some degree of privacy to implement a CF strategy. We therefore extend this to offer a local content-based filtering approach that does not require a user to reveal viewing history.

Our content-based filtering model weights each programme based on the affinity of the user to the genre(s) of the programme. We adopt a vector space approach, and assign

to each user u a vector $\mathbf{g}_u = (g_u^1, g_u^2, \dots, g_u^m)$, where g_u^j is the number of content items of the j th genre watched by the user. Similarly, each program p is assigned a vector $\mathbf{g}_p = (g_p^1, g_p^2, \dots, g_p^m)$, where g_p^j is the number of episodes of p tagged with the j th genre. The genre-based weight π_p^G is then calculated as the cosine similarity between the user's genres and the genres of the program:

$$\pi_p^G(u) = \frac{\mathbf{g}_u \cdot \mathbf{g}_p}{\|\mathbf{g}_u\| \|\mathbf{g}_p\|} \quad (14)$$

As before (e.g. (13)), we combine this with the user's personal history (which can be computed and kept locally on the user's DVR, and thus does not compromise privacy):

$$\pi_p^{G+H}(u) = \max(\pi_p^H(u), \pi_p^G(u)) \quad (15)$$

3) *Evaluating Program Recommendation Extensions*: We evaluate these new weighting models by randomly selecting 27,459 users from our traces, who watched at least 2 programmes a week (to allow program-program similarity to be calculated). Fig. 12b compares this against our original history-based weighting model H . It presents the energy savings, and the overall traffic savings, as defined by $\frac{T^{SCORE} - T^{IP}}{T^{IP}}$, where T^{SCORE} and T^{IP} are the amount of streamed traffic by using SCORE and by streaming all the watched content, respectively.

It can be seen that CF by itself performs poorly, suggesting that users' content consumption patterns are dictated more by history (i.e., watching different episodes of the same programmes), rather than by exploring new programmes. Indeed, even $CF + H$ does not offer any significant benefits over the much simpler weighting factor H . Fig. 12c shows that the privacy-preserving model $G + H$ performs similarly to $CF + H$, suggesting that simple models may be sufficient to incorporate recommendations for speculatively recording new programmes not watched before. Of course, results for H are limited to corpora that are serial-based. The BBC, and most terrestrial TV channels in the UK, have a heavy bias towards serial content, which is why H is so effective. Although these channels do serve non-serial content, this does not achieve the popularity of their serialised counterparts. This means that SCORE would be effective at serving most TV channels, excluding those specialising in one-off shows, e.g. movies. Our future work will involve looking at the performance of these weighting models for different corpora.

VII. RELATED WORK

A number of seminal works [36], [19], [11], [16], [3] have examined different forms of (video) delivery over the Internet. These range from walled garden IPTV architectures to P2P live streaming workloads. We add to this list by examining a catch-up TV workload. Here, we focus on push- vs. pull-style accesses. Previously, we have also examined the factors affecting adoption and usage of TV streaming across the UK ISP ecosystem [24]. In comparison with the previous largest measurement study of catch-up TV [3], our work makes new observations on push vs. pull access patterns, includes radio workloads in addition to TV, and proposes SCORE as a novel

mechanism to mitigate the footprint of catch-up. Our dataset also contains orders of magnitude more users.

The key contribution of our work has been a novel approach to combining the benefits of push and pull content delivery. This has been driven by an optimiser targeted at reducing energy costs. It has been recognised before that a large amount of savings can be realised by offloading content from the servers [20]. In walled-garden IPTV approaches, when the operator has control over the network, caching at appropriate locations and branch points within the network can be effective [33], [6], [9]. Deployments operating over the public Internet have to rely on end-users, and a popular strategy is to use P2P approaches where users collaboratively download from each other to decrease server load. However, supporting the delivery constraints of streaming in P2P architectures typically introduces complexity such as elaborate mesh/tree topology construction (e.g. [25], [10]), or careful chunk-scheduling strategies (e.g. [5], [34], [13], [21]). Instead of peers, SCORE exploits the existing *broadcast channel* to decrease server and network load. While this makes the SCORE solution specific to catch-up TV/radio, it also makes the design straightforward. Recently, we have shown that peer-assisted CDNs can also be effective for catch-up TV [23].

Pre-fetching content is a common trick in Content Delivery Networks (e.g. [22], [32], [9] and references therein). However, most such works that consider delivering large objects such as videos need to balance the bandwidth consumed by speculative pre-fetching with the potential benefits. Instead, SCORE uses a cheaper, out-of-band distribution channel (DTT), and hence can replicate freely, subject only to storage constraints. In this respect, SCORE is similar to offloading from 3G/4G onto cheaper Wi-Fi networks (e.g., [26]). However, mobile data offloading schemes typically involve delaying access until Wi-Fi becomes available, whereas with SCORE, content is pre-fetched and therefore immediately available. Importantly, Wi-Fi allows fetching data using user-specific request/response streams, whereas SCORE operates over a broadcast delivery mechanism common to all users. This allows the benefits of SCORE to accrue not only to users and access networks, but also the core and also decreases the content provider's network costs. Recent work explores the use of cellular broadcast channels (e.g. in LTE) to broadcast popular objects [18]. However, recording the top- n items could lead to negative energy savings (c.f. Table I). SCORE exploits semantic knowledge of access patterns to *catch-up* videos (e.g. serial affinity), to make more informed, personalised decisions. Our focus on decreasing *system-wide* energy footprint (rather than just on mobile phones), is also a distinguishing factor.

Functionality similar to SCORE is available on some commercially available DVRs, but there are differences. For example, some DVRs, such as TiVo, assist in content discovery by recommending *new* programs to watch [31]. Our goal is similar but with an important difference: we wish to learn the *existing* viewing habits of users and anticipate their usage of catch-up TV. TiVo essentially records as many relevant suggestions as possible, as low priority items to be erased if user-requested recordings require space. SCORE is much more conservative because recording content not watched later

on wastes energy. Recent commercial offerings in the USA such as “Primetime Anytime” (c.f. <http://dishuser.org/ptat.php>) from DISH, automatically record evening prime time shows for the four major broadcast networks during evening Prime Time. Sky TV in the UK follows a similar approach. The programmes recorded by these offerings are expected to be the most popular shows. However, as discussed above, this could lead to negative energy savings.

VIII. DISCUSSION AND CONCLUSIONS

We are currently witnessing the long-predicted convergence of IP and media networks in various forms. While this has offered additional functionality such as catch-up TV, the encroaching of broadcast media on the IP network can lead to additional network traffic and energy consumption.

Our contributions are twofold. First, we have explored the key differences between traditional broadcast (push) and emerging pull-based models of delivery. These observations led us to our second contribution: a simple approach that can leverage both broadcast push and online pull—the Speculative Content Offloading and Recording Engine (SCORE). SCORE exploits the predictable nature of users’ content consumption patterns to reduce the energy and network footprint of catch-up TV. Our evaluation using traces from BBC iPlayer showed that significant energy savings can be achieved (up to 77%) whilst also reducing the network footprint. We believe that the results are robust, given the scale of our trace. The results may be also generalisable to other catch-up TV systems (e.g., iView in Australia, Hulu in the USA or 4oD and ITV Player in the UK), which all share similar access patterns such as a dominance of serialised TV shows.

Our main motivation in developing SCORE was to demonstrate that it is relatively easy to offload catch-up video streams from the Internet. Various future avenues of work exist for expanding upon this concept. There is great potential for developing more sophisticated prediction algorithms. Although we experimented with this, we did not find notable savings over SCORE’s simple history-based approach. Future work would therefore need to focus on exploiting alternative information sources, e.g. content ratings, recommender systems and social network information. A second avenue of future work would be to develop optimisation algorithms that focus on different considerations, e.g. content provider preferences or ISP costs.

REFERENCES

- [1] “Commission Regulation No 107/2009 of 4 February 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for simple set-top boxes,” *Official Journal of the European Union L36*, pp. 8–14, 2009.
- [2] “Nordig unified requirements for integrated receiver decoders for use in cable, satellite, terrestrial and ip-based networks,” Ver. 2.2.1, 2010.
- [3] H. Abrahamsson and M. Nordmark, “Program popularity and viewer behaviour in a large tv-on-demand system,” in *Proc. IMC*, 2012.
- [4] K. Ali and W. Van Stam, “TiVo: making show recommendations using a distributed collaborative filtering architecture,” in *Proc. ACM Intl. Conf. on Knowledge Discovery and Data Mining (KDD)*, 2004.
- [5] S. Annapureddy *et al.*, “Is high-quality VoD feasible using P2P swarming?” in *Proc. WWW*, 2007.
- [6] D. Applegate *et al.*, “Optimal content placement for a large-scale VoD system,” in *Proc CoNEXT*, 2010.

- [7] J. Baliga, R. Ayre, K. Hinton, W. V. Sorin, and R. S. Tucker, “Energy consumption in optical IP networks,” *Journal of Lightwave Technology*, vol. 27, no. 13, pp. 2391–2403, Jul 2009.
- [8] BBC, “An introduction to corporate responsibility at the BBC,” Available from <http://downloads.bbc.co.uk/outreach/bbc-corporate-responsibility.pdf>, 2010.
- [9] S. Borst, V. Gupta, and A. Walid, “Distributed caching algorithms for content distribution networks,” in *Proc. IEEE INFOCOM*, 2010.
- [10] M. Castro *et al.*, “Splitstream: high-bandwidth multicast in cooperative environments,” in *Proc. SOSP*, 2003.
- [11] M. Cha, P. Rodriguez, J. Crowcroft, S. Moon, and X. Amatriain, “Watching television over an IP network,” in *Proc. IMC*, 2008.
- [12] J. Chandaria, J. Hunter, and A. Williams, “A comparison of the carbon footprint of digital terrestrial television with video-on-demand,” BBC Research Whitepaper 189, March 2011.
- [13] Y. Choe, D. Schuff, J. Dyaberi, and V. Pai, “Improving VoD server efficiency with bittorrent,” in *Proceedings ACM MM*, 2007.
- [14] T. M. Cover and J. A. Thomas, *Elements of information theory*, 2nd ed. John Wiley & Sons, 2006.
- [15] Deloitte, “Technology, media & telecom predictions,” May 2012.
- [16] F. Dobrian *et al.*, “Understanding the impact of video quality on user engagement,” *SIGCOMM-Computer Communication Review*, vol. 41, no. 4, p. 362, 2011.
- [17] S. Eastman and D. Ferguson, *Media programming: Strategies and practices*. Cengage Learning, 2012.
- [18] A. Finamore *et al.*, “Is there a case for mobile phone content pre-staging?” in *Proc CoNEXT*, 2013.
- [19] X. Hei, C. Liang, J. Liang, Y. Liu, and K. Ross, “A measurement study of a large-scale P2P IPTV system,” *IEEE Transactions on Multimedia*, vol. 9, no. 8, pp. 1672–1687, 2007.
- [20] C. Huang, J. Li, and K. W. Ross, “Can Internet video-on-demand be profitable?” in *Proc. ACM SIGCOMM*, 2007.
- [21] Y. Huang *et al.*, “Challenges, design and analysis of a large-scale P2P-VoD system,” ser. SIGCOMM ’08, 2008.
- [22] J. Kangasharju, J. Roberts, and K. W. Ross, “Object replication strategies in content distribution networks,” *Computer Communications*, vol. 25, no. 4, pp. 376–383, 2002.
- [23] D. Karamshuk, N. Sastry, J. Chandaria, and A. Secker, “ISP-friendly peer-assisted on-demand streaming of long duration content in BBC iPlayer,” in *Proc. IEEE INFOCOM*, April 2015.
- [24] —, “On factors affecting the usage and adoption of a nation-wide TV streaming service,” in *Proc. IEEE INFOCOM*, 2015.
- [25] D. Kostić, A. Rodriguez, J. Albrecht, and A. Vahdat, “Bullet: high bandwidth data dissemination using an overlay mesh,” in *SOSP*, 2003.
- [26] K. Lee, J. Lee, Y. Yi, I. Rhee, and S. Chong, “Mobile data offloading: how much can wifi deliver?” in *CoNEXT*, 2010.
- [27] G. Linden, B. Smith, and J. York, “Amazon.com recommendations: item-to-item collaborative filtering,” *Internet Computing, IEEE*, vol. 7, no. 1, pp. 76 – 80, jan/feb 2003.
- [28] Neilsen, “Report: Bigger TVs, DVR and Wi-Fi among Hot U.S. Home Technology Trends,” 2010.
- [29] Ofcom, “Communications market report 2012,” Available from http://stakeholders.ofcom.org.uk/binaries/research/cmr/cmr12/CMR_UK_2012.pdf, July 2012.
- [30] Sandvine, “Global internet phenomena report, 1h 2012,” May 2012.
- [31] TiVo, “How to find great new shows with TiVo Suggestions,” Available from http://www.tivo.com/mytivo/howto/getthemostoutoftv/howto_use_suggestions.html, Last accessed 25 Apr 2012.
- [32] A. Venkataramani *et al.*, “The potential costs and benefits of long-term prefetching for content distribution,” *Computer Communications*, vol. 25, no. 4, pp. 367–375, 2002.
- [33] M. Verhoeven, D. De Vleeschauwer, and D. Robinson, “Content storage architectures for boosted IPTV service,” *Bell Labs Tech. J.*, vol. 13, no. 3, pp. 29–43, 2008.
- [34] X. Yang, M. Gjoka, P. Chhabra, A. Markopoulou, and P. Rodriguez, “Kangaroo: video seeking in P2P systems,” in *Proc. Intl. Conf. on peer-to-peer Systems*. USENIX Association, 2009.
- [35] YouView TV Ltd., “Youview core technical specification,” 2011.
- [36] H. Yu, D. Zheng, B. Zhao, and W. Zheng, “Understanding user behavior in large-scale video-on-demand systems,” *ACM SIGOPS Operating Systems Review*, vol. 40, no. 4, pp. 333–344, 2006.