

## CORRECTION

# Correction: When Optimal Feedback Control Is Not Enough: Feedforward Strategies Are Required for Optimal Control with Active Sensing


The *PLOS Computational Biology* Staff

There is an error in the legend for Figure 9. "(C)-(D) same as (A)-(B) for the model (mean only)" should instead read "(B),(D) same as (A),(C) for the model (mean only)".

The publisher apologizes for this error.

## Reference

1. Yeo S-H, Franklin DW, Wolpert DM (2016) When Optimal Feedback Control Is Not Enough: Feedforward Strategies Are Required for Optimal Control with Active Sensing. *PLoS Comput Biol* 12(12): e1005190. doi: [10.1371/journal.pcbi.1005190](https://doi.org/10.1371/journal.pcbi.1005190) PMID: [27973566](https://pubmed.ncbi.nlm.nih.gov/27973566/)



## OPEN ACCESS

**Citation:** The *PLOS Computational Biology* Staff (2017) Correction: When Optimal Feedback Control Is Not Enough: Feedforward Strategies Are Required for Optimal Control with Active Sensing. *PLoS Comput Biol* 13(2): e1005370. doi:10.1371/journal.pcbi.1005370

**Published:** February 3, 2017

**Copyright:** © 2017 The PLOS Computational Biology Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.