

University of Nebraska - Lincoln DigitalCommons@University of Nebraska - Lincoln

Faculty Publications in the Biological Sciences

Papers in the Biological Sciences

2016

Genome Sequence of *Streptomyces aureofaciens* ATCC Strain 10762

Julien Gradnigo

University of Nebraska - Lincoln, jgradnigo@gmail.com

Greg Somerville

University of Nebraska—Lincoln, gsomerville3@unl.edu

Michael J. Huether

Zoetis, Lincoln, Nebraska

Richard J. Kemmy

Zoetis, Lincoln, Nebraska

Craig M. Johnson

Zoetis, Lincoln, Nebraska

See next page for additional authors

Follow this and additional works at: <https://digitalcommons.unl.edu/bioscifacpub>

 Part of the [Biology Commons](https://digitalcommons.unl.edu/bioscifacpub)

Gradnigo, Julien; Somerville, Greg; Huether, Michael J.; Kemmy, Richard J.; Johnson, Craig M.; Oliver, Michael G.; and Moriyama, Etsuko N., "Genome Sequence of *Streptomyces aureofaciens* ATCC Strain 10762" (2016). *Faculty Publications in the Biological Sciences*. 496.

<https://digitalcommons.unl.edu/bioscifacpub/496>

This Article is brought to you for free and open access by the Papers in the Biological Sciences at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Faculty Publications in the Biological Sciences by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Authors

Julien Gradnigo, Greg Somerville, Michael J. Huether, Richard J. Kemmy, Craig M. Johnson, Michael G. Oliver, and Etsuko N. Moriyama

Genome Sequence of *Streptomyces aureofaciens* ATCC Strain 10762

Julien S. Gradnigo,^a Greg A. Somerville,^b Michael J. Huether,^c Richard J. Kemmy,^c Craig M. Johnson,^c Michael G. Oliver,^c Etsuko N. Moriyama^{a,d}

School of Biological Sciences, University of Nebraska–Lincoln, Lincoln, Nebraska, USA^a; School of Veterinary Medicine and Biomedical Sciences, University of Nebraska–Lincoln, Lincoln, Nebraska, USA^b; Zoetis, Lincoln, Nebraska, USA^c; Center for Plant Science Innovation, University of Nebraska–Lincoln, Lincoln, Nebraska, USA^d

***Streptomyces aureofaciens* is a Gram-positive actinomycete that produces the antibiotics tetracycline and chlortetracycline. Here, we report the assembly and initial annotation of the draft genome sequence of *S. aureofaciens* ATCC strain 10762.**

Received 9 May 2016 Accepted 11 May 2016 Published 23 June 2016

Citation Gradnigo JS, Somerville GA, Huether MJ, Kemmy RJ, Johnson CM, Oliver MG, Moriyama EN. 2016. Genome sequence of *Streptomyces aureofaciens* ATCC strain 10762. *Genome Announc* 4(3):e00615-16. doi:10.1128/genomeA.00615-16.

Copyright © 2016 Gradnigo et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Etsuko N. Moriyama, emoriyama2@unl.edu.

Streptomyces aureofaciens was first identified in 1948 (1), from Plot 23 in Sanborn Field, a timothy hayfield at the University of Missouri (2). Although it has been used for the commercial production of tetracycline antibiotics (1, 3) and has been the subject of numerous biochemical studies, a genome assembly of *S. aureofaciens* was not publicly available. Here, we report the draft assembly of the whole-genome sequence of the *S. aureofaciens* ATCC strain 10762 and its initial annotation.

S. aureofaciens ATCC strain 10762 was cultivated in a chemically defined medium [4] and grown for 9 days at 30°C with 150-rpm aeration. High-molecular-weight DNA was prepared from fresh cultures by cetyltrimethylammonium bromide extraction (5). Genomic DNA was evaluated for molecular weight integrity by agarose gel electrophoresis and nucleic acid fluorometric quantitation for construction of the DNA library.

Genome sequencing and read quality filtering were done by Eurofins MWG Operon (Alabama, USA). Illumina MiSeq sequencing was done with long-jumping-distance sequencing (3-kb and 8-kb inserts), generating paired-end 150-bp reads. After removing very short (<30 bp) reads, adapter-trimming, and quality-clipping using Trimmomatic (6), 2.46 Gb of sequence information in 19.42 million reads (3.90 million pairs and 12.84 million singletons) were obtained. Shotgun sequencing on the Roche 454 Genome Sequencer FLX platform produced 132.76 Mb of sequence data in 209,530 reads with a mean length of 633 bp after trimming with Trimmomatic.

Genome assembly was done using SPAdes version 3.7.1 with the “--careful” option (to reduce mismatches and short indels) (7) with Illumina (both paired-end and singleton) and 454 reads, resulting in 120 contigs (total length: 9,234,994 bp; maximum length: 881,164 bp; N_{50} : 228,235 bp) in 60 scaffolds (total length: 9,244,380 bp; maximum length: 1,746,076 bp; N_{50} : 660,648 bp). The average G+C content was 71.2%.

Genome annotation was done using the NCBI Prokaryotic Genome Annotation Pipeline version 3.1 (8). In total, 13 contigs were removed from the annotation because they were <200 bp or were of non-*S. aureofaciens* origin (e.g., plasmid). From the remaining 107 contigs, a total of 8,083 genes were

annotated. This includes 7,541 protein-coding genes, 22 rRNA genes (5S, 16S, and 23S), 72 tRNA genes, and 445 potential pseudogenes.

Four related *S. aureofaciens* strains were recently deposited in the NCBI Assembly database (ASM71917v1, ASM97851v1, ASM71688v1, and ASM127066v1; these strains were designated NRRL B-2657, NRRL 2209, NRRL B-1286, and NRRL B-2658, respectively). Our assembled contigs are virtually identical to ASM71917v1 (99.75% total aligned bases using MUMmer version 3.23 [9]) and only slightly divergent from ASM97851v1 (99.05% total aligned bases). Our assembly has a greater total length and N_{50} and a smaller number of contigs compared to these assemblies. Interestingly, our assembled contigs differ significantly from ASM71688v1 and ASM127066v1 (83.69% and 9.92% total aligned bases, respectively).

Nucleotide sequence accession numbers. This whole-genome shotgun project of *S. aureofaciens* ATCC strain 10762 has been deposited in DDBJ/ENA/GenBank under the accession number [JPRF00000000](https://www.ncbi.nlm.nih.gov/nuccore/JPRF00000000). The version described in this paper is the second version, [JPRF02000000](https://www.ncbi.nlm.nih.gov/nuccore/JPRF02000000).

FUNDING INFORMATION

This work, including the efforts of Julien S. Gradnigo, Greg A. Somerville, and Etsuko N. Moriyama, was funded by Zoetis.

This research was supported by a contract from Zoetis, Inc.

REFERENCES

- Duggar BM. 1948. Aureomycin; a product of the continuing search for new antibiotics. *Ann N Y Acad Sci* 51:177–181. [http://dx.doi.org/10.1111/j.1749-6632.1948.tb27262.x](https://doi.org/10.1111/j.1749-6632.1948.tb27262.x).
- Nelson ML, Levy SB. 2011. The history of the tetracyclines. *Ann N Y Acad Sci* 1241:17–32. [http://dx.doi.org/10.1111/j.1749-6632.2011.06354.x](https://doi.org/10.1111/j.1749-6632.2011.06354.x).
- Darken MA, Berenson H, Shirk RJ, Sjolander NO. 1960. Production of tetracycline by *Streptomyces aureofaciens* in synthetic media. *Appl Microbiol* 8:46–51.
- Laluce C, Molinari R. 1977. Selection of a chemically defined medium for submerged cultivation of *Streptomyces aureofaciens* with high extracellular caseinolytic activity. *Biotechnol Bioeng* 19:1863–1884. [http://dx.doi.org/10.1002/bit.260191210](https://doi.org/10.1002/bit.260191210).
- Tripathi G, Rawal SK. 1998. Simple and efficient protocol for isolation of

- high molecular weight DNA from *Streptomyces aureofaciens*. Biotechnol Tech 12:629–631. <http://dx.doi.org/10.1023/A:1008836214495>.
6. Lohse M, Bolger AM, Nagel A, Fernie AR, Lunn JE, Stitt M, Usadel B. 2012. RobiNA: a user-friendly, integrated software solution for RNA-Seq-based transcriptomics. Nucleic Acids Res 40:W622–W627. <http://dx.doi.org/10.1093/nar/gks540>.
 7. Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, Lesin VM, Nikolenko SI, Pham S, Prjibelski AD, Pyshkin AV, Sirotkin AV, Vyahhi N, Tesler G, Alekseyev MA, Pevzner PA. 2012. SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. J Comput Biol 19:455–477. <http://dx.doi.org/10.1089/cmb.2012.0021>.
 8. Tatusova T, DiCuccio M, Badretdin A, Chetvernin V, Ciufu S, Li W. 2013. Prokaryotic Genome Annotation Pipeline. The NCBI Handbook [internet], 2nd ed. NCBI, Bethesda, MD. <http://www.ncbi.nlm.nih.gov/books/NBK174280>.
 9. Kurtz S, Phillippy A, Delcher AL, Smoot M, Shumway M, Antonescu C, Salzberg SL. 2004. Versatile and open software for comparing large genomes. Genome Biol 5:R12. <http://dx.doi.org/10.1186/gb-2004-5-2-r12>.