

University of Nebraska - Lincoln
DigitalCommons@University of Nebraska - Lincoln

Papers in Natural Resources

Natural Resources, School of

2009

Corrigendum to "Incorporation of crop phenology in Simple Biosphere Model (SiBcrop) to improve land-atmosphere carbon exchanges from croplands" published in *Biogeosciences*, 6, 969–986, 2009

Erandathie Lokupitiya

Colorado State University, erandi@atmos.colostate.edu

S. Denning

Colorado State University, Fort Collins

K. Paustian

Colorado State University, Fort Collins

I. Baker

Colorado State University, Fort Collins

K. Schaefer

University of Colorado, Boulder, kevin.schaefer@nsidc.org


Lokupitiya, Erandathie; Denning, S.; Paustian, K.; Baker, I.; Schaefer, K.; Verma, Shashi B.; Meyers, T.; Bernacchi, C. J.; Suyker, Andrew E.; and Fischer, M. L., "Corrigendum to "Incorporation of crop phenology in Simple Biosphere Model (SiBcrop) to improve land-atmosphere carbon exchanges from croplands" published in *Biogeosciences*, 6, 969–986, 2009" (2009). *Papers in Natural Resources*. 552.

<http://digitalcommons.unl.edu/natrespapers/552>

This Article is brought to you for free and open access by the Natural Resources, School of at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Papers in Natural Resources by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

See next page for additional authors

Follow this and additional works at: <http://digitalcommons.unl.edu/natrespapers>

 Part of the [Natural Resources and Conservation Commons](#), [Natural Resources Management and Policy Commons](#), and the [Other Environmental Sciences Commons](#)

Authors

Erandathie Lokupitiya, S. Denning, K. Paustian, I. Baker, K. Schaefer, Shashi B. Verma, T. Meyers, C. J. Bernacchi, Andrew E. Suyker, and M. L. Fischer

Corrigendum to

“Incorporation of crop phenology in Simple Biosphere Model (SiBcrop) to improve land-atmosphere carbon exchanges from croplands” published in Biogeosciences, 6, 969–986, 2009

E. Lokupitiya¹, S. Denning¹, K. Paustian^{2,3}, I. Baker¹, K. Schaefer⁴, S. Verma⁵, T. Meyers⁶, C. J. Bernacchi⁷, A. Suyker⁵, and M. Fischer⁸

¹Department of Atmospheric Science, Colorado State University, Fort Collins, CO 80523, USA

²Department of Soil and Crop Sciences, Colorado State University, Fort Collins, CO 80523, USA

³Natural Resource Ecology Laboratory, Colorado State University, Fort Collins, CO 80523, USA

⁴National Snow and Ice Data Center, University of Colorado, Boulder, CO 80309, USA

⁵School of Natural Resources, University of Nebraska-Lincoln, Lincoln, NE 68583-0978, USA

⁶NOAA/ARL/ATDD, Oak Ridge, TN 37830-2456, USA

⁷Department of Plant Biology, University of Illinois at Urbana-Champaign, Champaign, IL 61820, USA

⁸Lawrence Berkeley National Laboratory, Environmental Energy Technologies Division, Atmospheric Science Department, Berkeley, CA 94720, USA

In the above mentioned manuscript a mistake in Fig. 11 occurred. The corrected version of the figure is as follows.




Fig. 11. Evaluation of predicted NEE against the observed data at a rainfed site in Mead, NE with maize and soybean in rotation. (a) monthly comparison with original model; (b) monthly comparison with new model; (c) sub hourly comparison with new model in 2001; (d) diurnal variation in the sub hourly NEE in early July in 2001.



Correspondence to: E. Lokupitiya
(erandi@atmos.colostate.edu)