

8th International Conference on Physical and Numerical Simulation of Materials Processing (ICPNS)

14–17 October 2016

Seattle, Washington | Hosted by Purdue University

SESSION 7: OTHERS, SALON F

Co-Chairs: Yuping Duan, Dalian University of Technology; Kim Yun-Hae, Korea Maritime and Ocean University, South Korea; Domagoj Lanc, University of Rijeka; Marino Brcic, University of Rijeka

SATURDAY, OCTOBER 15, 2016

Constitutive modelling of polycarbonate at low, moderate, and high strain rates

Haitao Wang; Yun Zhang; Huamin Zhou; Zhigao Huang; Maoyuan Li, Huazhong University of Science and Technology

ABSTRACT

The objective of this paper is to experimentally investigate and predict the mechanical behavior of polycarbonate at strain rates ranging from 10^{-4} to 5000 s^{-1} . Compression tests at low, moderate, and high strain rates were conducted with a Shimadzu universal testing machine, a Gleeble 3500 thermo-mechanical simulator, and a split Hopkinson pressure bar, respectively. Considering the effects of the glass (α) transition and the second (β) transition on the mechanical behavior of polycarbonate, a new constitutive model is proposed, which is decomposed into the α and β components. The α component dominates the low and moderate rate deformations, and the β component is related to the high rate deformation. In comparison with the experimental results, the model can accurately predict the mechanical behavior of polycarbonate at low, moderate, and high strain rates.

KEYWORDS: polycarbonate, constitutive model, mechanical behavior