Purdue University Purdue e-Pubs

Open Access Dissertations

Theses and Dissertations

Fall 1977

Drug Induced Changes in Ventricular Defibrillation Threshold

Charles F. Babbs *Purdue University*

Follow this and additional works at: https://docs.lib.purdue.edu/open_access_dissertations Part of the <u>Biomedical Engineering and Bioengineering Commons</u>

Recommended Citation

Babbs, Charles F., "Drug Induced Changes in Ventricular Defibrillation Threshold" (1977). *Open Access Dissertations*. 229. https://docs.lib.purdue.edu/open_access_dissertations/229

This document has been made available through Purdue e-Pubs, a service of the Purdue University Libraries. Please contact epubs@purdue.edu for additional information.

DRUG INDUCED CHANGES IN VENTRICULAR DEFIBRILLATION THRESHOLD

A Thesis

Submitted to the Faculty

of

Purdue University

by

Charles Frederick Babbs

In Partial Fulfillment of the

Requirements for the Degree

of

Doctor of Philosophy

December 1977

TABLE OF CONTENTS

LIST OF TABLES	iv
LIST OF FIGURES	v
ABSTRACT	vii
CHAPTER 1 - BACKGROUND AND THEORY	1
Statement of the Problem Mechanisms of Fibrillation Mechanisms of Defibrillation Possible Mechanisms of Drug Action Prediction of Drug Effects Summary of the Theory Rationale Objectives of the Investigation	1 3 9 22 28 30 31 44
CHAPTER 2 - EVALUATION OF THE ANIMAL MODEL FOR PHARMACOLOGIC STUDIES	45
Pentobarbital Anesthesia. Method. Results. Conclusion. Stability and Precision of Control Data. Method. Results. Discussion.	45 47 55 55 56 59 65
CHAPTER 3 - ALTERATION OF VENTRICULAR DEFIBRILLATION THRESHOLD BY DRUG TREATMENT	74
Treatments which Alter Sodium and Potassium Conductance Method Results Discussion. Treatments which Alter the Potassium Equilibrium Potential (E _K) Method.	74 74 76 79 83 84

ii

Page

Page

Results Discussion Discussion of Drug Effects on Ventricular	91 93
Defibrillation Threshold	96
BIBLIOGRAPHY	104
VITA	112

LIST OF TABLES

Table		Page
1-1	Predicted effects on cardiac stimulation or defibrillation threshold caused by changes in transmembrane ionic conductances during diastole	29
2-1	Mean defibrillation threshold at 4 levels of anesthesia	54
2-2	Linear regression analysis of the stability of arterial blood gas data	64
3-1	Ionic concentrations in canine ventricular muscle	95

iv

LIST OF FIGURES

Figure		Page
1-1	Development of circus motions in rings of ventricular myocardium	• 5
1-2	Temporal dispersion of action potentials in fibrillating myocardium	.12
1-3	Schematic representation of multiple, random wavelets of depolarization traversing the ventricles during fibrillation	.15
1-4	Scheme for analysis of the action of defibrilla- ting current upon myocardial cells	.17
1-5	Equivalent circuit for a hypothetical slice of myocardium 1 cm ² in cross-sectional area and one cell diameter in thickness	.20
1-6	Balance of inward sodium and outward potassium currents in ventricular myocardial cells during Phase 4 and early Phase 0	.26
1-7	Approximate normal distribution of potassium ions in body fluid compartments	.40
2-1	Threshold peak current for ventricular defib- rillation in unanesthetized and anesthetized states on successive trials in the same animal	.52
2-2	Relative values of threshold peak current for ventricular defibrillation at four levels of anesthesia	53
2-3	Stability of defibrillation threshold current	.60
2-4	Stability of defibrillation threshold energy	61
2-5	Stability of transchest electrical impedance	63
2-6	Histograms of threshold current and energy ratios obtained in 15 control dogs	66

2-7	Uniform distribution of measured threshold currents expected if physiologic variance were zero	71
3-1	Effect of intravenous quinidine on ventricular defibrillation threshold in 5 dogs	-77
3-2	Effect of intravenous lidocaine on ventricular defibrillation threshold in 5 dogs	78
3-3	Effect of lidocaine infusion on ventricular defibrillation threshold	80
3-4	Effect of pentobarbital anesthesia only on ventricular defibrillation threshold in 5 dogs	81
3-5	Principle of open-chest left ventricular bypass.	90
3-6	Elevation of plasma potassium in 10 dogs produced by a slow intravenous injection of potassium chloride, 1.0 mEq/kg, followed by a constant infusion of potassium chloride, 0.01 mEq/kg/min	92
3-7	Effect of elevated extracellular potassium concentration on ventricular defibrillation threshold in dogs	94

vi

Page

ABSTRACT

Babbs, Charles Frederick, Ph.D., Drug Induced Changes in Ventricular Defibrillation Threshold, December 1977. Major Professors: G.K.W. Yim and L.A. Geddes.

A theory is developed that the minimal current required for electrical ventricular defibrillation (the defibrillation threshold) is proportional to the gap between the resting transmembrane potential and the threshold transmembrane potential of myocardial cells. This voltage gap is, in turn, related to the sodium conductance (gNa) and the potassium conductance (gK) of the membrane and to the transmembrane equilibrium potentials for sodium (E_{Na}) and potassium (E_{κ}). To test the theory pharmacologic studies were performed. First, the stability and precision of control data and, second, the effect upon defibrillation threshold of quinidine (which alters gNa), lidocaine (which alters gK), and potassium chloride (which alters E_{K}) were evaluated in pentobarbital-anesthetized dogs. Threshold was determined by repeated trials of fibrillation and defibrillation with successive damped sinusoidal shocks of diminishing current intensity, each 10 percent less than the preceding shock. The lowest shock intensity that defibrillated was defined as threshold.

vii

Threshold current and energy in five dogs averaged 2 percent and 13 percent less, respectively, under surgical levels of pentobarbital anesthesia than thresholds in the same animals in the awake, unanesthetized state. In dogs given sufficient pentobarbital to produce apnea and supported by mechanical ventilation, threshold current and energy averaged 3 percent and 17 percent less than comparable awake values. These differences were not statistically significant. Pentobarbital was consequently selected as the anesthetic for defibrillation studies.

Over 200 measurements of ventricular defibrillation threshold were made to determine the stability and precision of threshold data. In three groups of five dogs each, threshold was measured at intervals of 60, 15, and 5 minutes over periods of 8, 5, and 1 hour, respectively. Similar results were obtained for all groups. There was no significant change in mean threshold current with time. Due to a decrease in transchest impedance, threshold delivered energy decreased by 10 percent during the first hour of testing. Standard deviations for threshold peak current and delivered energy in a given animal were 11 and 22 percent of their respective mean values. Arterial blood pH, pCO₂, and pO₂ averaged 7.38, 34 mmHg, and 72 mmHg, respectively. The rates of change of pH, pCO2, and pO2 were not significantly different from zero. Ventricular defibrillation threshold is therefore a stable

viii

physiologic parameter which may be measured with reasonable precision for pharmacologic studies.

Drug effects on threshold delivered energy and peak current, expressed as percentages of pre-drug threshold, are given in the table. Table entries indicate maximal changes in mean defibrillation threshold.

Treatment	Delivered Energy	Peak Current
Quinidine (50 mg/kg, i.v.)	272	145
Lidocaine (3 mg/kg, i.v.)	148	126
Lidocaine (0.5 mg/kg/min i.v., 40 mg/kg total dose)	199	145
Elevation of plasma K to 7.5 mEq/l by KCl infusion	65	82
Elevation of plasma K to 16.6 mEq/1 by KCl infusion	0	0
Pentobarbital only (controls)	101	104

Observed drug effects are consistent with theoretical predictions that drugs which decrease gNa or increase gK increase defibrillation threshold and drugs which make E_{K} less negative decrease defibrillation threshold.

ix

CHAPTER 1

BACKGROUND AND THEORY

Statement of the Problem

The studies described in this thesis were conducted to determine the manner in which selected drugs influence the electric shock intensity required for ventricular defibrillation. Electrical defibrillation, the application of a strong electric shock to the heart, is the only safe and effective therapy for ventricular fibrillation, an otherwise lethal cardiac rhythm. In theory, the passage of an electric shock on the order of 100 ma/cm^2 through the ventricules for 2-30 msec will simultaneously stimulate most ventricular muscle cells, causing potentially excitable cells to be refractory for a brief interval thereafter. This intervention stops the selfpropagation of the multiple random waves of excitation which constitute fibrillation. The minimum shock intensity required to produce defibrillation is defined as the "defibrillation threshold." In Chapter 1 of this thesis a theory is developed which states that defibrillation threshold is determined by the difference between the resting transmembrane electrical potential and the

firing or threshold potential of individual myocardial cells. Drugs which act at the cellular level to narrow the gap between the resting potential and firing potential of working myocardial cells would be expected to decrease the electrical defibrillation threshold. Obversely, drugs which widen this gap would be expected to increase defibrillation threshold. Further theoretical analysis based upon fundamental principles of membrane physiology indicates that drugs which alter the sodium or potassium conductance of cell membranes, or the ratio of intracellular to extracellular sodium or potassium concentration should alter the difference between the resting potential and firing potential of cardiac cells and in turn alter the defibrillation threshold.

The present research, therefore, includes three aspects: first, development of a theory which predicts in a semiquantitative fashion the electrical shock intensity for defibrillation and the possible mechanisms by which drug treatments could alter the threshold; second, the development of a suitable animal model for experimental investigation of drug effects on ventricular defibrillation threshold; and third, the comparison of experimentally produced drug effects with theoretical predictions. Chapters 1, 2, and 3 deal respectively with these aspects of the problem.

Mechanisms of Fibrillation

Ventricular fibrillation, the most dangerous cardiac arrhythmia, is a common immediate cause of death in patients with heart, lung, or kidney disease. During this arrhythmia, there is random, uncoordinated contraction of multiple areas of muscle in the cardiac ventricles. When viewed directly, the heart appears as a shimmering mass of tissue. Upon close inspection multiple, unsynchronized waves of contraction and relaxation can be seen traversing the ventricular surface in random directions. As a result of this arrhythmia no blood is pumped and circulation to the brain, the heart itself, and other vital organs comes to a standstill. Ventricular fibrillation causes certain death if resuscitative measures and definitive therapy are not begun within three to five minutes (Stephenson, 1974). Circulation adequate to sustain life may be maintained for up to several hours by massage of the fibrillating ventricles, using open or closed chest techniques in conjunction with artificial ventilation. However, spontaneous defibrillation of the ventricles virtually never occurs in humans.

The Circus Motion Theory

The simplest theory describing a mechanism for ventricular fibrillation is the circus motion theory of Garrey (1914). Development of a "circus motion" may be demonstrated in rings of myocardium such as those illustrated

in Figure 1-1. Such rings were created by Mines (1913) by cutting the atria of the ray fish and by Garrey (1914) by cutting the turtle ventricle. Such a ring of mammalian ventricle is normally excited by Purkinje fibers which first stimulate subendocardial muscle fibers. The impulse then spreads from subendocardial muscle to the epicardial surface (Figure 1-1(a)). Further spread of the impulse is impossible because ventricular muscle is refractory for about 300 msec. Hence such a normally conducted impulse cannot become self-propagating.

A typical premature ventricular contraction (PVC) is likewise not self-propagating. An impulse arising from a single focus in the ventricular wall and spreading in all directions will coalesce on the side of the heart opposite its origin and annihilate itself due to the refractoriness of the converging masses of recently excited tissue (Figure 1-1(b)).

In injured hearts containing patchy areas of refractoriness during early diastole, however, PVCs are more dangerous. In Figure 1-1(c) an impulse arising from an irritable focus at the edge of an injured area is blocked in one direction due to prolonged refractory period in the injured tissue. The impulse therefore travels only clockwise around the ventricular wall. Traveling at 50 cm/sec such an impulse would close the loop around a 5 cm diameter ventricle (16 cm in circumference) in 320 msec,



Figure 1-1. Development of circus motions in rings of ventricular myocardium. (a) Normal excitation via subendocardial Purkinje fibers. (b) Excitation during a typical PVC, originating at an irritable focus. (c) Excitation by a PVC originating at the edge of a transiently refractory area, leading to a self-perpetuating circus motion. (d) Development of a circus motion in a dilated heart. adequate time for the muscle first stimulated by the PVC to recover sufficiently to be excited by the "reentrant" impulse. Under these conditions, a self-propagated "circus motion" would develop, that is, the impulse would be conducted around and around the myocardium.

The time available for recovery of the initially excited myocardium and the probability of development of circus motions are enhanced in failing hearts which are both injured and dilated. In such hearts, the path length of potential circus motions is increased (Figure 1-1(d)). For example, in a dilated 8 cm diameter ventricle (25 cm in circumference), a blocked unidirectional impulse would require 500 msec to travel completely around the wall, allowing ample time for recovery of initially refractory fibers.

The Impulse Wavelength

From Figure 1-1 it is evident that the impulse conduction velocity multiplied by the refractory period gives the length of the strip of refractory myocardium. The product of conduction velocity and effective refractory period may be defined as the "wavelength" of the impulse of depolarization. A normal value for the impulse wavelength in mammals is about 10-30 cm (Hoffman and Cranefield, 1960). As illustrated in Figure 1-1(d), if the impulse wavelength is less than the ventricular

circumference then the development of circus movements becomes possible, especially in the presence of patchy areas of refractoriness caused by ischemia, cooling, or rapid, repetitive stimulation. On the other hand, small hearts of circumference less than 10-30 cm (diameter less than 3-10 cm) may be unable to sustain fibrillation according to the circus motion theory. Rabbits possess hearts with dimensions equal to or below the theoretical limit for circus motion, and indeed smaller rabbit hearts will not sustain fibrillation at normal body temperatures whereas larger rabbit hearts may fibrillate (Geddes, 1977).

The Relation of Circus Motions to Fibrillation

If a circus motion of the type diagrammed in Figure 1-1 occurred circumferentially about the long axis of a left ventricle composed of uniformly excitable tissue, the rhythm known as ventricular flutter would be present. Ventricular flutter usually exists only for a short time and usually degenerates into fibrillation. Because of the asymmetrical geometry of the heart, the depolarization wavefront of a circus motion soon breaks up into multiple wavefronts upon encountering the junction between right ventricular free wall and interventricular septum, the mitral and tricuspid valve rings, or islands of refractory tissue. The closed-loop pathways permitting ventricular re-excitation become multiple, convuluted, and everchanging as true ventricular fibrillation develops.

The Ectopic Focus Theory

The ectopic focus theory concerning the electrical events leading to fibrillation was proposed by Scherf and Terranova (1944). They postulated that rapid, repetitive excitations arise spontaneously from hyperirritable foci of myocardium to which the cardiac tissue is unable to respond in a synchronous fashion. Friedberg (1966) has suggested several mechanisms by which such ectopic foci could arise. First, several of the areas of latent pacemaker tissue might become active simultaneously, for example, in response to beta adrenergic hormones. Second, electrical potentials might be created between different areas of cells, resulting in stimulation of the fibers. Such potentials might develop if some cells were damaged, and maintained resting membrane potentials less than the potentials found in normal adjacent fibers. Finally, cells which do not normally act as pacemakers might become pacemakers under pathological circumstances. Heart size is also an important factor in the multiple pacemaker theory, in that the likelihood of multiple pacemaker sites increases when larger masses of tissue are available. Both the circus motion theory and the ectopic focus theory may be invoked to improve one's understanding of the phenomenon of ventricular fibrillation. The ectopic focus theory emphasizes pathophysiologic factors which can initiate ventricular fibrillation. The circus motion theory

emphasizes pathophysiologic factors which lead to the perpetuation of ventricular fibrillation. A synthesis of both theories is therefore possible in which the presence of ectopic foci in sufficiently large hearts may lead to the phenomenon of sustained ventricular fibrillation.

Mechanisns of Defibrillation

Application of a strong, electric shock to the heart is the only dependable and definitive therapy for ventricular fibrillation. When properly applied, this shock causes all heart muscle fibers to cease contracting and stops the fibrillation. Usually, within a few seconds after the shock, a normal pacemaker will begin triggering synchronous ventricular contractions and cardiac pumping is resumed.

The phenomenon of electrical ventricular defibrillation was first reported by Prevost and Battelli (1899 a-d). However, interest in the phenomenon was not revived until after Hooker (1930) had developed the chemical method of defibrillation. This method, which was used when appropriate in clinical medicine until the late 1950s, involved injecting KCl solution directly into the left ventricle. Massage of the heart, especially with occlusion of the thoracic aorta, forced the potassium solution into the coronary circulation. This achieved defibrillation but also left the heart completely hypodynamic. Therefore,

CaCl, solution was next injected into the left ventricle and massaged into the coronary bed to expel the KCl and counteract its depressant effect. Subsequently Hooker, Kouwenhoven, and Langworthy (1933) came upon the Prevost and Battelli papers and confirmed that although low intensity alternating current shocks produced ventricular fibrillation, higher intensity shocks could arrest fibrillation. After over a decade, the technique of 60 Hz alternating current defibrillation was introduced into clinical medicine by Beck (1947), using electrodes applied directly to the heart, and Zoll (1956), using transchest electrodes. Thereafter several investigators including Gurvich (1947), Kouwenhoven (1954), and Lown (1962) discovered that, compared to alternating current shocks, a brief direct current shock provided by discharge of a capacitor or a capacitor in series with an inductor could also defibrillate the atria with less danger of producing ventricular fibrillation at low shock intensity. These studies led to the development of modern defibrillators, most of which contain a capacitor and an inductor. The capacitor is charged by a direct current power supply to a preset voltage. At the time of defibrillation, the capacitor is switched in series with the inductor and the subject. A heavily damped sinusoidal pulse of current lasting 2-10 msec is thereby delivered. If the current passes through a critical mass of myocardium

and is of sufficient intensity, defibrillation is routinely achieved.

The Electrophysiologic Requirement for Defibrillation

The effect of current delivered by defibrillators upon the cellular electrophysiology of the heart has not yet been studied directly. This section presents a theory which indicates that although extremely high currents and voltages appear across the heart and thorax during defibrillation, the stimulus at the cellular level is physiologic, and inherently nontoxic if properly applied. Moreover, the hypothesis supports the notion that the actions of drugs upon transmembrane ionic conductances and equilibrium potentials should influence the effectiveness of electrical ventricular defibrillation.

The fundamental tenet of the hypothesis is that the essential requirement for defibrillation is excitation of a critical mass of the nonrefractory cells in the myocardium (Zipes, 1975). It must be recognized that at any instant in time during fibrillation myocardial cells may be found in any phase of polarization (Figure 1-2).

Phases 0, 1, 2, 3, and 4 of the cardiac action potential, identified in the literature of cardiac electrophysiology (Vassale, 1977; Arnsdorf, 1976, Hoffman and Cranefield, 1960), are defined as follows. Phase 4 is the resting membrane potential, typically -80 to -90 mV (inside



Figure 1-2. Temporal dispersion of action potentials in fibrillating myocardium. Action potentials of 4 hypothetical cells, A, B, C, and D are indicated as functions of time. During fibrillation cells may be found in any stages of polarization at any instant in time. During fibrillation Phase 4 is usually abbreviated (Cells B and C), and often excitation may occur in the latter part of Phase 3 (Cell A); the height of typical action potentials in fibrillation is about 75 mV (Sano, 1958).

of the cell negative). During Phase 4 small inward sodium and outward potassium ionic currents are in balance for working myocardial cells. In pacemaker cells, gradual diastolic depolarization may occur due to an imbalance in these ionic currents. Phase 4 is succeeded by Phase 0, or depolarization, the rapid upstroke of the cardiac action potential. Phase 0 is associated with a rapid increase in sodium conductance and inward sodium current caused by suprathreshold stimulation of the cell, as the transmembrane potential is caused to exceed a critical "firing threshold" voltage (typically -50 to -60 mV). Phase 1 is the brief overshoot or reversal of the transmembrane potential at the time of maximal sodium conductance. Phase 2, the plateau of the cardiac action potential, has recently been shown to be sustained by inward calcium current. In Phase 3 potassium conductance becomes dominant and the resultant outward potassium current leads to repolarization of the cell and a return to Phase 4. During Phases 0, 1, and 2 the cell cannot be stimulated, since it is already depolarized. This period is defined as the absolute refractory period. During the midportion of Phase 3, the descending limb of the action potential, the cell may be stimulated by suprathreshold stimuli and is said to be relatively refractory. During the terminal portion of Phase 3, the cell may be hyperirritable.

If fibrillation is conceived as the presence of numerous randomly oriented wavefronts of depolarization, spreading throughout the myocardium as represented in Figure 1-3, then electrical defibrillation requires simultaneous excitation of the cells just ahead of each wavefront. These cells would be found either in Phase 4 of polarization or in the latter part of Phase 3. A critical assumption of this hypothesis is that for the purpose of defibrillation the cells requiring the strongest stimulus for excitation are those completely repolarized cells in Phase 4. A noteworthy implication of this assumption is that it is not necessary to excite those cells in the midportion of Phase 3, which are relatively refractory, in order to defibrillate. Nor is it necessary to effect cells in Phases 0, 1, or 2. The hypothesis assumes that it is necessary only to depolarize one side of the cell membrane of each cardiac muscle cell to the extent of the difference between the resting (Phase 4) membrane potential and the cellular firing threshold. This stimulus would be sufficient to excite all fully recovered cells as well as all cells just emerging from their relative refractory period.

The Action of Defibrillating Current At the Cellular Level

Consider a rectangular block of ventricular myocardium containing muscle cells, extracellular fluid, blood vessels,



VENTRICULAR SURFACE (VENTRAL ASPECT)

Figure 1-3. Schematic representation of multiple, random wavelets of depolarization traversing the ventricles during fibrillation. Heads of arrows indicate the wavefront of each wavelet and its direction of propagation. Tails of arrows indicate length of refractory tissue strips trailing each wavefront. When a wavefront encounters a refractory strip it will split into daughter wavelets or become extinguished. In sustained fibrillation successive generations of wavelets are always able to spread into areas of excitable myocardium. In theory, an effective stimulus from a defibrillator simultaneously excites and renders refractory the tissue just ahead of each wavefront, abolishing their propagation.

and connective tissue. Assume that the long axes of the muscle cells are oriented perpendicular to the flow of defibrillating current as would be true for most of the circumferential ventricular fibers in open chest defibrillation (Figure 1-4(a)). Consider a very thin section of this block of tissue 15μ thick and 1cm^2 in surface area, as illustrated in Figure 1-4(b). The 15μ thickness is chosen because this is the diameter of a typical ventricular muscle This thin slice of tissue can be divided conceptually fiber. into resistive and capacitive components, as shown in Figure 1-4(c). The resistive component consists of the electrolyte filled extracellular space which comprises about 30 percent of the volume of mammalian ventricular muscle (Frank and Langer, 1974). The capacitive component consists of muscle and connective tissue cells, about 70 percent of ventricular volume, which are surrounded by high resistivity cell membranes. The cell membranes of cardiac muscle have been modeled as parallel resistive-capacitive networks (Woodbury, 1962), but membrane resistance is so large with respect to the extracellular fluid resistance (2,000 ohms for lcm^2 versus 0.3 ohms for lcm^2) that membrane resistance can be ignored for the present discussion and the membranes considered as purely capacitive, as shown in Figure 1-4(d).

If a direct current pulse is applied to the network depicted in Figure 1-4(d), current will flow initially onto the series capacitors, causing them to charge. This



Figure 1-4. Scheme for analysis of the action of defibrillating current upon myocardial cells. (a) Bundle of myocardial fibers oriented perpendicular to electric current field. (b and c) Hypothetical tissue element 1 cm² in cross-sectional area and one cell diameter in thickness, containing cells and extracellular fluid. (d) Equivalent circuit for hypothetical tissue element. charging of membrane capacitance will tend to depolarize the cathodal side and hyperpolarize the anodal side of the cell. The time for membrane capacitors to charge maximally is about five "RC" time constants; thereafter all of the current flows through the extracellular fluid resistance, at which time the final voltage across both series capacitors is equal to the voltage drop across the resistor, $R_{\rm FCF}$.

Values of R and C from the literature may be substituted into the equivalent circuit of Figure 1-4(d) in order to estimate the gross electrical effects of the passage of a 100 ma/cm² threshold pulse of defibrillating current through the hypothetical $15\mu \times 1 \text{ cm}^2$ slice of myocardium. The estimate of 100 ma/cm² threshold current density is derived from data on open-chest defibrillation with electrodes of specified size, obtained recently in our laboratories (Grubbs and Wilcox, 1975). This figure is also consistent with estimates derived from published openchest threshold data (Geddes, 1970; 1974). Membrane capacitance of Purkinje fibers has been measured by Weidmann, (1952) and confirmed by others (Arnsdorf and Bigger, 1975), who obtained a value of approximately $10\mu F$ for 1 cm^2 of These authors also determined the overall membrane. resistivity of intracellular fluid to be approximately 100 The resistivity of extracellular fluid is assumed to ohm-cm. be approximately that of plasma, or about 60 ohm-cm. Given

these values, the resistances and capacitances of Figure 1-4(d) may be calculated and are indicated in Figure 1-5. The resistance of the extracellular fluid, indicated in Figure 4-1(c), is the product of the resistivity of the medium and the "length" of the fluid slab in the direction parallel to current flow, divided by the cross-sectional area of the fluid slab: 60 ohm-cm x 0.0015 cm/0.3 cm² or 0.3 ohm. The final voltage to which both series membrane capacitors are charged by a 100 ma/cm² defibrillating shock is 100 ma x 0.3 ohm or 30 mV.

Charging the membrane capacitors results in hyperpolarization of the anodal side and depolarization of the cathodal side of the typical 15µ diameter cell, shown in Figure 1-5(b). If 30 mV potential difference is divided equally across the series membrane capacitors, the anodal side of the 15 micron cell is depolarized by 15 mV and the cathodal side hyperpolarized 15 mV. Such a change is of the order of that necessary to bring the transmembrane potential on the cathodal side of the cell from a resting potential to the firing threshold.

Note that if the myocardial fibers in the hypothetical block of tissue were oriented parallel rather than perpendicular to the direction of current flow, the "length" of the slab of extrafluid extracellular fluid would be greater. A greater final voltage difference would develop across this distance causing correspondingly greater changes



Figure 1-5. Equivalent circuit for a hypothetical slice of myocardium 1 cm² in cross-sectional area and one cell diameter in thickness. (a) Approximate values of the circuit elements. (b) Steady state voltage differences caused by the passage of an electric current of defibrillating intensity.

in the transmembrane potential at the cathodal and anodal ends of the cell. Hence any shock able to stimulate fibers oriented perpendicular to the current flow would also be able to stimulate fibers oriented parallel to the current flow.

Also note that the time for membrane capacitance to charge to very near the maximal voltage is a matter of several "RC" time constants for the myocardial cells. Using the values 10 ohm-cm² for membrane capacitance, 100 ohm-cm for intracellular fluid resistivity, and 0.0015 cm for cell length and 1 cm² for aggregate cell surface area, the time constant for charging of membrane capacitance is 5 x 10^{-6} The time constant for voltage-dependent activation of sec. sodium conductance, however, is much longer, on the order of 0.5 msec (Ehrenstein, 1976; Hodgkin and Huxley, 1952). The passage of current through cardiac tissue via macroelectrodes rapidly changes the transmembrane potential of cells within a few microseconds. However, the cathodal side of the cell must remain above the firing potential for several milliseconds before sodium activation will become sufficient to cause rapid sodium inrush, depolarization, and refractoriness.

The hypothesis presented in this thesis is that the essential requirement for defibrillation is depolarization of one side of cardiac cells by a voltage equal to the "gap" $E_r - E_{th}$, between the resting membrane potential and the

cellular firing threshold for a sufficient time to allow activation of sodium conductance. Since the amount of depolarization is proportional to the current density delivered by the shock, drugs could conceivably alter the current required for defibrillation by altering either the firing threshold, E_{th} , or the resting membrane potential, E_{r} .

Possible Mechanisms of Drug Action

Agents which raise the cellular firing threshold, hyperpolarize resting cells, or both are predicted to increase the E_r-E_{th} gap and the current required electrical stimulation or defibrillation of the heart. Agents which decrease the cellular firing threshold, hypopolarize resting cells, or both are predicted to decrease the gap and the current required for stimulation or defibrillation of the heart.

The likely ways in which drugs might produce such changes may be appreciated with reference to established principles of cardiac membrane physiology for cells in Phase 4 and Phase 0.

The transmembrane potential, E_m , is the voltage to which the cell membrane capacitance is charged at any instant in time. E_m is determined by the balance of ionic currents across the membrane. Although the importance of calcium currents in maintaining E_m have been recently

identified for ventricular muscle cells during Phase 2 (Beeler and Reuter, 1970; Gibbons and Fozzard, 1975), the ions involved in Phase 4 and Phase 0 are almost exclusively sodium and potassium for both ventricular muscle and for nerve (Hoffman and Cranefield, 1960; Vassale, 1977). The net ionic current from one side of the cell membrane to the other depends upon the membrane conductance (g) of the ion and the electrical driving force impelling the ion. The driving force is defined as the difference between the equilibrium potential for the ion (E_{ion}) and the instantaneous membrane potential (E_m) . The resultant net ionic current may be predicted by the ohmic relationship

$$I_{ion} = g_{ion}(E_m - E_{ion})$$
.

The equilibrium or reversal potential, E_{ion}, is determined by the ratio of intracellular to extracellular concentration of the ion by the Nernst equation

$$E_{ion} = \frac{RT}{F} \ln \frac{[ion]_{i}}{[ion]_{c}} ;$$

where square brackets indicate molar concentrations, and the subscripts $_{i}$ and $_{o}$ denote "inside and "outside" the cell. Evaluating the physical constants and converting to common logarithms, the Nernst equation becomes E_{ion} (in mV) = 61.5 log{[ion]_i/[ion]_o}, for monovalent cations at body temperature selectively permeable to the membrane. The ionic

conductance, g(ion), is a function of both E_m and of time. The time dependence of g(ion) reflects the kinetics by which presumed ionic channels traversing the membrane open and close following a change in E_m .

During Phase 4 and Phase 0, the membrane potential is determined by the balance between the transmembrane sodium current, I_{Na} , and the transmembrane potassium current, I_{K} . Since ${\rm E}_{\rm Na}$ is positive (typically +80 mV) and greater than E_m, and since E_K is negative(typically -90 mV); the sodium current is inward, tending to depolarize the cell, and the potassium current is outward, tending to hyperpolarize the The gNa at the time of the transition between Phase cell. 4 and Phase 0 is a rapidly increasing (concave upward) function of ${\rm E}_{\rm m}\,;$ whereas gK is assumed to be approximately constant. More rigorous theoretical expressions for gNa and gK of nerve-cell membranes as functions of voltage and time have been described elsewhere (Ehrenstein, 1976; Hodgkin and Huxley, 1952), which indicate that there is a measurable voltage dependent increase in gK during Phase 0. However, compared to the very large increase in gNa during excitation, gK remains relatively stable just before and after the onset of Phase 0. Only later, after Phase 0 has irrevocably begun, does potassium conductance markedly increase (Hodgkin and Huxley, 1952). The present discussion is concerned only with events just before and after the rapid sodium influx which initiates Phase 0, so it is

reasonable as a first approximation to treat gK as a constant.*

Given the assumptions that qNa is an accelerated function of ${\rm E}_{\rm m}$ and that gK is essentially constant at the time of excitation, the transmembrane currents involved may be illustrated as shown in Figure 1-6(a). This fiqure illustrates hypothetical transmembrane sodium and potassium currents, as conceived by the author, at different levels of E_m . I_K is a linear function of E_m , increasing as the membrane potential is made more positive than the potassium equilibrium potential. I_{Na} is an accelerated function of ${\rm E}_{\rm m}$, indicating the voltage dependent increase in gNa as the membrane potential is made less negative. To permit easy comparison of the magnitudes of the ionic currents in opposite directions across the membrane, the absolute values of $I_{N_{a}}$ and I_{κ} are plotted. The straight line for potassium current and the curved line for sodium current intersect at two points for which $I_{Na} = I_{K}$. The left-hand point is a stable equilibrium and indicates the resting membrane The right-hand point is an unstable equilibrium potential. and indicates the cellular firing threshold. This feature of Figure 1-6(a) may be appreciated by considering the effects of hyperpolarizing and depolarizing electrical

^{*}If gK is considered more exactly as an increasing function of E_m with a derivative significantly less than that of the gNa versus E_m curve, the predictions of the present theory would be qualitatively the same with only minor quantitative differences.



Figure 1-6. Balance of inward sodium and outward potassium currents in ventricular myocardial cells during Phase 4 and early Phase 0. (a) Absolute values of sodium and potassium currents are plotted as a function of transmembrane potential, E_m . Zones 1, 2, and 3 of the E_m domain are identified. (b) Effects of alteration of E_m by electrical stimuli. If E_m is transiently driven into Zone 1 or Zone 2 it will return to the stable equilibrium value, E_r . If E_m is driven into Zone 3, an action potential will be initiated.
stimuli which might be delivered via an intracellular microelectrode connected to a constant current source. The results of such hypothetical stimulation are shown in Figure 1-6(b). Suppose a hyperpolarizing current is used to drive the ${\rm E}_{\rm m}$ more negative than ${\rm E}_{\rm r}$ into the zone denoted (1). After the current is terminated, the inward sodium current will be greater than the outward potassium current, and the cell will depolarize until $I_{Na} = I_{K}$ at the resting membrane potential. If a low amplitude, depolarizing current is delivered, driving the E_m into zone (2) and then terminated, the outward potassium current will be greater than the inward sodium current, again driving the ${\rm E_m}$ back toward the ${\rm E_r}$. Such a current would constitute a subthreshold stimulus. However, if a stronger depolarizing current were to drive the E_m into zone (3), the inward sodium current would exceed the outward potassium current, causing further depolarization of the cell and initiating Phase 0. Such a current would constitute a suprathreshold stimulus. The right-hand intersection of the sodium and potassium current functions, therefore, represents the cellular firing threshold. The voltage gap $E_r - E_{th}$ to which the membrane capacitance of the cell must be charged to initiate an action potential is represented by the horizontal distance between the intersections of the sodium and potassium current functions.

Prediction of Drug Effects

Using this graphical representation of the critical ionic currents involved in excitation of the cell, it is easy to identify four general mechanisms by which drugs could alter the strength of the electrical stimulus required to excite the cell. These include alteration of the gK, alteration of the gNa, alteration of the E_{K} , and alteration of the E_{Na} .

For example, if a drug increased gK by a factor a > 1, the slope of the I_K line in Figure 1-6(a) would be increased. As a result, E_r would become slightly more negative, E_{th} more positive, and the voltage gap, $E_r - E_{th}$, would increase; so that a stronger stimulus would be required to excite the cell. Similarly, if gNa were decreased by a factor a < 1, the gap between E_r and E_{th} would also increase. If potassium conductance were increased and sodium conductance decreased simultaneously, then an even greater increase in the stimulation threshold would occur. Conversely, if gK were decreased, gNa were increased, or both, the $E_r - E_{th}$ gap would decrease together with the stimulation threshold. These possibilities are summarized in Table 1-1.

In addition to altering the relationship between sodium and potassium conductance of the membrane, drugs might also influence the stimulation threshold by directly or indirectly altering the sodium or potassium equilibrium potentials. Since the difference $E_m - E_{Na}$ is large (about

Table 1-1 Predicted effects on cardiac stimulation or defibrillation threshold caused by changes in transmembrane ionic conductances during diastole.



gNa

= increased threshold

= decreased threshold

-160 mV) relatively large changes in E_{Na} would be required to cause large percentage changes in $I_{Na} = gNa(E_m - E_{Na})$. However, in the case of potassium, $E_m - E_K$ is relatively small (about 10 mV). Hence smaller changes in the E_K caused by disturbances in the ratio of local extracellular to intracellular potassium concentration could more easily produce large percentage changes in the stimulation threshold. Such changes would be represented graphically in Figure 1-6(a) as a parallel shift in the potassium current line. For example, increased extracellular K would cause the potassium current line to shift to the right, narrowing the $E_r - E_{th}$ gap and reducing the stimulation threshold.

Summary of the Theory

The theory of defibrillation developed in this chapter assumes that fully recovered and almost fully recovered cells in the fibrillating heart must be brought to the cellular firing threshold, excited, and hence rendered refractory to achieve defibrillation. The critical variable in determining the strength of the stimulus required is the voltage difference or "gap" between the firing threshold and the minimal (resting) membrane potential of completely recovered cells. The magnitude of this voltage gap is determined by the balance of inward sodium current and outward potassium current across the cell membrane. According to accepted principles of membrane physiology,

the factors which affect this balance include the potassium conductance of the membrane, the sodium conductance of the membrane, and the equilibrium potentials for sodium and especially for potassium. Since all of these factors may be altered by selected drug actions, it is highly likely that drugs may alter the threshold for electrical ventricular defibrillation.

Rationale

To demonstrate drug-induced alterations of the ventricular defibrillation threshold experimentally, it is necessary to choose a species of animal with hearts large enough to sustain fibrillation. The hearts of small, inexpensive laboratory animals, such as rats, will not sustain fibrillation, probably because the impulse wavelength in mammalian myocardium exceeds the length of conduction pathways in such small hearts.

In the studies to be described, the dog was selected as the experimental animal. These studies were carried out in intact animals using transchest defibrillating electrodes in order to ensure that any pharmacological effects observed were physiologically important. Three drugs were selected for initial study: quinidine, lidocaine, and potassium chloride. These agents are well known. They produce selective effects upon cardiac electrophysiology in the intact animal at dose levels which do not produce

profound systemic toxicity involving other organ systems, and are thus appropriate for transchest defibrillation studies. Each produces reasonably well-characterized alterations in either sodium conductance, potassium conductance, or potassium equilibrium potential, and hence is likely on a theoretical basis to influence the defibrillation threshold.

Alteration of Myocardial gNa and gK by Quinidine and

Lidocaine

The literature concerning the mechanisms of action of antiarrhythmic drugs has been recently reviewed (Singh, 1977; Arnsdorf, 1976; Hauswirth, 1974; Bassett and Wit, 1973; Rosen and Hoffman, 1973). This literature is complicated by the study of drug action using diverse tissue preparations, including atrial muscle, Purkinje fiber bundles, ventricular muscle, motor nerve, and squid axon; diverse species including frog, rat, guinea pig, dog, and human; and diverse extracellular potassium concentrations. Direct investigation of the ionic mechanisms of antiarrhythmic drug action in cardiac muscle using preparations analogous to the voltage-clamped squid axon has been technically difficult due to the small size and contractility of cardiac muscle cells. Recent applications of voltageclamp techniques to cardiac muscle (Beeler and Reuter, 1970; Fozzard and Beeler, 1975) have produced promising results.

However, this approach remains limited in cardiac muscle, especially by capacitance-induced artifacts during the upstroke (Phase 0) of the action potential. As a result, conclusions about the ionic mechanisms of antiarrhythmic drug action on excitation of cardiac muscle fibers must be drawn from indirect evidence.

Quinidine.

Most authorities believe that guinidine acts primarily by decreasing transmembrane sodium conductance. Virtually all investigators since Weidmann (1955) have found that quinidine decreases the rate of rise of Phase 0 of the action potential (dV/dt), recorded with intracellular electrodes. This effect is associated with a decreased slope and increased duration of the QRS complex of the electrocardiogram, which is readily demonstrated in the experimental animal and in human patients (Gettes, 1962; Prinzmetal, 1970; Heissenbuttel and Bigger, 1970). Such a correlation of changes in (dV/dt) and the QRS complex are predicted by the interference theory of electrocardiography (Geddes and Baker, 1975)*. These quinidine-induced changes are antagonized by hyperpolarization (Weidmann, 1955; Hoffman and Cranefield, 1960) which would increase inward sodium current in the presence of depressed gNa, as predicted by the expression $I_{Na} = gNa(E_m - E_{Na})$.

The interference theory states that the electrocardiogram (ECG) is derived from the instantaneous difference between the excursion in transmembrane potential of two adjacent areas of myocardium which are activated sequentially by the same wavefront of depolarization. For example, in mammals the subendocardial tissue of the ventricles is first

Quinidine elevates the cellular firing threshold as measured with intracellular electrodes (Weidmann, 1955; Yeh, 1976). The major effect of quinidine is thus usually attributed to decreased sodium conductance of the membrane. At higher concentrations of quinidine, secondary effects attributable to decreased potassium conductance occur. These include prolongation of the action potential duration, refractory period, and QT interval of the electrocardiogram (Rosen and Hoffman, 1970; Heissenbuttel and Bigger, 1970). Depression of both sodium and potassium conductance by quinidine to a roughly equal degree has been demonstrated by direct measurements of ionic currents in voltage-clamped squid axons (Yeh, 1976). However, McCall (1976), using ⁴²K and ²⁴Na radioisotope tracer techniques in cultured human heart cells, found that the percent decrease in the

calculated sodium permeability coefficient (pNa) of the cell activated by Purkinje fibers. A wavefront of depolarization then spreads to the subepicardial fibers which are activated a time, Δt , later; where Δt is the propagation time required for depolarization to spread from the subendocardial to the subepicardial fibers. The time Δt is related to the propagation velocity, c, of the wavefront of depolarization and the distance, Δx , between the sequentially activated areas of myocardium by the expression $\Delta t = \Delta x/c$. According to the interference theory, the ECG amplitude is proportional to the instantaneous difference in transmembrane potential, ΔV , between these two areas of tissue. It follows that

$$ECG \ll \Delta V = \frac{\Delta V}{\Delta t} \cdot \Delta t = (\frac{\Delta V}{\Delta t}) \cdot \frac{\Delta x}{c}$$

Noting that the propagation time, Δt , is small compared to the action potential duration, and passing to the derivative,

ECG
$$\ll \left(\frac{\mathrm{d}V}{\mathrm{d}t}\right) \cdot \frac{\Delta x}{\mathrm{c}}$$
 (1)

membranes was approximately twice the percent decrease in calculated potassium permeability coefficients of the cell membranes after exposure to 10^{-6} to 10^{-3} molar quinidine.

Assuming that quinidine acts by decreasing transmembrane sodium conductance greater than potassium conductance, one may predict its effect on defibrillation threshold. On the basis of the theoretical analysis summarized in Figure 1-6(a) one would expect quinidine to shift the sodium current curve downward and to the right. Such a shift would slightly lower the resting membrane potential and raise the cellular firing threshold. The resultant increased "gap" between these two equilibrium voltages would, in theory, cause an increase in the stimulation or defibrillation threshold. The same net effect on the gap voltage would be expected if the sodium conductance were decreased by a factor greater than that for potassium conductance.

Thus the electrocardiographic signal is directly proportional to the derivative of the cellular transmembrane potential and the distance between the sequentially activated areas of myocardium (in this case ventricular wall thickness) and inversely proportional to propagation velocity. For example, in left ventricular hypertrophy, the amplitude of the QRS complex is greater than normal due to increased ventricular wall thickness, Δx , in accordance with equation (1). The amplitude of premature ventricular contractions in the ECG may be greater than normally conducted beats because the distance between sequentially activated areas of muscle, Δx , is larger and because the effective propagation velocity, c, is smaller due to bypass of Purkinje fibers penetrating the ventricular wall.

Assuming that the major electrophysiologic effect of quinidine at the cellular level is to decrease $(dV/dt)_0$ and prolong Phase 0, without altering the final amplitude of the action potential, the interference theory predicts two

Lidocaine.

Lidocaine appears to act by increasing transmembrane potassium conductance, probably to a greater degree in Purkinje fibers than in working myocardial cells (Davis and Temte, 1969; Arnsdorf and Bigger, 1972). In therapeutic concentrations, lidocaine, unlike quinidine, has little effect on $(dV/dt)_0$ (Davis and Temte, 1969; Bigger and Mandel, 1970), indicating that blockade of sodium conductance is not the most important mechanism of lidocaine action.

Positive physiological correlates of lidocaine action include decreased rate of Phase 4 diastolic depolarization of pacemaker cells (Davis and Temte, 1969; Bigger and Mandel, 1970), which has been attributed to a progressively decreasing potassium conductance (Trautwein, 1973). Increased potassium conductance during Phase 4 in response to lidocaine

changes in the QRS complex of the electrocardiogram. The first is a decrease in the amplitude of the QRS complex due to decreased dV/dt. The second is an increase in the duration of the QRS complex, since dV/dt will remain positive for the longer time required for complete depolarization. (Both of these effects occurred in the quinidine studies reported in Chapter 3). The first effect may be antagonized by the concomitant decrease in conduction velocity produced by quinidine, since propagation velocity appears in the denominator of equation (1). Hence the second effect, prolongation of the QRS complex, is a more reliable sign of quinidine effect in the electrocardiogram.

would thus explain this aspect of its antiarrhythmic action. Lidocaine also may decrease the action potential duration and refractory period of cardiac cells, a phenomenon consistent with increased potassium conductance during Phase 3 repolarization (Mandel and Bigger, 1971). In Purkinje fibers depolarized by injury, exposure to lidocaine may cause a return of the resting membrane potential toward normal (Arnsdorf and Bigger, 1972). This phenomenon is consistent with the expectation that increased potassium conductance, gK, would cause a greater stabilizing current, $I_{K} = gK(E_{m} - E_{K})$, when E_{m} is farther from the E_{K} in depolarized cells. Recently Arnsdorf and Bigger (1975), using multiple microelectrodes and cable theory applied to long cardiac Purkinje fibers, have measured a 64 percent increase in membrane potassium conductance after exposure to therapeutic concentrations (5 mg/l) of lidocaine. Kabela has reported increased ⁴²K efflux from dog heart tissues after This body of evidence strongly exposure to lidocaine. suggests increased potassium conductance as the therapeutic mechanism of lidocaine action upon the heart.

At higher concentrations, or in the presence of higher extracellular potassium levels (Singh and Vaughan Williams, 1971), lidocaine begins to exert "quinidine-like" effects. These include decreased amplitude, decreased rate of rise and prolonged duration of the action potential (Mandel and Bigger, 1971), and are attributable to decreased sodium

conductance. This quinidine-like action at higher concentrations has been proposed as the principle local anesthetic mechanism of procaine and lidocaine in peripheral nerves (deJong, 1970).

The analysis of Figure 1-6(a) predicts that lidocaine would increase stimulation and defibrillation threshold by raising the potassium current line and, at higher doses, lowering the sodium current curve. These shifts would widen the voltage gap between the equilibrium points for the resting membrane potential and the cellular firing potential, and. proportionally increase the current required for stimulation or defibrillation.

Alteration of E_{w} by Potassium

The dependence of the potassium equilibrium potential, E_K , and resting membrane potential, E_m , upon the ratio of intracellular to extracellular potassium concentration (K_i/K_o) * has been well described by Hoffman and Cranefield (1960) and recently reinvestigated in terms of ionic activities by Miura (1977). These reports clearly indicate that the equilibrium potential for potassium is very sensitive to changes in K_o . This result may be appreciated by differentiating the Nernst equation

In this and the following discussions, square brackets denoting molar concentrations of ions are omitted for simplicity of notation.

$$E_{K} = -61.5 \log \frac{K_{i}}{K_{O}}$$

first with respect to K_{o} and then with respect to K_{i} :

$$\frac{d(E_K)}{dK_0} = \frac{+26.7}{K_0} \text{ and } \frac{d(E_K)}{dK_1} = \frac{-26.7}{K_1}; \text{ so that}$$

$$\frac{\left|\frac{d(E_{K})}{dK_{O}}\right|}{\left|\frac{d(E_{K})}{dK_{i}}\right|} = \frac{K_{i}}{K_{O}} \approx 20-40$$

Hence the transmembrane potential is normally 20-40 times more sensitive to changes in K_0 than to changes in K_1 . Small changes in extracellular potassium concentration may cause large changes in the potassium equilibrium potential and in turn the threshold current for defibrillation.

Mathematical Feasibility of Varying K_0 and Calculated E_K While Keeping K_i Essentially Constant.

Because measurement of intracellular potassium concentrations in the myocardium requires sacrifice of the experimental animal, it is desirable to keep K_i levels essentially constant during the course of an experiment. Then a single determination of myocardial K_i at the end of the experiment may be interpreted with some validity. As illustrated in Figure 1-7, the overwhelming majority of total body potassium (about 50 mEq/kg body weight) is found



Figure 1-7. Approximate normal distribution of potassium ions in body fluid compartments. TBW = total body water, ECF = extracellular fluid, ICF = intracellular fluid. Roughly 98 percent of total body potassium is contained within cells.

1 KG OF DOG

intracellularly, whereas only about 1 mEq/kg is found in the extracellular fluid. If 1.0 mEq/kg of potassium is infused intravenously over 3-5 minutes, K_0 will increase roughly 4 mEq/l -- enough to double normal plasma levels. In practice, the intravenous dose of 1.0 mEq/kg produces about a 3.5 mEq/l rise in plasma potassium levels in our laboratory. However, even if this entire potassium dose enters the cells, K_i will be changed by only 2 percent. Thus it is possible to significantly raise K_0 by potassium infusion while keeping K_i essentially constant.

A "bolus plus infusion" dosage schedule permits repeated determination of the defibrillation threshold at a specified K level. The mathematical rationale for the use of a combined bolus plus infusion dosage schedule to produce a "square" step-up in the plasma levels of a drug was described by Wagner (1974). Using this technique in dogs with bilateral ureteral ligation to prevent renal excretion, the maintenance of a stable elevation in K_{O} for 100 minutes requires the administration of 2.0 mEq/kg KC1. This total dose represents a 4 percent increase in total body potassium. Since plasma levels remain constant from the beginning to the end of the 100 minute period, about half the total dose of 2 mEq/kg must be transported into cells during 100 minutes of infusion. As a consequence, overall intracellular potassium levels increase by approximately 1 mEq/kg, or only about 2 percent at the end of 100 minutes.

Measurement of Intracellular Potassium Concentration.

Because it is physically impossible to separate the intracellular and extracellular fluid compartments of solid tissues, intracellular potassium concentration must be calculated indirectly. The calculation can be made from measurements of total tissue and extracellular potassium concentrations on the basis of the following relation:

$$K_t = \sigma_0 K_0 + \sigma_i K_i$$
; where

 K_t = overall potassium concentration of myocardial tissue σ_o = volume fraction of the extracellular space σ_i = volume fraction of the intracellular space = $(1-\sigma_o)$ for heart muscle. The intracellular potassium concentration is calculated as

$$K_{i} = \frac{K_{t} - \sigma_{o}K_{o}}{1 - \sigma_{o}}$$

provided σ_0 , the volume fraction of the extracellular space is known. Classically σ_0 is measured as the volume of distribution of an indicator substance which is permeable to capillaries but which is excluded from cells. ²⁴Na, thiosulfate, and manitol have been used as indicators for this purpose (Welt, 1970). The method developed by the author for the present studies employs nonisotopic sodium as the indicator substance. The sodium indicator is subtracted rather than added to the extracellular space as the myocardium is perfused with two different isotonic solutions, the first (lactated Ringer's solution) containing physiologic sodium concentration and the second (5 percent dextrose in water) containing zero sodium concentration. Tissue samples are analyzed for total sodium and potassium content by flame photometry after each perfusion. Calculations are made as described in Chapter 3.

In this manner it is feasible to study defibrillation threshold as a function of E_K , by using a regulated KCl infusion to alter the K_O/K_i ratio. K_O may be determined from samples of blood plasma, and K_i may be measured terminally in the same animal with confidence that it has remained essentially constant during the experiment. With knowledge of both K_O and K_i , E_K may be calculated from the Nernst equation and related to defibrillation threshold.

Importance of the Stability of the Animal Model

Before undertaking the drug studies, however, certain critical questions concerning the validity and the stability of the animal model must be addressed. These questions concern the effect of anesthesia and the reproducibility of control data obtained when no drug other than the anesthetic is administered. Attention to these questions, as described in Chapter 2, ensured that presumed effects of cardiac drugs on the defibrillation threshold would be correctly interpreted.

Objectives of the Investigation

According to the preceding rationale, the objectives of the investigation described in this thesis were as follows:

- To determine the effects of the induction of pentobarbital anesthesia on ventricular defibrillation threshold.
- To determine the stability and precision of control defibrillation threshold data in pentobarbital anesthetized dogs.
- To determine the effect of intravenous quinidine gluconate on ventricular defibrillation threshold.
- To determine the effect of intravenous lidocaine on ventricular defibrillation threshold.
- To determine the effect of elevated extracellular potassium concentration and potassium equilibrium potential on ventricular defibrillation threshold.
- To compare observed drug effects with theoretical predictions.

CHAPTER 2 EVALUATION OF THE ANIMAL MODEL FOR PHARMACOLOGIC STUDIES

Pentobarbital Anesthesia

All controlled experimental studies of electrical ventricular defibrillation reported to date have used anesthetized animals as subjects -- in most cases barbiturate anesthetized dogs. In contrast, virtually all clinical ventricular defibrillation outside the operating room is carried out in unanesthetized patients in settings such as the coronary care unit or emergency room. Recently the barbiturate anesthetized dog has been criticized as a model of normal cardiovascular physiology(Priano,1969). Since no study can be found in the literature reporting the influence of anesthesia on the efficacy of electrical defibrillation, a reasonable question may be raised about the validity of anesthetized animal models used for defibrillation studies.

Unquestionably, anesthetic agents of all kinds have direct effects upon excitable biologic membranes. Although the central nervous system is the most important site of action of general anesthetic agents; many anesthetics, including pentobarbital, are known to affect the mechanical

and electrical performance of cardiac muscle. The amplitude and strength of myocardial contraction are depressed by cyclopropane, diethyl ether, nitrous oxide, and halothane, as well as by barbiturates including pentobarbital, secobarbital, and thiopental (Price, 1955; Flacke, 1962; Hardman, 1959; Effendi, 1973; and Etsten, 1955). Hydrocarbon anesthetics may depress the rate of the sinus node pacemaker as well as the speed of atrioventricular and intraventricular conduction (Flacke, 1962; Hardman, 1959; Effendi, 1973; Etsten, 1955; Smith, 1962). Significant differences in the response of the dog heart to the atrioventricular blocking and arrhythmogenic actions of digitalis glycosides have been reported for animals anesthetized with pentobarbital versus halothane, versus methoxyflurane (Morrow, 1972). Cyclopropane, halothane, and to a lesser extent, thiopental, are known to sensitize the myocardium to the arrhythmogenic effects of epinephrine (Dressel, 1964). Thus, it is quite conceivable that anesthetics could alter those parameters of cardiac electrophysiology which determine the success or failure of electrical defibrillation.

Accordingly, the following study was undertaken to determine if the induction of anesthesia with intravenous pentobarbital sodium in the dog alters transchest defibrillation threshold. In this study, threshold was determined in the same animals in both the awake, unanesthetized state and after the induction of various levels of pentobarbital anesthesia.

Method

Five dogs of mixed breed, weighing 6 to 14 kg served as subjects. Initially each dog was anesthetized with injectable pentobarbital sodium (Nembutal^R, 50 mg/ml 10% alcohol, 40% propylene glycol vehicle, 25-30 mg/kg i.v.). No preanesthetic medication was given. A bipolar catheter electrode was placed in the right ventricle of the heart via a right jugular venous cut-down, using sterile technique. Position of the catheter electrode within the heart was verified by recording the catheter tip electrogram and comparing its timing with the electrocardiogram (ECG) Lead II. The catheter was stabilized in the jugular vein and the wound closed with 2-0 silk sutures. The external portion of the catheter was protected with an adhesive elastic bandage placed around the neck and a soft collar 8 cm in width. After a recovery period of 36-72 hours, the defibrillation threshold was determined before and after induction of anesthesia with pentobarbital. These investigations in unanesthetized and anesthetized subjects were carried out in accordance with National Institutes of Health and institutional guidelines for the use of laboratory animals ("Guide", 1972; "Regulations", 1972).

Defibrillation threshold in awake, unrestrained animals was measured as follows: ECG Lead II electrodes were applied to the limbs and the position of the catheter electrode was confirmed by recording the catheter tip electrogram. Defibrillating electrodes, held in position with rubber straps, were applied to the shaved skin of the thorax with electrolytic jelly, one centered over the apex beat area and the other in the opposite position on the right chest wall. The defibrillating electrodes were stainless steel discs, 2 mm thick and 8-10 cm in diameter (20 percent of the animal's chest circumference \pm lcm). The standard location of each electrode was outlined in ink on the thorax.

Ventricular fibrillation was produced by the application of a 1 sec train of 60 Hz, 2 msec duration rectangular electrical pulses of 5-15 volts intensity via the right ventricular catheter. Ventricular fibrillation was confirmed by the presence of random waves in the electrocardiogram and by the descending level of consciousness of the subject. As the animal lost consciousness, it was placed in dorsal recombency.

The defibrillator employed contained a 16 µF capacitance,a 44 millihenry inductance, and a 7 ohm internal resistance in series with the subject. A 1.00 ohm, 100 watt resistor in series with one electrode was used for measuring current output. The peak output voltage of the defibrillator could be varied continuously from 0 to 8000 volts. The duration of the delivered current pulse, slightly dependent upon subject resistance, was typically 4-5 msec. The waveform of the current pulse was a heavily damped sinusoid.

As soon as possible after the confirmation of ventricular fibrillation (15-45 sec after endocardial stimulation), a defibrillator shock, calculated to be adequate for defibrillation on the basis of the dog's body weight as described by Geddes (1974), was delivered at the time of end-expiration. The voltage and current applied to the subject were measured using a Tektronics model D-11 dual channel storage oscilloscope. Defibrillation was confirmed by palpation of the femoral pulse and QRS complexes in the electrocardiogram. With return of consciousness, the animal was allowed to right itself. After a recovery period of about 2 min, the animal was refibrillated and defibrillation was attempted with a voltage setting 5-10 percent less than that of the previous trial. This procedure was repeated until the animal was not defibrillated by the first shock, and then a stronger shock was applied immediately to restore cardiac pumping action. Threshold voltage and current were defined as the lowest values able to defibrillate the ventricles. Only data from the first shock delivered after the onset of fibrillation were used in calculation of threshold. Tn this study threshold values were considered adequately precise if they differed no more than 10 percent from values unable to defibrillate the ventricles. Delivered energy and charge were calculated as described by Babbs and Whistler (1978).

Twenty minutes after the defibrillation threshold was determined in the unanesthetized animal, intravenous pentobarbital sodium (25-30 mg/kg), was given to produce surgical anesthesia and the defibrillation threshold measurement was repeated with the animal in dorsal recumbency. After a three-day recovery period, another set of threshold determinations was made in the awake and anesthetized states.

On the final day of testing the defibrillation threshold was determined following larger doses of pentobarbital. After the routine threshold determination under surgical anesthesia, sufficient intravenous pentobarbital was given to produce apnea and the threshold measurement repeated. Then sufficient intravenous pentobarbital was given to produce circulatory shock (defined as systolic blood pressure less than 50 mmHg measured via a catheter placed in the abdominal aorta) and a final threshold determination made within 10 minutes. During apnea and shock the animal was maintained using mechanical ventilation sufficient to produce a respiratory minute volume, measured with a Wright respirometer, roughly equal to that measured under surgical anesthesia.

Results

In all 5 dogs comparisons could be made between defibrillation thresholds in the awake and the anesthetized

states. In one dog, three successive comparisons of awake versus anesthetized threshold values were made during a twelve-day period. Threshold current data for this animal are plotted in Figure 2-1. The ratios of the threshold peak current for all dogs at all levels of anesthesia to the average threshold under surgical anesthesia for each animal are plotted in Figure 2-2. No consistent effect of pentobarbital anesthesia on the ventricular defibrillation threshold is evident. The slight downward trend in Figure 2-2 is not statistically significant.

Mean values of threshold shock strength, in terms of peak current, and delivered energy per kilogram body weight, are given in Table 2-1. One-way analyses of variance indicate that the observed effects of anesthesia level upon threshold current, and energy are far from statistically significant, as indicated by the p values in the table.

The response of unanesthetized dogs to the fibrillationdefibrillation procedure is worthy of mention. Typically, the dogs were not alarmed by the intracardiac electrical stimulation used to induce fibrillation. The loss of cerebral blood flow due to ventricular fibrillation produced initial excitation, lasting 5-15 sec, which rapidly diminished as the animal lost consciousness. Delivery of defibrillating current caused a brief, forceful contraction of thoracic and abdominal musculature, resulting in



Figure 2-1. Threshold peak current for ventricular defibrillation in unanesthetized and anesthetized states on successive trials in the same animal. On three successive trials the threshold current in the unanesthetized animal was greater than, equal to, and less than the threshold current after induction of pentobarbital anesthesia. Mean threshold before anesthesia = 1.02 A/kg; mean threshold after anesthesia = 1.08 A/kg. Threshold data for the unanesthetized dog were reproducible within + 10 percent limits.



Figure 2-2. Relative values of threshold peak current for ventricular defibrillation at four levels of anesthesia. Awake = no anesthesia, Surgical anesthesia = spontaneous respiration but no response to surgical stimulation (25-30 mg/kg pentobarbital), Apnea = no spontaneous respiration (42-51 mg/kg pentobarbital, cumulative dose), Shock = aortic blood pressure less than 50 mmHg systolic (61-77 mg/kg pentobarbital, cumulative dose). Mean threshold current under surgical anesthesia = 1.0 for each animal. Dog 1, solid circles; Dog 2, solid triangles; Dog 3, open circles; Dog 4, open squares; Dog 5, crosses.

Table 2-1. Mean Defibrillation Threshold* at 4 Levels of Anesthesia

	Awake	Surgical Anesthesia	Apnea	Shock	F Ratio	P Value
Peak Current (amps/kg)	1.25 <u>+</u> .28	1.22 <u>+</u> .17	1.21 <u>+</u> .18	1.13 <u>+</u> .21	0.21	0.89
Delivered Energy (joules/kg)	1.55 <u>+</u> .77	1.35 <u>+</u> .46	1.28 <u>+</u> .42	1.11 <u>+</u> .17	0.51	0.68
Number of Observations	7	11	4	3		

*<u>+</u> 1 S.D.

vocalization. Animals for whom the total circulatory arrest time was less than 30 sec rapidly regained consciousness, and resumed a sitting or standing position. Animals for whom the total circulatory arrest time was 30-60 sec did not regain consciousness as soon after defibrillation. These animals remained in dorsal recombency after resuscitation and appeared dazed or tranquilized.

Conclusion

The data indicate that defibrillation threshold is negligibly affected by the induction of anesthesia with pentobarbital sodium. Hence this anesthetic was selected for use in further defibrillation studies.

Stability and Precision of Control Data

The question of the stability and reproducibility of control data is especially pertinent because of the intrinsic nature of the defibrillation studies in which the experimental animal literally is rescued from impending death on repeated occasions. Each fibrillation-defibrillation sequence represents a stress to the animal subject, including transient circulatory arrest, possible tissue hypoxia and acidosis, and the electric shock itself, any of which might effect the measured defibrillation threshold.

Accordingly, the following studies were undertaken to determine (1) to what extent defibrillation threshold is stable and reproducible with time in pentobarbital

anesthetized dogs and (2) to what extent the stability of the baseline threshold level is dependent upon the recovery interval between threshold measurements.

Method

Fifteen mongrel dogs of both sexes, weighing 4 to 16 kg and anesthetized with pentobarbital sodium (30 mg/kg, i.v.), served as subjects. No other drugs except 0.9 percent saline were administered at any time. The trachea of each dog was intubated and the animal placed in dorsal recumbency for the duration of the study. The urinary bladder was catheterized with a #8 French filiform catheter connected to a closed volumetric drainage bottle. Aortic blood pressure was recorded using a P23DB Statham transducer. Respiratory minute volume was measured with a Wright respirometer. Arterial blood pH, pCO2, and pO2 were monitored using an Instrumentation Laboratories Model 213 blood-gas analyzer. Disk electrodes, 8, 10, or 12 cm in diameter were applied to the shaved skin of the right and left hemithoraces with electrolytic jelly and sutured in The diameter of the electrodes was standardized to place. 20 percent of the chest circumference, measured at the mid-sternal level. One electrode was centered over the apex beat area and the other at a corresponding position on the right chest wall, 3 cm cephalad of the left electrode.

Mean aortic blood pressure, respiratory minute volume, urine output, arterial blood gases, and esophageal temperature were recorded at half hour intervals. A stable level of surgical anesthesia was maintained in each animal by intravenous doses of pentobarbital sodium 2-5 mg/kg each hour. Saline solution,0.9 percent, was given at a rate of 1-2 ml/kg/hr by vein to maintain hydration. Esophageal temperature was maintained in the range of 36-39°C with the aid of warm overhead lights.

Ventricular fibrillation was initiated by 2-10 volt 60 Hz electrical stimulation of the right ventricle delivered via a bipolar electrode catheter inserted through the right jugular vein. The position of the electrode catheter in the right ventricle had been previously verified by recording the cardiac electrogram from the catheter electrodes. Ventricular fibrillation was confirmed by replacement of the QRS-T complexes of the electrocardiogram with random waves and the fall of aortic blood pressure toward zero.

The output circuit of the damped sine wave defibrillator employed contained a capacitance of 16 μ F, an inductance of 44 mH, and an internal resistance of 7 ohms, as determined by the method of Babbs and Whistler(1978). The voltage on the capacitor could be varied continuously from 0 to 8000 volts. The maximum stored energy available was 512 joules. A 1.00 ohm, 100 watt resistor in series with one electrode was used for measuring the current.

In a typical trial a defibrillator shock calculated to be adequate for defibrillation on the basis of the dog's body weight was delivered at the time of end-expiration, less than 15 sec after the onset of fibrillation. The voltage across the electrodes and current passing through the subject were recorded on a Tektronix model D-11 dual-channel storage oscilloscope. Defibrillation was confirmed by return of pulsatile blood pressure and QRS complexes in the electrocardiogram. After restoration of aortic blood pressure to a stable level, the animal was refibrillated and defibrillation was attempted with a voltage setting approximately 10 percent less than that of the previous This procedure was repeated until defibrillation trial. was not achieved, whereupon a stronger shock was applied immediately to restore cardiac pumping action. At no time did fibrillation persist for more than 30 sec.

Threshold voltage and current were defined as the lowest values able to defibrillate the ventricles. In this study threshold values were considered adequately precise if peak current differed no more than 10 percent from a value unable to defibrillate the ventricles. Only data from the first shock delivered after the onset of fibrillation were used in calculations of threshold. Delivered energy was calculated as described previously(Babbs and Whistler, 1978).

Three series of five dogs were studied. In Series 1, threshold was measured every hour for 8 hours. In Series 2,

threshold was measured every 15 min for 5 hours. In Series 3, threshold was measured every 5 min for 1 hour. This last series represents the closest spacing of threshold measurements consistently possible when only first-shock data are acceptable.

Results

The stability of ventricular defibrillation threshold is demonstrated by Figures 2-3 and 2-4, which present mean threshold current and energy ratios as a function of time, for animals in all three series. The threshold current and energy ratios were calculated by dividing the individual threshold values by the average of the first three "baseline" threshold values obtained for each animal. Hence the threshold energy and current ratios may be interpreted as the relative values obtained in experiments in which each animal served as its own control.

Threshold peak current remained stable in all three series. Decreasing the recovery interval between threshold measurements from 60 to 15 to 5 minutes did not cause a discernible upward or downward drift of threshold current. Threshold current stability was further assessed by computing the linear regression function relating the threshold current dose to time for each animal. The slopes of the regression lines so obtained give sensitive estimates of the overall rate of change of threshold current



Figure 2-3. Stability of defibrillation threshold current. Data points represent mean values of the threshold current ratio for the 5 dogs in each series at various times after the first fibrillation-defibrillation trial. Average baseline values of threshold current (1.00 on the vertical axis) were 1.40 amp/kg for Series 1, threshold interval = 60 min; 1.10 amp/kg for Series 2, threshold interval = 15 min; and 1.13 amp/kg for Series 3, threshold interval = 5 min. The baseline values are not statistically different (F = 2.49, p = 0.12). The time scale is logarithmic.



Figure 2-4. Stability of defibrillation threshold energy. Data points indicate mean values of the threshold energy ratio for the 5 dogs in each series at various times after the first fibrillation-defibrillation trial. Average baseline values of threshold energy (1.00 on the vertical axis) were 1.23 joules/kg for Series 1, threshold interval = 60 min; 0.87 joules/kg for Series 2 threshold interval = 15 min; and 1.06 joules/kg for Series 3, threshold interval = 5 min. The values are not statistically different (F = 2.34, p = 0.14). The time scale is logarithmic. with time. The slopes were positive for 7 of 15 dogs, negative for 8 of 15 dogs, and not significantly different from zero (mean slope -0.008 amp/kg/hr, n=15, Student's t=0.69, p=0.50).

Threshold delivered energy data were more variable than the current data and appeared to drift slightly downward during the first hour. In all three series, defibrillation threshold energy after one hour was about 10 percent less than the initial threshold energy. The observed decrease in threshold energy was associated with a corresponding decrease in transchest electrical impedence, calculated by dividing peak voltage by peak current (Figure 2-5).

Arterial blood pH, pCO_2 , and pO_2 remained stable in all control series, averaging 7.38, 34 mmHg, and 72 mmHg respectively. To evaluate subtle changes in blood-gas values during the course of experimentation, linear regression functions relating pH, pCO_2 , and pO_2 values to time were computed for each animal. The mean regression coefficients for each series are presented in Table 2-2. One-way analyses of variance reveal no significant differences in the regression coefficients for the three experimental groups, indicating that increasing the frequency of threshold measurements from 1 to 12 per hour did not cause a deterioration in arterial blood gas status. The observed rates of change in arterial blood pH, pCO_2 , and pO_2 ,


Figure 2-5. Stability of transchest electrical impedance. Data points represent mean values of the ratio Z/Z of transchest impedance, Z, at various times after^O the first fibrillation-defibrillation trial to the initial impedance value, Z_O , at time zero. The apparent impedance Z, in ohms between the defibrillating electrodes was calculated as peak voltage/peak current for shocks delivered at the time of end expiration. Absolute values of Z_O for the three series of dogs were 57 ohms for Series 1; 60 ohms for Series 2; and 52 ohms for Series 3. These values are not statistically different (F = 0.72, p = 0.51).

Table 2-2. Linear regression analysis of the stability of arterial blood gas data. Regression coefficients a₀ and a₁ of equations of best fit of the form y=a₀+a₁t are presented as "initial" values and "rate of change" for blood gas variables y=pH, pCO₂, or pO₂ as a function of time, t. Coefficients a₀ and a₁ were computed for each animal. Table entries represent the mean values of the coefficients for the animals in each series.

> The F ratios for one-way analyses of variance and associated p values test the null hypotheses that the coefficients for the three series are the same. The Student's t statistics and associated p values test the null hypotheses that the mean values of the regression coefficients a_1 are zero for the population of all 15 animals. The regression coefficients for the three series are not significantly different, and the coefficients, a_1 , are not significantly different from zero.

Series	Threshold Interval (min)	рн		pC0 ₂		p02	
		Initial	Rate of Change(hr ⁻¹)	Initial (mmHg)	Rate of Change	Initial (mmHg)	Rate of Change
				· · · · ·	(mmHg/hr)		(mmHg/hr)
1	60	7.37	-0.003	35	-0.5	71	-0.2
2	15	7.38	0.006	34	-1.4	71	0.1
3	5	7.39	-0.03	34	1.7	79	-6.3
grand mean		7.38	-0.007	34	-0.067	73	-1.8
F		0.31	3.27	0.04	1.16	0.67	2.40
P		0.74	0.09	0.96	0.36	0.54	0.15
Student's			-1.29		0.03		-1.26
t							
P			0.22		0.98		0.24

indicated by the slopes of the linear regression functions, were not statistically different from zero.

The precision of defibrillation threshold data may be appreciated with reference to Figure 2-6, which illustrates the frequency distributions of the 209 threshold energy and current ratios obtained in all three series. The distributions of the three series were pooled since all have means of 0.97-0.99 and variances which are not significantly different (Bartlett's $x^2 = 0.20$, p = 0.90 for current; Bartlett's $x^2 = 2.84$, p = 0.24 for energy). These histograms illustrate the relative dispersion of threshold data about the baseline established for each animal at the beginning of each experiment. The standard deviations of the distributions are a measure of the reproducibility of the threshold data. Under control conditions the precision of threshold current data is greater than the precision of threshold energy data.

Discussion

In the absence of pharmacologic or pathologic intervention, the threshold current for ventricular defibrillation remains stable in pentobarbital anesthetized dogs. Even though the animal is repeatedly rescued from impending death, there appears to be no cumulative influence of repeated trials of fibrillation and defibrillation upon the threshold current, provided no more than 30 sec of



Figure 2-6. Histograms of threshold current and energy ratios obtained in 15 control dogs. The width of each class interval is 0.05. The value 1.00 on the horizontal axes represents the average of the first three threshold values obtained for each Variance represented by the histograms animal. therefore reflects only variability of individual subjects. The standard deviation of the threshold current distribution is 11 percent of the mean. The standard deviation of the threshold energy distribution is 22 percent of the mean.

fibrillation is permitted on any trial. This conclusion is valid even if threshold is measured as frequently as every five min, under which circumstances there is loss of pulsatile blood pressure for 10-20 percent of the elapsed time. This stability in threshold current is associated with comparable stability in the arterial blood pH, pCO_2 , and pO_2 .

The approximate 10 percent decrease in threshold delivered energy during the first hour of testing is associated with a corresponding decrease of the apparent impedance between the defibrillating electrodes. Geddes (1975) and Chambers (1978) have reported similar decreases in transthoracic impedance during successive ventricular defibrillation trials in animals and in man. These reports imply that the critical variable associated with decreasing impedance is the number of fibrillation-defibrillation trials. In our studies, however, time appears to be a better predictor of subject impedance than trial number. The decrease in transchest impedance during the first hour of testing averaged 4.64 ohms/hour for the dogs of Series 1 and 5.21 ohms/hour for the dogs of Series 3. These values are not statistically different (Student's t = -0.28, p = 0.79) even though threshold was obtained 12 times in Series 3 and only 2 times in Series 1. Accordingly factors other than the number of fibrillation-defibrillation trials, such as impregnation of high resistivity skin with

electrolytic jelly, may be responsible for the slight initial fall in transchest impedance and threshold energy.

Using the method described in this thesis, defibrillation threshold current may be measured with a precision of + 10.9 percent of the mean, as indicated by the standard deviation of a large population of repeated threshold measurements in stable animal preparations. The comparable precision of threshold energy measurements is + 21.8 percent of the mean. The two-fold greater uncertainty in threshold energy is a direct result of the fact that delivered energy is proportional to the square of the peak current. As reported in detail elsewhere (Babbs and Whistler, 1978), the energy, W, delivered by a damped sine wave defibrillator may be calculated from the peak current, I, by an expression of the form $W = aI^2$, where the factor, a, contains terms relating to the internal resistance, inductance, and capacitance of the defibrillator and the transchest impedance of the subject. However, if "a "is taken as a simple constant, all of the observed variance in threshold energy, W, may be explained. Consider Gaussian random variable, I, If $W = aI^2$ with mean value, m_{τ} , and standard deviation σ_{τ} . for any constant, a, then

$$\frac{\sigma_{W}}{m_{W}} = \frac{\frac{\sigma_{I}}{m_{I}} \sqrt{2 \frac{\sigma_{I}^{2}}{m_{I}^{2}} + 4}}{\frac{\sigma_{I}^{2}}{\frac{\sigma_{I}^{2}}{m_{I}^{2}} + 1}}$$

For the special case $\sigma_I^2/m_I^2 << 1$, indicating relatively small variations in I, $\sigma_W/m_W \approx 2\sigma_I/m_I$. If I is taken as the threshold current ratio in defibrillation experiments one would therefore expect

$$\frac{\sigma_W}{m_W} \simeq 2 \frac{0.107}{0.984} = 0.217$$

The observed uncertainty, σ_W/m_W , in the threshold energy ratio was 0.218. Thus the greater uncertainty of threshold energy, compared to threshold current, may be explained by the necessary mathematical relationship between energy and current. The slight decrease in transchest impedance which was observed does not contribute significantly to the variability in threshold energy data.

One additional factor which may be quantitated at this time contributes to the variability in defibrillation threshold data. Some of the variability in measured threshold values is due to the method of threshold determination in which discrete current values differing by approximately 10 percent are tested, rather than due to variation in the animal's true threshold. In a discussion of the precision of defibrillation threshold data, it is worthwhile to identify the magnitude of this sampling variance in order to assess how much of the observed variance in threshold data is due to the experimental animal and how much of the observed variance is due to the experimental protocol.

Suppose the true, physiologic value of the defibrillation threshold current remained absolutely constant at a value I_o and that the distribution of measured thresholds shown in Figure 2-7 is uniform within the interval I_o -1.1I_o. This distribution of measured thresholds would occur if the first suprathreshold shock tested were selected "blindly" with no fixed relation to the true threshold, a situation which exists in practice. In this case, the mean measured threshold would overestimate the true threshold by 5 percent, and the variance of the distribution of measured thresholds may be calculated analytically as:

$$\sigma_{\text{sampling}}^2 = \frac{10}{I_0} \int_{I_0}^{1.1 I_0} I^2 \, dI - (1.05 I_0)^2 = 0.00083 I_0^2$$

Since the mean of the measured values overestimates true threshold by 5 percent ($M_I = 1.05 I_O$), one may express the sampling variance in terms of the mean <u>measured</u> threshold as

$$\sigma_{\text{sampling}}^2 = 0.00076 \text{ M}_1^2 \text{ or } \sigma_{\text{sampling}}^2 = 0.027 \text{M}_1$$

Further, since sampling and physiologic variance are independent phenomena,* the physiologic variance in

That is, the variability of the experimenter and the variability of the animal are not correlated.



Figure 2-7. Uniform distribution of measured threshold currents expected if physiologic variance were zero. Probability density is scaled such that the total area under the distribution function is unity. For a given experiment of n observations, the expected number of observations in class interval, $I + (\Delta I)/2$, would be n f(I) ΔI .

defibrillation threshold current may be estimated as:

$$\sigma_{\text{physiologic}}^2 = \sigma_{\text{observed}}^2 - \sigma_{\text{sampling}}^2 = 0.01188M_{I}^2 - 0.00076M_{I}^2$$
$$= 0.01112M_{I}^2$$

and

$$\sigma_{\rm physiologic} = 0.105 M_{\rm I}$$
 .

That is, if only physiologic variation were present, the standard deviation of measured threshold currents would be 10.5 percent of the mean. This figure is hardly different from the 10.9 percent standard deviation observed using the method described in this thesis. The sampling variance introduced by testing discrete defibrillator currents differing by 10 percent in amplitude is negligible compared to the physiologic variance. Therefore there appears to be little justification for testing defibrillator currents differing by less than 10 percent in the routine measurement of defibrillation threshold.

In summary, these studies show repeated fibrillation and defibrillation are well tolerated by pentobarbitalanesthetized dogs which fibrillate for less than 30 sec. The experimental manipulations inherent in defibrillation studies as described in this thesis do not in themselves alter the phenomena under investigation. The precision of threshold data obtained by the method reported here is limited only by physiologic variability of the animal subject and, in the case of threshold energy, by the mathematical relationship of energy to current. Accordingly the pentobarbital anesthetized dog, prepared as described in this chapter, is a suitable model for pharmacologic studies of ventricular defibrillation.

CHAPTER 3

ALTERATION OF VENTRICULAR DEFIBRILLATION THRESHOLD BY DRUG TREATMENT

This phase of the investigation was conducted to determine if selected cardiac drugs which in theory alter the ventricular defibrillation threshold produce the anticipated effects in the intact animal.

Treatments Which Alter Sodium and Potassium Conductance

The following studies were conducted to determine the effect on ventricular defibrillation threshold of quinidine, which acts primarily by decreasing sodium conductance, and of lidocaine, which acts primarily by increasing potassium conductance. These ionic mechanisms of action are anticipated to cause an increase in defibrillation threshold.

Method

Twenty pentobarbital anesthetized mongrel dogs served as subjects. This anesthetic was chosen because it does not alter the defibrillation threshold. Details of the anesthesia and monitoring have been described in Chapter 2. In brief, threshold was determined by repeated trials of fibrillation and transchest defibrillation, each with a damped sinusoidal defibrillator shock of peak current amplitude 10 percent less than the amplitude of the preceding shock. The lowest intensity shock able to achieve defibrillation, and differing no more than 10 percent in amplitude from a shock which did not defibrillate, was defined as threshold.

The animals were never permitted to fibrillate more than 30 sec prior to defibrillation and never refibrillated until arterial blood pressure had returned to a stable level. The peak voltage and peak current for each shock were recorded on a storage oscilloscope. Only data from the first shocks applied after the onset of ventricular fibrillation were used in the calculation of threshold. Delivered energy was calculated as described by Babbs and Whistler (1978).

The antiarrhythmic drugs used in this study were quinidine gluconate, injection, U.S.P. (Lilly), 80 mg/ml in water vehicle, and lidocaine hydrochloride (Astra), 20 mg/ml, in a water vehicle, pH 6-7. Quinidine was given as a single intravenous bolus (50 mg/kg) to 5 dogs. Lidocaine was given as an intravenous bolus (3 mg/kg) to 5 dogs and as a constant infusion (0.5 mg/kg/min) to another 5 dogs. The 5 dogs in the control group received no drug other than pentobarbital. Ventricular defibrillation threshold was determined at 15 min intervals. Three

pre-drug control threshold determinations served to establish a stable baseline for each animal. The mean of the first three threshold values was defined as 100 percent of control and served as the reference for drug effect in each animal. Drug induced changes in the ECG were also noted.

Results

Figure 3-1 shows the dramatic elevation of the threshold current and energy caused by an intravenous bolus of quinidine gluconate (50 mg quinidine/kg) in 5 dogs. The data points in Figure 3-1 represent mean threshold energy and current ratios. The threshold energy and current ratios were calculated by dividing the individual threshold values by the average of the first three "baseline" threshold values for each animal. The period of negative time on the abscissa represents this baseline. Threshold peak current was increased by 70 percent and threshold delivered energy was increased by 172 percent by 50 mg/kg of intravenous quinidine gluconate. This dose was sufficient to cause systolic blood pressure to fall initially from 170 to 95 mmHg, and diastolic blood pressure to fall initially from 128 to 60 mmHg. Thereafter the magnitude of blood pressure depression gradually diminished at approximately the same rate as the magnitude of defibrillation threshold elevation.

Figure 3-2 illustrates a similar elevation of defibrillation threshold by an intravenous bolus of lidocaine



Figure 3-1. Effect of intravenous quinidine on ventricular defibrillation threshold in 5 dogs. All threshold elevations after quinidine injection are statistically significant (U < 11, p < 0.01) except the final data point at 187 min.



Figure 3-2. Effect of intravenous lidocaine on ventricular defibrillation threshold in 5 dogs. The peak elevation in defibrillation threshold is statistically significant (U < 11, p < 0.01).

in a dose of 3 mg/kg. The maximal elevation of threshold current was 26 percent and the maximal elevation of threshold energy was 48 percent. In contrast to the threshold elevation observed after intravenous quinidine, the effect of lidocaine appeared slower in onset. Administration of lidocaine by continuous intravenous infusion (0.5 mg/kg/min) also caused threshold to rise continuously in another group of 5 dogs (Figure 3-3) to a maximum of 199 percent of control energy and 145 percent of control current after 80 min. Mean blood pressure fell from 150 mmHg at the beginning to 110 mmHg at the end of the lidocaine infusion.

Figure 3-4 illustrates mean threshold energy and current in the control animals which received no drug other than pentobarbital anesthesia. These animals were studied for a longer period of time than any drug treatment group. In control animals, threshold energy decreased by about 10 percent during the first hour of testing and thereafter remained stable. Mean threshold current did not change over a period of 280 minutes.

Discussion

Elevation of ventricular defibrillation threshold by quinidine and lidocaine confirms the predictions of the theory of defibrillation presented in Chapter 1. The scheme of Figure 1-6 predicts that a decrease in sodium conductance



Figure 3-3. Effect of lidocaine infusion on ventricular defibrillation threshold. All threshold elevations after onset of the infusion are statistically significant (U < 14, p < 0.05). After 30 min of infusion threshold elevations are highly significant (U < 11, p < 0.01).



Figure 3-4. Effect of pentobarbital anesthesia only on ventricular defibrillation threshold in 5 dogs. These animals served as controls. The slight, periodic variations in these threshold data were not reproducible in other control series.

will have two effects: first, a slight negative shift of the resting membrane potential, and second, a positive shift of the transmembrane potential at which the depolarizing sodium current exceeds the hyperpolarizing potassium current and generates Phase 0. As a result the theory predicts that any agent which decreases sodium conductance would cause a greater voltage gap between membrane resting and firing potentials which must be overcome by the action of defibrillating current. In fact, quinidine, a drug which decreases sodium conductance, did increase the electric current "dose" for defibrillation. Lidocaine, however, acts by increasing potassium conductance at therapeutic The theory of Chapter 1 predicts that increased doses. potassium conductance would decrease the resting membrane potential slightly and raise the firing threshold at which inward sodium current exceeds outward potassium current. In turn, defibrillation threshold would be expected to increase. This prediction, too, was confirmed by the experimental results. Hence the threshold elevation caused by antiarrhythmic drugs which alter sodium or potassium conductance can be understood in terms of the principles of membrane physiology.

The notion that quinidine and lidocaine acted by different mechanisms to raise defibrillation threshold and in the present studies is confirmed by the electrocardiographic data. In theory, decreased transmembrane sodium

conductance is related to decreased (dV/dt) and in turn to prolonged QRS complex duration, as explained in Chapter 1. Lidocaine in higher concentrations is known to have such a quinidine-like effect (deJong, 1970; Mandel and Bigger, 1971; Weld and Bigger, 1973). However in the present study quinidine prolonged the QRS complex duration while lidocaine did not. Following quinidine (50 mg/kg, i.v.), the mean duration of the QRS complex increased 37 percent and then gradually returned to the control level. The mean percent increase in QRS duration was correlated with the mean percent increase in defibrillation threshold current (r²=0.67, p=0.004). In lidocaine-treated animals, however, QRS duration remained essentially constant, and changes in mean QRS duration were not correlated with changes in mean defibrillation threshold current $(r^2=0.06, p=0.46)$. These findings are consistent with the claim that the effect of lidocaine was produced by a different ionic mechanism than that of quinidine.

<u>Treatments Which Alter the Potassium</u> <u>Equilibrium Potential (E_K)</u>

Theory predicts that the defibrillation threshold will not only be altered by changes in the sodium or potassium conductance of the membrane but also by parallel shifts in the I_K versus E_m function of Figure 1-6(a), caused by changes in the potassium equilibrium potential. The

objectives of the studies reported in this section were as follows:

- To investigate changes in ventricular defibrillation threshold produced by changes in extracellular potassium ion concentration (K_o) in dogs.
- To hold total body potassium content essentially constant during the above studies.
- To measure the intracellular potassium ion concentration
 (K_i) of the ventricular myocardium.
- To plot defibrillation threshold as a function of $E_{K}^{=-61.5 \log(K_{i}/K_{o})}$.

Method

Animal Preparation.

Healthy mongrel dogs weighing 17-20 kilograms served as subjects. Anesthesia was induced with intravenous pentobarbital sodium (25-30 mg/kg) and maintained with additional 2 mg/kg boluses as necessary. No other drug except potassium chloride was administered. Esophageal temperature, the electrocardiogram, aortic blood pressure, respiratory minute volume, and arterial blood pH, pCO₂, and pO₂ were monitored as described in Chapter 2. One hour before the beginning of defibrillation threshold measurements, the right and left ureters were ligated through a midline laparotomy and the wound closed with continuous suture. A bipolar catheter electrode was placed in the right ventricle via a jugular venous cut-down to initiate ventricular fibrillation.

Defibrillation threshold was determined three times during the 120 min period before potassium administration and three times during the 120 min period after potassium administration. Plasma levels of sodium and potassium in arterial blood were monitored at 10-20 min intervals using an Instrumentation Laboratories Model 443 flame photometer. After the first three pre-drug threshold determinations, intravenous potassium chloride in a dose of 1.0 mEq/kg was given slowly over a period of 5-10 min as the electrocardiogram was closely monitored for arrhythmias. Following this injection, a slow infusion of potassium chloride at 0.01 mEq/kg/min was begun using a motor driven syringe. After stable, elevated levels of plasma potassium were attained, three more measurements of the defibrillation threshold were made during the 120 min following the onset of potassium administration.

Measurement of Intracellular Potassium Concentration.

Following completion of the defibrillation threshold measurements, the potassium infusion was stopped and median sternotomy and pericardiotomy were performed. The heart was perfused first with lactated Ringer's solution and then with

5 percent dextrose in water via a cannula placed in the left bracheocephalic artery. All other branches of the aortic arch except of the coronary arteries were ligated. Before perfusion, the cavae and descending thoracic aorta were clamped; the atria were cut to promote drainage of blood and perfusate. After perfusion with 500 ml of lactated Ringer's solution, a 1 gram sample of right ventricular muscle nourished by the left anterior descending coronary artery was excised for assay of sodium and potassium content. Then perfusion with 500 ml of dextrose solution was carried out and a 1 gram sample of right ventricular muscle nourished by the right coronary artery was excised for assay of tissue sodium and potassium content. The assay procedure employed overnight digestion of the tissue samples in 10 volumes of 1 molar H₂SO₄ at 80°C. Such digestion for 1 hour or longer produced maximal recovery of sodium and potassium from the pieces of myocardium. Assay of the supernatant solution for sodium and potassium concentration was accomplished using an Instrumentation Laboratories Model 443 flame photometer, calibrated with solutions of 1 molar H2SO4 containing known concentrations of Na^{$\frac{1}{2}}$ and K⁺ ions. Samples of coronary sinus</sup> effluent taken after perfusion with 400 ml of each solution provided a measure of extracellular sodium and potassium concentrations in each case. Perfusion pressure was always 80-120 mmHg.

Calculation of the Fractional Extracellular Fluid Volume.

Total tissue sodium concentration, Na_t , is given by the expression

$$Na_t = \sigma_0 Na_0 + \sigma_1 Na_1$$

where σ_0 = volume fraction of the extracellular space $\sigma_i = 1 - \sigma_0$ = volume fraction of the intracellular space Na_i = intracellular sodium concentration Na₀ = extracellular sodium concentration.

Assuming that sodium ions cross intact cell membranes slowly, total tissue sodium is linearly related to extracellular sodium concentration, with intracellular sodium remaining constant, when the tissue is perfused with isotonic solutions of differing sodium concentrations. Hence, σ_0 may be calculated from measurable quantities as

$$\sigma_{o} = \frac{\Delta Na_{t}}{\Delta Na_{o}} = \frac{Na_{t}(Ringer's) - Na_{t}(dextrose)}{Na_{o}(Ringer's) - Na_{o}(dextrose)}$$

Calculation of Intracellular Potassium Concentration.

Once σ_0 is known, intracellular potassium concentration is then calculated from total tissue and plasma potassium concentrations as

$$K_{i} = \frac{K_{t} - \sigma_{o}K_{o}}{1 - \sigma_{o}}$$

Investigation of Higher Levels of K .

The potassium treatment schedule for the 10 animals just described was designed to produce stable elevations of extracellular potassium concentration near the maximal levels tolerated by the animals, without profound hypotension, paralysis of the sinoatrial or atrioventricular nodes, or intractable tachyarrhythmias.

In preliminary experiments such complications did occur with more rapid rates of potassium infusion. To elucidate the influence of high concentrations of extracellular potassium upon defibrillation threshold, an experiment was designed to determine at what concentration of extracellular potassium the ventricles of dogs would spontaneously defibrillate, that is, at what level of K defibrillation threshold was zero. These studies were carried out in open-chest dogs in whom cardiac output was maintained by a left ventricular bypass pump. The problem of circulatory collapse produced by very high levels of plasma potassium was thus obviated. No defibrillator was needed for the study. Neither was it necessary to establish a control level of the defibrillation threshold, since zero threshold current is equivalent to zero percent of control in any case.

Nine pentobarbital anesthetized dogs served as subjects for this study. After median sternotomy and pericardiotomy had been performed, surgical hemostasis secured, and heparin (2 mg/kg i.v.), administered ventricular fibrillation was initiated by 60 Hz stimulation of the right ventricular surface. Each animal was immediately placed on a La Farge-type left ventricular bypass system. As shown in

Figure 3-5, blood was withdrawn from the left ventricle through a large bore multiple side-hole cannula inserted through a small stab wound in the cardiac apex. Blood withdrawn from the left ventricle was led through a Travenol roller pump and reinfused into the animal via a large bore, right-angle cannula previously placed in the abdominal aorta. Prior to institution of the bypass, the tubing was filled with warmed (30-40°C) Ringer's solution. Care was taken to ensure that the left ventricular cannula was not pushed through the aortic valve from the left ventricle, since a short circuit would have been created. To promote venous return, the animal's hindquarters were elevated 30 degrees and up to 1000 ml of additional Ringer's solution infused as necessary to maintain a stable artificial cardiac output.

After the bypass system had been adjusted, potassium chloride was infused via the femoral vein at a rate of 0.2 mEq/kg/min, calculated to raise the extracellular potassium concentration by approximately 1 mEq/L/min. Esophageal temperature, the electrocardiogram, arterial blood pressure, and arterial blood pH, pCO₂, and pO₂ were



Figure 3-5. Principle of open-chest left ventricular bypass. The left ventricle, LV, is catheterized via a stab wound in the cardiac apex. The roller pump provides an artificial left ventricular output, which is returned to the abdominal aorta. The negative pressure created in the left ventricle and left atrium is sufficient to draw systemic venous blood through the pulmonary vasculature.

monitored as described in Chapter 2. Two arterial blood samples were taken at the time of spontaneous, chemical defibrillation for analysis of plasma potassium concentra-The first sample was taken at the moment fibrillation tion. appeared to cease, as judged by the electrocardiogram and direct visual inspection of the heart. The second sample was taken when defibrillation was confirmed by electrical pacing of the ventricles by single 10 volt, 2 msec stimuli applied to the ventricular surface with hand-held bipolar electrodes. Generation of ventricular ectopic beats in the electrocardiogram was taken as confirmation of ventricular defibrillation. The average plasma potassium concentration of the first and second samples was taken as the level required for defibrillation with zero current and energy.

Results

The stable elevation of plasma potassium concentration produced by the "bolus plus infusion" technique in ten dogs is illustrated in Figure 3-6. The technique described produced a stable plateau of extracellular potassium concentration for defibrillation studies. The overall mean control potassium level was 3.9 mEq/L and the overall post potassium infusion level was 7.5 mEq/L. Calculated levels of intracellular potassium concentration in 4 of these animals and in 4 animals which did not receive prior potassium infusions are given in Table 3-1.



Figure 3-6. Elevation of plasma potassium in 10 dogs produced by a slow intravenous injection of potassium chloride, 1.0 mEq/kg, followed by a constant infusion of potassium chloride, 0.01 mEq/kg/min.

The mean value for intracellular potassium was 91 mEq/1 and the standard error of the mean was 3.6 mEq/1. Intracellular potassium concentrations of dogs which received potassium treatment were not significantly different from those of dogs which did not (t = 0.66, p = 0.53).

Figure 3-7 summarizes the effects of increased extracellular potassium concentration on ventricular defibrillation threshold. Defibrillation threshold as percent of control is plotted as a function of plasma potassium concentration and of calculated potassium equilibrium potential. The left-hand and middle data points represent mean control and post-potassium infusion threshold values. The righthand data point represents the mean plasma potassium concentration for spontaneous defibrillation with zero current or energy. The upper scale for potassium equilibrium potential was calculated from the Nernst equation using the mean value of intracellular potassium concentration reported in Table 3-1. As extracellular potassium concentration is increased, ventricular defibrillation threshold dramatically decreased, reaching zero value when K was 16.6 mEq/l and E_{κ} was -46 mV.

Discussion

The theory developed in Chapter 1 predicts that the defibrillation threshold should be related to the potassium equilibrium potential, E_{K} . As E_{K} is increased, the gap between the theoretical equilibria for resting



Figure 3-7. Effect of elevated extracellular potassium concentration on ventricular defibrillation threshold in dogs.

Table 3-1. Ionic concentrations in canine ventricular muscle. σ_i =volume fraction of extracellular space; Na_t=tissue sodium concentration; K_t=tissue potassium concentration; Na_i=intracellular sodium concentration; K_i=intracellular potassium concentration. Prior KCl=KCl 1.0 mEq/kg i.v. slowly, followed by KCl 0.01 mEq/kg/min for 120 min. Student's t tests the null hypothesis that values for dogs 1-4 (no prior KCl) are equal to values for dogs 5-8 (prior KCl treatment). Prior KCl did not cause significant changes in the tabulated values.

Dog #	Prior	σi	Nat	ĸt	Na	K _i	
	KCI		mEq/1	mEq/l	mEq/1	mEq/1	
1	no	0.27	37	54	16	77	
2	no	0.26	45	82	15	109	
3	no	0.15	31	71	14	83	
4	no	0.20	36	69	11	85	
5	yes	0.26	40	75	7	99	
6	yes	0.18	29	73	6	88	
7	yes	0.17	34	76	17	90	
8	yes	0.24	40	74	8	97	
Mean		22	37	72	12	91	
S.D.		4.7	5.2	8.1	4.3	10.2	
t		0.66	0.38	-0.95	1.63	-0.66	
P (two-		0.53	0.72	0.38	0.15	0.53	

tailed)

membrane potential and cellular-firing threshold narrows. This change in turn is predicted to decrease the defibrillation threshold. At some value of E_K less negative than normal, theory predicts that defibrillation threshold is zero. As indicated in Figure 3-7, the decrease in defibrillation threshold is in fact related to the increase in E_K , and defibrillation threshold falls to zero at half the normal negative value of E_K . Thus the influence upon defibrillation threshold of drugs which alter the potassium equilibrium potential may also be understood in terms of fundamental concepts of membrane physiology.

Discussion of Drug Effects on Ventricular Defibrillation Threshold

Drug effects on defibrillation threshold are of potential clinical importance because patients who fibrillate may have been placed on maintenance inotropic or antiarrhythmic drug therapy or admitted to coronary care units where antiarrhythmic drugs may be given routinely. Intravenous lidocaine by bolus injection or continuous infusion is currently recommended for hospitalized patients following acute myocardial infarction for suppression of ventricular arrhythmias (Hurst, 1974; Rawlings, 1976). Nonetheless, patients receiving lidocaine may still fibrillate (Pantridge, 1975). A variety of drugs may be given prior to defibrillation in attempts at cardiopulmonary resuscitation. Since some authors have indicated that present commercial defibrillators, which store 400 joules of energy, may have marginal or inadequate output for heavyweight patients (Tacker, 1974; Collins, 1978), the question of whether cardiac drugs alter the electrical shock strength required for defibrillation becomes especially pertinent.

The present studies show that members of three classes of cardiac drugs alter the energy and current for electrical ventricular defibrillation. Quinidine, a drug which acts primarily by decreasing transmembrane sodium conductance, and lidocaine, a drug which acts primarily by increasing transmembrane potassium conductance, raise defibrillation threshold. Potassium chloride, a drug which acts by making potassium equilibrium potential less negative, lowers the defibrillation threshold. These findings significantly augment the literature concerning drug interactions with defibrillating current.

The only previous report of the influence of antiarrhythmic drugs upon ventricular defibrillation threshold is that of Woolfolk (1966), who found that quinidine (10-60 mg/kg, i.v.) decreased the likelihood of successful ventricular defibrillation in dogs given transchest shocks of 30, 40, or 50 joules. The present studies confirm Woolfolk's conclusion and also demonstrate that failure to defibrillate in the presence of quinidine may be reversed by the use of increased electric shock strength.

Lown (1968) reported that the mean stored energy for ventricular defibrillation by damped sinusoidal current in 5 dogs, given toxic doses of acetyl strophanthidin and ouabain, was 42 joules compared to the pre-drug value of 58 joules. In this study, digitalis glycosides appeared to decrease defibrillation threshold by 27 percent, although the difference was not statistically significant. Lown's data were obtained in animals given digitalis glycosides in doses sufficient to produce ventricular tachycardia. Fibrillation was produced by transthoracic direct current shocks delivered during the "vulnerable period" of the cardiac cycle. The post-defibrillation rhythm was always ventricular tachycardia, not sinus rhythm. However, when ventricular fibrillation was caused by higher doses of digitalis in three of these animals, the arrhythmia could not be reverted, even by multiple, high energy shocks.

Tacker (1975) found a dose-related decrease in defibrillation threshold current and energy in dogs following a single intravenous dose of ouabain. A dose of 50 μ g/kg, corresponding to that used in Lown's study, produced an average maximum decrease in threshold energy of 29 percent, a finding virtually identical to that of Lown. However, at a higher dose, 80 μ g/kg, Tacker reported that the lethal mechanism in 2 of 4 dogs was electromechanical dissociation following successful defibrillation rather than failure to defibrillate. Both studies, however, agree that high,
but not lethal, doses of ouabain decrease the defibrillation threshold.

These findings are consistent with the effects of potassium reported in this thesis and may be explained as an indirect effect of the well-known inhibition of membrane-bound sodium/potassium ATPase by digitalis glycosides. This cellular effect of digitalis preparations causes inhibition of active transport of sodium ions out of and potassium ions into myocardial cells. As a result, there is a net outward leakage of potassium ions (Langer and Serena, 1970) which conceivably could produce local elevations in extracellular potassium concentration with resultant depression of the defibrillation threshold.

These indirect alterations in defibrillation threshold by induced changes in local extracellular potassium concentration may also explain the recent (unpublished) observation in our laboratories that defibrillation threshold decreases following durations of fibrillation and total circulatory arrest lasting more than 2 min. In addition to depression of defibrillation threshold, we have found in preliminary experiments that the potassium concentration of blood recovered from the coronary vascular bed increases progressively as the duration of fibrillation and cardiac anoxia is lengthened. Such hearts, which have fibrillated for more than 2 min exhibit hypocontractility following defibrillation which may be reversed by calcium

administration or several minutes of cardiac massage and ventilation ("washing out" of the coronary vascular bed). These preliminary observations lead to the hypothesis that accumulation of extracellular potassium ions may lead to depression of both defibrillation threshold and post-defibrillation cardiac contractility after prolonged durations of fibrillation. Hence, although elevations of extracellular potassium concentration as great as those reported in the present studies would never be produced for therapeutic reasons, the finding of threshold depression by potassium may be important in understanding various pathophysiologic states.

Koning and associates (1973) have reported calcium and magnesium induced changes in the shock strength required for ventricular defibrillation using dog preparations in which the coronary circulation was maintained during fibrillation by means of a bypass pump. Using a unique double pulse technique, Koning found that after doubling the plasma calcium concentration, the second of two shocks delivered 5-10 msec apart must be increased in amplitude to achieve defibrillation. Doubling of plasma magnesium concentration caused the threshold amplitude of the second shock to decrease. These results may be analogous to an increase in the single shock defibrillation threshold by calcium and a decrease in the single shock defibrillation

by the theory developed in Chapter 1 to the extent that (1) calcium blocks sodium conductance and (2) magnesium acts as a calcium antagonist.

Although by no means a local anesthetic in most respects, calcium may have a local anesthetic-like action upon sodium conductance. Weidmann (1955) was the first to study the electrophysiologic properties of calcium in cardiac tissue. Using multiple microelectrodes in calf and sheep Purkinje fibers, this investigator found an increase in the cellular firing potential from -68 to -61 mV when extracellular calcium concentration was raised fourfold. However, since transmembrane resistance was unchanged or slightly decreased and since $(dV/dt)_0$ was increased by added calcium, the author concluded that calcium does not decrease sodium conductance in the manner of local anesthetics.

Such a "local anesthetic" effect of calcium ions, however, has been reported by others in both nerve and ventricular muscle. Frankenhaeuser and Hodgkin (1957) studied voltage-clamped squid axons bathed by 0, 4, 22, and 112 mM Ca⁺⁺ solutions made isotonic with choline and sodium salts. They found that increased extracellular calcium concentration decreased inward sodium current and transmembrane sodium conductance (gNa). The curve relating gNa to transmembrane potential was shifted 15 mV to the right (less negative) by a fivefold increase in calcium

concentration. That is, 15 mV greater depolarization was required to produce a given gNa. Calcium, like local anesthetics or quinidine, also decreased potassium current and conductance. Unlike local anesthetics, however, calcium did not decrease the maximal sodium conductance.

Beeler and Reuter (1970) developed a voltage-clamp method utilizing a sucrose gap and glass microelectrodes to study dog ventricular fiber bundles. Although these authors admitted some technical difficulties in measuring large inward sodium currents during Phase 0, they obtained curves relating peak transient (inward sodium) current to transmembrane potential (E_m) similar to those for squid axon. In these studies, ventricular muscle activation curves for qNa were shifted in a parallel fashion toward less negative voltages by increased extracellular calcium concentration. The E_m for 50 percent of maximal activation of gNa was shifted from -64 mV to -58 mV to -54 mV as extracellular calcium was increased from 0.2 mM to 1.8 mM to 7.2 mM. To the extent that such a "local anesthetic" action of calcium occurred in Koning's defibrillation studies, his finding of increased second pulse amplitude for defibrillation in hypercalcemia is consistent with the studies reported in this thesis using quinidine, a drug which also decreases sodium conductance.

Perhaps the most useful result of the present investigation is the development of a theory which relates

ventricular defibrillation threshold to four fundamental parameters of membrane physiology: gNa, gK, E_{Na} , and E_{K} . Such a theory readily suggests fruitful areas for further experimentation. These include both investigations of cardiac drugs known to alter gNa, gK, or both such as procaine amide, diphenylhydantoin, or propranolol, and investigations of pathophysiologic states which are known to increase potassium efflux from cells such as hypoxia (Singh, 1971/72; Lehr and Chau, 1973) or hypertension (Hochrein, 1971/72). These and similar studies, using the canine model described in this thesis, can be undertaken with confidence that the data obtained will be stable and reproducible and will demonstrate any true alterations in ventricular defibrillation threshold.

BIBLIOGRAPHY

BIBLIOGRAPHY

Arnsdorf, M.F. and Bigger, J.T., "The Effect of Lidocaine on Membrane Conductance in Mammalian Cardiac Purkinje Fibers," J. Clin. Invest., 51, 2252-2263, 1972.

Arnsdorf, M.F. and Bigger, J.T., "Effect of Lidocaine on Components of Excitability in Long Mammalian Cardiac Purkinje Fibers," J. Pharmacol. Exp. Ther., 195, 206-215, 1975.

Arnsdorf, M.F., "Electrophysiologic Properties of Antiarrhythmic Drugs as a Rational Basis for Therapy," Medical Clinic of North America, 60, 213-232, 1976.

Babbs, C.F. and Whistler, S.J., "Evaluation of the Operating Internal Resistance, Inductance, and Capacitance of Damped Sine Wave Defibrillators," Medical Instrumentation, January, 1978 (in press).

Bassett, A.L. and Wit, A.L., "Recent Advances in Electrophysiology of Antiarrhythmic Drugs," Progr. Drug. Res. 17, 34-58, 1973.

Beck, C.S., Pritchard, W.H., Fiel, H.S., "Ventricular Fibrillation of Long Duration Abolished by Electric Shock," JAMA 135, 985-986, 1947.

Beeler, G.W. and Reuter, H., "Voltage Clamp Experiments on Ventricular Myocardial Fibres," J. Physiol. (Lond.) 207, 165-190, 1970.

Bigger, J.T. and Mandel, W., "The Effect of Lidocaine on the Electrophysiologic Properties of Ventricular Muscle and Purkinje Fibers," J. Clin. Invest. 49, 63-77, 1970.

Brodie, B.B., Boms, J.J., Morc, L.C., Lief, P.A., Burnstein, E., and Papper, E.M., "The Fate of Pentobarbital in Man and Dog and a Method for its Estimation in Biological Material," J. Pharm. Exp. Ther. 109, 26-34, 1953.

Chambers, W., Miles, R., and Stratbucker, R,, "Human Chest Resistance During Successive Countershocks,"Medical Instrumentation, January, 1978 (in press). Collins, R.E., Giuliani, E.R., Tacker, W.A. and Geddes, L.A., "Transthoracic Ventricular Defibrillation: Success and Body Weight," Medical Instrumentation, January, 1978 (in press).

Davis, L.D. and Temte, J.V., "Electrophysiological Actions of Lidocaine on Canine Ventricular Muscle and Purkinje Fibers," Circ. Res. 24, 639-655, 1969.

deJong, R.A., <u>Physiology and Pharmacology of Local Anesthesia</u>, Charles C. Thomas, Springfield, Illinois, 1970.

Deck, K., Kern, A., and Trautwein, W., "Voltage Clamp Technique in Mammalian Cardiac Fibres," Pflügers Arch. ges. Physiol., 280, 50-62, 1964.

Dresel, P.E., "Cyclopropane-epinephrine cardiac arrhythmias," in Price, H.L., and Ohen, P.J., Effects of Anesthetics on the Circulation, Charles C. Thomas, Springfield, Illinois, 1964.

Effendi, H., Versprille, A., and Wise, M.E., "The Negative Inotropic Effect of Barbiturates on the Heart of Newborn and Adult Guinea-pigs," Arch. Int. Pharmacodyn. 209, 127-143, 1973.

Ehrenstein, G., "Ion Channels in Nerve Membranes," Physics Today, 33-39, October, 1976.

Etsten, B., and Li, T.H., "Hemodynamic Changes During Thiopental Anesthesia in Humans: Cardiac Output, Stroke Volume, Total Peripheral Resistance, and Intrathoracic Blood Volume," J. Clin. Invest. 34, 500, 1955.

Flacke, W., and Alper, M.H., "Actions of Halothane and Norepinephrine In the Isolated Mammalian Heart," Anesthesiology 23, 793-801, 1962.

Fozzard, H.A. and Beeler, G.W., "The Voltage Clamp and Cardiac Electrophysiology," Circulation Research 37, 403-413, 1975.

Frank, J.S. and Langer, G.A. "The Myocardial Interstitium: Its Structure and Its Role in Ionic Exchange," J. Cell Biol. 60, 586-601, 1974.

Frankenhaeuser, B., and Hodgkin, A.L., "The Action of Calcium on the Electrical Properties of Squid Axons," J. Physiol. 137, 218-244, 1957.

Friedberg, C.K., Diseases of the Heart, Vol. 1, Philadelphia, Pa., W.B. Saunders Company, 1966.

Garrey, W.E., "The Nature of Fibrillary Contraction of the Heart: Its Relation to Tissue Mass and Form," Am. J. Physiol. 33, 397-406, 1914.

Geddes, L.A., Tacker, W.A., McFarlane, M.D., Bourland, J.D., "Strength-Duration Curves for Ventricular Defibrillation in Dogs," Circ. Res., 27, 551-560, 1970.

Geddes, L.A., Tacker, W.A., Rosborough, J.P., Moore, A.G., Cabler, B.S., Bailey, M., McCrady, J.D., Witzel, D., "The Electrical Dose for Ventricular Defibrillation with Electrodes Applied Directly to the Heart," J. Thoracic Cardiovasc. Surg., 68, 593-602, 1974.

Geddes, L.A., and Baker, L.E., <u>Principles of Applied</u> <u>Biomedical Instrumentation</u>, Second Ed., John Wiley and Sons, New York, 1975.

Geddes, L.A., Tacker, W.A., Cabler, P., Chapman, R., Rivera, R., and Kidder, H., "The Decrease in Transthoracic Impedance During Successive Ventricular Defibrillation Trials," Medical Instrumentation, Vol. 9, No. 4, July-August, 1975.

Geddes, L.A., 1977 Personal Communication.

Gettes, L.S., Surawicz, B., and Shive, "Effect of High K, Low K, and Quinidine on QRS Duration and Ventricular Action Potential, Am. J. Physiol., 203, 1175, 1962.

Gibbons, W.R. and Fozzard, H.A., "Slow Inward Current and Contraction of Sheep Cardiac Purkinje Fibers," J. Gen. Physiol., 65, 367-385, 1975.

Goldstein, A., and Aronow, L., "The Duration of Action of Thiopental and Pentobarbital," J. Pharm. Exp. Ther. 128, 1-6, 1960.

Grubbs, S. and Wilcos, P., Unpublished observations, Spring 1975.

Guide for the Care and use of Laboratory Animals, U.S. Department of Health, Education and Welfare, DHEW Pub. No. (NIH) 73-23, Revised 1972.

Gurvich, N.L. and Yuniev, G.S., "Restoration of the Heart Rhythm During Fibrillation by a Condenser Discharge," Am. Rev. Soviet Med., 4, 252-256, 1947. Hardman, H.F., Moore, J.I., and Lum, B.K.B., "A Method for Analyzing the Effect of pH and the Ionization of Drugs Upon Cardiac Tissue with Special Reference to Pentobarbital," J. Pharmacol. Exp. Therap. 126, 136-142, 1959.

Heissenbuttel, R.A. and Bigger, J.T., "The Effect of Oral Quinidine on Intraventricular Conduction in Man: Correlation of Plasma Quinidine with Changes in QRS Duration," Am. Heart J., 80, 453-462, 1970.

Hochrein, H., Hunsmann, G., and Stoepel, K., "Changes of Intracellular Myocardial Electrolytes in Experimental Hypertension," Cardiology 56, 96-99, 1971/72.

Hodgkin, A.L. and Huxley, A.F., "A Quantitative Description of Membrane Current and Its Application to Conduction and Excitation in Nerve," J. Physiol., 117, 500-544, 1952.

Hoffman, B.F. and Cranefield, P.F., <u>Electrophysiology of</u> the Heart, McGraw-Hill, New York, 1960.

Hooker, D.R., "On the Recovery of the Heart in Electric Shock," Am. J. Physiol. 91, 305-328, 1930.

Hooker, D.R., Kouwenhoven, W.B. and Langworthy, O.R., "The Effect of Alternating Electrical Current on the Heart," Am. J. Physiol. 103, 444-454, 1933.

Hurst, J.W., Logue, R.B., Schlant, R.C. and Wenger, N.D., Eds. The Heart Arteries and Veins, 3rd Edition, McGraw-Hill Book Company, New York, 1974.

Kabela, E., "The Effects of Lidocaine on Potassium Efflux from Various Tissues of Dog Heart," J. Pharmacol. Exp. Ther., 184, 611-618, 1973.

Koning, G., Charbon, G.A., and Schneider, H., "The Influence of Magnesium and Calcium on Defibrillation of the Canine Heart," Proceedings of the 1st International Symposium on Magnesium Deficit in Human Pathology, Villel, France, 361-363, 1973.

Kouwenhoven, W.B. and Milnor, W.R., "Treatment of Ventricular Fibrillation Using a Capacitor Discharge," J. Appl. Physiol. 7, 253-257, 1954.

Lown, B., Neuman, J., Amarasingham, R., et al., "Comparison of Alternating Current with Direct Current Electroshock Across the Closed Chest," Am. J. Cardiol., 10, 223-233, 1962. Lown, B., Kleiger, R., and Williams, J., "Cardioversion and Digitalis Drugs: Changed Threshold to Electric Shock in Digitalized Animals," Circulation Res., 17, 519-531, 1965.

Langer, G.A. and Serena, S.D., "Effects of Strophanthidin upon Contraction and Ionic Exchange in Rabbit Ventricular Myocardium: Relation to Control of Active State," J. Mol. Cell Cardiol. 1, 65-90, 1970.

Lehr, D., and Chau, R., "Changes of the Cardiac Electrolyte Content During Development and Healing of Experimental Myocardial Infarction," in Dhalla, N.S. (Ed.) <u>Recent</u> <u>Advances in Studies on Cardiac Structure and Metabolism</u>, Vol. 3, University Park Press, Baltimore, MD, 1973.

Mandel, W.J. and Bigger, J.T., "Electrophysiologic Effects of Lidocaine on Isolated Canine and Rabbit Atrial Tissue," J. Pharmacol. Exp. Ther., 178, 81-93, 1971.

McCall, D., "Effect of Quinidine on Cation Exchange in Cultured Cells," J. Pharmacol. Exp. Ther. 197, 605-614, 1976.

Mines, G.R., "On Dynamic Equilibrium in the Heart," J. Physiol. 44, 349, 1913.

Miura, D.S., Hoffman, B.F. and Rosen, M.R., "The Effect of Extracellular Potassium on the Intracellular Potassium ion Activity and Transmembrane Potentials of Beating Canine Cardiac Purkinje Fibers," J. Gen. Physiol., 69, 463-474, 1977.

Morrow, D.H., Haley, J.V. and Logic, J.R., "Anesthesia and Digitalis VIII. The Effect of Pentobarbital, Halothane, and Methoxyflurane on the A-V Conduction and Inotropic Responses to Ouabain, Anesthesia and Analgesia 51, 430-438, 1972.

Pantridge, J.F., Adgey, A.A.J., Geddes, J.S. and Webb, S.W., <u>The Acute Coronary Attack</u>, Grune and Stratton, New York, 1975.

Prevost, J.L. and F. Batelli, Death by Electric Currents (Alternating Current), <u>C.R. Acad. De. Sci</u>. 128, 668-670, 1899.

Prevost, J.L. and Batelli, F., "Death by Electric Current (Constant Current)," C.R. Acad. De. Sci. 128, 842-844, 1899.

Prevost, J.L. and Batelli, F., "Some Effects of Electric Discharge on the Hearts of Mammals," <u>C.R. Acad. De. Sci.</u>, 129, 1267-1268, 1899.

Prevost, J.L. and Batelli, F., "Death by Electric Discharge," C.R. Acad. De. Sci., 129, 651-654, 1899.

Priano, L.L., Traber, D.L., and Wilson, R.D., "Barbiturate Anesthesia: An Abnormal Physiologic Situation," J. Pharm. Exp. Ther. 165, 126-135, 1969.

Price, H.L., and Helrich, M., "The Effect of Cyclopropane, Diethyl Ether, Nitrous Oxide, Thiopental, and Hydrogen Ion Concentration on the Myocardial Function of the Dog Heart-Lung Preparation," J. Pharmacol. Exp. Therap. 115, 206-216, 1955.

Price, H.L., Kounat, P.J., Safer, J.N., Conner, E.H., and Price, M.L., "The Uptake of Thiopental by Body Tissues and Its Relation to the Duration of Narcosis," Clin. Pharmac. Ther. 1, 16-22, 1960.

Prinzmetal, M., Ishikawa, K., Oishi, H., Ozkan, E., Wakayama, J., and Baines, J.M. "Effects of Quinidine on Electrical Behavior in Cardiac Muscle," J. Pharmacol. Exp. Ther. 157, 659-644, 1970.

Rawlings, M.S., "Acute Myocardial Infarction" in Conn, H.F., Ed., Current Therapy 1976: Latest Approved Methods of Treatment for the Practicing Physician, W.B. Saunders Company, Philadelphia, PA, 1976.

Regulations for Animal Facilities and Care, Purdue University, May 1972.

Rosen, M.R. and Hoffman, "Mechanisms of Action of Antiarrhythmic Drugs," Circulation Research, 32, 1-8, 1973.

Sano, T., Tsuchihashi, H. and Shimamoto, T., "Ventricular Fibrillation Studied by the Microelectrode Method," Circ. Res. 6, 41-46, 1958.

Scherf, D. and Terranova, R., "Mechanism of Auricular Flutter and Fibrillation," Am. J. Cardiol., 159, 137-141, 1949.

Schumann, R.E., Geddes, L.A. and Hoff, H.E., "Prolonged Left Ventricular Bypass by Transvalvular Aortic Catheterization I. Physiologic Effects and Rationale of Surgical Concept," Surgery 67, 957-968, 1970. Singh, B.N. and Vaughan- Williams E.M., "Effect of Altering Potassium Concentration on the Action of Lidocaine and Diphenylhydantoin on Rabbit Atrial and Ventricular Muscle," Circulation Research 29, 286-297, 1971.

Singh, C.M., Flear, C.T.G., Nandra, A., and Ross, D.N. "Electrolyte Changes in the Human Myocardium After Anoxic Arrest," Cardiology, 56, 128-135, 1971/72.

Singh, B.W. and Hauswirth, O., "Comparative Mechanisms of Action of Antiarrhythmic Drugs," Am. Heart J., 87, 367-382, 1974.

Singh, B.N., "Antiarrhythmic Effects of Local Anesthetics and Calcium Antagonists," Pharmac. Ther. C., 2, 125-150, 1977.

Smith, S.L., Webb, W.R., Sabian, L.W., Hagaman, V.D., "Cardiac Excitability in Ether, Cyclopropane and Halothane Anesthesia," Anesthesiology, 23, 766-775, 1962.

Stephensen, H.E., <u>Cardiac Arrest and Resuscitation</u>, C.V. Mosby Company, St. Louis, 1974.

Tacker, W.A., Galioto, F.M., Giuliani, E., Geddes, L.A., McNamara, D.G., "Energy Dose for Human Transchest Electrical Ventricular Defibrillation," N. Eng. J. Med., 290, 214-215, 1974.

Tacker, W.A., Geddes, L.A., Kline, B., and Borton, C., "Alteration of Electrical Defibrillation Threshold by the Cardiac Glycoside, Ouabain," <u>Proceedings of the Cardiac</u> <u>Defibrillation Conference</u>, Purdue University, West Lafayette, Indiana, 129-133, 1975.

Trautwein, W., "Membrane Currents in Cardiac Muscle Fibers," Physiol. Rev. 53, 793-835, 1973.

Weld, F.M. and Bigger, J.T., "Effect of Lidocaine on Kinetics of the Fast Sodium Current in Cardiac Purkinje Fibers," (Abstract) Circulation, 48, IV-108, 1973.

Welt, L.G., "Agents Affecting Volume and Composition of Body Fluids," in <u>The Pharmacological Basis of Therapeutics</u>, Goodman, L.S. and Gilman, A., Eds., The Macmillan Company, New York, 1970.

Woodbury, W.J., "Cellular Electrophysiology of the Heart," in Handbook of Physiology Vol. I, Section 2, "Circulation" WF Hamilton, Ed., American Physiological Society, Washington, DC, 1962. Woolfolk, D.I., Chaffee, W.R., Cohen, W., Neville, J.F. and Abildskov, J.A., "The Effect of Quinidine on Electrical Energy Required for Ventricular Defibrillation," Am. Heart J., 72, 659-663, 1966.

Yeh, J.Z. and Narahashi, T., "Mechanism of Action of Quinidine on Squid Axon Membranes," J. Pharmacol. Exp. Ther., 196, 62-70, 1976.

Vassalle, M., "Generation and Conduction of Impulses in the Heart Under Physiological and Pathological Conditions," Pharmac. Ther. B, 3, 1-39, 1977.

Wagner, J.G., A Safe Method for Rapidly Achieving Plasma Concentration Plateaus, Clin. Pharmacol. Ther., 16, 691-700, 1974.

Weidmann, S., "Electrical Constants of Purkinje Fibers," J. Physiol. 118, 348, 1952.

Weidmann, S., "Effects of Calcium Ions and Local Anesthetics on Electrical Properties of Purkinje Fibers," J. Physiol. 129, 568-582, 1955.

Zipes, D.P., "Ventricular Fibrillation: Mechanisms of Initiation, Maintenance and Termination," <u>Proceedings</u> of Cardiac Defibrillation Conference, October 1-3, 1975, Purdue University, West Lafayette, Indiana.

Zoll, P.M., Linenthal, A.J., Gibson, W. et al., "Termination of Ventricular Fibrillation in Man by Externally Applied Electric Countershock," New Eng. J. Med. 254, 727-732, 1956. VITA

Charles Frederick Babbs, Jr. was born July 6, 1946 in Toledo, Ohio. After preparation in public school systems, he entered Yale University in 1964 and graduated with a B.A. in psychology in 1968. He taught physics, chemistry, and general science at Montpelier High School, Montpelier, Ohio, during the subsequent year and then began studies at Baylor College of Medicine in Houston, Texas. He received the M.D. degree with honor in 1974 and an M.S. in anatomy in 1975 from this institution. During his tenure at Baylor College of Medicine he served as a teaching assistant in gross anatomy, microscopic anatomy, and neuroanatomy. Since coming to Purdue University in the fall of 1974, he has served as instructor in biology, and research associate in the Purdue Biomedical Engineering Center, while pursuing graduate study in the Department of Pharmacology and Toxicology, School of Pharmacy and Pharmacal Sciences.

VITA