



Swansea University
Prifysgol Abertawe



Cronfa - Swansea University Open Access Repository

This is an author produced version of a paper published in:
IEEE Transactions on Knowledge and Data Engineering

Cronfa URL for this paper:

<http://cronfa.swan.ac.uk/Record/cronfa10026>

Paper:

Shang-Ming Zhou, & Gan, J. (2008). Extracting Takagi-Sugeno Fuzzy Rules with Interpretable Submodels via Regularization of Linguistic Modifiers. *IEEE Transactions on Knowledge and Data Engineering*, 21(8), 1191-1204.
<http://dx.doi.org/10.1109/TKDE.2008.208>

This item is brought to you by Swansea University. Any person downloading material is agreeing to abide by the terms of the repository licence. Copies of full text items may be used or reproduced in any format or medium, without prior permission for personal research or study, educational or non-commercial purposes only. The copyright for any work remains with the original author unless otherwise specified. The full-text must not be sold in any format or medium without the formal permission of the copyright holder.

Permission for multiple reproductions should be obtained from the original author.

Authors are personally responsible for adhering to copyright and publisher restrictions when uploading content to the repository.

<http://www.swansea.ac.uk/library/researchsupport/ris-support/>

Extracting Takagi-Sugeno Fuzzy Rules with Interpretable Submodels via Regularization of Linguistic Modifiers

Shang-Ming Zhou, *Member, IEEE*, and John Q. Gan, *Senior Member, IEEE*

Abstract—In this paper, a method for constructing Takagi-Sugeno (TS) fuzzy system from data is proposed with the objective of preserving TS submodel comprehensibility, in which linguistic modifiers are suggested to characterize the fuzzy sets. A good property held by the proposed linguistic modifiers is that they can broaden the cores of fuzzy sets while contracting the overlaps of adjoining membership functions (MFs) during identification of fuzzy systems from data. As a result, the TS submodels identified tend to dominate the system behaviors by automatically matching the global model (GM) in corresponding subareas, which leads to good TS model interpretability while producing distinguishable input space partitioning. However, the GM accuracy and model interpretability are two conflicting modeling objectives, improving interpretability of fuzzy models generally degrades the GM performance of fuzzy models, and vice versa. Hence, one challenging problem is how to construct a TS fuzzy model with not only good global performance but also good submodel interpretability. In order to achieve a good tradeoff between GM performance and submodel interpretability, a regularization learning algorithm is presented in which the GM objective function is combined with a local model objective function defined in terms of an extended index of fuzziness of identified MFs. Moreover, a parsimonious rule base is obtained by adopting a QR decomposition method to select the important fuzzy rules and reduce the redundant ones. Experimental studies have shown that the TS models identified by the suggested method possess good submodel interpretability and satisfactory GM performance with parsimonious rule bases.

Index Terms—Interpretability, distinguishability, knowledge extraction, local models, submodels, Takagi-Sugeno fuzzy models, regularization, fuzziness.

1 INTRODUCTION

FUZZY models have been widely and successfully used in many areas such as system modeling and control, data analysis, and pattern recognition. Traditionally, fuzzy rules are generated from human expert knowledge or heuristics, which results in good high-level semantic generalization capability. On the other hand, more and more researchers have made efforts to build fuzzy models from observational data with many successful applications [1], [2], [3], [4]. Compared to heuristic fuzzy rules, fuzzy rules generated from data are able to extract more specific information about unknown complex systems or processes; however, the wide investigation on data-driven models mainly focuses on the issues of high accuracy, completeness, and efficiency. Recently, more and more efforts have been made to approach the problem of interpretability of fuzzy systems [5], [6], [7], [8], [9], [10], [11], [12], [13], [14], [15], [16], [17], [18], [19], [20], [21], because one of the important incentives of introducing fuzzy methods into complex system modeling is to improve the model interpretability and thus gain

deep insights into the complex systems to be modeled. As a matter of fact, comprehensibility preservation during data-driven adaptation and knowledge extraction has been regarded as one of the most important issues in data-driven fuzzy modeling [6], [7], [8], [9], [10], [11], [12], [13].

The first aspect of fuzzy model interpretability is the transparency of input space partitioning, that is, the generated fuzzy sets should be distinguishable and interpretable. Although there exists no unified standard for selecting membership functions (MFs), some researchers have proposed semantic criteria or heuristic criteria to guide the generation of MFs in the interests of preserving or enhancing model interpretability. For instance, several semantic criteria for designing MFs (such as distinguishability of MFs, normalization of MFs, moderate number of linguistic terms per variable, and coverage of the universe of discourse) have been shown to be very helpful in improving fuzzy model interpretability [15], [16], [20], [21]. Particularly, some semantic criteria can be formalized for enhancing fuzzy model interpretability by combining these expressions with global model (GM) accuracy measure [16].

Another interesting criterion states that “good” clusters are actually not very fuzzy [22], [23], [24]. Although some fuzzy algorithms are used in data clustering, the aim of the clustering is to generate a “harder” partitioning of the data sets [24], by which a better interpretation of input space partitioning can be achieved. The requirements directly related to this interpretability in fuzzy modeling are that under the condition of preserving the global

• S.-M. Zhou is with the Centre for Computational Intelligence, Department of Informatics, De Montfort University, Leicester LE1 9BH, UK.
E-mail: smzhou@ieee.org.

• J.Q. Gan is with the Department of Computing and Electronic Systems, University of Essex, Wivenhoe Park, Colchester CO4 3SQ, UK.
E-mail: jqgan@essex.ac.uk.

Manuscript received 18 Mar. 2008; revised 19 July 2008; accepted 22 Sept. 2008; published online 25 Sept. 2008.

For information on obtaining reprints of this article, please send e-mail to: tkde@computer.org, and reference IEEECS Log Number TKDE-2008-03-0149. Digital Object Identifier no. 10.1109/TKDE.2008.208.

accuracy at a satisfactory level, the fuzzy sets should have large core regions and adjacent fuzzy sets should be less overlapped. In order to obtain MFs with large bounded core, Hoppner and Klawonn [25] proposed a novel clustering algorithm by using the distance to the Voronoi cell of a cluster rather than to the cluster prototype, and furthermore they assigned a “reward” to membership degrees that are near to 0 and 1. However, traditional data-driven algorithms for rule generation, such as neuro-fuzzy algorithms [2], [3], usually generate fuzzy sets with “too much” overlap due to their accuracy-oriented nature. By using fuzzy sets with “too much” overlap, the distinguishability of input space partitioning is lost so that it is difficult to assign distinct linguistic labels and semantic meanings to these fuzzy sets, which leads to poor model interpretability [12].

However, in the first-order Takagi-Sugeno (TS) fuzzy model [1], a most widely investigated paradigm in fuzzy modeling, the consequents of fuzzy rules are local linear models. As a result, there is another type of model interpretation regarding the interaction between GM and its local linear models (or linear submodels). The purpose of this paper is to provide a new scheme for extracting TS fuzzy rules from data with good local model interpretability by a new type of MF and learning algorithm. In this approach, the TS local linear models are forced to fit the GM locally and separately during the learning process, and at the same time, the distinguishability of the input space partition can also be improved.

The remainder of this paper is organized as follows: Section 2 addresses the issues arising about local model interpretability in TS fuzzy inference systems. In Section 3, a linguistic modifier is defined as an MF. Section 4 describes a TS model using linguistic modifiers as MFs, and its local model behaviors are analyzed in detail. In Section 5, a hybrid learning scheme is proposed to update both the consequent and premise parameters in the TS model by regularizing the fuzziness of linguistic modifiers, and a pivoted QR decomposition algorithm is used to identify the most influential fuzzy rules. Section 6 includes experimental results to evaluate the performance of the proposed method in terms of GM accuracy and local model interpretability. Section 7 concludes this paper with discussions. In this paper, the first-order TS model is considered, unless otherwise stated.

2 ISSUES ABOUT INTERPRETABILITY OF LOCAL LINEAR MODELS IN TAKAGI-SUGENO FUZZY SYSTEMS

It is known that a challenge for the real-time predictive control of nonlinear systems is that a nonlinear (and usually nonconvex) optimization problem must be solved at each sampling period by model predictive control, and the nonconvex optimization usually involves high computational overhead. As a result, the application for fast systems is hampered where iterative optimization techniques cannot be properly used due to short sampling time intervals. The TS fuzzy model prevails in representing nonlinear systems in the fuzzy control community in that the global TS model interpolates between some local linear models in nature, and these control-relevant local linear models rather than a




Fig. 1. TS models with (a) noninterpretable local models and (b) interpretable local models: solid line represents the GM, dotted lines represent the local models.

single nonlinear plant model possess great potential of being effectively used in model predictive control.

The interpretation of fuzzy models including TS fuzzy models heavily depends on human’s prior knowledge, which is a subjective issue sometimes. However, if there is no prior knowledge available, such as in data-driven system modeling, a criterion for interpreting TS local linear models, as indicated in [9], [10], and [26], is sensible and applicable and should be adopted in fuzzy modeling [27]. This criterion is summarized as follow.

Definition 1. *The local models of a TS model are considered to be interpretable if they fit the GM well in their local regions, and result in fuzzy rule consequents that are local linearizations of the nonlinear system.*

According to this definition, interpretable local models of a TS model should dominate the system behaviors separately in their local regions. The submodels shown in Fig. 1a do not match the GM well in the corresponding local areas, so they exhibit poor interpretation of interaction with GM, while the submodels shown in Fig. 1b are local linearizations of the global system in local regions, which shows good interpretable interaction with GM. Hence, the TS model with interpretable submodels like the ones depicted in Fig. 1b is preferred in fuzzy system modeling. Interestingly, the local error function defined as follows can be used to evaluate the degree of TS local model dominating the behaviors of the global system, and thus work as a measure of the interaction between TS local models and GM [9]:

$$J_L = \sum_{i=1}^L \sum_k^N w_i(k) [d(k) - y_i(k)]^2, \quad (1)$$

where given the k th sample, $w_i(k)$ is the normalized firing strength of the i th rule, $y_i(k)$ is the output of the i th submodel, and $d(k)$ is the desired global system output. Because $w_i(k)$ has nonzero values only in a small region of the input space, as a result each fuzzy rule acts like an independent submodel that is only related to a subset of training data. A smaller J_L value implies that the TS local models fit the GM better in the corresponding local regions, which indicates that better local model interpretation can be obtained in the sense of Definition 1.

Zhou and Gan recently proposed a unified view of data-driven interpretable fuzzy models in terms of *low-level interpretability* and *high-level interpretability*, while the

TS local model interpretability in the sense of Definition 1 works as a criterion for transparency of rule structure in constructing TS fuzzy model with high-level interpretability [10]. In [28], Gan and Harris analyzed the relationship between fuzzy local linearization and local basis function expansion and the role of the local models in GM approximation. It is a rather challenging task to build a locally interpretable TS fuzzy model with good global approximation performance. This is because in the TS fuzzy system modeling, local linear model interpretability and GM ability are two conflicting modeling objectives. As a result, interpretability improvement of local linear models in the sense of Definition 1 usually degrades GM approximation ability. One possibility of attacking this problem, proposed in [26], is to constrain the candidate model parameters of the rules in the TS fuzzy model based on prior knowledge about the modeled process such as stability, minimal or maximal gain, or the setting time. For instance, instead of the identification from the measured input-output data, a TS model with good local model interpretability in the sense of Definition 1 was generated directly from a polynomial Hammerstein system that is assumed to be known [26]. However, in most data-driven system modeling tasks, no prior knowledge about the modeled process is available.

Interestingly and promisingly, in order to improve the TS local model interpretability, a scheme that combines global learning and local learning (ComGLL) was proposed to train a TS fuzzy model from data [9], in which in addition to the commonly used global error objective, local error objectives measuring the deviations of the outputs of individual local models from the desired outputs are integrated into a learning index as well. In [27], the ComGLL scheme was treated as a multiobjective identification problem and the Pareto-optimal solutions were used to identify the model parameters. The advantage of the ComGLL scheme lies in that as an interpretability-oriented modeling approach, it improves the interpretation of TS local linear models in the sense of Definition 1, that is, these TS local linear models tend to match the GM in local regions. However, one drawback of this scheme is that it does not simultaneously consider improving the transparency of input space partitioning, such as the distinguishability of the generated fuzzy sets, as a result, by experiments it was found that some local models still exhibit some eccentric behaviors.

Another potential strategy of improving TS local model interactions with GM is via the scheme of merging similar fuzzy sets in input space partitions. One popular scheme of merging similar fuzzy sets for improving fuzzy model interpretability is performed in terms of the similarity measure of fuzzy sets [12], [31], [32]. In order to overcome the computational inefficiency of the similarity measure, some researchers recently proposed the possibility measure of fuzzy sets for producing distinguishable fuzzy sets [33], [34]. The difference between the merging scheme (including similarity-based merging scheme and possibility-based merging (PBM) scheme) and the ComGLL lies in that the merging scheme can be used to improve the interpretability of both Mamdani fuzzy model and TS fuzzy model, while the ComGLL scheme specially aims at improving TS local linear model interpretability. The main advantage of the

merging scheme in terms of the similarity or possibility of fuzzy sets lies in its ability to improve the distinguishability of input space partitions. However, for TS models, distinguishable fuzzy sets are helpful in lessening the eccentric behaviors of local linear models in an indirect way, but the interactions of these TS local linear models with GM cannot be much improved in some cases where the used modeling method does not aim at making the TS local models match the GM in their corresponding regions. It should be noted that there are other senses of TS fuzzy model interpretability [29], [30]. But the methods developed in [29] and [30] for improving TS fuzzy model interpretability did not consider the TS local model interpretation in the sense of Definition 1.

The aim of this paper is to improve the interpretability of TS local models with regard to the interactions between GM and local models as addressed in Definition 1. Specifically speaking, in order to generate distinguishable fuzzy sets and obtain good local model interpretability for a TS model, a linguistic modifier is proposed to characterize MFs whose centers and shapes can be updated automatically. The linguistic modifier has the ability to enlarge ε -insensitive core of a fuzzy set and at the same time lessen the overlap of adjacent MFs. As MFs become less overlapped and possess larger ε -insensitive core regions, a desirable situation for local model interpretation would emerge: there is only one rule that dominates in a local region and the consequents of fuzzy rules (local models) are forced to represent the GM behaviors in the corresponding local areas. Thus, the eccentric behaviors of local models would be remedied greatly. However, local model interpretability improvement could have a side effect on GM accuracy. In order to control the degree of linguistic modification, as an extension of the fuzziness measure proposed in [35], this paper proposes an index of fuzziness to evaluate the performance of linguistic modification of MFs with adjustable crossover points. This index of fuzziness is then regularized with the GM accuracy in a hybrid objective function, and a tradeoff between global approximation ability and local model interpretation can be achieved by minimizing this hybrid objective function. To further conduct rule base reduction, a pivoted QR decomposition algorithm [36], [37] is used to identify the most influential fuzzy rules and remove the redundant ones, which leads to a more parsimonious TS fuzzy model.

3 LINGUISTIC MODIFIERS AS FUZZY MEMBERSHIP FUNCTIONS

The core of a fuzzy set is a set of points whose membership degrees are one. However, the sizes of the cores of fuzzy sets usually remain unchanged during adaptation of membership functions. In the following, we define a ε -insensitive core of a fuzzy set, which changes along with the process of parameter learning.

The ε -insensitive core of a fuzzy set A is defined as

$$VCore_{\varepsilon}(A) = \{x | 1 \geq A(x) \geq 1 - \varepsilon\}, \quad (2)$$

where ε is a small positive real number, and $A(x)$ is the MF of A .

In order to remedy the eccentric behaviors of local models in a TS fuzzy model, a special MF called linguistic modifier is introduced to simultaneously adjust the overlapping degree of adjacent MFs and the ε -insensitive core of




Fig. 2. Linguistic modifiers.

a fuzzy set. Given an initial fuzzy set $A^0(x)$, the modifier produces a new fuzzy set A in a relaxation way as follows:

$$A(x) = \begin{cases} \frac{1}{(\mu_{C_1})^{p-1}} (A^0(x))^p, & x < C_1, \\ 1 - \frac{1}{(1-\mu_{C_1})^{p-1}} (1 - A^0(x))^p, & C_1 \leq x < \beta, \\ 1 - \frac{1}{(1-\mu_{C_2})^{p-1}} (1 - A^0(x))^p, & \beta \leq x < C_2, \\ \frac{1}{(\mu_{C_2})^{p-1}} (A^0(x))^p, & C_2 \leq x, \end{cases} \quad (3)$$

where $p \geq 1$ is the linguistic modifier parameter to control the fuzziness, C_1 and C_2 are called left and right crossover points of A , respectively, and their membership degrees are evaluated by the following equations:

$$\mu_{C_1} = A^0(C_1) \quad \text{and} \quad \mu_{C_2} = A^0(C_2) \quad (4)$$

and β is the core center of A and defined by

$$\beta = \frac{1}{2} (\beta_1^0 + \beta_2^0), \quad (5)$$

where β_1^0, β_2^0 are the lower and upper bounds of the core of the set $norm A^0$, respectively, and $norm A^0$ is the norm set of A^0 defined as

$$norm A^0(x) = A^0(x) / \sup_x (A^0(x)). \quad (6)$$

The examples of linguistic modifiers are illustrated in Fig. 2. It can be proved that for linguistic modifier (3), as p increases, the membership degrees of the points belonging to $(-\infty, C_1)$ or $(C_2, +\infty)$ will decrease, while the membership degrees of the points falling into (C_1, β) or (β, C_2) will increase and approach to 1. Therefore, this relaxation linguistic modifier can adjust the MF's shape by enlarging the ε -insensitive core of the fuzzy set and at the same time reducing the overlap of adjacent MFs, which is a useful property in improving TS fuzzy model interpretability. In this paper, the linguistic modifier will be optimally adjusted by regularizing its fuzziness with GM accuracy.

It is noteworthy that trapezoidal MFs have the potential of improving local model interpretability by enlarging core regions and narrowing the overlap of adjacent MFs; but by experiments, it is found that by using trapezoidal MFs in a TS system, its local models would be easily overfitted. Although linguistic modifiers with large p values seem to approach to a kind of trapezoidal MFs, parameter p provides a flexible way for updating the overlapping of adjacent MFs and the ε -insensitive core regions through a relaxation process. In the extreme case of $p \rightarrow \infty$, the fuzzy sets characterized by linguistic modifiers become classic interval sets. Thus, during the interpretation improvement,

local models could be restrained from being overfitted by applying a fuzziness regularization scheme in the learning process.

4 BEHAVIORAL ANALYSIS OF SUBMODELS IN TAKAGI-SUGENO FUZZY SYSTEM USING LINGUISTIC MODIFIERS AS MEMBERSHIP FUNCTIONS

4.1 Takagi-Sugeno Model Using Linguistic Modifiers as Membership Functions

In this paper, the TS model based on the following rules will be addressed:

$$\text{Rule}_i : \text{if } x_1 \text{ is } A_{i,1} \text{ and } \dots \text{ and } x_n \text{ is } A_{i,n}, \text{ then} \quad (7)$$

$$y_i = a_{i0} + a_{i1}x_1 + \dots + a_{in}x_n,$$

where x_j are input variables, y_i is the output of the i th local model, $A_{i,j}$ are fuzzy sets on domain x_j , a_{ij} are the consequent parameters that are to be identified based on given data, and Rule_i is the i th rule of the TS model. If the number of fuzzy sets on domain x_j is L_j , then $1 \leq i_1 \leq L_1, \dots, 1 \leq i_n \leq L_n$, and $1 \leq i \leq L = \prod_{j=1}^n L_j$. The global output of the TS model is calculated by

$$y = \sum_{i=1}^L w_i y_i, \quad (8)$$

where w_i is the normalized firing strength of rule Rule_i : $w_i = \tau_i / \sum_{i=1}^L \tau_i$, and τ_i is called the firing strength of rule Rule_i , which is defined by

$$\tau_i = \prod_{j=1}^n A_{i,j}(x_j). \quad (9)$$

It can be seen that in this TS model, given the fuzzy sets about every variable on its domain of discourse, the rule base includes all the possible combinations of these fuzzy sets to cover the whole input space. To represent the rules clearly, we sort the rules as follows: related to a combination of fuzzy sets $A_{i_1,1}, \dots, A_{i_n,n}$, the rule is indexed as the i th rule, where $i = \sum_{j=1}^{n-1} [(i_j - 1) \cdot \prod_{q=j+1}^n L_q] + i_n$.

In this paper, the MFs of fuzzy sets $A_{i,j}$ are chosen to be the linguistic modifiers defined by (3), i.e.,

$$A_{i,j}(x_j) = A_{i,j}(x_j; C_{i,j}^{(1)}, \beta_{i,j}, C_{i,j}^{(2)}, p_{i,j}). \quad (10)$$

In the following section, we will analyze the local model behaviors and discuss why linguistic modifiers have the potential of improving local model interpretability.

4.2 Local Model Behaviors and Model Interpretability

The behaviors of local models can be characterized by the consequent parameters, while the behaviors of GM can be described by the derivative of the model output with respect to (w.r.t.) model input. This section will analyze the relationship between local behaviors and global behaviors. The derivative of the TS model output w.r.t. model input is as follows:

$$\frac{\partial y}{\partial x} = \sum_{i=1}^L w_i a_i + \sum_{i=1}^L a_i^T x \frac{\partial w_i}{\partial x}, \quad (11)$$

where $a_i = (a_{i0}, a_{i1}, \dots, a_{in})^T$ and $x = (1, x_1, \dots, x_n)^T$. It can be seen from (11) that the GM behaviors depend on both local model behaviors characterized by vectors a_i and the variation of firing strength. Hence, it is possible to achieve good local model interpretability, i.e., the match of local model behaviors with GM behaviors in specific local regions, by controlling the variation of firing strength. The factors directly affecting w_i and $\partial w_i / \partial x$ are the size of core regions and the size of overlapping regions of adjacent fuzzy sets. The following theorem about partition of unity is useful to the analysis of the influence of local model behaviors on the GM behaviors.

Theorem 1. *In the input space partitioning by $A_{i_j,j}$ ($j = 1, \dots, n$; $1 \leq i_1 \leq L_1; \dots, 1 \leq i_n \leq L_n$), for any given sample input $x^0 = (x_1^0, \dots, x_n^0)^T$, if there exist two adjacent fuzzy sets $A_{i_j,j}$ and $A_{i'_j,j}$ on each domain x_j such that $A_{i_j,j}(x_j^0) + A_{i'_j,j}(x_j^0) = 1$ and $A_{i_j,j}(x_j^0) = 0$ ($i_j \neq i'_j, i'_j$), $j = 1, \dots, n$, then*

$$\sum_{i=1}^L \prod_{j=1}^n A_{i_j,j}(x^0) = 1, \quad (12)$$

where $L = \prod_{j=1}^n L_j$, $i'_j = i_j + 1$.

Proof. Please see the supplemental material, which can be found on the Computer Society Digital Library at <http://doi.ieeecomputersociety.org/10.1109/TKDE.2008.208>. \square

In this paper, the MFs of fuzzy sets $A_{i_j,j}$ are obtained in terms of (3) with $C_{i_j,j}^{(1)}, \beta_{i_j,j}, C_{i_j,j}^{(2)}, p_{i_j,j}$, in which $A_{i_j,j}^0(x_j) = \exp(-(x_j - \beta_{i_j,j})^2 / (2\sigma_{i_j,j}^2))$, the left and right crossover points $C_{i_j,j}^{(1)}$ and $C_{i_j,j}^{(2)}$ are defined as $C_{i_j,j}^{(1)} = (\sigma_{i_j-1,j}\beta_{i_j,j} + \sigma_{i_j,j}\beta_{i_j-1,j}) / (\sigma_{i_j-1,j} + \sigma_{i_j,j})$ and $C_{i_j,j}^{(2)} = (\sigma_{i_j,j}\beta_{i_j+1,j} + \sigma_{i_j+1,j}\beta_{i_j,j}) / (\sigma_{i_j,j} + \sigma_{i_j+1,j})$ separately, while $\mu_{C_{i_j,j}^{(1)}}$ and $\mu_{C_{i_j,j}^{(2)}}$ are calculated by $\mu_{C_{i_j,j}^{(1)}} = A_{i_j,j}^0(C_{i_j,j}^{(1)})$ and $\mu_{C_{i_j,j}^{(2)}} = A_{i_j,j}^0(C_{i_j,j}^{(2)})$. Hence, in $A_{i_j,j}$, only linguistic parameter $p_{i_j,j}$ and the center $\beta_{i_j,j}$ are updated by a training process.

Let us move on to the analysis of local model behaviors. First, consider w_i and the first term on the right side of (11). By using the linguistic modifiers, for any input $x = (x_1, \dots, x_n)^T$, there always exists one fuzzy set $A_{i_j^0,j}$ on domain x_j such that $C_{i_j^0,j}^{(1)} \leq x_j < C_{i_j^0,j}^{(2)}$, thus $\lim_{p_{i_j^0,j} \rightarrow \infty} A_{i_j^0,j}(x_j) = 1$ and $\lim_{p_{i_j^1,j} \rightarrow \infty} A_{i_j^1,j}(x_j) = 0$ ($i_j^1 \neq i_j^0$). Therefore, in terms of (9), the firing strength of the i_0 th rule will approach to 1 as $p_{i_j^0,j}$ increases, i.e.

$$\lim_{\substack{p_{i_j^0,j} \rightarrow \infty \\ (j=1, \dots, n)}} \tau_{i_0} = 1, \quad (13)$$

where $i_0 = \sum_{j=1}^{n-1} [(i_j^0 - 1) \cdot \prod_{q=j+1}^n L_q] + i_n^0$. Because

$$\lim_{\substack{p_{i_j^0,j} \rightarrow \infty, p_{i_j^1,j} \rightarrow \infty \\ (j=1, \dots, n)}} (A_{i_j^0,j}(x_j) + A_{i_j^1,j}(x_j)) = 1 \quad (i_j^1 \neq i_j^0) \quad (j = 1, \dots, n),$$

in terms of Theorem 1, we have

$$\lim_{\substack{p_{i_j^0,j} \rightarrow \infty \\ (j=1, \dots, n)}} \left(\sum_{i=1}^L \tau_i(x) \right) = 1 \quad (14)$$

and

$$\lim_{\substack{p_{i_j^0,j} \rightarrow \infty \\ (j=1, \dots, n)}} w_{i_0} = 1, \quad \lim_{\substack{p_{i_j^1,j} \rightarrow \infty \\ (j=1, \dots, n)}} w_i = 0, \quad i \neq i_0. \quad (15)$$

From (11), it is clear that when parameters $p_{i_j,j}$ increase to some extent, there is only one local model, characterized by a_{i_0} , dominating the first term on the right side of (11).

Now consider $\partial w_i / \partial x$ and the second term on the right side of (11). $\partial w_i / \partial x$ can be derived as follows:

$$\partial w_i / \partial x_j = \left(\sum_{l=1}^L \tau_l \frac{\partial \tau_l}{\partial x_j} - \tau_i \sum_{l=1}^L \frac{\partial \tau_l}{\partial x_j} \right) / \left(\sum_{l=1}^L \tau_l \right)^2, \quad (16)$$

$$\partial \tau_i / \partial x_j = \prod_{q \neq j} A_{i_q,q}(x_q) \partial A_{i_j,j}(x_j) / \partial x_j, \quad (17)$$

$$\partial w_i / \partial x_j = \Omega_{ij} / \left(\sum_{l=1}^L \tau_l \right)^2, \quad (18)$$

where

$$\Omega_{ij} = \left(\prod_{q \neq j} A_{i_q,q}(x_q) \partial A_{i_j,j}(x_j) / \partial x_j \right) \left(\sum_{l=1}^L \tau_l \right) - \tau_i \sum_{i_1=1}^{L_1} \dots \sum_{i_n=1}^{L_n} \left(\prod_{q \neq j} A_{i_q,q}(x_q) \partial A_{i_j,j}(x_j) / \partial x_j \right) \quad (19)$$

and $\partial A_{i_j,j}(x_j) / \partial x_j$ will take different values in different regions. For $x_j < C_{i_j,j}^{(1)}$,

$$\partial A_{i_j,j}(x_j) / \partial x_j = p_{i_j,j} \left(\frac{A_{i_j,j}^0(x_j)}{\mu_{C_{i_j,j}^{(1)}}} \right)^{p_{i_j,j}-1} \partial A_{i_j,j}^0(x_j) / \partial x_j. \quad (20)$$

For $C_{i_j,j}^{(1)} \leq x_j < \beta_{i_j,j}$,

$$\partial A_{i_j,j}(x_j) / \partial x_j = p_{i_j,j} \left(\frac{1 - A_{i_j,j}^0(x_j)}{1 - \mu_{C_{i_j,j}^{(1)}}} \right)^{p_{i_j,j}-1} \frac{\partial A_{i_j,j}^0(x_j)}{\partial x_j}. \quad (21)$$

For $\beta_{i_j,j} < x_j < C_{i_j,j}^{(2)}$,

$$\partial A_{i_j,j}(x_j) / \partial x_j = p_{i_j,j} \left(\frac{1 - A_{i_j,j}^0(x_j)}{1 - \mu_{C_{i_j,j}^{(2)}}} \right)^{p_{i_j,j}-1} \frac{\partial A_{i_j,j}^0(x_j)}{\partial x_j}. \quad (22)$$

For $C_{i_j,j}^{(2)} \leq x_j$,

$$\partial A_{i_j,j}(x_j) / \partial x_j = p_{i_j,j} \left(\frac{A_{i_j,j}^0(x_j)}{\mu_{C_{i_j,j}^{(2)}}} \right)^{p_{i_j,j}-1} \frac{\partial A_{i_j,j}^0(x_j)}{\partial x_j}. \quad (23)$$

For $x_j = \beta_{i_j,j}$,

$$\partial A_{i_j,j}(x_j) / \partial x_j = 0. \quad (24)$$

Because $\lim_{p_{i,j} \rightarrow \infty} p_{i,j} \alpha^{p_{i,j}-1} = 0$ if $|\alpha| < 1$, and the absolute values of all the terms in the brackets of (21)-(24) are less than 1, so $\lim_{p_{i,j} \rightarrow \infty} \partial A_{i,j}(x_j) / \partial x_j = 0$ holds. Then, $\lim_{p_{i,j} \rightarrow \infty} \partial w_i / \partial x_j = 0$ is true. In other words, as parameters $p_{i,j}$ increase to some extent, the influence of the second term on the right side of (11) will become weak, and the GM behaviors will tend to be dominated by a single local model characterized by a_{i_0} . This is a good local model interpretation expected in the subsequent model applications such as state estimation and control.

However, it should be noted that when the MFs become less overlapped and have large core regions, the global approximation ability of the TS model would be degraded. In the next section, a learning scheme is proposed to balance the model accuracy and interpretability based on a combined performance measure, so that the linguistic modifier parameters can be optimally adjusted.

5 A LEARNING ALGORITHM BASED ON FUZZINESS REGULARIZATION

5.1 Fuzziness Measure of a Fuzzy Set

The proposed fuzziness measure is based on the distance between a fuzzy set A and an ordinary (crisp) set \underline{A} that is near to A and defined as follows:

$$\underline{A}(x) = \begin{cases} 1 & \text{if } C^{(1)} \leq x \leq C^{(2)}, \\ 0 & \text{otherwise,} \end{cases} \quad (25)$$

where $C^{(1)}$ and $C^{(2)}$ are the left and right crossover points of fuzzy set A , respectively. Given a data set $\{x(k)\}_{k=1}^N$ on domain x , the index of fuzziness of A is defined based on the distance between A and \underline{A} as follows:

$$F(A) = \frac{2}{N^{1/r}} \|A(x) - \underline{A}(x)\|_r, \quad (26)$$

where N is the size of the data set, and r is the order of the distance. It can be easily proved that $F(A) \geq F(A^*)$, where A^* is a sharper version of A in the sense that

$$\begin{aligned} A^*(x) &\geq A(x), & \text{if } C^{(1)} \leq x \leq C^{(2)}, \\ A^*(x) &\leq A(x), & \text{otherwise.} \end{aligned} \quad (27)$$

Obviously, in case $A(C^{(1)}) = A(C^{(2)}) = 0.5$, $F(A)$ becomes the classic fuzziness measure proposed in [35], and (27) is reduced to one of the properties proposed by De Luca and Termini for fuzziness measures of fuzzy sets [40]. In particular, when $r = 2$ (euclidean distance is used), (26) defines a *quadratic index of fuzziness*:

$$F_q(A) = \frac{2}{\sqrt{N}} \sqrt{\sum_{k=1}^N (A(x(k)) - \underline{A}(x(k)))^2}, \quad (28)$$

which will be used in the proposed learning algorithm in this paper.

5.2 Fuzziness Index Regularization and the Learning Algorithm

For a given data set $\{(x(k), d(k))\}_{k=1}^N$, a hybrid learning scheme is employed to update both the consequent parameters a_{ij} and the premise parameters $\beta_{i,j}$ and $p_{i,j}$.

In the first pass, the premise parameters $\beta_{i,j}$ and $p_{i,j}$ are fixed, and the consequent parameters a_{ij} are identified by least square estimation in terms of the GM accuracy measure. In the second pass, the newly obtained consequent parameters a_{ij} are fixed, and the premise parameters $\beta_{i,j}$ and $p_{i,j}$ are updated by a gradient descent algorithm in terms of the following combined performance measure:

$$J = J_G + \lambda J_F, \quad (29)$$

where $0 \leq \lambda$ is the regularization coefficient, J_G is the global accuracy measure defined as

$$J_G = \frac{1}{2} \sum_{k=1}^N \|d(k) - y(k)\|^2 \quad (30)$$

and J_F is the index of fuzziness of the TS fuzzy model, defined by

$$J_F = \sum_{i=1}^{L_1} \cdots \sum_{i_n=1}^{L_n} \sum_{j=1}^n F(A_{i,j}), \quad (31)$$

where $F(A_{i,j})$ is the *quadratic index of fuzziness* defined by (28). It can be seen that the updating of the parameters depends not only on the GM accuracy but also on how much the degree of fuzziness of the linguistic modifiers is.

5.2.1 To Update Consequent Parameters

In order to identify the consequent parameters in the TS model, we reformulate some expressions first. A base matrix M is defined as follows:

$$M = \begin{bmatrix} M_1^T(1) & \cdots & M_L^T(1) \\ \vdots & \ddots & \vdots \\ M_1^T(N) & \cdots & M_L^T(N) \end{bmatrix}_{N \times L(n+1)}, \quad (32)$$

where $M_i^T = (w_i \ w_i x_1 \ \dots \ w_i x_n)$. Let the k th row vector of matrix M be $M^T(k) = (M_1^T(k) \ \dots \ M_L^T(k))$, then $M^T = [M^T(1) \ \dots \ M^T(N)]$. Let $a = (a_1^T \ a_2^T \ \dots \ a_L^T)^T$ denote the consequent parameters, where $a_i = (a_{i0} \ a_{i1} \ \dots \ a_{in})^T$. Also let $d = (d(1) \ \dots \ d(N))^T$ be the desired output vector. Because the consequent parameters in a do not make any contribution to the index of fuzziness of the TS model, they can be identified practically based on the global approximation accuracy measure J_G . In terms of (8), we have

$$M \cdot a = d, \quad (33)$$

where the dimensions of M , a , and d are $N \times L \cdot (n+1)$, $L \cdot (n+1) \times 1$, and $N \times 1$, respectively. Since the number of training pattern pairs is usually greater than $L \cdot (n+1)$, (33) defines a typical ill-posed problem and generally there does not exist an exact solution for vector a if there is no regularization information about a added to the global approximation accuracy J_G . Therefore, we usually seek a least square estimate of a to minimize J_G . The optimal estimate a^* can be obtained by

$$a^* = M^+ d, \quad (34)$$

where M^+ is the Moore-Penrose inverse of matrix M . When M is of column full rank, the Moore-Penrose inverse of matrix M can be expressed as $M^+ = (M^T M)^{-1} M^T$. In case

of singularity of $M^T M$, $M^+ = (M^T M + I)^{-1} M^T$ with identity matrix I .

5.2.2 To Update Premise Parameters

The premise parameters $\{\beta_{i,j}\}$ and $\{p_{i,j}\}$ are updated in terms of the combined objective function defined in (29), which aims at achieving a good tradeoff between global approximation ability and local model interpretability. The equations for updating the premise parameters are developed as follows:

$$\nu_{i,j}(t+1) = \nu_{i,j}(t) - \rho_{i,j} \frac{\partial J}{\partial \nu_{i,j}}, \quad (35)$$

where t is the iteration step, $\rho_{i,j}$ is the learning rate, $\nu_{i,j} = \beta_{i,j}$ or $p_{i,j}$ representing the premise parameters.¹ In order to keep $p_{i,j} > 1$ during adaptation, the following transformation is used to indirectly update $p_{i,j}$ by adjusting $u_{i,j}$:

$$u_{i,j} = \log(p_{i,j} - 1), \quad (36)$$

$$\frac{\partial}{\partial u_{i,j}} = (p_{i,j} - 1) \frac{\partial}{\partial p_{i,j}}. \quad (37)$$

To speed up the learning process, the following adaptive learning rates are adopted in our experiments:

$$\rho_{i,j} = \kappa / \sqrt{(\partial J_G / \partial \nu_{i,j})^2 + (\partial J_F / \partial \nu_{i,j})^2}, \quad (38)$$

where $\nu_{i,j} = \beta_{i,j}$ or $u_{i,j}$, and $\kappa (> 0)$ is the step size indicating the length of each gradient transition in the parameter space.

5.3 Rule Selection with Pivoted QR Decomposition of Firing Strength Matrix

In fuzzy modeling, it is very important to partition the input space optimally in terms of given criteria. In order to attack the curse of dimensionality in fuzzy modeling, fuzzy rule selection is usually performed [3], [8], [12], [41]. The approach to fuzzy rule selection used in this paper involves the estimation of singular values of the firing strength matrix W . Each column of matrix W corresponds to one fuzzy rule. The important fuzzy rules correspond to the columns of the matrix that are linearly independent of each other [8]. One method to pick up the most influential fuzzy rules is to apply the SVD-QR with column pivoting algorithm to W [36]. As indicated in [8], redundant fuzzy partitions (corresponding to the linear dependent or zero-valued columns) are associated with near-zero singular values of W . The smaller are the singular values, the less influential are the associated fuzzy rules. However, the rule ranking result by the SVD-QR with column pivoting algorithm is heavily dependent on the estimation of an effective rank [36]. The problem is that there is usually no clear gap between small singular values and other "large" singular values, and different ranks often produce dramatically different rule ranking results. A method to avoid the estimation of the effective rank is to apply the

pivoted QR decomposition [37] directly to matrix W . The pivoted QR decomposition algorithm for ranking fuzzy rules is summarized as follows:

1. Calculate the QR decomposition of W and get the permutation matrix Π via $W\Pi = QR$, where Q is a unitary matrix, R is an upper triangular matrix. The absolute values of the diagonal elements of R , denoted as $|R_{ii}|$, decrease as i increases and are named as R -values.
2. Rank fuzzy rules in terms of the R -values and the permutation matrix Π in which each column has one element taking value 1 and all the other elements taking value 0. Each column of Π corresponds to a fuzzy rule. The numbering of the rule that corresponds to the j th column is the same as the numbering of the row where the "1" element of the j th column is located. The rule corresponding to the first column is the most important, and in descending order the rule corresponding to the last column is the least important.

It is indicated that the R -values tend to track the singular values of W , hence they can be used to identify the influential rules. In this paper, we use the R -values of matrix W to perform the rule ranking for TS fuzzy model by applying the pivoted QR decomposition algorithm.

5.4 Learning Scheme Implementation

To summarize, the proposed learning scheme for improving TS local model interpretability is described as follows:

Step 1. Initialize the TS model:

- 1.1) Initialize the input space partitioning, for example, via unsupervised clustering on input-output data set.
- 1.2) Construct the linguistic modifiers in terms of the initially generated fuzzy sets, and set the initial modifier parameters $p_{i,j}$ ($p_{i,j} > 1$).
- 1.3) Set a threshold J_0 for stopping learning process and a threshold f_{s_0} for stopping rule selection.
- 1.4) Choose a value of regularization coefficient λ .
- 1.5) Choose a value of learning step $\kappa (> 0)$.

Step 2. Identify the consequent parameters using least square estimation while keeping the premise parameters fixed.

Step 3. Update the premise parameters $\beta_{i,j}, p_{i,j}$ using (35), while the consequent parameters obtained in step 2 remain unchanged here.

Step 4. Calculate the combined performance measure (29), and go to step 2 until $J \leq J_0$.

Step 5. Select the most important rules by applying the pivoted QR decomposition algorithm to the generated rule base.

6 EXPERIMENTAL RESULTS

In this section, we extensively evaluate the performance of the proposed learning scheme for constructing interpretable TS fuzzy models with satisfactory GM accuracy, in which

1. Please see the support material, which can be found on the Computer Society Digital Library at <http://doi.ieeecomputersociety.org/10.1109/TKDE.2008.208>, for the computing results of these partial derivatives.

statistical tests are conducted. Two existing interpretability-oriented fuzzy modeling methods, the PBM method [33], [34] and the ComGLL scheme [9], are compared with the proposed approach. The first example is to recover the original signal from data highly contaminated by noise. For the sake of visualizing the interactions of TS local linear models with GM in a 2D plot, in the first example, a TS fuzzy model with only one input variable and one output variable is considered due to the fact that it is impossible to visualize TS local linear models clearly in a 3D or higher-dimensional plot. The statistical test method, *t-test*, is used to evaluate the performance of the proposed scheme in comparison with the two existing related methods. The second example involves a real-world problem, in which a TS fuzzy model with four input variables and one output variable is considered to predict the steam heat exchange. In the second example, the generalization performances of the constructed TS fuzzy models will be evaluated by generating distinguishable input space partitions. The third example is to construct an interpretable TS model to identify the voltage time series produced by a nonlinear circuit. GM accuracy is measured by root-mean-square error (RMSE):

$$RMSE = \sqrt{\frac{1}{N} \sum_{k=1}^N (d(k) - y(x(k)))^2}, \quad (39)$$

where d is the desired output and y is the real output of the constructed GM, while the extent of local models approaching to the GM locally is measured by the TS local model performance function (1) in the following form:

$$RMSLIV = \sqrt{\sum_{i=1}^L \sum_{x(k) \in N^{(i)}} w_i(k) (y_i(k) - y(k))^2}, \quad (40)$$

where $y(k)$ is the GM output (8), $N^{(i)}$ is the neighborhood of the core center of the multidimensional MF, i.e., τ_i defined by (9). Equation (40) is called TS root-mean-square local model index value (*RMSLIV*). According to (1), a smaller *RMSLIV* value implies that the TS local models fit the GM better in the corresponding local regions, which indicates that better local model interpretability in the sense of Definition 1 can be preserved.

6.1 Noisy Signal Recovery

In the first example, the noisy signal is generated by

$$z = \begin{cases} \tilde{z} + n_1 & x \leq 13, \\ \tilde{z} + n_2 & \text{otherwise,} \end{cases} \quad (41)$$

$$\tilde{z} = 10^3(1 - \cos(2\pi x/5)) \sin(2\pi x) e^{-x/2}, \quad (42)$$

where \tilde{z} is the original signal, n_1 is a random Gaussian noise with zero mean and variance $\sigma_1^2 = 0.2$, and n_2 is another random Gaussian noise with zero mean and variance $\sigma_2^2 = 0.6$. The measured signal z is the sum of the original signal \tilde{z} and the interference noise n_1 and n_2 . However, we do not know the original signal \tilde{z} . The only signal available to us is the measured signal z . The task is to recover the original signal \tilde{z} from the measured signal z by

constructing an interpretable TS fuzzy model. Although the modeled system in this example seems simple with one input and one output, it is known in the signal processing community that it is rather challenging to recover original signal from data highly contaminated by noise without prior knowledge.

In order to extensively evaluate the performance of the proposed TS modeling method, 10 TS fuzzy models are constructed on 10 different data sets generated by running the data generation process (41) and (42) 10 times, each with 400 samples $\{(x^{(s)}(k), d^{(s)}(k))\}_{k=1}^N$ ($N = 400, s = 1, \dots, 10$), where $x^{(s)}(k) \in [11.5, 15.5]$ and $d^{(s)}(k)$ are obtained by (43). Furthermore, the proposed method is compared with the interpretability-oriented fuzzy modeling methods: the PBM method [33], [34] and the ComGLL scheme [9]. The PBM method can be used to improve both Mamdani fuzzy model interpretability and TS fuzzy model interpretability while the ComGLL scheme specially aims at improving TS local model interpretability. The performance of the proposed scheme is then evaluated via *t-test* on the 10 TS models in terms of GM error-*RMSE* and local model interaction value *RMSLIV*, respectively.

First, the input space should be initialized by an unsupervised clustering algorithm. In our experiments, the normalized kernel-based FCM (NKFCM) clustering algorithm [42] is used. For each run, given the input-output data samples $\{(x^{(s)}(k), d^{(s)}(k))\}_{k=1}^N$, the NKFCM algorithm generates fuzzy clusters according to a partition entropy measure [38]. These cluster centers on x domain are used as the core centers of initial fuzzy sets. The width of the linguistic modifiers, which determines the crossover points, is estimated by a nearest neighbor heuristic suggested by Moody and Darken [43]. In updating MFs and the local models, the learning steps are set as $\kappa = 0.1$ for $\beta_{i,j}$ and $\kappa = 1$ for $u_{i,j}$ in (40), and initial values of $p_{i,j}$ are all set as 1.1.

Ten TS fuzzy models were constructed by the proposed method on the 10 data sets. As a comparison, the ComGLL scheme is also used to construct 10 TS fuzzy models based on the same 10 data sets. This scheme combines global learning and local learning by a global influence factor α and a local influence factor β with $\alpha + \beta = 1$. Using a smaller β , the GM accuracy can be improved by the ComGLL scheme, but the local model interpretability will get worse, while a larger β leads to local models with better interpretability in the sense of Definition 1, but degrades GM accuracy. Different parameter values including $\beta = 0.1$ and 0.6 are separately used to evaluate the performance of the ComGLL scheme. Furthermore, the PBM method [33], another interpretability-oriented modeling scheme, is also used to improve the interpretability of the fuzzy models constructed by the initial fuzzy rules on the 10 same data sets.

Table 1 shows the experimental results by averaging the performances of the 10 TS models constructed by the proposed method, the ComGLL ($\beta = 0.6$), ComGLL ($\beta = 0.1$), and the PBM method, respectively, in terms of GM accuracy index *RMSE* and local model (LM) interaction index *RMSLIV*. These averaging results indicate the good performance of the proposed method in producing

TABLE 1

Average Performances of the Proposed Method and the Known Ones in the First Example

Algorithms	GM Average RMSE	LM Average RMSLIV
The proposed ($\lambda = 0.6$)	0.6678	0.1376
ComGLL ($\beta = 0.6$)	1.2089	0.3744
ComGLL ($\beta = 0.1$)	0.8458	0.5415
PBM	0.6283	3.1438

interpretable TS fuzzy models while keeping GM accuracy at a satisfactory level. In order to check whether the average differences in the performances of different modeling schemes are significant, a t -test between the proposed method and other known methods is conducted in the following.

The first step of t -test is to specify a null hypothesis and an alternative hypothesis. In our experiments of testing differences between the average performances of the proposed method and other methods, the null hypothesis “the difference between means is zero” is used, i.e.

$$\begin{aligned} H_0 : \mu_{new} - \mu_{other} &= 0, \\ H_1 : \mu_{new} - \mu_{other} &\neq 0, \end{aligned} \quad (43)$$

where μ_{new} , μ_{other} are the means of the results achieved by the proposed method and other method, respectively, H_1 is a specified alternative hypothesis. The second step is to choose a significance level for the t -test. Usually, the significance level is chosen as $\alpha_0 = 0.05$. Given the samples, the t -value is calculated and a p -value can be determined according to the Student’s t -distribution. If the p -value is less than α_0 , then the null hypothesis H_0 is rejected, and the alternate hypothesis H_1 is accepted. Small p -value casts doubt on the validity of the null hypothesis. However, if the p -value was greater than the α_0 level, the hypothesis H_0 would be retained.

Table 2 illustrates the t -test results about the TS GM performances achieved by applying the proposed method and the known ones to the 10 data sets. For example, in the t -test of difference between the proposed method and ComGLL($\beta = 0.6$), the probability value (1.4103e-013) is less than the significance level (0.05), which implies that the difference between the two means is significant, so the null hypothesis H_0 is rejected. It is concluded that the average $RMSE$ (1.2089) by the ComGLL($\beta = 0.6$) is really higher than the one (0.6678) by the proposed method. Similar conclusions about the GM performances of the proposed method versus other methods can also be drawn according to the t -test results in Table 2.

Furthermore, t -test is carried out to evaluate the differences of local model performances in terms of the $RMSLIV$ values achieved by the proposed method and other known methods, Table 3 gives the corresponding experimental results. For example, in the t -test of difference between the proposed method and the PBM scheme, the probability value (1.0914e-004) is less than the significance level (0.05), which implies that the difference between the two $RMSLIV$ means is significant, so the null hypothesis H_0 is rejected. Thus, it is concluded that the average $RMSLIV$

TABLE 2

T -Test of the GM Performances of the Proposed Method and the Known Ones in the First Example ($\alpha_0 = 0.05$)

Algorithms	t -value	p -value	Decision
The proposed vs ComGLL ($\beta = 0.6$)	-19.5628	1.4103e-013	H_0 rejected
The proposed vs ComGLL ($\beta = 0.1$)	-5.3545	5.2557e-005	H_0 rejected
The proposed vs PBM	2.9805	0.0080	H_0 rejected

(3.1438) achieved by the PBM scheme is really higher than the one (0.1376) by the proposed method. Similar conclusions about the local model performances of the proposed method versus other methods can also be reached according to the t -test results in Table 3. To summarize, the proposed method outperforms the ComGLL and PBM schemes in producing interpretable TS local models in terms of Definition 1. Particularly, both GM accuracy and local model interpretability obtained by the ComGLL scheme are worse than the proposed method. One possible reason is that the ComGLL learning scheme, specially aiming at improving TS local model interpretability, does not optimally adjust MFs to make the local models dominate the local behaviors of the system.

Promisingly, the distinguishability of the input space partition generated by the proposed method is improved simultaneously due to the use of linguistic modifiers. Fig. 3 shows one TS model with local models and the corresponding MFs produced by the proposed method. As a comparison, Fig. 4 illustrates the TS model with local models and the corresponding MFs generated by the PBM method applying to the same data set as the one used in Fig. 3, which indicates that the input space partitions obtained by the proposed method possess better distinguishability than the ones achieved by the PBM method, and the TS submodes achieved by the proposed method exhibit better interpretation of the interactions with the GM than the ones obtained by the PBM method. Because the ComGLL does not consider the improvement of the distinguishability of input space partitions, the input space partition is not illustrated here.

Next, the performance of the pivoted QR decomposition algorithm for selecting the most important fuzzy rules is evaluated in comparison with the SVD-QR with column pivoted method [36], [37]. The two methods are separately applied to the firing strength matrices of the 10 TS fuzzy models produced by the proposed method. Table 4 summarizes the average $RMSEs$ and $RMSLIVs$ of the TS models constructed by eight most important fuzzy rules

TABLE 3

T -Test of the Local Model Performances of the Proposed Method and the Known Ones in the First Example ($\alpha_0 = 0.05$)

Algorithms	t -value	p -value	Decision
The proposed vs ComGLL ($\beta = 0.6$)	-25.2731	1.6393e-015	H_0 rejected
The proposed vs ComGLL ($\beta = 0.1$)	-33.7096	1.0181e-017	H_0 rejected
The proposed vs PBM	-4.9254	1.0914e-004	H_0 rejected




Fig. 3. TS model with (a) local models and (b) corresponding MFs obtained by the proposed method: (a) dotted lines represent the GMs (recovered signal), and dashed lines represent the local models.

selected in terms of the R -values and singular values of fuzzy rules, in which the R -values of fuzzy rules are obtained by the pivoted QR decomposition algorithm, while the singular values of fuzzy rules are calculated by the SVD-QR with column pivoting method ($r = 4$). In order to test whether the difference between the two rule ranking methods over the available data sets is nonrandom, the t -test is performed, in which the null hypothesis “the difference between means is zero” is used, i.e.

$$\begin{aligned} H_0 : \mu_{qr} - \mu_{svd-qr} &= 0, \\ H_1 : \mu_{qr} - \mu_{svd-qr} &\neq 0, \end{aligned} \quad (44)$$

where μ_{qr} , μ_{svd-qr} are the means of the results achieved by the QR method and the SVD-QR method, respectively, H_1 is




Fig. 4. TS model with (a) local models and (b) corresponding MFs obtained by the PBM method: (a) dotted lines represent the GMs (recovered signal), and dashed lines represent the local models.

TABLE 4

Average Performances of the QR Method and the SVD-QR with Column Pivoted Method in the First Example

Algorithms	GMI Average RMSE	LM Average RMSLIV
QR	0.8352	0.1474
SVD-QR	1.5200	0.1493

the specified alternative hypothesis, and the significance level is chosen as $\alpha_0 = 0.05$.

Table 5 illustrates the t -test results on GM performances and local model performances achieved by the two rule selection methods. In the t -test of difference between the QR method and SVD-QR method on GM performance, the probability value (8.9913e-006) is less than the significance level (0.05), which implies that the difference between the two $RMSE$ means is significant, so the null hypothesis H_0 is rejected. The average $RMSE$ (0.8352) achieved by the pivoted QR method is significantly smaller than the one (1.5200) achieved by the SVD-QR with column pivoting method. However, in the t -test of difference between the two methods on local model performance, the probability value (0.8535) is greater than the significance level (0.05), which implies that the difference between the two $RMSLIV$ means is not significant, so the null hypothesis H_0 is retained. That is to say, given the available TS models constructed by the proposed method, the pivoted QR method is comparable with the SVD-QR with column pivoting method in further improving the TS local model interpretability. To summarize, when applied to the TS models constructed by the proposed method, the pivoted QR method can achieve significantly better GM accuracy than the SVD-QR with column pivoting method, but the two methods achieve the same level of performance in further improving the TS local model interpretability.

Now let us see whether the practically generated TS models can verify the above claim. Fig. 5 shows two TS models constructed by the eight most important rules in terms of R -values and singular values, respectively, which clearly indicate that the SVD-QR with column pivoted method greatly degrades the GM accuracy, but there is not much difference of local model interpretations between the two TS models. These results also justify that the $RMSLIV$ really possesses the capability of characterizing the status of TS local model interaction with GM.

6.2 Steam Heat Exchanger

The second example considers a liquid-saturated steam heat exchanger [44], where water is heated by pressurized saturated steam through a copper tube. The process plant is shown in Fig. 6, in which the output is the outlet liquid temperature, and the inputs are the liquid flow rate, the

TABLE 5

T -Test of the GM and Local Model Performances of QR Method and SVD-QR Method in the First Example ($\alpha_0 = 0.05$)

Global/local models	t -value	p -value	Decision
GM performance	-6.1107	8.9913e-006	H_0 rejected
LM performance	-0.1873	0.8535	H_0 retained




Fig. 5. The TS models and local models obtained by eight important rules selected by the (a) pivoted QR method and (b) SVD-QR with column pivoting method: dotted line represents the GM (recovered signal), and dashed lines represent the local models.

steam temperature, and the inlet liquid temperature. In this experiment, the steam temperature and the inlet liquid temperature are kept constant to their nominal values, so only the liquid flow rate is considered as plant input variable. The main motivation for the choice of the heat exchange process is that this plant is a significant benchmark for nonlinear control design purposes, because it is characterized by a nonminimum phase behavior which makes the design of suitable controllers particularly challenging even in a linear design context [44]. Hence, it is highly expected to construct TS fuzzy model with good local linear model interpretation to predict the system behaviors.

In our experiment, 1,000 heat exchanging samples are used to build up a TS fuzzy system model with four inputs, i.e., $v_t = f(v_{t-1}, v_{t-2}, v_{t-3}, u_t)$, where v_t is the outlet liquid temperature at time t , and u_t is the liquid flow rate at time t . And 10-fold cross validation is used to evaluate the performance of the TS model, which works as follows:

- Divide the 1,000 instances into 10 disjoint data subsets, each containing 100 heat exchanging samples.
- Form a testing sample set with each data subset.




Fig. 6. The steam heat exchanger plant.

TABLE 6
GM Performance Comparisons of the Proposed Method with the Known Ones in the Second Example

Algorithms	Training RMSE	Variance	Testing RMSE	Variance
The proposed ($\lambda = 0.6$)	0.2433	0.0052	0.2531	0.0332
ComGLL ($\beta = 0.6$)	16.5659	0.2453	17.1984	3.2568
ComGLL ($\beta = 0.05$)	0.8854	0.0220	0.9296	0.1615
PBM	0.2478	0.0031	0.2617	0.0327

- Form a training sample set for every testing set with the remaining 900 instances.
- Train and test the TS fuzzy model by the proposed method using each of the pairs of training and testing sets.
- Record and average the results for the testing sets to determine the model generalization performance, i.e., the RMSEs of predicting the outlet liquid temperatures by the trained TS model on the test samples.

First, an initial input space partition is obtained by using the NKFCM clustering algorithm [42] on the available input-output samples, which generates two clusters as the core centers of initial fuzzy sets. For the four input variables v_{t-1} , v_{t-2} , v_{t-3} , and u_t , 16 fuzzy rules are generated in the initial TS model. In the experiment, the learning rates for updating the antecedent parameters $\beta_{i,j}$ and $u_{i,j}$ are adapted dynamically with $\kappa = 0.1$ and 1 separately, the initial value of $p_{i,j}$ is set as 1.1, and $\lambda = 0.6$ is used to evaluate the performance of the proposed method. The experimental results are summarized in Tables 6 and 7, which indicate that the TS models constructed by the proposed method achieve good generalization performance, while their local models possess good interpretability in terms of Definition 1. Moreover, the generated fuzzy sets by the linguistic modifiers exhibit good distinguishability in the input space partition as illustrated in Fig. 7.

As a comparison, the ComGLL method is also used to construct TS fuzzy model via similar 10-fold cross validation on the same data subsets. The parameter values of $\beta = 0.05$ and 0.6 are separately used to evaluate the performance of the ComGLL method. The experimental results are summarized in Tables 6 and 7 as well. Because the ComGLL scheme does not consider improving the distinguishability of the input space partition, the fuzzy sets used remain unchanged as in the initial partition.

TABLE 7
Local Model Performance Comparisons of the Proposed Method with the Known Ones in the Second Example

Algorithms	Average RMLIV
The proposed ($\lambda = 0.6$)	0.1939
ComGLL ($\beta = 0.6$)	0.5217
ComGLL ($\beta = 0.05$)	1.9686
PBM	2.3242




Fig. 7. The MFs generated by the proposed method in the second example.

Furthermore, the PBM method is used to enhance the distinguishability of the fuzzy model constructed by the 16 initial fuzzy rules. The 10-fold cross validation is also used to evaluate the performance of the PBM method applying to the same data subsets, and the experimental results are shown in Tables 6 and 7 as well. Fig. 8 illustrates one improved input space partition by the PBM method. It can be seen that the proposed method achieves better performance in improving the TS local model interpretability with satisfactory generalization performances on the steam heat exchanger problem than other known interpretability-oriented fuzzy modeling methods. What is more, the distinguishability of input space partition is simultaneously improved by the proposed method.

Next, the performance of the pivoted QR decomposition algorithm is evaluated on the steam heat exchanger problem via 10-fold cross validation in comparison with the SVD-QR with column pivoted method. By applying the pivoted QR decomposition algorithm to the firing strength matrix of the 16 fuzzy rules produced by the proposed method, the R -values are obtained to rank the fuzzy rules as illustrated in Table 8. The rule ranking results obtained by the SVD-QR with column pivoted method are also depicted in Table 8, which indicate that the SVD-QR with column pivoted method heavily depends on the selection of the efficient rank parameter r . By setting $fs_0 = 2.0, 9$, most important fuzzy rules are selected in terms of R -values to construct a TS model. This TS model achieves good model performance: training $RMSE = 0.2496$ with variance 0.0038, testing




Fig. 8. The MFs generated by the PBM method in the second example.

TABLE 8
Rule Ranking Results by Pivoted QR Decomposition and SVD-QR with Column Pivoting in the Second Example

Methods	Rule Ranking Results
QR	15, 16, 1, 2, 7, 8, 3, 4, 13, 14, 9, 10, 11, 12, 5, 6
SVD-QR ($r=4$)	4, 1, 11, 10, 5, 6, 7, 8, 9, 2, 3, 12, 13, 14, 15, 16
SVD-QR ($r=5$)	8, 4, 1, 10, 12, 6, 7, 3, 9, 2, 11, 5, 13, 14, 15, 16
SVD-QR ($r=6$)	8, 9, 4, 1, 12, 10, 7, 3, 2, 6, 11, 5, 13, 14, 15, 16

$RMSE = 0.2578$ with variance 0.0381, and average $RMSLIV = 0.2445$. However, the TS model constructed in terms of the nine most important fuzzy rules selected by the SVD-QR with column pivoted method with $r = 6$ achieves training $RMSE = 0.8906$ with variance 0.5204, testing $RMSE = 1.0659$ with variance 0.7235, and average $RMSLIV = 0.2804$. From the above results, it can be seen that the pivoted QR decomposition method is more efficient in identifying influential fuzzy rules than the SVD pivoted QR decomposition in constructing parsimonious TS models.

6.3 Nonlinear Circuit System

The third example is a benchmark nonlinear circuit creating a time series of voltage. The theoretical model of this circuit is described in [45]. The voltage recordings from the nonlinear circuit have been collected. The aim is to construct a fuzzy model with good interpretability which is capable of reproducing the voltage time series.

In our experiment, 1,000 voltage samples are used to build up a TS fuzzy system model with four inputs, i.e., $v_t = f(v_{t-1}, v_{t-2}, v_{t-3}, v_{t-4})$, where v_t is the voltage value at time t . And fivefold cross validation is used to evaluate the performance of the TS model. Similar scheme for initializing the input space was used as before. Two clusters are generated for the four input variables, and thus 16 fuzzy rules are used in the initial TS model. The experimental results are summarized in Tables 9 and 10. It can be seen that the TS models constructed in this example by the

TABLE 9
GM Performance Comparisons of the Proposed Method with the Known Ones in the Third Example

Algorithms	Average Training RMSE	Average Testing RMSE
The proposed ($\lambda = 0.6$)	0.0011	0.0013
ComGLL ($\beta = 0.6$)	0.0446	0.0457
PBM	0.0011	0.0014

TABLE 10
Local Model Performance Comparisons of the Proposed Method with the Known Ones in the Third Example

Algorithms	Average RMSLIV
The proposed ($\lambda = 0.6$)	0.2953
ComGLL ($\beta = 0.6$)	0.5611
PBM	1.1307

proposed method achieve good generalization performance, while their local models possess good interpretability in terms of Definition 1.

6.4 Further Discussions

Two issues might arise about the proposed method. One is that facing the same problem, different initial input space partitions may lead to TS models with different local model interpretability. The other is the proposed method involves hyperparameters κ , J_0 , and f_{s_0} . In (38), parameter $\kappa (> 0)$ is used to determine the speed of the learning algorithm, which is similar to the parameter determining learning rates commonly used in gradient-based machine learning algorithms. Parameter J_0 is used as a threshold or target value of the objective function J , which corresponds to the stopping criterion used in machine learning algorithms. Hence, parameters κ and J_0 are the common ways of controlling a machine learning algorithm. Comparatively, only parameter f_{s_0} is specially designed in the proposed method as a parameter of threshold for most influential fuzzy rules, which makes the constructed TS models parsimonious. The choice of these parameter values is data dependent. With specific data, trial-and-error procedures are appropriate in determining the values for hyperparameters with the objective of achieving satisfactory results. For readers interested in trying the proposed method, the source codes are available from the authors.²

7 DISCUSSIONS AND CONCLUSIONS

There are several aspects of TS fuzzy model interpretability that are worth being addressed [8], [27], [29], [30]. This paper just focuses on one of them, i.e., good interactions of TS local linear models with GM that make the local models dominate the system behaviors locally and separately as indicated in Definition 1 [8], [26], [27]. Among the existing schemes that are capable of improving TS model interpretability in the sense of Definition 1, most methods focus on either improving the distinguishability of input space partitions without optimizing local linear models to fit GM in local regions, or optimizing local linear models to fit GM locally without considering the improvement of the distinguishability of input space partitions. Interestingly, one advantage of the proposed method with linguistic modifiers in this paper lies in its ability to fulfil the two objectives together in one model structure, i.e., local linear model interpretability in the sense of Definition 1 can be improved and distinguishable input space partition can be simultaneously produced. The experimental results have shown that by using the proposed method, the produced input space partitioning has good distinguishability and the local models match the GM well in the corresponding local regions. As a result, good model interpretability has been achieved while the GM accuracy remains at a satisfactory level. Another contribution of this paper is to have applied the pivoted QR decomposition algorithm to fuzzy rule ranking to produce more transparent and parsimonious TS fuzzy models.

2. <http://dces.essex.ac.uk/staff/jqgan/gan.htm>; <http://www.cci.dmu.ac.uk/index.php?i=5&id=5>.

Due to the promising capability of the proposed method in constructing TS fuzzy models with comprehensible linear submodels in the sense of Definition 1, the proposed method would have potential applications to fuzzy modeling for nonlinear state estimation and control problems. Generally speaking, for highly nonlinear systems, many rules would be required to characterize them. Some interesting issues include formal stability analysis of TS models with interpretable submodels, possibility of applying reinforcement technology to interpretability improvement of TS fuzzy models in case of no input-output training samples available. These topics merit further research in the future.

REFERENCES

- [1] T. Takagi and M. Sugeno, "Fuzzy Identification of Systems and Its Applications to Modeling and Control," *IEEE Trans. Systems, Man, and Cybernetics*, vol. 15, no. 1, pp. 116-132, 1985.
- [2] J.-S.R. Jang, "ANFIS: Adaptive-Network-Based Fuzzy Inference System," *IEEE Trans. Systems, Man, and Cybernetics*, vol. 23, no. 3, pp. 665-685, 1993.
- [3] L.-X. Wang, *Adaptive Fuzzy Systems and Control*. Prentice Hall, 1994.
- [4] C.J. Harris, X. Hong, and J.Q. Gan, *Adaptive Modeling, Estimation and Fusion from Data—A Neurofuzzy Approach*. Springer, 2002.
- [5] A. Gegov, *Complexity Managements in Fuzzy Systems—A Rule Base Compression Approach*. Springer, 2007.
- [6] S. Guillaume, "Designing Fuzzy Inference Systems from Data: An Interpretability-Oriented Review," *IEEE Trans. Fuzzy Systems*, vol. 9, no. 3, pp. 426-443, 2001.
- [7] R. Alcalá, J. Alcalá-Fdez, M.J. Gacto, and F. Herrera, "On the Use of Multiobjective Genetic Algorithms to Improve the Accuracy-Interpretability Trade-Off of Fuzzy Rule-Based Systems," *Multi-objective Evolutionary Algorithms for Knowledge Discovery from Data Base*, A. Ghosh, S. Dehuri, and S. Ghosh, eds., vol. 98, Springer Verlag, 2008.
- [8] J.R. Cano, F. Herrera, and M. Lozano, "Evolutionary Stratified Training Set Selection for Extracting Classification Rules with Trade-Off Precision-Interpretability," *Data and Knowledge Eng.*, vol. 60, pp. 90-108, 2007.
- [9] J. Yen, L. Wang, and C.W. Gillespie, "Improving the Interpretability of TSK Fuzzy Models by Combining Global Learning and Local Learning," *IEEE Trans. Fuzzy Systems*, vol. 6, no. 4, pp. 530-537, 1998.
- [10] S.-M. Zhou and J.Q. Gan, "Low-Level Interpretability and High-Level Interpretability: A Unified View of Data-Driven Interpretable Fuzzy System Modeling," *Fuzzy Sets and Systems*, vol. 159, no. 23, pp. 3091-3131, 2008.
- [11] R. Jensen and Q. Shen, "Semantics-Preserving Dimensionality Reduction: Rough and Fuzzy-Rough-Based Approaches," *IEEE Trans. Knowledge and Data Eng.*, vol. 16, no. 12, pp. 1457-1471, Dec. 2004.
- [12] Y. Jin, "Fuzzy Modeling of High-Dimensional Systems: Complexity Reduction and Interpretability Improvement," *IEEE Trans. Fuzzy Systems*, vol. 8, no. 2, pp. 212-221, 2000.
- [13] A. Hamilton-Wright and D.W. Stashuk, "Transparent Decision Support Using Statistical Reasoning and Fuzzy Inference," *IEEE Trans. Knowledge and Data Eng.*, vol. 18, no. 8, pp. 1125-1137, Aug. 2006.
- [14] H. Roubos and M. Setnes, "Compact and Transparent Fuzzy Models and Classifiers through Iterative Complexity Reduction," *IEEE Trans. Fuzzy Systems*, vol. 9, no. 4, pp. 516-524, 2001.
- [15] W. Pedrycz, J.C. Bezdek, R.J. Hathaway, and G.W. Rogers, "Two Nonparametric Models for Fusing Heterogeneous Fuzzy Data," *IEEE Trans. Fuzzy Systems*, vol. 6, no. 3, pp. 411-425, 1998.
- [16] J.V. de Oliveira, "Semantic Constraints for Membership Function Optimization," *IEEE Trans. Systems, Man, and Cybernetics—Part A*, vol. 29, no. 1, pp. 128-138, 1999.
- [17] J. Espinosa and J. Vandewalle, "Constructing Fuzzy Models with Linguistic Integrity from Numerical Data—AFRELI Algorithm," *IEEE Trans. Fuzzy Systems*, vol. 8, no. 5, pp. 591-600, 2000.

- [18] J. Victor and A. Dourado, "On-Line Interpretability by Fuzzyrule-Base Simplification and Reduction," *Proc. European Symp. Intelligent Technologies (EUNITE)*, 2004.
- [19] H. Ishibuchi and T. Yamamoto, "Fuzzy Rule Selection by Multi-Objective Genetic Local Search Algorithms and Rule Evaluation Measures in Data Mining," *Fuzzy Sets and Systems*, vol. 141, no. 1, pp. 59-88, 2004.
- [20] F. Hoppner and F. Klawonn, "Obtaining Interpretable Fuzzy Models from Fuzzy Clustering and Fuzzy Regression," *Proc. Fourth Int'l Conf. Knowledge-Based Intelligent Eng. Systems and Allied Technologies (KES '00)*, pp. 162-165, 2000.
- [21] C.A. Penna-Reyes and M. Sipper, "Fuzzy CoCo: Balancing Accuracy and Interpretability of Fuzzy Models by Means of Coevolution," *Accuracy Improvements in Linguistic Fuzzy Modeling*, J. Casillas, O. Cordon, F. Herrera, and L. Magdalena, eds., vol. 129 of Studies in Fuzziness and Soft Computing, pp. 119-146, Springer, 2003.
- [22] J.C. Bezdek, *Pattern Recognition with Fuzzy Objective Function Algorithms*. Plenum, 1981.
- [23] R.L. de Mantaras and L. Valverde, "New Results in Fuzzy Clustering Based on the Concept of Indistinguishability Relation," *IEEE Trans. Pattern Analysis and Machine Intelligence*, vol. 10, no. 5, pp. 754-757, May 1988.
- [24] I. Gath and A.B. Geva, "Unsupervised Optimal Fuzzy Clustering," *IEEE Trans. Pattern Analysis and Machine Intelligence*, vol. 11, no. 7, pp. 773-781, July 1989.
- [25] F. Hoppner and F. Klawonn, "A New Approach to Fuzzy Partitioning," *Proc. Joint Ninth IFSA World Congress and 20th NAFIPS Int'l Conf. (IFSA '01)*, pp. 1419-1424, 2001.
- [26] J. Abonyi and R. Babuska, "Local and Global Identification and Interpretation of Parameters in Takagi-Sugeno Fuzzy Models," *Proc. IEEE Int'l Conf. Fuzzy Systems (FUZZ-IEEE '00)*, pp. 835-840, 2000.
- [27] T.A. Johansen and R. Babuska, "Multi-Objective Identification of Takagi-Sugeno Fuzzy Models," *IEEE Trans. Fuzzy Systems*, vol. 11, no. 6, pp. 847-860, 2003.
- [28] J.Q. Gan and C.J. Harris, "Fuzzy Local Linearization and Local Basis Function Expansion in Nonlinear System Modeling," *IEEE Trans. Systems, Man, and Cybernetics—Part B*, vol. 29, no. 4, pp. 559-565, 1999.
- [29] A. Fiordaliso, "A Constrained Takagi-Sugeno Fuzzy System That Allows for Better Interpretation and Analysis," *Fuzzy Sets and Systems*, vol. 118, pp. 307-318, 2001.
- [30] T.G. Amaral, V.F. Pires, and M.M. Crisóstomo, "An Approach to Improve the Interpretability of Neuro-Fuzzy Systems," *Proc. IEEE Int'l Conf. Fuzzy Systems (FUZZ-IEEE '06)*, pp. 8502-8509, 2006.
- [31] M. Setnes, R. Babuska, U. Kaymak, and H.R. van Nauta Lemke, "Similarity Measures in Fuzzy Rule Base Simplification," *IEEE Trans. Systems, Man and Cybernetics—Part B*, vol. 28, no. 3, pp. 376-386, 1998.
- [32] H. Wang, S. Kwong, Y. Jin, W. Wei, and K. Man, "Agent-Based Evolutionary Approach to Interpretable Rule-Based Knowledge Extraction," *IEEE Trans. Systems, Man, and Cybernetics—Part C*, vol. 29, no. 2, pp. 143-155, 2005.
- [33] C. Mencar, G. Castellano, and A.M. Fanelli, "Distinguishability Quantification of Fuzzy Sets," *Information Sciences*, vol. 177, pp. 130-149, 2007.
- [34] H.A. Hefny, "Comments on 'Distinguishability Quantification of Fuzzy Sets'," *Information Sciences*, 2007.
- [35] A. Kaufmann, *Introduction to the Theory of Fuzzy Subsets*. Academic Press, 1975.
- [36] G.C. Mouzouris and J.M. Mendel, "Designing Fuzzy Logic Systems for Uncertain Environments Using a Singular-Value-QR Decomposition Method," *Proc. Fifth IEEE Int'l Conf. Fuzzy Systems (FUZZ-IEEE '96)*, pp. 295-301, 1996.
- [37] M. Setnes and R. Babuska, "Rule Base Reduction: Some Comments on the Use of Orthogonal Transforms," *IEEE Trans. Systems, Man, and Cybernetics—Part C*, vol. 31, no. 2, pp. 199-206, 2001.
- [38] S.-M. Zhou and J.Q. Gan, "Constructing Accurate and Parsimonious Fuzzy Models with Distinguishable Fuzzy Sets Based on an Entropy Measure," *Fuzzy Sets and Systems*, vol. 157, no. 8, pp. 1057-1074, 2006.
- [39] T. Furuhashi and T. Suzuki, "On Interpretability of Fuzzy Models Based on Conciseness Measure," *Proc. 10th IEEE Int'l Conf. Fuzzy Sets (FUZZ-IEEE)*, 2001.
- [40] A. De Luca and S. Termini, "A Definition of Non-Probabilistic Entropy in the Setting of Fuzzy Set Theory," *Information Control*, vol. 20, pp. 301-312, 1972.
- [41] J. Yen and L. Wang, "Application of Statistical Information Criteria for Optimal Fuzzy Model Construction," *IEEE Trans. Fuzzy Systems*, vol. 6, no. 3, pp. 362-372, 1998.
- [42] S.-M. Zhou and J.Q. Gan, "An Unsupervised Kernel Based Fuzzy c-Means Clustering Algorithm with Kernel Normalization," *Int'l J. Computational Intelligence and Applications*, vol. 4, no. 4, pp. 355-373, 2004.
- [43] M.J. Moody and C.J. Darken, "Fast Learning in Networks of Locally-Tuned Processing Units," *Neural Computation*, vol. 1, no. 2, pp. 281-294, 1989.
- [44] S. Bittanti and L. Piroddi, "Nonlinear Identification and Control of a Heat Exchanger: A Neural Network Approach," *J. Franklin Inst.*, vol. 334, no. 1, pp. 135-153, 1997.
- [45] N.F. Rulkov, L.S. Tsimring, and H.D.I. Abarbanel, "Tracking Unstable Orbits in Chaos Using Dissipative Feedback Control," *Physical Rev. E*, vol. 50, no. 1, pp. 314-324, 1994.



Shang-Ming Zhou received the BSc degree in mathematics from Liaocheng University, Shandong Province, China, the MSc degree in applied mathematics from Beijing Normal University, Beijing, and the PhD degree in computer science from the University of Essex, United Kingdom. He is currently with the Centre for Computational Intelligence, Department of Informatics, De Montfort University, Leicester, United Kingdom. His research interests include

fuzzy logic systems (type-1 and type-2) and applications, decision support systems under uncertainty, model interpretability and transparency in data-driven neurofuzzy systems, machine learning (neural networks, kernel models, and particle swarm optimization), intelligent signal, and image processing. He has published extensively on these topics. He is a member of the IEEE.



John Q. Gan received the BSc degree in electronic engineering from Northwestern Polytechnic University, China, in 1982 and the MEng degree in automatic control and the PhD degree in biomedical electronics from Southeast University, China, in 1985 and 1991, respectively. He is a reader in the Department of Computing and Electronic Systems, University of Essex, Colchester, United Kingdom. His research interests include neurofuzzy computation and machine intelligence, brain-computer interface, robotics and intelligent systems, pattern recognition, signal processing, and data fusion. He has coauthored a book and published more than 150 research papers. He is an associate editor for the *IEEE Transactions on Systems, Man, and Cybernetics—Part B* and serves on the editorial board of other journals. He is a senior member of the IEEE.

machine intelligence, brain-computer interface, robotics and intelligent systems, pattern recognition, signal processing, and data fusion. He has coauthored a book and published more than 150 research papers. He is an associate editor for the *IEEE Transactions on Systems, Man, and Cybernetics—Part B* and serves on the editorial board of other journals. He is a senior member of the IEEE.

► For more information on this or any other computing topic, please visit our Digital Library at www.computer.org/publications/dlib.