

COOPER-framework: A Unified Process for Non-parametric Projects

Ali Emrouznejad^{1†}, Kristof De Witte²

¹ Aston Business School, Aston University, Birmingham, UK, A.emrouznejad@aston.ac.uk

² Center for Economic Studies, University of Leuven (KUL), Leuven, Belgium, & Top Institute for Evidence Based Education Research, Maastricht University, the Netherlands, kristof.dewitte@econ.kuleuven.be

July 2010

Abstract

Practitioners assess performance of entities in increasingly large and complicated datasets. If non-parametric models, such as Data Envelopment Analysis, were ever considered as simple push-button technologies, this is impossible when many variables are available or when data have to be compiled from several sources. This paper introduces by the ‘COOPER-framework’ a comprehensive model for carrying out non-parametric projects. The framework consists of six interrelated phases: Concepts and objectives, On structuring data, Operational models, Performance comparison model, Evaluation, and Result and deployment. Each of the phases describes some necessary steps a researcher should examine for a well defined and repeatable analysis. The COOPER-framework provides for the novice analyst guidance, structure and advice for a sound non-parametric analysis. The more experienced analyst benefits from a check list such that important issues are not forgotten. In addition, by the use of a standardized framework non-parametric assessments will be more reliable, more repeatable, more manageable, faster and less costly.

Keywords: DEA, non-parametric efficiency analysis, unified process, COOPER-framework.

[†] Corresponding Author: Ali Emrouznejad, Aston Business School, Aston University, Birmingham, UK, Email: A.emrouznejad@aston.ac.uk, Fax: 0044 121 204 5271

1. Introduction

Efficiency analysis has never been a simple push-bottom technology. Within a performance assessment, various interactions can intricate the analysis. Indeed, changing the modelling technique, or the input or output variables might result in significantly different efficiency scores. Therefore, a systematic check list with the several phases which are required to assess performance would make efficiency analysis less costly, more reliable, more repeatable, more manageable and faster.

In addition, the increasing performance of computers enables researchers to evaluate and examine larger datasets. Particularly evaluations of large surveys as in education (e.g., the OECD Pisa dataset, the Department for Education and Skills in England (DfES) or the Belgian SiBo), business performance (e.g., World Economic Forum, CEO confidence surveys) or consumer confidence, and the analysis of large statistical databases (e.g., on company performances) became possible by increased computing power. Nowadays, the weakest link lies (again) with the researcher who has to overview the dataset. Indeed, datasets with more than 800 variables (as the Pisa survey) require significant efforts from the researcher. Therefore, researchers start collaborating with different stakeholders (e.g., policy makers, practitioners), who may be novice users of DEA. This in turn makes the analysis more difficult. A standardized process could facilitate the researcher and reduce the possibility of making mistakes. Many studies dealing with large data, e.g., data mining, or analysing complicated processes such as systems engineering, have developed step-by-step frameworks. For example see data mining life cycles of CRISP-DM (CRoss Industry Standard Process for Data Mining) and SEMMA (Sample, Explore, Modify, Model, Assess) and SDLC (Systems Development Life Cycle) as a standard process of developing systems (Olson and Delen, 2008; Cerrito, 2007; Blanchard and Fabrycky, 2006). This paper presents an alternative step-by-step framework which should facilitate the collaboration between stakeholders and researchers.

In this article, we will focus on non-parametric models to examine the performance of entities. Indeed, the user does not observe the production process (i.e., the transformation of inputs into outputs). Whereas parametric models do assume a particular *a priori* specification on the production process, non-parametric models *let the data speak for themselves*. In particular, they estimate the relationship between

inputs and outputs with minimal assumptions (Charnes *et al.*, 1985). This makes non-parametric models extremely attractive. We will particularly focus on the widely applied non-parametric Data Envelopment Analysis (DEA) model (for an overview of more than 4000 papers published on DEA during 1978 and 2007, see Emrouznejad *et al.*, 2008). Nevertheless, the different phases of the suggested framework are not limited to the traditional DEA model. As also other methods follow similar phases, the framework can be used for a Stochastic Frontier Analysis (SFA, Meeusen and van den Broeck, 1977) or a parametric application with some modification. Remark that particular models (e.g., order- m , bootstrap, SFA; see below) can not be interchanged (e.g., there is no double bootstrap in SFA). Nevertheless, a similar framework can be adopted for parametric methods.

The DEA model is based on a linear programming technique which evaluates the efficiency of entities relative to best practice observations (Charnes *et al.*, 1978). To do so, the researcher has to specify input and output variables. Although this might seem a reasonable task, the effort increases significantly when the available data are growing. To this end, the present paper introduces a step-by-step framework to evaluate large and unexplored datasets. In this sense, the paper links with previous work of Avkiran (1999), Belton and Vickers (1993), Brown (2006), Dyson *et al.* (2001), Hollingsworth (2008) and Pedraja-Chaparro *et al.*, (1999). Although previous papers already clearly indicated the pitfalls of DEA (Dyson *et al.*, 2001), provided guidelines for novice users (Avkiran, 1999), visual tools for an insightful implementation (Belton and Vickers, 1993), or difficulties and opportunities of efficiency measurement (Hollingsworth, 2008), this paper explicitly targets the mixture of experienced and novice researchers. Indeed, frequently, experienced researchers (e.g., academics or consultants) collaborate with stakeholders (e.g., civil servants or CEOs), who are less aware of the various methodological advances in the literature. Without a clear framework, the stakeholders may refuse the implementation of more advanced techniques (and prefer, e.g., a simple bivariate analysis). Only by a step-by-step analysis, which gradually constructs the ultimate model, inexperienced stakeholders may be persuaded of advanced (non-)parametric methods. As such, (and in contrast to previous literature) the framework is presented as a process model which overcomes problem definition, data collection, model specification and

interpretation of the results. The process model provides an ultimate tool to guide novice users through the set-up of an efficiency analysis application.

The contributions of the paper arise from three particular features of the proposed process model that provides both the structure and the flexibility to suit most non-parametric projects for comparison of a set of entities, especially with large number of units.

Firstly, the proposed model for processing non-parametric projects can help us understand and manage interactions in the complex process of efficiency analysis. Therefore, for the novice analyst, the process model provides guidance, helps to structure the project, and gives advice for each phase of the process. This should result in a more reliable model specification (both in terms of modelling technique as in terms of selecting inputs and outputs). The experienced analyst can benefit from a check list for each phase to make sure that nothing important has been forgotten. But the most important role of a standard process is to allow systematic treatment for comprehensive phases in large non-parametric projects which facilitates the process (e.g., by making it more repeatable and less expensive).

Secondly, structure arises from the checklist for setting up non-parametric analyses. Indeed, non-parametric models as DEA (including Free Disposal Hull, FDH, Deprins *et al.*, 1984) are not push-button technologies but on the contrary a complex process requiring various tools to identify the appropriate set of inputs/outputs and select a suitable model. The success of non-parametric projects depends on the proper mix of managerial information and the skills of the analyst.

Thirdly, consider the flexibility. The suggested framework consists of six connected phases which have various feedback loops. This is particularly an attractive feature for the unexperienced stakeholder who will observe that early (methodological) choices can have an effect in later phases.

In sum, the framework helps to link different tools and different people with diverse skills and backgrounds, in order to work on an efficient and effective project.

The paper unfolds as follows. The next section gives an overview of the proposed framework. Each of the sections 3 to 7 describes a particular phase of the COOPER-

framework. Indeed, each of the phases has several sub-phases which in turn cover a broad literature. We present the sub-phases systematically. Finally we present some concluding remarks.

2. The COOPER-framework

In large and complicated datasets, a standard process could facilitate performance assessment and help to (1) translate the aim of the performance measurement to a series of small tasks, (2) select homogeneous DMUs and suggest an appropriate input/output selection, (3) detect a suitable model, (4) provide means for evaluating the effectiveness of the results, and (5) suggest a proper solution to improve the efficiency and productivity of entities (also called Decision Making Units, DMUs). We suggest a framework which involves six interrelated phases: (1) **C**oncepts and objectives, (2) **O**n structuring data, (3) **O**perational models, (4) a **P**erformance comparison model, (5) **E**valuation, and (6) **R**esults and deployment. Taking the first letter of each phase, we obtain the **COOPER**-framework (in honour of and in agreement with one of the founders of DEA). Figure 1 systemizes the six phases.




Figure 1. COOPER-framework: a unified standard process

The first two phases of the COOPER-framework, i.e., the ‘concepts and objectives’ and ‘On structuring data’, correspond to defining the problem and understanding how decision making units operate. The last two phases, i.e., the ‘evaluation’, and ‘results and deployment’ correspond to summarisation of the results and documentation of the project for non-DEA experts. In between, we show how to synthesize ‘operational models’ for use as the most appropriate non-parametric model. Indeed, although we present the framework for the non-parametric DEA model, as mentioned before, the broad ideas of the framework can easily be adapted to other model specifications such as FDH, SFA, Corrected Ordinary Least Squares (COLS) or Multi-level Models (MLM), obviously with some modification. Even more, before starting the analysis a researcher does not know “what is the best methodology to analyse the research question” and thus could decide that, e.g., SFA is more appropriate. As such, the model specification is an intrinsic part of the process (see phase 3). The selected model is applied in the ‘performance comparison’ phase.

Obviously, the phases are interrelated and affect each other. Therefore, we provide numerous feedback loops connecting the phases. This framework is systematically presented in Figure 2, and summarized in terms of articles in Appendix. Basically, if a problem occurs in a particular phase, the researcher should go back to previous phases in chronological order (e.g., from phase 5 to 4 to 3, etc.). Nevertheless, reconsidering a previous phase does not necessarily take a long time. Once the problem/issue is analysed and solved, the researcher follows again the order of the framework. The relationship between the phases is sometimes very subtle. For example, the ratio of the number of observations to the number of inputs and outputs determines the bias on DEA frontier (because of the ‘curse of dimensionality’). As such, a decision in a previous phase creates issues (in this example problems with consistency) in later phases.

Also note that stakeholders regularly help to design the model (which is very often the case with civil servants and companies because they want to keep control on the study). As such, stakeholders will be very reluctant to assume full availability of data (because of both practical reason, e.g. the data simply do not exist, and/or opportunistic reason, e.g. they do not want to provide sensitive data). Therefore, the

data collection phase (phase 2) is presented in the framework before the model construction (phase 4).




Figure 2. Systematic presentation of the COOPER-framework

In the following sections, we discuss each of the phases in more detail.

3. Concepts and objectives

A very large DEA project generally involves the expertise from numerous individuals. The concepts and objectives phase requires communication skills to work closely together with the evaluated entities. These are often (but not necessarily) the organisations which are interested in the DEA results. Naturally, the undertaking of a collaborative DEA project increases the complexity of the process. There are also potential benefits, such as a more in depth analyses, additional insights and a broader range of operational characteristics which can be taken into account, by suitably combining the expertises.

The concepts and objectives phase (systematically presented in Figure 3) aims at defining the research question. Besides determining the objectives of the study this involves determining the operational environment of the observations and the production processes. A clear and *a priori* agreed definition of the environment can avoid heated discussions in the evaluation of the results (phase 5). Indeed, as DEA measures relative efficiency [i.e., efficiency relative to best practice observations, see Thanassoulis (2001) and Zhu (2003) for a comprehensive introduction on DEA with a software tool], it can easily be argued by observations that they are ‘totally’ different from the other observations in the sample and, as such, cannot be compared with them. A clear and sound definition of the research question and the operational environment avoids similar discussions.

Once the research question is defined, the discussion should focus on the most appropriate technique to assess the problem. Different techniques could yield different results. For example, composite indicators summarize the performance on multiple inputs and multiple outputs in one synthetic indicator. This could yield advantages, such as knowing at a single glance the performance, easy to discuss with a general audience and easy to set targets. However, composite indicators also face some drawbacks as reducing the information and the necessity to weight the different sub-indicators (OECD, 2008). Every technique for composite indicators (e.g., DEA, SFA, performance indicators) has its own peculiarities. The different stakeholders should be aware of this in order to avoid again discussion in the evaluation phase (for a discussion on the peculiarities of the techniques see Fried *et al.*, 2008).

Every study balances on the trade-off between an analysis on micro-level or on macro-level. Micro-level studies have the advantage that they (normally) contain more observations and are better comparable to each other. Macro-level observations allow the researcher to overview a broader picture, but contain less observations. Directly connected to this trade-off is the issue on the identification of the appropriate level of decision making, i.e. can the micro (macro)-level act independently?

A final step in the first phase consists of designing the project plan. This should be seen as broad as possible. It, again, aims at avoiding discussion in the evaluation phase. Indeed, empirical applications in general and data-driven approaches as DEA in particular are sometimes sensitive to the provided data. Traditional frontier

techniques such as DEA are deterministic techniques (i.e., they do not allow for noise), they may be sensitive to outlying observations (e.g., Simar, 1996). The latter could arise from measurement errors or atypical observations. Banker and Natarajan (2004) supplied statistical tests based on DEA efficiency scores. Therefore, this step should carefully examine the availability of correctly measured data. In addition, once the objectives and the evaluation technique are determined, the stakeholders should agree on the criteria to evaluate the results. For example, will they use a “naming and shaming” approach (i.e., sunshine regulation; Marques, 2006), a “yardstick competition approach” (i.e., using the outcomes to set maximum prices or revenues; Bogetoft, 1997), or will the results only be reported internally, etc.?




Figure 3. Concepts and objectives phase

4. On structuring data

Having settled some preliminary questions in the first phase, in a second phase the researcher can start the analysis with the initial data collection. Especially in large datasets, it is worthwhile spending sufficient time with this phase (summarized in Figure 4). Various variables are potentially available and differences between them are sometimes subtle. In order to examine the research question from phase 1, additional data sources (such as statistical databases, annual accounts or price information) should have been consulted. This requires a sound method of data collection (in order to allow for reproduction of the dataset in the future). The latter is facilitated if a clear data collection routine is defined.

Having collected the data, it is necessary to characterize them at the meta level (i.e., describe and explore the data). The ‘explore data’ task typically consists of an initial report with summarisation and possibly visualisation of data. Although visualisation is limited to two or three dimensions, this frequently brings additional insights (Grinstein *et al.*, 2002). Besides a brief description the ‘describe data task’ contains notification of the type of data (e.g., continuous or discrete) because different models can be adapted depending on the data type (Cook and Zhu, 2006).

Obviously, data can differ significantly in quality. Especially when compiling the data from different sources (e.g., two different types of hard data) or different data collection techniques (e.g., hard data combined with survey sample data) caution should be taken. For example, the definitions of the variables could differ according to the original source. But the quality of the combined dataset could be at stake in more subtle issues. For example, different data sources could have different random samples (so the data should be weighted accordingly: the researcher can account for this by, for example, (1) in the robust order- m estimations of Cazals *et al.* (2002) drawing less frequently observations from the minority group, or (2) in bootstrap replications, in comparison to the underrepresented observations, replicating fewer the overrepresented observations (for an empirical example, Cherchye *et al.*, 2009). The researcher should be constantly aware of potential differences in data definitions and data collection techniques.

Depending on the applied assessment technique (MLM, COLS, FDH, DEA...; see phase 3) differences in data quality are increasing troublesome. Particularly in deterministic DEA models, outlying and atypical observations due to a low quality of data could heavily influence the outcomes. Fortunately, the non-parametric literature has developed several techniques to deal with, e.g., missing data (e.g., Kao and Liu, 2000), negative data (e.g., Emrouznejad *et al.*, 2010a, 2010b and Portela *et al.*, 2004), zero values (e.g., Thompson *et al.*, 1993) or ratio data (Emrouznejad and Amin, 2009). Efficiency estimation with noisy data (e.g., due to measurement errors) could result in very imprecise results (for various models dealing with irregular data in DEA see Zhu and Cook; 2007). Therefore, it is worthwhile to examine the noise around the DEA estimates by bootstrapping techniques or statistical inferences (Simar and Wilson, 2007; see also phase 5).




Figure 4: On structuring data phase

In addition, observations with a dramatic impact on the efficiency scores of other observations could be removed from the sample. The literature developed several techniques to detect influential observations: the peer count index (Charnes *et al.*, 1985), outlier detection by the use of super-efficiency model (Andersen and Petersen, 1993), order- m based models (Simar, 2003), leverage (Sousa and Stosic, 2005), etc. are typical techniques for non-parametric models. Outlier detection models exist for parametric models as well (e.g., Langford and Lewis, 1998 for MLM). Each of these models has its own peculiarities and, as such, it could be worthwhile to combine the different procedures (De Witte and Marques, 2010).

On the other hand, influential observations could be of increased interest as they could reveal extreme best practices or indicate where someone has specialized into a niche performance. Therefore, a researcher cannot simply remove the outliers from the sample (an alternative non-parametric approach which reduces the impact of outlying observations in the sample is the robust order- m model of Cazals *et al.*, 2002; see phase 4). Finally, this sub-phase aims at obtaining a quality report on the data such that the weakest and strongest links can easily be noticed.

Once settled, the researcher has to prepare the final dataset on which the models will be run. The analyst has to collect the data from the different data sources, and deal with the missing, zero or negative data appropriately. Finally, he/she obtains a clean and ready to use dataset.

5. Operational models

Dependant on (a) available data, (b) the quality of the data (e.g., noisy) and (c) the type of the data (e.g., negative values, discrete variables, desirable/undesirable values etc.), specific classes of models are available. Two main categories can be distinguished. As in Figure 5 the first class consists of parametric models (see, e.g., Greene, 2008). This family of models assumes an *a priori* specification on the production function (i.e., how the inputs are converted into outputs). The advantages of this procedure are its well established statistical inference and its easy inclusion of environmental characteristics. Its disadvantage lies in the *a priori* specification of the model. It is often very difficult to argue that the production process follows, e.g., a

Cobb-Douglas, Translog or Fourier specification. The second class consists of the non-parametric models. They do not require any *a priori* assumptions on the production function. They therefore have more flexibility and, as such, let *the data speak for themselves* (Stolp, 1990). A disadvantage of this class lies in the restrictive curse of dimensionality and they often deliver a large variance and wide confidence interval.

Within these two families, both deterministic and stochastic variants exist. The deterministic models assume that all observations belong to the production set. This assumption makes them sensitive to outlying observations. However, robust models (Cazals *et al.*, 2002) avoid this limitation. Stochastic models allow for noise in the data and capture the noise by an error term. However, sometimes it is difficult to distinguish the noise from inefficiency, the stochastic frontier models are specifically directed to this problem (Kumbhakar and Lovell, 2000).

The literature has developed several models for efficiency estimations (for an overview, Daraio and Simar, 2007). In the remainder of the paper, we will focus only on the non-parametric deterministic model. However, the researcher should be aware of the other model specifications, and even of particular variants of the traditional model specifications [e.g., Dula and Thrall (2001) developed a DEA model which is less computational demanding and, as such, interesting to analyze large datasets]. Although in the previous phase outliers and atypical observations were removed from the dataset (or at least inspected more carefully), the deterministic model is still vulnerable to these influential entities. To reduce the impact of outlying observations, Cazals *et al.* (2002) introduced robust efficiency measures. Instead of evaluating an entity against the full reference set, an entity is evaluated against a subset of size m . By taking the average of these evaluations, the estimates are less sensitive to outlying units. In addition, these so-called robust order- m efficiency estimates allow for statistical inference, such as standard deviations and confidence intervals.

Cazals *et al.* (2002) and Daraio and Simar (2005) developed conditional efficiency approach that include condition on exogenous characteristics in DEA models. This bridges the gap between parametric models (in which it is easy to include heterogeneity) and non-parametric models. Daraio and Simar (2007) develop conditional efficiency estimates for multivariate continuous variables. Badin *et al.*

(2008) develop a data-driven bandwidth selection, while De Witte and Kortelainen (2008) extend the model to generalized discrete and continuous variables. By using robust conditional efficiency measures, many advantages of the parametric models are included now in the deterministic non-parametric models. Daraio and Simar (2007) present an adoption of the non-convex FDH and convex DEA efficiency scores to obtain conditional and robust framework.




Figure 5: Operational models phase

6. Performance comparison

Once a satisfactory dataset is collected, the analysis is performed in the performance comparison phase (for a summary, see Figure 6). These analyses allow researchers to obtain additional insights and to define a proper model and, finally, to run the model.

The selection of the DMUs is an intrinsic and important step in a non-parametric model and involves two issues: (1) the number of DMUs and (2) the level of the DMUs. Firstly, consider the number of DMUs. Similar as in parametric regressions, the researcher should try to include as many observations as possible to obtain meaningful estimations. Indeed, the relative nature of DEA makes it vulnerable to problems with the degrees of freedom. The number of degrees of freedom will increase with the number of DMUs in the dataset, and decrease with the number of input and output variables. Banker *et al.* (1989) suggest a rough rule of thumb. Let p be the number of inputs and q be the number of outputs used in the analysis, then the sample size n should satisfy $n \geq \max\{p \times q, 3(p + q)\}$. In addition, if observations are added, the ‘world best practice frontier’ will be better approached (Estache *et al.*, 2004), although due to the sample size bias average efficiency will decrease (see below; Zhang and Bartels, 1998). Secondly, consider the level of the DMUs which influences the shape of the production possibility set (i.e., the frontier; and is therefore included in this phase). If the analysis is performed on a different level (e.g., macro versus micro units), different results can be obtained. For example, when comparing universities, we may select universities that are research focused, or teaching focused or all universities. Each case results in a different production possibility set, and as such, a different efficiency score.

Selecting different input and output variables could heavily influence the results of the DEA model. Indeed, DEA estimates relative efficiencies (i.e., relative to a best practice frontier) and allows for specialization in one or another input or output variable. The researcher should be aware of this important choice. The inputs and outputs can be justified by the existing literature, by managerial analysis (i.e., what are the best inputs and outputs according to the entities), by multivariate analysis (e.g., is there multicollinearity between the different inputs and outputs) or by simple ratio analysis. Cook and Zhu (2008) suggest to use a ratio when it is not clear whether a variable should be classified as an input or an output. The ratio form generalizes one-dimensional engineering-science definition of efficiency (which considers the simple ratio $0 \leq \frac{\text{Output}}{\text{Input}} \leq 1$), to a more general and multidimensional ratio:

$0 \leq \frac{\text{Outputs}}{\text{Inputs}} \leq 1$. If an increase in the value of the variable results in an increase in the

efficiency score then it belongs to the numerator and it is an output variable. If an increase in its value results in a decrease in the value of the efficiency ratio then it belongs to the denominator and it is an input variable.

As a rule of thumb, Dyson *et al.* (2001) suggest that the selected inputs and outputs should cover the full range of resources used and outputs produced, among the evaluated entities. We pointed already on the importance of exogenous variables. If the researcher wants to provide an accurate picture of reality (i.e., without assigning higher efficiency scores to observations operating in a more favourable environment), he/she needs to include exogenous characteristics. Similar to the selection of inputs and outputs, exogenous variables can be selected by considering managerial information or getting information from the previous studies in the literature.

As DEA assumes free disposability and convexity assumptions (see Fried *et al.*, 2008), it is further restricted by making an assumption on the shape of the convex hull or convex cone (Kleine, 2004). The initial DEA model of Charnes, Cooper and Rhodes (1978) (so-called CCR model) assumed a convex cone. As such, in a two dimensional picture, the production frontier corresponds to a piecewise linear frontier (i.e., the observation with the highest average efficiency as measured by the ratio of outputs to inputs). The technical inefficiencies can be due to the ineffective operation of the production process in transforming inputs to outputs and due to the divergence of the entity from the Most Productive Scale Size (MPSS). As indicated in Banker (1984) the most productive scale size is that scale for which the average productivity measured is maximized (i.e., operating at optimal returns to scale). The DEA model with variable returns to scale is often referred to as the BCC model after Banker *et al.* (1984) who introduced a convex hull instead of a convex cone around the data. More recently, by the work of Kerstens and Vanden Eeckaut (1999) and by Podinovski (2004), also in the non-convex FDH returns to scale were introduced. The returns to scale can be tested by bootstrap procedures (Simar and Wilson, 2002) or statistical tests (Kittelsen, 1993, Banker and Natarajan, 2004). In particular, the procedure tests by the use of bootstrapping whether there is a significant difference between CRS and VRS. Obviously, in most applications the returns to scale specification (CRS versus VRS) can deliver significantly different outcomes and, as such, a well considered model should be selected. Also the consistency of the estimates depends on the model

specification. If the ‘true’ underlying production function exhibits VRS, then only the VRS-assumption delivers consistent results. However, if the true underlying model is CRS, both VRS and CRS assumption deliver consistent results. Remark that the non-convex FDH model delivers consistent results, however, at a lower rate of convergence due to less structure in the model (Daraio and Simar, 2007).

The DEA model basically weights the heterogeneous inputs and outputs such that the highest efficiency score can be obtained. The researcher can also decide to attach specific weight restrictions to the DEA model. These weight restrictions function as value judgements on the different inputs and outputs (Allen *et al.*, 1997; Pedraja-Chaparro *et al.*, 1997; and for a caveat Podinovski, 1999).

Once some assumptions on the production possibility set are made and tested, the researcher can focus on the orientation of the model. Different options are possible. The input-oriented framework minimizes the input set for a given output production. The output-oriented model maximizes the potential output production for a given input set. Under the CRS assumption, the input-oriented efficiency scores are the reciprocal of the output-oriented efficiency scores. Obviously, this is no longer the case under VRS. In many interesting real life applications, the managers of an entity are not considering input reductions and output expansions separately. Non-oriented models consider simultaneous input reductions and output expansions. The literature developed several procedures to estimate efficiency non-oriented: see, e.g., the additive model of Charnes *et al.* (1985), the Russell measure of Färe and Lovell (1978), the range-adjusted measure of Cooper *et al.* (1999) or the geometric distance function of Portela and Thanassoulis (2002) (for a survey, see Fried *et al.*, 2008).

The non-oriented measures are non-radial measures of efficiency. This branch of measures does not preserve the input-output mix in the efficiency score. This contrasts to the input- and output-oriented measures which are typically radial measures of efficiency. In a radial approach, the input-output mix is preserved. In most situations, a radial efficiency score is easier to work with (De Borger and Kerstens, 1996).

If panel data are available, it could be worthwhile to examine the efficiency in the larger panel dataset. In contrast to a cross-section analysis (only variables for one

specific year), more observations will be available as typically the observations are evaluated against their previous performance. To handle panel data non-parametrically several procedures have been developed. First, there are the productivity measures such as the Tornquist index, the Fisher index or the Malmquist index (Cooper *et al.*, 2004). The Malmquist index differs from the others because it decomposes efficiency changes into productivity growth (i.e., best practice frontier improvements) and efficiency growth (i.e., changes relative to best practice frontier). Malmquist indices can be bootstrapped to obtain statistical inferences (Simar and Wilson, 1999). Second, in sequential methods the entity is assessed against all entities (including itself) in the current period and in all periods before. As such, sequential models reflect their history (see Grifell-Tatjé and Lovell, 1999). However, sequential models suffer from sample size problem as the number of potential reference units changes as time progresses. The average and individual efficiency scores will decrease if the number of observations in the sample increases (Zhang and Bartels, 1998), which happens in sequential models if time progresses. As alternative to sequential DEA, dynamic DEA (Emrouznejad, 2003 and Emrouznejad and Thanassoulis, 2005 and 2010) and network DEA (Chen, 2009) can be used specially for entities with capital input or when the data include inter-temporal input/output variables.

A third procedure to handle panel data is a “window analysis” (Cooper *et al.*, 2004). The procedure works in manner analogues to ‘moving averages’ as the evaluated observation in period t is evaluated with observations from period $t-s$ to period $t+s$ (with s the size of the window for which normally a sensitivity analysis is performed). Obviously, the best procedure to handle panel data depends on the research question and on the available data (see also Fried *et al.*, 2008 for an extensive discussion).

Finally, once the various decisions on the model specifications are taken, these are combined and the model is run. In the final description, it is important to justify each of the previous phases (e.g., why did the researcher opt for a VRS model with input-orientation in a window analysis sample). The efficiency scores are initially reported and for each of the observations the weights, targets and slacks are carefully examined.




Figure 6. Performance comparison phase

7. Evaluation

Running a non-parametric model does not suffice for a meaningful analysis. In a fifth phase, the model and its results should be carefully reviewed according to the core objective of the study (systematically presented in Figure 7). The whole process (i.e., the preceding four phases) is reviewed and a list of possible actions is elaborated.

The evaluation phase starts with the evaluation of the results. Especially in large datasets, it is often difficult to interpret the results and to present them in a meaningful way. Summary statistics and visual tools can help to get additional insights. Even more important is the presentation for policy makers (or for those interested in the research). Interpreting radial efficiency scores is rather straightforward, whereas non-radial scores are more difficult to interpret and present. By presenting the initial results to the decision makers, a first sounding board is possible.

Closely related to this initial evaluation of the results is the review of the process. Having obtained the results, it is important to consider why particular observations are obtaining 'odd' results. These 'odd' results could arise from outliers remaining in the sample, from particular input-output combinations, or due to assumptions in the model (e.g., weight restrictions or CRS). Obviously, the results are what they are and a particular observation could not perform as efficient as expected (even after checking the assumptions).

Still, particular observations could be influenced by the exogenous environment. Thanks to environmental characteristics, the observations could obtain a higher efficiency score when the characteristics are favourable and, as such, behave as an additional (but unmeasured) input. Contrarily, when the environmental characteristics are unfavourable, they behave as an additional (but unmeasured) output. Therefore, the environment where the entity is operating in should be included in the analysis. Several procedures exist (see below for the selection of the variables), such as the frontier separation approach, the all-in-one model, multi-stage models, bootstrapping techniques and conditional efficiency estimates (see Fried *et al.*, 2008; Daraio and Simar, 2007). Each of these techniques has its peculiarities and drawbacks (see De Witte and Marques (2008) for a review). If the researcher opted not to include the operational environment in a first stage, it is definitely worth examining the influence of the environment in a second stage. Simar and Wilson (2007) developed a double-bootstrap procedure which estimates the impact of exogenous characteristics on the production process (see also Fried *et al.* (2008) for a complementary intuitive explanation of the procedure).

Different model specifications (both in terms of model assumptions as VRS, input-orientation or environmental variable inclusion) could yield different outcomes, it

could also be interesting to see whether these outcomes significantly differ. Indeed, so if there is no significant difference between the several models, it matters less which model assumptions are specified. A Monte Carlo comparison of two production frontier estimation methods and a set of statistical tests were developed by Banker and Natarajan (2004). Post-hoc statistical tests (Schaffnit *et al.*, 1998), regression analysis (Camanho *et al.*, 2009) and classification and regression tree (Emrouznejad and Anouz, 2010) can be performed to investigate the impact of external factors on efficiency scores obtained in DEA.




Figure 7. Evaluation Phase

Besides evaluating heterogeneity, (one-stage) bootstrap procedures are applied to obtain statistical inference (Simar and Wilson, 1998). In particular, the bootstrap

estimates the noise (and bias) which arises from using the observed sample. By estimating the bias between the ‘true’ unobserved variables and the ‘biased’ observed variables, biased-corrected efficiency estimates can be obtained. By bootstrapping procedures also standard deviations and confidence intervals can be computed. This allows the researcher to report statistical inferences on the estimates.

Finally, the evaluation phase is concluded by setting some list of possible actions for further improvement. If necessary, the researcher has to start again in the first phase and check again each of the sub-phases. Only when this loop of continuous improvements is finished, the next phase can be started.

7. Result and deployment

In the final phase, the result and deployment phase, the proposed models are put into action (Figure 8). The entire process is summarized in a report (which refers to all previous deliverables). The report should clearly interpret the results and compare the final results under different model specifications. Indeed, presenting different model specifications will allow the evaluated entities to present themselves as well as possible. If the entity is ranked low in different model specifications, it is more difficult to argue that its ranking arises from the model.

In their search for continuous improvements, the entities could try to assess their efficiency internally. Therefore, the researcher could decide to use an off-the-shelf DEA package (e.g., Emrouznejad and Thanassoulis, 2010 and Emrouznejad, 2005) or to develop a software package (with instructions for novice users). Combined with or independent from the software package, a document including some technical information should be delivered in order to be able to repeat the non-parametric analysis.

Finally, a well documented report containing some information on how to improve the efficiency should be delivered. Any suggestion for improvement has to arise from the non-parametric model. Thanks to the software package, entities will be able to experiment with changes in particular variables. The recommended report has to be written from the point of view of the decision makers. Any technicalities should be

bundled in specific sections. The DEA results and interpretations have to be explained as clearly and simple as possible.




Figure 8. Result and deployment phase

8. Conclusion

This paper provides a framework to deal with large data samples which are difficult to oversee. When different stakeholders have different objectives, when different data sources could differ in quality, when model techniques could result in different outcomes, a uniform approach to assess performance is advised. A standardized model will make non-parametric assessments more reliable, more repeatable, and less costly.

We proposed a framework which consists of 6 interrelated phases: (1) Concepts and objectives, (2) On structuring data, (3) Operational models, (4) Performance

comparison model, (5) Evaluation, and (6) Results and deployment. Abbreviated, we obtain the ‘COOPER-framework’. The framework provides both support and a step-by-step plan for the novice researcher, as well as a check-list for the experienced researcher. It is a tool which can be further adapted and modified along the specific needs of the researcher.

This paper also provides some interesting and promising lines for further research. Firstly, the Cooper-framework could benefit from the interaction with empirical applications. Indeed, a similar framework should never be finished and always be open for new developments. Potential applications of the framework consist of educational questions (e.g., the OECD Pisa dataset), business performance (e.g., World Economic Forum), consumer confidence, and the analysis of large statistical databases (e.g., on company performances). The practitioner applying the framework to a particular application may tailor the framework to his/her specific needs. Secondly, although extending the idea of the framework from the outlined DEA model to alternative methodologies (FDH, SFA and parametric models) is rather straightforward, not every phase and checklist item is applicable. We consider it as further research to create a similar framework for other methodologies. Finally, the framework will definitely benefit from new developments in the academic literature. As computing power grows and methodological advances are made, the phases will further evolve.

Acknowledgments

The authors thank to Professor William W. Cooper whose constructive comments improved the quality of this article. In addition, we are grateful to the editor of EJOR, Professor Robert G. Dyson, and three anonymous referees for their constructive and insightful comments.

References

- Allen, R., A. Athanassopoulos, R.G. Dyson and E. Thanassoulis (1997), Weights restrictions and value judgments in Data Envelopment Analysis: Evolution, development and future directions. *Annals of Operations Research* 73, 13-34.
- Andersen, P. and N. Petersen (1993), A procedure for ranking efficient units in data envelopment analysis. *Management Science*, 39 (10), 1261-1264.
- Avkiran, N. (1999), An application reference for data envelopment analysis in branch banking: helping the novice researcher. *International Journal of Bank Marketing* 17 (5), 206-220.
- Banker, R. D. (1984), Estimating most productive scale size using data envelopment analysis. *European Journal of Operational Research*, 17(1), 35-44.
- Banker, R. D., A. Charnes and W. W. Cooper (1984), Some models for estimating technical and scale inefficiencies in data envelopment analysis. *Management Science* 30.
- Banker, R. D., A. Charnes, W. W. Cooper, J. Swarts and D. Thomas (1989), An introduction to data envelopment analysis with some of its models and their uses. *Research in Governmental and Nonprofit Accounting* 5, 125-163.
- Banker, R. D., W. W. Cooper, E. Grifell-Tatjé, J. T. Pastor, P. W. Wilson, E. Ley and C. A. K. Lovell (1994), Validation and generalization of DEA and its uses. *TOP* 2 (2), 249-314.
- Banker, R. D., V. M. Gadh and W. L. Gorr (1993), A Monte Carlo comparison of two production frontier estimation methods: Corrected ordinary least squares and data envelopment analysis, *European Journal of Operational Research*, 67(3), 332-343.
- Banker, R. D. and R. Natarajan (2004), Statistical Tests Based on DEA Efficiency Scores, Chapter 11 in *Handbook on Data Envelopment Analysis*, W.W. Cooper, L. Seiford and J. Zhu (Eds.), Kluwer Academic Publishers, Norwell, MA, pp. 299-321.
- Belton, V. and S. Vickers (1993), Demystifying DEA - A Visual Interactive Approach Based on Multiple Criteria Analysis. *The Journal of the Operational Research Society* 44 (9), 883-896.
- Blanchard, B. S., and W. J. Fabrycky(2006), *Systems engineering and analysis*, 4th edition, New Jersey: Prentice Hall.
- Bogetoft, P. (1997), DEA-based yardstick competition: The optimality of best practice regulation. *Annals of Operations Research* 73, 277-298.
- Brown. R. (2006), Mismanagement or mismeasurement? Pitfalls and protocols for DEA studies in the financial services sector. *European Journal of Operational Research* 174, 1100-1116.
- Camanho, A. S., M. C. Portela and C. B. Vaz (2009), Efficiency analysis accounting for internal and external non-discretionary factors, *Computers & Operations Research*, 36(5), 1591-1601.
- Cazals C., J. Florens and L. Simar (2002), Nonparametric frontier estimation: a robust approach. *Journal of Econometrics* 106, 1-25.
- Cerrito, P. B. (2007), *Introduction to Data Mining Using SAS Enterprise Miner*, SAS Publishing, p. 468.
- Charnes, A., W. W. Cooper and E. Rhodes (1978), Measuring the efficiency of decision making units. *European Journal of Operational Research* 2, 429-444.

- Charnes, A., W. W. Cooper, B. Golany, L. Seiford and J. Stutz (1985), Foundations of data envelopment analysis for Pareto-Koopmans efficient empirical production functions. *Journal of Econometrics* 30, 91-107.
- Chen, C-M (2009), A network-DEA model with new efficiency measures to incorporate the dynamic effect in production networks, *European Journal of Operational Research*, 194 (3), 687-699.
- Cherchye, L., K. De Witte, E. Ooghe and I. Nicaise (2009), Equity and Efficiency in Private and Public Education: a nonparametric comparison. CES Discussion Paper Series DPS 07.25. Forthcoming in *European Journal of Operational Research*.
- Cook, W. D. and J. Zhu (2006), Rank order data in DEA: A general framework. *European Journal of Operational Research* 174 (2), 1021-1038.
- Cook, W. D. and J. Zhu (2008), Classifying inputs and outputs in data envelopment analysis, *European Journal of Operational Research*, 180 (2), 692-699,
- Cooper, W. W., K. S. Park and J. T. Pastor (1999), RAM: A range measure of inefficiency for use with additive models, and relations to other models and measures in DEA. *Journal of Productivity analysis* 11, 5-42.
- Cooper, W.W., L. Seiford and J. Zhu (2004), *Handbook of DEA*. Kluwer Academic Publishers.
- Daraio C. and L. Simar (2005), Introducing environmental variables in nonparametric frontier models: a probabilistic approach. *Journal of Productivity Analysis* 24, 93-121.
- Daraio C. and L. Simar (2007), *Advanced robust and nonparametric methods in efficiency analysis*. Series: Studies in Productivity and Efficiency, Springer.
- De Borger, B. and K. Kerstens (1996), Radial and nonradial measures of technical efficiency: An empirical illustration for Belgian local governments using an FDH reference technology. *Journal of Productivity Analysis* 7 (1), 41-62.
- Deprins, D., L. Simar and H. Tulkens (1984), Measuring labor efficiency in post offices, *The Performance of Public Enterprises: Concepts and Measurements*, M. Marchand, P. Pestieau and H. Tulkens (eds.), Amsterdam, North-Holland, 243-267.
- De Witte, K. and M. Kortelainen (2008), Blaming the exogenous environment? Conditional efficiency estimation with continuous and discrete environmental variables. *CES Discussion Paper Series PS 08.33; MPRA Paper 14034*.
- De Witte, K. and R. Marques (2010), Designing incentives to local public utilities, an international comparison to the drinking water sector. *Central European Journal of Operations Research*, In Press.
- De Witte, K. and R. C. Marques (2009), Influential observations in frontier models, a robust non-oriented approach to the water sector. mimeo.
- Dula, J. H. and R. M. Thrall (2001), A Computational Framework for Accelerating DEA. *Journal of Productivity Analysis* 16 (1), 63-78.
- Dyson, R. G., R. Allen, A. S. Camanho, V. V. Podinovski, C. S. Sarrico, E. A. Shale (2001), Pitfalls and protocols in DEA. *European Journal of Operational Research* 132 (2), 245-259.
- Emrouznejad A. (2003), An alternative DEA measure: A case of OCED countries, *Applied Economic Letters* 10, 779-782.
- Emrouznejad A. (2005), Measurement efficiency and productivity in SAS/OR, *Computers and Operations Research*, 32, 1665-1683.

- Emrouznejad, A. and G. R. Amin (2009), DEA models for ratio data: Convexity consideration, *Applied Mathematical Modelling*, 33 (1), 486-498.
- Emrouznejad A. and A. L. Anouze (2010), DEA/C&R: DEA with classification and regression tree: a case of banking efficiency, *Expert Systems*, in Press.
- Emrouznejad, A., B. Parker and G. Tavares (2008), Evaluation of research in efficiency and productivity: A survey and analysis of the first 30 years of scholarly literature in DEA. *Journal of Socio-Economic Planning Sciences*, 42(3) 151-157.
- Emrouznejad, A. and E. Thanassoulis (2005), A mathematical model for dynamic efficiency using data envelopment analysis, *Applied Mathematics and Computation* 160(2), 363-378.
- Emrouznejad, A. and E. Thanassoulis (2010), *Performance Improvement Management Software (PIMsoft): a user guide*, www.DEAsoftware.co.uk.
- Emrouznejad, A. and E. Thanassoulis (2010), Measurement of productivity index with dynamic DEA, *International Journal of Operational Research* 8(2) 247-260.
- Emrouznejad, A., A. L. Anouze and E. Thanassoulis (2010a), A semi-oriented radial measure for measuring the efficiency of decision making units with negative data, using DEA, *European Journal of Operational Research* 200(1) 297-304.
- Emrouznejad, A., G. R. Amin, E. Thanassoulis and A. L. Anouze (2010b), On the boundedness of the SORM DEA models with negative data, *European Journal of Operational Research* 206(1) 265-268.
- Estache, A., M. Rossi and C. Ruzzier (2004), The case for international coordination of electricity regulation: evidence from the measurement of efficiency in South America. *Journal of Regulatory Economics*, 25(3), 271-295.
- Färe R. And S. Grosskopf (1996) *Intertemporal Production Frontiers: With Dynamic DEA*, Boston: Kluwer Academic Publishers.
- Färe, R. and S. Grosskopf (2000), Network DEA, *Socio-Economic Planning Sciences* 34(1), 35-49.
- Färe, R. and C. A. K. Lovell (1978), Measuring the technical efficiency of production. *Journal of Economic Theory* 19 (1), 150-162.
- Fried, H. O., C. A. K. Lovell and S. S. Schmidt (2008), *The measurement of productive efficiency and productivity growth*. Oxford University Press.
- Greene, W. (2008), *Econometric Analysis, 6th Edition*. Prentice Hall.
- Grifell-Tatjé, E. and C. A. K. Lovell (1999), Profits and productivity. *Management Science* 45 (9), 1177-1193.
- Grinstein G., P. Hoffman and R. Pickett (2002), Benchmark Development for the Evaluation of Visualization for Data Mining. In Fayyad U., G. Grinstein and A. Wierse, *Information Visualization in Data Mining and Knowledge Discovery*.
- Hollingsworth, B. (2008), The measurement of efficiency and productivity of health care delivery. *Health Economics* 17, 1007-1028.
- Kao, C. and S. Liu (2000), Data envelopment analysis with missing data: an application to University libraries in Taiwan. *Journal of the Operational Research Society* 51, 897-905.

- Kerstens, K. and P. Vanden Eeckaut (1999), Estimating returns to scale using non-parametric deterministic technologies: A new method based on goodness-of-fit. *European Journal of Operational Research* 113 (1), 206-214.
- Kittelsen, S. (1993), Stepwise DEA. Choosing variables for measuring technical efficiency in Norwegian electricity distribution. *Memorandum No. 6/93 from the Department of Economics, University of Oslo*.
- Kleine, A. (2004), A general model framework for DEA. *Omega* 32 (1), 17-23.
- Kuosmanen, T. (2009) Data envelopment analysis with missing data, *Journal of the Operational Research Society* 60(12), 1767-1774.
- Kuosmanen, T., and M. Kortelainen (2007) Stochastic Nonparametric Envelopment of Data: Cross-Sectional Frontier Estimation Subject to Shape Constraints, University of Joensuu, Economics Discussion Paper No. 46.
- Kumbhakar S. C. and C.A.K. Lovell (2000), *Stochastic Frontier Analysis*. Cambridge University Press, Cambridge, UK.
- Langford, I. and T. Lewis (1998), Outliers in Multilevel data. *Journal of the Royal Statistical Society: Series A* 161 (2), 121-160.
- Marques, R. C. (2006), A yardstick competition model for Portuguese water and sewerage services regulation. *Utilities Policy* 14 (3), 175-184.
- Meeusen, W. and J. van den Broeck (1977), Efficiency estimation from Cobb-Douglas production functions with composed error. *International Economic Review* 18 (2), 435-444.
- OECD (2008), Handbook on Constructing Composite Indicators: Methodology and User Guide. OECD Publishing.
- Olson D. L. and D. Delen (2008), *Advanced Data Mining Techniques*, Springer, p. 180
- Pedraja-Chaparro, F., J. Salinas-Jimenez and P. Smith (1997), On the Role of Weight Restrictions in Data Envelopment Analysis. *Journal of Productivity Analysis* 8 (2), 215-230.
- Pedraja-Chaparro, F., J. Salinas-Jimenez, P. Smith (1999), On the Quality of the Data Envelopment Analysis Model. *The Journal of the Operational Research Society* 50 (6), 636 - 644.
- Podinovski, V. (1999), Side effects of absolute weight bounds in DEA models. *European Journal of Operations Research* 115 (3), 583-595.
- Podinovski, V. (2004), Local and global returns to scale in performance measurement. *Journal of the Operational Research Society* 55, 170-178.
- Portela, M. and E. Thanassoulis (2002), Profit efficiency in DEA. *Aston Business School Research Paper* RP 0206.
- Portela, M., E. Thanassoulis and G. Simpson (2004), Negative data in DEA: a directional distance approach applied to bank branches. *The journal of the Operational Research Society* 55 (10), 1111-1121.
- Ray, Subhash C. (2004) *Data Envelopment Analysis: Theory and Techniques for Economics and Operations Research*, Cambridge University Press, Cambridge, UK.
- Ruggiero J. (2004) Data Envelopment Analysis with stochastic data, *Journal of the Operational Research Society*, 55(9),1008-12.

- Schaffnit, C., D. Rosen and J. C. Paradi (1998), Best practice analysis of bank branches: An application of DEA in a large Canadian bank, *European Journal of Operational Research* 98(2), 269-289.
- Sengupta, J. K. (1995) *Dynamics of Data Envelopment Analysis: Theory of Systems Efficiency*, Kluwer Academic Publishers, London
- Sengupta J. K. (1998) Stochastic Data Envelopment Analysis: a new approach, *Applied Economics Letters* 5(5), 287.
- Simar, L. (1996), Aspects of statistical analysis in DEA-type frontier models. *Journal of Productivity Analysis* 7 (2-3), 177-185.
- Simar, L. (2003), Detecting outliers in frontier models: a simple approach. *Journal of Productivity Analysis* 20, 391-424.
- Simar, L. and P. Wilson (1998), Sensitivity Analysis of Efficiency Scores: How to Bootstrap in Nonparametric Frontier Models. *Management Science* 44 (1), 49-61.
- Simar, L. and P. Wilson (1999), Estimating and bootstrapping Malmquist indices. *European Journal of Operational Research* 115 (3), 459-471.
- Simar, L. and P. Wilson (2002), Non-parametric tests of returns to scale. *European Journal of Operational Research* 139 (1), 115-132.
- Simar, L. and P. Wilson (2007), Estimation and inference in two-stage, semi-parametric models of production processes. *Journal of Econometrics* 136 (1), 31-64.
- Sousa, M and B. Stosic (2005), Technical efficiency of the Brazilian municipalities: correcting nonparametric frontier measurement of outliers. *Journal of Productivity Analysis* 24, 157-181.
- Stolp, C. (1990), Strengths and Weaknesses of Data Envelopment Analysis: An Urban and Regional Perspective. *Computer, Environment and Urban Systems* 14 (2), 103-106.
- Thanassoulis, E. (2001), *Introduction to the theory and application of Data Envelopment Analysis. A foundation text with integrated software*. Springer, p. 281.
- Thompson, R., P. Dharmapala and R. Thrall (1993), Importance for DEA of zeros in data, multipliers, and solutions. *Journal of Productivity Analysis* 4 (4), 379-390.
- Zhang, Y. and R. Bartels (1998), The Effect of Sample Size on the Mean Efficiency in DEA with an Application to Electricity Distribution in Australia, Sweden and New Zealand. *Journal of Productivity Analysis* 9 (3), 187-204.
- Zhu, J. (2003), *Quantitative Models for Performance Evaluation and Benchmarking: Data Envelopment Analysis with Spreadsheets and DEA Excel Solver*. Springer, p. 297.
- Zhu, J. and W. D. Cook (2007), *Modeling Data Irregularities and Structural Complexities in Data Envelopment Analysis*, Springer, p. 334.

Appendix: Systematic presentation of references

Phase	Sub-phase	Task/Problem	Solution/Method	Reference
Concepts and objectives	DEA goals	- To understanding the objectives, the production process and the requirements from stakeholders.	DEA vs performance indicators	Charnes <i>et al.</i> , 1978; Thanassoulis, 2001; Ray, 2004 and Zhu, 2003
On structuring data	Describe and explore data	- To get familiar with the data.	Data description / data type	Cook and Zhu, 2006 and Zhu and Cook, 2007
			Summarisation and visualisation	Grinstein <i>et al.</i> , 2002
	Quality of data	- To identify data quality, - To discover and detect any data irregularities.	Missing data	Kao and Liu, 2000 and Kuosmanen, 2009
			Negative data	Emrouznejad <i>et al.</i> , 2009 and Portela <i>et al.</i> , 2004
			Zero data	Thompson <i>et al.</i> , 1993
			Ratio data	Emrouznejad and Amin, 2009
			Noisy data	Zhu and Cook; 2007, Simar and Wilson, 2007
			Atypical observations	Charnes <i>et al.</i> , 1985; Andersen and Petersen, 1993; Simar, 2003; Sousa and Stosic, 2005; Langford and Lewis, 1998
Operational models	Parametric models	- To investigate possibility of using parametric vs non-parametric models, within these whether to use deterministic or stochastic models.	Deterministic models	Greene, 2008; Kumbhakar and Lovell, 2000
			Stochastic models	Meeusen and van den Broeck, 1977; Kumbhakar and Lovell, 2000
	Non-parametric models	- To specify an appropriate non-parametric model.	Data Envelopment Analysis	Charnes <i>et al.</i> , 1978; Fried <i>et al.</i> , 2008 ; Thanassoulis, 2001 and Ray, 2004
			Free Disposal Hull	Deprins <i>et al.</i> 1986; Daraio and Simar, 2005
			Robust FDH/DEA	Cazals <i>et al.</i> , 2002; Daraio and Simar, 2007
			Stochastic DEA	Sengupta, 1998 and Ruggiero, 2004

			StoNED	Kousmanen and Kortelainen, 2007
Performance Comparison	Define PPS	- To define the base for the DEA model including selection of variable returns to scale and inclusion of any value judgments.	Input/output	Banker <i>et al.</i> , 1989; Cook and Zhu, 2008; Dyson <i>et al.</i> , 2001
			Returns to scale	Banker <i>et al.</i> , 1984; Podinovski, 2004; Simar and Wilson, 2002; Kittelsen, 1993; Banker and Natarajan, 2004
			Value Judgement	Allen <i>et al.</i> , 1997; Pedraja-Chaparro <i>et al.</i> , 1997; Podinovski, 1999
	Select measure	- To select the input/output variables. - To investigate radial and non-radial measure of efficiency including additive and slack-based measure.	Input/output orientation	Thanassoulis, 2001 and Ray, 2004
			Additive / multiplicative models	Charnes <i>et al.</i> , 1985; Färe and Lovell, 1978; Cooper <i>et al.</i> , 1999; Portela and Thanassoulis, 2002
			Non-radial	De Borger and Kerstens, 1996
	Panel data	- To examine the use of panel data techniques, - To study the use of productivity measurement.	Productivity measure	Fare <i>et al.</i> , 2004; Cooper <i>et al.</i> , 2004 and Chen, 2009;
			Window analysis	Cooper <i>et al.</i> , 2004
			Dynamic DEA, network DEA	Chen, 2009; Emrouznejad and Thanassoulis, 2005, 2010; Fare <i>et al.</i> , 1996 and Sengupta, 1995
Evaluation	Statistical test	- To evaluate the model more thoroughly, - To review the selected inputs-outputs, as well as the model specifications using statistical inferences, - To verify the process, - To make sure nothing important has been ignored.	Monte Carlo	Banker and Natarajan, 2004
			Post-hoc statistical tests	Schaffnit <i>et al.</i> , 1998
			regression analysis	Camanho <i>et al.</i> , 2009
			classification and regression tree	Emrouznejad and Anouze, 2010
			Bootstrapping	Simar and Wilson, 1998
Results and deployment	Deployment	- To develop a software package or a repeatable procedure, -To list possible actions from DEA results.	Software	Emrouznejad and Thanassoulis, 2010; Emrouznejad, 2005