

The European Proceedings of Social & Behavioural Sciences EpSBS

eISSN: 2357-1330

WELLSO 2016 - III International Scientific Symposium on Lifelong Wellbeing in the World

Multidimensional Statistical Analysis of Life Satisfaction of Older People

Lubov Ivankina^a, Alexander Mihalchuk^a*, Vladimir Arefiev^a, Nikolay Filipenko^a, Darya Novoseltseva^a

* Corresponding author: Alexander Mihalchuk, aamih@tpu.ru, +7-913-117-1667

^aTomsk Polytechnic University, 30, Lenin Ave., Tomsk, 634050, Russia

Abstract

http://dx.doi.org/10.15405/epsbs.2017.01.64

The paper is devoted to a study of dependences between the life satisfaction and the social conditions of older people presented in their main scopes of life. The life satisfaction is one of the components of subjective welfare that in value judgment is interpreted as a thought-and-sense character. The life satisfaction allows estimating the influence of different life scopes of older people and outlining the priority routes of continuous welfare. It is shown that the life satisfaction of older people is ascertained using the specific questionnaire developed for the sociological inquiry. To make older people prosperous it should be known what factors promote well-being and how to provide these factors. Monitoring performs the function of collecting data about a state of the object being evaluated for further analysis. Estimation of own older person's life in its various forms, expresses significant levels of subjective well-being, revealing the superordinate connection through the content of emotional and evaluative bases, giving multidirectional nature of the subject's activity, which may be taken into account only at opinion poll. The paper presents the design of the three-factor space model of the nine parameters for the life satisfaction based on the methods of mathematical statistics. Within this three-factor space model, the qualitative differentiation of older people of the Tomsk region was carried out using the seven-cluster model of 400 respondents.

© 2017 Published by Future Academy www.FutureAcademy.org.uk

Keywords: Older people, life satisfaction, welfare, multidimensional statistical analysis (factor, cluster, ANOVA).

1. Introduction

Welfare is reflected in the subjective assessment of the life satisfaction. This assessment is the integrated assessment of the available life conditions, welfare including wages, employment, material wealth, living facilities, the quality of interpersonal dealings, participation in social activity, etc. The assessment of the subjective welfare comprises the human involvement into the certain life spheres, the degree of satisfaction of what he/she has and his/her attitude to it. Being the integral parameter, the life

4.0 Unported License, permitting all non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

satisfaction reflects the assessment of the external life scope. Therefore, the life satisfaction means the subjective assessment of the quality of one or another object, life conditions and activity, life as a whole, relationships between people, and people themselves including satisfaction of themselves.

This concept of the life satisfaction is widely used but is indefinite. So, in order to identify the degree of satisfaction, it is necessary to specify a sense context to the object to be assessed in which the degree of satisfaction will be measured relative to the objects to be assessed. This assessment depends on what is assessed and taken into account by the respondent. It is also necessary to account for the interaction between the welfare components.

The investigation of the satisfaction aspects implies the development of the assessing methodology allowing to obtain the imagination of the certain structural components and factors that influence the degree of satisfaction. The parameters that record the life satisfaction of older people is identified by the optimality of the living space organization that allows people to be healthy, active, capable of coping the difficulties and achieving their goals, and have a support from other people.

The problem of measuring satisfaction factors and welfare is one of the main parameter in the system of assessing the continuous welfare of older people (Ivankina et al., 2015).

A combination of statistical data and the analysis of life satisfaction that can be used to process measuring data are identified by the type of measuring scale. A sociological inquiry provides three types of measuring scales, namely: nominal (sex, residence); ordinal (estimation of satisfaction); interval (age, income). The problem of sociological measurements is the use of the quantitative interval scale along with the qualitative (nominal and ordinal) so as to solve the majority of problems of empirical sociology. This is because this scale that is used to measure such important characteristics as age, wages, etc. However, in sociological problems, the interpretation of results of the variational series is often more adequate and leads to the approximation of the interval scale of respondent's characteristics to the ordinal or even nominal scales. Thus, the processing sociological data can be carried out using such methods of mathematical statistics as correlation, factor, dispersion, and cluster analyses.

2. Problem statement and research methodology

Statistical data are obtained from the sociological inquiry on concerning the problem of welfare of older people of the Tomsk region. These data are presented in Table 1.

Table 1. Details of the sociological inquiry.

Question number	Question	Variant of answer	Rank of			
	Çaranı.		answer			
	How much satisfied you are with the following spheres of your	Yes, fully satisfied	5			
	life?	As soon yes, as not	4			
	1. Living conditions	As soon not, as yes	3			
	2. Relationships with the relatives (children, etc.)	No, fully unsatisfied	2			
	3.Health	Cannot say	1			
65	4. Relationships with friends					
	5. Material wealth (pension, income, availability of property,					
	etc.)					
	7. Employment (secondary job)					
	8. Leisure					
	9. Your life on the whole					

General distribution of respondents on life satisfaction is shown in Table 2.

Table 2. The frequency distribution research indicators values.

Indicator	Rank	Frequency (abs.)								
mulcator		65_1	65_2	65_3	65_4	65_5	65_6	65_7	65_8	65_9
	5	157	233	34	146	30	100	51	114	131
	4	174	139	148	211	105	178	72	150	218
Life satisfaction	3	37	21	154	19	167	85	39	59	23
Satisfaction	2	27	2	50	3	89	28	52	33	6
	1	5	5	14	21	9	9	186	44	22

Presented in the Table 2 data allow to identify differences numerically, for example, for 5 levels of 9 life satisfaction kinds depending on other indications, but don't allow to assess the statistical significance of differences. To solve this problem, this research applied the methods of mathematical statistics: correlation, factor, analysis of variance (ANOVA) and cluster analysis (Soshnikova et al., 1999; Dubrov et al., 1998; Ayvazyan, & Mkhitaryan, 2001). Statistical analysis was performed in STATISTICA 6 system (Borovikov, 2003; Khalafyan, 2008; Hill, & Lewicki, 2007; StatSoft, 2013).

3. Results of the research

3.1. Factor Analysis of life satisfaction indicators

In the first place, consider the basic hypothesis of correlation life satisfaction indicators. Correlation analysis of these indicators revealed significant at different levels (Table 3) correlation for different indicators pairs (correlation coefficient $r \ge 0.10$ – critical for a group of 400 respondents at a significance level of p = 0.05).

Table 3. Categories significance of paired correlation coefficients for a group of 400 respondents.

Category significance	Insignificant	Weakly significant	Statistically significant	Strongly significant	Highly significant
significance level	p > 0.10	0.10 > p > 0.05	0.05 > p > 0.005	0.005 > p > 0.0005	0.0005 > p
correlation coefficient	r,R < 0.08	0.08 < r, R < 0.10	0.10 < r, R < 0.14	0.14 < r, R < 0.17	0,17 < r, R r, R < 0, 17 < r, R < 0, 17 < r, R < 0, 17 < r, R < 0,

Significant paired correlation coefficients Spearman rank R confirm compliance parametric paired correlation coefficients Pearson r. Typically, R > r, but the differences between them are insignificant. For example, for a pair of 65_8 and 65_9 difference between r = 0.43 and R = 0.52 maximized and p-value insignificant p = 0.1013 (for a group of 400 respondents). This fact allows us to apply parametric cluster analysis of life satisfaction indicators based on the correlation linkage distance (1-r Pearson) as a distance measure for indicators. At the same time as the amalgamation rule used Ward's method. Graphical results clustering life satisfaction indicators are shown in the tree diagram (Fig. 1).




Fig. 1. Vertical dendrogram of the correlation matrix of life satisfaction indicators.

Stable with respect the amalgamation rule (methods Ward, Complete linkage) can be considered the formation of 3-correlation related indicators groups: F1 $\{1+5+6\}$, F2 $\{3+7\}$, F3 $\{2+4+8+9\}$.

Cluster analysis allows to reveal significant $(1 - r \le 1 - 0.1) = 0.9$ – critical for a group of 400 respondents at a significance level p=0.05 allocated in Fig. 1 horizontal dashed line) clusters of life satisfaction indicators, in factors to build a basis of indicators life satisfaction. Using factor analysis by principal components constructed 3-factor model life satisfaction indicators (Table 4). Table 4 in bold most significant (basic) factor loadings indicators on the factors that makes it possible to aggregate these indicators to interpret relevant factors. The lower line shows Δ the explained dispersion proportion of this factor (or weighting factors).

Table 4. Factor Loadings of life satisfaction indicators.

Indicator	F1	F2	F3	
65_1	0.626	-0.323	0.398	
65_2	0.171	-0.036	0.778	
65_3	0.360	0.641	0.173	
65_4	0.115	0.239	0.659	
65_5	0.807	0.231	0.036	
65_6	0.774	0.064	0.233	
65_7	-0.025	0.807	0.071	
65_8	0.186	0.447	0.608	
65_9	0.216	0.118	0.669	
Expl.var.	1.897	1.496	2.106	
Δ	0.211	0.166	0.234	

Factor of life satisfaction indicators interpret Table 5.

Table 5. Significant weighted factors of life satisfaction.

№	Code factor	Weight	Interpretation of the factors
F1	65_1+65_5+65_6	0.211	First of all, satisfaction with material prosperity and quality of food, as well as living conditions.
F2	65_3 + 65_7	0.166	First of all satisfaction with availability of work and health.
F3	65_2 + 65_5 + 65_6 + 65_6	0.234	First of all satisfaction with relationships with loved ones, as well as relationships with friends, leisure, and in general his life.

As a result of factor analysis of 9 initial indicators formed 3 significant factor. On the basis of factorial indicators values further research can be carried out.

3.2. Cluster analysis of the respondents

Consider the following basic hypothesis of the in homogeneities the sample of respondents collectively 3 factorial indicators, in the clustering of all respondents in the constructed factorial space {F1, F2, F3}. During the cluster analysis of the respondents were used Ward's method as a amalgamation rule and Euclidean distance as a linkage distance of the respondents.

Along with tree clustering method was applied the method of K-means conducting the classification of respondents for a given number of groups and for assessing its quality within the ANOVA. In this case, the parametric F-test shows that the difference between the 7 group means highly significant (at p < 0.0005) for all factors. Nonparametric Kruskal-Wallis test fully confirms these estimates. Thus, constructed the highly significant according to ANOVA 7-cluster model of the respondents for each factor.

In the framework of ANOVA (by multiple comparisons) can be identified for each factor homogeneous (differing insignificant at the level of significance p > 0.05) cluster group, arranged in descending order of average cluster (Fig. 2).




Fig. 2. Homogeneous groups cluster averages for each factor.

F1: {C3, C6, C7}, {C2}, {C1, C4}, {C5}. In this case C2 differs from C1 statistically significant (0.005 p_T \approx 0.007), and by rank Kruskal–Wallis test ($p_{K-W} \approx 0.012$); C2 differs from C7 also statistically significant Kruskal–Wallis test ($p_{K-W} \approx 0.006$);

F2: {C5, C7, C3}, {C1}, {C6, C4, C2}. In this case C1 differs from C3 and C6 highly significant (p < 0.0005) according to parametric Tukey T-test, but according to rank Kruskal – Wallis test difference between C1 and C3 is statistically significant (0.005);

F3: {C2, C1, C3}, {C5, C4}. In this case C1 differs from C2 and C6 highly significant (p < 0.0005) according to parametric Tukey T-test, but according to rank Kruskal – Wallis test difference between C1 and C2 is strongly significant (0.0005).

Conducted clustering model allowed a qualitative differentiation of the elderly population of the Tomsk region at factor life satisfaction indicators. According to Figure 2 clusters C5, C7 and C4 (110

respondents) have high indicators of the F2 factor (job satisfaction), but only C7 (43 respondents) high indicators by factor F1 (satisfaction of material wealth and housing) and by a factor F3 (satisfying relationships with family and leisure), while at the C5 (26 respondents) – lower by a factor F1 (dissatisfaction with material wealth and housing), and at C3 (41 respondents) – lower by a factor F3 (dissatisfaction with relationships with family and leisure). Clusters can be further characterize the nominal features of gender, and location. For example, the most highly satisfied all the factorial indicators cluster C7 homogeneous by gender (21 – man and 22 – woman) and less uniform in their place of residence (25 – the city and 18 – village).

4. Conclusion

A multivariate statistical analysis of the life satisfaction was carried out for older people of the Tomsk region. Was constructed 3-factor model for the life satisfaction indicators based on the correlation and factor analyses of the nine initial indicators. Based on the 3-factor parameters, 400 respondents were compared, and statistically significant differences were determined for all factor parameters. Within the 3-factor space of the life satisfaction, K-means clustering and tree-clustering of 400 respondents was carried out, and the 7-cluster model was constructed for 400 respondents. The high quality of the constructed model was supported by the criteria of the ANOVA (parametric F-test and rank Kruskal–Wallis test). The statistical analysis allowed analyzing a number of hypotheses (about the correlation of parameters and inhomogeneity of respondents) and carrying out the qualitative differentiation of older people of the Tomsk region using the factor parameters of the life satisfaction.

Acknowledgements

This work was performed by the authors in collaboration with Tomsk Polytechnic University within the project in Evaluation and enhancement of social, economic and emotional wellbeing of older adults under the Agreement No.14.Z50.31.0029.

References

Ayvazyan, S.A. & Mkhitaryan, V.S. (2001). Probability theory and applied statistics. Moscow: UNITY-DANA, 1. (in Russian)

Borovikov, V.P. (2003). Statistica. Art on a computer analysis of the data. St.-Petersburg: Peter. (in Russian)

Dubrov, A.M., Mkhitaryan, V.S. & Troshin, L.I. (1998). Multivariate statistical methods. Moscow: Finance and Statistics. (in Russian)

Hill, T. & Lewicki, P. (2007). Statistics: Methods and Applications. Tulsa, OK: StatSoft.

Ivankina, L.I. & Berestneva, O.G. (2015). Social welfare model. *Modern Problems of Science and Education*, 1. Retrieved from http://www.science-education.ru/121-r17571. (in Russian)

Khalafyan, A.A. (2008). Statistica 6. Statistical analysis of the data. Moscow: Bean-Press. (in Russian)

Monastyrny, E.A. et al. (2015). Holistic modeling of complex socio-economic and psycho-physiological effects on the example of the study of well-being of older people. *Transfer of technologies – new dimension. Proc. 9th Int. Forum 'From Science to Business'*, (in Russian)

Soshnikova, L.A., Tamashevich, V.N., Uebe, G. & Schaefer, M. (1999). Multivariate statistical analysis in economics. Moscow: UNITY-DANA. (in Russian)

StatSoft, Inc. (2013). Electronic Statistics Textbook. Tulsa, OK: StatSoft. Retrieved from http://www.statsoft.com/textbook.