S P A T I POGEO S P A T I POGEO

ELEVATING GLOBAL AW

Weather Data Commercialization

Q&A with Alan Hall, CEO Tempus Global Data p. 26

The Certainty of Sea Level Rise

by Hans-Peter Plag, PhD Old Dominion University p. 13

Earthquakes: Identifying Collapsed Buildings

1985-2015

by Valerio Baiocchi, PhD Sapienza University of Roma, Italy p. 22

GEO's Global Ag Monitoring Initiative

We need to realize that the coastal zone is borrowed from the world's oceans and they are about to take it back."

 Hans-Peter Plag, PhD, Mitigation & Adaptation Research Institute, Old Dominion University

We'll see weather before it becomes weather... Our efforts are about saving lives (by providing better severe weather forecasting)."

– Alan Hall, CEO, Tempus Global Data p. 26

FORMERLY Imaging

∧pogeo° A T S



[Winter 2015 / Vol. 30 / No. 1]

Columns

9 EDITOR & PUBLISHER LETTER

Inspiration in Many Forms by Ray Williamson, PhD, Editor and Myrna James Yoo, Publisher

10 SECURE WORLD FOUNDATION FORUM Report from ASPRS Pecora Symposium

VALUE OF LANDSAT, GOOGLE EARTH ENGINE

by Ray Williamson, PhD



13 ON THE EDGE The Slowly Developing Disaster: SEA LEVEL RISE By Hans-Peter Plag, PhD

Features



The GEOGLAM Initiative

AGRICULTURAL MONITORING WITH EARTH OBSERVATIONS

by Christopher Justice, PhD, University of Maryland and Michel Deshayes, PhD, Group on Earth Observations



22 Earthquakes

IDENTIFYING COLLAPSED BUILDINGS

by Valerio Baiocchi, PhD, Sapienza University of Roma and Waldemar Krebs, PhD, Trimble



APOGEO SPATIAL EXECUTIVE INTERVIEW

Commercializing Weather Data

FINANCIAL AND SOCIETAL BENEFITS Q&A with Alan Hall, CEO, Tempus Global Data

COVER IMAGE



North America from Space

THIS IMAGE OF NORTH AMERICA from NASA is reminiscent of the 1968 Apollo 8 Mission photo of the Earth from space, called Earth Rise, though this one is not the entire Earth. The further out the view, the more profound is the fact of seeing no boundaries and political borders.

Earth imagery has come a long way, with many people using both commercial and government imagery. Landsat 8 is a great victory for the academic and scientific communities with their precedent-setting free data (see Secure World Foundation Forum on page 10), and WorldView-3 is pushing the envelope for companies and government customers.

The Group on Earth Observations' Global Agricultural Monitoring initiative (GEOGLAM) is an excellent example of an organization using both free and commercial imagery for their important and far-reaching work, on page 16. Ad

S Formerly Imaging

[Winter 2015 / Vol. 30 / No. 1]

MISSION

Apogeo Spatial communicates the power of geospatial tools and technologies in managing the world's environment and scarce resources, so that the global population has the security of water, food, and energy.

PARTNERSHIPS



partnership with Secure World Foundation (www.swfound.org).

ANN

HAN

ĸ



Apogeo is affiliated with the Alliance for Earth Observations, a program of The Institute for Global Environmental Strategies (www.strategies.org).

STAFF

Publisher/Managing Editor **MYRNA JAMES YOO** Editor Contributing Writers

Creative Director

myrna@apogeospatial.com RAY A. WILLIAMSON, PhD LEONARD DAVID MATTEO LUCCIO ANDREW STERNARD

www.andrewsternard.com

EDITORIAL ADVISORY BOARD

MARK BRENDER	DigitalGlobe Foundation
ANITA BURKE	The Catalyst Institute
NANCY COLLETON	Institute for Global Environmental Strategies
WILLIAM B. GAIL, PhD	Global Weather Corporation
NE HALE MIGLARESE	PLANETIQ
NS-PETER PLAG , PhD	Old Dominion University Mitigation and Adaptation Research Institute
EVIN POMFRET, ESQ.	Centre for Spatial Law and Policy

EDITORIAL CONTRIBUTIONS

Apogeo welcomes contributions for feature articles. We publish articles on the remote sensing industry, including applications, technology, and business. Please see Editorial Guidelines on www.apogeospatial.com, and email proposals to editor@apogeospatial.com.

SUBSCRIPTIONS

To subscribe, please go to www.locationalliance.net/subscribe. If you cannot go online, you may write to the address below. Apogeo (ISSN 0896-7091) Copyright © 2015

Blueline Publishing LLC, P.O. Box 11519, Denver, CO 80211

All rights reserved. No material may be reproduced or transmitted in any form or by any means without written permission from the publisher. While every precaution is taken to ensure accuracy, the publishers and their partners cannot accept responsibility for the accuracy of information or for any opinions or views presented in Apogeo.

Although trademark and copyright symbols are not used in this publication, they are honored.

Apogeo is printed on 20% recycled (10% post-consumer waste) paper. All inks used contain a percentage of soy base. Our printer meets or exceeds all federal Resource Conservation Recovery Act (RCRA) Standards.



Identifying Collapsed Buildings

DR. VALERIO BAIOCCHI / DOCTOR OF PHILOSOPHY / GEODESY AND SURVEY SCIENCES AND PROFESSOR AT SAPIENZA / UNIVERSITY OF ROMA DR. WALDEMAR KREBS / ECOGNITION ACCOUNT MANAGER AT TRIMBLE / MUNICH, GERMANY WWW.ECOGNITION.COM



THE WORK TO RECOVER AND REBUILD FOLLOWING an earthquake requires reliable information on the condition of structures in the affected areas. In developed areas, efforts to gather this information can be time-consuming and prone to errors, often resulting in incomplete or inaccurate information.


A new, software-based methodology to recognize collapsed buildings utilizes classification of satellite images combined with height variation information. The methodology was demonstrated in a fullscale, real-life scenario by a team led by Prof. Valerio Baiocchi of the University of Rome. According to Baiocchi, the team's work was intended to demonstrate the methodology on actual data available for the entire city of L'Aquila in the Abruzzo region of central Italy, in an actual and complete simulation of quick damage assessment in a real emergency. The team utilized satellite imagery of the city of L'Aquila, which experienced a magnitude 6.3 earthquake on April 6, 2009. The work demonstrated a robust classification of collapsed structures that was completed quickly and with good confidence.

◄ FIGURE 1.
Classification of vegetated areas through NDVI.

FIGURE 2.

Classification results (object-oriented approach) on some subsets (red for buildings, gray for streets, green for vegetated areas, and black for shadows).





◀ FIGURE 3.

The vector file of buildings obtained after the image classification.

FIGURE 4.

The same file overlapping to a satellite image.

COMPARING PIXEL-BASED AND OBJECT-ORIENTED CLASSIFICATIONS

The first part of the process entails classification of remotely-sensed objects. Data were obtained from monoscopic, very high-resolution imagery taken by the WorldView-2 satellite in August 2010. Height information came from a digital surface model developed from imagery acquired by the EROS-B satellite in April 2009, just a few days

As it is well known, during the Haiti event it was not possible to detect quickly all the collapsed buildings from aerial and satellite images. Local authorities needed to ask for the help of volunteers for a manual identification of collapsed buildings. For this reason, our automated methodology was utilized exactly as in a real emergency situation.

after the main earthquake. The pansharpened images were orthorectified using 22 ground control points established by GNSS and a digital elevation model from existing Abruzzo regional cartography (CartaTecnicaRegionale, or CTR). The study region was then broken into nine 2.3 km x 2.3 km subsets.

Classification was performed using two approaches: traditional pixel-based analyses and an object-based approach using Trimble eCognition Developer 8.0 image analysis software. The approaches used identical class hierarchies comprised of buildings, green areas, roads and shadows.

The data were first processed using the objectbased solution, which is based on the idea that the important information necessary to interpret an image is not represented only in a single pixel, but in meaningful image objects and their mutual rela-

> tionships. Rather than classifying single pixels, the object approach uses a bottom-up, region-growing technique to create groups of pixels (known as segments) that possess a certain level of homogeneity in scale, shape and color.

> Initial processing used NDVI (Normalized Difference Vegetation Index) to assign objects to the vegetation class. A similar process was used to reduce risk that shadowed parts of buildings might be eliminated from processing. See *Figure 1*.

Other hierarchal classes were handled using nearest-neighbor classification techniques. The classification required 30 to 60 minutes per subset, which can be scaled by parallel processing. The produced vector files of building polygons were overlaid on the rectified satellite images.

A second round of classification utilized pixelbased approaches in NDVI and nearest-neighbor processing. Both sets of results were compared to the CTR cartography provided by the Abruzzo regional administration. The comparison was done using the visible surface area of building roofs. See *Figure 2*.

The eCognition process recognized 93 percent of the known building areas, while the pixel-based process could recognize 64 percent. This result demonstrated that the object-oriented technique provided information that is more accurate and robust than the pixel-based approach.

When the vector file produced by eCognition was overlaid onto the satellite images, it was possible to quickly identify areas where buildings had collapsed in the quake. Because of this result, only the objectbased classifications were used in the subsequent steps of the process.

Next, digital surface models were developed using pre- and post-quake imagery from EROS-B. Comparing these models exposed height differences of buildings before and after the earthquake, and a color-coded model was developed to highlight significant differences. These data could then be combined with the existing cartography.

Using building polygons identified by eCognition, locations where the height differences might be the result of a building collapse (as opposed to changes in height in areas where no buildings existed) could be identified. The data enabled users to readily identify all buildings in the study area that had collapsed as a result of the earthquake. See *Figures 3 and 4*.

CONCLUSIONS

The project demonstrated that the use of a highresolution, object-oriented classification image combined with digital surface models can produce accurate, robust information on changes in buildings in post-seismic scenarios. The object-oriented approach produced results superior to pixel-based methods. The process may be further improved through optimization and improved specialization of the classification rule sets.

To be effective, organizations must maintain accurate pre-event data. Similarly, the methods require the availability of high-performance hardware and software to quickly execute classification and DSM extraction in immediate post-quake events. The methodology could allow a first damage assessment to be performed quickly in a completely automated way through the use of remotely sensed data, thereby offering ready support for the emergency response activities carried out by humanitarian agencies with little or no error.

Baiocchi summarized the importance of the team's work: "Quick assessment of damage, particularly in earthquakes like the one that occurred in Haiti in 2010, can help to save potential victims buried under debris. Rescue operations need to know the location of collapsed buildings within hours to aid in rescue of trapped persons. As it is well known, during the Haiti event it was not possible to detect quickly all the collapsed buildings from aerial and satellite images. Local authorities needed to ask for the help of volunteers all over the world for a manual identification of collapsed buildings on the images. For this reason, our automated methodology (obviously faster than manual recognition) was utilized exactly as in a real emergency situation. By assessing the performance using real data, it has been confirmed that it can be used for future emergency situation." ∧o

Acknowledgements:

This paper is taken from work produced by Valerio Baiocchi, "Sapienza" University of Rome; Raffaella Brigante, University of Perugia; Donatella Dominici, University of L'Aquila; Maria Vittoria Milone and Martina Mormile, "Sapienza" University of Rome; and Fabio Radicioni, University of Perugia. The full research is published in *European Journal of Remote Sensing* – 2014, 47: 413-435. The paper may be freely viewed at http://server-geolab.agr.unifi.it/public/ completed/2014_EuJRS_47_413_435_ Baiocchi.pdf