pISSN 2234-7518 • eISSN 2005-372X https://doi.org/10.4041/kjod.2017.47.2.130



## The combined use of computer-guided, minimally invasive, flapless corticotomy and clear aligners as a novel approach to moderate crowding: A case report

Michele Cassetta<sup>a</sup> Federica Altieri<sup>a</sup> Stefano Pandolfi<sup>b</sup> Matteo Giansanti<sup>a</sup>

<sup>a</sup>Department of Oral and Maxillofacial Sciences, School of Dentistry, Sapienza University of Rome, Italy The aim of this case report was to describe an innovative orthodontic treatment method that combined surgical and orthodontic techniques. The novel method was used to achieve a positive result in a case of moderate crowding by employing a computer-guided piezocision procedure followed by the use of clear aligners. A 23-year-old woman had a malocclusion with moderate crowding. Her periodontal indices, oral health-related quality of life (OHRQoL), and treatment time were evaluated. The treatment included interproximal corticotomy cuts extending through the entire thickness of the cortical layer, without a fullthickness flap reflection. This was achieved with a three-dimensionally printed surgical guide using computer-aided design and computer-aided manufacturing. Orthodontic force was applied to the teeth immediately after surgery by using clear appliances for better control of tooth movement. The total treatment time was 8 months. The periodontal indices improved after crowding correction, but the oral health impact profile showed a slight deterioration of OHRQoL during the 3 days following surgery. At the 2-year retention follow-up, the stability of treatment was excellent. The reduction in surgical time and patient discomfort, increased periodontal safety and patient acceptability, and accurate control of orthodontic movement without the risk of losing anchorage may encourage the use of this combined technique in appropriate cases.

[Korean J Orthod 2017;47(2):130-141]

Key words: Clear aligners, Accelerated orthodontics, CAD-CAM, Piezocision

Received February 19, 2016; Revised June 10, 2016; Accepted July 18, 2016.

## Corresponding author: Michele Cassetta.


Assistant Professor, Department of Oral and Maxillofacial Sciences, School of Dentistry, Sapienza University of Rome, V.le Cesare Pavese, 85, Rome 00144, Italy.

Tel +39-333-7067075 e-mail michele.cassetta@uniroma1.it

The authors report no commercial, proprietary, or financial interest in the products or companies described in this article.

© 2017 The Korean Association of Orthodontists.

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (http://creativecommons.org/licenses/by-nc/4.0) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.



<sup>&</sup>lt;sup>b</sup>Private Practice, Rome, Italy