

Using Read- k Inequalities to Analyze a Distributed MIS Algorithm^{*†}

Sriram Pemmaraju¹ and Talal Riaz²

1 Department of Computer Science, University of Iowa, Iowa City, USA
sriram-pemmaraju@uiowa.edu

2 Department of Computer Science, University of Iowa, Iowa City, USA
talal-riaz@uiowa.edu

Abstract

Until recently, the fastest distributed MIS algorithm, even for simple graph classes such as unoriented trees that can contain large independent sets within neighborhoods, has been the simple randomized algorithm discovered independently by several researchers in the late 80s. This algorithm (commonly called *Luby's algorithm*) computes an MIS of an n -node graph in $O(\log n)$ communication rounds (with high probability). This situation changed when Lenzen and Wattenhofer (PODC 2011) presented a distributed (randomized) MIS algorithm for unoriented trees running in $O(\sqrt{\log n} \cdot \log \log n)$ rounds. This algorithm was slightly improved by Barenboim et al. (FOCS 2012), resulting in an $O(\sqrt{\log n} \cdot \log \log n)$ -round (randomized) MIS algorithm for trees. At their core, these algorithms still run Luby's algorithm, but only up to the point at which the graph has been "shattered" into small connected components that can be independently processed in parallel.

The analyses of these tree MIS algorithms critically depends on "near independence" among probabilistic events, a feature that arises from the tree structure of the network. In their paper, Lenzen and Wattenhofer express hope that their algorithm and analysis could be extended to graphs with bounded arboricity. We show how to do this in the current paper. By using a new tail inequality for *read- k families* of random variables due to Gavinsky et al. (*Random Struct Algorithms*, 2015), we show how to deal with dependencies induced by the recent tree MIS algorithms when they are executed on bounded arboricity graphs. Specifically, we analyze a version of the tree MIS algorithm of Barenboim et al. and show that it runs in $O(\text{poly}(\alpha) \cdot \sqrt{\log n} \cdot \log \log n)$ rounds in the *CONGEST* model for graphs with arboricity α .

While the main thrust of this paper is the new probabilistic analysis via read- k inequalities, we point out that for small values of α , this algorithm is faster than the MIS algorithm of Barenboim et al. specifically designed for bounded arboricity graphs. In this context, it should be noted that recently (in SODA 2016) Ghaffari presented a novel distributed MIS algorithm for general graphs that runs in $O(\log \Delta) + 2^{O(\sqrt{\log \log n})}$ rounds and a corollary of this algorithm is an $O(\log \alpha + \sqrt{\log n})$ -round MIS algorithm on graphs with arboricity α .

1998 ACM Subject Classification F.2.0 Analysis of Algorithms and Problem Complexity

Keywords and phrases Bounded Arboricity Graphs, CONGEST model, Luby's Algorithm, Maximal Independent Set, Read- k Inequality

Digital Object Identifier 10.4230/LIPIcs.OPODIS.2016.9

* A version of this work appeared as a brief announcement in PODC 2016 [11].

† This work is supported in part by National Science Foundation grant CCF-1318166.



© Sriram Pemmaraju and Talal Riaz;

licensed under Creative Commons License CC-BY

20th International Conference on Principles of Distributed Systems (OPODIS 2016).

Editors: Panagiota Fatourou, Ernesto Jiménez, and Fernando Pedone; Article No. 9; pp. 9:1–9:17

Leibniz International Proceedings in Informatics



Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany



1 Introduction

A set of nodes in a graph is said to be *independent* if no two nodes in the set are adjacent. A *maximal independent set (MIS)* is an independent set that is maximal with respect to inclusion. Computing an MIS is a fundamental problem in distributed computing because it nicely captures the essential challenge of symmetry breaking and also for its myriad applications to other problems. The fastest algorithm for MIS is a simple, randomized algorithm discovered more than 25 years ago, independently by several researchers [1, 9, 7]. This algorithm computes an MIS for an n -node graph in $O(\log n)$ communication rounds with high probability (whp), i.e., with probability at least $1 - 1/n$. The essence of this algorithm is that in each round, each still-active node tentatively joins the MIS with some probability and then either backs off from this choice or makes it permanent depending on whether neighboring nodes have made conflicting choices. Following popular usage, we refer to this as *Luby's algorithm*. More recently, Métivier et al. [10] proposed a variant of Luby's algorithm in which in each round, each still-active node v picks a *priority*, a real number $r(v)$ uniformly at random from $[0, 1]$ and joins the MIS if $r(v)$ is greater than the priorities chosen by all neighbors. This algorithm also runs in $O(\log n)$ rounds whp [10]¹.

In PODC 2011, Lenzen and Wattenhofer [8] showed that an MIS in an n -node *unoriented* tree can be computed in $O(\sqrt{\log n} \cdot \log \log n)$ rounds whp. Note that if a tree is consistently oriented (i.e., the tree is rooted at an arbitrary node and all nodes know their parent with respect to this root) then an MIS can be computed in $O(\log^* n)$ rounds using the deterministic coin tossing technique of Cole and Vishkin [4]. The first phase of the Lenzen-Wattenhofer algorithm is just the algorithm of Métivier et al. and in a sense all the important hard work happens in this phase. The running time analysis of the algorithm is sophisticated and depends critically on the fact that the tree structure ensures that there are very few dependencies among probabilistic events in the algorithm. There have been previous sublogarithmic-round MIS algorithms for special graph classes (e.g., the $O(\log^* n)$ -round MIS algorithm on growth-bounded graphs [13]), but not for graphs that can have arbitrarily large independent sets in neighborhoods. Thus, in a sense, the Lenzen-Wattenhofer MIS result is a breakthrough because it shows that MIS can be computed in sublogarithmic rounds even in settings where neighborhoods can have arbitrarily many independent nodes. More recently in FOCS 2012, Barenboim et al. [2, 3] presented a *tree* MIS algorithm (similar to the Lenzen-Wattenhofer algorithm) that runs in $O(\sqrt{\log n} \cdot \log \log n)$ rounds whp, improving the running time of the Lenzen-Wattenhofer algorithm slightly. This tree MIS algorithm also uses the algorithm of Métivier et al. to do a significant portion of the work.

A natural question that arises from the analyses of these tree MIS algorithms is whether the algorithms and analyses can be extended to *bounded arboricity graphs*. Lenzen and Wattenhofer raise this question at the end of the “Introduction” section in their paper [8]. A graph G is said to have *arboricity* α if α is the minimum number of forests that the edges of G can be partitioned into. From this it follows that the edges of a graph with arboricity α can be oriented in such a manner that each node has at most α outgoing edges. Clearly, forests have arboricity 1, but the family of graphs with constant arboricity is quite rich and includes all planar graphs, graphs with constant treewidth, graphs with constant genus, family of graphs that exclude a fixed minor, etc. Unfortunately, the Lenzen-Wattenhofer

¹ In fact, Algorithm A in Luby's 1986 paper [9] is essentially identical to the algorithm of Métivier et al., the only difference being that in Luby's Algorithm, vertices choose priorities from the range $\{1, 2, \dots, n^4\}$. What we refer to as Luby's algorithm above appears as Algorithm B in Luby's paper.

analysis and the Barenboim et al. analysis runs into trouble for graphs with even *constant arboricity* because of the nature of dependencies between probabilistic events in the algorithm. The issue is common to both algorithms because it arises in the portions of the algorithms that rely on the algorithm of Métivier et al.

The source of the difficulty can be explained as follows. Even though these algorithms run on unoriented trees, *for the purposes of analysis* it can be assumed that the input tree is rooted at an arbitrary node. Because the graph is a tree, probabilistic events at children of a node v are essentially independent, the only slight dependency being caused by the interaction via their parent, namely v . For graphs with arboricity greater than 1 the dependency structure among the probabilistic events can be much more complicated. Suppose (for the purposes of the analysis) that we orient the edges of an arboricity- α graph such that each node has at most α out-neighbors. Let us call the out-neighbors of a node v its *parents* (denoted $\text{Parent}(v)$) and the in-neighbors, its *children* (denoted $\text{Child}(v)$). For a node v , consider the set $\text{Child}(v)$ and the dependencies among probabilistic events at nodes in $\text{Child}(v)$. The events we are referring to are of the type “ w joins the MIS” or “a neighbor of w joins the MIS” for $w \in \text{Child}(v)$. Even though each node has at most α parents, a node $w \in \text{Child}(v)$ may share children with every other node in $\text{Child}(v)$ and as a result there could be dependencies between events at w and events at any of the other nodes in $\text{Child}(v)$. Thus it is not clear how to take advantage of the structure of bounded arboricity graphs in order to mimic the analysis in [8, 2, 3].

The main purpose of this paper is to show that recent results on *read- k families of random variables* deal with roughly this type of dependency structure and therefore provide a new approach to analyzing algorithms in the style of Métivier et al. with more complicated dependency structure. Using analysis based on *read- k inequalities* (see the next section), we show that the tree MIS algorithms of Lenzen and Wattenhofer [8] and Barenboim et al. [3, 2] work for bounded arboricity graphs as well. We believe that this analytical tool may be new to the distributed computing community, but will prove useful for the analysis of randomized distributed algorithms in general.

1.1 Read- k Inequalities

We now define a *read- k family* of random variables. Let $\{Y_j \mid 1 \leq j \leq n\}$ be a set of random variables such that each random variable Y_j is a function of some subset of the set of independent random variables $\{X_i \mid 1 \leq i \leq m\}$. For each $1 \leq j \leq n$, let $P_j \subseteq \{1, 2, \dots, m\}$, let f_j be a boolean function of $\{X_i \mid i \in P_j\}$, and define $Y_j := f_j((X_i)_{i \in P_j})$. The collection of random variables Y_j is called a *read- k family* if every $1 \leq i \leq m$ appears in at most k of the P_j 's. In other words, each X_i is allowed to influence at most k of the Y_j 's. Note that the Y_j 's can have a complicated dependency structure amongst themselves – it is their dependency on the X_i 's that is bounded. For example, the dependency graph of the Y_j 's can even be a clique!

We are now ready to state the first of the two read- k inequalities from Gavinsky et al. [5] that we use. This inequality provides a bound on the conjunction of a collection of events whose indicator variables form a read- k family.

► **Theorem 1** (Theorem 1.2, [5]). *Let Y_1, Y_2, \dots, Y_n be a family of read- k indicator variables with $\Pr[Y_i = 1] = p$. Then, $\Pr[Y_1 = Y_2 = \dots = Y_n = 1] \leq p^{n/k}$.*

If the Y_j 's were independent, then the probability that $Y_1 = Y_2 = \dots = Y_n = 1$ would simply be p^n . Thus Theorem 1 is essentially saying that the read- k family structure of the

dependencies among the Y_j 's allows us to obtain an upper bound on the probability that is an exponential factor $1/k$ worse than what is possible had the Y_j 's been independent.

Gavinsky et al. [5] use Theorem 1 and information-theoretic arguments to derive the following tail inequality on the sum of indicator random variables that form a read- k family.

► **Theorem 2** (Theorem 1.1, [5]). *Let Y_1, \dots, Y_n be a family of read- k indicator variables with $\Pr[Y_i = 1] = p_i$. Define $p := \frac{1}{n} \sum_{i=1}^n p_i$ and $Y := \sum_{i=1}^n Y_i$. Then for any $\epsilon, \delta > 0$,*

$$\Pr(Y \leq (p - \epsilon)n) \leq \exp\left(-2\epsilon^2 \frac{n}{k}\right), \quad (1)$$

$$\Pr(Y \leq (1 - \delta)E[Y]) \leq \exp\left(-\frac{\delta^2 E[Y]}{2k}\right). \quad (2)$$

Gavinsky et al. only state Form (1) of the tail inequality in their paper. But, Form (2) is more convenient for us and it is fairly routine to derive this from Form (1). See [14] for the derivation. Note that upper tail inequalities corresponding to (1) and (2) also exist, but have not been shown here for brevity. As in Theorem 1, these tail inequalities are also an exponential $1/k$ factor worse than corresponding Chernoff bounds that we might have used, had the Y_j 's been independent. Gavinsky et al. [5] also point out that these tail inequalities are more general than those that can be obtained by observing that Y is a k -Lipschitz function and using standard Martingale-based arguments such as Azuma's inequality.

To see that the above tools are well-suited for analyzing algorithms in the style of Métivier et al. on bounded arboricity graphs, let us reconsider the situation described earlier. Consider a graph G with arboricity α and fix an arbitrary node v in G , and consider the set $\mathbf{Child}(v)$ of children of v . For the moment, ignore edges among nodes in $\mathbf{Child}(v)$ and also ignore the influence of parents (v and other parents) on nodes in $\mathbf{Child}(v)$, thus focusing only on the children of nodes in $\mathbf{Child}(v)$. For a node $w \in \mathbf{Child}(v)$, let Y_w be an indicator variable for a probabilistic event at node w . Now suppose that Y_w depends on independent random choices made by w and its children. For example, Y_w could be a boolean variable indicating the event that the priority of w is larger than the priorities of children of w . This models the situation in the algorithm of Métivier et al. [10], where w joining the MIS depends on random real values (independently) chosen by w and its children. (Recall that we are ignoring parents for the moment.) The structure of an arboricity- α graph and the associated edge-orientation ensures that each node has at most α parents and therefore the random choice at each node can influence at most α of the Y_w 's. Thus the set $\{Y_w \mid w \in \mathbf{Child}(v)\}$ forms a read- α family and we can apply Theorems 1 and 2 to bound $\Pr(\cap_w Y_w = 1)$ and to show that $\sum_w Y_w$ is concentrated around its expectation.

The above example illustrates the simplest application of read- k inequalities in our analysis. Somewhat surprisingly, we use read- k inequalities to evaluate probabilistic interactions between a node and its parents also. This may seem impossible to do given that a parent can have arbitrarily many children and thus a random choice at a parent can influence events at arbitrarily many children. However, in our algorithm nodes with extremely high degree opt out of the competition (temporarily) and this turns out to be sufficient to bound the number of children a parent can influence, leading to our use of read- k inequalities, with appropriate k , to analyze the interaction between nodes and their parents. Finally, our analysis also relies on interactions between a node and its grandchildren, leading to our use of read- $\Theta(\alpha^2)$ families as well.

1.2 Our Result

We apply a read- k -inequality-based analysis to the execution of the tree MIS algorithm of Barenboim et al. [3, 2] on bounded arboricity graphs. We could have chosen to analyze the tree MIS algorithm of Lenzen and Wattenhofer, but for reasons of exposition we use the algorithm of Barenboim et al. We present an algorithm that we call `BOUNDEDARBINDEPENDENTSET`, which is essentially identical to the `TREEINDEPENDENTSET` algorithm of Barenboim et al. (Section 8, [3]), except for parameter values (which now depend on the arboricity α). Specifically, we show the following result.

► **Theorem 3.** *The tree MIS algorithm of Barenboim et al. [3, 2] (with appropriate parameter values) can be used to compute an MIS in the `CONGEST` model on the family of graphs with arboricity α in $O(\text{poly}(\alpha) \cdot \sqrt{\log n \cdot \log \log n})$ rounds, whp.*

This result can also be seen as an improvement over the MIS result on bounded arboricity graphs due to Barenboim et al. [3, 2]. In their paper, Barenboim et al. have a separate algorithm (distinct from their tree MIS) algorithm that computes an MIS on graphs with arboricity α in $O(\log^2 \alpha + \log^{2/3} n)$ rounds. The dependency on n of the running time of our algorithm is asymptotically better, implying that for small α (i.e., $\alpha = O(\log^c n)$ for a small enough constant c) our algorithm is asymptotically faster. In our subsequent calculations the degree of polynomial in α in the running time comes out to be 9. It is not difficult to reduce this degree, but it does seem difficult with the current algorithm to improve the dependency on α to something better than a polynomial and to replace the multiplication between the $\text{poly}(\alpha)$ -term and the $\sqrt{\log n \cdot \log \log n}$ -term by an addition.

Recently, in SODA 2016 Ghaffari has presented a novel MIS algorithm [6] that runs in $O(\log \Delta) + 2^{O(\sqrt{\log \log n})}$ rounds on any n -vertex graph with maximum degree Δ . In Luby's MIS algorithm, a node's "desire" to join the MIS is a simple function of its degree with respect to the still-active nodes in the graph. In Ghaffari's MIS algorithm each node explicitly maintains a *desire-level* that is initially set to $1/2$, but is updated in each iteration depending on the aggregate desire-level of nodes its neighborhood. Using techniques from [3, 2], Ghaffari obtains, as a corollary of this main result, an $O(\log \alpha + \sqrt{\log n})$ -round MIS algorithm for n -vertex graphs with arboricity α . This of course dominates the round complexity our algorithm for all values of α and n . Thus the main contribution of this paper is not the fastest distributed MIS algorithm for bounded arboricity graphs, but it is (i) introducing the use of read- k inequalities for the analysis of randomized distributed algorithms and (ii) showing that recent tree MIS algorithms are effective for bounded arboricity graphs as well, but need more sophisticated analysis.

2 MIS Algorithm for Bounded Arboricity Graphs

We start by presenting an algorithm that we call `BOUNDEDARBINDEPENDENTSET`, which is essentially identical to the `TREEINDEPENDENTSET` algorithm of Barenboim et al. (Section 8, [3]), except for parameter values (Θ, Λ, ρ_k) which now depend on α as well. We emphasize this point because we are essentially analyzing the `TREEINDEPENDENTSET` algorithm (via a new approach based on the read- k inequalities), but with bounded arboricity graphs as input.

The algorithm (see **Algorithm 1**) begins by initializing two sets I and B as empty. I denotes the set of nodes which have joined the MIS and B will store a set of so-called "bad" nodes. As nodes join I and B , they exit the algorithm, i.e., become *inactive*. In addition, neighbors of nodes in I also exit the algorithm and become inactive. We use V_{IB} to

Algorithm 1: BOUNDEDARBINDEPENDENTSET(Graph G):

```

1: Initialize sets  $I, B \subseteq V(G)$ :  $I \leftarrow \phi$ ;  $B \leftarrow \phi$ 
2: for each scale  $k$  from 1 to  $\Theta := \lfloor \log \left( \frac{\Delta}{1176 \cdot 16 \alpha^{10} \ln^2 \Delta} \right) \rfloor$  do
    Initialize  $\rho_k \leftarrow 8 \ln \Delta \cdot \Delta / 2^{k+1}$ 
    2(a) Execute  $\Lambda := \lceil p \cdot 8 \alpha^2 (32 \alpha^6 + 1) \cdot \ln(260 \alpha^4 \ln^2 \Delta) \rceil$  times
        – Each node  $v \in V_{IB}$  chooses a priority  $r(v)$ :
            
$$r(v) \leftarrow \begin{cases} 0, & \text{if } \deg_{IB}(v) > \rho_k \\ \text{a real in } (0, 1) \text{ chosen uniformly at random} & \text{otherwise} \end{cases}$$

        –  $I \leftarrow I \cup \{v \in V_{IB} \mid r(v) > \max\{r(w) \mid w \in \Gamma_{IB}(v)\}\}$ 
        –  $V_{IB} \leftarrow V_{IB} \setminus (I \cup \Gamma_{IB}(I))$ 
    2(b) Each node  $v$  is marked “bad” if  $|\{w \in \Gamma_{IB}(v) \mid \deg_{IB}(w) > \Delta / 2^k + \alpha\}| > \Delta / 2^{k+2}$ 
         $B \leftarrow B \cup \{v \in V_{IB} \mid v \text{ is marked “bad”}\}$ 
         $V_{IB} \leftarrow V_{IB} \setminus B$ 
    end
3: return  $(I, B)$ 

```

denote the set of nodes which are currently active. Let $\Gamma_{IB}(u)$ represent the neighborhood of a node u restricted to nodes in V_{IB} . Let $\deg_{IB}(u)$ denote $|\Gamma_{IB}(u)|$. Similarly, for any subset $S \subseteq V$ of nodes, let $\Gamma_{IB}(S)$ denote $\cup_{u \in S} \Gamma_{IB}(u)$. The algorithm proceeds in $\Theta := \lfloor \log \left(\frac{\Delta}{1176 \cdot 16 \alpha^{10} \ln^2 \Delta} \right) \rfloor$ scales. For any scale k , $1 \leq k \leq \Theta$, a node in V_{IB} that has degree more than $\Delta / 2^k + \alpha$ is called a *high degree* node for that scale. In each scale, we start by performing $O(\alpha^8 (\log \alpha + \log \log \Delta))$ iterations of the Métivier et al. MIS algorithm [10]. The exact number of iterations is $\lceil p \cdot 8 \alpha^2 (32 \alpha^6 + 1) \cdot \ln(260 \alpha^4 \ln^2 \Delta) \rceil$ and denoted by the parameter Λ , where p is a large enough constant whose value will be fixed later.

In a single iteration, every node $v \in V_{IB}$ chooses a real number $r(v) \in [0, 1)$ called a *priority*. If v has more than $\rho_k := 8 \ln \Delta \cdot \Delta / 2^{k+1}$ neighbors in any iteration, its priority is (deterministically) set to 0, otherwise, it chooses a priority uniformly at random in $(0, 1)$. In any iteration, a node u is called *competitive*, if $r(u)$ is chosen randomly in that iteration. If in an iteration, v chooses a priority greater than the priority of any node in its neighborhood in V_{IB} , it joins I . After each iteration, nodes in I and neighbors of these nodes (i.e., $\Gamma_{IB}(I)$) are removed from V_{IB} . If, after Λ iterations in the current scale, a node $v \in V_{IB}$ has more than $\Delta / 2^{k+2}$ high-degree neighbors then it is designated a “bad” node and added to the set B . It is worth emphasizing the fact that this algorithm has no access to an edge-orientation or a forest-decomposition of the given α -arboricity graph. We use the existence of an edge-orientation extensively in our analysis, but it plays no role in the algorithm.

2.1 Finishing Up

The algorithm returns an independent set I (which need not be maximal), and a set B of “bad” nodes. Also, the set V_{IB} need not be empty at the end of the algorithm and so after Algorithm BOUNDEDARBINDEPENDENTSET has completed, we still need to process the sets B and V_{IB} .

Our main contribution in this paper is a new analysis of BOUNDEDARBINDEPENDENTSET that culminates in Theorem 10, showing that any node joins B with probability at most $1/\Delta^{2p}$. (Here p is the constant that is used in determining Λ , the number of iterations of BOUNDEDARBINDEPENDENTSET.) The fact that each node joins B with very low probability

implies (as shown by Barenboim et al. [3] and restated in Lemma 11) that with high probability all connected components in the graph induced by B are small. These components induced by B can be processed in parallel, with each component being processed by a deterministic algorithm (since each component is small).

Nodes that remain in V_{IB} have the property that they do not have too many high degree neighbors. Otherwise, they would have been placed in B . Thus V_{IB} can be partitioned into two sets V_{hi} and V_{low} such that the graphs induced by each of these sets has small maximum degree. Then, by using an alternate MIS algorithm that finishes quickly as a function of the maximum degree, we process nodes in V_{hi} and V_{low} (one set after the other) to complete the MIS computation. All these steps that “finish up” the algorithm run in the $\mathcal{CONGEST}$ model and we describe these in greater detail in Section 3.3.

It is immediate that $O(\alpha^8(\log \alpha + \log \log \Delta) \cdot \log \Delta)$ is the number of rounds it takes to complete algorithm $\text{BOUNDEDARBINDEPENDENTSET}$. The rest of the algorithm (described informally above and in more detail in Section 3.3) takes an additional $O(\alpha^2 + \log \Delta + \log \log n \cdot \log \alpha + \alpha \cdot \log^* n)$ rounds whp. To get a round complexity bound that is exclusively in terms of n and α , we use a degree-reduction result of Barenboim et al. (Theorem 7.2 [3]) that runs in $O(\sqrt{\log n \cdot \log \log n})$ rounds in the $\mathcal{CONGEST}$ model and yields a graph with maximum degree at most $\alpha \cdot 2^{\sqrt{\log n / \log \log n}}$. We use this degree reduction as a preprocessing step and use $\Delta = \alpha \cdot 2^{\sqrt{\log n / \log \log n}}$ in the rest of the algorithm.

► **Theorem 4.** *Using $\text{BOUNDEDARBINDEPENDENTSET}$ we can compute an MIS on a graph with arboricity α in $O(\alpha^8(\log \alpha + \log \log \Delta) \cdot \log \Delta + \log \log n \log \alpha)$ rounds whp. This leads to an algorithm that computes an MIS on a graph with arboricity α in $O(\alpha^9 \sqrt{\log n \cdot \log \log n})$ rounds whp.*

3 Analysis of BoundedArbIndSet

We start with an overview of our analysis. At a high level, the organization of our analysis is similar to the analysis of $\text{TREEINDEPENDENTSET}$. The analysis is centered around showing that the following invariant is maintained (at the end of each scale) at every active node, with sufficiently high probability.

INVARIANT: At the end of scale k , for all $v \in V_{IB}$,

$$|\{w \in \Gamma_{IB}(v) \mid \deg_{IB}(w) > \Delta/2^k + \alpha\}| \leq \Delta/2^{k+2}$$

The INVARIANT bounds the number of high degree neighbors a node has after k scales of the algorithm. In a sense the INVARIANT is trivially satisfied by design; nodes that do not satisfy the INVARIANT after Λ iterations in Scale k are simply placed in the set B (of “bad” nodes) in Step 2(b) of the algorithm. Of course, we have to later on deal with the nodes in B somehow and so we cannot simply place all nodes in B and claim to have satisfied the INVARIANT! Let N denote the set on the left-hand side of the INVARIANT above. The goal then is to show that, with probability at least $1 - 1/\Delta^2$, in Scale k , either v becomes inactive (Lemma 8) or the size of N falls to $\Delta/2^{k+2}$ or less (Lemma 9). Showing this leads to Theorem 10 which claims that that after Scale k , each active node satisfies the invariant with probability at least $1 - 1/\Delta^2$ and is therefore placed in B with probability at most $1/\Delta^2$.

Unlike in the analysis of Algorithm $\text{TREEINDEPENDENTSET}$, for bounded arboricity graphs, the proof of Theorem 10 has to deal with seemingly complicated dependencies among

probabilistic events that the algorithm depends on. Our main contribution in this paper is to show that all of these dependencies can be quite naturally analyzed via read- k inequalities (with different values of the parameter k). So first, in Section 3.1, we use read- k inequalities to analyze three key probabilistic events pertaining to the progress of the algorithm. Later on we show how the occurrence of these probabilistic events with sufficiently high probability holds the key to proving Theorem 10.

Notation: For the purposes of the analysis we fix an edge orientation of the given arboricity- α graph such that each node has at most α out-neighbors (parents). We use $\text{Parent}_{IB}(v)$ to denote the set of currently active parents of node v and $\text{Child}_{IB}(v)$ to denote the set of currently active children of node v . For any subset S of nodes, we use $\Delta_{IB}(S)$ to denote $\max_{v \in S} \text{deg}_{IB}(v)$.

3.1 Read- k Inequalities in Action


In this section, we analyze via read- k inequalities, three key probabilistic events whose occurrence (with sufficient probability) ensures rapid progress of our algorithm. The first event concerns the interaction between nodes and their children and the second concerns the interaction between nodes and their parents. The third event is more complicated and it concerns the interaction between nodes and their children, their children's children (i.e., *grandchildren*) and their children's other parents (i.e., *co-parents*). To be more specific, let us fix a Scale k and an iteration within that scale. Let $M \subseteq V_{IB}$ be an active subset of nodes just before the start of the iteration under consideration. The three probabilistic events we analyze can be informally described as follows. For Events (1) and (2), we assume that all nodes in M have degree at most ρ_k and are therefore competitive.

- Event (1)** Among the set of nodes M , there exists a node whose priority is larger than the priority of all its children.
- Event (2)** Suppose that M is sufficiently large. Then a large fraction of the nodes in M have priority greater than priorities of all their parents.
- Event (3)** Suppose that every node in M has sufficiently high degree. Then a large fraction of the nodes in M become inactive due to their children joining the MIS.

The simplest approach to analyzing these events is to decompose each event into sub-events centered at each of the nodes in M and then apply a tail inequality such as the Chernoff bound. The difficulty with this approach of course is the lack of independence among the sub-events at nodes in M . However, as we discuss below and then show later, each of these collections of sub-events can be analyzed using a read- k inequality with different values of the parameter k .

Event (1) (see Theorem 5 and Figure 1(A)) can be viewed as the complement of the event in which every node in M has a child with greater priority. This latter event is a conjunction of events, E_x for $x \in M$, where $E_x \equiv r(x) < \max\{r(y) \mid y \in \text{Child}_{IB}(x)\}$. However, for nodes $x, x' \in M$, E_x and $E_{x'}$ need not be independent because x and x' may share children. Nevertheless, since a child can have at most α parents, the collection $\{E_x \mid x \in M\}$ of events has a dependency structure that forms a read- α family and we can analyze Event (1) by applying the read- α conjunction inequality (Theorem 1).

We can attempt to analyze Event (2) (see Theorem 6 and Figure 1(B)) in a similar manner. For each $x \in M$, let $F_x \equiv r(x) > \max\{r(y) \mid y \in \text{Parent}_{IB}(x)\}$. However, dependencies



■ **Figure 1** (A) shows the application of read- α inequalities to lower bound the probability of some node $x \in M$ having priority greater than priorities of all its children. (B) shows the application of a read- ρ_k inequality to prove that with sufficient probability a large fraction of the nodes in M have priorities greater than priorities of parents. (C) shows the application of a read- $\Theta(\alpha^2)$ inequality to prove that with sufficient probability, a large fraction of the nodes in M are eliminated by children joining the MIS.

among the events $\{F_x \mid x \in M\}$ are harder to deal with because a node can be the parent of arbitrarily many nodes in M and thus possibly affect all nodes in M . However, recall that a node with degree greater than ρ_k does not participate in the competition to join the MIS (it simply sets its priority to 0). Thus, if M is significantly larger than ρ_k then a competitive node can only be the parent of a small fraction of nodes in M . Thus the events $\{F_x \mid x \in M\}$ have a read- ρ_k dependency structure and we can apply a read- ρ_k tail inequality to analyze this event.

Event (3) (see Theorem 7 and Figure 1(C)) pertains to the elimination of nodes in M due to children of these nodes joining the MIS. Following the approach used to analyze Events (1) and (2), we consider events G_x for $x \in M$ where G_x is the event that some child of x joins the MIS. Whether a child w of $x \in M$ joins the MIS, depends on the priorities at w and neighbors of w . Specifically, G_x depends on the priority of x and the priorities of children of x , grandchildren of x , and co-parents of x . As a result, the dependencies among the events $\{G_x \mid x \in M\}$ are much more complicated to analyze and cannot be directly analyzed using read- k inequalities. To get around this problem, we apply the analysis of Event (2) (Theorem 6) to show that with sufficiently high probability, a substantial fraction of the children of $x \in M$ have priorities greater than all their parents. We then condition on this event and only focus on such children (denoted $\text{Child}'_{IB}(x)$) of each $x \in M$. Now let us redefine G_x as the event that some node in $\text{Child}'_{IB}(x)$ has priorities greater than all its children. Note that if a node $w \in \text{Child}'_{IB}(x)$ has priority greater than its children, it will join the MIS (thereby eliminating x) since its priority is known to be greater than the priorities of parents. Thus, if the redefined G_x occurs, then x is eliminated. Now note that each G_x depends on the priority of x , priorities of children of x and priorities of grandchildren of x . Given that each node has at most α parents and α^2 grandparents, we can see that

the collection $\{G_x \mid x \in M\}$ forms a read- $\alpha(\alpha + 1)$ family, allowing us to use read- $\alpha(\alpha + 1)$ inequalities to analyze Event (3). In the three theorems that follow, we formally describe and analyze Events (1)-(3).

► **Theorem 5 (Event (1)).** *For some Scale k and some iteration in this scale, let $M \subseteq V_{IB}$ be an independent subset of nodes that are active just before the start of the iteration. Further suppose that $\Delta_{IB}(M) \leq \rho_k$. Then, with probability at least $1 - \left(1 - \frac{1}{\Delta_{IB}(M)}\right)^{|M|/(2\alpha^2)}$, some node in M will choose a priority greater than the priorities of all of its children. This holds even when we condition on all nodes in M having priorities greater than their parents' priorities.*

Proof. Since the graph induced by V_{IB} has arboricity at most α , there exists an independent set² $M_{ind} \subseteq M$ such that $|M_{ind}| \geq |M|/2\alpha$. Let $x^* \in M_{ind}$ be a node that chooses a priority $r(x^*)$ greater than all its children, i.e., $r(x^*) > \max\{r(y) \mid y \in \text{Child}_{IB}(x^*)\}$ in the iteration being considered. We now calculate the probability that such an x^* exists. For each node $x \in M_{ind}$, let E_x denote the event $r(x) < \max\{r(y) \mid y \in \text{Child}_{IB}(x)\}$ and let Y_x be the indicator variable for E_x . We now argue that the collection of random variables $\{Y_x \mid x \in M_{ind}\}$ forms a read- α family. See Figure 1(A).

Read- α family. Each Y_x is a function of independent random variables, namely the priority $r(x)$ and the priorities of children of x , i.e., $\{r(y) \mid y \in \text{Child}_{IB}(x)\}$. Thus a priority $r(w)$ can only influence random variables Y_x , where x is a parent of w and this means that each priority can influence at most α elements in $\{Y_x \mid x \in M_{ind}\}$. Therefore the set of random variables $\{Y_x \mid x \in M_{ind}\}$ forms a read- α family.

Now note that $Y_x = 0$ corresponds to $r(x)$ being larger than $r(y)$ for all $y \in \text{Child}_{IB}(x)$. Therefore, $Pr(Y_x = 0) \geq \frac{1}{\Delta_{IB}(M)}$, implying that $Pr(Y_x = 1) \leq \left(1 - \frac{1}{\Delta_{IB}(M)}\right)$. Note that this depends on the fact that $\deg_{IB}(x) \leq \rho_k$ and x is competitive. Using this bound and the conjunctive read- α inequality in Theorem 1, we see that $Pr(\bigcap_{x \in M_{ind}} Y_x = 1) \leq (1 - 1/\Delta_{IB}(M))^{|M|/(2\alpha) \cdot (1/\alpha)}$. Thus the probability that there exists an $x^* \in M_{ind}$ for which E_{x^*} holds is as claimed. ◀

► **Theorem 6 (Event (2)).** *For some scale k and some iteration in this scale, let $M \subseteq V_{IB}$ be a subset of nodes that are active just before the start of the iteration. Further suppose that $\Delta(M) \leq \rho_k$ and $|M| > 64\alpha^2 \cdot \ln^2 \Delta \cdot \Delta/2^{k+1}$. Then, at the end of the iteration, with probability at least $(1 - 1/\Delta^4)$, the number of nodes in M that choose a priority greater than their parents is more than $|M|/2\alpha$.*

Proof. The probability that a node in M chooses a priority greater than its parents is equal to the probability that it chooses a priority greater than its competitive parents. (Recall that a non-competitive node has degree more than ρ_k and it deterministically sets its priority to 0.) Let $\text{CParent}_{IB}(u)$ denote the set of current competitive parents of a node u . For any node $u \in M$, let F_u denote the event $r(u) > \max\{r(y) \mid y \in \text{CParent}_{IB}(u)\}$ and let X_u be the indicator variable for F_u . Let $X = \sum_{u \in M} X_u$ be the random variable representing the number of nodes in M whose priorities are greater than priorities of their parents. Since each node can have at most α parents and since $\deg_{IB}(x) \leq \rho_k$, $Pr(X_u = 1) = E[X_u] \geq 1/\alpha$ and $E[X] \geq |M|/\alpha$. We would now like to show that X is concentrated about its expectation,

² By repeatedly adding a vertex with degree at most α to the independent set, we can see that there is an independent set of size at least $|M|/(\alpha + 1)$ in the graph induced by V_{IB} .

but cannot use Chernoff bounds because the variables $\{X_u \mid u \in M\}$ are not mutually independent. Again, a read- k inequality comes to the rescue and we first show that the set of variables $\{X_u \mid u \in M\}$ forms a read- ρ_k family.

Read- ρ_k family. Each X_u is a function of independent random variables, namely its own priority $r(u)$ and the priorities of its competitive parents. Since any competitive node $w \in V_{IB}$ has degree at most ρ_k , a priority $r(w)$ influences at most ρ_k X_u 's. Therefore, $\{X_u \mid u \in M\}$ forms a read- ρ_k family and we can apply the read- ρ_k tail inequality in Theorem 2 (Form (1)) to establish the concentration of X about its expectation as follows:

$$\Pr(X \leq (1/\alpha - 1/2\alpha) \cdot |M|) \leq \exp\left(-2(1/4\alpha^2) \cdot \frac{|M|}{\rho_k}\right).$$

Since $|M| > 64\alpha^2 \ln^2 \Delta \cdot \Delta/2^{k+1}$,

$$\Pr(X \leq |M|/2\alpha) \leq \exp\left(-2(1/4\alpha^2) \cdot \frac{\Delta\alpha^2(64 \ln^2 \Delta)/2^{k+1}}{\Delta(8 \ln \Delta)/2^{k+1}}\right) \leq \exp(-4 \ln \Delta).$$

Thus, the probability that $X > |M|/2\alpha$ is at least $(1 - 1/\Delta^4)$. ◀

► **Theorem 7 (Event (3)).** *For some scale k and some iteration in this scale, let $M \subseteq V_{IB}$ be a subset of nodes that are active just before the start of the iteration. Further suppose that $|M| > \Delta/2^{k+2}$ and $\deg_{IB}(w) > \Delta/2^k + \alpha$ for all nodes $w \in M$. Then with probability at least $(1 - 1/\Delta^3)$ at least $|M|/8\alpha^2(32\alpha^6 + 1)$ nodes in M are eliminated in the iteration.*

Proof. Applying the INVARIANT, at the end of the scale $k - 1$, we see that each node w in M has at most $\Delta/2^{k+1}$ neighbors with degree more than $\Delta/2^{k-1} + \alpha$. Therefore, w has at least $\deg_{IB}(w) - \Delta/2^{k+1} - \alpha > \Delta/2^{k+1}$ children with degree at most $\Delta/2^{k-1} + \alpha$. For the purposes of this theorem, we will refer to these nodes as *low-degree* children.

We now construct a set C , that consists of low-degree children of nodes in M . Consider nodes in M in some arbitrary order $w_1, w_2, \dots, w_{|M|}$. For w_1 , pick $\Delta/2^{k+1}$ low-degree children from among the more than $\Delta/2^{k+1}$ such children that it has. These nodes are said to be *covered* and *assigned* to w_1 . For each node w_i , $1 < i \leq |M|$, let c_i be the number of low-degree children of w_i that have already been covered. If c_i is at least $\Delta/2^{k+1}$, we do nothing. Otherwise, pick $(\Delta/2^{k+1} - c_i)$ low-degree children of w_i arbitrarily and declare these nodes covered and assign them to w_i . Let C be the set of all covered nodes at the end of this procedure.

Now note that each node in $w_i \in M$ has at least $\Delta/2^{k+1}$ children in C and at most $\Delta/2^{k+1}$ of these children are assigned to it. See Figure 1(C). Since each node in C has at most α parents in M , C has size at least $\frac{|M|}{\alpha} \cdot \frac{\Delta}{2^{k+1}}$. Note that since $|M| > \Delta/2^{k+2}$ and the maximum value of the scale index k is bounded above by $\log\left(\frac{\Delta}{1176 \cdot 16\alpha^{10} \ln^2 \Delta}\right)$, using a little algebra we see that $|M|$ is more than $64\alpha^4 \ln^2 \Delta$ and therefore $|C|$ is more than $64\alpha^3 \ln^2 \Delta \cdot \Delta/2^{k+1}$ for all values of k . Then, applying Theorem 6 on the set C (since it is large enough), we see that with probability at least $1 - 1/\Delta^4$, more than $|C|/2\alpha$ nodes in C choose a priority higher than their parents' priority. Let C' denote the subset of nodes in C that have chosen a priority higher than priorities of their parents. Let E denote the event that $|C'| > |C|/2\alpha$. (Thus, E happens with probability at least $1 - 1/\Delta^4$.) We now condition on event E and using a simple averaging argument we show that there are a significant fraction of the nodes in M , each having sufficiently many children in C' . This is stated in the claim below. The point of this is that for such nodes in M to be eliminated, it would suffice for a child in C' to have priority larger than priority of its children – since nodes in C' already have priority more than priorities of parents.

► **Claim.** *Conditioned on E , there are at least $|M|/4\alpha^2$ nodes in M that have more than $\frac{1}{2\alpha^3} \cdot \frac{\Delta}{2^{k+1}}$ children each in C' .*

Proof. Let O be the subset of nodes in M that have at most $\frac{1}{2\alpha^3} \cdot \frac{\Delta}{2^{k+1}}$ children in C' . To calculate a lower bound on $|M| - |O|$, we will try to cover nodes in C' using O and $M \setminus O$. Each node in O is assigned at most $\frac{1}{2\alpha^3} \cdot \frac{\Delta}{2^{k+1}}$ nodes in C' and each node in $M \setminus O$ is assigned at most $\Delta/2^{k+1}$ nodes in C' . Thus,

$$(|M| - |O|) \cdot \frac{\Delta}{2^{k+1}} + |O| \left(\frac{1}{2\alpha^3} \cdot \frac{\Delta}{2^{k+1}} \right) \geq |C'| \geq \frac{|C|}{2\alpha} \geq \frac{|M|}{2\alpha^2} \cdot \frac{\Delta}{2^{k+1}}.$$

Note that the second-last inequality above depends on the conditioning on event E . Manipulating this expression we get the following upper bound on $|O|$:

$$|O| \leq |M| \left(\frac{1 - 1/2\alpha^2}{1 - 1/2\alpha^3} \right).$$

Therefore,

$$|M| - |O| \geq |M| \left(1 - \frac{1 - 1/2\alpha^2}{1 - 1/2\alpha^3} \right) \geq \frac{|M|}{4\alpha^2}.$$

The last inequality above holds for all $\alpha \geq 2$. ◀

Let M' denote the subset of M of nodes each having at least $\frac{1}{2\alpha^3} \cdot \frac{\Delta}{2^{k+1}}$ children in C' . Thus the above claim shows that conditioned on event E , $|M'| \geq |M|/4\alpha^2$. Consider an arbitrary node $w \in M'$. Now note that $|\text{Child}_{IB}(w) \cap C'| \geq \frac{1}{2\alpha^3} \cdot \frac{\Delta}{2^{k+1}}$ and $\Delta(\text{Child}_{IB}(w) \cap C') \leq \Delta/2^{k-1} + \alpha$. This means that we can apply Theorem 5 to the set $\text{Child}_{IB}(w) \cap C'$ and conclude that the probability that some node in $\text{Child}_{IB}(w) \cap C'$ will have priority greater than the priorities of all its children is at least

$$1 - \left(1 - \frac{1}{\Delta/2^{k-1} + \alpha} \right)^{\Delta/(2\alpha^3 \cdot 2^{k+1}) \cdot (1/2\alpha^2)} \geq 1 - \exp\left(-\frac{2^{k-1}}{2\Delta\alpha} \cdot \frac{\Delta}{2^{k+1}4\alpha^5}\right) > \left(1 - e^{-1/32\alpha^6}\right).$$

This last expression can be bounded below by $1/(32\alpha^6 + 1)$.

For any $w \in M'$, let G_w denote the event that some node $\text{Child}_{IB}(w) \cap C'$ has priority greater than the priorities of all its children. Let Z_w be the indicator variable for event G_w . By the above calculation we see that $\Pr(Z_w = 1) \geq \frac{1}{32\alpha^6 + 1}$. Let $Z = \sum_{w \in M'} Z_w$. Note that if a node x in $\text{Child}_{IB}(w) \cap C'$ has priority greater than the priorities of children, then it joins the MIS since we already know that it has priority greater than the priorities of parents. Thus Z is a lower bound on the number of nodes in M' that are eliminated in this iteration of the algorithm. By linearity of expectation, we see that $E[Z] \geq \frac{|M'|}{32\alpha^6 + 1}$. We would now like to finish the proof of the theorem by showing that with sufficiently high probability, Z is at least one-half of its expectation. Unfortunately, the Z_w 's are not mutually independent and we cannot use Chernoff tail bounds to show the concentration of Z about its expectation. Nevertheless we are able to show that the random variables $\{Z_w \mid w \in M'\}$ form a read- $\alpha(\alpha + 1)$ family and exploit this structure to show the tail bound we need.

Read- $\alpha(\alpha + 1)$ family. Note that each Z_w is a function of $r(w)$, priorities of children of w , and priorities of grandchildren of w . It is important to note here that parents of w and co-parents of w have no role to play in determining the value of Z_w . Since the graph has arboricity α , for any node x , $r(x)$ may influence at most $\alpha(\alpha + 1)$ of the variables in

$\{Z_w \mid w \in M'\}$. Using the read- $\alpha(\alpha + 1)$ tail inequality in Theorem 2 (Form (2)), we see that:

$$\Pr(Z < E[Z]/2) \leq \exp\left(-\frac{E[Z]}{8\alpha(\alpha + 1)}\right) \leq \exp\left(-\frac{|M'|}{8\alpha(\alpha + 1)(32\alpha^6 + 1)}\right).$$

Now we condition on the event E and use the fact that conditioned on E , $|M'| \geq |M|/4\alpha^2$ and $E[Z] \geq |M|/(4\alpha^2(32\alpha^6 + 1))$ to obtain:

$$\Pr\left(Z < \frac{|M|}{8\alpha^2(32\alpha^6 + 1)} \mid E\right) \leq \exp\left(-\frac{|M|}{32\alpha^3(\alpha + 1)(32\alpha^6 + 1)}\right).$$

According to the hypothesis of the theorem, $|M| > \Delta/2^{k+2}$ and we know that the maximum value of the scale index k is bounded above by $\log\left(\frac{\Delta}{1176 \cdot 16\alpha^{10} \ln^2 \Delta}\right)$. Using a little algebra we see that $|M|$ is more than $1176 \cdot 4\alpha^{10} \ln^2 \Delta$ for all values of k . Therefore,

$$\Pr\left(Z < \frac{|M|}{8\alpha^2(32\alpha^6 + 1)} \mid E\right) \leq \exp\left(-\frac{1176 \cdot 4\alpha^{10} \ln^2 \Delta}{32\alpha^3(\alpha + 1)(32\alpha^6 + 1)}\right) \leq \exp(-\ln^2 \Delta).$$

Finally, noting that $\Pr(E) \geq (1 - 1/\Delta^4)$, we see that

$$\Pr\left(Z \geq \frac{|M|}{8\alpha^2(32\alpha^6 + 1)}\right) \geq (1 - \exp(-\ln^2 \Delta)) \cdot (1 - 1/\Delta^4) \geq (1 - 1/\Delta^3).$$

Therefore, with probability at least $(1 - 1/\Delta^3)$, at least $|M|/8\alpha^2(32\alpha^6 + 1)$ fraction of the nodes in M are eliminated in each iteration. \blacktriangleleft

3.2 Proving the Invariant

In this section we show inductively that the INVARIANT holds after every scale. Suppose that the INVARIANT holds after Scale $k - 1$ for any $k \geq 1$. (Note that “end of Scale 0” refers to the beginning of the algorithm.) Fix a node v and let $N = \{w \in \Gamma_{IB}(v) \mid \deg_{IB}(w) > \Delta/2^k + \alpha\}$ be the set of active *high-degree* neighbors of v at the beginning of Scale k . To establish that the INVARIANT holds after Scale k we will show that with sufficiently high probability either (i) v is eliminated in Scale k or (ii) $|N|$ shrinks to at most $\Delta/2^{k+2}$ by the end of Scale k . We consider two cases depending on the size of N and show that (i) holds when $|N|$ is large (Lemma 8) and (ii) holds when $|N|$ is smaller, but still bigger than $\Delta/2^{k+2}$ (Lemma 9). We note that this organizational structure of our overall proof is similar to the approach used by Barenboim et al. [3, 2]. Our main innovation and contribution appears in the previous section where we analyze, via read- k inequalities, key probabilistic events that Lemmas 8 and 9 depend on.

We first briefly describe the role Events (1)–(3) (Section 3.1) play in the proofs of these lemmas. Applying the INVARIANT after scale $k - 1$ to v implies that a large number of nodes in N have degree at most $\Delta/2^{k-1} + \alpha$. This set of “low degree” nodes is large enough for us to consider Event (2) at these nodes and using Theorem 6 we see that a large fraction of these nodes have priority greater than their parents (with sufficiently high probability). Conditioning on this event, we then consider Event (1) at the “low degree” nodes in N whose priorities are larger than priorities of parents. We then apply Theorem 5 to conclude that with probability at least $1 - 1/\Delta^2$ at least one node in N joins the MIS, thereby eliminating v and yielding Lemma 8. To obtain Lemma 9, we repeatedly consider Event (3) at the nodes in N and apply Theorem 7 to obtain a decay of roughly $1/\alpha^8$ fraction, after each iteration with sufficiently high probability. Performing $\Lambda = \Theta(\alpha^8(\log \alpha + \log \log \Delta))$ iterations is enough to reduce $|N|$ to at most $\Delta/2^{k+2}$ with sufficiently high probability. Lemmas 8 and 9 immediately lead to Theorem 10.

► **Lemma 8.** *If $|N| > 130\alpha^4 \cdot \ln^2 \Delta \cdot \Delta/2^{k+1}$ at the beginning of Scale k , then v is eliminated with probability at least $1 - 1/\Delta^2$ after the first iteration in Scale k .*

Proof. We focus on the first iteration of Scale k . By applying the INVARIANT at the end of Scale $k - 1$ to node v , we see that v has at most $\Delta/2^{k+1}$ neighbors with degree more than $\Delta/2^{k-1} + \alpha$. Thus among the nodes in N , there are at least

$$|N| - \Delta/2^{k+1} > 130\alpha^4 \cdot \ln^2 \Delta \cdot \Delta/2^{k+1} - \Delta/2^{k+1} > 129\alpha^4 \cdot \ln^2 \Delta \cdot \Delta/2^{k+1}$$

with degree at most $\Delta/2^{k-1} + \alpha$. Let $N_{low} \subseteq N$ denote the subset of N of nodes with degree at most $\Delta/2^{k-1} + \alpha$. (Thus, we have just established that $|N_{low}| > 129\alpha^4 \cdot \ln^2 \Delta \cdot \Delta/2^{k+1}$.) Since N_{low} is large enough, we can apply Theorem 6 to conclude that with probability at least $1 - 1/\Delta^4$, at least $|N_{low}|/2\alpha$ nodes in N_{low} have priorities that are larger than priorities of their parents. (Recall that this is Event (2) at N_{low} .) Call this event E_{par} and let $N_{par} \subseteq N_{low}$ denote the subset of nodes in N_{low} whose priorities are larger than priorities of their parents. Thus, if we condition on E_{par} , we get that $|N_{par}| \geq |N_{low}|/2\alpha$. We now apply Theorem 5 to the set N_{par} to get a lower bound on the probability that N_{par} contains a node whose priority is greater than the priorities of all children. Letting F denote this event, we get the lower bound:

$$Pr(F) \geq 1 - \left(1 - \frac{1}{\Delta(N_{par})}\right)^{|N_{par}|/(2\alpha^2)}.$$

Since $N_{par} \subseteq N_{low}$, we know that $\Delta(N_{par}) \leq \Delta/2^{k-1} + \alpha$ and if we condition on E_{par} , we know that $|N_{par}| \geq |N_{low}|/2\alpha > 64\alpha^3 \cdot \ln^2 \Delta \cdot \Delta/2^{k+1}$.

$$Pr(F|E_{par}) \geq 1 - \left(1 - \frac{1}{\Delta/2^{k-1} + \alpha}\right)^{\frac{|N_{par}|}{2\alpha^2}} \geq 1 - \exp\left(-\frac{2^{k-1}}{2\Delta\alpha} \cdot 32\alpha \ln^2 \Delta \cdot \frac{\Delta}{2^{k+1}}\right) \geq 1 - 1/\Delta^4.$$

Since E_{par} occurs with probability at least $1 - 1/\Delta^4$, we conclude that

$$Pr(F) = Pr(F|E_{par}) \cdot Pr(E_{par}) \geq (1 - 1/\Delta^4)(1 - 1/\Delta^4) \geq (1 - 1/\Delta^2). \quad \blacktriangleleft$$

► **Lemma 9.** *If $|N| \leq 130\alpha^4 \cdot \ln^2 \Delta \cdot \Delta/2^{k+1}$ at the beginning of Scale k , then after the first Λ/p iterations of Scale k , $|N| \leq \Delta/2^{k+2}$ with probability at least $1 - 1/\Delta^2$.*

Proof. Let n_i denote the size of N before iteration i , $1 \leq i \leq \Lambda/p$, in Scale k and let $n_{\Lambda/p+1}$ denote the size of N after the $\Lambda/p + 1$ iteration in Scale k . Suppose that $n_{\Lambda/p+1} > \Delta/2^{k+2}$. Then, $n_i > \Delta/2^{k+2}$ for all i , $1 \leq i \leq \Lambda$ and so we can appeal to Theorem 7 and conclude that for all $i \in [\Lambda/p]$

$$Pr\left(n_{i+1} \leq \left(1 - \frac{1}{8\alpha^2(32\alpha^6 + 1)}\right) \cdot n_i\right) \geq 1 - 1/\Delta^3.$$

By the union bound,

$$Pr\left(\text{There exists } i : n_{i+1} > \left(1 - \frac{1}{8\alpha^2(32\alpha^6 + 1)}\right) \cdot n_i\right) \leq \frac{\Lambda/p}{\Delta^3} \leq \frac{1}{\Delta^2}.$$

In other words, with probability at least $1 - 1/\Delta^2$, $n_{i+1} \leq (1 - 1/(2(32\alpha^6 + 1))) \cdot n_i$ for Λ/p iterations. Therefore, with probability at least $1 - 1/\Delta^2$,

$$n_{\Lambda+1} \leq \left(1 - \frac{1}{8\alpha^2(32\alpha^6 + 1)}\right)^{\Lambda/p} \cdot n_1.$$

We now observe that

$$\left(1 - \frac{1}{8\alpha^2(32\alpha^6 + 1)}\right)^{\Lambda/p} \leq \exp\left(-\frac{1}{8\alpha^2(32\alpha^6 + 1)} \cdot \frac{\Lambda}{p}\right).$$

This implies that choosing Λ at least $p \cdot 8\alpha^2(32\alpha^6 + 1) \cdot \ln(260\alpha^4 \ln^2 \Delta)$ suffices to guarantee that

$$\left(1 - \frac{1}{8\alpha^2(32\alpha^6 + 1)}\right)^{\Lambda/p} \cdot n_1 \leq \frac{n_1}{260\alpha^4 \ln^2 \Delta}.$$

Now note that we choose $\Lambda = \lceil p \cdot 8\alpha^2(32\alpha^6 + 1) \cdot \ln(260\alpha^4 \ln^2 \Delta) \rceil$ in Algorithm BOUNDEDARBINDEPENDENTSET. Since $n_1 \leq 130\alpha^4 \cdot \ln^2 \Delta \cdot \Delta/2^{k+1}$, it follows that with probability at least $1 - 1/\Delta^2$, $|N| \leq \Delta/2^{k+2}$ after Λ/p iterations of scale k . ◀

► **Theorem 10.** *In any Scale k , a node v that is in V_{IB} at the start of the Scale is included in B with probability at most $1/\Delta^{2p}$, independent of random choices of nodes outside its three neighborhood.*

Proof. We view the Λ iterations of each scale in *chunks* of Λ/p consecutive iterations. As a direct consequence of Lemmas 8 and 9, a node v violates the invariant with probability at most $1/\Delta^2$ after a chunk. The probability that a node is bad at the end of the scale, is equal to the probability that its bad at the end of each chunk. Thus, the probability that a node is bad at the end of the Scale is at most $(1/\Delta^2)^p = 1/\Delta^{2p}$.

We now argue that the event that v joins B after Scale k is bounded independently of nodes outside v 's three-neighborhood. A node v joins B if it violates the invariant at the end of a scale. This means that many neighbors of v in N survive the scale. The survival of these high degree nodes depends on their neighbors (v 's two-neighborhood) not joining the MIS. The event that nodes in v 's two-neighborhood do not join the MIS, in turn, depends on these nodes choosing higher priorities than their neighbors, which can be at most three hops away from v . Thus v joins the bad set with probability at most $1/\Delta^{2p}$, independent of random choices made by nodes outside v 's three-neighborhood. ◀

3.3 Finishing Up the MIS Computation

Theorem 10 shows that every node joins B with probability at most $1/\Delta^{2p}$. For $p \geq 9$, this has the following immediate consequence, shown in [3, 2].

► **Lemma 11.** *All connected components in the subgraph induced by B have at most $(\Delta^6 \cdot c \log_{\Delta} n)$ nodes with probability at least $1 - n^{-c}$*

We now describe and analyze an algorithm, we call ARBMIS that takes the output of BOUNDEDARBINDEPENDENTSET (Section 2) and completes the computation of an MIS. Recall that after the termination of BOUNDEDARBINDEPENDENTSET, we get three (disjoint) sets of nodes, V_{IB} , I , and B with the following properties:

- (i) I is an independent set.
- (ii) No node in V_{IB} has more than $1176 \cdot 4\alpha^{10} \ln^2 \Delta$ neighbors with degree more than $1176 \cdot 16\alpha^{10} \ln^2 \Delta + \alpha$. This follows from applying the INVARIANT at the end of Scale $\Theta = \lfloor \log\left(\frac{\Delta}{1176 \cdot 16\alpha^{10} \ln^2 \Delta}\right) \rfloor$.
- (iii) All connected components in the graph induced by B , have size less than $O(\Delta^6 \cdot c \log_{\Delta} n)$ with probability $1 - n^{-c}$. This follows from Lemma 11.

After `BOUNDEDARBINDEPENDENTSET` has completed execution, we divide V_{IB} into the sets $V_{lo} = \{v \in V_{IB} \mid \deg_{IB}(v) \leq 1176 \cdot 16\alpha^{10} \ln^2 \Delta + \alpha\}$ and $V_{hi} = \{v \in V_{IB} \mid \deg_{IB}(v) > 1176 \cdot 16\alpha^{10} \ln^2 \Delta + \alpha\}$. By definition, $G[V_{lo}]$ has maximum degree $1176 \cdot 16\alpha^{10} \ln^2 \Delta + \alpha$ and by Property (ii) above, $G[V_{hi}]$ has maximum degree $1176 \cdot 4\alpha^{10} \ln^2 \Delta$. There are various options for computing an MIS on a arboricity- α graph with bounded degree. We use an algorithm from Barenboim et al. (Theorem 7.4, [3]) to compute an MIS of $G[V_{lo}]$ in $O(\log \log n \cdot \log \alpha + (\log \log \Delta)^2 + \alpha^2)$ time in the `CONGEST` model. Subsequently, we use the same algorithm on $V_{hi} \setminus \Gamma(I_{lo})$ to get an independent set I_{hi} in the same time. The following simple lemma (whose proof appears in the full paper [12]) shows that an MIS can be computed efficiently for each connected component in the graph induced by B .

► **Lemma 12.** *For each connected component in B , an MIS can be computed in time at most $O(\log \Delta + \log \log n + \alpha \log^* n)$ time, using messages of size at most $O(\log n)$.*

The total run-time of this algorithm is $O(\alpha^8 \cdot \log(\alpha \log \Delta) \cdot \log \Delta + \log \log n \cdot \log \alpha)$. If $\Delta > \alpha \cdot 2^{\sqrt{\log n / \log \log n}}$, use the independent set algorithm from [3, 2] to reduce the maximum degree to $\alpha \cdot 2^{\sqrt{\log n / \log \log n}}$ in $O(\sqrt{\log n \cdot \log \log n})$ time, using messages of size $O(\log n)$. Then, apply `ARBMISS` to compute an MIS for a total run time of $O(\alpha^9 \cdot \sqrt{\log n \cdot \log \log n})$. We note that this entire algorithm uses messages of size at most $O(\log n)$ i.e., it runs in the `CONGEST` model.

References

- 1 Noga Alon, László Babai, and Alon Itai. A fast and simple randomized parallel algorithm for the maximal independent set problem. *J. Algorithms*, 7(4):567–583, 1986.
- 2 Leonid Barenboim, Michael Elkin, Seth Pettie, and Johannes Schneider. The locality of distributed symmetry breaking. In *FOCS*, pages 321–330, 2012. doi:10.1109/FOCS.2012.60.
- 3 Leonid Barenboim, Michael Elkin, Seth Pettie, and Johannes Schneider. The locality of distributed symmetry breaking. *CoRR*, abs/1202.1983, 2015. URL: <http://arxiv.org/abs/1202.1983>.
- 4 Richard Cole and Uzi Vishkin. Deterministic coin tossing with applications to optimal parallel list ranking. *Information and Control*, 70(1):32–53, 1986. doi:10.1016/S0019-9958(86)80023-7.
- 5 Dmitry Gavinsky, Shachar Lovett, Michael Saks, and Srikanth Srinivasan. A tail bound for read- k families of functions. *Random Structures & Algorithms*, 47:99–108, 2015. doi:10.1002/rsa.20532.
- 6 Mohsen Ghaffari. An improved distributed algorithm for maximal independent set. In *SODA*, pages 270–277, 2016. doi:10.1137/1.9781611974331.ch20.
- 7 Amos Israeli and Alon Itai. A fast and simple randomized parallel algorithm for maximal matching. *Inf. Process. Lett.*, 22(2):77–80, 1986. doi:10.1016/0020-0190(86)90144-4.
- 8 Christoph Lenzen and Roger Wattenhofer. MIS on trees. In *PODC*, pages 41–48, 2011. doi:10.1145/1993806.1993813.
- 9 M. Luby. A simple parallel algorithm for the maximal independent set. *SIAM Journal on Computing*, 15:1036–1053, 1986.
- 10 Y. Métivier, J.M. Robson, N. Saheb-Djahromi, and A. Zemmari. An optimal bit complexity randomised distributed MIS algorithm. In *SIROCCO*, pages 323–337, 2009.
- 11 Sriram V. Pemmaraju and Talal Riaz. Brief announcement: Using read- k inequalities to analyze a distributed MIS algorithm. In *PODC*, pages 483–485, 2016.
- 12 Sriram V. Pemmaraju and Talal Riaz. Using read- k inequalities to analyze a distributed MIS algorithm. *CoRR*, abs/1605.06486, 2016.

- 13 Johannes Schneider and Roger Wattenhofer. A log-star distributed maximal independent set algorithm for growth-bounded graphs. In *PODC*, pages 35–44, 2008.
- 14 Alistair Sinclair. Randomness and computation, lecture 13. <http://www.cs.berkeley.edu/~sinclair/cs271/n13.pdf>. Accessed: 2015-08-28.