

## 4th Annual ELSO-SWAC Conference Proceedings

# ECMO simulation and beyond

Guillaume Alinier<sup>1,2,3</sup>

Address for Correspondence:

**Guillaume Alinier**

<sup>1</sup>Hamad Medical Corporation Ambulance Service,  
P.O. Box 3050, Doha, Qatar

<sup>2</sup>University of Hertfordshire, College Lane Campus,  
Hatfield, Hertfordshire AL10 9AB, UK

<sup>3</sup>Northumbria University, Coach Lane Campus,  
Newcastle upon Tyne NE7 7XA, UK

Email: [galinier@hamad.qa](mailto:galinier@hamad.qa)

<http://dx.doi.org/10.5339/qmj.2017.swacelso.59>

© 2017 Alinier, licensee HBKU Press. This is an open access article distributed under the terms of the Creative Commons Attribution license CC BY 4.0, which permits unrestricted use, distribution and reproduction in any medium, provided the original work is properly cited.

Cite this article as: Alinier G. ECMO simulation and beyond, *Qatar Medical Journal*, 4th Annual ELSO-SWAC Conference Proceedings 2017:59 <http://dx.doi.org/10.5339/qmj.2017.swacelso.59>

 QSCIENCE.com  
An Initiative of Qatar Foundation

The last couple of decades has brought a lot of changes in thoughts and technology in the domain of simulation-based healthcare education, ranging from emergency preparedness using screen-based technology to the practice of precise surgical procedures with computerised simulators with haptic and performance feedback.<sup>1</sup> There is a perpetually evolving educational and technological simulation continuum available to educators and clinicians promoting the practical and cognitive aspects of healthcare delivery. It is becoming an increasingly competitive market area from an industry perspective as more and more governments invest on technology to support educational initiatives and programmes in order to increase patient safety and standards of care.<sup>2</sup> Although industry strives to develop more advanced and realistic simulators, it is increasingly argued that it is not necessarily linked to better learning outcomes.<sup>3</sup> For an effective use of simulation as an educational approach, a key aspect is to focus on selecting the approach that best addresses the intended learning objectives.<sup>4</sup>

Extracorporeal membrane oxygenation (ECMO) is a bridge therapy that can be separated into several phases from a training perspective such as patient selection, cannulation type (veno-venous (VV)/venous-arterial (VA)/VVA) and process (ultrasound guided cannulation, fluoroscopy cannula placement, securing the cannula, etc.), ECMO patient management and issues, and ECMO circuit issues.<sup>5</sup> Overall, it is a complex system that all ECMO team members need to grasp at least theoretically in order to be able to support one another at any stage when a problem occurs. The safest way to become familiar with ECMO is to use simulation; however, at present, there is no single simulation platform that allows us to seemingly practise the succession of phases without transiting from one type of simulator to another type, and this is what we are trying to address. At best, and generally only for demonstration purposes (appropriate in that

case), we are "simulating the simulation" as a form of deception.<sup>4</sup> We currently pretend the ultrasound or fluoroscopy procedure by playing a video making observers believe that it is a live view or we ask them to imagine a colour change in the oxygenated blood, which might be a more significant gap.

Several teams have developed their own simulation solution<sup>6</sup> to bridge a gap in the market or save on the purchase of prohibitive technologically advanced simulators that still have limitations. The simulations for ECMO training often either start post cannulation, whereby a team of learners has to fix a machine or patient issue during the ECMO run, or they concentrate on very technical skills such as cannulation insertion and water drills to practise circuit change. Both aspects are critical but still leave room for missed educational opportunities involving the whole team. Collaboration, generally without commercial ambition, between clinicians, educators, and engineers is now pushing the boundaries of ECMO simulation, making it a more affordable and common practice, but ultimately industrial support is generally

required to "mass-produce" and distribute the solutions as we need them: functional, effective, and affordable, so the use of simulation for ECMO training can become a common practice and clinical teams are better prepared to initiate ECMO and deal with emergency situations. We hope to introduce ELSO very soon with a collaboratively developed simulator that meets all key training requirements.

Keywords: ECMO, simulation, technology, fidelity, collaboration

## ACKNOWLEDGEMENTS

The ECMO simulation work at Hamad Medical Corporation, on the technical and educational aspect, is supported by a great team of nurses, perfusionists, and physicians, and the Director of Critical Care, Dr Ibrahim Fawzy Hassan, and also benefitted from inputs from colleagues from the UK, the USA, and Hong Kong, and Qatar University.

## REFERENCES

1. Palaganas JC, Maxworthy JC, Epps CA, Mancini ME. *Defining Excellence in Simulation Programs*. Philadelphia, PA: Lippincott Williams & Wilkins; 2014.
2. Alinier G, Platt A. International overview of high-level simulation education initiatives in relation to critical care. *Nurs Crit Care*. 2014;19(1):42–49.
3. Norman G, Dore K, Grierson L. The minimal relationship between simulation fidelity and transfer of learning. *Med Educ*. 2012;46(7):636–647.
4. Tun JK, Alinier G, Tang J, Kneebone RL. Redefining simulation fidelity for healthcare education. *Simulat Gaming*. 2015;46(2):159–174.
5. Bermudez CA, Rocha RV, Sappington PL, Toyoda Y, Murray HN, Boujoukos AJ. Initial experience with single cannulation for venovenous extracorporeal oxygenation in adults. *Ann Thorac Surg*. 2010;90(3):991–995.
6. Thompson JL, Grisham LM, Scott J, Mogan C, Prescher H, Biffar D, Jarred J, Meyer RJ, Hamilton AJ. Construction of a reusable, high-fidelity model to enhance extracorporeal membrane oxygenation training through simulation. *Adv Neonatal Care*. 2014;14(2):103–109.

**This article has been cited by:**

1. Guillaume Alinier 1,2,3 , Craig Campbell 4 , Ahmed Labib 5 , Tejas Mehta 6 , Ali Ait Hssain 5 , Emad Ali Hamad Almomani 7 , Ibrahim Fawzy Hassan 1,5 1Hamad Medical Corporation Ambulance Service (HMCAS), PO Box 3050, Doha, Qatar. <http://as.hamad.qa> 2University of Hertfordshire, College Lane Campus, Hatfield, Hertfordshire AL10 9AB, UK. [www.herts.ac.uk](http://www.herts.ac.uk) 3Northumbria University, Coach Lane Campus, Newcastle upon Tyne, NE7 7XA, UK. [www.northumbria.ac.uk](http://www.northumbria.ac.uk) 4School of Medicine, Discipline of Paramedicine, University of Tasmania, Rozelle Campus, Sydney, New South Wales 2015, Australia. [www.utas.edu.au/health](http://www.utas.edu.au/health) (Previously HMCAS) 5Medical Intensive Care Unit, Department of Internal Medicine, Hamad General Hospital, Hamad Medical Corporation, PO Box 3050, Doha, Qatar. [www.hamad.qa](http://www.hamad.qa) 6Pediatric Intensive Care Unit, Department of Pediatrics, Hamad Medical Corporation, PO Box 3050, Doha, Qatar. [www.hamad.qa](http://www.hamad.qa) 7Nursing Education and Research Department, Hamad Medical Corporation, PO Box 3050, Doha, Qatar. [www.hamad.qa](http://www.hamad.qa) . 2017. Qatar welcomes the Extracorporeal Life Support Organisation of the South and West Asia Chapter 2017 Conference. *Qatar Medical Journal* 2017. . [[Abstract](#)] [[References](#)] [[PDF](#)] [[PDF with links](#)]