



Article


pubs.acs.org/cm

Structure and Sodium Ion Dynamics in Sodium Strontium Silicate Investigated by Multinuclear Solid-State NMR

Kenneth K. Inglis,[†] John P. Corley,[†] Pierre Florian,[‡] Jordi Cabana,[§] Ryan D. Bayliss,*,[§] and Frédéric Blanc*,[†],[|]

Supporting Information

ABSTRACT: The high oxide ion conductivity of the proposed sodium strontium silicate ion conductors $Sr_{0.55}Na_{0.45}SiO_{2.775}~(>10^{-2}~S\cdot cm^{-1}$ at 525 °C) and its unusual alkali metal substitution strategy have been extensively questioned in the literature. Here, we present a comprehensive understanding of the structure of this material using a combination of XRD and multinuclear ¹⁷O, ²³Na, and ²⁹Si solid-state NMR spectroscopy data and a detailed investigation of the Na ion dynamics by high temperature ²³Na NMR line shape analysis and relaxation rates measurements. Both ²³Na and ²⁹Si NMR spectra demonstrate the absence of Na doping in strontium silicate $SrSiO_3$ and the presence of an amorphous phase identified as $Na_2O\cdot 2SiO_2$ glass as the Na-containing product. Devitrification



at 800 °C yields crystallization of the Na₂O·2SiO₂ glass into the known crystalline α -Na₂Si₂O₅ phase which was positively identified by its XRD pattern and the extensive and clear ¹⁷O, ²³Na, and ²⁹Si NMR fingerprints. High temperature ²³Na NMR reveals that the Na ions are mobile in the Na₂O·2SiO₂ amorphous component below its glass transition temperature (~450 °C). In contrast, ²³Na NMR data obtained on the crystalline α -Na₂Si₂O₅ shows limited Na dynamics below ~650 °C, and this result explains the large discrepancy in the conductivity observed in the literature which strongly depends on the thermal history of the Sr_{0.55}Na_{0.45}SiO_{2.775} material. These insights demonstrate that the high conductivity observed in Sr_{0.55}Na_{0.45}SiO_{2.775} is due to Na conduction in the Na₂O·2SiO₂ glass, and this motivates the quest for the discovery of low temperature fast ion conductors in noncrystalline solids.

■ INTRODUCTION

Strontium silicate SrSiO₃ and alkali metal (A site aliovalent substituents) solid solutions were recently investigated as potential intermediate temperature solid oxide fuel cell (SOFC) electrolytes. Initial reports by Singh and Goodenough proposed these materials as a new family of crystal structures able to permit rapid oxygen ion vacancy conductivity, values in excess of those previously reported in the classic fluorite and perovskite type oxides. These newly proposed superior oxide ion conductors have been reported to possess oxide ion conductivities as high as $1.04 \times 10^{-2} \text{ S} \cdot \text{cm}^{-1}$ at 625 °C in the Sr_{0.8}K_{0.2}Si_{0.5}Ge_{0.5}O_{2.9} material which initiated a surge of interest in these new phases. More impressively, higher conductivity was reported in the Na analogues with the highest total conductivity of $1.79 \times 10^{-2} \text{ S} \cdot \text{cm}^{-1}$ at 550 °C reported in the Sr_{0.55}Na_{0.45}SiO_{2.775} composition.² The extraordinarily high values of oxide ion conductivity reported for these phases placed them at a level competitive with the state-of-the-art oxide ion conducting ceramics currently used with significant

room left for further development through chemical and microstructural optimization.

The oxygen vacancies proposed in these structures, which were assumed as the mobile defect responsible for the high level of conductivity observed, represented a new concept for designing oxide ion conducting electrolytes. First, alkali metals are typically avoided in high temperature oxide ion conductors due to their ability to be highly mobile at low temperatures in solid state materials such as the well-known Garnets.³ However, it has been demonstrated that Na containing oxide ion electrolytes can exist in which the oxide ion is responsible for the high levels of conductivity.⁴ Second, oxygen vacancies on SiO₄ tetrahedra are seldom observed in the solid state, though in this instance it was postulated that the vacancies would stimulate the formation of bridging oxide ion located between

Received: March 7, 2016 Revised: May 6, 2016 Published: May 6, 2016



[†]Department of Chemistry, University of Liverpool, Crown Street, Liverpool, L69 7ZD, United Kingdom

[‡]Conditions Extrême et Matériaux: Haute Température and Irradiation, CNRS-UPR 3079, 1 d Avenue de la Recherche Scientifique, 45071 Orléans, Cedex 2, France

[§]Department of Chemistry, University of Illinois at Chicago, 845 West Taylor Street, Chicago, Illinois 60607, United States

Stephenson Institute for Renewable Energy, University of Liverpool, Crown Street, Liverpool, L69 7ZD, United Kingdom

two normal oxygen sites which could be part of the mechanism for rapid oxide ion conductivity. This mechanism was supported by a ²⁹Si solid state nuclear magnetic resonance (NMR) study by Kuang and Wu et al.5 confirming the existence of a Si signal indicating breaking of the Si₃O₀ rings into Si₃O₈ chains, proposing the formation of linked tetrahedral Si in the rings. However, a high resolution powder neutron diffraction investigation suggested that while they observed single phase materials with the chemical composition as nominally written, they did not observe interstitial oxygen ion formation in the Fourier nuclear density difference maps from Rietveld refinements but rather oxygen vacancies in the planar oxygen sites of the corner sharing tetrahedral units of Si₃O₉. Finally, the continuous increase reported in total conductivity as a function of alkali ion concentration absent of any obvious dopant defect interactions was very surprising as all previous oxide ion conducting systems had an optimal defect concentration for maximizing total conductivity. Acceptor doped oxides typically produce a conductivity maxima at significantly lower substitutional levels than those reported in these materials, 7,8 which is associated with the formation of dimer and trimer associates,9 but higher order clusters are possible, leading to the formation of nanodomains of secondary phases, detrimental to total conductivity.

An *in operando* demonstration of these new oxide ion conducting electrolyte materials was reported that appeared to validate these materials as superior oxide ion conducting electrolytes, with excellent fuel cell performance results. 10 The report also concluded the $\rm Sr_{0.55}Na_{0.45}SiO_{2.775}$ materials were stable over the oxygen partial pressure range of $10^{-30}-1$ atm, preventing the deleterious effects of electronic defect contributions to the electrolyte.

In an effort to confirm the remarkable results published originally, 1,2 Bayliss et al. 11 attempted to replicate the study and furthermore add direct confirmation of the defect responsible for conductivity, through measurements of the oxide ion mass transport. Through detailed analysis of the structural, electrochemical, and mass transport properties obtained, it was proposed that both $Sr_{0.8}K_{0.2}Si_{0.5}Ge_{0.5}O_{2.9}$ and by implication of the results the $Sr_{0.55}Na_{0.45}SiO_{2.775}$ materials were in fact not single phase materials but rather biphasic mixes consisting of crystalline $SrSiO_3$ and some form of amorphous glass, postulated to be potassium digerminate $K_2O\cdot 2GeO_2$ or sodium disilicate $Na_2O\cdot 2SiO_2$ glass, with the latter being responsible for the high total conductivity previously reported and the mobile defect most likely to be the alkali ion K^+ or Na^+ , respectively.

The structurally analogous $Sr_{1-x}Na_xSiO_{3-x/2}$ ($0 < x \le 0.45$) family also proposed by Singh and Goodenough² was shown experimentally to exhibit similar behavior to the $Sr_{0.8}K_{0.2}Si_{0.5}Ge_{0.5}O_{2.9}$ materials by Evans et al. 12 and Bayliss et al. 13 Furthermore, the latter study theoretically demonstrated the high energetic costs of anion defect formation in the $Sr_{1-x}Na_xSiO_{3-x}$ composition, suggesting their formation as unlikely. 13 Further experimental work by Tealdi et al., 14 Lossila et al., 15 Huang et al., 16,17 ourselves, 18 and *ab initio* molecular dynamics simulation 19 have since suggested this behavior is true across all analogous structures, both K and Na proposed solid solutions.

The mobility of Na⁺ has been directly probed through the use of variable temperature $^{23}\mathrm{Na}$ NMR and spin—lattice relaxation times in the laboratory frame (T_1) measurements in $\mathrm{Sr}_{0.55}\mathrm{Na}_{0.45}\mathrm{SiO}_{2.775}^{18}$ and $\mathrm{Sr}_{0.6}\mathrm{Na}_{0.4}\mathrm{SiO}_{2.8}^{20}$ showing conclusively that the Na⁺ ions are highly mobile. The $^{23}\mathrm{Na}$ NMR

spectra showed a single broad asymmetric peak which narrows down as the temperature is increased to $350\,^{\circ}\text{C},^{20}$ as expected for Na⁺ diffusion in a distribution of local environments such as those found in amorphous compounds like Na₂O·2SiO₂, confirming the absence of Na doping in SrSiO₃ and that Na was present only in the amorphous phase in any significant proportion. Additionally, a decrease in T₁ with increasing temperature was observed, confirming both the Na⁺ are mobile and their mobility is thermally activated.

It is well-known that glasses can crystallize when heated above their glass transition temperature $T_{\rm g}^{21}$ at a speed which depends upon the viscosity of this supercooled liquid. For $Na_2O\cdot 2SiO_2$ ($T_g = 450$ °C), ²² previous *in situ* high-temperature NMR experiments have shown that the supercooled liquid is stable over the course of an NMR experiment up to approximately 700 °C. 23,24 Both studies have evidenced exchange between the Q^n species (n = 2, 3, and 4) in the supercooled liquid by ²⁹Si NMR while Liu et al.²³ additionally showed a ²³Na T₁ minimum around 530 °C and an associated activation energy of $67 \pm 5 \text{ kJ mol}^{-1}$, close to measured values for tracer diffusion or electrical conductivity in melts (55 to 75 kJ mol⁻¹).²⁵⁻³⁰ The recent in situ ²³Na NMR investigation by Evans et al.²⁰ performed on the mixed Sr_{0.60}Na_{0.40}SiO_{2.80} composition up to 350 °C yields an activation energy (23 kJ mol⁻¹) close to the 31 kJ mol⁻¹ value obtained by impedance spectroscopy. 10 This decrease in activation energy is somewhat contradictory with the well described "mixed alkali effect", and an opposite trend has been observed for the mixed Na/K disilicate system, ²³ hence the importance to rationalize the high temperature ²³Na NMR behavior.

More recently, Hu et al. 32 performed a multinuclear solid state NMR investigation in an attempt to determine the structure, chemical composition, and ion dynamics of all species in various levels of Na substituted $SrSiO_3$. Interestingly and contrary to most recent work $^{11-14,18,20}$ the authors suggest up to 10 mol % Na substitution is possible on the Sr site in the $SrSiO_3$ lattice, with concentrations above this value causing phase separation to occur and leading to the formation of, to the best of our knowledge, a previously unreported amorphous β -Na₂Si₂O₅ phase. The proposed phase separation on increasing Na concentration above 10 mol % is unusual, and this among other issues is addressed in further detail during the main body of this work.

Na $_2$ Si $_2$ O $_5$ has a complex polymorphism³³ with a melting point at 874 °C³⁴ and completely devitrifies to form the crystalline α -Na $_2$ Si $_2$ O $_5$ phase above 650 °C for which the XRD patterns³⁵ and all ¹⁷O, ^{36,37} ²³Na, ^{38–40} and ²⁹Si^{38,41,42} solid state NMR spectra⁴³ are known and are uniquely characteristic of this phase, therefore providing an additional pathway for phase identification whether crystalline or amorphous. Additionally, a large range of ionic conductivities have been reported in the literature for Sr_{0.55}Na_{0.45}SiO_{2.775} from ac impedance data^{2,10,14,16} and may arise from this devitrification process and the thermal history of the sample since it was recently postulated by *ab initio* molecular dynamics simulation that while Na₂O·2SiO₂ glass is a good Na⁺ conductor, crystalline Na₂Si₂O₅ is an insulator. ¹⁹

In this work, we focus on a complete structural and Na^+ ion dynamics solid state NMR study of the proposed sodium strontium silicate fast ion conductors of nominal composition $\mathrm{Sr}_{0.55}\mathrm{Na}_{0.45}\mathrm{SiO}_{2.775}$ over a wide temperature range that follows our initial investigations. The unique capability of NMR to probe, in both amorphous and crystalline materials, the local

structure and ion dynamics in fast ion conductors 44,45 permits the previous experimental results described above that have been the subject of debates in the literature to be explained. 1,2,5,6,10-20,32 Upon devitrification of $Sr_{0.55}Na_{0.45}SiO_{2.775}$ at 800 °C, the amorphous $Na_2O{\cdot}2SiO_2$ glassy phase not observed by XRD forms crystalline α -Na₂Si₂O₅ as evidenced by the XRD data and ¹⁷O, ²³Na, and ²⁹Si NMR spectra fingerprints. Extensive variable temperature ²³Na NMR data including line shape analysis and spin-lattice relaxation rates in the laboratory frame (T_1^{-1}) and/or in the rotating frame $(T_{1\rho}^{-1})$ evolution as a function of temperature, provide compelling evidence for the fast and slow Na dynamics in as prepared and devitrified Sr_{0.55}Na_{0.45}SiO_{2.775}, respectively. These results highlight the fast Na⁺ transport in amorphous $Na_2O \cdot 2SiO_2$ glass and its absence in α - $Na_2Si_2O_5$, respectively, and highlight potential for the design of noncrystalline solid state fast ion conductors.

MATERIALS AND METHODS

Light blue $Sr_{0.55}Na_{0.45}SiO_{2.775}$ was prepared by solid state synthesis from $SrCO_3$ (Sigma-Aldrich, >99.9%), Na_2CO_3 (Sigma-Aldrich, >99.9999%), and SiO_2 (Sigma-Aldrich, >99.99) following a literature procedure. The same sample was used throughout this work and previous studies by our groups, 13 removing any ambiguity in sample composition. The starting materials were mixed in a stoichiometric amount using a mortar and pestle and then heated at $1050\,^{\circ}C$ for $20\,h$ in air in an Al_2O_3 crucible, with heating and cooling rates of $5\,^{\circ}C$ · min^{-1} . Devitrification of $Sr_{0.55}Na_{0.45}SiO_{2.775}$ was performed by holding the as prepared sample at $800\,^{\circ}C$ for $4\,h$ (heating and cooling rates of $5\,^{\circ}C$ · min^{-1}) in air using a Al_2O_3 crucible (thereafter called devitrified). Oxygen ^{17}O enrichment was performed by heating the devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$ sample in a quartz tube under $60\%\,^{17}O$ enriched $^{17}O_2$ gas (Sigma-Aldrich, used as received) at $750\,^{\circ}C$ in a tube furnace for $24\,h$ (heating and cooling rates of $5\,^{\circ}C$ · min^{-1}).

XRD patterns were obtained on a PANalytical X'Pert Pro diffractometer using the Co K α radiation of wavelength 1.79 Å. A layer of powder was put on a thin layer of grease spread onto the surface of a glass disk which was used as the sample holder. Rietveld refinements of the data were performed using EXPGUI⁴⁶ and GSAS. Crystallographic information files (CIF) were used as starting models for the structural refinements, obtained from the Inorganic Crystal Structure Database (ICSD). During the refinements, the background, lattice cell parameters, zero point error, and atomic positions for Sr and Si were refined. The atomic displacement parameters (ADP) were fixed as equivalent for each atomic species and allowed to refine.

¹⁷O, ²³Na, and ²⁹Si solid state NMR experiments were performed on a 9.4 T Bruker Avance III HD 400 MHz spectrometer equipped with a Bruker 4 mm HXY magic angle spinning (MAS) probe (in double resonance mode) or a Bruker 4 mm HX MAS high temperature probe (for variable temperature experiments). Additional high temperature ²³Na NMR experiments above 360 °C were carried out on a 9.4 T Bruker Avance spectrometer using a single channel static liquid state NMR probe and a homemade CO_2 laser (λ = 10.6 μ m, 250 W) heating system developed in Orléans (CNRS - CEMHTI). 48,49 The sample is placed inside a boron nitride BN crucible (chemically inert to Sr_{0.55}Na_{0.45}SiO_{2.775} at high temperature, see XRD data and text) and is heated by two laser beams passing axially through the NMR probe, irradiating the top and bottom of the BN crucible to ensure temperature homogeneity. A flow of N2 is used for thermal shielding and cooling of the radio frequency coil, and an Ar stream prevents oxidation of the BN crucible at high temperature. One-dimensional $^{17}\mathrm{O}$ NMR spectra were obtained at a MAS frequency of 13 kHz with a rotor synchronized Hahn echo $90-\tau-180-\tau$ -acq sequence with a delay τ of 77 μ s (1 rotor period) and using a solid 90° pulse of 1.2 μ s at a rf field amplitude of 70 kHz. One-dimensional ²³Na static NMR spectra were also obtained with an echo sequence ($\tau = 30 \mu s$). ²³Na MAS NMR spectra were obtained at a MAS frequency of 10 kHz with

a one pulse sequence. All 23 Na 90° pulse were of 1.5 μ s at a rf field amplitude of 83 kHz on the MAS probe and of 13 μ s at a rf field amplitude of 9.6 kHz on the static laser probe (unless otherwise specified). The one-dimensional 29 Si NMR spectra were obtained at a MAS frequency of 10 kHz with a one pulse sequence using a 90° pulse of 5 μ s at a rf field amplitude of 50 kHz.

Spin-lattice relaxation times T_1 in the laboratory frame were recorded under static conditions and at $\nu_0(^{23}\text{Na}) = 105.8 \text{ MHz}$ with a saturation recovery pulse sequence and were fitted to a single stretched exponential of the form $1 - \exp[-(\tau/T_1)^{\alpha}]$ (where τ are variable delays and α the stretched exponential factor). For the as prepared $Sr_{0.55}Na_{0.45}SiO_{2.775}$ sample due to the onset of crystallization of the Na₂O·2SiO₂ glass into crystalline α-Na₂Si₂O₅ across the crystallization phase transition temperatures T_c 's (490–650 °C) which have very different T_1 , the data were fitted with a double stretched exponential of the form $1 - \exp[-(\tau/T_{1(1)})^{\alpha}]) + 1 - \exp[-(\tau/T_{1(2)})^{\beta}]$ (where $T_{1(1)}$ and $T_{1(2)}$ are the different spin-lattice relaxation times) and follow a similar approach used previously on Na₂O·2SiO₂ glass around 635–699 °C. ²³ Spin–lattice relaxation times T_{1a} in the rotating frame were Spin-lattice relaxation times $T_{1\rho}$ in the rotating frame were obtained under static condition with a spin lock sequence at frequencies of $\nu_1(^{23}\text{Na}) \approx 20$ and 35 kHz on the 4 mm HX MAS high temperature NMR probe and at ≈ 6.7 and 9.6 kHz on the static laser probe, the data obtained fitted to a single stretched exponential. Temperature calibration of the 4 mm HX MAS high temperature NMR probe was performed using the ²⁰⁷Pb NMR resonance of Pb(NO₃)₂^{50,51} and the ⁶³Cu resonances of Cu^IBr across the γ -to- β phase transition at 385 °C and of Cu^II across the γ-to-β phase transition at 369 °C, 52,53 while temperature calibration of the static laser probe was obtained by the direct measurement of the melting points of reference samples. The sample temperatures quoted subsequently have all been corrected according to this calibration and have an accuracy of approximately ± 10 °C (between room temperature and 150 °C), \pm 20 °C (between 150 and 360 °C), and \pm 15 °C (above 360 °C on the static laser probe). High field ^{17}O and ^{23}Na solid state NMR experiments were


High field 17 O and 23 Na solid state NMR experiments were performed on a 20 T Bruker Avance II 850 MHz spectrometer using Bruker 3.2 mm HXY MAS probe (in double resonance mode) and Bruker 2.5 mm HX MAS probe, respectively. The one-dimensional 17 O NMR spectrum was obtained at a MAS frequency of 22 kHz with a rotor synchronized Hahn echo sequence (1 rotor period) using a solid 90° pulse of $1.67~\mu s$ at a rf field amplitude of 50 kHz. One dimensional 23 Na NMR spectra were obtained at a MAS frequency of 33 kHz with a one pulse sequence using solid 90° pulse of $1.25~\mu s$ at a rf field amplitude of 100~kHz.

All 17 O, 23 Na, and 29 Si shifts were externally referenced to H_2 O, 1 M NaCl in H_2 O, and Si(CH₄)₃ at 0 ppm, respectively.

■ RESULTS AND DISCUSSIONS

Phase Identification with XRD. A sample of nominal composition $Sr_{0.55}Na_{0.45}SiO_{2.775}$ was obtained by solid state synthesis using a known procedure² involving heating at 1050 °C in air (cooling and heating rates of 5 °C·min⁻¹). The XRD pattern of $Sr_{0.55}Na_{0.45}SiO_{2.775}$ (Figure 1a) was refined in space group C2/c with lattice cell parameters and atomic coordinates matching the expected ones from the previous neutron diffraction investigation¹³ and crystalline α-SrSiO₃ (ICSD no. 59308).⁵⁴ As before, no other peaks than α-SrSiO₃ were observed in $Sr_{0.55}Na_{0.45}SiO_{2.775}$. However, in the devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$ sample an additional set of reflections corresponding to α-Na₂Si₂O₅ (ICSD no. 34669)³⁵ are clearly visible and were refined by Rietveld giving acceptable quality of fit values (low tick marks Figure 1b).

Phase Identification with Multinuclear 29 Si, 23 Na, and 17 O NMR Spectroscopy. The 29 Si NMR spectrum of $\mathrm{Sr}_{0.55}\mathrm{Na}_{0.45}\mathrm{SiO}_{2.775}$ is given in Figure 2a and shows a sharp resonance at -84.8 ppm in addition to broad signals between -77 ppm and -99 ppm, as observed by Evans et al. 12 and






Figure 1. Rietveld refinements of XRD data of (a) $Sr_{0.55}Na_{0.45}SiO_{2.775}$ and (b) devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$. The results clearly show that the material is two phase in nature which agrees with previous work. ^{12–14} The crystalline phases present are α-SrSiO₃ (ICSD no. 59308)⁵⁴ and α-Na₂Si₂O₅ (ICSD no. 34669)³⁵ (lower tick marks in b).




Figure 2. ²⁹Si MAS NMR spectra of (a) $Sr_{0.55}Na_{0.45}SiO_{2.775}$ and (b) devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$ obtained at 9.4 T. Dashed lines represent line shape simulation and deconvolution of the three Q^2 , Q^3 , and Q^4 units of the $Na_2O\cdot 2SiO_2$ glass. ⁵⁶

Tealdi et al. ¹⁴ The sharp line is typical of a crystalline phase (as also evidenced by the long T_1 relaxation time of ²⁹Si estimated around 60 min) and is assigned to α-SrSiO₃ based on its shift. ⁵⁵ The broad line and its short T_1 relaxation time (0.2 s) reflect the presence of an amorphous phase identified as sodium disilicate Na₂O·2SiO₂ glass by previous quantification of the XRD patterns ¹¹ and comparison with the known ²⁹Si MAS spectrum of this Na₂O·2SiO₂ glass reported by Stebbins et al. ⁵⁶ which shows three broad and Gaussian signals resonating at -77, -88, and -99 ppm and corresponding to Q^2 , Q^3 , and Q^4 units, respectively.

The ²⁹Si NMR spectrum of devitrified Sr_{0.55}Na_{0.45}SiO_{2.775} (Figure 2b) also reveals the presence of the same sharp signal at -84.8 ppm (α -SrSiO₃). However, the broad signals of Na₂O· 2SiO₂ glass in Sr_{0.55}Na_{0.45}SiO_{2.775} have now completely disappeared and have been replaced by a sharp signal at -94.3 ppm (with a long T_1 of approximately 100 min) assigned to crystalline α-Na₂Si₂O₅ phase. ^{38,41,42} This observation agrees well with the devitrification of Na₂O·2SiO₂ glass under the heat treatment condition used (800 °C and 1 bar)³³ to devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$ from the as prepared $Sr_{0.55}Na_{0.45}SiO_{2.775}$. A related ²⁹Si NMR spectrum of a devitrified Sr_{0.55}Na_{0.45}SiO_{2.775} sample at 650 °C was previously observed, 14 although it shows the presence of three unexplained additional ²⁹Si resonances between -87 and -92 ppm which could actually be assigned to β -Na₂Si₂O₅ (two Q³ Si environments at -86.7 and -88.6ppm) 38,39 and γ -Na₂Si₂O₅ (one Q³ Si environments at -90.4ppm), 38 two other known polymorphs of Na₂Si₂O₅. 33

The ²³Na MAS NMR spectrum (Figure 3) of Sr_{0.55}Na_{0.45}SiO_{2.775} obtained at 9.4 T shows a broad line shape with a tail at low frequency, similar to Na₂O·2SiO₂ glass⁵⁷ and the recent work on Sr_{0.6}Na_{0.4}SiO_{2.8}. The tail results from




Figure 3. ²³Na MAS NMR spectra of (a) Sr_{0.55}Na_{0.45}SiO_{2.775} and (b) devitrified Sr_{0.55}Na_{0.45}SiO_{2.775} obtained at 9.4 and 20 T. Asterisks (*) and number signs (#) indicate spinning sidebands and the outer satellite transition. Dashed lines represent the line shape simulation using the known NMR parameters for α-Na₂Si₂O₅ (isotropic chemical shift $\delta_{\rm iso,cs} = 17.4$ ppm, quadrupolar coupling constant $C_{\rm Q} = 1.82$ MHz, and asymmetry parameter $\eta_{\rm Q} = 1.0$). ³⁸ Note that these line shapes are offset from $\delta_{\rm iso,cs}$ by the isotropic second-order quadrupolar shift $\delta_{\rm iso,Q}$ ($\delta_{\rm iso,Q} = 9.9$ and 2.2 ppm at 9.4 and 20 T, respectively) which varies inversely with the square of the strength of the magnetic field. ⁵⁹




Figure 4. Representative high temperature 23 Na static NMR spectra of (a) $Sr_{0.55}Na_{0.45}SiO_{2.775}$ and (b) devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$ obtained at 9.4 T on a standard NMR probe. The horizontal scaling factors are given on the right-hand side of the spectra. Dashed lines represent line shape simulation using the NMR parameters of α-Na₂Si₂O₅.




Figure 5. Temperature dependence of the (a) 23 Na NMR central transition line width ν (taken as full width at half-maximum) and (b) 23 Na peak position maxima $\delta_{\rm max}$ of Sr_{0.55}Na_{0.45}SiO_{2.775} (blue circles) and devitrified Sr_{0.55}Na_{0.45}SiO_{2.775} (red circles) materials. Data were measured at a Larmor frequency of ν_0 = 105.8 MHz. The glass transition temperature $T_{\rm g}$ of Na₂O·2SiO₂ glass (450 °C) and the melting point $T_{\rm m}$ of crystalline α -Na₂Si₂O₅ phase (874 °C) are given in the figure.

a distribution of quadrupolar couplings⁵⁸ and indicates the presence of significant structural disorder and a range of Na sites (also corroborated by the short T_1 time measured of 98 \pm 11 ms). All these observations are therefore in agreement with the presence of an amorphous Na-containing glass in $Sr_{0.55}Na_{0.45}SiO_{2.775}$. A MAS spectrum recorded at a higher field of 20 T yields a narrower line, as anticipated; ⁵⁹ nevertheless no additional Na site is observed as is commonly observed in glasses.

In contrast to $Sr_{0.55}Na_{0.45}SiO_{2.775}$, devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$ shows the typical ^{23}Na second order line shape of α - $Na_2Si_2O_5$, 38 reinforcing that this phase is formed upon devitrification of the $Na_2O\cdot 2SiO_2$ glass. More importantly, it also shows that Na is only present as $Na_2O\cdot 2SiO_2$ glass in $Sr_{0.55}Na_{0.45}SiO_{2.775}$ and confirms the absence of Na doping in $SrSiO_3$ suggested before. SiO_3 suggested SiO_3 s

Figure S1 presents the ¹⁷O MAS NMR spectra ¹⁷O enriched devitrified Sr_{0.55}Na_{0.45}SiO_{2.775} (prepared by gas solid exchange




Figure 6. Representative very high temperature 23 Na static NMR spectra of (a) $Sr_{0.55}Na_{0.45}SiO_{2.775}$ and (b) devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$ obtained at 9.4 T on a static laser NMR probe. 48,49 In (a), 4 times more transients were acquired for the 23 Na NMR data collected at and above 782 °C. In (b), 8 times more transients were acquired for the 23 Na NMR data collected at and above 649 °C. 23 Na spectra at and above 901 °C were obtained with a $\pi/2$ pulse length of 26 μ s under the nonselective central transition regime (except at 901 °C in (b)). The crystallization phase transition temperatures T_c of 490, 550, and 650 °C and the melting point T_m of 874 °C of α -Na₂Si₂O₅ are given in the figure. The horizontal scaling factors are given on the right-hand side of the spectra. Dashed lines represent line shape simulation using the NMR parameters of α -Na₂Si₂O₅. 38

with $^{17}{\rm O}$ enriched ${\rm O_2~gas})^{60}$ and reveals a range of broad signals between 75 and -150 ppm (at 9.4 T) along with a weak low field signal around 94 ppm. Hu et al. 32 assigned the high field NMR signals (from 75 to -150 ppm) to an amorphous ${\rm Na_2Si_2O_5}$ phase; however, these resonances undoubtedly appear at the shifts anticipated for all three oxygen sites expected in $\alpha\text{-Na_2Si_2O_5}^{36}$ as Figure S1 demonstrates. The low

field 94 ppm signals correspond very well with the position of the nonbridging oxygens O1 and O2 in α -SrSiO₃, and we note that the NMR signal of the bridging oxygen O3 in α -SrSiO₃ overlaps with the ones of α -Na₂Si₂O₅.

Na lon Mobility: 23 Na NMR Spectra Line Shape Analysis. The room temperature 23 Na static NMR spectra of $Sr_{0.55}Na_{0.45}SiO_{2.775}$ is asymmetrically broadened (Figure 4a) as

observed before ²⁰ and corresponds to the amorphous Na₂O-2SiO₂ glassy phase. Upon increasing the sample temperature to approximately 340 °C (using a standard solid-state NMR probe and N₂ gas as heat carrier), the ²³Na NMR lines narrow and yield a symmetric NMR line shape centered at –21 ppm (Figure 4), in agreement with previous initial experimental work on Sr_{0.6}Na_{0.4}SiO_{2.8}, ²⁰ as well as Na₂O·2SiO₂ and K₂O·2SiO₂ disilicates, ²³ and confirmed computationally, ¹⁹ which demonstrates that the Na₂O·2SiO₂ glass is a fast Na ion conductor. The temperature evolution of the ²³Na line width ν and peak maxima position $\delta_{\rm max}$ have been plotted in Figure 5 to give an overall indication of the line narrowing and change in $\delta_{\rm max}$ with temperature; however, the full analysis of the change in quadrupolar line shape with temperature results from a complex combination of second order effects and dynamical shifts which are beyond the scope of this work.

Unlike $Sr_{0.55}Na_{0.45}SiO_{2.775}$, the ²³Na static NMR line shape of the devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$ material (Figure 4b) remains broad and is virtually unchanged (Figure 5a) as the temperature is increased to 360 °C, the integral of the spectra decreasing due to unfavorable Boltzmann distribution at high temperature. The lack of change in line shape is a clear indication of the absence of Na ion dynamics and poor Na ion mobility as expected in α -Na₂Si₂O₅ and as determined by both its low conductivity¹⁶ and the small atomic displacements computed by *ab initio* molecular dynamics simulation. ¹⁹

Additional high temperature static NMR experiments were performed on both Sr_{0.55}Na_{0.45}SiO_{2.775} materials on a static NMR probe and a homemade CO₂ laser ($\lambda = 10.6 \mu \text{m}$, 250 W) heating system developed in Orléans (CNRS – CEMHTI)^{48,49} to probe further the Na diffusion and in situ crystallization behaviors (Figure 6). The width of ²³Na static NMR spectra of Sr_{0.55}Na_{0.45}SiO_{2.775} (Figure 6a) decreases from room temperature to 358-412 °C and then broadens significantly at 529 °C. This broadening is due to a phase transition, and the crystallization of the amorphous Na2O·2SiO2 glassy phase into crystalline α-Na₂Si₂O₅, a process that was surprisingly found to have multiple crystallization phase transition temperatures T_c. ¹⁶ Crystallization starts to occur at 490 °C and peaks at 550 and 650 °C as determined by differential scanning calorimetry (DSC)¹⁶ and was observed in in situ high temperature XRD¹⁶ and by ²⁹Si MAS NMR spectroscopy during the devitrification of Na₂O·2SiO₂ glass. 42 These results are in contrast with the in situ high temperature ²⁹Si NMR study of pure Na₂O·2SiO₂ glass²³ that shows the presence of a supercooled liquid phase up to about 200 $^{\circ}$ C above the T_{g} (450 °C) and no crystallization of α -Na₂Si₂O₅. The presence of crystalline α -SrSiO $_3$ in Sr $_{0.55}$ Na $_{0.45}$ SiO $_{2.775}$ therefore dramatically changes the thermal behavior of the Na₂O·2SiO₂ glass present in the mixture by acting as seeds of the heterogeneous

As the temperature is increased further, the $^{23}{\rm Na}$ line shape of ${\rm Sr_{0.55}Na_{0.45}SiO_{2.775}}$ remains largely unchanged up to 845 °C with a slight shift of the resonances toward higher frequencies (see Figure 6b). At and above 901 °C, a much narrower Lorentzian line (full width at half-maximum around 1 kHz) is observed indicative of a melted sample, in agreement with the known melting point $T_{\rm m}$ of $\alpha\text{-Na}_2{\rm Si}_2{\rm O}_5$ (874 °C) 34 and visual inspection of the sample at room temperature after the high temperature NMR experiments. These experimental observations are also corroborated by in situ $^{23}{\rm Na}$ two-dimensional quadrupole nutation NMR spectroscopy data that shows the nonselective central transition regime above $T_{\rm m}$ characteristic of

the liquid sample. Upon quenching of $Sr_{0.55}Na_{0.45}SiO_{2.775}$ from 934 °C to room temperature (in approximately 20 s) by turning off the laser suddenly, all ²³Na and ²⁹Si NMR data (Figures S3 and S4) and the XRD pattern (Figure S2b) are consistent with the as prepared $Sr_{0.55}Na_{0.45}SiO_{2.775}$ showing the presence of crystalline α -SrSiO $_3$ and the amorphous Na_2O -2SiO $_2$ glassy phase. The XRD data also shows that no reaction is observed between the BN crucible and the $Sr_{0.55}Na_{0.45}SiO_{2.775}$ phase under the reductive condition used with the laser NMR probe.

The ²³Na static NMR spectra of devitrified Sr_{0.55}Na_{0.45}SiO_{2.775} given in Figure 6b is unchanged up to heating at 412 °C. Above this temperature, a change in line shape is observed. The change may be associated with some Na dynamics in α -Na₂Si₂O₅, or, even more likely, additional phase transitions in α -Na₂Si₂O₅, given the existence of a α_{III} -Na₂Si₂O₅ phase below 678 °C, $\alpha_{\rm II}$ -Na₂Si₂O₅ between 678 and 707 °C, and α_{I} -Na₂Si₂O₅ above 707 °C, corresponding to small distortions of the SiO₄ groups.³³ Further heating of the devitrified Sr_{0.55}Na_{0.45}SiO_{2.775} sample to 934 °C yields significant line narrowing of the ²³Na NMR spectrum, a Lorentzian line shape, and a nonselective central transition regime, all consistent with melting of α -Na₂Si₂O₅ (T_m of 874 °C). Melting should have happened at the quoted static laser temperature of 901 °C (first temperature recorded above $T_{\rm m}$); however, the estimated probe temperature accuracy is around 30 °C in this high temperature range (see Materials and Methods), 48,49 explaining the slight discrepancy. Additionally, it is likely that the rate of crystallization is slow or that the T_m of α -Na₂Si₂O₅ in the presence of solid α -SrSiO₃ differs from the one of pure α -Na₂Si₂O₅.³³

Quenching of the devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$ melt from 934 °C to room temperature largely regenerates the as prepared $Sr_{0.55}Na_{0.45}SiO_{2.775}$ phase with crystalline α -SrSiO₃ and amorphous $Na_2O\cdot 2SiO_2$ glassy phase detected by $^{23}Na/^{29}Si$ NMR and XRD (Figures S2c, S3, and S4). More specifically, the ^{29}Si MAS NMR spectrum (Figure S4) displays the sharp resonance at -84.8 ppm associated with α -SrSiO₃ and a broad resonance consistent with an amorphous phase, and the absence of the sharp signal at -94.3 ppm associated with α -Na₂Si₂O₅ (Figure 2) in agreement with the XRD pattern (Figure S2c) only revealing α -SrSiO₃ as the crystalline phase. The ^{23}Na static NMR spectrum (Figure S3) of this quenched material also shows a broad and featureless asymmetric peak rather than the second-order line shape of α -Na₂Si₂O₅ (Figure 4).

Comparison between the 23 Na static NMR spectra of both melts at 934 °C obtained from the as prepared and devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$ materials shows very good overlap, confirming that the only Na-containing compound in the molten state is liquid $Na_2Si_2O_5$ (Figure S5).

Na Ion Mobility: 53 Na Spin–Lattice Relaxation Rates. Probing dynamics and ionic motion could also be achieved from measuring the T_1^{-1} and/or $T_{1\rho}^{-1}$ rates and yield correlation times on the order of the Larmor frequency ($\sim 10^8$ Hz) and spin lock frequency ($\sim 10^3$ Hz). The determination of the T_1^{-1} and/or $T_{1\rho}^{-1}$ rates has, for example, enabled the understanding of the Li ion diffusion processes and its quantification (jump rates, activation energies) in a range of fast lithium ion conductors using 7 Li NMR. $^{45,63-66}$ A similar approach is used here with 23 Na NMR to shed the light on the sodium dynamics in both $Sr_{0.55}$ Na_{0.45}SiO_{2.775} and devitrified $Sr_{0.55}$ Na_{0.45}SiO_{2.775} and to obtain quantitative information on

the sodium mobility over a range of time scales and up to the melting point of $Na_2Si_2O_5$ (874 °C). The results complement the preliminary ²³Na T_1^{-1} investigation recently reported on $Sr_{0.6}Na_{0.4}SiO_{2.8}$ that were limited to temperatures from RT to 150 °C. ²⁰ Figure 7 plots the variable temperature ²³Na T_1^{-1} and




Figure 7. Arrhenius plot of the 23 Na spin—lattice relaxation rates T_1^{-1} obtained in the laboratory frame at $\nu_0(^{23}$ Na) = 105.8 MHz and spin—lattice relaxation rates $T_{1\rho}^{-1}$ obtained in the rotating frame at $\nu_1(^{23}$ Na) = 6.7, 9.6, 20, and 35 kHz. Data for $\mathrm{Sr}_{0.55}\mathrm{Na}_{0.45}\mathrm{SiO}_{2.775}$ and devitrified $\mathrm{Sr}_{0.55}\mathrm{Na}_{0.45}\mathrm{SiO}_{2.775}$ are shown in blue/green and red/orange circles, respectively. The crystallization phase transition temperatures T_c of $\mathrm{Na}_2\mathrm{O}\cdot2\mathrm{SiO}_2$ (490, 550, and 650 °C) and the melting point T_m of crystalline α -Na $_2\mathrm{Si}_2\mathrm{O}_5$ (874 °C) are given in the figure. Error bars are smaller than symbol sizes.

 $T_{1\rho}^{-1}$ rates of $\mathrm{Sr_{0.55}Na_{0.45}SiO_{2.775}}$ from room temperature to 934 °C, above the melting point of the Na-containing phase α -Na₂Si₂O₅. As the temperature is increased from room temperature to approximately the first crystallization temperature $T_{\rm c}$ of the Na₂O·2SiO₂ glassy phase (490 °C), the $T_{\rm 1}^{-1}$ and $T_{1\rho}^{-1}$ values increased, indicating a slow motional regime (characterized by $2\pi\nu_0\tau_{\rm c}\gg 1$ and $2\pi\nu_1\tau_{\rm c}\gg 1$, respectively, where ν_0, ν_1 , and $\tau_{\rm c}$ are the ²³Na Larmor frequency, the spin lock frequency, and the correlation times of the motion) ^{61,62} and that the $T_{1(\rho)}^{-1}$ rates are sensitive to local site-to-site

hopping. The data clearly follows an Arrhenius behavior highlighting that the relaxation data indeed probes a thermally activated process. Activation energy values for the short-range Na diffusion process of 28 \pm 2 kJ mol $^{-1}$ (from T_1^{-1}) and \sim 22 \pm 2 kJ mol $^{-1}$ (from $T_{1\rho}^{-1}$ above 160 °C) could be extracted.

Upon increasing the temperature further across the various T_c (490-650 °C) of the Na₂O·2SiO₂ glass, a short and a long T_1 (plotted as dark and light blue in Figure 7, respectively) are required to fit the ²³Na saturation recovery experiments (see Materials and Methods for details) of Sr_{0.55}Na_{0.45}SiO_{2.77}. The need for two T_1 values reflects a transition region with the onset of crystallization of Na₂O·2SiO₂ (short T₁) and the additional presence of the α -Na₂Si₂O₅ phase (long T_1) in $Sr_{0.55}Na_{0.45}SiO_{2.775}$. A single $T_{1\rho}$ value fits accurately the ²³Na spin lock experiments; however, it is likely that the value obtained is an averaged $T_{1\rho}$ and echoes the fact that both Na₂O· 2SiO₂ glass and crystalline α-Na₂Si₂O₅ phases exist in $Sr_{0.55}Na_{0.45}SiO_{2.775}$ at these temperatures. The long ²³Na T_1^{-1} values (dark blue) start to level off (as observed around the T_g of the Na₂O·2SiO₂ glass),²³ and a change in activation is observed (estimated to $\sim 10 \pm 3$ kJ mol⁻¹) in the 490–650 °C temperature range. Meanwhile the short ²³Na T_1^{-1} values (light blue) are of the same order of magnitude than for α -Na₂Si₂O₅ in devitrified Sr_{0.55}Na_{0.45}SiO_{2.775} (red in Figure 7—see below). Above 490–650 °C, α -Na₂Si₂O₅ is the only Na-containing phase and an Arrhenius plot of ²³Na T_1^{-1} from 650 °C to $\sim T_{\rm m}$ (874 °C) yields a large activation value of 123 \pm 9 kJ mol⁻¹ (and similar to the one obtained for α -Na₂Si₂O₅ in devitrified ${
m Sr_{0.55}Na_{0.45}SiO_{2.775}}$ —see below). Concomitantly, the measured $^{23}{
m Na}~T_{1\rho}^{-1}$ values decrease (green) and converge toward the ones obtained for α -Na₂Si₂O₅ (red/orange).

We note that the apparent $T_{1(\rho)}^{-1}$ maxima observed here around 490–650 °C are not representative of the $2\pi\nu_0\tau_c\sim 1$ and $2\pi\nu_1\tau_c\sim 0.5$ conditions observed in maxima of $T_{1(\rho)}^{-1}$ in the Arrhenius plot of thermally activated processes. Rather, the maxima correspond to changes occurring in $\mathrm{Sr}_{0.55}\mathrm{Na}_{0.45}\mathrm{SiO}_{2.775}$ with temperature and the crystallization of $\mathrm{Na}_2\mathrm{O}\cdot2\mathrm{SiO}_2$ glass into $\alpha\text{-Na}_2\mathrm{Si}_2\mathrm{O}_5$ which have short and long $T_{1(\rho)}$ values, respectively. Hence, the decrease of $T_{1\rho}^{-1}$ values with increasing temperature does not probe the fast motional regime (where the relationships $2\pi\nu_0\tau_c\ll 1$ and $2\pi\nu_1\tau_c\ll 1$ hold). This regime is not accessible here, and therefore the $T_{1(\rho)}^{-1}$ rates do not access the long-range Na diffusion in $\mathrm{Sr}_{0.55}\mathrm{Na}_{0.45}\mathrm{SiO}_{2.775}$ and $\mathrm{Na}_2\mathrm{O}\cdot2\mathrm{SiO}_2$ glass.

Table 1 compares the activation energies obtained above with the ones obtained with ac impedance^{2,10,14,16} and the previous 23 Na T_1^{-1} work. 20 A large range of activation energies $(\sim 17-75 \text{ kJ mol}^{-1})$ has been obtained using ac impedance spectroscopy under comparable temperature range. These discrepancies probably reflect large changes in the actual sample composition of $Sr_{0.55}Na_{0.45}SiO_{2.775}$ and, for example, the presence or absence of crystalline Na₂Si₂O₅ and/or Na₂O· 2SiO₂ glass depending on the thermal history of the sample, both materials having very different Na ion conductivity properties. 16,19 The activation energy of 28 kJ mol-1 obtained T_1^{-1} rates over the 22–490 °C temperature range compares well with the initial activation energy determined by ac impedance for $Sr_{0.55}Na_{0.45}SiO_{2.775}$ material (31 kJ mol⁻¹), ¹⁰ although we note that this value was obtained at higher temperature and above the $T_{\rm g}$ of the Na₂O·2SiO₂ glass (Table 1). The value of 28 kJ mol⁻¹ underestimates the ones obtained in a range of ac impedance studies (46-75 kJ mol⁻¹) as often observed while monitoring ionic mobility using both

Table 1. Comparison between the Activation Energies of Sodium Mobility in $Sr_{0.55}Na_{0.45}SiO_{2.775}$, $Na_2O\cdot 2SiO_2$ Glass, Devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$, and Crystalline $Na_2Si_2O_5$ Materials

material	$E_{\rm a}$, kJ mol ⁻¹	temperature range, °C	method	ref
$Sr_{0.55}Na_{0.45}SiO_{2.775}$	75 ± 7	~350-~560	ac impedance	2
	46 ± 7	~560-~940		2
	31	450-680		10
	72	~280~~640		14
	~34	400-600		16
	23 ± 3	~22-150	23 Na NMR T_1^{-1}	20
	28 ± 2	22-490		this wor
	\sim 22 \pm 2	22-650	23 Na NMR $T_{1 ho}^{-1}$	this wor
Na ₂ O·2SiO ₂ glass	63-84	~100-~450	²² Na/ ²⁴ Na tracer diffusion and electrical conductivity	26
	67	_	ac impedance	27
	72	~280-~460	²² Na tracer diffusion	28, 29 ^a
	116	~460-~540		29
	67 ± 5	~530-~1100	23 Na NMR T_1^{-1}	23
	54 ± 2	1273-2273	molecular dynamics	30
	16	300-450	ab initio molecular dynamics	19
	29	450-700		19
	\sim 67 ± 10	400-~500	ac impedance	16
devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$	7 ± 0.5	22-350	23 Na NMR T_1^{-1}	this wor
	$123-148 \pm 14$	550-830		this wor
	\sim 56 \pm 5	490-830	23 Na NMR $T_{1 ho}^{-1}$	this wor
crystalline Na ₂ Si ₂ O ₅	~42	400-650	ac impedance	16 ^b
	114-208	996-1146	ab initio molecular dynamics	19

 a Na₂O·2SiO₂ glass sample was obtained from slow cooling from 475 $^{\circ}$ C (above $T_{\rm g}$) to room temperature and may be partially crystalline. 28 b Probably the α -Na₂Si₂O₅ phase although not stated.

techniques. ^{20,44,67} The lower activation energy obtained from NMR versus impedance is ascribed to the fact that a mobile ion has a greater probability to jump back to its original position rather than to a new site, and while ac impedance probes longrange bulk mobility, the slow motional regime $(2\pi\nu_0\tau_c\gg1)$ of the ²³Na NMR data detected here is being sensitive to local dynamics and short diffusion including unsuccessful jumps. ^{44,45}

The activation energy value determined above from ²³Na T_1^{-1} relaxation data should also be compared with the values available in the literature for pure Na₂O·2SiO₂. The activation energies for Na diffusion obtained below $T_{\rm g}$ using a range of experimental approaches (²²Na/²⁴Na tracer diffusion, ²⁶, ²⁸, ²⁹ electrical conductivity, ²⁶ ac impedance, ¹⁶, ²⁷ and ²³Na NMR T_1^{-1} data²³) are in relatively good agreement with each other (63-84 kJ mol⁻¹, see Table 1). In particular, the value obtained from ²³Na NMR T_1^{-1} data ²³ (67 ± 5 kJ mol⁻¹)²³ fits well into this range. However, we also note that a more recent ab initio molecular dynamics study deviates significantly from these observations (with activation energies of 16 and 29 kJ mol⁻¹ between below and above T_o , respectively) and is most likely explained by the short simulation time used (40 ps) for the mean square displacement and the relative small size of the cell used (144 atoms). The shorter Na⁺ diffusion activation energies derived here for Sr_{0.55}Na_{0.45}SiO_{2.775} are therefore much smaller than the ones experimentally obtained for pure Na₂O· 2SiO₂ glass, indicating that the presence of crystalline α -SrSiO₃ dramatically changes the Na+ diffusion behavior of the Na2O-

Figure 7 also plots the behavior of T_1^{-1} rates versus temperature in the devitrified $Sr_{0.55}Na_{0.45}SiO_{2.775}$. As expected the T_1 values in this material are much longer (hence short T_1^{-1}) than the ones of as prepared $Sr_{0.55}Na_{0.45}SiO_{2.775}$ due to the presence of the crystalline α - $Na_2Si_2O_5$ phase. However, and in contrast to $Sr_{0.55}Na_{0.45}SiO_{2.775}$, at temperature below 450 °C,

the T_1^{-1} rates of devitrified $\mathrm{Sr_{0.55}Na_{0.45}SiO_{2.775}}$ are largely temperature independent and simply probe atomic vibration. Over the same temperature range, long $T_{1\rho}$ values are anticipated (longer than $T_{1\rho} \sim 82$ ms obtained at 412 °C with $\nu_1 = 9.6$ kHz) and could not be obtained due to limitation on the radio frequency capabilities of the liquid state NMR probe used in the high temperature setup. Around 550 °C, a kink is clearly observed in the T_1^{-1} plot and both T_1^{-1} and $T_{1\rho}^{-1}$ rates increased quickly and follow Arrhenius behavior with large activation energy values (148 ± 14 kJ mol⁻¹ and ~56 ± 5 kJ mol⁻¹, respectively) and demonstrate the poor Na ion mobility of the α -Na₂Si₂O₅ phase, supporting the recent *ab initio* molecular dynamics simulations on crystalline Na₂Si₂O₅. Similar $T_{1(\rho)}$ values and activation energies (123 ± 9 kJ mol⁻¹ from T_1^{-1} and ~68 ± 11 kJ mol⁻¹ from $T_{1\rho}^{-1}$) were obtained in $\mathrm{Sr_{0.55}Na_{0.45}SiO_{2.775}}$ above T_g 's as the sample composition (α -Na₂Si₂O₅ and α -SrSiO₃) is identical to the one of devitrified $\mathrm{Sr_{0.55}Na_{0.45}SiO_{2.775}}$.

CONCLUSIONS

In summary, the present multinuclear NMR study provides extensive evidence for the absence of Na doping in strontium silicate α -SrSiO $_3$ and the multiphasic nature of this Sr $_{0.55}$ Na $_{0.45}$ SiO $_{2.775}$ material. The NMR data indicate that this phase is made of a mixture of crystalline α -SrSiO $_3$, clearly identified by its narrow ²⁹Si line width and chemical shift, and an amorphous glassy phase of composition Na $_2$ O·2SiO $_2$, as evidenced by the detection of a single broad and featureless peak in both ²³Na and ²⁹Si NMR spectra. High temperature treatment of Sr $_{0.55}$ Na $_{0.45}$ SiO $_{2.775}$ at 800 °C, just below the melting point of its Na $_2$ O·2SiO $_2$ glass component (874 °C) followed by slow cooling to room temperature, devitrifies the Na $_2$ O·2SiO $_2$ glass. The XRD pattern of the resulting Sr $_{0.55}$ Na $_{0.45}$ SiO $_{2.775}$ phase indicates the presence of additional

reflections to α -SrSiO₃, which could be structurally refined to crystalline α -Na₂Si₂O₅. Comparison between all the ¹⁷O, ²³Na, and ²⁹Si NMR data recorded on devitrified Sr_{0.55}Na_{0.45}SiO_{2.775} with the ones known for this α -Na₂Si₂O₅ phase confirms its presence as the sole Na-containing material.

The high ionic conductivity in Sr_{0.55}Na_{0.45}SiO_{2.775} originally attributed to the diffusion of oxide ions and, questioned quickly in the literature, is in fact due to the high sodium ion mobility observed in the Na₂O·2SiO₂ glass. Extensive variable temperature ²³Na NMR experiments from room temperature to below the T_g of the Na₂O·2SiO₂ glass (450 °C) reveals a clear line narrowing of the ²³Na line shape, resulting from the mobility of sodium ions, and an evident temperature dependency of the spin-lattice relaxation rates $T_{1(\rho)}^{-1}$ corresponding to a thermally activated diffusion process with an activation energy in the 22-28 kJ mol⁻¹ range. The same ²³Na NMR experiments carried out on devitrified Sr_{0.55}Na_{0.45}SiO_{2.775} distinctively showed the absence of sodium ion transport in crystalline α-Na₂Si₂O₅ illustrated by the limited effect of temperature on the ²³Na line widths and spin-lattice relaxation rates $T_{1(\rho)}^{-1}$. These observations are key findings which explain the large difference in the Na+ ion conductivities and activation energies reported for Sr_{0.55}Na_{0.45}SiO_{2.775} and are due to the large difference in sample composition (presence and/or absence of Na₂O·2SiO₂ glass and crystalline α-Na₂Si₂O₅) and thermal history of the sample.

The experimental work presented here addresses the existing debate regarding the nature of the charge carrier in sodium strontium silicates by confirming the existence of fast sodium transport in an amorphous glassy Na₂O·2SiO₂ component of the sample. These results highlight some potential materials issues with alkali metal substitution strategies for high temperature inorganic solid state electrolytes. However, we hope it will also highlight further the potential for using noncrystalline solids as fast ionic transport.⁶⁸

ASSOCIATED CONTENT

S Supporting Information

The Supporting Information is available free of charge on the ACS Publications website at DOI: 10.1021/acs.chemmater.6b00941.

Additional ¹⁷O, ²³Na, ²⁹Si NMR spectra and XRD patterns (PDF)

AUTHOR INFORMATION

Corresponding Authors

*(R.D.B.) E-mail: rbayliss@uic.edu.

*(F.B.). E-mail: frederic.blanc@liverpool.ac.uk.

Notes

The authors declare no competing financial interest.

ACKNOWLEDGMENTS

K.K.I. thanks the EPSRC for a Doctoral Training Studentship. F.B. thanks SFTC for a "Futures Early Career Award" and the University of Liverpool for funding. We thank Colin Greaves, John A. Kilner, and Stephen J. Skinner for helpful discussions during this project. The UK 850 MHz solid-state NMR Facility used in this research was funded by EPSRC and BBSRC, as well as the University of Warwick including via part funding through Birmingham Science City Advanced Materials Projects 1 and 2 supported by Advantage West Midlands (AWM) and the European Regional Development Fund (ERDF). The exper-

imental data are provided as a supporting dataset from the University of Liverpool Data Catalogue portal at http://datacat.liverpool.ac.uk/127/.

REFERENCES

- (1) Singh, P.; Goodenough, J. B. $Sr_{1-x}K_xSi_{1-y}Ge_yO_{3-0.5x}$: A New Family of Superior Oxide-Ion Conductors. *Energy Environ. Sci.* **2012**, *5*, 9626–9631.
- (2) Singh, P.; Goodenough, J. B. Monoclinic Sr_{1-x}Na_xSiO_{3-0.5x}: New Superior Oxide Ion Electrolytes. *J. Am. Chem. Soc.* **2013**, *135*, 10149–10154.
- (3) Thangadurai, V.; Weppner, W. Li₆ALa₂Ta₂O₁₂ (A = Sr, Ba): Novel Garnet-Like Oxides for Fast Lithium Ion Conduction. *Adv. Funct. Mater.* **2005**, *15*, 107–112.
- (4) Li, M.; Pietrowski, M. J.; De Souza, R. A.; Zhang, H.; Reaney, I. M.; Cook, S. N.; Kilner, J. A.; Sinclair, D. C. A Family of Oxide Ion Conductors Based on the Ferroelectric Perovskite Na_{0.5}Bi_{0.5}TiO₃. *Nat. Mater.* **2014**, *13*, 31–35.
- (5) Xu, J.; Wang, X.; Fu, H.; Brown, C. M.; Jing, X.; Liao, F.; Lu, F.; Li, X.; Kuang, X.; Wu, M. Solid-State 29 Si NMR and Neutron-Diffraction Studies of $Sr_{0.7}K_{0.3}SiO_{2.85}$ Oxide Ion Conductors. *Inorg. Chem.* **2014**, *53*, 6962–6968.
- (6) Martinez-Coronado, R.; Singh, P.; Alonso-Alonso, J.; Goodenough, J. B. Structural Investigation of the Oxide-Ion Electrolyte with SrMO₃ (M = Si/Ge) Structure. *J. Mater. Chem. A* **2014**, *2*, 4355–4360.
- (7) Kilner, J. A. Fast Anion Transport in Solids. *Solid State Ionics* 1983, 8, 201–207.
- (8) Kilner, J. A. Fast Oxygen Transport in Acceptor Doped Oxides. *Solid State Ionics* **2000**, *129*, 13–23.
- (9) Manning, P. S.; Sirman, J. D.; De Souza, R. A.; Kilner, J. A. The Kinetics of Oxygen Transport in 9.5 Mol % Single Crystal Yttria Stabilised Zirconia. *Solid State Ionics* **1997**, *100*, 1–10.
- (10) Wei, T.; Singh, P.; Gong, Y.; Goodenough, J. B.; Huang, Y.; Huang, K. $Sr_{3-3x}Na_{3x}Si_3O_{9-1.5x}$ (x=0.45) as a Superior Solid Oxide-Ion Electrolyte for Intermediate Temperature-Solid Oxide Fuel Cells. *Energy Environ. Sci.* **2014**, *7*, 1680–1684.
- (11) Bayliss, R. D.; Cook, S. N.; Fearn, S.; Kilner, J. A.; Greaves, C.; Skinner, S. J. On the Oxide Ion Conductivity of Potassium Doped Strontium Silicates. *Energy Environ. Sci.* **2014**, *7*, 2999–3005.
- (12) Evans, I. R.; Evans, J. S. O.; Davies, H. G.; Haworth, A. R.; Tate, M. L. On $Sr_{1-x}Na_xSiO_{3-0.5x}$ New Superior Fast Ion Conductors. *Chem. Mater.* **2014**, 26, 5187–5189.
- (13) Bayliss, R. D.; Cook, S. N.; Scanlon, D. O.; Fearn, S.; Cabana, J.; Greaves, C.; Kilner, J. A.; Skinner, S. J. Understanding the Defect Chemistry of Alkali Metal Strontium Silicate Solid Solutions: Insights from Experiment and Theory. *J. Mater. Chem. A* **2014**, *2*, 17919–17924.
- (14) Tealdi, C.; Malavasi, L.; Uda, I.; Ferrara, C.; Berbenni, V.; Mustarelli, P. Nature of Conductivity in SrSiO₃-Based Fast Ion Conductors. *Chem. Commun.* **2014**, *50*, 14732–14735.
- (15) Fernández-Palacios, S.; Santos-Gómez, L. do.; Compana, J. M.; Porras-Vázquez, J. M.; Cabeza, A.; Marrero-López, D.; Losilla, E. R. Influence of the Synthesis Method on the Structure and Electrical Properties of $\mathrm{Sr}_{1-x}\mathrm{K}_x\mathrm{GeO}_{3-x/2}$. Ceram. Int. 2015, 41, 6542–6551.
- (16) Jee, Y.; Zhao, X.; Huang, K. On the Cause of Conductivity Degradation in Sodium Strontium Silicate Ionic Conductor. *Chem. Commun.* **2015**, *51*, 9640–9642.
- (17) Jee, Y.; Zhao, X.; Lei, X.; Huang, K. Phase Relationship and Ionic Conductivity in Na-SrSiO₃ Ionic Conductor. *J. Am. Ceram. Soc.* **2016**, *99*, 324–331.
- (18) Corley, J. P.; Cook, S. N.; Fearn, S.; Greaves, C.; Skinner, S. J.; Kilner, J. A.; Cabana, J.; Blanc, F.; Bayliss, R. D. Re-Evaluating the Defect Chemistry and Ion Mobility of Sr_{0.55}Na_{0.45}SiO_{2.775}. Presented at the 20th International Conference on Solid State Ionics, Keystone, CO, U.S.A., June 2015.

(19) Lei, X.; Jee, Y.; Huang, K. Amorphous Na₂Si₂O₅ as a Fast Na⁺ Conductor: An Ab Initio Molecular Dynamics Simulation. *J. Mater. Chem. A* **2015**, *3*, 19920–19927.

- (20) Peet, J. R.; Widdifield, C. M.; Apperley, D. C.; Hodgkinson, P.; Johnson, M. R.; Evans, I. R. Na⁺ Mobility in Sodium Strontium Silicate Fast Ion Conductors. *Chem. Commun.* **2015**, *51*, 17163–17165.
- (21) Lagaly, G.; Tufar, W.; Minihan, A.; Lovell, A. Ùllman's Encyclopedia of Industrial Chemistry; Wiley-VCH: 2000.
- (22) Shelby, J. E. Property/Morphology Relations in Alkali Silicate Glasses. J. Am. Ceram. Soc. 1983, 66, 754–757.
- (23) Liu, S. B.; Stebbins, J. F.; Schneider, E.; Pines, A. Diffusive Motion in Alkali Silicate Melts An NMR-Study at High-Temperature. *Geochim. Cosmochim. Acta* 1988, 52, 527–538.
- (24) Maekawa, H.; Yokokawa, T. Effects of Temperature on Silicate Melt Sructure: A High Temperature ²⁹Si NMR Study of Na₂Si₂O₅. *Geochim. Cosmochim. Acta* **1997**, *61*, 2569–2575.
- (25) Gupta, Y. P.; King, T. B. Self-Diffusion of Sodium in Sodium Silicate Liquids. *Trans. Mettal. Soc. AIME* **1967**, 239, 1701.
- (26) Terai, R.; Hayami, R. Ionic Diffusion in Glasses. J. Non-Cryst. Solids 1975, 18, 217–264.
- (27) Frischat, G. H. Ionic Diffusion in Oxide Glasses; Trans Tech: Aedermannsdorf, 1975.
- (28) Kaps, C.; Voelksch, G. On the Interdiffusion of Ag⁺ and Na⁺ Ions in the Glass Na₂O·2SiO₂ around the Glass Transition Temperature. *J. Non-Cryst. Solids* **1982**, *53*, 143–153.
- (29) Kaps, C. On the Self-Diffusion of Na⁺ Ions in the Glass Na₂O-2SiO₂ around the Glass Transition Temperature. *J. Non-Cryst. Solids* **1984**, *65*, 189–192.
- (30) Smith, W.; Greaves, G. N.; Gillan, M. J. Computer Simulation of Sodium Disilicate Glass. *I. Chem. Phys.* **1995**, *103*, 3091–3097.
- (31) Isard, J. O. The Mixed Alkali Effect in Glass. J. Non-Cryst. Solids 1969, 1, 235–261.
- (32) Chien, P.-H.; Jee, Y.; Huang, C.; Dervişoğlu, R.; Hung, I.; Gan, Z.; Huang, K.; Hu, Y.-Y. On the Origin of High Ionic Conductivity in Na-Doped SrSiO₃. *Chem. Sci.* **2016**, DOI: 10.1039/C5SC04270D.
- (33) Williams, J.; Glasser, F. P. Crystallisation of Na₂O·2SiO₂-SiO₂ Glasses. *Phys. Chem. Glass* **1966**, *7*, 127.
- (34) Kracek, F. C. The System Sodium Oxide-Silica. *J. Phys. Chem.* **1929**, 34, 1583–1598.
- (35) Pant, A. K.; Cruickshank, D. W. J. The Crystal Structure of α -Na₂Si₂O₅. Acta Crystallogr., Sect. B: Struct. Crystallogr. Cryst. Chem. **1968**, 24, 13–19.
- (36) Xue, X.; Stebbins, J. F.; Kanzaki, M. Correlations between ¹⁷O NMR Parameters and Local Structure Around Oxygen in High Pressure Silicates Implications for the Structure of Silicate Melts At High Pressure. *Am. Mineral.* **1994**, *79*, 31–42.
- (37) Maekawa, H.; Florian, P.; Massiot, D.; Kiyono, H.; Nakamura, M. Effect of Alkali Metal Oxide on ¹⁷O NMR Parameters and Si–O–Si Angles of Alkali Metal Disilicate Glasses. *J. Phys. Chem.* **1996**, *100*, 5525–5532.
- (38) Heidemann, D.; Hubert, C.; Schwieger, W.; Grabner, P.; Bergk, K.-H.; Sarv, P. ²⁹Si Und ²³Na-Festkuerper-MAS-NMR-Untersuchungen an Modifikationen Des Na₂Si₂O₅. *Z. Anorg. Allg. Chem.* **1992**, *617*, 169–177.
- (39) Xue, X.; Stebbins, J. F. ²³Na NMR Chemical Shifts and Local Na Coordination Environments in Silicate Crystals, Melts and Glasses. *Phys. Chem. Miner.* **1993**, *20*, 297–307.
- (40) Koller, H.; Engelhardt, G.; Kentgens, A. P. M.; Sauer, J. ²³Na NMR Spectroscopy of Solids: Interpretation of Quadrupole Interaction Parameters and Chemical Shifts. *J. Phys. Chem.* **1994**, *98*, 1544–1551.
- (41) Engelhardt, G.; Michel, D. High-Resolution Solid-State NMR of Silicates and Zeolites; Wiley: New York, 1987.
- (42) Mortuza, M. G.; Dupree, R.; Holland, D. Devitrification of Sodium Disilicate Glass: A NMR Study. *J. Mater. Sci.* **1998**, 33, 3737–3740.
- (43) Charpentier, T.; Ispas, S.; Profeta, M.; Mauri, F.; Pickard, C. J. First-Principles Calculation of ¹⁷O, ²⁹Si, and ²³Na NMR Spectra of

Sodium Silicate Crystals and Glasses. J. Phys. Chem. B 2004, 108, 4147-4161.

- (44) Blanc, F.; Spencer, L.; Goward, G. R. Quadrupolar NMR of Ionic Conductors, Batteries, and Other Energy-Related Materials. *Encyclopedia of Magnetic Resonance* **1996**, DOI: 10.1002/9780470034590.emrstm1215.
- (45) Wilkening, M.; Heitjans, P. From Micro to Macro: Access to Long-Range Li⁺ Diffusion Parameters in Solids via Microscopic ^{6,7}Li Spin-Alignment Echo NMR Spectroscopy. *ChemPhysChem* **2012**, *13*, 53–65.
- (46) Toby, B. H. EXPGUI, a Graphical User Interface for GSAS. *J. Appl. Crystallogr.* **2001**, 34, 210–213.
- (47) Larson, A. C.; Von Dreele, R. B. General Structure Analysis System (GSAS); Los Alamos National Laboratory Report 86-748; Los Alamos National Laboratory: 2000.
- (48) Lacassagne, V.; Bessada, C.; Ollivier, B.; Massiot, D.; Florian, P.; Coutures, J. P. ²⁷Al, ²³Na, ¹⁹F NMR Study of Cryolife at the Solid/liquid Transition. *C. R. Acad. Sci., Ser. IIb: Mec., Phys., Chim., Astron.* **1997**, 325, 91–98.
- (49) Lacassagne, V.; Bessada, C.; Florian, P.; Bouvet, S.; Ollivier, B.; Coutures, J.-P.; Massiot, D. Structure of High-Temperature NaF–AlF₃–Al₂O₃ Melts: A Multinuclear NMR Study. *J. Phys. Chem. B* **2002**, *106*, 1862–1868.
- (50) Bielecki, A.; Burum, D. P. Temperature-Dependence of ²⁰⁷Pb Mas Spectra of Solid Lead Nitrate. An Accurate, Sensitive Thermometer for Variable-Temperature MAS. *J. Magn. Reson., Ser. A* **1995**, *116*, 215–220.
- (51) Beckmann, P. A.; Dybowski, C. A Thermometer for Nonspinning Solid-State NMR Spectroscopy. *J. Magn. Reson.* **2000**, 146, 379–380.
- (52) Becker, K. D. Temperature Dependence of NMR Chemical Shifts in Cuprous Halides. *J. Chem. Phys.* **1978**, *68*, 3785–3793.
- (53) Wu, J.; Kim, N.; Stebbins, J. F. Temperature Calibration for High-Temperature MAS NMR to 913 K: ⁶³Cu MAS NMR of CuBr and CuI, and ²³Na MAS NMR of NaNbO₃. *Solid State Nucl. Magn. Reson.* **2011**, 40, 45–50.
- (54) Nishi, F. Strontium Metasilicate, SrSiO₃. Acta Crystallogr., Sect. C: Cryst. Struct. Commun. 1997, 53, 534–536.
- (55) Smith, K. A.; Kirkpatrick, R. J.; Oldfield, E.; Henderson, D. M. High-Resolution Silicon-29 Nuclear Magnetic Resonance Spectroscopic Study of Rock-Forming Silicates. *Am. Mineral.* **1983**, *68*, 1206–1215.
- (56) Murdoch, J. B.; Stebbins, J. F.; Carmichael, I. S. E. High-Resolution ²⁹Si NMR Study of Silicate and Aluminosilicate Glasses: The Effect of Network-Modifying Cations. *Am. Mineral.* **1985**, *70*, 332–343.
- (57) Xue, X. Y.; Stebbins, J. F.; Kanzaki, M.; McMillan, P. F.; Poe, B. Pressure-Induced Silicon Coordination and Tetrahedral Structural Changes in Alkali Oxide Silica Melts up to 12 GPa NMR, Raman, and Infrared Spectroscopy. *Am. Mineral.* 1991, 76, 8–26.
- (58) Massiot, D.; Fayon, F.; Capron, M.; King, I.; Le Calvé, S.; Alonso, B.; Durand, J.-O.; Bujoli, B.; Gan, Z.; Hoatson, G. Modelling One- and Two-Dimensional Solid-State NMR Spectra. *Magn. Reson. Chem.* **2002**, *40*, 70–76.
- (59) Smith, M. E.; van Eck, E. R. H. Recent Advances in Experimental Solid State NMR Methodology for Half-Integer Spin Quadrupolar Nuclei. *Prog. Nucl. Magn. Reson. Spectrosc.* **1999**, 34, 159–201.
- (60) Ashbrook, S. E.; Smith, M. E. Solid State ¹⁷O NMR an Introduction to the Background Principles and Applications to Inorganic Materials. *Chem. Soc. Rev.* **2006**, *35*, 718–735.
- (61) Abragam, A. Principles of Nuclear Magnetism; Oxford University Press: Oxford, 1961.
- (62) Steigel, A.; Spiess, H. W. NMR Basic Principles and Progress; Springer-Verlag: Berlin, 1978.
- (63) Wilkening, M.; Küchler, W.; Heitjans, P. From Ultraslow to Fast Lithium Diffusion in the 2D Ion Conductor Li_{0.7}TiS₂ Probed Directly by Stimulated-Echo NMR and Nuclear Magnetic Relaxation. *Phys. Rev. Lett.* **2006**, *97*, 065901.

(64) Kuhn, A.; Sreeraj, P.; Poettgen, R.; Wiemhoefer, H.-D.; Wilkening, M.; Heitjans, P. Li Ion Diffusion in the Anode Material Li₁₂Si₇: Ultrafast Quasi-1D Diffusion and Two Distinct Fast 3D Jump Processes Separately Revealed by ⁷Li NMR Relaxometry. *J. Am. Chem. Soc.* **2011**, 133, 11018–11021.

- (65) Kuhn, A.; Duppel, V.; Lotsch, B. V. Tetragonal Li₁₀GeP₂S₁₂ and Li₇GePS₈ Exploring the Li Ion Dynamics in LGPS Li Electrolytes. *Energy Environ. Sci.* **2013**, *6*, 3548—3552.
- (66) Epp, V.; Gun, O.; Deiseroth, H. J.; Wilkening, M. Highly Mobile Ions: Low-Temperature NMR Directly Probes Extremely Fast Li $^+$ Hopping Argyrodite-Type Li $_6$ PS $_5$ Br. J. Phys. Chem. Lett. 2013, 4, 2118–2123.
- (67) Kim, N.; Hsieh, C. H.; Huang, H.; Prinz, F. B.; Stebbins, J. F. High Temperature ¹⁷O MAS NMR Study Scandia and Yttria Stabilized of Calcia, Magnesia, Zirconia. *Solid State Ionics* **2007**, *178*, 1499–1506.
- (68) Bachman, J. C.; Muy, S.; Grimaud, A.; Chang, H.-H.; Pour, N.; Lux, S. F.; Paschos, O.; Maglia, F.; Lupart, S.; Lamp, P.; et al. Inorganic Solid-State Electrolytes for Lithium Batteries: Mechanisms and Properties Governing Ion Conduction. *Chem. Rev.* **2016**, *116*, 140–162.